

04 Health behaviour and risk factors

zhb01: F2F B15 - Any prescribed medicines in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	11.19	0.22	12.83	0.25
Yes	1	1553.66	30.42	1566.49	30.67
No	2	3540.51	69.33	5107.00	100.00

zhb01a: F2F B16.1 - Antibiotics/penicillin in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4566.23	89.41	4576.97	89.62
Yes	1	530.03	10.38	5107.00	100.00

zhb01b: F2F B16.2 - Asthma medication in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4910.94	96.16	4921.68	96.37
Yes	1	185.32	3.63	5107.00	100.00

zhb01c: F2F B16.3 - Diabetes medicine in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	5022.27	98.34	5033.01	98.55
Yes	1	73.99	1.45	5107.00	100.00

zhb01d: F2F B16.4 - Nausea / sickness tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4851.05	94.99	4861.78	95.20
Yes	1	245.22	4.80	5107.00	100.00

zhb01e: F2F B16.5 - Blood pressure tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4979.46	97.50	4990.20	97.71
Yes	1	116.80	2.29	5107.00	100.00

zhb01f: F2F B16.6 - Iron tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4757.21	93.15	4767.95	93.36
Yes	1	339.05	6.64	5107.00	100.00

zhb01g: F2F B16.7 - Heartburn medicines in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4935.43	96.64	4946.16	96.85
Yes	1	160.84	3.15	5107.00	100.00

zhb01h: F2F B16.8 - Anti-depressants in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4988.68	97.68	4999.42	97.89
Yes	1	107.58	2.11	5107.00	100.00

zhb01i: F2F B16.9 - Thyroid tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	5033.85	98.57	5044.59	98.78
Yes	1	62.41	1.22	5107.00	100.00

zhb01j: F2F B16.10 - Other prescription in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	9.10	0.18	10.74	0.21
No	0	4731.03	92.64	4741.76	92.85
Yes	1	365.24	7.15	5107.00	100.00

zhb02: F2F B17 - OTC medicines taken in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	21.00	0.41	22.64	0.44
Yes	1	4275.78	83.72	4298.42	84.17
No	2	808.58	15.83	5107.00	100.00

zhb02a: F2F B18.1 - Painkillers in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	2836.74	55.55	2843.00	55.67
Yes	1	2264.00	44.33	5107.00	100.00

zhb02b: F2F B18.2 - Iron tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	3527.03	69.06	3533.28	69.19
Yes	1	1573.72	30.81	5107.00	100.00

zhb02c: F2F B18.3 - Folic acid / folate in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	2097.71	41.08	2103.97	41.20
Yes	1	3003.03	58.80	5107.00	100.00

zhb02d: F2F B18.4 - Dietary supplements in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	3778.11	73.98	3784.37	74.10
Yes	1	1322.63	25.90	5107.00	100.00

zhb02e: F2F B18.5 - Herbal preparations in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	4826.32	94.50	4832.58	94.63
Yes	1	274.42	5.37	5107.00	100.00

zhb02f: F2F B18.6 - Heartburn medicines in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	4121.83	80.71	4128.09	80.83
Yes	1	978.91	19.17	5107.00	100.00

zhb02g: F2F B18.7 - Cold and flu tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	4983.59	97.58	4989.84	97.71
Yes	1	117.16	2.29	5107.00	100.00

zhb02h: F2F B18.8 - Anti-allergy tablets in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	4996.14	97.83	5002.40	97.95
Yes	1	104.60	2.05	5107.00	100.00

zhb02i: F2F B18.9 - Asthma medications in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	4840.00	94.77	4846.26	94.89
Yes	1	260.74	5.11	5107.00	100.00

zhb02j: F2F B18.10 - Other OTC medications in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	4.62	0.09	6.26	0.12
No	0	4868.32	95.33	4874.58	95.45
Yes	1	232.42	4.55	5107.00	100.00

zhb03: F2F B19.0 - Foods excluded in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	42.09	0.82	43.73	0.86
Yes	1	2263.24	44.32	2306.97	45.17
No	2	2800.03	54.83	5107.00	100.00

zhb03a: F2F B19.1 - Meat excluded in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	42.09	0.82	43.73	0.86
No	0	4676.30	91.57	4720.03	92.42
Yes	1	386.97	7.58	5107.00	100.00

zhb03b: F2F B19.2 - Fish excluded in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	42.09	0.82	43.73	0.86
No	0	4466.04	87.45	4509.76	88.31
Yes	1	597.24	11.69	5107.00	100.00

zhb03c: F2F B19.3 - Dairy Foods excluded in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	42.09	0.82	43.73	0.86
No	0	4764.32	93.29	4808.05	94.15
Yes	1	298.95	5.85	5107.00	100.00

zhb03d: F2F B19.4 - Eggs excluded in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	42.09	0.82	43.73	0.86
No	0	4814.77	94.28	4858.50	95.13
Yes	1	248.50	4.87	5107.00	100.00

zhb03e: F2F B19.5 - Any other foods excluded in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	42.09	0.82	43.73	0.86
No	0	3455.23	67.66	3498.96	68.51
Yes	1	1608.04	31.49	5107.00	100.00

zhb04a: F2F B20 - Medical care received while pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	11.56	0.23	13.20	0.26
Nobody	0	4.90	0.10	18.10	0.35
General Practitioner GP	1	1498.16	29.34	1516.26	29.69
Obstetrician	2	2138.78	41.88	3655.04	71.57
Midwife or nurse	3	1020.12	19.98	4675.16	91.54
Formal shared care arrangement	4	335.90	6.58	5011.06	98.12
Other	5	95.94	1.88	5107.00	100.00

zhb04b: F2F B21 - No. medical visits before birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	38.45	0.75	40.08	0.78
None	0	7.66	0.15	47.74	0.93
1 visit	1	5.41	0.11	53.15	1.04
2 visits	2	14.01	0.27	67.16	1.32
3 visits	3	31.75	0.62	98.92	1.94

zhb04b: F2F B21 - No. medical visits before birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4-6 visits	4	390.13	7.64	489.05	9.58
7-9 visits	5	1070.11	20.95	1559.16	30.53
10 or more visits	6	3547.84	69.47	5107.00	100.00

zhb05a: F2F B22 - Whether SC ever breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	1.12	0.02	2.76	0.05
Yes	1	4632.17	90.70	4634.93	90.76
No	2	472.07	9.24	5107.00	100.00

ahb05b: 0/1 - F2F B23 - Whether SC still breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.16	0.06	4.79	0.09
Yes	1	1891.90	37.05	1896.69	37.14
No	2	3210.31	62.86	5107.00	100.00

zhb05c: F2F B24 - Age SC stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.43	0.01	0.43	0.01
-9	1891.90	37.05	1892.33	37.05
-4	1.64	0.03	1893.97	37.09
-2	8.69	0.17	1902.66	37.26
-1	1.08	0.02	1903.73	37.28
0	935.27	18.31	2839.00	55.59
30	415.12	8.13	3254.11	63.72
60	286.08	5.60	3540.20	69.32
90	339.56	6.65	3879.76	75.97
120	270.22	5.29	4149.98	81.26
150	184.80	3.62	4334.78	84.88
180	254.67	4.99	4589.45	89.87
210	147.58	2.89	4737.03	92.76
240	138.97	2.72	4876.00	95.48
270	85.04	1.67	4961.04	97.14
300	64.66	1.27	5025.70	98.41
330	41.40	0.81	5067.10	99.22
360	30.29	0.59	5097.39	99.81
390	7.22	0.14	5104.61	99.95
420	2.39	0.05	5107.00	100.00

zbf1mth: SC breastfed at 1 month of age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.76	0.21	10.76	0.21
No	0	1109.27	21.72	1120.03	21.93
Yes	1	3986.97	78.07	5107.00	100.00

zbf3mth: SC breastfed at 3 months of age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.76	0.21	10.76	0.21
No	0	1670.24	32.70	1681.00	32.92
Yes	1	3426.00	67.08	5107.00	100.00

zbf6mth: SC breastfed at 6 months of age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.76	0.21	10.76	0.21
-9	-9	535.88	10.49	546.64	10.70
No	0	2193.22	42.95	2739.86	53.65
Yes	1	2367.14	46.35	5107.00	100.00

zhb06: F2F B25 - Age SC first milk/food

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
-2	12.37	0.24	14.01	0.27
-1	127.33	2.49	141.34	2.77
0	1292.20	25.30	1433.54	28.07
30	473.42	9.27	1906.96	37.34
60	276.59	5.42	2183.55	42.76
90	430.79	8.44	2614.33	51.19
120	1044.52	20.45	3658.86	71.64
150	740.37	14.50	4399.23	86.14
180	581.70	11.39	4980.93	97.53
210	76.46	1.50	5057.39	99.03
240	25.29	0.50	5082.67	99.52
270	11.47	0.22	5094.15	99.75
300	8.72	0.17	5102.87	99.92
330	1.82	0.04	5104.69	99.95
360	2.31	0.05	5107.00	100.00

zhb07: F2F B26 - Age SC first infant formula/milk

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
-2	12.25	0.24	13.89	0.27
-1	1184.44	23.19	1198.32	23.46
0	1252.68	24.53	2451.00	47.99
30	492.72	9.65	2943.72	57.64
60	328.97	6.44	3272.69	64.08
90	341.18	6.68	3613.87	70.76
120	339.98	6.66	3953.85	77.42
150	232.32	4.55	4186.17	81.97
180	365.73	7.16	4551.90	89.13
210	185.32	3.63	4737.23	92.76
240	144.52	2.83	4881.75	95.59
270	87.75	1.72	4969.50	97.31
300	76.31	1.49	5045.81	98.80
330	30.08	0.59	5075.89	99.39

zhb07: F2F B26 - Age SC first infant formula/milk

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
360	26.17	0.51	5102.06	99.90
390	4.94	0.10	5107.00	100.00

ahb08: 0/1 - F2F B27 - SC drinks other than milk or formula

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	0.83	0.02	2.46	0.05
Yes	1	3981.99	77.97	3984.45	78.02
No	2	1122.55	21.98	5107.00	100.00

ahb08a: 0/1 - F2F B28.1 - SC drinks fruit juices

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	3060.90	59.94	3066.01	60.04
Yes	1	2040.99	39.96	5107.00	100.00

ahb08b: 0/1 - F2F B28.2 - SC drinks blackcurrant drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	4653.38	91.12	4658.49	91.22
Yes	1	448.51	8.78	5107.00	100.00

ahb08c: 0/1 - F2F B28.3 - SC drinks cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	4791.27	93.82	4796.39	93.92
Yes	1	310.61	6.08	5107.00	100.00

ahb08d: 0/1 - F2F B28.4 - SC drinks fizzy or soft drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	5027.19	98.44	5032.30	98.54
Yes	1	74.70	1.46	5107.00	100.00

ahb08e: 0/1 - F2F B28.5 - SC drinks tea or coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	5017.93	98.26	5023.05	98.36
Yes	1	83.95	1.64	5107.00	100.00

ahb08f: 0/1 - F2F B28.6 - SC drinks herbal drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	5050.65	98.90	5055.77	99.00
Yes	1	51.23	1.00	5107.00	100.00

ahb08g: 0/1 - F2F B28.7 - SC drinks water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	1376.36	26.95	1381.47	27.05
Yes	1	3725.53	72.95	5107.00	100.00

ahb08h: 0/1 - F2F B28.8 - SC drinks - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.48	0.07	5.11	0.10
No	0	4996.19	97.83	5001.30	97.93
Yes	1	105.70	2.07	5107.00	100.00

ahb09: 0/1 - F2F B29 - SC drinks in bed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	8.18	0.16	9.82	0.19
Yes	1	1050.63	20.57	1060.45	20.76
No	2	4046.55	79.24	5107.00	100.00

zhb10: F2F B30 - Age SC first solid food regularly

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
-2	4.40	0.09	6.03	0.12
-1	299.76	5.87	305.80	5.99
0	41.22	0.81	347.01	6.79
30	67.93	1.33	414.95	8.13
60	92.23	1.81	507.18	9.93
90	368.47	7.22	875.65	17.15
120	1381.20	27.05	2256.85	44.19
150	1162.43	22.76	3419.28	66.95
180	1336.78	26.18	4756.06	93.13
210	202.77	3.97	4958.83	97.10
240	92.80	1.82	5051.64	98.92
270	36.09	0.71	5087.73	99.62
300	11.15	0.22	5098.87	99.84
330	4.46	0.09	5103.33	99.93
360	3.67	0.07	5107.00	100.00

ahb11: 0/1 - F2F B31 - Current feeding problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.18	0.04	3.82	0.07
Yes, breastfeeding	1	40.52	0.79	44.34	0.87
Yes, weaning	2	81.80	1.60	126.14	2.47
Yes, starting solids	3	163.61	3.20	289.75	5.67
Yes, other	4	318.94	6.25	608.68	11.92
No problems	5	4498.32	88.08	5107.00	100.00

ahb12a: 0/1 - F2F B43 - Agreement with child immunisation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-3	-3	0.70	0.01	2.33	0.05
-2	-2	3.27	0.06	5.61	0.11
Very strongly agree	1	3851.39	75.41	3857.00	75.52
Quite strongly agree	2	926.86	18.15	4783.86	93.67
Neither agree nor disagree	3	223.20	4.37	5007.05	98.04
Quite strongly disagree	4	56.88	1.11	5063.93	99.16
Very strongly disagree	5	43.07	0.84	5107.00	100.00

ahb12b: 0/1 - F2F B44 - SC up to date with immunisations

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	1.33	0.03	2.97	0.06
Yes, completely up to date	1	4631.07	90.68	4634.03	90.74
No, but has had most	2	334.75	6.55	4968.78	97.29
No, but has had some	3	53.18	1.04	5021.97	98.33
No, hasn't had any	4	85.03	1.67	5107.00	100.00

ahb13a1a: 0/1 - P1 - P1L D2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.69	0.88	44.69	0.88
-9	-9	818.07	16.02	862.75	16.89
Less than 1	0	274.66	5.38	1137.42	22.27
1	1	1082.88	21.20	2220.29	43.48
2	2	1380.06	27.02	3600.35	70.50
3	3	914.28	17.90	4514.63	88.40
4	4	373.44	7.31	4888.07	95.71
5	5	151.56	2.97	5039.62	98.68
6 or more	6	67.38	1.32	5107.00	100.00

ahb13a2a: 0/1 - P1 - P1L D3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.83	0.90	45.83	0.90
-9	-9	818.07	16.02	863.89	16.92
Less than 1	0	886.11	17.35	1750.00	34.27
1	1	1514.05	29.65	3264.05	63.91

ahb13a2a: 0/1 - P1 - P1L D3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	2	1151.28	22.54	4415.33	86.46
3	3	491.05	9.62	4906.38	96.07
4	4	131.32	2.57	5037.70	98.64
5	5	35.28	0.69	5072.98	99.33
6 or more	6	34.02	0.67	5107.00	100.00

ahb14a1: 0/1 - P1 - P1L D4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.91	0.80	40.91	0.80
-9	-9	818.07	16.02	858.98	16.82
Not enjoyable	1	242.03	4.74	1101.01	21.56
A little enjoyable	2	1056.06	20.68	2157.06	42.24
Moderately enjoyable	3	1837.09	35.97	3994.15	78.21
Very enjoyable	4	1112.85	21.79	5107.00	100.00

ahb14a2: 0/1 - P1 - P1L D5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.43	0.69	35.43	0.69
-9	818.07	16.02	853.50	16.71
0	675.32	13.22	1528.82	29.94
1	806.82	15.80	2335.64	45.73
2	810.92	15.88	3146.56	61.61
3	810.62	15.87	3957.18	77.49
4	446.36	8.74	4403.54	86.23
5	386.24	7.56	4789.78	93.79
6	120.58	2.36	4910.35	96.15
7	196.65	3.85	5107.00	100.00

ahb15a1: 0/1 - P1 - P1L D6 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.35	1.12	57.35	1.12
-9	-9	818.07	16.02	875.42	17.14
Do not smoke at all	1	3265.86	63.95	4141.27	81.09
Less than once a day	2	136.82	2.68	4278.10	83.77
At least once a day	3	828.90	16.23	5107.00	100.00

ahb15a2: 0/1 - P1 - P1L D7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.21	1.10	56.21	1.10
-9	818.07	16.02	874.27	17.12
0	3402.68	66.63	4276.95	83.75
1	5.97	0.12	4282.92	83.86
2	18.12	0.35	4301.04	84.22
3	25.17	0.49	4326.21	84.71
4	20.53	0.40	4346.74	85.11
5	72.99	1.43	4419.73	86.54

ahb15a2: 0/1 - P1 - P1L D7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	43.17	0.85	4462.89	87.39
7	27.82	0.54	4490.71	87.93
8	51.13	1.00	4541.84	88.93
9	5.67	0.11	4547.51	89.04
10	202.57	3.97	4750.09	93.01
11	5.72	0.11	4755.81	93.12
12	44.05	0.86	4799.86	93.99
13	8.88	0.17	4808.74	94.16
14	0.78	0.02	4809.52	94.18
15	138.49	2.71	4948.00	96.89
16	3.69	0.07	4951.70	96.96
18	1.06	0.02	4952.76	96.98
20	98.14	1.92	5050.90	98.90
25	33.95	0.66	5084.85	99.57
30	18.02	0.35	5102.87	99.92
35	1.94	0.04	5104.81	99.96
40	2.19	0.04	5107.00	100.00

ahb15a5: 0/1 - P1 - P1L 14 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.35	1.12	57.35	1.12
-9	-9	818.07	16.02	875.42	17.14
Yes	1	965.73	18.91	1841.14	36.05
No	2	3265.86	63.95	5107.00	100.00

ahb15a6: 0/1 - P1 - P1L D7 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.21	1.10	56.21	1.10
-9	-9	4083.92	79.97	4140.13	81.07
Less than one a day	1	136.82	2.68	4276.95	83.75
1 to 5 per day	2	142.77	2.80	4419.73	86.54
6 to 10 per day	3	330.36	6.47	4750.09	93.01
11 to 20 per day	4	300.81	5.89	5050.90	98.90
More than 20 per day	5	56.10	1.10	5107.00	100.00

ahb15a3: 0/1 - P1 - P1L D8 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.54	0.95	48.54	0.95
-9	-9	818.07	16.02	866.60	16.97
Yes	1	1966.50	38.51	2833.10	55.47
No	2	2273.90	44.53	5107.00	100.00

ahb15a4a: 0/1 - P1 - P1L D9 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.85	0.82	41.85	0.82
-9	-9	818.07	16.02	859.91	16.84
None	0	3729.86	73.03	4589.77	89.87
1	1	338.27	6.62	4928.04	96.50
2	2	146.75	2.87	5074.79	99.37
3	3	21.73	0.43	5096.52	99.79
4	4	6.37	0.12	5102.89	99.92
5 or more	5	4.11	0.08	5107.00	100.00

ahb16a1: 0/1 - P1 - P1L D10 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.06	0.63	32.06	0.63
-9	-9	818.07	16.02	850.13	16.65
Yes	1	3821.59	74.83	4671.72	91.48
No	2	435.28	8.52	5107.00	100.00

ahb16a2: 0/1 - P1 - P1L D11 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	141.43	2.77	141.43	2.77
-9	-9	818.07	16.02	959.50	18.79
Never	0	435.28	8.52	1394.78	27.31
Not in the last year	1	407.96	7.99	1802.74	35.30
Monthly or less	2	1229.73	24.08	3032.47	59.38
2 to 3 times a month	3	556.44	10.90	3588.91	70.27
Once a week	4	561.51	10.99	4150.42	81.27
2 to 3 times a week	5	589.19	11.54	4739.61	92.81
4 to 6 times a week	6	278.27	5.45	5017.89	98.26
Everyday	7	89.11	1.74	5107.00	100.00

ahb16a3: 0/1 - P1 - P1L D12 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	186.55	3.65	186.55	3.65
-9	-9	1661.30	32.53	1847.85	36.18
1 or 2	1	2352.71	46.07	4200.56	82.25
3 or 4	2	626.35	12.26	4826.91	94.52
5 or 6	3	187.18	3.67	5014.09	98.18
7 to 10	4	72.32	1.42	5086.41	99.60
11 or more	5	20.59	0.40	5107.00	100.00

ahb16a4: 0/1 - P1 - P1L D13-14 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.40	1.50	76.40	1.50
-9	-9	890.97	17.45	967.37	18.94
Not in the last year	1	2809.86	55.02	3777.23	73.96
Monthly or less	2	1020.36	19.98	4797.59	93.94
2 or 3 times a month	3	149.73	2.93	4947.32	96.87

ahb16a4: 0/1 - P1 - P1L D13-14 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	4	103.52	2.03	5050.84	98.90
2 to 3 times a week	5	48.13	0.94	5098.97	99.84
4 to 6 times a week	6	6.62	0.13	5105.59	99.97
Every day	7	1.41	0.03	5107.00	100.00

ahb16a5: 0/1 - P1 - P1L D13-14 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.40	1.50	76.40	1.50
-9	-9	1326.25	25.97	1402.65	27.47
Everyday	1	1.41	0.03	1404.06	27.49
4-6 times a week	2	6.62	0.13	1410.68	27.62
2-3 times a week	3	48.13	0.94	1458.82	28.57
Once a week	4	103.52	2.03	1562.33	30.59
2-3 times a month	5	149.73	2.93	1712.06	33.52
Monthly or less	6	3394.94	66.48	5107.00	100.00

aaavdac: 0/1 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1014.18	19.86	1014.18	19.86
0	2735.66	53.57	3749.84	73.43
0.5	766.07	15.00	4515.91	88.43
1	289.63	5.67	4805.54	94.10
1.5	182.19	3.57	4987.73	97.66
2	30.20	0.59	5017.93	98.26
2.5	52.34	1.02	5070.27	99.28
3	11.40	0.22	5081.67	99.50
3.5	16.59	0.32	5098.26	99.83
4	6.04	0.12	5104.30	99.95
4.5	1.29	0.03	5105.59	99.97
5.5	1.41	0.03	5107.00	100.00

aaalcgp: 0/1 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	975.16	19.09	975.16	19.09
Abstain not in the last year	1	843.24	16.51	1818.40	35.61
Occasional less than monthly	2	1229.73	24.08	3048.13	59.69
Light <2 drinks/day men, <1 women	3	1530.22	29.96	4578.35	89.65
Moderate >=2 to <4 men, >=1 to <2 women	4	414.00	8.11	4992.36	97.76
Hazardous >=4 to <6 men, >=2 and <4 women	5	105.90	2.07	5098.26	99.83
Harmful >=6 men, >=4 women	6	8.74	0.17	5107.00	100.00

aahvdac: 0/1 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	975.16	19.09	975.16	19.09
Yes	1	114.64	2.24	1089.81	21.34
No	2	4017.19	78.66	5107.00	100.00

aabinge: 0/1 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	951.64	18.63	951.64	18.63
Yes	1	309.41	6.06	1261.05	24.69
No	2	3845.95	75.31	5107.00	100.00

aaalcp: 0/1 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	978.95	19.17	978.95	19.17
Yes	1	345.41	6.76	1324.35	25.93
No	2	3782.65	74.07	5107.00	100.00

zhb17a2: P1L D16/P2L C16 - Mother drank during pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.01	2.02	103.01	2.02
-9	-9	829.77	16.25	932.78	18.26
-2	-2	12.47	0.24	945.25	18.51
Yes	1	1566.34	30.67	2511.59	49.18
No	2	2595.41	50.82	5107.00	100.00

zhb17b1: P1L D17/P2L C17 - Days/week drank 1st trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	112.03	2.19	112.03	2.19
-9	-9	829.77	16.25	941.80	18.44
None	0	3125.95	61.21	4067.75	79.65
1	1	137.15	2.69	4204.90	82.34
2	2	83.45	1.63	4288.34	83.97
3	3	30.16	0.59	4318.50	84.56
4	4	15.89	0.31	4334.39	84.87
5	5	9.83	0.19	4344.22	85.06
6	6	4.07	0.08	4348.29	85.14
7	7	3.44	0.07	4351.73	85.21
Occasional - not every week	9	755.27	14.79	5107.00	100.00

zhb17b2: P1L D18/P2L C18 - Days/week drank 2nd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	112.35	2.20	112.35	2.20
-9	-9	829.77	16.25	942.12	18.45
None	0	2820.45	55.23	3762.57	73.67
1	1	197.75	3.87	3960.32	77.55
2	2	114.06	2.23	4074.39	79.78

zhb17b2: P1L D18/P2L C18 - Days/week drank 2nd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	3	44.38	0.87	4118.77	80.65
4	4	18.19	0.36	4136.96	81.01
5	5	8.90	0.17	4145.86	81.18
6	6	4.41	0.09	4150.27	81.27
7	7	2.55	0.05	4152.82	81.32
Occasional - not every week	9	954.18	18.68	5107.00	100.00

zhb17b3: P1L D19/P2L C19 - Days/week drank 3rd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	115.05	2.25	115.05	2.25
-9	-9	829.77	16.25	944.82	18.50
None	0	2752.02	53.89	3696.84	72.39
1	1	181.29	3.55	3878.13	75.94
2	2	128.91	2.52	4007.04	78.46
3	3	50.81	0.99	4057.85	79.46
4	4	21.18	0.41	4079.03	79.87
5	5	13.29	0.26	4092.31	80.13
6	6	6.24	0.12	4098.55	80.25
7	7	4.45	0.09	4103.00	80.34
Occasional - not every week	9	1004.00	19.66	5107.00	100.00

zhb17c: P1L D20/P2L C20 - Av. daily alcohol while pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	117.84	2.31	117.84	2.31
-9	-9	3425.18	67.07	3543.02	69.38
1 or 2	1	1484.82	29.07	5027.84	98.45
3 or 4	2	61.22	1.20	5089.06	99.65
5 or 6	3	8.28	0.16	5097.34	99.81
7 to 10	4	2.63	0.05	5099.97	99.86
11 or more	5	7.03	0.14	5107.00	100.00

aavfalpg: 0/1 - Average days/week drank while pregnant

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1118.65	21.90	1118.65	21.90
0	2990.91	58.56	4109.56	80.47
1	831.71	16.29	4941.27	96.75
2	108.15	2.12	5049.42	98.87
3	28.89	0.57	5078.31	99.44
4	17.28	0.34	5095.59	99.78
5	6.98	0.14	5102.57	99.91
6	1.88	0.04	5104.45	99.95
7	2.55	0.05	5107.00	100.00

aavdalpg: 0/1 - Average daily alcohol while pregnant

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1126.72	22.06	1126.72	22.06
0	3886.10	76.09	5012.82	98.16
1	84.33	1.65	5097.15	99.81
2	8.84	0.17	5105.99	99.98
3	1.01	0.02	5107.00	100.00

zhb18a2: P1L D21/P2L C21 - Mother smoked during pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	96.25	1.88	96.25	1.88
-9	-9	829.77	16.25	926.02	18.13
-2	-2	7.50	0.15	933.52	18.28
Yes	1	764.13	14.96	1697.65	33.24
No	2	3409.35	66.76	5107.00	100.00

zhb18b1: P1L D22/P2L C22 - Av. cigarettes/day 1st trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	104.05	2.04	104.05	2.04
-9	-9	829.77	16.25	933.82	18.29
None	0	3437.55	67.31	4371.36	85.60
Less than 10	1	417.75	8.18	4789.12	93.78
11-20	2	191.66	3.75	4980.78	97.53
21-30	3	27.63	0.54	5008.41	98.07
31-40	4	2.19	0.04	5010.60	98.11
51 or more	6	1.07	0.02	5011.66	98.13
Occasional - not every day	9	95.34	1.87	5107.00	100.00

zhb18b2: P1L D23/P2L C23 - Av. cigarettes/day 2nd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.13	2.02	103.13	2.02
-9	-9	829.77	16.25	932.89	18.27
None	0	3506.94	68.67	4439.84	86.94
Less than 10	1	383.23	7.50	4823.07	94.44
11-20	2	156.65	3.07	4979.72	97.51
21-30	3	29.91	0.59	5009.63	98.09
31-40	4	3.12	0.06	5012.75	98.15
41-50	5	0.70	0.01	5013.45	98.17
51 or more	6	2.56	0.05	5016.01	98.22
Occasional - not every day	9	90.99	1.78	5107.00	100.00

zhb18b3: P1L D24/P2L C24 - Av. cigarettes/day 3rd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	104.06	2.04	104.06	2.04
-9	-9	829.77	16.25	933.82	18.29
None	0	3531.03	69.14	4464.86	87.43
Less than 10	1	347.50	6.80	4812.36	94.23
11-20	2	159.77	3.13	4972.12	97.36

zhb18b3: P1L D24/P2L C24 - Av. cigarettes/day 3rd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
21-30	3	34.42	0.67	5006.55	98.03
31-40	4	4.50	0.09	5011.05	98.12
41-50	5	0.70	0.01	5011.74	98.13
51 or more	6	4.05	0.08	5015.79	98.21
Occasional - not every day	9	91.21	1.79	5107.00	100.00

aavdcgpg: 0/1 - Average daily cigarettes while pregnant

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1104.62	21.63	1104.62	21.63
0	3309.66	64.81	4414.28	86.44
1	55.74	1.09	4470.02	87.53
2	73.86	1.45	4543.88	88.97
3	26.89	0.53	4570.77	89.50
4	11.90	0.23	4582.68	89.73
5	287.57	5.63	4870.24	95.36
7	7.31	0.14	4877.55	95.51
8	39.52	0.77	4917.08	96.28
10	3.59	0.07	4920.67	96.35
12	21.80	0.43	4942.46	96.78
15	119.19	2.33	5061.65	99.11
17	0.74	0.01	5062.39	99.13
18	11.25	0.22	5073.64	99.35
22	6.09	0.12	5079.73	99.47
25	18.11	0.35	5097.84	99.82
28	4.42	0.09	5102.26	99.91
42	3.68	0.07	5105.93	99.98
55	1.07	0.02	5107.00	100.00

zhb19a: P1L D25/P2L C25 - Diabetes in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	98.42	1.93	98.42	1.93
-9	-9	829.77	16.25	928.19	18.17
-2	-2	19.64	0.38	947.83	18.56
Yes	1	246.84	4.83	1194.67	23.39
No	2	3912.33	76.61	5107.00	100.00

zhb19b: P1L D26/P2L C26 - High blood pressure in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	105.35	2.06	105.35	2.06
-9	-9	829.77	16.25	935.12	18.31
Yes	1	346.11	6.78	1281.22	25.09
No	2	3825.78	74.91	5107.00	100.00

zhb19c: P1L D27/P2L C27 - Other physical probs in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	112.75	2.21	112.75	2.21
-9	-9	829.77	16.25	942.52	18.46
Yes	1	844.12	16.53	1786.64	34.98
No	2	3320.36	65.02	5107.00	100.00

zhb19d1: P1L D28/P2L C28 - Mental health probs in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	118.93	2.33	118.93	2.33
-9	-9	829.77	16.25	948.70	18.58
Yes	1	787.94	15.43	1736.64	34.01
No	2	3370.36	65.99	5107.00	100.00

ahb13b1a: 0/1 - P2 - P2L C2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	75.47	1.48	75.47	1.48
-9	-9	1517.05	29.71	1592.52	31.18
Less than 1	0	317.02	6.21	1909.54	37.39
1	1	1140.73	22.34	3050.26	59.73
2	2	1035.08	20.27	4085.34	79.99
3	3	645.91	12.65	4731.26	92.64
4	4	252.31	4.94	4983.56	97.58
5	5	67.52	1.32	5051.08	98.91
6 or more	6	55.92	1.09	5107.00	100.00

ahb13b2a: 0/1 - P2 - P2L C3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.80	1.41	71.80	1.41
-9	-9	1517.05	29.71	1588.86	31.11
Less than 1	0	1091.06	21.36	2679.91	52.48
1	1	1119.57	21.92	3799.48	74.40
2	2	751.83	14.72	4551.32	89.12
3	3	355.22	6.96	4906.54	96.07
4	4	113.76	2.23	5020.30	98.30
5	5	48.09	0.94	5068.39	99.24
6 or more	6	38.61	0.76	5107.00	100.00

ahb14b1: 0/1 - P2 - P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.93	1.33	67.93	1.33
-9	-9	1517.05	29.71	1584.98	31.04
Not enjoyable	1	140.13	2.74	1725.11	33.78
A little enjoyable	2	579.73	11.35	2304.84	45.13
Moderately enjoyable	3	1377.15	26.97	3681.98	72.10
Very enjoyable	4	1425.02	27.90	5107.00	100.00

ahb14b2: 0/1 - P2 - P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	68.26	1.34	68.26	1.34
-9	1517.05	29.71	1585.31	31.04
0	459.03	8.99	2044.34	40.03
1	610.05	11.95	2654.39	51.98
2	627.17	12.28	3281.56	64.26
3	570.15	11.16	3851.71	75.42
4	358.82	7.03	4210.53	82.45
5	379.45	7.43	4589.99	89.88
6	203.71	3.99	4793.69	93.87
7	313.31	6.13	5107.00	100.00

ahb15b1: 0/1 - P2 - P2L C6 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	92.19	1.81	92.19	1.81
-9	-9	1517.05	29.71	1609.25	31.51
Do not smoke at all	1	2516.12	49.27	4125.36	80.78
Less than once a day	2	162.47	3.18	4287.84	83.96
At least once a day	3	819.16	16.04	5107.00	100.00

ahb15b2: 0/1 - P2 - P2L C7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	96.74	1.89	96.74	1.89
-9	1517.05	29.71	1613.79	31.60
0	2678.59	52.45	4292.38	84.05
1	4.05	0.08	4296.43	84.13
2	15.30	0.30	4311.73	84.43
3	23.12	0.45	4334.85	84.88
4	24.65	0.48	4359.50	85.36
5	44.17	0.86	4403.67	86.23
6	16.39	0.32	4420.05	86.55
7	14.18	0.28	4434.24	86.83
8	26.72	0.52	4460.96	87.35
9	3.65	0.07	4464.60	87.42
10	138.54	2.71	4603.15	90.13
11	0.96	0.02	4604.11	90.15
12	48.41	0.95	4652.52	91.10
13	6.60	0.13	4659.12	91.23
14	3.89	0.08	4663.00	91.31
15	149.98	2.94	4812.98	94.24
16	2.14	0.04	4815.12	94.28
17	4.48	0.09	4819.60	94.37
18	5.36	0.10	4824.96	94.48
20	155.82	3.05	4980.78	97.53
21	1.12	0.02	4981.90	97.55
24	1.39	0.03	4983.29	97.58
25	77.14	1.51	5060.43	99.09
26	1.28	0.03	5061.71	99.11

ahb15b2: 0/1 - P2 - P2L C7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
27	1.08	0.02	5062.79	99.13
30	28.50	0.56	5091.29	99.69
35	2.08	0.04	5093.36	99.73
40	9.02	0.18	5102.38	99.91
45	0.74	0.01	5103.12	99.92
50	2.94	0.06	5106.06	99.98
60	0.94	0.02	5107.00	100.00

ahb15b5: 0/1 - P2 - P1L 14 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	92.19	1.81	92.19	1.81
-9	-9	1517.05	29.71	1609.25	31.51
Yes	1	981.64	19.22	2590.88	50.73
No	2	2516.12	49.27	5107.00	100.00

ahb15b6: 0/1 - P2 - P2L C7 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	96.74	1.89	96.74	1.89
-9	-9	4033.17	78.97	4129.91	80.87
Less than one a day	1	162.47	3.18	4292.38	84.05
1 to 5 per day	2	111.29	2.18	4403.67	86.23
6 to 10 per day	3	199.48	3.91	4603.15	90.13
11 to 20 per day	4	377.64	7.39	4980.78	97.53
More than 20 per day	5	126.22	2.47	5107.00	100.00

ahb15b3: 0/1 - P2 - P2L C8 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	90.41	1.77	90.41	1.77
-9	-9	1517.05	29.71	1607.46	31.48
Yes	1	1615.01	31.62	3222.47	63.10
No	2	1884.53	36.90	5107.00	100.00

ahb15b4a: 0/1 - P2 - P2L C9 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	78.46	1.54	78.46	1.54
-9	-9	1517.05	29.71	1595.51	31.24
None	0	3145.17	61.59	4740.68	92.83
1	1	233.47	4.57	4974.15	97.40
2	2	112.01	2.19	5086.16	99.59
3	3	10.33	0.20	5096.49	99.79
4	4	3.13	0.06	5099.62	99.86
5 or more	5	7.38	0.14	5107.00	100.00

ahb16b1: 0/1 - P2 - P2L C10 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.26	1.40	71.26	1.40
-9	-9	1517.05	29.71	1588.31	31.10
Yes	1	3322.96	65.07	4911.27	96.17
No	2	195.73	3.83	5107.00	100.00

ahb16b2: 0/1 - P2 - P2L C11 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	160.28	3.14	160.28	3.14
-9	-9	1517.05	29.71	1677.34	32.84
Never	0	195.73	3.83	1873.07	36.68
Not in the last year	1	110.04	2.15	1983.11	38.83
Monthly or less	2	482.58	9.45	2465.69	48.28
2 to 3 times a month	3	404.19	7.91	2869.89	56.20
Once a week	4	518.48	10.15	3388.37	66.35
2 to 3 times a week	5	832.86	16.31	4221.23	82.66
4 to 6 times a week	6	618.91	12.12	4840.14	94.77
Everyday	7	266.86	5.23	5107.00	100.00

ahb16b3: 0/1 - P2 - P2L C12 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	173.66	3.40	173.66	3.40
-9	-9	1822.83	35.69	1996.49	39.09
1 or 2	1	1439.93	28.20	3436.43	67.29
3 or 4	2	1050.71	20.57	4487.14	87.86
5 or 6	3	426.84	8.36	4913.98	96.22
7 to 10	4	140.03	2.74	5054.01	98.96
11 or more	5	52.99	1.04	5107.00	100.00

ahb16b4: 0/1 - P2 - P2L C13-14 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.05	0.04	2.05	0.04
-9	-9	1691.67	33.12	1693.73	33.16
Not in the last year	1	1272.09	24.91	2965.82	58.07
Monthly or less	2	1305.24	25.56	4271.07	83.63
2 or 3 times a month	3	338.19	6.62	4609.25	90.25
Once a week	4	330.80	6.48	4940.05	96.73
2 to 3 times a week	5	135.55	2.65	5075.60	99.39
4 to 6 times a week	6	21.56	0.42	5097.16	99.81
Every day	7	9.84	0.19	5107.00	100.00

ahb16b5: 0/1 - P2 - P2L C13-14 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.05	0.04	2.05	0.04
-9	-9	1887.40	36.96	1889.46	37.00
Everyday	1	9.84	0.19	1899.30	37.19
4-6 times a week	2	21.56	0.42	1920.85	37.61

ahb16b5: 0/1 - P2 - P2L C13-14 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a week	3	135.55	2.65	2056.41	40.27
Once a week	4	330.80	6.48	2387.20	46.74
2-3 times a month	5	338.19	6.62	2725.39	53.37
Monthly or less	6	2381.61	46.63	5107.00	100.00

abavdac: 0/1 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1697.50	33.24	1697.50	33.24
0	1164.25	22.80	2861.75	56.04
0.5	724.38	14.18	3586.13	70.22
1	434.20	8.50	4020.33	78.72
1.5	396.97	7.77	4417.30	86.49
2	143.32	2.81	4560.62	89.30
2.5	235.20	4.61	4795.82	93.91
3	46.40	0.91	4842.22	94.82
3.5	121.58	2.38	4963.80	97.20
4	65.15	1.28	5028.95	98.47
4.5	11.93	0.23	5040.88	98.71
5.5	31.63	0.62	5072.51	99.32
6.5	15.46	0.30	5087.97	99.63
8.5	15.98	0.31	5103.95	99.94
12	3.05	0.06	5107.00	100.00

abalcgp: 0/1 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1689.59	33.08	1689.59	33.08
Abstain not in the last year	1	305.77	5.99	1995.36	39.07
Occasional less than monthly	2	482.58	9.45	2477.95	48.52
Light <2 drinks/day men, <1 women	3	1925.81	37.71	4403.76	86.23
Moderate >=2 to <4 men, >=1 to <2 women	4	559.41	10.95	4963.17	97.18
Hazardous >=4 to <6 men, >=2 and <4 women	5	109.34	2.14	5072.51	99.32
Harmful >=6 men, >=4 women	6	34.49	0.68	5107.00	100.00

abhvdac: 0/1 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1689.59	33.08	1689.59	33.08
Yes	1	143.83	2.82	1833.42	35.90
No	2	3273.58	64.10	5107.00	100.00

abbinge: 0/1 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1682.14	32.94	1682.14	32.94
Yes	1	835.93	16.37	2518.08	49.31
No	2	2588.92	50.69	5107.00	100.00

abalcp: 0/1 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1698.52	33.26	1698.52	33.26
Yes	1	845.85	16.56	2544.37	49.82
No	2	2562.63	50.18	5107.00	100.00

ahb13m1a: 0/1 - M - P1L D2/P2L C2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.69	0.88	44.69	0.88
-9	-9	820.93	16.07	865.62	16.95
Less than 1	0	274.21	5.37	1139.83	22.32
1	1	1075.72	21.06	2215.55	43.38
2	2	1374.68	26.92	3590.23	70.30
3	3	918.17	17.98	4508.40	88.28
4	4	377.88	7.40	4886.28	95.68
5	5	152.45	2.99	5038.73	98.66
6 or more	6	68.27	1.34	5107.00	100.00

ahb13m2a: 0/1 - M - P1L D3/P2L C3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.83	0.90	45.83	0.90
-9	-9	820.93	16.07	866.76	16.97
Less than 1	0	880.28	17.24	1747.04	34.21
1	1	1509.47	29.56	3256.52	63.77
2	2	1153.53	22.59	4410.05	86.35
3	3	491.74	9.63	4901.78	95.98
4	4	133.89	2.62	5035.67	98.60
5	5	34.44	0.67	5070.11	99.28
6 or more	6	36.89	0.72	5107.00	100.00

ahb14m1: 0/1 - M - P1L D4/P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.91	0.80	40.91	0.80
-9	-9	820.93	16.07	861.85	16.88
Not enjoyable	1	248.06	4.86	1109.91	21.73
A little enjoyable	2	1065.55	20.86	2175.45	42.60
Moderately enjoyable	3	1816.88	35.58	3992.33	78.17
Very enjoyable	4	1114.67	21.83	5107.00	100.00

ahb14m2: 0/1 - M - P1L D5/P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	34.57	0.68	34.57	0.68
-9	820.93	16.07	855.50	16.75
0	678.62	13.29	1534.12	30.04
1	806.97	15.80	2341.08	45.84
2	809.70	15.85	3150.78	61.70
3	811.13	15.88	3961.91	77.58
4	444.06	8.70	4405.96	86.27

ahb14m2: 0/1 - M - P1L D5/P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	385.43	7.55	4791.40	93.82
6	119.33	2.34	4910.72	96.16
7	196.28	3.84	5107.00	100.00

ahb15m1: 0/1 - M - P1L D6/P2L C6 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.07	1.10	56.07	1.10
-9	-9	820.93	16.07	877.01	17.17
Do not smoke at all	1	3265.73	63.95	4142.73	81.12
Less than once a day	2	140.28	2.75	4283.01	83.87
At least once a day	3	823.99	16.13	5107.00	100.00

ahb15m2: 0/1 - M - P1L D7/P2L C7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	58.20	1.14	58.20	1.14
-9	820.93	16.07	879.13	17.21
0	3406.01	66.69	4285.14	83.91
1	5.97	0.12	4291.11	84.02
2	18.12	0.35	4309.22	84.38
3	25.17	0.49	4334.40	84.87
4	22.09	0.43	4356.49	85.30
5	72.98	1.43	4429.47	86.73
6	43.17	0.85	4472.63	87.58
7	28.25	0.55	4500.88	88.13
8	51.41	1.01	4552.29	89.14
9	5.67	0.11	4557.96	89.25
10	202.13	3.96	4760.09	93.21
11	5.72	0.11	4765.81	93.32
12	44.29	0.87	4810.10	94.19
13	8.88	0.17	4818.98	94.36
14	0.78	0.02	4819.76	94.38
15	138.02	2.70	4957.78	97.08
16	3.69	0.07	4961.47	97.15
18	1.06	0.02	4962.53	97.17
20	88.37	1.73	5050.90	98.90
25	33.95	0.66	5084.85	99.57
30	18.02	0.35	5102.87	99.92
35	1.94	0.04	5104.81	99.96
40	2.19	0.04	5107.00	100.00

ahb15m5: 0/1 - M - P1L 14 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.07	1.10	56.07	1.10
-9	-9	820.93	16.07	877.01	17.17
Yes	1	964.27	18.88	1841.27	36.05
No	2	3265.73	63.95	5107.00	100.00

ahb15m6: 0/1 - M - P1L D7/P2L C7 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.20	1.14	58.20	1.14
-9	-9	4086.66	80.02	4144.86	81.16
Less than one a day	1	140.28	2.75	4285.14	83.91
1 to 5 per day	2	144.33	2.83	4429.47	86.73
6 to 10 per day	3	330.62	6.47	4760.09	93.21
11 to 20 per day	4	290.81	5.69	5050.90	98.90
More than 20 per day	5	56.10	1.10	5107.00	100.00

ahb15m3: 0/1 - M - P1L D8/P2L C8 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.54	0.95	48.54	0.95
-9	-9	820.93	16.07	869.47	17.03
Yes	1	1964.78	38.47	2834.25	55.50
No	2	2272.75	44.50	5107.00	100.00

ahb15m4a: 0/1 - M - P1L D9/P2L C9 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	43.99	0.86	43.99	0.86
-9	-9	820.93	16.07	864.93	16.94
None	0	3722.82	72.90	4587.74	89.83
1	1	341.83	6.69	4929.57	96.53
2	2	145.22	2.84	5074.79	99.37
3	3	21.73	0.43	5096.52	99.79
4	4	6.37	0.12	5102.89	99.92
5 or more	5	4.11	0.08	5107.00	100.00

ahb16m1: 0/1 - M - P1L D10/P2L C10 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.15	0.65	33.15	0.65
-9	-9	820.93	16.07	854.08	16.72
Yes	1	3835.79	75.11	4689.87	91.83
No	2	417.13	8.17	5107.00	100.00

ahb16m2: 0/1 - M - P1L D11/P2L C11 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	138.95	2.72	138.95	2.72
-9	-9	820.93	16.07	959.88	18.80
Never	0	438.04	8.58	1397.92	27.37
Not in the last year	1	408.39	8.00	1806.31	35.37
Monthly or less	2	1232.38	24.13	3038.69	59.50
2 to 3 times a month	3	555.93	10.89	3594.63	70.39
Once a week	4	561.78	11.00	4156.41	81.39
2 to 3 times a week	5	582.18	11.40	4738.59	92.79
4 to 6 times a week	6	280.17	5.49	5018.76	98.27
Everyday	7	88.24	1.73	5107.00	100.00

ahb16m3: 0/1 - M - P1L D12/P2L C12 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	184.99	3.62	184.99	3.62
-9	-9	1667.36	32.65	1852.35	36.27
1 or 2	1	2361.96	46.25	4214.31	82.52
3 or 4	2	618.96	12.12	4833.27	94.64
5 or 6	3	184.04	3.60	5017.31	98.24
7 to 10	4	69.80	1.37	5087.12	99.61
11 or more	5	19.88	0.39	5107.00	100.00

ahb16m4: 0/1 - M - P1L D13/14/P2L C13/14 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	146.40	2.87	146.40	2.87
-9	-9	820.93	16.07	967.33	18.94
Not in the last year	1	2818.93	55.20	3786.26	74.14
Monthly or less	2	1013.39	19.84	4799.65	93.98
2 or 3 times a month	3	148.01	2.90	4947.66	96.88
Once a week	4	103.18	2.02	5050.84	98.90
2 to 3 times a week	5	48.13	0.94	5098.97	99.84
4 to 6 times a week	6	6.62	0.13	5105.59	99.97
Every day	7	1.41	0.03	5107.00	100.00

ahb16m5: 0/1 - M - P1L D13/14/P2L C13/14 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	146.40	2.87	146.40	2.87
-9	-9	1258.97	24.65	1405.37	27.52
Everyday	1	1.41	0.03	1406.78	27.55
4-6 times a week	2	6.62	0.13	1413.40	27.68
2-3 times a week	3	48.13	0.94	1461.53	28.62
Once a week	4	103.18	2.02	1564.71	30.64
2-3 times a month	5	148.01	2.90	1712.71	33.54
Monthly or less	6	3394.29	66.46	5107.00	100.00

amavdac: 0/1 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1013.23	19.84	1013.23	19.84
-9	2.26	0.04	1015.49	19.88
0	2746.59	53.78	3762.08	73.67
0.5	756.61	14.82	4518.69	88.48
1	292.17	5.72	4810.86	94.20
1.5	180.87	3.54	4991.73	97.74
2	27.85	0.55	5019.58	98.29
2.5	51.61	1.01	5071.20	99.30
3	11.40	0.22	5082.60	99.52
3.5	15.66	0.31	5098.26	99.83
4	6.04	0.12	5104.30	99.95
4.5	1.29	0.03	5105.59	99.97
5.5	1.41	0.03	5107.00	100.00

amalcgp: 0/1 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	973.29	19.06	973.29	19.06
-9	-9	2.26	0.04	975.55	19.10
Abstain not in the last year	1	846.43	16.57	1821.97	35.68
Occasional less than monthly	2	1232.38	24.13	3054.36	59.81
Light <2 drinks/day men, <1 women	3	1515.57	29.68	4569.92	89.48
Moderate >=2 to <4 men, >=1 to <2 women	4	421.80	8.26	4991.73	97.74
Hazardous >=4 to <6 men, >=2 and <4 women	5	106.53	2.09	5098.26	99.83
Harmful >=6 men, >=4 women	6	8.74	0.17	5107.00	100.00

amhvdac: 0/1 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	973.29	19.06	973.29	19.06
-9	-9	2.26	0.04	975.55	19.10
Yes	1	115.27	2.26	1090.82	21.36
No	2	4016.18	78.64	5107.00	100.00

ambinge: 0/1 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	949.35	18.59	949.35	18.59
-9	-9	2.26	0.04	951.60	18.63
Yes	1	307.35	6.02	1258.95	24.65
No	2	3848.05	75.35	5107.00	100.00

amalcp: 0/1 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	977.07	19.13	977.07	19.13
-9	-9	2.26	0.04	979.33	19.18
Yes	1	343.35	6.72	1322.68	25.90
No	2	3784.32	74.10	5107.00	100.00

ahb13f1a: 0/1 - F - P1L D2/P2L C2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	75.47	1.48	75.47	1.48
-9	-9	1514.19	29.65	1589.65	31.13
Less than 1	0	317.46	6.22	1907.12	37.34
1	1	1147.89	22.48	3055.00	59.82
2	2	1040.46	20.37	4095.47	80.19
3	3	642.02	12.57	4737.49	92.76
4	4	247.87	4.85	4985.35	97.62
5	5	66.63	1.30	5051.98	98.92
6 or more	6	55.02	1.08	5107.00	100.00

ahb13f2a: 0/1 - F - P1L D3/P2L C3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.80	1.41	71.80	1.41
-9	-9	1514.19	29.65	1585.99	31.06
Less than 1	0	1096.88	21.48	2682.87	52.53
1	1	1124.14	22.01	3807.01	74.55
2	2	749.59	14.68	4556.60	89.22
3	3	354.53	6.94	4911.13	96.16
4	4	111.19	2.18	5022.33	98.34
5	5	48.93	0.96	5071.26	99.30
6 or more	6	35.74	0.70	5107.00	100.00

ahb14f1: 0/1 - F - P1L D4/P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.93	1.33	67.93	1.33
-9	-9	1514.19	29.65	1582.11	30.98
Not enjoyable	1	134.10	2.63	1716.21	33.61
A little enjoyable	2	570.23	11.17	2286.45	44.77
Moderately enjoyable	3	1397.36	27.36	3683.80	72.13
Very enjoyable	4	1423.20	27.87	5107.00	100.00

ahb14f2: 0/1 - F - P1L D5/P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	69.13	1.35	69.13	1.35
-9	1514.19	29.65	1583.31	31.00
0	455.74	8.92	2039.05	39.93
1	609.90	11.94	2648.95	51.87
2	628.39	12.30	3277.34	64.17
3	569.64	11.15	3846.98	75.33
4	361.13	7.07	4208.11	82.40
5	380.26	7.45	4588.37	89.84
6	204.96	4.01	4793.33	93.86
7	313.67	6.14	5107.00	100.00

ahb15f1: 0/1 - F - P1L D6/P2L C6 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	93.47	1.83	93.47	1.83
-9	-9	1514.19	29.65	1607.66	31.48
Do not smoke at all	1	2516.25	49.27	4123.90	80.75
Less than once a day	2	159.01	3.11	4282.92	83.86
At least once a day	3	824.08	16.14	5107.00	100.00

ahb15f2: 0/1 - F - P1L D7/P2L C7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	94.75	1.86	94.75	1.86
-9	1514.19	29.65	1608.93	31.50
0	2675.26	52.38	4284.19	83.89
1	4.05	0.08	4288.24	83.97

ahb15f2: 0/1 - F - P1L D7/P2L C7 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	15.30	0.30	4303.54	84.27
3	23.12	0.45	4326.67	84.72
4	23.08	0.45	4349.75	85.17
5	44.18	0.87	4393.93	86.04
6	16.39	0.32	4410.32	86.36
7	13.76	0.27	4424.07	86.63
8	26.44	0.52	4450.51	87.15
9	3.65	0.07	4454.16	87.22
10	138.99	2.72	4593.15	89.94
11	0.96	0.02	4594.11	89.96
12	48.17	0.94	4642.28	90.90
13	6.60	0.13	4648.88	91.03
14	3.89	0.08	4652.76	91.11
15	150.44	2.95	4803.21	94.05
16	2.14	0.04	4805.35	94.09
17	4.48	0.09	4809.82	94.18
18	5.36	0.10	4815.19	94.29
20	165.60	3.24	4980.78	97.53
21	1.12	0.02	4981.90	97.55
24	1.39	0.03	4983.29	97.58
25	77.14	1.51	5060.43	99.09
26	1.28	0.03	5061.71	99.11
27	1.08	0.02	5062.79	99.13
30	28.50	0.56	5091.29	99.69
35	2.08	0.04	5093.36	99.73
40	9.02	0.18	5102.38	99.91
45	0.74	0.01	5103.12	99.92
50	2.94	0.06	5106.06	99.98
60	0.94	0.02	5107.00	100.00

ahb15f5: 0/1 - F - P1L 14 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	93.47	1.83	93.47	1.83
-9	-9	1514.19	29.65	1607.66	31.48
Yes	1	983.10	19.25	2590.75	50.73
No	2	2516.25	49.27	5107.00	100.00

ahb15f6: 0/1 - F - P1L D7/P2L C7 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	94.75	1.86	94.75	1.86
-9	-9	4030.43	78.92	4125.18	80.77
Less than one a day	1	159.01	3.11	4284.19	83.89
1 to 5 per day	2	109.74	2.15	4393.93	86.04
6 to 10 per day	3	199.22	3.90	4593.15	89.94
11 to 20 per day	4	387.64	7.59	4980.78	97.53
More than 20 per day	5	126.22	2.47	5107.00	100.00

ahb15f3: 0/1 - F - P1L D8/P2L C8 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	90.41	1.77	90.41	1.77
-9	-9	1514.19	29.65	1604.60	31.42
Yes	1	1616.72	31.66	3221.32	63.08
No	2	1885.68	36.92	5107.00	100.00

ahb15f4a: 0/1 - F - P1L D9/P2L C9 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.31	1.49	76.31	1.49
-9	-9	1514.19	29.65	1590.50	31.14
None	0	3152.21	61.72	4742.71	92.87
1	1	229.91	4.50	4972.62	97.37
2	2	113.54	2.22	5086.16	99.59
3	3	10.33	0.20	5096.49	99.79
4	4	3.13	0.06	5099.62	99.86
5 or more	5	7.38	0.14	5107.00	100.00

ahb16f1: 0/1 - F - P1L D10/P2L C10 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.26	1.40	71.26	1.40
-9	-9	1514.19	29.65	1585.45	31.04
Yes	1	3334.63	65.30	4920.08	96.34
No	2	186.92	3.66	5107.00	100.00

ahb16f2: 0/1 - F - P1L D11/P2L C11 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	162.77	3.19	162.77	3.19
-9	-9	1514.19	29.65	1676.95	32.84
Never	0	192.97	3.78	1869.92	36.61
Not in the last year	1	109.62	2.15	1979.54	38.76
Monthly or less	2	479.93	9.40	2459.47	48.16
2 to 3 times a month	3	404.70	7.92	2864.18	56.08
Once a week	4	518.21	10.15	3382.38	66.23
2 to 3 times a week	5	839.87	16.45	4222.25	82.68
4 to 6 times a week	6	617.01	12.08	4839.27	94.76
Everyday	7	267.73	5.24	5107.00	100.00

ahb16f3: 0/1 - F - P1L D12/P2L C12 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	175.22	3.43	175.22	3.43
-9	-9	1816.77	35.57	1992.00	39.01
1 or 2	1	1430.68	28.01	3422.68	67.02
3 or 4	2	1058.10	20.72	4480.78	87.74
5 or 6	3	429.98	8.42	4910.76	96.16
7 to 10	4	142.55	2.79	5053.31	98.95
11 or more	5	53.69	1.05	5107.00	100.00

ahb16f4: 0/1 - F - P1L D13/14/P2L C13/14 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	179.58	3.52	179.58	3.52
-9	-9	1514.19	29.65	1693.77	33.17
Not in the last year	1	1263.03	24.73	2956.80	57.90
Monthly or less	2	1312.21	25.69	4269.00	83.59
2 or 3 times a month	3	339.91	6.66	4608.91	90.25
Once a week	4	331.14	6.48	4940.05	96.73
2 to 3 times a week	5	135.55	2.65	5075.60	99.39
4 to 6 times a week	6	21.56	0.42	5097.16	99.81
Every day	7	9.84	0.19	5107.00	100.00

ahb16f5: 0/1 - F - P1L D13/14/P2L C13/14 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	179.58	3.52	179.58	3.52
-9	-9	1707.16	33.43	1886.74	36.94
Everyday	1	9.84	0.19	1896.58	37.14
4-6 times a week	2	21.56	0.42	1918.14	37.56
2-3 times a week	3	135.55	2.65	2053.69	40.21
Once a week	4	331.14	6.48	2384.83	46.70
2-3 times a month	5	339.91	6.66	2724.74	53.35
Monthly or less	6	2382.26	46.65	5107.00	100.00

afavdac: 0/1 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1162.66	22.77	1162.66	22.77
-9	533.53	10.45	1696.19	33.21
0	1153.31	22.58	2849.50	55.80
0.5	733.84	14.37	3583.34	70.17
1	431.66	8.45	4015.01	78.62
1.5	398.29	7.80	4413.30	86.42
2	145.67	2.85	4558.96	89.27
2.5	235.93	4.62	4794.89	93.89
3	46.40	0.91	4841.29	94.80
3.5	122.51	2.40	4963.80	97.20
4	65.15	1.28	5028.95	98.47
4.5	11.93	0.23	5040.88	98.71
5.5	31.63	0.62	5072.51	99.32
6.5	15.46	0.30	5087.97	99.63
8.5	15.98	0.31	5103.95	99.94
12	3.05	0.06	5107.00	100.00

afalcgp: 0/1 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1155.68	22.63	1155.68	22.63
-9	-9	533.53	10.45	1689.21	33.08
Abstain not in the last year	1	302.59	5.92	1991.79	39.00
Occasional less than monthly	2	479.93	9.40	2471.73	48.40
Light <2 drinks/day men, <1 women	3	1940.47	38.00	4412.19	86.39

afalcgp: 0/1 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate ≥ 2 to < 4 men, ≥ 1 to < 2 women	4	551.61	10.80	4963.80	97.20
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	108.71	2.13	5072.51	99.32
Harmful ≥ 6 men, ≥ 4 women	6	34.49	0.68	5107.00	100.00

afhvdac: 0/1 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1155.68	22.63	1155.68	22.63
-9	-9	533.53	10.45	1689.21	33.08
Yes	1	143.20	2.80	1832.41	35.88
No	2	3274.59	64.12	5107.00	100.00

afbinge: 0/1 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1148.66	22.49	1148.66	22.49
-9	-9	533.53	10.45	1682.18	32.94
Yes	1	838.00	16.41	2520.18	49.35
No	2	2586.82	50.65	5107.00	100.00

afalcp: 0/1 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1164.60	22.80	1164.60	22.80
-9	-9	533.53	10.45	1698.13	33.25
Yes	1	847.91	16.60	2546.04	49.85
No	2	2560.96	50.15	5107.00	100.00

ahb08ai: 0/1 - W1.5 6.1 - SC drinks fruit juices

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1635.64	32.03	1635.64	32.03
No	0	1656.06	32.43	3291.70	64.45
Yes	1	1815.30	35.55	5107.00	100.00

ahb08ki: 0/1 - W1.5 6.2 - SC drinks cordial or soft drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1635.64	32.03	1635.64	32.03
No	0	2902.04	56.82	4537.67	88.85
Yes	1	569.33	11.15	5107.00	100.00

ahb08ei: 0/1 - W1.5 6.3 - SC drinks tea or coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1635.64	32.03	1635.64	32.03
No	0	3411.35	66.80	5046.98	98.82
Yes	1	60.02	1.18	5107.00	100.00

ahb08gi: 0/1 - W1.5 6.4 - SC drinks water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1635.64	32.03	1635.64	32.03
No	0	187.10	3.66	1822.74	35.69
Yes	1	3284.26	64.31	5107.00	100.00

ahb09i: 0/1 - W1.5 7 - SC drinks in bed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.86	0.15	7.86	0.15
-9	-9	1635.64	32.03	1643.50	32.18
Yes	1	1110.85	21.75	2754.35	53.93
No	2	705.11	13.81	3459.46	67.74
Does not drink in bed	3	1647.54	32.26	5107.00	100.00