

05 Health status

zhs01: F2F B2 - Whether labour was induced

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	19.53	0.38	21.17	0.41
Yes	1	1666.41	32.63	1687.58	33.04
No	2	3419.42	66.96	5107.00	100.00

zhs02a: F2F B3.1 - Type of birth - normal

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.20	0.04	3.84	0.08
No	0	1865.85	36.54	1869.69	36.61
Yes	1	3237.31	63.39	5107.00	100.00

zhs02b: F2F B3.2 - Type of birth - breech

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.20	0.04	3.84	0.08
No	0	5030.49	98.50	5034.33	98.58
Yes	1	72.67	1.42	5107.00	100.00

zhs02c: F2F B3.3 - Type of birth - caesarean

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.20	0.04	3.84	0.08
No	0	3585.59	70.21	3589.43	70.28
Yes	1	1517.57	29.72	5107.00	100.00

zhs02d: F2F B3.4 - Type of birth - vacuum extraction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.20	0.04	3.84	0.08
No	0	4842.17	94.81	4846.01	94.89
Yes	1	260.99	5.11	5107.00	100.00

zhs02e: F2F B3.5 - Type of birth - forceps

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.20	0.04	3.84	0.08
No	0	4933.86	96.61	4937.70	96.68
Yes	1	169.30	3.32	5107.00	100.00

zhs02f: F2F B3.6 - Type of birth - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.20	0.04	3.84	0.08
No	0	5080.50	99.48	5084.34	99.56
Yes	1	22.66	0.44	5107.00	100.00

ainstdel: 0/1 - Instrumental delivery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.84	0.08	3.84	0.08
Yes	1	1912.00	37.44	1915.83	37.51
No	2	3191.17	62.49	5107.00	100.00

zhs03a: F2F B4 - SC's weight at birth (gm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.65	0.23	11.65	0.23
-4	1.64	0.03	13.28	0.26
-2	23.30	0.46	36.59	0.72
500	5.90	0.12	42.48	0.83
1000	15.10	0.30	57.58	1.13
1500	39.60	0.78	97.19	1.90
2000	100.78	1.97	197.97	3.88
2500	389.43	7.63	587.40	11.50
3000	1302.86	25.51	1890.26	37.01
3500	1922.66	37.65	3812.93	74.66
4000	987.45	19.34	4800.38	94.00
4500	269.77	5.28	5070.15	99.28
5000	36.09	0.71	5106.24	99.99
5500	0.76	0.01	5107.00	100.00

zhs03b: F2F B5 - SC's length at birth (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.69	0.21	10.69	0.21
-4	1.64	0.03	12.33	0.24
-2	256.54	5.02	268.86	5.26
30	8.16	0.16	277.03	5.42
35	18.72	0.37	295.74	5.79
40	48.78	0.96	344.52	6.75
45	488.62	9.57	833.14	16.31
50	3396.97	66.52	4230.11	82.83
55	852.98	16.70	5083.09	99.53
60	23.09	0.45	5106.18	99.98
65	0.82	0.02	5107.00	100.00

zhs03c: F2F B6 - SC's head circumference at birth (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.78	0.13	6.78	0.13
-4	1.64	0.03	8.41	0.16
-2	420.89	8.24	429.31	8.41
20	0.66	0.01	429.96	8.42
22	1.04	0.02	431.00	8.44
23	2.58	0.05	433.59	8.49
24	0.94	0.02	434.53	8.51
25	1.69	0.03	436.22	8.54
26	5.04	0.10	441.26	8.64
27	2.52	0.05	443.78	8.69
28	14.68	0.29	458.46	8.98
29	6.70	0.13	465.15	9.11
30	48.66	0.95	513.81	10.06
31	54.91	1.08	568.72	11.14
32	329.34	6.45	898.07	17.59
33	454.98	8.91	1353.05	26.49
34	1416.55	27.74	2769.59	54.23
35	793.14	15.53	3562.73	69.76
36	1133.49	22.19	4696.22	91.96
37	246.77	4.83	4942.99	96.79
38	141.59	2.77	5084.58	99.56
39	15.33	0.30	5099.92	99.86
40	3.13	0.06	5103.05	99.92
41	0.67	0.01	5103.72	99.94
42	2.46	0.05	5106.18	99.98
44	0.82	0.02	5107.00	100.00

abwz: 0/1 - Birth weight z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38.63	0.76	38.63	0.76
-4	10.54	0.21	49.17	0.96
-3	79.91	1.56	129.08	2.53
-2	329.98	6.46	459.06	8.99
-1	1254.53	24.56	1713.59	33.55
0	2002.22	39.21	3715.81	72.76
1	1026.78	20.11	4742.59	92.86
2	315.25	6.17	5057.84	99.04
3	46.87	0.92	5104.71	99.96
4	2.29	0.04	5107.00	100.00

abwpct: 0/1 - Birth weight percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38.63	0.76	38.63	0.76
0	335.19	6.56	373.82	7.32
10	479.97	9.40	853.79	16.72
20	546.48	10.70	1400.28	27.42
30	552.28	10.81	1952.56	38.23

abwpct: 0/1 - Birth weight percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
40	535.17	10.48	2487.73	48.71
50	524.29	10.27	3012.02	58.98
60	524.08	10.26	3536.09	69.24
70	434.59	8.51	3970.69	77.75
80	433.95	8.50	4404.64	86.25
90	419.93	8.22	4824.57	94.47
100	282.43	5.53	5107.00	100.00

abhcz: 0/1 - Birth head circumference z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	429.31	8.41	429.31	8.41
-17	0.66	0.01	429.96	8.42
-9	0.82	0.02	430.78	8.44
-7	1.28	0.03	432.07	8.46
-6	2.52	0.05	434.59	8.51
-5	3.87	0.08	438.46	8.59
-4	6.64	0.13	445.10	8.72
-3	86.06	1.69	531.16	10.40
-2	366.91	7.18	898.07	17.59
-1	1074.28	21.04	1972.35	38.62
0	2266.34	44.38	4238.69	83.00
1	816.12	15.98	5054.81	98.98
2	45.11	0.88	5099.92	99.86
3	3.80	0.07	5103.72	99.94
4	3.28	0.06	5107.00	100.00

abhcpct: 0/1 - Birth head circumference percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	422.53	8.27	422.53	8.27
0	468.76	9.18	891.29	17.45
10	454.98	8.91	1346.27	26.36
20	619.30	12.13	1965.57	38.49
30	1222.30	23.93	3187.88	62.42
50	675.96	13.24	3863.83	75.66
60	368.08	7.21	4231.91	82.86
70	175.52	3.44	4407.43	86.30
80	457.53	8.96	4864.96	95.26
90	183.07	3.58	5048.03	98.85
100	58.97	1.15	5107.00	100.00

ablz: 0/1 - Birth-length z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	268.86	5.26	268.86	5.26
-14	0.66	0.01	269.52	5.28
-13	0.75	0.01	270.27	5.29
-10	3.51	0.07	273.78	5.36
-9	3.25	0.06	277.03	5.42

ablz: 0/1 - Birth-length z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-7	5.74	0.11	282.78	5.54
-6	11.49	0.23	294.27	5.76
-5	13.51	0.26	307.77	6.03
-4	18.83	0.37	326.61	6.40
-3	31.11	0.61	357.72	7.00
-2	111.20	2.18	468.93	9.18
-1	894.57	17.52	1363.49	26.70
0	1772.33	34.70	3135.82	61.40
1	1438.42	28.17	4574.24	89.57
2	481.94	9.44	5056.19	99.01
3	46.46	0.91	5102.64	99.91
4	2.89	0.06	5105.53	99.97
5	1.47	0.03	5107.00	100.00

ablpc: 0/1 - Birth-length percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	268.86	5.26	268.86	5.26
0	88.86	1.74	357.72	7.00
1	49.18	0.96	406.90	7.97
3	62.03	1.21	468.93	9.18
7	169.59	3.32	638.52	12.50
13	84.72	1.66	723.24	14.16
16	109.90	2.15	833.14	16.31
23	219.87	4.31	1053.01	20.62
30	310.48	6.08	1363.49	26.70
36	236.69	4.63	1600.18	31.33
45	280.29	5.49	1880.47	36.82
50	443.09	8.68	2323.56	45.50
61	465.99	9.12	2789.55	54.62
65	346.28	6.78	3135.82	61.40
75	310.47	6.08	3446.29	67.48
78	472.17	9.25	3918.46	76.73
85	311.65	6.10	4230.11	82.83
87	195.27	3.82	4425.38	86.65
92	148.86	2.91	4574.24	89.57
94	170.12	3.33	4744.36	92.90
96	104.57	2.05	4848.93	94.95
97	74.65	1.46	4923.58	96.41
98	41.97	0.82	4965.55	97.23
99	90.63	1.77	5056.19	99.01
100	50.81	0.99	5107.00	100.00

abwlz: 0/1 - Birth weight for length z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	415.74	8.14	415.74	8.14
-7	3.27	0.06	419.02	8.20
-6	5.18	0.10	424.20	8.31
-5	14.85	0.29	439.04	8.60
-4	45.54	0.89	484.59	9.49
-3	127.69	2.50	612.28	11.99
-2	406.38	7.96	1018.65	19.95
-1	1104.74	21.63	2123.39	41.58
0	1768.82	34.64	3892.21	76.21
1	979.49	19.18	4871.70	95.39
2	210.46	4.12	5082.16	99.51
3	21.04	0.41	5103.20	99.93
4	3.80	0.07	5107.00	100.00

abwlpct: 0/1 - Birth weight for length percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	415.74	8.14	415.74	8.14
0	509.29	9.97	925.03	18.11
10	499.31	9.78	1424.34	27.89
20	447.89	8.77	1872.23	36.66
30	438.65	8.59	2310.89	45.25
40	475.20	9.30	2786.09	54.55
50	467.71	9.16	3253.80	63.71
60	458.51	8.98	3712.31	72.69
70	403.20	7.90	4115.51	80.59
80	424.76	8.32	4540.27	88.90
90	398.95	7.81	4939.22	96.71
100	167.78	3.29	5107.00	100.00

zhs04a: F2F B7 - No. weeks of gestation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
-2	55.02	1.08	56.66	1.11
20	0.97	0.02	57.63	1.13
25	15.23	0.30	72.86	1.43
30	67.21	1.32	140.07	2.74
35	593.84	11.63	733.91	14.37
40	4351.44	85.21	5085.35	99.58
45	15.62	0.31	5100.97	99.88
50	6.03	0.12	5107.00	100.00

zhs04b: F2F B8 - SC born on time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.56	0.15	9.20	0.18
Late birth 42 weeks or more	1	236.69	4.63	245.88	4.81
On time 37-41 weeks	2	4511.40	88.34	4757.28	93.15

zhs04b: F2F B8 - SC born on time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Somewhat early 33-36 weeks	3	266.31	5.21	5023.59	98.37
Very early 32 weeks or less	4	83.41	1.63	5107.00	100.00

zhs05a: F2F B9 - SC used intensive care after birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	5.55	0.11	7.19	0.14
Yes	1	885.30	17.33	892.48	17.48
No	2	4214.52	82.52	5107.00	100.00

zhs05b: F2F B10 - SC needed ventilator after birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	29.27	0.57	30.91	0.61
Yes	1	264.23	5.17	295.14	5.78
No	2	4811.86	94.22	5107.00	100.00

zhs05c: F2F B11 - Total number of days on ventilator

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
-2	42.05	0.82	43.68	0.86
0	4811.86	94.22	4855.55	95.08
1	97.48	1.91	4953.03	96.99
2	49.50	0.97	5002.53	97.95
3	14.84	0.29	5017.37	98.24
4	11.49	0.22	5028.86	98.47
5	15.85	0.31	5044.71	98.78
6	4.77	0.09	5049.49	98.87
7	9.90	0.19	5059.38	99.07
8	8.11	0.16	5067.49	99.23
9	3.12	0.06	5070.62	99.29
10	2.57	0.05	5073.18	99.34
11	2.18	0.04	5075.37	99.38
13	0.75	0.01	5076.12	99.40
14	10.73	0.21	5086.84	99.61
18	0.58	0.01	5087.42	99.62
19	0.75	0.01	5088.17	99.63
20	0.83	0.02	5089.00	99.65
21	0.92	0.02	5089.92	99.67
24	0.80	0.02	5090.72	99.68
28	2.41	0.05	5093.13	99.73
35	1.11	0.02	5094.24	99.75
42	3.40	0.07	5097.64	99.82
50	0.75	0.01	5098.40	99.83
55	1.04	0.02	5099.44	99.85
60	4.25	0.08	5103.69	99.94

zhs05c: F2F B11 - Total number of days on ventilator

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
64	0.94	0.02	5104.63	99.95
75	2.37	0.05	5107.00	100.00

andhosp: 0/1 - F2F B12 - No. days SC in hospital after birth

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.36	0.05	2.36	0.05
0	1183.99	23.18	1186.35	23.23
5	3472.39	67.99	4658.74	91.22
10	213.17	4.17	4871.91	95.40
15	49.92	0.98	4921.83	96.37
20	40.87	0.80	4962.70	97.17
25	21.99	0.43	4984.69	97.61
30	24.86	0.49	5009.55	98.09
35	23.57	0.46	5033.12	98.55
40	5.54	0.11	5038.65	98.66
45	11.30	0.22	5049.95	98.88
50	0.75	0.01	5050.70	98.90
55	2.24	0.04	5052.94	98.94
60	3.34	0.07	5056.28	99.01
65	9.11	0.18	5065.39	99.19
70	2.52	0.05	5067.91	99.23
75	2.72	0.05	5070.63	99.29
80	3.64	0.07	5074.27	99.36
85	0.87	0.02	5075.14	99.38
90	4.02	0.08	5079.16	99.45
95	3.63	0.07	5082.79	99.53
100	3.03	0.06	5085.81	99.59
115	0.95	0.02	5086.76	99.60
120	0.63	0.01	5087.39	99.62
125	6.62	0.13	5094.01	99.75
130	1.80	0.04	5095.81	99.78
135	1.04	0.02	5096.85	99.80
155	2.16	0.04	5099.01	99.84
160	1.79	0.04	5100.80	99.88
185	1.21	0.02	5102.01	99.90
190	0.70	0.01	5102.71	99.92
285	1.22	0.02	5103.93	99.94
305	1.26	0.02	5105.19	99.96
340	1.03	0.02	5106.21	99.98
355	0.79	0.02	5107.00	100.00

zhs06: F2F B13 - Single or multiple birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	1.56	0.03	3.20	0.06
Single birth	1	4944.56	96.82	4947.76	96.88

zhs06: F2F B13 - Single or multiple birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Twin	2	154.43	3.02	5102.19	99.91
Triplet	3	4.81	0.09	5107.00	100.00

zhs07: F2F B14 - Whether assisted reproduction used

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.24	0.06	4.87	0.10
Yes	1	307.46	6.02	312.33	6.12
No	2	4794.67	93.88	5107.00	100.00

ahs12a: 0/1 - F2F B32 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	2.04	0.04	3.68	0.07
Not at all	1	4530.37	88.71	4534.05	88.78
A little	2	469.10	9.19	5003.16	97.97
Moderately	3	73.73	1.44	5076.89	99.41
Very	4	30.11	0.59	5107.00	100.00

ahs12b: 0/1 - F2F B33 - Judgment about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-3	-3	0.91	0.02	2.55	0.05
-2	-2	9.61	0.19	12.16	0.24
Underweight	1	359.38	7.04	371.54	7.28
Normal weight	2	4450.95	87.15	4822.50	94.43
Somewhat overweight	3	276.87	5.42	5099.36	99.85
Very overweight	4	7.64	0.15	5107.00	100.00

ahs13c: 0/1 - SC - F2F B34 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
Excellent	1	3090.29	60.51	3091.93	60.54
Very good	2	1341.12	26.26	4433.05	86.80
Good	3	514.32	10.07	4947.37	96.87
Fair	4	145.32	2.85	5092.69	99.72
Poor	5	14.31	0.28	5107.00	100.00

ahs14a: 0/1 - F2F B35 - Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
Yes	1	638.36	12.50	639.99	12.53
No	2	4467.01	87.47	5107.00	100.00

ahs14b: 0/1 - F2F B36 - Uses medicine because of condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	1.68	0.03	3.32	0.06
Yes	1	592.41	11.60	595.73	11.66
No	2	4511.27	88.34	5107.00	100.00

ahs14c: 0/1 - F2F B37 - Medicated condition for 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	47.30	0.93	48.93	0.96
Yes	1	210.88	4.13	259.81	5.09
No	2	4847.19	94.91	5107.00	100.00

ahs14d: 0/1 - F2F B38 - Extra medical care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	29.73	0.58	31.37	0.61
Yes	1	297.08	5.82	328.45	6.43
No	2	4778.55	93.57	5107.00	100.00

ahs14e: 0/1 - F2F B39 - Extra medical care is due to condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	29.73	0.58	31.37	0.61
Yes	1	255.96	5.01	287.32	5.63
No	2	4819.68	94.37	5107.00	100.00

ahs14f: 0/1 - F2F B40 - Extra care condition for year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	49.14	0.96	50.78	0.99
Yes	1	193.71	3.79	244.49	4.79
No	2	4862.51	95.21	5107.00	100.00

ahs14g: 0/1 - F2F B41 - Frequency able to get specific care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4849.41	94.96	4849.41	94.96
-4	-4	1.64	0.03	4851.04	94.99
-2	-2	0.64	0.01	4851.68	95.00
Always	1	188.85	3.70	5040.53	98.70
Usually	2	37.40	0.73	5077.94	99.43
Sometimes	3	21.22	0.42	5099.15	99.85
Rarely	4	5.02	0.10	5104.17	99.94
Never	5	2.83	0.06	5107.00	100.00

ashcn: 0/1 - Special health care needs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	80.35	1.57	80.35	1.57
Yes	1	311.90	6.11	392.25	7.68
No	2	4714.75	92.32	5107.00	100.00

ahs15a: 0/1 - F2F B45 - SC had wheezing or whistling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	6.13	0.12	7.77	0.15
Yes	1	1549.67	30.34	1557.44	30.50
No	2	3549.56	69.50	5107.00	100.00

ahs15b: 0/1 - F2F B46 - SC had illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	11.73	0.23	13.37	0.26
Yes	1	847.47	16.59	860.84	16.86
No	2	4246.16	83.14	5107.00	100.00

ahs16a: 0/1 - F2F B47 - SC had bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.04	0.49	26.68	0.52
Yes	1	584.19	11.44	610.87	11.96
No	2	4496.13	88.04	5107.00	100.00

zhs16b: F2F B48 - Age in weeks first had bronchiolitis

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4521.17	88.53	4521.17	88.53
-4	1.64	0.03	4522.81	88.56
-2	2.36	0.05	4525.17	88.61
0	8.61	0.17	4533.78	88.78
4	39.50	0.77	4573.28	89.55
8	59.93	1.17	4633.21	90.72
12	75.31	1.47	4708.53	92.20
16	81.10	1.59	4789.63	93.79
24	69.16	1.35	4858.79	95.14
28	76.32	1.49	4935.11	96.63
32	64.26	1.26	4999.37	97.89
36	41.83	0.82	5041.20	98.71
40	23.48	0.46	5064.68	99.17
44	21.10	0.41	5085.78	99.58
48	10.02	0.20	5095.80	99.78
52	6.92	0.14	5102.72	99.92
56	3.33	0.07	5106.05	99.98
72	0.95	0.02	5107.00	100.00

ahs17a: 0/1 - F2F B49.1 - Hearing problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5040.98	98.71	5068.45	99.25
Yes	1	38.55	0.75	5107.00	100.00

ahs17b: 0/1 - F2F B49.2 - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5017.84	98.25	5045.30	98.79
Yes	1	61.70	1.21	5107.00	100.00

ahs17c: 0/1 - F2F B49.3 - Developmental delay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5021.13	98.32	5048.59	98.86
Yes	1	58.41	1.14	5107.00	100.00

ahs17d: 0/1 - F2F B49.4 - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	4328.71	84.76	4356.18	85.30
Yes	1	750.82	14.70	5107.00	100.00

ahs17e: 0/1 - F2F B49.5 - Diarrhoea/colitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5022.38	98.34	5049.84	98.88
Yes	1	57.16	1.12	5107.00	100.00

ahs17f: 0/1 - F2F B49.6 - Anaemia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5072.49	99.32	5099.96	99.86
Yes	1	7.04	0.14	5107.00	100.00

ahs17g: 0/1 - F2F B49.7 - Ear infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	4877.29	95.50	4904.75	96.04
Yes	1	202.25	3.96	5107.00	100.00

ahs17h: 0/1 - F2F B49.8 - Other infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5028.04	98.45	5055.50	98.99
Yes	1	51.50	1.01	5107.00	100.00

ahs17i: 0/1 - F2F B49.9 - Food or digestive allergies

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	4821.80	94.42	4849.26	94.95
Yes	1	257.74	5.05	5107.00	100.00

ahs17j: 0/1 - F2F B49.10 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	4922.24	96.38	4949.70	96.92
Yes	1	157.30	3.08	5107.00	100.00

ahs17k: 0/1 - F2F B49.11 - Other physical disabilities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	25.82	0.51	27.46	0.54
No	0	5031.82	98.53	5059.28	99.07
Yes	1	47.72	0.93	5107.00	100.00

ahs18a: 0/1 - F2F B50 - No. times SC injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
0	5104.81	99.96	5106.45	99.99
10	0.55	0.01	5107.00	100.00

ahs18b1: 0/1 - F2F B51.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34

ahs18b1: 0/1 - F2F B51.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	329.76	6.46	5096.50	99.79
Yes	1	10.50	0.21	5107.00	100.00

ahs18b2: 0/1 - F2F B51.2 - Injury - burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	316.92	6.21	5083.66	99.54
Yes	1	23.34	0.46	5107.00	100.00

ahs18b3: 0/1 - F2F B51.3 - Injury - dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	332.76	6.52	5099.50	99.85
Yes	1	7.50	0.15	5107.00	100.00

ahs18b4: 0/1 - F2F B51.4 - Injury - sprain or strain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	323.78	6.34	5090.52	99.68
Yes	1	16.48	0.32	5107.00	100.00

ahs18b5: 0/1 - F2F B51.5 - Injury - cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	275.70	5.40	5042.44	98.74
Yes	1	64.56	1.26	5107.00	100.00

ahs18b6: 0/1 - F2F B51.6 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34

ahs18b6: 0/1 - F2F B51.6 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	307.85	6.03	5074.60	99.37
Yes	1	32.40	0.63	5107.00	100.00

ahs18b7: 0/1 - F2F B51.7 - Injury - internal (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	336.30	6.59	5103.04	99.92
Yes	1	3.96	0.08	5107.00	100.00

ahs18b8: 0/1 - F2F B51.8 - Injury - dental

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	334.82	6.56	5101.56	99.89
Yes	1	5.44	0.11	5107.00	100.00

ahs18b9: 0/1 - F2F B51.9 - Injury - accidental poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	335.77	6.57	5102.51	99.91
Yes	1	4.49	0.09	5107.00	100.00

ahs18b10: 0/1 - F2F B51.10 - Injury - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4762.73	93.26	4762.73	93.26
-4	-4	1.64	0.03	4764.37	93.29
-3	-3	0.81	0.02	4765.18	93.31
-2	-2	1.56	0.03	4766.74	93.34
No	0	156.23	3.06	4922.97	96.40
Yes	1	184.03	3.60	5107.00	100.00

ahs18c1: 0/1 - F2F B52 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-3	-3	0.81	0.02	2.45	0.05
-2	-2	1.56	0.03	4.01	0.08

ahs18c1: 0/1 - F2F B52 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	28.78	0.56	32.79	0.64
No	2	5074.21	99.36	5107.00	100.00

ahs19a2: 0/1 - F2F B53 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	1.64	0.03	1.64	0.03
0	4585.28	89.78	4586.92	89.82
1	432.81	8.47	5019.73	98.29
2	43.58	0.85	5063.31	99.14
3	18.41	0.36	5081.72	99.51
4	6.14	0.12	5087.86	99.63
5	8.83	0.17	5096.70	99.80
6	4.15	0.08	5100.84	99.88
7	1.91	0.04	5102.75	99.92
11	1.70	0.03	5104.45	99.95
12	1.36	0.03	5105.81	99.98
16	1.19	0.02	5107.00	100.00

ahs19a1: 0/1 - F2F B53 - Non-injury hospital stays

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
Yes	1	520.08	10.18	521.72	10.22
No	2	4585.28	89.78	5107.00	100.00

ahs19b1: 0/1 - F2F B54.1 - Hospital - fever or viral illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	4963.48	97.19	4987.79	97.67
Yes	1	119.21	2.33	5107.00	100.00

ahs19b2: 0/1 - F2F B54.2 - Hospital - asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5064.94	99.18	5089.24	99.65
Yes	1	17.76	0.35	5107.00	100.00

ahs19b3: 0/1 - F2F B54.3 - Hospital - gastroenteritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5037.57	98.64	5061.88	99.12
Yes	1	45.12	0.88	5107.00	100.00

ahs19b4: 0/1 - F2F B54.4 - Hospital - pneumonia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5059.89	99.08	5084.20	99.55
Yes	1	22.80	0.45	5107.00	100.00

ahs19b5: 0/1 - F2F B54.5 - Hospital - bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	4977.93	97.47	5002.24	97.95
Yes	1	104.76	2.05	5107.00	100.00

ahs19b6: 0/1 - F2F B54.6 - Hospital - urine infection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5050.72	98.90	5075.03	99.37
Yes	1	31.97	0.63	5107.00	100.00

ahs19b7: 0/1 - F2F B54.7 - Hospital - croup

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5068.83	99.25	5093.13	99.73
Yes	1	13.87	0.27	5107.00	100.00

ahs19b8: 0/1 - F2F B54.8 - Hospital - febrile convulsion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5076.93	99.41	5101.24	99.89
Yes	1	5.76	0.11	5107.00	100.00

ahs19b9: 0/1 - F2F B54.9 - Hospital - grommets etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5082.69	99.52	5107.00	100.00

ahs19b10: 0/1 - F2F B54.10 - Hospital - Tonsillectomy etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5081.15	99.49	5105.45	99.97
Yes	1	1.55	0.03	5107.00	100.00

ahs19b11: 0/1 - F2F B54.11 - Hospital - other, surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	4914.29	96.23	4938.60	96.70
Yes	1	168.40	3.30	5107.00	100.00

ahs19b12: 0/1 - F2F B54.12 - Hospital - other, no surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	22.67	0.44	24.31	0.48
No	0	5024.61	98.39	5048.92	98.86
Yes	1	58.08	1.14	5107.00	100.00

ahs20a: 0/1 - F2F B55 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	1.92	0.04	3.55	0.07
Not a problem at all	1	2929.93	57.37	2933.48	57.44
A small problem	2	1302.92	25.51	4236.40	82.95
A moderate problem	3	616.79	12.08	4853.19	95.03
A large problem	4	253.81	4.97	5107.00	100.00

ahs20b: 0/1 - F2F B56 - Does child have any sleep problems?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
Yes	1	2708.42	53.03	2717.66	53.21
No	2	2389.34	46.79	5107.00	100.00

ahs20b1a: 0/1 - F2F B56.1 - Sleep problems - wheezing or coughing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	4846.82	94.91	4856.06	95.09
Yes	1	250.94	4.91	5107.00	100.00

ahs20b2: 0/1 - F2F B56.2 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	4849.42	94.96	4858.66	95.14
Yes	1	248.34	4.86	5107.00	100.00

ahs20b3: 0/1 - F2F B56.3 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	4573.11	89.55	4582.35	89.73
Yes	1	524.65	10.27	5107.00	100.00

ahs20b4: 0/1 - F2F B56.4 - Sleep problems - Sleeping alone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	4539.02	88.88	4548.26	89.06
Yes	1	558.74	10.94	5107.00	100.00

ahs20b5: 0/1 - F2F B56.5 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	3041.45	59.55	3050.69	59.74
Yes	1	2056.31	40.26	5107.00	100.00

ahs20b6: 0/1 - F2F B56.6 - Sleep problems - restless sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	4480.39	87.73	4489.63	87.91
Yes	1	617.37	12.09	5107.00	100.00

ahs20b7: 0/1 - F2F B56.7 - Sleep problems - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	7.60	0.15	9.24	0.18
No	0	5044.83	98.78	5054.07	98.96
Yes	1	52.93	1.04	5107.00	100.00

ahs20c1: 0/1 - F2F B57 - P1 sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	-4	1.64	0.03	1.64	0.03
-2	-2	3.27	0.06	4.90	0.10
Very good	1	867.51	16.99	872.42	17.08
Fairly good	2	2702.55	52.92	3574.97	70.00
Fairly bad	3	1139.34	22.31	4714.31	92.31
Very bad	4	392.69	7.69	5107.00	100.00

ahs23c2: 0/1 - SC - F2F L19 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1059.66	20.75	1059.66	20.75
5	405.59	7.94	1465.25	28.69
10	3561.36	69.73	5026.60	98.43
15	80.40	1.57	5107.00	100.00

ahs23c4: 0/1 - SC - F2F M2 - SC's head circumference (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	73.37	1.44	73.37	1.44
-4	4.68	0.09	78.05	1.53
40	353.77	6.93	431.82	8.46
45	3785.62	74.13	4217.44	82.58
50	876.37	17.16	5093.81	99.74
55	13.19	0.26	5107.00	100.00

awaz: 0/1 - Weight for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1059.66	20.75	1059.66	20.75
-6	1.49	0.03	1061.15	20.78
-5	4.00	0.08	1065.16	20.86
-4	7.83	0.15	1072.99	21.01
-3	23.75	0.47	1096.74	21.48
-2	105.98	2.08	1202.72	23.55
-1	572.10	11.20	1774.82	34.75
0	1340.79	26.25	3115.60	61.01
1	1315.09	25.75	4430.69	86.76
2	551.28	10.79	4981.97	97.55
3	105.36	2.06	5087.33	99.61
4	17.25	0.34	5104.58	99.95
5	2.42	0.05	5107.00	100.00

awapct: 0/1 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1059.66	20.75	1059.66	20.75
0	74.52	1.46	1134.18	22.21
5	81.37	1.59	1215.55	23.80
10	95.18	1.86	1310.73	25.67
15	105.66	2.07	1416.39	27.73
20	110.60	2.17	1526.99	29.90
25	142.09	2.78	1669.09	32.68
30	166.06	3.25	1835.15	35.93
35	141.79	2.78	1976.94	38.71
40	125.16	2.45	2102.10	41.16
45	182.79	3.58	2284.89	44.74
50	178.47	3.49	2463.36	48.23
55	193.94	3.80	2657.30	52.03
60	194.28	3.80	2851.58	55.84
65	191.56	3.75	3043.14	59.59

awapct: 0/1 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
70	234.01	4.58	3277.15	64.17
75	217.96	4.27	3495.10	68.44
80	260.53	5.10	3755.63	73.54
85	299.16	5.86	4054.79	79.40
90	314.50	6.16	4369.30	85.56
95	424.39	8.31	4793.69	93.87
100	313.31	6.13	5107.00	100.00

ahcz: 0/1 - Head circumference for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	78.05	1.53	78.05	1.53
-5	1.31	0.03	79.36	1.55
-4	6.58	0.13	85.94	1.68
-3	12.34	0.24	98.28	1.92
-2	71.35	1.40	169.63	3.32
-1	398.46	7.80	568.09	11.12
0	1281.42	25.09	1849.50	36.22
1	1811.55	35.47	3661.05	71.69
2	1076.83	21.09	4737.88	92.77
3	300.29	5.88	5038.17	98.65
4	41.82	0.82	5079.99	99.47
5	14.55	0.28	5094.55	99.76
6	12.45	0.24	5107.00	100.00

ahcpct: 0/1 - Head circumference for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	78.05	1.53	78.05	1.53
0	73.84	1.45	151.89	2.97
10	130.12	2.55	282.01	5.52
20	175.53	3.44	457.53	8.96
30	201.51	3.95	659.04	12.90
40	284.30	5.57	943.34	18.47
50	321.77	6.30	1265.11	24.77
60	381.90	7.48	1647.01	32.25
70	550.10	10.77	2197.11	43.02
80	661.73	12.96	2858.84	55.98
90	1043.26	20.43	3902.10	76.41
100	1204.90	23.59	5107.00	100.00

ahs13a: 0/1 - P1 - P1L D1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.21	0.79	40.21	0.79
-9	-9	818.07	16.02	858.28	16.81
Excellent	1	765.44	14.99	1623.72	31.79
Very good	2	1825.05	35.74	3448.77	67.53
Good	3	1308.53	25.62	4757.30	93.15

ahs13a: 0/1 - P1 - P1L D1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Fair	4	319.98	6.27	5077.28	99.42
Poor	5	29.72	0.58	5107.00	100.00

ahs23a1: 0/1 - P1 - P1L D29 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	158.24	3.10	158.24	3.10
-9	818.07	16.02	976.31	19.12
140	12.32	0.24	988.63	19.36
150	328.09	6.42	1316.71	25.78
160	1573.84	30.82	2890.55	56.60
170	1706.34	33.41	4596.89	90.01
180	484.05	9.48	5080.94	99.49
190	26.06	0.51	5107.00	100.00

ahs23a2: 0/1 - P1 - P1L D30 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	184.80	3.62	184.80	3.62
-9	818.07	16.02	1002.87	19.64
40	31.42	0.62	1034.29	20.25
50	510.70	10.00	1544.99	30.25
60	1294.41	25.35	2839.41	55.60
70	995.97	19.50	3835.38	75.10
80	601.50	11.78	4436.88	86.88
90	361.22	7.07	4798.10	93.95
100	154.40	3.02	4952.50	96.97
110	74.98	1.47	5027.48	98.44
120	43.40	0.85	5070.88	99.29
130	18.26	0.36	5089.13	99.65
140	17.87	0.35	5107.00	100.00

aabmi: 0/1 - P1 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1125.84	22.04	1125.84	22.04
15	49.68	0.97	1175.52	23.02
20	1325.31	25.95	2500.83	48.97
25	1455.84	28.51	3956.67	77.48
30	706.81	13.84	4663.48	91.32
35	300.74	5.89	4964.22	97.20
40	79.79	1.56	5044.01	98.77
45	47.02	0.92	5091.02	99.69
50	10.36	0.20	5101.39	99.89
55	3.08	0.06	5104.46	99.95
60	2.54	0.05	5107.00	100.00

ahs24a1: 0/1 - P1 - P1L D31 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.91	0.80	40.91	0.80
-9	-9	818.07	16.02	858.98	16.82
All of the time	1	21.31	0.42	880.28	17.24
Most of the time	2	62.60	1.23	942.88	18.46
Some of the time	3	589.76	11.55	1532.65	30.01
A little of the time	4	1406.79	27.55	2939.43	57.56
None of the time	5	2167.57	42.44	5107.00	100.00

ahs24a2: 0/1 - P1 - P1L D32 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.03	0.90	46.03	0.90
-9	-9	818.07	16.02	864.09	16.92
All of the time	1	13.12	0.26	877.21	17.18
Most of the time	2	57.86	1.13	935.08	18.31
Some of the time	3	402.10	7.87	1337.17	26.18
A little of the time	4	1008.75	19.75	2345.92	45.94
None of the time	5	2761.08	54.06	5107.00	100.00

ahs24a3: 0/1 - P1 - P1L D33 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	59.46	1.16	59.46	1.16
-9	-9	818.07	16.02	877.53	17.18
All of the time	1	25.92	0.51	903.45	17.69
Most of the time	2	94.12	1.84	997.57	19.53
Some of the time	3	600.25	11.75	1597.82	31.29
A little of the time	4	1375.60	26.94	2973.42	58.22
None of the time	5	2133.58	41.78	5107.00	100.00

ahs24a4: 0/1 - P1 - P1L D34 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.75	1.19	60.75	1.19
-9	-9	818.07	16.02	878.82	17.21
All of the time	1	44.71	0.88	923.53	18.08
Most of the time	2	175.70	3.44	1099.24	21.52
Some of the time	3	830.39	16.26	1929.63	37.78
A little of the time	4	1736.94	34.01	3666.57	71.79
None of the time	5	1440.43	28.21	5107.00	100.00

ahs24a5: 0/1 - P1 - P1L D35 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.96	0.96	48.96	0.96
-9	-9	818.07	16.02	867.03	16.98
All of the time	1	21.44	0.42	888.47	17.40
Most of the time	2	68.99	1.35	957.46	18.75
Some of the time	3	352.18	6.90	1309.64	25.64

ahs24a5: 0/1 - P1 - P1L D35 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	739.93	14.49	2049.57	40.13
None of the time	5	3057.43	59.87	5107.00	100.00

ahs24a6: 0/1 - P1 - P1L D36 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.44	0.83	42.44	0.83
-9	-9	818.07	16.02	860.50	16.85
All of the time	1	21.22	0.42	881.72	17.26
Most of the time	2	70.71	1.38	952.43	18.65
Some of the time	3	247.94	4.85	1200.37	23.50
A little of the time	4	617.15	12.08	1817.52	35.59
None of the time	5	3289.48	64.41	5107.00	100.00

aak6g: 0/1 - P1 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	910.53	17.83	910.53	17.83
No probable serious mental illness	0	4082.45	79.94	4992.98	97.77
Probable serious mental illness	1	114.02	2.23	5107.00	100.00

aak6s: 0/1 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	910.53	17.83	910.53	17.83
6	695.36	13.62	1605.89	31.44
7	656.74	12.86	2262.63	44.30
8	744.59	14.58	3007.22	58.88
9	486.62	9.53	3493.85	68.41
10	392.86	7.69	3886.71	76.11
11	291.66	5.71	4178.37	81.82
12	235.29	4.61	4413.66	86.42
13	165.84	3.25	4579.50	89.67
14	129.67	2.54	4709.17	92.21
15	92.60	1.81	4801.77	94.02
16	83.78	1.64	4885.55	95.66
17	51.90	1.02	4937.45	96.68
18	55.53	1.09	4992.98	97.77
19	33.59	0.66	5026.57	98.43
20	19.81	0.39	5046.38	98.81
21	14.72	0.29	5061.10	99.10
22	10.63	0.21	5071.73	99.31
23	10.16	0.20	5081.88	99.51
24	9.39	0.18	5091.28	99.69
25	6.29	0.12	5097.57	99.82
26	4.38	0.09	5101.95	99.90
27	1.27	0.02	5103.22	99.93
28	1.53	0.03	5104.75	99.96

aak6s: 0/1 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
29	0.94	0.02	5105.69	99.97
30	1.31	0.03	5107.00	100.00

ahs25a1: 0/1 - P1 - P1L D37 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.64	0.95	48.64	0.95
-9	-9	818.07	16.02	866.70	16.97
Yes	1	1328.85	26.02	2195.55	42.99
No	2	2911.45	57.01	5107.00	100.00

ahs25a2: 0/1 - P1 - P1L D38 - Depression for two or more years

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.40	1.08	55.40	1.08
-9	-9	818.07	16.02	873.47	17.10
Yes	1	658.40	12.89	1531.87	30.00
No	2	3575.13	70.00	5107.00	100.00

ahs26a1: 0/1 - P1 - P1L D39 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.18	0.75	38.18	0.75
-9	-9	818.07	16.02	856.25	16.77
No problems or stress	1	430.36	8.43	1286.61	25.19
Few problems or stresses	2	2076.72	40.66	3363.33	65.86
Some problems and stresses	3	1451.39	28.42	4814.71	94.28
Many problems and stresses	4	257.37	5.04	5072.08	99.32
Very many problems and stresses	5	34.92	0.68	5107.00	100.00

ahs26a2: 0/1 - P1 - P1L D40 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.51	0.81	41.51	0.81
-9	-9	818.07	16.02	859.58	16.83
Not at all	1	20.52	0.40	880.10	17.23
A little	2	125.12	2.45	1005.22	19.68
Fairly well	3	1675.25	32.80	2680.47	52.49
Very well	4	1893.33	37.07	4573.80	89.56
Extremely well	5	533.20	10.44	5107.00	100.00

ahs26a3: 0/1 - P1 - P1L D41 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.28	0.69	35.28	0.69
-9	-9	818.07	16.02	853.35	16.71
Always	1	379.80	7.44	1233.14	24.15
Often	2	1291.57	25.29	2524.72	49.44
Sometimes	3	1831.28	35.86	4356.00	85.29

ahs26a3: 0/1 - P1 - P1L D41 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Rarely	4	652.23	12.77	5008.23	98.07
Never	5	98.77	1.93	5107.00	100.00

ahs27: 0/1 - P1L D42-60 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.07	0.92	47.07	0.92
-9	-9	818.07	16.02	865.13	16.94
Yes	1	2771.46	54.27	3636.59	71.21
No	2	1470.41	28.79	5107.00	100.00

ahs27a: 0/1 - P1L D42 - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.29	1.22	62.29	1.22
-9	-9	818.07	16.02	880.35	17.24
No	0	3988.07	78.09	4868.42	95.33
Yes	1	238.58	4.67	5107.00	100.00

ahs27b: 0/1 - P1L D43 - Events - illness etc to close relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.51	1.11	56.51	1.11
-9	-9	818.07	16.02	874.57	17.13
No	0	3314.55	64.90	4189.13	82.03
Yes	1	917.87	17.97	5107.00	100.00

ahs27c: 0/1 - P1L D44 - Events - parent, partner or child died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	78.06	1.53	78.06	1.53
-9	-9	818.07	16.02	896.13	17.55
No	0	4102.65	80.33	4998.77	97.88
Yes	1	108.23	2.12	5107.00	100.00

ahs27d: 0/1 - P1L D45 - Events - Close friend or other rel. died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.83	1.21	61.83	1.21
-9	-9	818.07	16.02	879.89	17.23
No	0	3166.79	62.01	4046.68	79.24
Yes	1	1060.32	20.76	5107.00	100.00

ahs27e: 0/1 - P1L D46 - Events - broke off a steady relationship

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.50	1.22	62.50	1.22
-9	-9	818.07	16.02	880.56	17.24
No	0	4041.41	79.13	4921.97	96.38
Yes	1	185.03	3.62	5107.00	100.00

ahs27f: 0/1 - P1L D47 - Events - problem with friend/relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	59.16	1.16	59.16	1.16
-9	-9	818.07	16.02	877.22	17.18
No	0	3613.61	70.76	4490.84	87.93
Yes	1	616.16	12.07	5107.00	100.00

ahs27g: 0/1 - P1L D48 - Events - work disappointment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.21	1.20	61.21	1.20
-9	-9	818.07	16.02	879.28	17.22
No	0	3892.78	76.22	4772.06	93.44
Yes	1	334.94	6.56	5107.00	100.00

ahs27h: 0/1 - P1L D49 - Events - thought would soon lose job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.95	1.25	63.95	1.25
-9	-9	818.07	16.02	882.02	17.27
No	0	4011.90	78.56	4893.92	95.83
Yes	1	213.08	4.17	5107.00	100.00

ahs27i: 0/1 - P1L D50/D58 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	105.91	2.07	105.91	2.07
-9	-9	818.07	16.02	923.97	18.09
No	0	3732.44	73.08	4656.41	91.18
Yes	1	450.59	8.82	5107.00	100.00

ahs27i1: 0/1 - P1L D50 - Events - P1 lost job, not from choice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.34	1.32	67.34	1.32
-9	-9	818.07	16.02	885.40	17.34
No	0	4079.89	79.89	4965.30	97.23
Yes	1	141.70	2.77	5107.00	100.00

ahs27j: 0/1 - P1L D51/D59 - Events - sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	136.32	2.67	136.32	2.67
-9	-9	818.07	16.02	954.38	18.69
No	0	3701.19	72.47	4655.57	91.16
Yes	1	451.43	8.84	5107.00	100.00

ahs27j1: 0/1 - P1L D51 - Events - P1 sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	66.38	1.30	66.38	1.30
-9	-9	818.07	16.02	884.45	17.32
No	0	4063.27	79.56	4947.72	96.88
Yes	1	159.28	3.12	5107.00	100.00

ahs27k: 0/1 - P1L D52 - Events - had a major financial crisis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.84	1.19	60.84	1.19
-9	-9	818.07	16.02	878.90	17.21
No	0	3554.73	69.61	4433.63	86.81
Yes	1	673.37	13.19	5107.00	100.00

ahs27l: 0/1 - P1L D53 - Events - legal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.70	1.19	60.70	1.19
-9	-9	818.07	16.02	878.77	17.21
No	0	4148.02	81.22	5026.79	98.43
Yes	1	80.21	1.57	5107.00	100.00

ahs27m: 0/1 - P1L D54 - Events - Valuable lost or stolen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.87	1.19	60.87	1.19
-9	-9	818.07	16.02	878.94	17.21
No	0	3906.29	76.49	4785.22	93.70
Yes	1	321.78	6.30	5107.00	100.00

ahs27n: 0/1 - P1L D55/D56 - Events - household D+A problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	59.93	1.17	59.93	1.17
-9	-9	818.07	16.02	877.99	17.19
No	0	4047.25	79.25	4925.24	96.44
Yes	1	181.76	3.56	5107.00	100.00

ahs27n1: 0/1 - P1L D55 - Events - household alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	59.97	1.17	59.97	1.17
-9	-9	818.07	16.02	878.04	17.19
No	0	4106.34	80.41	4984.38	97.60
Yes	1	122.62	2.40	5107.00	100.00

ahs27n2: 0/1 - P1L D56 - Events - household drug problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.11	1.18	60.11	1.18
-9	-9	818.07	16.02	878.18	17.20
No	0	4141.82	81.10	5020.00	98.30
Yes	1	87.00	1.70	5107.00	100.00

ahs27i2: 0/1 - P1L D58 - Events - partner lost job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	87.27	1.71	87.27	1.71
-9	-9	818.07	16.02	905.34	17.73
No	0	3873.79	75.85	4779.12	93.58
Yes	1	327.88	6.42	5107.00	100.00

ahs27j2: 0/1 - P1L D59 - Events - partner sought work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	120.65	2.36	120.65	2.36
-9	-9	818.07	16.02	938.72	18.38
No	0	3840.02	75.19	4778.74	93.57
Yes	1	328.26	6.43	5107.00	100.00

ahs27o: 0/1 - P1L D60 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	123.68	2.42	123.68	2.42
-9	-9	818.07	16.02	941.74	18.44
No	0	3993.27	78.19	4935.01	96.63
Yes	1	171.99	3.37	5107.00	100.00

asle: 0/1 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	878.32	17.20	878.32	17.20
0	1470.41	28.79	2348.73	45.99
1	1188.01	23.26	3536.74	69.25
2	748.36	14.65	4285.10	83.91
3	382.24	7.48	4667.33	91.39
4	210.14	4.11	4877.47	95.51
5	103.63	2.03	4981.10	97.53
6	59.39	1.16	5040.50	98.70
7	31.99	0.63	5072.49	99.32
8	23.88	0.47	5096.37	99.79
9	9.10	0.18	5105.47	99.97
10	1.53	0.03	5107.00	100.00

ahs13b: 0/1 - P2 - P2L C1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.61	1.25	63.61	1.25
-9	-9	1517.05	29.71	1580.66	30.95
Excellent	1	518.89	10.16	2099.55	41.11
Very good	2	1359.30	26.62	3458.85	67.73
Good	3	1259.46	24.66	4718.32	92.39
Fair	4	344.71	6.75	5063.03	99.14
Poor	5	43.97	0.86	5107.00	100.00

ahs23b1: 0/1 - P2 - P2L C29 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	185.07	3.62	185.07	3.62
-9	1517.05	29.71	1702.13	33.33
150	15.60	0.31	1717.73	33.63
160	94.21	1.84	1811.94	35.48
170	730.73	14.31	2542.68	49.79
180	1826.54	35.77	4369.22	85.55
190	678.00	13.28	5047.22	98.83
200	59.78	1.17	5107.00	100.00

ahs23b2: 0/1 - P2 - P2L C30 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	293.32	5.74	293.32	5.74
-9	1517.05	29.71	1810.38	35.45
50	27.76	0.54	1838.13	35.99
60	140.36	2.75	1978.49	38.74
70	509.75	9.98	2488.25	48.72
80	885.39	17.34	3373.64	66.06
90	883.46	17.30	4257.10	83.36
100	506.61	9.92	4763.71	93.28
110	184.48	3.61	4948.18	96.89
120	108.37	2.12	5056.55	99.01
130	31.24	0.61	5087.79	99.62
140	19.21	0.38	5107.00	100.00

abbmi: 0/1 - P2 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1885.52	36.92	1885.52	36.92
15	6.30	0.12	1891.82	37.04
20	387.29	7.58	2279.11	44.63
25	1590.46	31.14	3869.57	75.77
30	944.62	18.50	4814.19	94.27
35	234.23	4.59	5048.42	98.85
40	48.56	0.95	5096.98	99.80
45	8.61	0.17	5105.60	99.97
50	1.40	0.03	5107.00	100.00

ahs24b1: 0/1 - P2 - P2L C31 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	220.22	4.31	220.22	4.31
-9	-9	1517.05	29.71	1737.28	34.02
All of the time	1	21.28	0.42	1758.56	34.43
Most of the time	2	59.74	1.17	1818.30	35.60
Some of the time	3	465.56	9.12	2283.86	44.72
A little of the time	4	1284.34	25.15	3568.20	69.87
None of the time	5	1538.80	30.13	5107.00	100.00

ahs24b2: 0/1 - P2 - P2L C32 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	222.04	4.35	222.04	4.35
-9	-9	1517.05	29.71	1739.10	34.05
All of the time	1	18.97	0.37	1758.07	34.42
Most of the time	2	35.17	0.69	1793.23	35.11
Some of the time	3	233.00	4.56	2026.23	39.68
A little of the time	4	649.29	12.71	2675.52	52.39
None of the time	5	2431.48	47.61	5107.00	100.00

ahs24b3: 0/1 - P2 - P2L C33 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	223.73	4.38	223.73	4.38
-9	-9	1517.05	29.71	1740.78	34.09
All of the time	1	34.30	0.67	1775.08	34.76
Most of the time	2	90.90	1.78	1865.98	36.54
Some of the time	3	635.40	12.44	2501.38	48.98
A little of the time	4	1192.24	23.35	3693.63	72.32
None of the time	5	1413.37	27.68	5107.00	100.00

ahs24b4: 0/1 - P2 - P2L C34 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	227.91	4.46	227.91	4.46
-9	-9	1517.05	29.71	1744.96	34.17
All of the time	1	42.38	0.83	1787.34	35.00
Most of the time	2	140.86	2.76	1928.20	37.76
Some of the time	3	541.25	10.60	2469.46	48.35
A little of the time	4	1298.40	25.42	3767.86	73.78
None of the time	5	1339.14	26.22	5107.00	100.00

ahs24b5: 0/1 - P2 - P2L C35 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	221.56	4.34	221.56	4.34
-9	-9	1517.05	29.71	1738.61	34.04
All of the time	1	17.82	0.35	1756.43	34.39
Most of the time	2	33.53	0.66	1789.96	35.05
Some of the time	3	176.16	3.45	1966.11	38.50

ahs24b5: 0/1 - P2 - P2L C35 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	466.21	9.13	2432.32	47.63
None of the time	5	2674.68	52.37	5107.00	100.00

ahs24b6: 0/1 - P2 - P2L C36 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	217.32	4.26	217.32	4.26
-9	-9	1517.05	29.71	1734.37	33.96
All of the time	1	21.92	0.43	1756.29	34.39
Most of the time	2	38.62	0.76	1794.91	35.15
Some of the time	3	114.88	2.25	1909.80	37.40
A little of the time	4	325.27	6.37	2235.07	43.76
None of the time	5	2871.93	56.24	5107.00	100.00

abk6g: 0/1 - P2 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1765.81	34.58	1765.81	34.58
No probable serious mental illness	0	3277.67	64.18	5043.48	98.76
Probable serious mental illness	1	63.52	1.24	5107.00	100.00

abk6s: 0/1 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1765.81	34.58	1765.81	34.58
6	590.19	11.56	2356.00	46.13
7	478.58	9.37	2834.58	55.50
8	531.39	10.41	3365.97	65.91
9	505.62	9.90	3871.59	75.81
10	353.32	6.92	4224.91	82.73
11	262.03	5.13	4486.94	87.86
12	172.49	3.38	4659.43	91.24
13	117.76	2.31	4777.18	93.54
14	77.39	1.52	4854.57	95.06
15	67.63	1.32	4922.21	96.38
16	48.02	0.94	4970.22	97.32
17	25.15	0.49	4995.38	97.81
18	48.10	0.94	5043.48	98.76
19	6.97	0.14	5050.45	98.89
20	14.93	0.29	5065.38	99.18
21	12.28	0.24	5077.65	99.43
22	8.95	0.18	5086.60	99.60
23	2.67	0.05	5089.28	99.65
24	4.61	0.09	5093.89	99.74
25	2.41	0.05	5096.30	99.79
26	1.96	0.04	5098.26	99.83
27	3.16	0.06	5101.43	99.89
30	5.57	0.11	5107.00	100.00

ahs26b1: 0/1 - P2 - P2L C37 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	194.58	3.81	194.58	3.81
-9	-9	1517.05	29.71	1711.63	33.52
No problems or stress	1	315.46	6.18	2027.09	39.69
Few problems or stresses	2	1551.96	30.39	3579.06	70.08
Some problems and stresses	3	1229.07	24.07	4808.13	94.15
Many problems and stresses	4	238.24	4.67	5046.37	98.81
Very many problems and stresses	5	60.63	1.19	5107.00	100.00

ahs26b2: 0/1 - P2 - P2L C38 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	196.61	3.85	196.61	3.85
-9	-9	1517.05	29.71	1713.67	33.56
Not at all	1	12.98	0.25	1726.64	33.81
A little	2	131.88	2.58	1858.52	36.39
Fairly well	3	1390.01	27.22	3248.53	63.61
Very well	4	1439.25	28.18	4687.78	91.79
Extremely well	5	419.22	8.21	5107.00	100.00

ahs26b3: 0/1 - P2 - P2L C39 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	192.37	3.77	192.37	3.77
-9	-9	1517.05	29.71	1709.43	33.47
Always	1	362.91	7.11	2072.34	40.58
Often	2	1078.91	21.13	3151.25	61.70
Sometimes	3	1359.47	26.62	4510.72	88.32
Rarely	4	514.39	10.07	5025.11	98.40
Never	5	81.89	1.60	5107.00	100.00

ahs13m: 0/1 - M - P1L D1/P2L C1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.62	0.81	41.62	0.81
-9	-9	820.93	16.07	862.55	16.89
Excellent	1	766.85	15.02	1629.40	31.91
Very good	2	1821.74	35.67	3451.14	67.58
Good	3	1296.02	25.38	4747.16	92.95
Fair	4	329.28	6.45	5076.44	99.40
Poor	5	30.56	0.60	5107.00	100.00

ahs23m1: 0/1 - M - P1L D29/P2L C29 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	158.31	3.10	158.31	3.10
-9	820.93	16.07	979.25	19.17
140	12.32	0.24	991.57	19.42
150	331.48	6.49	1323.05	25.91
160	1591.00	31.15	2914.04	57.06
170	1719.78	33.67	4633.82	90.73

ahs23m1: 0/1 - M - P1L D29/P2L C29 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
180	458.93	8.99	5092.75	99.72
190	14.25	0.28	5107.00	100.00

ahs23m2: 0/1 - M - P1L D30/P2L C30 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	181.40	3.55	181.40	3.55
-9	820.93	16.07	1002.33	19.63
40	31.42	0.62	1033.76	20.24
50	521.20	10.21	1554.96	30.45
60	1304.04	25.53	2859.00	55.98
70	992.80	19.44	3851.80	75.42
80	601.43	11.78	4453.23	87.20
90	349.29	6.84	4802.53	94.04
100	152.50	2.99	4955.02	97.02
110	74.65	1.46	5029.67	98.49
120	41.21	0.81	5070.88	99.29
130	18.26	0.36	5089.13	99.65
140	17.87	0.35	5107.00	100.00

ambmi: 0/1 - M - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1125.90	22.05	1125.90	22.05
15	49.68	0.97	1175.58	23.02
20	1340.71	26.25	2516.29	49.27
25	1439.48	28.19	3955.77	77.46
30	705.95	13.82	4661.72	91.28
35	300.58	5.89	4962.30	97.17
40	81.71	1.60	5044.01	98.77
45	47.02	0.92	5091.02	99.69
50	10.36	0.20	5101.39	99.89
55	3.08	0.06	5104.46	99.95
60	2.54	0.05	5107.00	100.00

ahs24m1: 0/1 - M - P1L D31/P2L C31 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.67	0.74	37.67	0.74
-9	-9	820.93	16.07	858.61	16.81
All of the time	1	21.31	0.42	879.92	17.23
Most of the time	2	63.38	1.24	943.30	18.47
Some of the time	3	594.90	11.65	1538.19	30.12
A little of the time	4	1411.22	27.63	2949.41	57.75
None of the time	5	2157.59	42.25	5107.00	100.00

ahs24m2: 0/1 - M - P1L D32/P2L C32 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.79	0.84	42.79	0.84
-9	-9	820.93	16.07	863.73	16.91
All of the time	1	13.12	0.26	876.85	17.17
Most of the time	2	60.25	1.18	937.10	18.35
Some of the time	3	404.35	7.92	1341.45	26.27
A little of the time	4	1015.37	19.88	2356.82	46.15
None of the time	5	2750.18	53.85	5107.00	100.00

ahs24m3: 0/1 - M - P1L D33/P2L C33 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.49	1.09	55.49	1.09
-9	-9	820.93	16.07	876.42	17.16
All of the time	1	25.92	0.51	902.34	17.67
Most of the time	2	95.09	1.86	997.44	19.53
Some of the time	3	604.10	11.83	1601.54	31.36
A little of the time	4	1372.10	26.87	2973.63	58.23
None of the time	5	2133.37	41.77	5107.00	100.00

ahs24m4: 0/1 - M - P1L D34/P2L C34 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.72	1.13	57.72	1.13
-9	-9	820.93	16.07	878.65	17.20
All of the time	1	44.71	0.88	923.36	18.08
Most of the time	2	180.69	3.54	1104.06	21.62
Some of the time	3	827.91	16.21	1931.97	37.83
A little of the time	4	1740.28	34.08	3672.25	71.91
None of the time	5	1434.75	28.09	5107.00	100.00

ahs24m5: 0/1 - M - P1L D35/P2L C35 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.73	0.90	45.73	0.90
-9	-9	820.93	16.07	866.66	16.97
All of the time	1	21.44	0.42	888.10	17.39
Most of the time	2	68.99	1.35	957.09	18.74
Some of the time	3	356.76	6.99	1313.85	25.73
A little of the time	4	746.80	14.62	2060.64	40.35
None of the time	5	3046.36	59.65	5107.00	100.00

ahs24m6: 0/1 - M - P1L D36/P2L C36 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.94	0.76	38.94	0.76
-9	-9	820.93	16.07	859.87	16.84
All of the time	1	21.22	0.42	881.09	17.25
Most of the time	2	73.19	1.43	954.28	18.69
Some of the time	3	251.04	4.92	1205.32	23.60

ahs24m6: 0/1 - M - P1L D36/P2L C36 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	617.38	12.09	1822.70	35.69
None of the time	5	3284.30	64.31	5107.00	100.00

amk6g: 0/1 - M - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	910.10	17.82	910.10	17.82
No probable serious mental illness	0	4080.33	79.90	4990.43	97.72
Probable serious mental illness	1	116.57	2.28	5107.00	100.00

amk6s: 0/1 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	910.10	17.82	910.10	17.82
6	687.83	13.47	1597.93	31.29
7	654.51	12.82	2252.44	44.10
8	744.10	14.57	2996.54	58.68
9	486.72	9.53	3483.25	68.21
10	395.70	7.75	3878.95	75.95
11	296.25	5.80	4175.20	81.75
12	233.73	4.58	4408.93	86.33
13	163.17	3.20	4572.11	89.53
14	131.25	2.57	4703.36	92.10
15	93.62	1.83	4796.98	93.93
16	86.77	1.70	4883.75	95.63
17	51.70	1.01	4935.45	96.64
18	54.98	1.08	4990.43	97.72
19	33.59	0.66	5024.02	98.38
20	19.81	0.39	5043.83	98.76
21	15.73	0.31	5059.56	99.07
22	12.17	0.24	5071.73	99.31
23	10.16	0.20	5081.88	99.51
24	9.39	0.18	5091.28	99.69
25	6.29	0.12	5097.57	99.82
26	4.38	0.09	5101.95	99.90
27	1.27	0.02	5103.22	99.93
28	1.53	0.03	5104.75	99.96
29	0.94	0.02	5105.69	99.97
30	1.31	0.03	5107.00	100.00

ahs26m1: 0/1 - M - P1L D39/P2L C37 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.95	0.68	34.95	0.68
-9	-9	820.93	16.07	855.88	16.76
No problems or stress	1	427.10	8.36	1282.98	25.12
Few problems or stresses	2	2073.67	40.60	3356.65	65.73
Some problems and stresses	3	1456.81	28.53	4813.46	94.25

ahs26m1: 0/1 - M - P1L D39/P2L C37 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Many problems and stresses	4	256.14	5.02	5069.60	99.27
Very many problems and stresses	5	37.40	0.73	5107.00	100.00

ahs26m2: 0/1 - M - P1L D40/P2L C38 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.27	0.75	38.27	0.75
-9	-9	820.93	16.07	859.21	16.82
Not at all	1	20.52	0.40	879.73	17.23
A little	2	128.47	2.52	1008.20	19.74
Fairly well	3	1678.33	32.86	2686.53	52.60
Very well	4	1895.04	37.11	4581.57	89.71
Extremely well	5	525.43	10.29	5107.00	100.00

ahs26m3: 0/1 - M - P1L D41/P2L C39 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.04	0.63	32.04	0.63
-9	-9	820.93	16.07	852.98	16.70
Always	1	382.67	7.49	1235.65	24.20
Often	2	1298.11	25.42	2533.76	49.61
Sometimes	3	1830.62	35.85	4364.38	85.46
Rarely	4	646.98	12.67	5011.36	98.13
Never	5	95.64	1.87	5107.00	100.00

ahs13f: 0/1 - F - P1L D1/P2L C1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.20	1.22	62.20	1.22
-9	-9	1514.19	29.65	1576.38	30.87
Excellent	1	517.48	10.13	2093.87	41.00
Very good	2	1362.61	26.68	3456.48	67.68
Good	3	1271.98	24.91	4728.45	92.59
Fair	4	335.41	6.57	5063.87	99.16
Poor	5	43.13	0.84	5107.00	100.00

ahs23f1: 0/1 - F - P1L D29/P2L C29 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	185.00	3.62	185.00	3.62
-9	1514.19	29.65	1699.19	33.27
150	12.21	0.24	1711.39	33.51
160	77.06	1.51	1788.45	35.02
170	717.30	14.05	2505.75	49.06
180	1851.66	36.26	4357.41	85.32
190	689.81	13.51	5047.22	98.83
200	59.78	1.17	5107.00	100.00

ahs23f2: 0/1 - F - P1L D30/P2L C30 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	296.72	5.81	296.72	5.81
-9	1514.19	29.65	1810.91	35.46
50	17.26	0.34	1828.16	35.80
60	130.73	2.56	1958.90	38.36
70	512.92	10.04	2471.82	48.40
80	885.47	17.34	3357.29	65.74
90	895.39	17.53	4252.67	83.27
100	508.51	9.96	4761.19	93.23
110	184.81	3.62	4946.00	96.85
120	110.56	2.16	5056.55	99.01
130	31.24	0.61	5087.79	99.62
140	19.21	0.38	5107.00	100.00

afbmi: 0/1 - F - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1885.45	36.92	1885.45	36.92
15	6.30	0.12	1891.75	37.04
20	371.90	7.28	2263.65	44.32
25	1606.82	31.46	3870.47	75.79
30	945.49	18.51	4815.96	94.30
35	234.39	4.59	5050.34	98.89
40	46.64	0.91	5096.98	99.80
45	8.61	0.17	5105.60	99.97
50	1.40	0.03	5107.00	100.00

ahs24f1: 0/1 - F - P1L D31/P2L C31 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	223.46	4.38	223.46	4.38
-9	-9	1514.19	29.65	1737.64	34.02
All of the time	1	21.28	0.42	1758.92	34.44
Most of the time	2	58.96	1.15	1817.88	35.60
Some of the time	3	460.43	9.02	2278.31	44.61
A little of the time	4	1279.90	25.06	3558.21	69.67
None of the time	5	1548.79	30.33	5107.00	100.00

ahs24f2: 0/1 - F - P1L D32/P2L C32 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	225.28	4.41	225.28	4.41
-9	-9	1514.19	29.65	1739.46	34.06
All of the time	1	18.97	0.37	1758.44	34.43
Most of the time	2	32.78	0.64	1791.22	35.07
Some of the time	3	230.74	4.52	2021.95	39.59
A little of the time	4	642.67	12.58	2664.62	52.18
None of the time	5	2442.38	47.82	5107.00	100.00

ahs24f3: 0/1 - F - P1L D33/P2L C33 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	227.71	4.46	227.71	4.46
-9	-9	1514.19	29.65	1741.89	34.11
All of the time	1	34.30	0.67	1776.19	34.78
Most of the time	2	89.93	1.76	1866.12	36.54
Some of the time	3	631.55	12.37	2497.67	48.91
A little of the time	4	1195.75	23.41	3693.42	72.32
None of the time	5	1413.58	27.68	5107.00	100.00

ahs24f4: 0/1 - F - P1L D34/P2L C34 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	230.95	4.52	230.95	4.52
-9	-9	1514.19	29.65	1745.13	34.17
All of the time	1	42.38	0.83	1787.51	35.00
Most of the time	2	135.87	2.66	1923.39	37.66
Some of the time	3	543.73	10.65	2467.12	48.31
A little of the time	4	1295.06	25.36	3762.18	73.67
None of the time	5	1344.82	26.33	5107.00	100.00

ahs24f5: 0/1 - F - P1L D35/P2L C35 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	224.79	4.40	224.79	4.40
-9	-9	1514.19	29.65	1738.98	34.05
All of the time	1	17.82	0.35	1756.79	34.40
Most of the time	2	33.53	0.66	1790.32	35.06
Some of the time	3	171.58	3.36	1961.90	38.42
A little of the time	4	459.34	8.99	2421.24	47.41
None of the time	5	2685.76	52.59	5107.00	100.00

ahs24f6: 0/1 - F - P1L D36/P2L C36 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	220.82	4.32	220.82	4.32
-9	-9	1514.19	29.65	1735.00	33.97
All of the time	1	21.92	0.43	1756.92	34.40
Most of the time	2	36.14	0.71	1793.06	35.11
Some of the time	3	111.78	2.19	1904.84	37.30
A little of the time	4	325.05	6.36	2229.88	43.66
None of the time	5	2877.12	56.34	5107.00	100.00

afk6g: 0/1 - F - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1766.24	34.58	1766.24	34.58
No probable serious mental illness	0	3279.79	64.22	5046.03	98.81
Probable serious mental illness	1	60.97	1.19	5107.00	100.00

afk6s: 0/1 - F - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1766.24	34.58	1766.24	34.58
6	597.72	11.70	2363.96	46.29
7	480.82	9.41	2844.77	55.70
8	531.88	10.41	3376.65	66.12
9	505.53	9.90	3882.19	76.02
10	350.48	6.86	4232.66	82.88
11	257.44	5.04	4490.11	87.92
12	174.05	3.41	4664.16	91.33
13	120.42	2.36	4784.58	93.69
14	75.81	1.48	4860.39	95.17
15	66.61	1.30	4927.00	96.48
16	45.03	0.88	4972.03	97.36
17	25.35	0.50	4997.38	97.85
18	48.65	0.95	5046.03	98.81
19	6.97	0.14	5053.00	98.94
20	14.93	0.29	5067.93	99.23
21	11.26	0.22	5079.19	99.46
22	7.42	0.15	5086.60	99.60
23	2.67	0.05	5089.28	99.65
24	4.61	0.09	5093.89	99.74
25	2.41	0.05	5096.30	99.79
26	1.96	0.04	5098.26	99.83
27	3.16	0.06	5101.43	99.89
30	5.57	0.11	5107.00	100.00

ahs26f1: 0/1 - F - P1L D39/P2L C37 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	197.81	3.87	197.81	3.87
-9	-9	1514.19	29.65	1712.00	33.52
No problems or stress	1	318.73	6.24	2030.72	39.76
Few problems or stresses	2	1555.01	30.45	3585.73	70.21
Some problems and stresses	3	1223.65	23.96	4809.38	94.17
Many problems and stresses	4	239.47	4.69	5048.85	98.86
Very many problems and stresses	5	58.15	1.14	5107.00	100.00

ahs26f2: 0/1 - F - P1L D40/P2L C38 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	199.85	3.91	199.85	3.91
-9	-9	1514.19	29.65	1714.03	33.56
Not at all	1	12.98	0.25	1727.01	33.82
A little	2	128.52	2.52	1855.53	36.33
Fairly well	3	1386.93	27.16	3242.46	63.49
Very well	4	1437.54	28.15	4680.00	91.64
Extremely well	5	427.00	8.36	5107.00	100.00

ahs26f3: 0/1 - F - P1L D41/P2L C39 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	195.61	3.83	195.61	3.83
-9	-9	1514.19	29.65	1709.79	33.48
Always	1	360.03	7.05	2069.83	40.53
Often	2	1072.38	21.00	3142.21	61.53
Sometimes	3	1360.13	26.63	4502.34	88.16
Rarely	4	519.64	10.18	5021.98	98.34
Never	5	85.02	1.66	5107.00	100.00

ahs13ci: 0/1 - SC - W1.5 1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.04	0.06	3.04	0.06
-9	-9	1635.64	32.03	1638.68	32.09
Excellent	1	1808.46	35.41	3447.13	67.50
Very good	2	1244.21	24.36	4691.34	91.86
Good	3	352.26	6.90	5043.60	98.76
Fair	4	56.34	1.10	5099.94	99.86
Poor	5	7.06	0.14	5107.00	100.00

ahs15ai: 0/1 - W1.5 2 - Frequency of illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.64	0.15	7.64	0.15
-9	-9	1635.64	32.03	1643.28	32.18
None	1	1594.14	31.21	3237.42	63.39
Once	2	937.96	18.37	4175.38	81.76
2 or 3 times	3	742.31	14.54	4917.69	96.29
4 or more times	4	189.31	3.71	5107.00	100.00

ahs20ai: 0/1 - W1.5 3 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.78	0.15	7.78	0.15
-9	-9	1635.64	32.03	1643.42	32.18
Not a problem at all	1	1685.14	33.00	3328.56	65.18
A small problem	2	1178.92	23.08	4507.49	88.26
A moderate problem	3	455.90	8.93	4963.39	97.19
A large problem	4	143.61	2.81	5107.00	100.00

ahs20bi: 0/1 - W1.5 4.6 - Does child have any sleep problems?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.43	0.81	41.43	0.81
-9	-9	1635.64	32.03	1677.07	32.84
Yes	1	1585.49	31.05	3262.56	63.88
No	2	1844.44	36.12	5107.00	100.00

ahs20b1i: 0/1 - W1.5 4.1 - Sleep problems - wheezing or asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.43	0.81	41.43	0.81
-9	-9	1635.64	32.03	1677.07	32.84
No	0	3376.81	66.12	5053.88	98.96
Yes	1	53.12	1.04	5107.00	100.00

ahs20b2i: 0/1 - W1.5 4.2 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.43	0.81	41.43	0.81
-9	-9	1635.64	32.03	1677.07	32.84
No	0	3303.32	64.68	4980.39	97.52
Yes	1	126.61	2.48	5107.00	100.00

ahs20b3i: 0/1 - W1.5 4.3 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.43	0.81	41.43	0.81
-9	-9	1635.64	32.03	1677.07	32.84
No	0	3072.63	60.16	4749.69	93.00
Yes	1	357.31	7.00	5107.00	100.00

ahs20b5i: 0/1 - W1.5 4.4 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.43	0.81	41.43	0.81
-9	-9	1635.64	32.03	1677.07	32.84
No	0	2163.11	42.36	3840.18	75.19
Yes	1	1266.82	24.81	5107.00	100.00

ahs20b6i: 0/1 - W1.5 4.5 - Sleep problems - restless sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.43	0.81	41.43	0.81
-9	-9	1635.64	32.03	1677.07	32.84
No	0	2969.17	58.14	4646.24	90.98
Yes	1	460.76	9.02	5107.00	100.00

ahs18ai: 0/1 - W1.5 5 - No. times SC injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.57	0.15	7.57	0.15
-9	-9	1635.64	32.03	1643.21	32.18
None	1	2512.93	49.21	4156.14	81.38
Once	2	544.03	10.65	4700.17	92.03
2 or 3 times	3	308.33	6.04	5008.50	98.07
4 or 5 times	4	62.26	1.22	5070.76	99.29
6 or more times	5	36.24	0.71	5107.00	100.00

ahs27_i: 0/1 - W1.5 16.13 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
Yes	1	2681.17	52.50	4355.58	85.29
2	2	751.42	14.71	5107.00	100.00

ahs27pi: 0/1 - W1.5 16.1 - Events - Pregnant/had a baby

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	2569.17	50.31	4243.58	83.09
Yes	1	863.42	16.91	5107.00	100.00

ahs27ci: 0/1 - W1.5 16.2 - Events - Loved one died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	2862.38	56.05	4536.79	88.83
Yes	1	570.21	11.17	5107.00	100.00

ahs27ai: 0/1 - W1.5 16.3 - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3285.71	64.34	4960.12	97.12
Yes	1	146.88	2.88	5107.00	100.00

ahs27oi: 0/1 - W1.5 16.4 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3316.14	64.93	4990.55	97.72
Yes	1	116.45	2.28	5107.00	100.00

ahs27ri: 0/1 - W1.5 16.5 - Events - Living with new partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3408.48	66.74	5082.89	99.53
Yes	1	24.11	0.47	5107.00	100.00

ahs27ii: 0/1 - W1.5 16.6 - Events - Lost a job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3297.78	64.57	4972.19	97.36
Yes	1	134.81	2.64	5107.00	100.00

ahs27si: 0/1 - W1.5 16.7 - Events - Changed jobs/returned to work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	2256.28	44.18	3930.69	76.97
Yes	1	1176.31	23.03	5107.00	100.00

ahs27ti: 0/1 - W1.5 16.8 - Events - Increased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	2587.27	50.66	4261.68	83.45
Yes	1	845.32	16.55	5107.00	100.00

ahs27ui: 0/1 - W1.5 16.9 - Events - Decreased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3094.61	60.60	4769.02	93.38
Yes	1	337.98	6.62	5107.00	100.00

ahs27ji: 0/1 - W1.5 16.1 - Events - sought work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3312.61	64.86	4987.02	97.65
Yes	1	119.98	2.35	5107.00	100.00

ahs27vi: 0/1 - W1.5 16.11 - Events - Moved house

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	2756.98	53.98	4431.39	86.77
Yes	1	675.61	13.23	5107.00	100.00

ahs27wi: 0/1 - W1.5 16.12 - Events - Been away from home a lot

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.77	0.76	38.77	0.76
-9	-9	1635.64	32.03	1674.41	32.79
No	0	3397.32	66.52	5071.73	99.31
Yes	1	35.27	0.69	5107.00	100.00

aslei: 0/1 - Stressful Life Events Index (BW)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1674.41	32.79	1674.41	32.79
0	751.42	14.71	2425.83	47.50
1	1211.58	23.72	3637.41	71.22
2	867.77	16.99	4505.18	88.22
3	389.67	7.63	4894.85	95.85
4	146.73	2.87	5041.58	98.72
5	52.98	1.04	5094.56	99.76
6	9.55	0.19	5104.11	99.94
7	2.04	0.04	5106.15	99.98
8	0.85	0.02	5107.00	100.00

ahs25a1i: 0/1 - P1 - W1.5 17 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.04	0.90	46.04	0.90
-9	-9	1635.64	32.03	1681.68	32.93
Yes	1	891.95	17.47	2573.63	50.39
No	2	2533.37	49.61	5107.00	100.00