

## 04 Health behaviour and risk factors

### zhb05a: F2F W1+A1.1 - Whether SC ever breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	4181.74	90.79	4181.74	90.79
No	2	424.26	9.21	4606.00	100.00

### zhb05c: F2F W1+A1.2 - Age SC stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.70	0.10	4.70	0.10
-2	1.37	0.03	6.07	0.13
-1	78.09	1.70	84.16	1.83
0	843.10	18.30	927.26	20.13
30	384.36	8.34	1311.62	28.48
60	266.03	5.78	1577.65	34.25
90	318.37	6.91	1896.02	41.16
120	249.57	5.42	2145.59	46.58
150	177.81	3.86	2323.40	50.44
180	272.58	5.92	2595.98	56.36
210	171.87	3.73	2767.85	60.09
240	192.15	4.17	2960.00	64.26
270	155.26	3.37	3115.27	67.63
300	182.09	3.95	3297.36	71.59
330	146.94	3.19	3444.30	74.78
360	312.11	6.78	3756.41	81.55
390	156.81	3.40	3913.21	84.96
420	144.18	3.13	4057.39	88.09
450	101.07	2.19	4158.46	90.28
480	63.63	1.38	4222.09	91.66
510	35.60	0.77	4257.68	92.44
540	100.60	2.18	4358.28	94.62
570	21.61	0.47	4379.89	95.09
600	32.02	0.70	4411.91	95.79
630	11.89	0.26	4423.80	96.04
660	26.53	0.58	4450.32	96.62
690	8.74	0.19	4459.06	96.81
720	70.88	1.54	4529.94	98.35
750	7.12	0.15	4537.07	98.50
780	11.96	0.26	4549.03	98.76
810	4.86	0.11	4553.89	98.87
840	8.07	0.18	4561.96	99.04
870	2.21	0.05	4564.17	99.09
900	29.42	0.64	4593.59	99.73
960	4.19	0.09	4597.79	99.82
1020	1.05	0.02	4598.84	99.84
1050	1.21	0.03	4600.05	99.87
1080	1.67	0.04	4601.72	99.91
1110	2.74	0.06	4604.45	99.97
1140	0.70	0.02	4605.16	99.98
1170	0.84	0.02	4606.00	100.00

**zbf1mth: SC breastfed at 1 month of age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.07	0.13	6.07	0.13
No	0	999.42	21.70	1005.48	21.83
Yes	1	3600.52	78.17	4606.00	100.00

**zbf3mth: SC breastfed at 3 months of age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.07	0.13	6.07	0.13
No	0	1525.34	33.12	1531.41	33.25
Yes	1	3074.59	66.75	4606.00	100.00

**zbf6mth: SC breastfed at 6 months of age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.07	0.13	6.07	0.13
No	0	2241.36	48.66	2247.43	48.79
Yes	1	2358.57	51.21	4606.00	100.00

**zhh07: F2F W1+A2 - Age SC first infant formula/milk**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	2.41	0.05	2.41	0.05
-1	311.58	6.76	313.99	6.82
0	1129.61	24.52	1443.60	31.34
30	459.59	9.98	1903.19	41.32
60	307.73	6.68	2210.91	48.00
90	314.02	6.82	2524.94	54.82
120	315.81	6.86	2840.75	61.67
150	211.49	4.59	3052.24	66.27
180	374.00	8.12	3426.24	74.39
210	182.37	3.96	3608.61	78.35
240	161.64	3.51	3770.25	81.86
270	133.26	2.89	3903.51	84.75
300	131.11	2.85	4034.62	87.59
330	80.10	1.74	4114.72	89.33
360	276.90	6.01	4391.62	95.35
390	44.10	0.96	4435.72	96.30
420	38.69	0.84	4474.41	97.14
450	26.15	0.57	4500.56	97.71
480	17.34	0.38	4517.90	98.09
510	6.23	0.14	4524.13	98.22
540	33.14	0.72	4557.27	98.94
570	3.42	0.07	4560.69	99.02
600	15.04	0.33	4575.73	99.34
630	2.60	0.06	4578.34	99.40
660	1.35	0.03	4579.69	99.43
690	2.09	0.05	4581.78	99.47
720	18.90	0.41	4600.68	99.88
750	0.51	0.01	4601.20	99.90
810	0.42	0.01	4601.62	99.90

**zhh07: F2F W1+A2 - Age SC first infant formula/milk**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
840	1.53	0.03	4603.15	99.94
870	1.35	0.03	4604.50	99.97
900	0.89	0.02	4605.40	99.99
960	0.60	0.01	4606.00	100.00

**zhh10: F2F W1+A3 - Age SC first solid food regularly**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	38.57	0.84	38.57	0.84
30	69.25	1.50	107.82	2.34
60	86.79	1.88	194.61	4.23
90	332.51	7.22	527.12	11.44
120	1284.42	27.89	1811.53	39.33
150	1079.46	23.44	2890.99	62.77
180	1306.70	28.37	4197.69	91.14
210	196.82	4.27	4394.51	95.41
240	102.69	2.23	4497.20	97.64
270	47.91	1.04	4545.11	98.68
300	18.65	0.40	4563.76	99.08
330	6.29	0.14	4570.05	99.22
360	24.39	0.53	4594.44	99.75
420	2.81	0.06	4597.25	99.81
540	3.86	0.08	4601.11	99.89
720	3.53	0.08	4604.64	99.97
780	1.36	0.03	4606.00	100.00

**bhh08a: 2/3 - F2F A4.1 - SC drinks fruit juices**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	1596.48	34.66	1596.48	34.66
Yes	1	3009.52	65.34	4606.00	100.00

**bhh08c: 2/3 - F2F A4.2 - SC drinks cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3196.37	69.40	3196.37	69.40
Yes	1	1409.63	30.60	4606.00	100.00

**bhh08d: 2/3 - F2F A4.3 - SC drinks fizzy or soft drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4063.94	88.23	4063.94	88.23
Yes	1	542.06	11.77	4606.00	100.00

**bhh08i: 2/3 - F2F A4.4 - SC drinks cow's milk**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	822.76	17.86	822.76	17.86
Yes	1	3783.24	82.14	4606.00	100.00

**bhb08j: 2/3 - F2F A4.5 - SC drinks soy milk**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4362.53	94.71	4362.53	94.71
Yes	1	243.47	5.29	4606.00	100.00

**bhb08k: 2/3 - F2F A4.6 - SC drinks formula**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4456.11	96.75	4456.11	96.75
Yes	1	149.89	3.25	4606.00	100.00

**bhb08e: 2/3 - F2F A4.7 - SC drinks tea or coffee**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4334.34	94.10	4334.34	94.10
Yes	1	271.66	5.90	4606.00	100.00

**bhb08g: 2/3 - F2F A4.8 - SC drinks water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	200.05	4.34	200.05	4.34
Yes	1	4405.95	95.66	4606.00	100.00

**bhb08h: 2/3 - F2F A4.9 - SC drinks - other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4491.80	97.52	4491.80	97.52
Yes	1	114.20	2.48	4606.00	100.00

**bhb09: 2/3 - F2F A6 - SC drinks in bed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	2.81	0.06	2.81	0.06
Yes	1	1305.21	28.34	1308.02	28.40
No	2	3297.98	71.60	4606.00	100.00

**bhb21a1a2: 2/3 - P1 - F2F B1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	10.95	0.24	10.95	0.24
Not at all	0	527.38	11.45	538.33	11.69
Once	1	1089.02	23.64	1627.35	35.33
Twice or more	2	2978.65	64.67	4606.00	100.00

**bhb21a2a2: 2/3 - P1 - F2F B1.2 - SC had fresh juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	17.28	0.38	17.28	0.38
Not at all	0	1763.41	38.29	1780.69	38.66
Once	1	1284.84	27.89	3065.53	66.56
Twice or more	2	1540.47	33.44	4606.00	100.00

**bhb21a1b2: 2/3 - P1 - F2F B1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.65	0.30	13.65	0.30
Not at all	0	907.28	19.70	920.94	19.99
Once	1	2443.04	53.04	3363.97	73.03
Twice or more	2	1242.03	26.97	4606.00	100.00

**bhb21a1c2: 2/3 - P1 - F2F B1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.30	0.29	13.30	0.29
Not at all	0	2766.26	60.06	2779.57	60.35
Once	1	1343.23	29.16	4122.80	89.51
Twice or more	2	483.20	10.49	4606.00	100.00

**bhb21a3a2: 2/3 - P1 - F2F B1.5 - SC had pie, etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.08	0.20	9.08	0.20
Not at all	0	3532.56	76.69	3541.65	76.89
Once	1	958.76	20.82	4500.40	97.71
Twice or more	2	105.60	2.29	4606.00	100.00

**bhb21a3b2: 2/3 - P1 - F2F B1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.21	0.29	13.21	0.29
Not at all	0	3480.01	75.55	3493.22	75.84
Once	1	1058.83	22.99	4552.05	98.83
Twice or more	2	53.95	1.17	4606.00	100.00

**bhb21a3c2: 2/3 - P1 - F2F B1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.00	0.20	9.00	0.20
Not at all	0	3191.86	69.30	3200.86	69.49
Once	1	1226.60	26.63	4427.46	96.12
Twice or more	2	178.54	3.88	4606.00	100.00

**bhb21a3d2: 2/3 - P1 - F2F B1.8 - SC had biscuits, etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.09	0.11	5.09	0.11
Not at all	0	1353.17	29.38	1358.25	29.49
Once	1	2330.97	50.61	3689.22	80.10
Twice or more	2	916.78	19.90	4606.00	100.00

**bhb21a3e2: 2/3 - P1 - F2F B1.9 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.70	0.12	5.70	0.12
Not at all	0	781.15	16.96	786.85	17.08
Once	1	845.01	18.35	1631.86	35.43
Twice or more	2	2974.14	64.57	4606.00	100.00

**bhb21a4a2: 2/3 - P1 - F2F B1.10 - SC had skim milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	2.45	0.05	2.45	0.05
Not at all	0	4102.95	89.08	4105.40	89.13
Once	1	209.60	4.55	4315.00	93.68
Twice or more	2	291.00	6.32	4606.00	100.00

**bhb21a5a2: 2/3 - P1 - F2F B1.11 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.19	0.11	5.19	0.11
Not at all	0	162.97	3.54	168.16	3.65
Once	1	261.42	5.68	429.58	9.33
Twice or more	2	4176.42	90.67	4606.00	100.00

**bhb21a2b2: 2/3 - P1 - F2F B1.12 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.23	0.09	4.23	0.09
Not at all	0	3207.22	69.63	3211.45	69.72
Once	1	799.56	17.36	4011.01	87.08
Twice or more	2	594.99	12.92	4606.00	100.00

**bhb21a6a2: 2/3 - P1 - F2F B1.13 - SC had diet soft drink or cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.32	0.09	4.32	0.09
Not at all	0	4350.06	94.44	4354.37	94.54
Once	1	170.21	3.70	4524.58	98.23
Twice or more	2	81.41	1.77	4606.00	100.00

**bafandv: 2/3 - P1 - Serves of fruit and vegetables**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.02	0.04	2.02	0.04
0	158.15	3.43	160.16	3.48
1	432.93	9.40	593.10	12.88
2	884.57	19.20	1477.66	32.08
3	1335.45	28.99	2813.12	61.08
4	1132.74	24.59	3945.86	85.67
5	417.20	9.06	4363.06	94.73
6	242.94	5.27	4606.00	100.00

**bahfat: 2/3 - P1 - Serves of high fat food (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	10.46	0.23	10.46	0.23
0	1049.76	22.79	1060.21	23.02
1	2065.11	44.84	3125.32	67.85
2	1213.27	26.34	4338.60	94.19
3	232.59	5.05	4571.18	99.24
4	34.82	0.76	4606.00	100.00

**bahfwm: 2/3 - P1 - Serves of high fat food (inc. whole milk) (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.33	0.27	12.33	0.27
0	615.47	13.36	627.80	13.63
1	758.44	16.47	1386.24	30.10
2	2536.60	55.07	3922.84	85.17
3	608.35	13.21	4531.20	98.38
4	74.80	1.62	4606.00	100.00

**bahsdrnk: 2/3 - P1 - Serves of high sugar drinks (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.45	0.05	2.45	0.05
0	1316.54	28.58	1319.00	28.64
1	1159.77	25.18	2478.77	53.82
2	1437.47	31.21	3916.24	85.02
3	438.42	9.52	4354.66	94.54
4	251.34	5.46	4606.00	100.00

**bhb22a: 2/3 - F2F B2 - Did child eat breakfast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.88	0.08	3.88	0.08
Yes	1	4398.82	95.50	4402.71	95.59
No	2	203.29	4.41	4606.00	100.00

**zhb23a: F2F B15.1 - Age SC started clean teeth**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	53.29	1.16	53.29	1.16
1	20.11	0.44	73.40	1.59
2	11.78	0.26	85.18	1.85
3	33.67	0.73	118.85	2.58
4	123.11	2.67	241.97	5.25
5	130.03	2.82	372.00	8.08
6	612.06	13.29	984.06	21.36
7	215.54	4.68	1199.60	26.04
8	396.00	8.60	1595.60	34.64
9	276.78	6.01	1872.39	40.65
10	213.60	4.64	2085.98	45.29
11	120.68	2.62	2206.66	47.91
12	1353.07	29.38	3559.73	77.28

**zhb23a: F2F B15.1 - Age SC started clean teeth**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13	29.12	0.63	3588.84	77.92
14	70.89	1.54	3659.73	79.46
15	45.70	0.99	3705.44	80.45
16	22.48	0.49	3727.92	80.94
17	7.48	0.16	3735.40	81.10
18	424.73	9.22	4160.13	90.32
19	5.54	0.12	4165.67	90.44
20	20.51	0.45	4186.18	90.89
21	2.42	0.05	4188.61	90.94
22	7.83	0.17	4196.44	91.11
23	5.92	0.13	4202.36	91.24
24	366.95	7.97	4569.31	99.20
25	2.39	0.05	4571.69	99.26
27	0.65	0.01	4572.34	99.27
28	4.18	0.09	4576.52	99.36
30	21.61	0.47	4598.12	99.83
32	1.03	0.02	4599.15	99.85
36	6.85	0.15	4606.00	100.00

**zhb23a1: F2F B15.1.1 - Age SC started clean teeth - Unit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Don't clean child's teeth	-1	53.29	1.16	53.29	1.16
Months	1	3426.13	74.38	3479.43	75.54
Years	2	1126.57	24.46	4606.00	100.00

**zhb23a2: F2F B15.1.2 - Age SC started clean teeth - Amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	53.29	1.16	53.29	1.16
1	784.28	17.03	837.57	18.18
2	367.33	7.98	1204.90	26.16
3	40.52	0.88	1245.42	27.04
4	123.11	2.67	1368.54	29.71
5	130.03	2.82	1498.57	32.54
6	612.06	13.29	2110.63	45.82
7	215.54	4.68	2326.17	50.50
8	396.00	8.60	2722.17	59.10
9	276.78	6.01	2998.96	65.11
10	213.60	4.64	3212.56	69.75
11	120.68	2.62	3333.24	72.37
12	588.89	12.79	3922.12	85.15
13	29.12	0.63	3951.24	85.78
14	70.89	1.54	4022.13	87.32
15	45.70	0.99	4067.84	88.32
16	22.48	0.49	4090.31	88.80
17	7.48	0.16	4097.80	88.97
18	424.73	9.22	4522.53	98.19
19	5.54	0.12	4528.07	98.31



**zhb23a2: F2F B15.1.2 - Age SC started clean teeth - Amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20	20.51	0.45	4548.58	98.75
21	2.42	0.05	4551.00	98.81
22	7.83	0.17	4558.84	98.98
23	5.92	0.13	4564.76	99.10
24	11.40	0.25	4576.15	99.35
25	2.39	0.05	4578.54	99.40
27	0.65	0.01	4579.19	99.42
28	4.18	0.09	4583.37	99.51
30	21.61	0.47	4604.97	99.98
32	1.03	0.02	4606.00	100.00

**bhb23b: 2/3 - F2F B15.2 - How often are child's teeth cleaned**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	53.29	1.16	53.29	1.16
More than twice a day	1	119.30	2.59	172.60	3.75
Twice a day	2	1901.51	41.28	2074.10	45.03
Once a day	3	2165.68	47.02	4239.79	92.05
Less than once a day	4	353.99	7.69	4593.78	99.73
Don't clean teeth	5	12.22	0.27	4606.00	100.00

**bn dentp: 2/3 - No. types of dental problems**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.39	0.40	18.39	0.40
0	4221.30	91.65	4239.69	92.05
1	346.03	7.51	4585.72	99.56
2	18.50	0.40	4604.22	99.96
3	1.78	0.04	4606.00	100.00

**bhb23c: 2/3 - F2F B15.3.1 - Had dental problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.39	0.40	18.39	0.40
Yes	1	366.31	7.95	384.70	8.35
No	2	4221.30	91.65	4606.00	100.00

**bhb23c1: 2/3 - F2F B15.3.2 - Had cavities or dental decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.39	0.40	18.39	0.40
No	0	4452.63	96.67	4471.02	97.07
Yes	1	134.98	2.93	4606.00	100.00

**bhb23c2: 2/3 - F2F B15.3.3 - Had teeth filled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.39	0.40	18.39	0.40
No	0	4564.09	99.09	4582.48	99.49
Yes	1	23.52	0.51	4606.00	100.00

**bhb23c3: 2/3 - F2F B15.3.4 - Had teeth pulled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.39	0.40	18.39	0.40
No	0	4577.27	99.38	4595.66	99.78
Yes	1	10.34	0.22	4606.00	100.00

**bhb23c4: 2/3 - F2F B15.3.5 - Had accident causing tooth damage**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.39	0.40	18.39	0.40
No	0	4368.10	94.83	4386.48	95.23
Yes	1	219.52	4.77	4606.00	100.00

**bhb14c4: 2/3 - SC - F2F F8 - SC's choice to spend free time**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.81	0.02	0.81	0.02
Usually chooses inactive pastimes	1	921.36	20.00	922.17	20.02
Usually chooses active pastimes	2	2018.08	43.81	2940.25	63.84
Just as likely to choose active as inactive pastimes	3	1665.75	36.16	4606.00	100.00

**bhb14a2: 2/3 - P1 - P1L 11 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	176.97	3.84	176.97	3.84
-9	1233.79	26.79	1410.76	30.63
0	459.24	9.97	1870.00	40.60
1	514.37	11.17	2384.37	51.77
2	643.77	13.98	3028.14	65.74
3	612.00	13.29	3640.14	79.03
4	365.14	7.93	4005.29	86.96
5	326.68	7.09	4331.97	94.05
6	108.77	2.36	4440.74	96.41
7	165.26	3.59	4606.00	100.00

**bhb15a5: 2/3 - P1 - P1L 14 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.02	0.52	24.02	0.52
-9	-9	1233.79	26.79	1257.81	27.31
Yes	1	625.93	13.59	1883.74	40.90
No	2	2722.26	59.10	4606.00	100.00

**bhb15a6: 2/3 - P1 - P1L 15 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.21	0.83	38.21	0.83
-9	-9	3956.06	85.89	3994.26	86.72
Less than one a day	1	48.74	1.06	4043.01	87.78
1 to 5 per day	2	122.75	2.66	4165.75	90.44
6 to 10 per day	3	209.42	4.55	4375.18	94.99

**bhb15a6: 2/3 - P1 - P1L 15 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11 to 20 per day	4	196.49	4.27	4571.67	99.25
More than 20 per day	5	34.33	0.75	4606.00	100.00

**bhb15a1: 2/3 - P1 - P1L 14/15 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.21	0.83	38.21	0.83
-9	-9	1233.79	26.79	1272.00	27.62
Do not smoke at all	1	2722.26	59.10	3994.26	86.72
Less than once a day	2	48.74	1.06	4043.01	87.78
At least once a day	3	562.99	12.22	4606.00	100.00

**bhb16a2: 2/3 - P1 - P1L 16 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.96	0.69	31.96	0.69
-9	-9	1233.79	26.79	1265.75	27.48
Never	0	602.03	13.07	1867.78	40.55
Not in the last year	1	159.41	3.46	2027.19	44.01
Monthly or less	2	884.37	19.20	2911.55	63.21
2 to 3 times a month	3	437.46	9.50	3349.01	72.71
Once a week	4	458.47	9.95	3807.48	82.66
2 to 3 times a week	5	492.99	10.70	4300.48	93.37
4 to 6 times a week	6	234.85	5.10	4535.33	98.47
Everyday	7	70.67	1.53	4606.00	100.00

**bhb16a3: 2/3 - P1 - P1L 17 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	74.25	1.61	74.25	1.61
-9	-9	1835.82	39.86	1910.07	41.47
1 or 2	1	2036.07	44.20	3946.13	85.67
3 or 4	2	496.09	10.77	4442.23	96.44
5 or 6	3	118.11	2.56	4560.34	99.01
7 to 10	4	38.43	0.83	4598.77	99.84
11 or more	5	7.23	0.16	4606.00	100.00

**bhb16a5: 2/3 - P1 - P1L 18 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	271.03	5.88	271.03	5.88
-9	-9	1835.82	39.86	2106.85	45.74
Everyday	1	0.89	0.02	2107.73	45.76
4-6 times a week	2	6.25	0.14	2113.98	45.90
2-3 times a week	3	21.72	0.47	2135.70	46.37
Once a week	4	117.31	2.55	2253.01	48.91
2-3 times a month	5	170.45	3.70	2423.47	52.62
Monthly or less	6	2182.53	47.38	4606.00	100.00

**baavdac: 2/3 - P1 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1290.59	28.02	1290.59	28.02
0	2240.79	48.65	3531.38	76.67
0.5	597.62	12.97	4129.00	89.64
1	233.59	5.07	4362.60	94.72
1.5	156.36	3.39	4518.96	98.11
2	11.87	0.26	4530.83	98.37
2.5	49.27	1.07	4580.10	99.44
3	0.51	0.01	4580.61	99.45
3.5	17.42	0.38	4598.03	99.83
4	4.20	0.09	4602.22	99.92
4.5	3.77	0.08	4606.00	100.00

**baalcgp: 2/3 - P1 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1267.39	27.52	1267.39	27.52
Abstain not in the last year	1	761.44	16.53	2028.82	44.05
Occasional less than monthly	2	884.37	19.20	2913.19	63.25
Light <2 drinks/day men, <1 women	3	1260.77	27.37	4173.96	90.62
Moderate >=2 to <4 men, >=1 to <2 women	4	353.99	7.69	4527.95	98.31
Hazardous >=4 to <6 men, >=2 and <4 women	5	70.92	1.54	4598.87	99.85
Harmful >=6 men, >=4 women	6	7.13	0.15	4606.00	100.00

**bahvdac: 2/3 - P1 - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1267.39	27.52	1267.39	27.52
Yes	1	78.05	1.69	1345.44	29.21
No	2	3260.56	70.79	4606.00	100.00

**babinge: 2/3 - P1 - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1462.53	31.75	1462.53	31.75
Yes	1	316.62	6.87	1779.15	38.63
No	2	2826.85	61.37	4606.00	100.00

**baalcp: 2/3 - P1 - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1467.20	31.85	1467.20	31.85
Yes	1	337.37	7.32	1804.57	39.18
No	2	2801.43	60.82	4606.00	100.00

**bhb14b2: 2/3 - P2 - P2L 8 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	113.77	2.47	113.77	2.47
-9	1688.71	36.66	1802.47	39.13
0	236.75	5.14	2039.22	44.27
1	447.49	9.72	2486.71	53.99
2	476.61	10.35	2963.32	64.34
3	492.90	10.70	3456.22	75.04
4	312.04	6.77	3768.26	81.81
5	391.17	8.49	4159.43	90.30
6	174.68	3.79	4334.11	94.10
7	271.89	5.90	4606.00	100.00

**bhb15b5: 2/3 - P2 - P2L 11 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.03	0.30	14.03	0.30
-9	-9	1688.71	36.66	1702.73	36.97
Yes	1	640.72	13.91	2343.45	50.88
No	2	2262.55	49.12	4606.00	100.00

**bhb15b6: 2/3 - P2 - P2L 12 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.19	0.68	31.19	0.68
-9	-9	3951.25	85.78	3982.45	86.46
Less than one a day	1	36.95	0.80	4019.40	87.26
1 to 5 per day	2	121.68	2.64	4141.08	89.91
6 to 10 per day	3	148.26	3.22	4289.34	93.13
11 to 20 per day	4	242.04	5.25	4531.38	98.38
More than 20 per day	5	74.62	1.62	4606.00	100.00

**bhb15b1: 2/3 - P2 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.19	0.68	31.19	0.68
-9	-9	1688.71	36.66	1719.90	37.34
Do not smoke at all	1	2262.55	49.12	3982.45	86.46
Less than once a day	2	36.95	0.80	4019.40	87.26
At least once a day	3	586.60	12.74	4606.00	100.00

**bhb16b2: 2/3 - P2 - P2L 13 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.00	0.37	17.00	0.37
-9	-9	1688.71	36.66	1705.70	37.03
Never	0	258.43	5.61	1964.14	42.64
Not in the last year	1	37.95	0.82	2002.09	43.47
Monthly or less	2	440.10	9.56	2442.19	53.02
2 to 3 times a month	3	361.05	7.84	2803.25	60.86
Once a week	4	424.58	9.22	3227.83	70.08
2 to 3 times a week	5	729.36	15.84	3957.19	85.91

**bhb16b2: 2/3 - P2 - P2L 13 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4 to 6 times a week	6	445.80	9.68	4402.98	95.59
Everyday	7	203.02	4.41	4606.00	100.00

**bhb16b3: 2/3 - P2 - P2L 14 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.38	0.77	35.38	0.77
-9	-9	1947.14	42.27	1982.52	43.04
1 or 2	1	1367.40	29.69	3349.92	72.73
3 or 4	2	817.44	17.75	4167.36	90.48
5 or 6	3	322.76	7.01	4490.12	97.48
7 to 10	4	86.07	1.87	4576.19	99.35
11 or more	5	29.81	0.65	4606.00	100.00

**bhb16b5: 2/3 - P2 - P2L 15 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	126.25	2.74	126.25	2.74
-9	-9	1947.14	42.27	2073.39	45.02
Everyday	1	13.14	0.29	2086.53	45.30
4-6 times a week	2	27.20	0.59	2113.73	45.89
2-3 times a week	3	136.81	2.97	2250.55	48.86
Once a week	4	284.07	6.17	2534.61	55.03
2-3 times a month	5	356.37	7.74	2890.98	62.77
Monthly or less	6	1715.02	37.23	4606.00	100.00

**bbavdac: 2/3 - P2 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1719.21	37.33	1719.21	37.33
0	1099.12	23.86	2818.33	61.19
0.5	651.31	14.14	3469.64	75.33
1	356.18	7.73	3825.82	83.06
1.5	321.05	6.97	4146.87	90.03
2	96.30	2.09	4243.17	92.12
2.5	149.50	3.25	4392.67	95.37
3	25.80	0.56	4418.47	95.93
3.5	87.26	1.89	4505.73	97.82
4	44.50	0.97	4550.23	98.79
4.5	7.61	0.17	4557.84	98.95
5.5	32.27	0.70	4590.11	99.65
6.5	9.22	0.20	4599.33	99.86
8.5	4.16	0.09	4603.49	99.95
12	2.51	0.05	4606.00	100.00

**bbalcgp: 2/3 - P2 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1709.54	37.12	1709.54	37.12
Abstain not in the last year	1	296.39	6.43	2005.93	43.55
Occasional less than monthly	2	440.10	9.56	2446.03	53.11
Light <2 drinks/day men, <1 women	3	1690.49	36.70	4136.52	89.81
Moderate >=2 to <4 men, >=1 to <2 women	4	368.24	7.99	4504.76	97.80
Hazardous >=4 to <6 men, >=2 and <4 women	5	85.34	1.85	4590.11	99.65
Harmful >=6 men, >=4 women	6	15.89	0.35	4606.00	100.00

**bbhvdac: 2/3 - P2 - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1709.54	37.12	1709.54	37.12
Yes	1	101.24	2.20	1810.78	39.31
No	2	2795.22	60.69	4606.00	100.00

**bbbinge: 2/3 - P2 - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1797.81	39.03	1797.81	39.03
Yes	1	817.59	17.75	2615.40	56.78
No	2	1990.60	43.22	4606.00	100.00

**bbalcp: 2/3 - P2 - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1803.42	39.15	1803.42	39.15
Yes	1	821.62	17.84	2625.04	56.99
No	2	1980.96	43.01	4606.00	100.00

**bhb15p5: 2/3 - PLE - PLE 26 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.66	0.04	1.66	0.04
-9	-9	4507.97	97.87	4509.64	97.91
Yes	1	49.16	1.07	4558.80	98.98
No	2	47.20	1.02	4606.00	100.00

**bhb15p6: 2/3 - PLE - PLE 27 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.66	0.04	1.66	0.04
-9	-9	4555.17	98.90	4556.84	98.93
Less than one a day	1	1.14	0.02	4557.98	98.96
1 to 5 per day	2	7.14	0.16	4565.12	99.11
6 to 10 per day	3	11.93	0.26	4577.05	99.37
11 to 20 per day	4	18.00	0.39	4595.05	99.76
More than 20 per day	5	10.95	0.24	4606.00	100.00

**bhb15p1: 2/3 - PLE - PLE 26/27 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.66	0.04	1.66	0.04
-9	-9	4507.97	97.87	4509.64	97.91
Do not smoke at all	1	47.20	1.02	4556.84	98.93
Less than once a day	2	1.14	0.02	4557.98	98.96
At least once a day	3	48.02	1.04	4606.00	100.00

**bhb16p2: 2/3 - PLE - PLE 28 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4507.97	97.87	4507.97	97.87
Never	0	12.85	0.28	4520.82	98.15
Not in the last year	1	1.31	0.03	4522.13	98.18
Monthly or less	2	23.61	0.51	4545.74	98.69
2 to 3 times a month	3	16.14	0.35	4561.88	99.04
Once a week	4	6.95	0.15	4568.83	99.19
2 to 3 times a week	5	17.57	0.38	4586.40	99.57
4 to 6 times a week	6	15.02	0.33	4601.42	99.90
Everyday	7	4.58	0.10	4606.00	100.00

**bhb16p3: 2/3 - PLE - PLE 29 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.31	0.03	1.31	0.03
-9	-9	4520.82	98.15	4522.13	98.18
1 or 2	1	27.87	0.60	4550.00	98.78
3 or 4	2	35.18	0.76	4585.18	99.55
5 or 6	3	15.27	0.33	4600.45	99.88
7 to 10	4	4.09	0.09	4604.54	99.97
11 or more	5	1.46	0.03	4606.00	100.00

**bhb16p5: 2/3 - PLE - PLE 30 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.41	0.20	9.41	0.20
-9	-9	4520.82	98.15	4530.23	98.35
4-6 times a week	2	3.09	0.07	4533.32	98.42
2-3 times a week	3	2.15	0.05	4535.47	98.47
Once a week	4	10.67	0.23	4546.14	98.70
2-3 times a month	5	16.37	0.36	4562.51	99.06
Monthly or less	6	43.49	0.94	4606.00	100.00

**bpavdac: 2/3 - PLE - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4507.97	97.87	4507.97	97.87
0	40.10	0.87	4548.07	98.74
0.5	22.99	0.50	4571.06	99.24
1	9.12	0.20	4580.18	99.44
1.5	7.65	0.17	4587.83	99.61
2	3.75	0.08	4591.58	99.69



**bpavdac: 2/3 - PLE - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2.5	7.61	0.17	4599.19	99.85
3.5	0.88	0.02	4600.06	99.87
4	0.79	0.02	4600.85	99.89
5.5	3.05	0.07	4603.90	99.95
6.5	1.44	0.03	4605.34	99.99
8.5	0.66	0.01	4606.00	100.00

**bpalcgp: 2/3 - PLE - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4507.97	97.87	4507.97	97.87
Abstain not in the last year	1	14.16	0.31	4522.13	98.18
Occasional less than monthly	2	23.61	0.51	4545.74	98.69
Light <2 drinks/day men, <1 women	3	42.09	0.91	4587.83	99.61
Moderate >=2 to <4 men, >=1 to <2 women	4	12.23	0.27	4600.06	99.87
Hazardous >=4 to <6 men, >=2 and <4 women	5	3.84	0.08	4603.90	99.95
Harmful >=6 men, >=4 women	6	2.10	0.05	4606.00	100.00

**bphvdac: 2/3 - PLE - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4507.97	97.87	4507.97	97.87
Yes	1	5.94	0.13	4513.91	98.00
No	2	92.09	2.00	4606.00	100.00

**bpbinge: 2/3 - PLE - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4517.38	98.08	4517.38	98.08
Yes	1	32.28	0.70	4549.66	98.78
No	2	56.34	1.22	4606.00	100.00

**bpalcp: 2/3 - PLE - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4517.38	98.08	4517.38	98.08
Yes	1	32.28	0.70	4549.66	98.78
No	2	56.34	1.22	4606.00	100.00

**bhb14m2: 2/3 - M - P1L 11/P2L 8 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	178.17	3.87	178.17	3.87
-9	1241.79	26.96	1419.97	30.83
0	455.72	9.89	1875.69	40.72
1	507.91	11.03	2383.60	51.75
2	646.40	14.03	3030.00	65.78
3	608.69	13.22	3638.68	79.00
4	366.50	7.96	4005.19	86.96

**bhb14m2: 2/3 - M - P1L 11/P2L 8 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	327.67	7.11	4332.86	94.07
6	110.98	2.41	4443.84	96.48
7	162.16	3.52	4606.00	100.00

**bhb15m5: 2/3 - M - P1L 14/P2L 11 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.02	0.52	24.02	0.52
-9	-9	1241.79	26.96	1265.81	27.48
Yes	1	617.00	13.40	1882.81	40.88
No	2	2723.19	59.12	4606.00	100.00

**bhb15m6: 2/3 - M - P1L 15/P2L 12 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.27	0.81	37.27	0.81
-9	-9	3964.98	86.08	4002.26	86.89
Less than one a day	1	48.29	1.05	4050.55	87.94
1 to 5 per day	2	123.68	2.69	4174.22	90.63
6 to 10 per day	3	205.66	4.47	4379.88	95.09
11 to 20 per day	4	192.51	4.18	4572.39	99.27
More than 20 per day	5	33.61	0.73	4606.00	100.00

**bhb15m1: 2/3 - M - P1L 14/15/P2L 11/12 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.27	0.81	37.27	0.81
-9	-9	1241.79	26.96	1279.07	27.77
Do not smoke at all	1	2723.19	59.12	4002.26	86.89
Less than once a day	2	48.29	1.05	4050.55	87.94
At least once a day	3	555.45	12.06	4606.00	100.00

**bhb16m2: 2/3 - M - P1L 16/P2L 13 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.96	0.69	31.96	0.69
-9	-9	1241.79	26.96	1273.75	27.65
Never	0	599.26	13.01	1873.01	40.66
Not in the last year	1	159.94	3.47	2032.95	44.14
Monthly or less	2	887.00	19.26	2919.95	63.39
2 to 3 times a month	3	433.76	9.42	3353.72	72.81
Once a week	4	458.90	9.96	3812.61	82.77
2 to 3 times a week	5	491.43	10.67	4304.04	93.44
4 to 6 times a week	6	235.20	5.11	4539.25	98.55
Everyday	7	66.75	1.45	4606.00	100.00

**bhb16m3: 2/3 - M - P1L 17/P2L 14 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	74.78	1.62	74.78	1.62
-9	-9	1841.05	39.97	1915.83	41.59
1 or 2	1	2034.11	44.16	3949.94	85.76
3 or 4	2	495.62	10.76	4445.56	96.52
5 or 6	3	116.50	2.53	4562.07	99.05
7 to 10	4	36.71	0.80	4598.77	99.84
11 or more	5	7.23	0.16	4606.00	100.00

**bhb16m5: 2/3 - M - P1L 18/P2L 15 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	266.65	5.79	266.65	5.79
-9	-9	1841.05	39.97	2107.70	45.76
Everyday	1	0.89	0.02	2108.59	45.78
4-6 times a week	2	6.25	0.14	2114.83	45.91
2-3 times a week	3	21.72	0.47	2136.55	46.39
Once a week	4	117.54	2.55	2254.09	48.94
2-3 times a month	5	166.61	3.62	2420.71	52.56
Monthly or less	6	2185.29	47.44	4606.00	100.00

**bmavdac: 2/3 - M - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1298.59	28.19	1298.59	28.19
0	2240.27	48.64	3538.86	76.83
0.5	595.39	12.93	4134.26	89.76
1	233.59	5.07	4367.84	94.83
1.5	153.51	3.33	4521.35	98.16
2	11.87	0.26	4533.22	98.42
2.5	48.89	1.06	4582.11	99.48
3	0.51	0.01	4582.62	99.49
3.5	15.41	0.33	4598.03	99.83
4	4.20	0.09	4602.22	99.92
4.5	3.77	0.08	4606.00	100.00

**bmalcgp: 2/3 - M - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1275.39	27.69	1275.39	27.69
Abstain not in the last year	1	759.20	16.48	2034.59	44.17
Occasional less than monthly	2	887.00	19.26	2921.59	63.43
Light <2 drinks/day men, <1 women	3	1252.55	27.19	4174.14	90.62
Moderate >=2 to <4 men, >=1 to <2 women	4	353.81	7.68	4527.95	98.31
Hazardous >=4 to <6 men, >=2 and <4 women	5	70.92	1.54	4598.87	99.85
Harmful >=6 men, >=4 women	6	7.13	0.15	4606.00	100.00

**bmhvdac: 2/3 - M - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1275.39	27.69	1275.39	27.69
Yes	1	78.05	1.69	1353.44	29.38
No	2	3252.56	70.62	4606.00	100.00

**bmbinge: 2/3 - M - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1465.63	31.82	1465.63	31.82
Yes	1	313.01	6.80	1778.63	38.62
No	2	2827.37	61.38	4606.00	100.00

**bmalcp: 2/3 - M - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1470.29	31.92	1470.29	31.92
Yes	1	333.76	7.25	1804.05	39.17
No	2	2801.95	60.83	4606.00	100.00

**bhb14f2: 2/3 - F - P1L 11/P2L 8 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	112.56	2.44	112.56	2.44
-9	1680.70	36.49	1793.26	38.93
0	240.27	5.22	2033.54	44.15
1	453.95	9.86	2487.49	54.01
2	473.98	10.29	2961.46	64.30
3	496.22	10.77	3457.68	75.07
4	310.68	6.75	3768.36	81.81
5	390.17	8.47	4158.54	90.29
6	172.47	3.74	4331.01	94.03
7	274.99	5.97	4606.00	100.00

**bhb15f5: 2/3 - F - P1L 14/P2L 11 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.03	0.30	14.03	0.30
-9	-9	1680.70	36.49	1694.73	36.79
Yes	1	649.65	14.10	2344.38	50.90
No	2	2261.62	49.10	4606.00	100.00

**bhb15f6: 2/3 - F - P1L 15/P2L 12 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.13	0.70	32.13	0.70
-9	-9	3942.33	85.59	3974.45	86.29
Less than one a day	1	37.40	0.81	4011.86	87.10
1 to 5 per day	2	120.76	2.62	4132.61	89.72
6 to 10 per day	3	152.02	3.30	4284.63	93.02
11 to 20 per day	4	246.03	5.34	4530.66	98.36
More than 20 per day	5	75.34	1.64	4606.00	100.00

**bhb15f1: 2/3 - F - P1L 14/15/P2L 11/12 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.13	0.70	32.13	0.70
-9	-9	1680.70	36.49	1712.83	37.19
Do not smoke at all	1	2261.62	49.10	3974.45	86.29
Less than once a day	2	37.40	0.81	4011.86	87.10
At least once a day	3	594.14	12.90	4606.00	100.00

**bhb16f2: 2/3 - F - P1L 16/P2L 13 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.00	0.37	17.00	0.37
-9	-9	1680.70	36.49	1697.70	36.86
Never	0	261.20	5.67	1958.90	42.53
Not in the last year	1	37.42	0.81	1996.32	43.34
Monthly or less	2	437.47	9.50	2433.80	52.84
2 to 3 times a month	3	364.75	7.92	2798.54	60.76
Once a week	4	424.16	9.21	3222.70	69.97
2 to 3 times a week	5	730.92	15.87	3953.62	85.84
4 to 6 times a week	6	445.44	9.67	4399.07	95.51
Everyday	7	206.93	4.49	4606.00	100.00

**bhb16f3: 2/3 - F - P1L 17/P2L 14 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.85	0.76	34.85	0.76
-9	-9	1941.91	42.16	1976.76	42.92
1 or 2	1	1369.36	29.73	3346.12	72.65
3 or 4	2	817.91	17.76	4164.03	90.40
5 or 6	3	324.37	7.04	4488.40	97.45
7 to 10	4	87.79	1.91	4576.19	99.35
11 or more	5	29.81	0.65	4606.00	100.00

**bhb16f5: 2/3 - F - P1L 18/P2L 15 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	130.63	2.84	130.63	2.84
-9	-9	1941.91	42.16	2072.54	45.00
Everyday	1	13.14	0.29	2085.68	45.28
4-6 times a week	2	27.20	0.59	2112.88	45.87
2-3 times a week	3	136.81	2.97	2249.69	48.84
Once a week	4	283.84	6.16	2533.53	55.01
2-3 times a month	5	360.21	7.82	2893.74	62.83
Monthly or less	6	1712.26	37.17	4606.00	100.00

**bfavdac: 2/3 - F - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1711.21	37.15	1711.21	37.15
0	1099.65	23.87	2810.85	61.03
0.5	653.53	14.19	3464.39	75.21
1	356.19	7.73	3820.57	82.95

**bfavdac: 2/3 - F - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.5	323.90	7.03	4144.48	89.98
2	96.30	2.09	4240.78	92.07
2.5	149.89	3.25	4390.66	95.32
3	25.80	0.56	4416.47	95.89
3.5	89.26	1.94	4505.73	97.82
4	44.50	0.97	4550.23	98.79
4.5	7.61	0.17	4557.84	98.95
5.5	32.27	0.70	4590.11	99.65
6.5	9.22	0.20	4599.33	99.86
8.5	4.16	0.09	4603.49	99.95
12	2.51	0.05	4606.00	100.00

**bfalcp: 2/3 - F - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1701.54	36.94	1701.54	36.94
Abstain not in the last year	1	298.63	6.48	2000.16	43.43
Occasional less than monthly	2	437.47	9.50	2437.63	52.92
Light <2 drinks/day men, <1 women	3	1698.71	36.88	4136.35	89.80
Moderate >=2 to <4 men, >=1 to <2 women	4	368.42	8.00	4504.76	97.80
Hazardous >=4 to <6 men, >=2 and <4 women	5	85.34	1.85	4590.11	99.65
Harmful >=6 men, >=4 women	6	15.89	0.35	4606.00	100.00

**bfhvdac: 2/3 - F - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1701.54	36.94	1701.54	36.94
Yes	1	101.24	2.20	1802.77	39.14
No	2	2803.23	60.86	4606.00	100.00

**bfbinge: 2/3 - F - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1794.72	38.96	1794.72	38.96
Yes	1	821.20	17.83	2615.92	56.79
No	2	1990.08	43.21	4606.00	100.00

**bfalcp: 2/3 - F - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1800.33	39.09	1800.33	39.09
Yes	1	825.23	17.92	2625.56	57.00
No	2	1980.44	43.00	4606.00	100.00