

05 Health status

bhs12a: 2/3 - F2F B3.1 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.70	0.12	5.70	0.12
Not at all	1	3902.83	84.73	3908.52	84.86
A little	2	561.41	12.19	4469.94	97.05
Moderately	3	96.61	2.10	4566.55	99.14
Very	4	39.45	0.86	4606.00	100.00

bhs12b: 2/3 - F2F B3.2 - Judgment about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	10.84	0.24	10.84	0.24
Underweight	1	334.34	7.26	345.19	7.49
Normal weight	2	4138.17	89.84	4483.35	97.34
Somewhat overweight	3	120.51	2.62	4603.87	99.95
Very overweight	4	2.13	0.05	4606.00	100.00

bhs13c: 2/3 - SC - F2F B4 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Excellent	1	2272.34	49.33	2272.34	49.33
Very good	2	1647.80	35.77	3920.13	85.11
Good	3	574.57	12.47	4494.70	97.58
Fair	4	103.98	2.26	4598.68	99.84
Poor	5	7.32	0.16	4606.00	100.00

bhs14a: 2/3 - F2F B5.1 - Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.10	0.02	1.10	0.02
Yes	1	587.28	12.75	588.38	12.77
No	2	4017.62	87.23	4606.00	100.00

bhs14b: 2/3 - F2F B5.2 - Uses medicine because of condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	2.24	0.05	2.24	0.05
Yes	1	566.67	12.30	568.91	12.35
No	2	4037.09	87.65	4606.00	100.00

bhs14c: 2/3 - F2F B5.3 - Medicated condition for 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	31.29	0.68	31.29	0.68
Yes	1	387.84	8.42	419.13	9.10
No	2	4186.87	90.90	4606.00	100.00

bhs14d: 2/3 - F2F B5.4 - Extra medical care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	20.55	0.45	20.55	0.45
Yes	1	309.76	6.73	330.31	7.17
No	2	4275.69	92.83	4606.00	100.00

bhs14e: 2/3 - F2F B5.5 - Extra medical care is due to condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	20.55	0.45	20.55	0.45
Yes	1	290.29	6.30	310.84	6.75
No	2	4295.16	93.25	4606.00	100.00

bhs14f: 2/3 - F2F B5.6 - Extra care condition for year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	31.22	0.68	31.22	0.68
Yes	1	262.02	5.69	293.24	6.37
No	2	4312.76	93.63	4606.00	100.00

bshcn: 2/3 - Special health care needs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	230.91	5.01	230.91	5.01
Yes	1	513.99	11.16	744.90	16.17
No	2	3861.10	83.83	4606.00	100.00

bhs31a: 2/3 - F2F B6.1 - Does child wear glasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	25.26	0.55	25.26	0.55
No	2	4580.74	99.45	4606.00	100.00

zhs31b: F2F B6.2 - Age started wearing glasses

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4580.74	99.45	4580.74	99.45
0	1.65	0.04	4582.39	99.49
10	6.14	0.13	4588.54	99.62
20	10.94	0.24	4599.48	99.86
30	1.62	0.04	4601.10	99.89
40	4.90	0.11	4606.00	100.00

zhs31b1: F2F B6.2.1 - Age started wearing glasses - unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4580.74	99.45	4580.74	99.45
Age in months	1	15.66	0.34	4596.40	99.79
Age in years	2	9.60	0.21	4606.00	100.00

zhs31b2: F2F B6.2.2 - Age started wearing glasses - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4580.74	99.45	4580.74	99.45
0	5.88	0.13	4586.62	99.58
5	7.18	0.16	4593.80	99.74
10	2.74	0.06	4596.54	99.79
15	2.16	0.05	4598.70	99.84
20	3.68	0.08	4602.39	99.92
25	0.81	0.02	4603.19	99.94
30	0.72	0.02	4603.91	99.95
35	2.09	0.05	4606.00	100.00

bhs31c: 2/3 - F2F B6.3 - Why does child wear glasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4580.74	99.45	4580.74	99.45
Short sighted myopia	1	3.19	0.07	4583.93	99.52
Long sighted	2	5.68	0.12	4589.61	99.64
Turned eyes squint	3	7.19	0.16	4596.80	99.80
Astigmatism	4	4.93	0.11	4601.73	99.91
Amblyopia lazy eye	5	2.14	0.05	4603.87	99.95
Other reason	6	2.13	0.05	4606.00	100.00

bhs15b: 2/3 - F2F B8.1 - SC had illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.70	0.21	9.70	0.21
Yes	1	1207.56	26.22	1217.26	26.43
No	2	3388.74	73.57	4606.00	100.00

bhs15c: 2/3 - F2F B8.2 - Frequency of wheezing in last 12 months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	9.70	0.21	9.70	0.21
0	4251.94	92.31	4261.65	92.52
5	313.46	6.81	4575.10	99.33
10	27.40	0.59	4602.50	99.92
15	1.56	0.03	4604.07	99.96
25	1.93	0.04	4606.00	100.00

bhs29a: 2/3 - F2F B9.1 - SC diagnosed with asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	28.23	0.61	28.23	0.61
Yes	1	669.85	14.54	698.09	15.16
No	2	3907.91	84.84	4606.00	100.00

bhs29b: 2/3 - F2F B9.2 - Medication for asthma in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	32.96	0.72	32.96	0.72
Yes	1	531.66	11.54	564.62	12.26
No	2	4041.38	87.74	4606.00	100.00

bnumcond: 2/3 - No. ongoing conditions

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	3175.35	68.94	3175.35	68.94
2	1389.06	30.16	4564.40	99.10
4	39.88	0.87	4604.29	99.96
6	1.71	0.04	4606.00	100.00

bhs17: 2/3 - F2F B10 - Has ongoing condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	1430.65	31.06	1430.65	31.06
No	2	3175.35	68.94	4606.00	100.00

bhs17d: 2/3 - F2F B10.1 - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3792.33	82.33	3792.33	82.33
Yes	1	813.67	17.67	4606.00	100.00

bhs17e: 2/3 - F2F B10.2 - Diarrhoea/colitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4564.91	99.11	4564.91	99.11
Yes	1	41.09	0.89	4606.00	100.00

bhs17g: 2/3 - F2F B10.3 - Ear infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4341.69	94.26	4341.69	94.26
Yes	1	264.31	5.74	4606.00	100.00

bhs17h: 2/3 - F2F B10.4 - Other infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4545.32	98.68	4545.32	98.68
Yes	1	60.68	1.32	4606.00	100.00

bhs17i: 2/3 - F2F B10.5 - Food or digestive allergies

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4225.57	91.74	4225.57	91.74
Yes	1	380.43	8.26	4606.00	100.00

bhs17n: 2/3 - F2F B10.6 - Recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4552.07	98.83	4552.07	98.83
Yes	1	53.93	1.17	4606.00	100.00

bhs17j: 2/3 - F2F B10.7 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4451.83	96.65	4451.83	96.65
Yes	1	154.17	3.35	4606.00	100.00

bhs18a: 2/3 - F2F B12.1 - No. times SC injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4600.75	99.89	4600.75	99.89
10	4.17	0.09	4604.93	99.98
50	1.07	0.02	4606.00	100.00

bhs18b1: 2/3 - F2F B12.2.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	839.70	18.23	4541.86	98.61
Yes	1	64.14	1.39	4606.00	100.00

bhs18b2: 2/3 - F2F B12.2.2 - Injury - burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	847.03	18.39	4549.18	98.77
Yes	1	56.82	1.23	4606.00	100.00

bhs18b3: 2/3 - F2F B12.2.3 - Injury - dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	855.12	18.57	4557.27	98.94
Yes	1	48.73	1.06	4606.00	100.00

bhs18b4: 2/3 - F2F B12.2.4 - Injury - sprain or strain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	832.13	18.07	4534.29	98.44
Yes	1	71.71	1.56	4606.00	100.00

bhs18b5: 2/3 - F2F B12.2.5 - Injury - cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	503.44	10.93	4205.60	91.31
Yes	1	400.40	8.69	4606.00	100.00

bhs18b6: 2/3 - F2F B12.2.6 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	824.61	17.90	4526.77	98.28
Yes	1	79.23	1.72	4606.00	100.00

bhs18b7: 2/3 - F2F B12.2.7 - Injury - internal (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	892.91	19.39	4595.07	99.76
Yes	1	10.93	0.24	4606.00	100.00

bhs18b8: 2/3 - F2F B12.2.8 - Injury - dental

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	864.64	18.77	4566.80	99.15
Yes	1	39.20	0.85	4606.00	100.00

bhs18b9: 2/3 - F2F B12.2.9 - Injury - accidental poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	873.82	18.97	4575.98	99.35
Yes	1	30.02	0.65	4606.00	100.00

bhs18b10: 2/3 - F2F B12.2.10 - Injury - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
No	0	699.01	15.18	4401.16	95.55
Yes	1	204.84	4.45	4606.00	100.00

bhs18d1: 2/3 - F2F B12.3.1 - No. of times broken bones

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4606.00	100.00	4606.00	100.00

bhs18d2: 2/3 - F2F B12.3.2 - No. of times burn or scald

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4549.18	98.77	4549.18	98.77
1	56.82	1.23	4606.00	100.00

bhs18d3: 2/3 - F2F B12.3.3 - No. of times dislocation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4604.93	99.98	4604.93	99.98
5	1.07	0.02	4606.00	100.00

bhs18d4: 2/3 - F2F B12.3.4 - No. of times sprain or strain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4534.29	98.44	4534.29	98.44
1	68.63	1.49	4602.92	99.93
2	2.01	0.04	4604.93	99.98
3	1.07	0.02	4606.00	100.00

bhs18d5: 2/3 - F2F B12.3.5 - No. of times cut or scrape

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4206.73	91.33	4206.73	91.33
1	333.90	7.25	4540.63	98.58
2	47.45	1.03	4588.08	99.61
3	8.47	0.18	4596.55	99.79
4	6.60	0.14	4603.15	99.94
10	1.77	0.04	4604.93	99.98
35	1.07	0.02	4606.00	100.00

bhs18d6: 2/3 - F2F B12.3.6 - No. of times concussion

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4526.77	98.28	4526.77	98.28
1	73.91	1.60	4600.68	99.88
2	5.32	0.12	4606.00	100.00

bhs18d7: 2/3 - F2F B12.3.7 - No. of times internal (not head)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4595.07	99.76	4595.07	99.76
1	10.93	0.24	4606.00	100.00

bhs18d8: 2/3 - F2F B12.3.8 - No. of times dental

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4566.80	99.15	4566.80	99.15
1	38.46	0.83	4605.26	99.98
2	0.74	0.02	4606.00	100.00

bhs18d9: 2/3 - F2F B12.3.9 - No. of times accidental poisoning

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4575.98	99.35	4575.98	99.35
1	27.44	0.60	4603.42	99.94
2	2.58	0.06	4606.00	100.00

bhs18d10: 2/3 - F2F B12.3.10 - No. of times other

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4401.16	95.55	4401.16	95.55
1	194.39	4.22	4595.55	99.77
2	7.68	0.17	4603.23	99.94
3	2.77	0.06	4606.00	100.00

bhs18c1: 2/3 - F2F B12.4.1 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	58.35	1.27	58.35	1.27
No	2	4547.65	98.73	4606.00	100.00

bhs18c2: 2/3 - F2F B12.4.2 - No. times in hospital injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4547.65	98.73	4547.65	98.73
1	52.11	1.13	4599.76	99.86
2	5.00	0.11	4604.77	99.97
3	1.23	0.03	4606.00	100.00

bhs18e: 2/3 - F2F B12.5 - Where most serious injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3702.16	80.38	3702.16	80.38
Home	1	628.79	13.65	4330.94	94.03
School or child care	2	58.66	1.27	4389.60	95.30
Car accident	3	3.52	0.08	4393.12	95.38
Pedestrian accident	4	2.31	0.05	4395.44	95.43
Other	5	210.56	4.57	4606.00	100.00

bhs19a1: 2/3 - F2F B13.1 - Non-injury hospital stays

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	414.59	9.00	414.59	9.00
No	2	4191.41	91.00	4606.00	100.00

bhs19a2: 2/3 - F2F B13.2 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4191.41	91.00	4191.41	91.00
1	323.45	7.02	4514.86	98.02
2	61.91	1.34	4576.77	99.37
3	13.16	0.29	4589.93	99.65
4	1.77	0.04	4591.70	99.69
5	7.39	0.16	4599.09	99.85
6	1.20	0.03	4600.29	99.88
7	2.61	0.06	4602.91	99.93
10	2.58	0.06	4605.48	99.99
11	0.52	0.01	4606.00	100.00

bhs19b1: 2/3 - F2F B13.3.1 - Hospital - fever or viral illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4520.90	98.15	4520.90	98.15
Yes	1	85.10	1.85	4606.00	100.00

bhs19b2: 2/3 - F2F B13.3.2 - Hospital - asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4532.33	98.40	4532.33	98.40
Yes	1	73.67	1.60	4606.00	100.00

bhs19b3: 2/3 - F2F B13.3.3 - Hospital - gastroenteritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4539.26	98.55	4539.26	98.55
Yes	1	66.74	1.45	4606.00	100.00

bhs19b4: 2/3 - F2F B13.3.4 - Hospital - pneumonia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4569.53	99.21	4569.53	99.21
Yes	1	36.47	0.79	4606.00	100.00

bhs19b5: 2/3 - F2F B13.3.5 - Hospital - bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4583.09	99.50	4583.09	99.50
Yes	1	22.91	0.50	4606.00	100.00

bhs19b6: 2/3 - F2F B13.3.6 - Hospital - urine infection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4602.63	99.93	4602.63	99.93
Yes	1	3.37	0.07	4606.00	100.00

bhs19b7: 2/3 - F2F B13.3.7 - Hospital - croup

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4565.74	99.13	4565.74	99.13
Yes	1	40.26	0.87	4606.00	100.00

bhs19b8: 2/3 - F2F B13.3.8 - Hospital - febrile convulsion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4588.92	99.63	4588.92	99.63
Yes	1	17.08	0.37	4606.00	100.00

bhs19b9: 2/3 - F2F B13.3.9 - Hospital - grommets etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4597.33	99.81	4597.33	99.81
Yes	1	8.67	0.19	4606.00	100.00

bhs19b10: 2/3 - F2F B13.3.10 - Hospital - Tonsillectomy etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4570.24	99.22	4570.24	99.22
Yes	1	35.76	0.78	4606.00	100.00

bhs19b11: 2/3 - F2F B13.3.11 - Hospital - other, surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4541.63	98.60	4541.63	98.60
Yes	1	64.37	1.40	4606.00	100.00

bhs19b12: 2/3 - F2F B13.3.12 - Hospital - other, no surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4572.89	99.28	4572.89	99.28
Yes	1	33.11	0.72	4606.00	100.00

bhs20a: 2/3 - F2F B14.1 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.59	0.01	0.59	0.01
Not a problem at all	1	2745.91	59.62	2746.50	59.63
A small problem	2	1282.17	27.84	4028.66	87.47
A moderate problem	3	400.27	8.69	4428.94	96.16
A large problem	4	177.06	3.84	4606.00	100.00

bhs21a1: 2/3 - F2F B14.2 - Does child go to bed at regular times

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Always	1	2058.91	44.70	2058.91	44.70
Usually	2	1946.53	42.26	4005.44	86.96
Sometimes	3	373.29	8.10	4378.72	95.07
Rarely	4	135.21	2.94	4513.93	98.00
Never	5	92.07	2.00	4606.00	100.00

bhs20b: 2/3 - F2F B14.3 - Does child have any sleep problems?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	2345.71	50.93	2345.71	50.93
No	2	2260.29	49.07	4606.00	100.00

bhs20b3: 2/3 - F2F B14.4.1 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3890.02	84.46	3890.02	84.46
Yes	1	715.98	15.54	4606.00	100.00

bhs20b4: 2/3 - F2F B14.4.2 - Sleep problems - Sleeping alone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3639.07	79.01	3639.07	79.01
Yes	1	966.93	20.99	4606.00	100.00

bhs20b5: 2/3 - F2F B14.4.3 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3268.56	70.96	3268.56	70.96
Yes	1	1337.44	29.04	4606.00	100.00

bhs20b11: 2/3 - F2F B14.4.4 - Sleep problems - Restless sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4166.63	90.46	4166.63	90.46
Yes	1	439.37	9.54	4606.00	100.00

bhs20b8: 2/3 - F2F B14.4.5 - Sleep problems - bed wetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4346.06	94.36	4346.06	94.36
Yes	1	259.94	5.64	4606.00	100.00

bhs20b9: 2/3 - F2F B14.4.6 - Sleep problems - nightmares/terrors

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4397.56	95.47	4397.56	95.47
Yes	1	208.44	4.53	4606.00	100.00

bhs20b1b: 2/3 - F2F B14.4.7 - Sleep problems - wheezing or asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4538.06	98.52	4538.06	98.52
Yes	1	67.94	1.48	4606.00	100.00

bhs20b2: 2/3 - F2F B14.4.8 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4323.26	93.86	4323.26	93.86
Yes	1	282.74	6.14	4606.00	100.00

bhs20b10: 2/3 - F2F B14.4.9 - Sleep problems - seeming tired

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4339.49	94.21	4339.49	94.21
Yes	1	266.51	5.79	4606.00	100.00

bhs20b7: 2/3 - F2F B14.4.10 - Sleep problems - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4561.32	99.03	4561.32	99.03
Yes	1	44.68	0.97	4606.00	100.00

bhs50a1: 2/3 - F2F B14.5 - P1 sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very good	1	576.20	12.51	576.20	12.51
Fairly good	2	1300.05	28.23	1876.25	40.74
OK/adequate	3	1600.56	34.75	3476.82	75.48
Fairly bad	4	811.03	17.61	4287.84	93.09
Very bad	5	318.16	6.91	4606.00	100.00

bhs33a: 2/3 - F2F B16.1 - Is child dry by day yet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	2906.44	63.10	2906.44	63.10
No	2	1699.56	36.90	4606.00	100.00

zhs33b: F2F B16.2 - Age toilet trained

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1699.56	36.90	1699.56	36.90
0	8.83	0.19	1708.39	37.09
12	159.90	3.47	1868.28	40.56
24	1921.85	41.73	3790.14	82.29
36	815.86	17.71	4606.00	100.00

zhs33b1: F2F B16.2.1 - Age toilet trained - unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1699.56	36.90	1699.56	36.90
Months	1	1622.51	35.23	3322.07	72.12
Years	2	1283.93	27.88	4606.00	100.00

zhs33b2: F2F B16.2.2 - Age toilet trained - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1699.56	36.90	1699.56	36.90
1	37.68	0.82	1737.24	37.72
2	1156.34	25.11	2893.58	62.82
3	98.75	2.14	2992.32	64.97
6	2.08	0.05	2994.40	65.01
7	2.09	0.05	2996.49	65.06
8	0.97	0.02	2997.46	65.08
9	4.34	0.09	3001.80	65.17
10	2.59	0.06	3004.39	65.23
11	6.48	0.14	3010.87	65.37
12	15.35	0.33	3026.22	65.70
13	12.05	0.26	3038.27	65.96
14	24.44	0.53	3062.71	66.49
15	23.16	0.50	3085.87	67.00
16	20.64	0.45	3106.51	67.44
17	10.21	0.22	3116.72	67.67
18	166.57	3.62	3283.29	71.28
19	16.37	0.36	3299.66	71.64
20	67.73	1.47	3367.40	73.11
21	19.30	0.42	3386.70	73.53
22	55.12	1.20	3441.82	74.72
23	48.97	1.06	3490.79	75.79
24	52.69	1.14	3543.47	76.93
25	29.92	0.65	3573.39	77.58
26	93.37	2.03	3666.76	79.61
27	97.42	2.11	3764.18	81.72
28	85.26	1.85	3849.44	83.57
29	37.04	0.80	3886.48	84.38

zhs33b2: F2F B16.2.2 - Age toilet trained - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30	497.25	10.80	4383.73	95.17
31	28.81	0.63	4412.55	95.80
32	66.08	1.43	4478.62	97.23
33	66.14	1.44	4544.76	98.67
34	38.42	0.83	4583.18	99.50
35	16.08	0.35	4599.26	99.85
36	5.97	0.13	4605.23	99.98
37	0.77	0.02	4606.00	100.00

zhs33c: F2F B16.3 - Difficulty of toilet training

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1699.56	36.90	1699.56	36.90
Not difficult	1	2354.05	51.11	4053.61	88.01
Quite difficult	2	464.56	10.09	4518.16	98.09
Very difficult	3	87.84	1.91	4606.00	100.00

bhs23c2: 2/3 - SC - F2F N2 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.44	0.47	21.44	0.47
-9	27.72	0.60	49.16	1.07
10	366.87	7.97	416.03	9.03
15	3660.57	79.47	4076.60	88.51
20	508.70	11.04	4585.29	99.55
25	20.71	0.45	4606.00	100.00

bhs23c1: 2/3 - SC - F2F N3 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	51.72	1.12	51.72	1.12
-9	27.72	0.60	79.43	1.72
80	70.69	1.53	150.12	3.26
90	2438.88	52.95	2589.00	56.21
100	1968.14	42.73	4557.14	98.94
110	48.86	1.06	4606.00	100.00

bhs23c3: 2/3 - SC - F2F N4 - SC's waist measurements (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	77.68	1.69	77.68	1.69
-9	27.72	0.60	105.40	2.29
40	86.90	1.89	192.29	4.17
45	923.45	20.05	1115.75	24.22
50	2383.71	51.75	3499.46	75.98
55	949.60	20.62	4449.06	96.59
60	117.17	2.54	4566.22	99.14
65	39.78	0.86	4606.00	100.00

bcBMI: 2/3 - SC - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	85.08	1.85	85.08	1.85
10	17.56	0.38	102.65	2.23
15	3127.79	67.91	3230.44	70.14
20	1341.54	29.13	4571.98	99.26
25	34.02	0.74	4606.00	100.00

bwaz: 2/3 - Weight for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.16	1.07	49.16	1.07
-4	7.84	0.17	57.00	1.24
-3	20.39	0.44	77.39	1.68
-2	92.64	2.01	170.03	3.69
-1	482.12	10.47	652.15	14.16
0	1432.28	31.10	2084.42	45.25
1	1633.81	35.47	3718.24	80.73
2	742.79	16.13	4461.03	96.85
3	126.00	2.74	4587.02	99.59
4	17.18	0.37	4604.20	99.96
5	1.80	0.04	4606.00	100.00

bwapct: 2/3 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.16	1.07	49.16	1.07
0	58.80	1.28	107.96	2.34
5	78.93	1.71	186.89	4.06
10	84.46	1.83	271.35	5.89
15	88.37	1.92	359.72	7.81
20	106.15	2.30	465.87	10.11
25	108.68	2.36	574.55	12.47
30	114.76	2.49	689.31	14.97
35	165.43	3.59	854.74	18.56
40	134.95	2.93	989.69	21.49
45	181.69	3.94	1171.38	25.43
50	188.27	4.09	1359.66	29.52
55	199.12	4.32	1558.78	33.84
60	223.28	4.85	1782.06	38.69
65	209.94	4.56	1992.00	43.25
70	279.50	6.07	2271.51	49.32
75	249.23	5.41	2520.74	54.73
80	321.11	6.97	2841.85	61.70
85	380.65	8.26	3222.50	69.96
90	425.46	9.24	3647.96	79.20
95	535.97	11.64	4183.93	90.84
100	422.07	9.16	4606.00	100.00

bbmiz: 2/3 - BMI z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	85.08	1.85	85.08	1.85
-6	5.73	0.12	90.81	1.97
-5	5.52	0.12	96.34	2.09
-4	8.60	0.19	104.94	2.28
-3	26.77	0.58	131.71	2.86
-2	100.92	2.19	232.62	5.05
-1	547.83	11.89	780.45	16.94
0	1453.41	31.55	2233.86	48.50
1	1555.07	33.76	3788.94	82.26
2	687.42	14.92	4476.36	97.19
3	99.14	2.15	4575.50	99.34
4	24.03	0.52	4599.53	99.86
5	6.47	0.14	4606.00	100.00

bbmipct: 2/3 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	85.08	1.85	85.08	1.85
0	87.47	1.90	172.55	3.75
5	75.61	1.64	248.17	5.39
10	104.97	2.28	353.14	7.67
15	88.41	1.92	441.55	9.59
20	130.02	2.82	571.58	12.41
25	126.42	2.74	697.99	15.15
30	120.63	2.62	818.63	17.77
35	149.90	3.25	968.53	21.03
40	162.46	3.53	1130.99	24.55
45	169.93	3.69	1300.92	28.24
50	212.40	4.61	1513.31	32.86
55	205.09	4.45	1718.40	37.31
60	181.13	3.93	1899.54	41.24
65	256.70	5.57	2156.24	46.81
70	244.69	5.31	2400.93	52.13
75	283.53	6.16	2684.47	58.28
80	290.64	6.31	2975.11	64.59
85	320.23	6.95	3295.33	71.54
90	427.91	9.29	3723.24	80.83
95	512.36	11.12	4235.60	91.96
100	370.40	8.04	4606.00	100.00

bhaz: 2/3 - Height for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	79.43	1.72	79.43	1.72
-4	2.94	0.06	82.38	1.79
-3	18.55	0.40	100.93	2.19
-2	131.41	2.85	232.33	5.04
-1	699.43	15.19	931.76	20.23
0	1758.70	38.18	2690.46	58.41

bhaz: 2/3 - Height for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1479.54	32.12	4170.00	90.53
2	389.54	8.46	4559.53	98.99
3	43.56	0.95	4603.09	99.94
4	2.91	0.06	4606.00	100.00

bhapct: 2/3 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	79.43	1.72	79.43	1.72
0	63.08	1.37	142.51	3.09
5	108.99	2.37	251.50	5.46
10	132.45	2.88	383.95	8.34
15	129.67	2.82	513.63	11.15
20	147.58	3.20	661.21	14.36
25	158.74	3.45	819.95	17.80
30	186.98	4.06	1006.93	21.86
35	178.36	3.87	1185.29	25.73
40	214.73	4.66	1400.01	30.40
45	191.50	4.16	1591.51	34.55
50	235.89	5.12	1827.40	39.67
55	248.24	5.39	2075.64	45.06
60	270.00	5.86	2345.64	50.93
65	257.66	5.59	2603.30	56.52
70	294.95	6.40	2898.25	62.92
75	269.25	5.85	3167.50	68.77
80	284.13	6.17	3451.63	74.94
85	318.80	6.92	3770.43	81.86
90	324.78	7.05	4095.21	88.91
95	335.13	7.28	4430.34	96.19
100	175.66	3.81	4606.00	100.00

bwhz: 2/3 - Weight for height z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	85.08	1.85	85.08	1.85
-5	9.77	0.21	94.85	2.06
-4	9.02	0.20	103.88	2.26
-3	23.37	0.51	127.25	2.76
-2	97.54	2.12	224.79	4.88
-1	512.96	11.14	737.75	16.02
0	1420.56	30.84	2158.31	46.86
1	1592.33	34.57	3750.64	81.43
2	719.22	15.61	4469.86	97.04
3	111.78	2.43	4581.64	99.47
4	16.67	0.36	4598.32	99.83
5	2.88	0.06	4601.20	99.90
6	4.80	0.10	4606.00	100.00

bwhpct: 2/3 - Weight for height percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	85.08	1.85	85.08	1.85
0	115.40	2.51	200.49	4.35
10	169.65	3.68	370.13	8.04
20	219.86	4.77	589.99	12.81
30	251.40	5.46	841.40	18.27
40	318.64	6.92	1160.03	25.19
50	398.31	8.65	1558.34	33.83
60	390.63	8.48	1948.97	42.31
70	520.49	11.30	2469.47	53.61
80	615.94	13.37	3085.41	66.99
90	833.31	18.09	3918.71	85.08
100	687.29	14.92	4606.00	100.00

bhs24a1: 2/3 - P1 - P1D 3a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.83	0.58	26.83	0.58
-9	-9	124.38	2.70	151.22	3.28
All of the time	1	17.85	0.39	169.07	3.67
Most of the time	2	96.88	2.10	265.95	5.77
Some of the time	3	561.16	12.18	827.10	17.96
A little of the time	4	1376.80	29.89	2203.91	47.85
None of the time	5	2402.09	52.15	4606.00	100.00

bhs24a2: 2/3 - P1 - P1D 3b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.36	0.66	30.36	0.66
-9	-9	124.38	2.70	154.74	3.36
All of the time	1	23.33	0.51	178.07	3.87
Most of the time	2	71.77	1.56	249.84	5.42
Some of the time	3	368.46	8.00	618.30	13.42
A little of the time	4	885.85	19.23	1504.15	32.66
None of the time	5	3101.85	67.34	4606.00	100.00

bhs24a3: 2/3 - P1 - P1D 3c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.16	0.87	40.16	0.87
-9	-9	124.38	2.70	164.54	3.57
All of the time	1	18.76	0.41	183.30	3.98
Most of the time	2	113.07	2.45	296.37	6.43
Some of the time	3	485.95	10.55	782.32	16.98
A little of the time	4	1188.56	25.80	1970.88	42.79
None of the time	5	2635.12	57.21	4606.00	100.00

bhs24a4: 2/3 - P1 - P1D 3d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.80	0.73	33.80	0.73
-9	-9	124.38	2.70	158.18	3.43
All of the time	1	51.71	1.12	209.90	4.56
Most of the time	2	185.41	4.03	395.31	8.58
Some of the time	3	809.67	17.58	1204.98	26.16
A little of the time	4	1714.12	37.22	2919.10	63.38
None of the time	5	1686.90	36.62	4606.00	100.00

bhs24a5: 2/3 - P1 - P1D 3e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.93	0.80	36.93	0.80
-9	-9	124.38	2.70	161.31	3.50
All of the time	1	22.15	0.48	183.46	3.98
Most of the time	2	53.62	1.16	237.08	5.15
Some of the time	3	252.53	5.48	489.61	10.63
A little of the time	4	586.10	12.72	1075.71	23.35
None of the time	5	3530.29	76.65	4606.00	100.00

bhs24a6: 2/3 - P1 - P1D 3f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.92	0.78	35.92	0.78
-9	-9	124.38	2.70	160.30	3.48
All of the time	1	21.03	0.46	181.33	3.94
Most of the time	2	48.35	1.05	229.68	4.99
Some of the time	3	175.54	3.81	405.22	8.80
A little of the time	4	395.86	8.59	801.08	17.39
None of the time	5	3804.92	82.61	4606.00	100.00

bak6g: 2/3 - P1 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	197.86	4.30	197.86	4.30
No probable serious mental illness	0	4299.99	93.36	4497.85	97.65
Probable serious mental illness	1	108.15	2.35	4606.00	100.00

bak6s: 2/3 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	197.86	4.30	197.86	4.30
6	976.56	21.20	1174.42	25.50
7	780.77	16.95	1955.19	42.45
8	755.42	16.40	2710.62	58.85
9	526.23	11.42	3236.84	70.27
10	368.46	8.00	3605.30	78.27
11	240.70	5.23	3846.00	83.50
12	206.61	4.49	4052.61	87.99
13	101.41	2.20	4154.02	90.19
14	104.26	2.26	4258.28	92.45

bak6s: 2/3 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	76.32	1.66	4334.60	94.11
16	78.52	1.70	4413.12	95.81
17	42.72	0.93	4455.84	96.74
18	42.01	0.91	4497.85	97.65
19	21.28	0.46	4519.14	98.11
20	23.41	0.51	4542.55	98.62
21	17.64	0.38	4560.19	99.01
22	11.03	0.24	4571.22	99.24
23	4.25	0.09	4575.47	99.34
24	10.21	0.22	4585.68	99.56
25	2.93	0.06	4588.62	99.62
26	9.26	0.20	4597.88	99.82
28	4.51	0.10	4602.39	99.92
29	0.55	0.01	4602.94	99.93
30	3.06	0.07	4606.00	100.00

bhs25a1: 2/3 - P1 - P1D 4 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.50	0.47	21.50	0.47
-9	-9	124.38	2.70	145.88	3.17
Yes	1	1120.25	24.32	1266.14	27.49
No	2	3339.86	72.51	4606.00	100.00

bhs26a1: 2/3 - P1 - P1D 5 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.32	0.51	23.32	0.51
-9	-9	124.38	2.70	147.70	3.21
No problems or stress	1	494.38	10.73	642.09	13.94
Few problems or stresses	2	2093.20	45.45	2735.29	59.39
Some problems and stresses	3	1541.03	33.46	4276.31	92.84
Many problems and stresses	4	268.42	5.83	4544.74	98.67
Very many problems and stresses	5	61.26	1.33	4606.00	100.00

bhs26a2: 2/3 - P1 - P1D 6 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.26	0.42	19.26	0.42
-9	-9	124.38	2.70	143.65	3.12
Not at all	1	5.60	0.12	149.25	3.24
A little	2	102.23	2.22	251.47	5.46
Fairly well	3	1413.93	30.70	1665.40	36.16
Very well	4	2197.38	47.71	3862.78	83.86
Extremely well	5	743.22	16.14	4606.00	100.00

bhs13a: 2/3 - P1 - P1L 10 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.07	0.65	30.07	0.65
-9	-9	1233.79	26.79	1263.86	27.44
Excellent	1	665.28	14.44	1929.15	41.88
Very good	2	1555.63	33.77	3484.77	75.66
Good	3	889.65	19.32	4374.43	94.97
Fair	4	207.79	4.51	4582.22	99.48
Poor	5	23.78	0.52	4606.00	100.00

bhs23a2: 2/3 - P1 - P1L 12 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	193.38	4.20	193.38	4.20
-9	1233.79	26.79	1427.18	30.99
40	25.66	0.56	1452.84	31.54
50	422.32	9.17	1875.15	40.71
60	1013.49	22.00	2888.64	62.71
70	804.94	17.48	3693.58	80.19
80	462.90	10.05	4156.48	90.24
90	230.35	5.00	4386.82	95.24
100	112.85	2.45	4499.68	97.69
110	55.52	1.21	4555.20	98.90
120	31.50	0.68	4586.70	99.58
130	12.09	0.26	4598.79	99.84
140	7.21	0.16	4606.00	100.00

bhs23a1: 2/3 - P1 - P1L 13 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	112.30	2.44	112.30	2.44
-9	1233.79	26.79	1346.09	29.22
150	264.52	5.74	1610.60	34.97
160	1243.44	27.00	2854.04	61.96
170	1374.35	29.84	4228.39	91.80
180	352.96	7.66	4581.35	99.46
190	24.65	0.54	4606.00	100.00

babmi: 2/3 - P1 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1526.94	33.15	1526.94	33.15
15	38.41	0.83	1565.35	33.98
20	1079.70	23.44	2645.05	57.43
25	1182.02	25.66	3827.07	83.09
30	486.89	10.57	4313.96	93.66
35	188.15	4.08	4502.12	97.74
40	78.34	1.70	4580.45	99.45
45	24.80	0.54	4605.26	99.98
50	0.74	0.02	4606.00	100.00

bhs26a3: 2/3 - P1 - P1L 19 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.59	0.53	24.59	0.53
-9	-9	1233.79	26.79	1258.38	27.32
Always	1	399.76	8.68	1658.14	36.00
Often	2	1372.12	29.79	3030.26	65.79
Sometimes	3	1281.36	27.82	4311.62	93.61
Rarely	4	261.35	5.67	4572.97	99.28
Never	5	33.03	0.72	4606.00	100.00

bhs27: 2/3 - P1L 31 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
Yes	1	2240.02	48.63	3535.80	76.76
No	2	1070.20	23.24	4606.00	100.00

bhs27p: 2/3 - P1L 31a - Events - Pregnant/had a baby

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	2269.59	49.27	3565.36	77.41
Yes	1	1040.64	22.59	4606.00	100.00

bhs27a: 2/3 - P1L 31b - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3058.14	66.39	4353.92	94.53
Yes	1	252.08	5.47	4606.00	100.00

bhs27b: 2/3 - P1L 31c - Events - illness etc to close relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	2929.95	63.61	4225.73	91.74
Yes	1	380.27	8.26	4606.00	100.00

bhs27c: 2/3 - P1L 31d - Events - parent, partner or child died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3189.88	69.25	4485.66	97.39
Yes	1	120.34	2.61	4606.00	100.00

bhs27d: 2/3 - P1L 31e - Events - Close friend or other rel. died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	2630.72	57.12	3926.50	85.25
Yes	1	679.50	14.75	4606.00	100.00

bhs27e: 2/3 - P1L 31f - Events - broke off a steady relationship

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3218.32	69.87	4514.10	98.00
Yes	1	91.90	2.00	4606.00	100.00

bhs27q: 2/3 - P1L 31g - Events - Had new house member

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3095.76	67.21	4391.54	95.34
Yes	1	214.46	4.66	4606.00	100.00

bhs27f: 2/3 - P1L 31h - Events - problem with friend/relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	2922.52	63.45	4218.29	91.58
Yes	1	387.71	8.42	4606.00	100.00

bhs27k: 2/3 - P1L 31i - Events - had a major financial crisis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3006.53	65.27	4302.31	93.41
Yes	1	303.69	6.59	4606.00	100.00

bhs27g: 2/3 - P1L 31j - Events - work disappointment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3097.58	67.25	4393.35	95.38
Yes	1	212.65	4.62	4606.00	100.00

bhs27h: 2/3 - P1L 31k - Events - thought would soon lose job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3199.34	69.46	4495.11	97.59
Yes	1	110.89	2.41	4606.00	100.00

bhs27i: 2/3 - P1L 31l - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3187.33	69.20	4483.11	97.33
Yes	1	122.89	2.67	4606.00	100.00

bhs27j: 2/3 - P1L 31m - Events - sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3139.30	68.16	4435.08	96.29
Yes	1	170.92	3.71	4606.00	100.00

bhs27l: 2/3 - P1L 31n - Events - legal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3263.35	70.85	4559.13	98.98
Yes	1	46.87	1.02	4606.00	100.00

bhs27m: 2/3 - P1L 31o - Events - Valuable lost or stolen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3158.32	68.57	4454.10	96.70
Yes	1	151.90	3.30	4606.00	100.00

bhs27n: 2/3 - P1L 31p - Events - household D+A problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.99	1.35	61.99	1.35
-9	-9	1233.79	26.79	1295.78	28.13
No	0	3224.72	70.01	4520.49	98.14
Yes	1	85.51	1.86	4606.00	100.00

bhs27o: 2/3 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4516.22	98.05	4516.22	98.05
Yes	1	89.78	1.95	4606.00	100.00

bsle: 2/3 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1295.78	28.13	1295.78	28.13
0	1024.68	22.25	2320.46	50.38
1	1164.20	25.28	3484.67	75.65
2	613.41	13.32	4098.07	88.97
3	258.11	5.60	4356.18	94.58
4	127.63	2.77	4483.81	97.35
5	61.67	1.34	4545.49	98.69
6	22.41	0.49	4567.90	99.17
7	13.45	0.29	4581.35	99.46
8	18.46	0.40	4599.81	99.87
9	4.45	0.10	4604.26	99.96
15	0.71	0.02	4604.97	99.98
16	1.03	0.02	4606.00	100.00

bhs13b: 2/3 - P2 - P2L 7 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.72	0.15	6.72	0.15
-9	-9	1688.71	36.66	1695.42	36.81
Excellent	1	628.60	13.65	2324.03	50.46
Very good	2	1222.26	26.54	3546.29	76.99
Good	3	844.26	18.33	4390.54	95.32
Fair	4	190.10	4.13	4580.65	99.45
Poor	5	25.35	0.55	4606.00	100.00

bhs23b2: 2/3 - P2 - P2L 9 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	112.21	2.44	112.21	2.44
-9	1688.71	36.66	1800.91	39.10
50	21.01	0.46	1821.93	39.56
60	85.32	1.85	1907.25	41.41
70	411.79	8.94	2319.04	50.35
80	767.39	16.66	3086.44	67.01
90	753.11	16.35	3839.55	83.36
100	462.04	10.03	4301.59	93.39
110	186.88	4.06	4488.47	97.45
120	76.66	1.66	4565.12	99.11
130	26.44	0.57	4591.56	99.69
140	6.41	0.14	4597.97	99.83
150	8.03	0.17	4606.00	100.00

bhs23b1: 2/3 - P2 - P2L 10 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	92.32	2.00	92.32	2.00
-9	1688.71	36.66	1781.03	38.67
150	17.48	0.38	1798.51	39.05
160	88.63	1.92	1887.14	40.97
170	615.94	13.37	2503.08	54.34

bhs23b1: 2/3 - P2 - P2L 10 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
180	1523.73	33.08	4026.81	87.43
190	533.17	11.58	4559.98	99.00
200	46.02	1.00	4606.00	100.00

bbbmi: 2/3 - P2 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1864.08	40.47	1864.08	40.47
20	290.50	6.31	2154.58	46.78
25	1374.01	29.83	3528.59	76.61
30	809.74	17.58	4338.33	94.19
35	224.55	4.88	4562.88	99.06
40	32.63	0.71	4595.51	99.77
45	10.49	0.23	4606.00	100.00

bhs26b1: 2/3 - P2 - P2L 16 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.50	0.34	15.50	0.34
-9	-9	1688.71	36.66	1704.20	37.00
No problems or stress	1	221.39	4.81	1925.60	41.81
Few problems or stresses	2	1191.67	25.87	3117.27	67.68
Some problems and stresses	3	1240.12	26.92	4357.38	94.60
Many problems and stresses	4	215.73	4.68	4573.11	99.29
Very many problems and stresses	5	32.89	0.71	4606.00	100.00

bhs26b2: 2/3 - P2 - P2L 17 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.88	0.32	14.88	0.32
-9	-9	1688.71	36.66	1703.59	36.99
Not at all	1	8.96	0.19	1712.55	37.18
A little	2	73.31	1.59	1785.86	38.77
Fairly well	3	1145.78	24.88	2931.64	63.65
Very well	4	1340.88	29.11	4272.52	92.76
Extremely well	5	333.48	7.24	4606.00	100.00

bhs25b1: 2/3 - P2 - P2L 18 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.12	0.65	30.12	0.65
-9	-9	1688.71	36.66	1718.83	37.32
Yes	1	745.65	16.19	2464.48	53.51
No	2	2141.52	46.49	4606.00	100.00

bhs24b1: 2/3 - P2 - P2L 19a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	52.87	1.15	52.87	1.15
-9	-9	1688.71	36.66	1741.58	37.81
All of the time	1	11.41	0.25	1752.99	38.06
Most of the time	2	29.07	0.63	1782.06	38.69
Some of the time	3	312.07	6.78	2094.14	45.47
A little of the time	4	1023.92	22.23	3118.05	67.70
None of the time	5	1487.95	32.30	4606.00	100.00

bhs24b2: 2/3 - P2 - P2L 19b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.06	1.24	57.06	1.24
-9	-9	1688.71	36.66	1745.76	37.90
All of the time	1	9.09	0.20	1754.85	38.10
Most of the time	2	24.33	0.53	1779.18	38.63
Some of the time	3	161.56	3.51	1940.74	42.14
A little of the time	4	509.46	11.06	2450.20	53.20
None of the time	5	2155.80	46.80	4606.00	100.00

bhs24b3: 2/3 - P2 - P2L 19c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.06	0.87	40.06	0.87
-9	-9	1688.71	36.66	1728.76	37.53
All of the time	1	21.94	0.48	1750.71	38.01
Most of the time	2	72.27	1.57	1822.98	39.58
Some of the time	3	497.23	10.80	2320.21	50.37
A little of the time	4	1043.42	22.65	3363.63	73.03
None of the time	5	1242.37	26.97	4606.00	100.00

bhs24b4: 2/3 - P2 - P2L 19d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.59	0.92	42.59	0.92
-9	-9	1688.71	36.66	1731.30	37.59
All of the time	1	23.26	0.51	1754.56	38.09
Most of the time	2	92.67	2.01	1847.23	40.10
Some of the time	3	451.81	9.81	2299.04	49.91
A little of the time	4	1111.70	24.14	3410.74	74.05
None of the time	5	1195.26	25.95	4606.00	100.00

bhs24b5: 2/3 - P2 - P2L 19e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.99	0.98	44.99	0.98
-9	-9	1688.71	36.66	1733.69	37.64
All of the time	1	9.81	0.21	1743.50	37.85
Most of the time	2	14.58	0.32	1758.08	38.17
Some of the time	3	111.24	2.42	1869.32	40.58

bhs24b5: 2/3 - P2 - P2L 19e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	365.54	7.94	2234.86	48.52
None of the time	5	2371.14	51.48	4606.00	100.00

bhs24b6: 2/3 - P2 - P2L 19f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.53	1.10	50.53	1.10
-9	-9	1688.71	36.66	1739.24	37.76
All of the time	1	10.43	0.23	1749.67	37.99
Most of the time	2	26.00	0.56	1775.68	38.55
Some of the time	3	111.85	2.43	1887.53	40.98
A little of the time	4	248.10	5.39	2135.62	46.37
None of the time	5	2470.38	53.63	4606.00	100.00

bbk6g: 2/3 - P2 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1777.65	38.59	1777.65	38.59
No probable serious mental illness	0	2789.99	60.57	4567.64	99.17
Probable serious mental illness	1	38.36	0.83	4606.00	100.00

bbk6s: 2/3 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1777.65	38.59	1777.65	38.59
6	624.21	13.55	2401.86	52.15
7	414.46	9.00	2816.32	61.14
8	441.48	9.58	3257.81	70.73
9	435.97	9.47	3693.78	80.19
10	263.27	5.72	3957.05	85.91
11	197.23	4.28	4154.28	90.19
12	130.07	2.82	4284.36	93.02
13	98.16	2.13	4382.52	95.15
14	64.84	1.41	4447.36	96.56
15	34.21	0.74	4481.57	97.30
16	32.75	0.71	4514.32	98.01
17	30.54	0.66	4544.86	98.67
18	22.78	0.49	4567.64	99.17
19	8.26	0.18	4575.89	99.35
20	3.95	0.09	4579.84	99.43
21	7.71	0.17	4587.56	99.60
22	4.52	0.10	4592.07	99.70
23	2.68	0.06	4594.75	99.76
24	4.10	0.09	4598.85	99.84
27	2.03	0.04	4600.88	99.89
29	2.46	0.05	4603.34	99.94
30	2.66	0.06	4606.00	100.00

bhs26b3: 2/3 - P2 - P2L 20 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.05	0.39	18.05	0.39
-9	-9	1688.71	36.66	1706.75	37.06
Always	1	362.14	7.86	2068.89	44.92
Often	2	1025.66	22.27	3094.56	67.19
Sometimes	3	1049.56	22.79	4144.12	89.97
Rarely	4	389.52	8.46	4533.64	98.43
Never	5	72.36	1.57	4606.00	100.00

bhs13p: 2/3 - PLE - PLE 25 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4507.97	97.87	4507.97	97.87
Excellent	1	17.02	0.37	4525.00	98.24
Very good	2	32.56	0.71	4557.56	98.95
Good	3	33.01	0.72	4590.56	99.66
Fair	4	14.90	0.32	4605.47	99.99
Poor	5	0.53	0.01	4606.00	100.00

bhs25p1: 2/3 - PLE - PLE 32 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.74	0.04	1.74	0.04
-9	-9	4507.97	97.87	4509.71	97.91
Yes	1	41.05	0.89	4550.76	98.80
No	2	55.24	1.20	4606.00	100.00

bhs24p1: 2/3 - PLE - PLE 33a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.83	0.06	2.83	0.06
-9	-9	4507.97	97.87	4510.80	97.93
Most of the time	2	1.31	0.03	4512.11	97.96
Some of the time	3	14.05	0.30	4526.15	98.27
A little of the time	4	33.64	0.73	4559.79	99.00
None of the time	5	46.21	1.00	4606.00	100.00

bhs24p2: 2/3 - PLE - PLE 33b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.83	0.06	2.83	0.06
-9	-9	4507.97	97.87	4510.80	97.93
Most of the time	2	3.17	0.07	4513.97	98.00
Some of the time	3	9.43	0.20	4523.39	98.21
A little of the time	4	23.37	0.51	4546.77	98.71
None of the time	5	59.23	1.29	4606.00	100.00

bhs24p3: 2/3 - PLE - PLE 33c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.83	0.06	2.83	0.06
-9	-9	4507.97	97.87	4510.80	97.93
Most of the time	2	9.09	0.20	4519.89	98.13
Some of the time	3	20.77	0.45	4540.65	98.58
A little of the time	4	23.53	0.51	4564.18	99.09
None of the time	5	41.82	0.91	4606.00	100.00

bhs24p4: 2/3 - PLE - PLE 33d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.06	0.04	2.06	0.04
-9	-9	4507.97	97.87	4510.03	97.92
All of the time	1	1.05	0.02	4511.08	97.94
Most of the time	2	3.29	0.07	4514.38	98.01
Some of the time	3	16.67	0.36	4531.04	98.37
A little of the time	4	30.51	0.66	4561.55	99.03
None of the time	5	44.45	0.97	4606.00	100.00

bhs24p5: 2/3 - PLE - PLE 33e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.52	0.03	1.52	0.03
-9	-9	4507.97	97.87	4509.49	97.90
All of the time	1	1.85	0.04	4511.34	97.94
Most of the time	2	2.37	0.05	4513.71	98.00
Some of the time	3	11.38	0.25	4525.09	98.24
A little of the time	4	10.97	0.24	4536.06	98.48
None of the time	5	69.94	1.52	4606.00	100.00

bhs24p6: 2/3 - PLE - PLE 33f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.83	0.06	2.83	0.06
-9	-9	4507.97	97.87	4510.80	97.93
All of the time	1	2.59	0.06	4513.39	97.99
Most of the time	2	2.13	0.05	4515.51	98.04
Some of the time	3	7.50	0.16	4523.01	98.20
A little of the time	4	13.36	0.29	4536.37	98.49
None of the time	5	69.63	1.51	4606.00	100.00

bpk6g: 2/3 - PLE - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4510.80	97.93	4510.80	97.93
No probable serious mental illness	0	91.78	1.99	4602.58	99.93
Probable serious mental illness	1	3.42	0.07	4606.00	100.00

bpk6s: 2/3 - PLE - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4510.80	97.93	4510.80	97.93
6	23.29	0.51	4534.09	98.44
7	11.60	0.25	4545.69	98.69
8	12.19	0.26	4557.88	98.96
9	6.03	0.13	4563.91	99.09
10	4.85	0.11	4568.76	99.19
11	7.68	0.17	4576.44	99.36
12	8.46	0.18	4584.90	99.54
13	4.29	0.09	4589.19	99.64
14	1.96	0.04	4591.16	99.68
15	4.05	0.09	4595.21	99.77
16	3.90	0.08	4599.11	99.85
17	1.20	0.03	4600.30	99.88
18	2.28	0.05	4602.58	99.93
19	1.73	0.04	4604.31	99.96
20	1.15	0.02	4605.46	99.99
24	0.54	0.01	4606.00	100.00

bhs13m: 2/3 - M - P1D 10/P2L 7 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.07	0.65	30.07	0.65
-9	-9	1241.79	26.96	1271.86	27.61
Excellent	1	666.55	14.47	1938.41	42.08
Very good	2	1549.01	33.63	3487.42	75.71
Good	3	885.46	19.22	4372.88	94.94
Fair	4	207.75	4.51	4580.62	99.45
Poor	5	25.38	0.55	4606.00	100.00

bhs23m2: 2/3 - M - P1L 12/P2L 9 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	194.98	4.23	194.98	4.23
-9	1241.79	26.96	1436.78	31.19
40	25.66	0.56	1462.44	31.75
50	423.46	9.19	1885.89	40.94
60	1008.12	21.89	2894.01	62.83
70	803.31	17.44	3697.32	80.27
80	463.42	10.06	4160.74	90.33
90	227.60	4.94	4388.34	95.27
100	114.15	2.48	4502.49	97.75
110	54.99	1.19	4557.48	98.95
120	29.22	0.63	4586.70	99.58
130	12.09	0.26	4598.79	99.84
140	7.21	0.16	4606.00	100.00

bhs23m1: 2/3 - M - P1L 13/P2L 10 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	112.84	2.45	112.84	2.45
-9	1243.28	26.99	1356.13	29.44
150	269.98	5.86	1626.11	35.30
160	1256.92	27.29	2883.03	62.59
170	1378.31	29.92	4261.34	92.52
180	329.58	7.16	4590.91	99.67
190	15.09	0.33	4606.00	100.00

bmbmi: 2/3 - M - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1536.83	33.37	1536.83	33.37
15	37.45	0.81	1574.28	34.18
20	1074.03	23.32	2648.32	57.50
25	1164.04	25.27	3812.36	82.77
30	491.68	10.67	4304.04	93.44
35	192.96	4.19	4497.00	97.63
40	83.46	1.81	4580.45	99.45
45	24.80	0.54	4605.26	99.98
50	0.74	0.02	4606.00	100.00

bhs26m1: 2/3 - M - P1D 5/P2L 16 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.32	0.51	23.32	0.51
-9	-9	152.35	3.31	175.67	3.81
No problems or stress	1	491.82	10.68	667.49	14.49
Few problems or stresses	2	2076.82	45.09	2744.32	59.58
Some problems and stresses	3	1539.86	33.43	4284.18	93.01
Many problems and stresses	4	261.85	5.69	4546.03	98.70
Very many problems and stresses	5	59.97	1.30	4606.00	100.00

bhs26m2: 2/3 - M - P1L 6/P2L 17 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.26	0.42	19.26	0.42
-9	-9	152.35	3.31	171.62	3.73
Not at all	1	6.97	0.15	178.59	3.88
A little	2	99.11	2.15	277.70	6.03
Fairly well	3	1406.71	30.54	1684.41	36.57
Very well	4	2188.48	47.51	3872.89	84.08
Extremely well	5	733.11	15.92	4606.00	100.00

bhs25m1: 2/3 - M - P1D 4/P2L 18 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.50	0.47	21.50	0.47
-9	-9	152.35	3.31	173.85	3.77
Yes	1	1106.77	24.03	1280.62	27.80
No	2	3325.38	72.20	4606.00	100.00

bhs24m1: 2/3 - M - P1D 3a/P2L 19a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.20	0.61	28.20	0.61
-9	-9	152.35	3.31	180.56	3.92
All of the time	1	16.55	0.36	197.11	4.28
Most of the time	2	95.22	2.07	292.33	6.35
Some of the time	3	561.23	12.18	853.56	18.53
A little of the time	4	1367.23	29.68	2220.79	48.22
None of the time	5	2385.21	51.78	4606.00	100.00

bhs24m2: 2/3 - M - P1D 3b/P2L 19b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.73	0.69	31.73	0.69
-9	-9	152.35	3.31	184.09	4.00
All of the time	1	23.33	0.51	207.42	4.50
Most of the time	2	70.60	1.53	278.02	6.04
Some of the time	3	365.13	7.93	643.15	13.96
A little of the time	4	879.36	19.09	1522.51	33.05
None of the time	5	3083.49	66.95	4606.00	100.00

bhs24m3: 2/3 - M - P1D 3c/P2L 19c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.53	0.90	41.53	0.90
-9	-9	152.35	3.31	193.89	4.21
All of the time	1	18.76	0.41	212.64	4.62
Most of the time	2	113.99	2.47	326.63	7.09
Some of the time	3	480.88	10.44	807.51	17.53
A little of the time	4	1181.01	25.64	1988.52	43.17
None of the time	5	2617.48	56.83	4606.00	100.00

bhs24m4: 2/3 - M - P1D 3d/P2L 19d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.80	0.73	33.80	0.73
-9	-9	152.35	3.31	186.15	4.04
All of the time	1	51.71	1.12	237.86	5.16
Most of the time	2	182.56	3.96	420.43	9.13
Some of the time	3	803.40	17.44	1223.83	26.57
A little of the time	4	1709.68	37.12	2933.51	63.69
None of the time	5	1672.49	36.31	4606.00	100.00

bhs24m5: 2/3 - M - P1D 3e/P2L 19e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.30	0.83	38.30	0.83
-9	-9	152.35	3.31	190.66	4.14
All of the time	1	22.15	0.48	212.81	4.62
Most of the time	2	53.62	1.16	266.43	5.78
Some of the time	3	245.48	5.33	511.91	11.11

bhs24m5: 2/3 - M - P1D 3e/P2L 19e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	587.11	12.75	1099.02	23.86
None of the time	5	3506.98	76.14	4606.00	100.00

bhs24m6: 2/3 - M - P1D 3f/P2L 19f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.29	0.81	37.29	0.81
-9	-9	152.35	3.31	189.64	4.12
All of the time	1	21.03	0.46	210.67	4.57
Most of the time	2	48.35	1.05	259.03	5.62
Some of the time	3	174.62	3.79	433.65	9.41
A little of the time	4	394.31	8.56	827.96	17.98
None of the time	5	3778.04	82.02	4606.00	100.00

bmk6g: 2/3 - M - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	227.20	4.93	227.20	4.93
No probable serious mental illness	0	4270.65	92.72	4497.85	97.65
Probable serious mental illness	1	108.15	2.35	4606.00	100.00

bmk6s: 2/3 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	227.20	4.93	227.20	4.93
6	965.60	20.96	1192.80	25.90
7	776.86	16.87	1969.66	42.76
8	752.54	16.34	2722.20	59.10
9	528.56	11.48	3250.76	70.58
10	360.69	7.83	3611.45	78.41
11	241.54	5.24	3852.99	83.65
12	206.77	4.49	4059.76	88.14
13	103.58	2.25	4163.34	90.39
14	98.71	2.14	4262.05	92.53
15	74.59	1.62	4336.64	94.15
16	76.86	1.67	4413.50	95.82
17	42.72	0.93	4456.22	96.75
18	41.63	0.90	4497.85	97.65
19	21.28	0.46	4519.14	98.11
20	23.41	0.51	4542.55	98.62
21	17.64	0.38	4560.19	99.01
22	11.03	0.24	4571.22	99.24
23	4.25	0.09	4575.47	99.34
24	10.21	0.22	4585.68	99.56
25	2.93	0.06	4588.62	99.62
26	9.26	0.20	4597.88	99.82
28	4.51	0.10	4602.39	99.92
29	0.55	0.01	4602.94	99.93
30	3.06	0.07	4606.00	100.00

bhs26m3: 2/3 - M - P1L 19/P2L 20 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.50	0.55	25.50	0.55
-9	-9	1241.79	26.96	1267.30	27.51
Always	1	398.29	8.65	1665.58	36.16
Often	2	1366.26	29.66	3031.85	65.82
Sometimes	3	1279.65	27.78	4311.50	93.61
Rarely	4	262.56	5.70	4574.06	99.31
Never	5	31.94	0.69	4606.00	100.00

bhs13f: 2/3 - F - P1D 10/P2L 7 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.72	0.15	6.72	0.15
-9	-9	1680.70	36.49	1687.42	36.64
Excellent	1	627.34	13.62	2314.76	50.26
Very good	2	1228.88	26.68	3543.64	76.94
Good	3	848.45	18.42	4392.09	95.36
Fair	4	190.15	4.13	4582.24	99.48
Poor	5	23.76	0.52	4606.00	100.00

bhs23f2: 2/3 - F - P1L 12/P2L 9 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	110.61	2.40	110.61	2.40
-9	1680.70	36.49	1791.31	38.89
50	19.88	0.43	1811.19	39.32
60	90.69	1.97	1901.88	41.29
70	413.43	8.98	2315.30	50.27
80	766.87	16.65	3082.17	66.92
90	755.86	16.41	3838.03	83.33
100	460.75	10.00	4298.77	93.33
110	187.42	4.07	4486.19	97.40
120	78.93	1.71	4565.12	99.11
130	26.44	0.57	4591.56	99.69
140	6.41	0.14	4597.97	99.83
150	8.03	0.17	4606.00	100.00

bhs23f1: 2/3 - F - P1L 13/P2L 10 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	91.78	1.99	91.78	1.99
-9	1679.21	36.46	1770.99	38.45
150	12.01	0.26	1783.00	38.71
160	75.15	1.63	1858.15	40.34
170	611.98	13.29	2470.13	53.63
180	1547.12	33.59	4017.24	87.22
190	542.22	11.77	4559.46	98.99
200	46.54	1.01	4606.00	100.00

bfbmi: 2/3 - F - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1851.18	40.19	1851.18	40.19
15	7.05	0.15	1858.24	40.34
20	296.44	6.44	2154.67	46.78
25	1375.98	29.87	3530.66	76.65
30	805.82	17.50	4336.48	94.15
35	226.40	4.92	4562.88	99.06
40	32.63	0.71	4595.51	99.77
45	10.49	0.23	4606.00	100.00

bhs26f1: 2/3 - F - P1D 5/P2L 16 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.50	0.34	15.50	0.34
-9	-9	1660.74	36.06	1676.24	36.39
No problems or stress	1	223.95	4.86	1900.19	41.25
Few problems or stresses	2	1208.04	26.23	3108.23	67.48
Some problems and stresses	3	1241.29	26.95	4349.52	94.43
Many problems and stresses	4	222.30	4.83	4571.82	99.26
Very many problems and stresses	5	34.18	0.74	4606.00	100.00

bhs26f2: 2/3 - F - P1L 6/P2L 17 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.88	0.32	14.88	0.32
-9	-9	1660.74	36.06	1675.62	36.38
Not at all	1	7.59	0.16	1683.21	36.54
A little	2	76.43	1.66	1759.63	38.20
Fairly well	3	1152.99	25.03	2912.63	63.24
Very well	4	1349.79	29.30	4262.41	92.54
Extremely well	5	343.59	7.46	4606.00	100.00

bhs25f1: 2/3 - F - P1D 4/P2L 18 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.12	0.65	30.12	0.65
-9	-9	1660.74	36.06	1690.86	36.71
Yes	1	759.14	16.48	2450.00	53.19
No	2	2156.00	46.81	4606.00	100.00

bhs24f1: 2/3 - F - P1D 3a/P2L 19a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	51.50	1.12	51.50	1.12
-9	-9	1660.74	36.06	1712.24	37.17
All of the time	1	12.72	0.28	1724.95	37.45
Most of the time	2	30.73	0.67	1755.68	38.12
Some of the time	3	311.99	6.77	2067.68	44.89
A little of the time	4	1033.49	22.44	3101.17	67.33
None of the time	5	1504.83	32.67	4606.00	100.00

bhs24f2: 2/3 - F - P1D 3b/P2L 19b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.68	1.21	55.68	1.21
-9	-9	1660.74	36.06	1716.42	37.26
All of the time	1	9.09	0.20	1725.51	37.46
Most of the time	2	25.49	0.55	1751.00	38.02
Some of the time	3	164.89	3.58	1915.89	41.60
A little of the time	4	515.94	11.20	2431.84	52.80
None of the time	5	2174.16	47.20	4606.00	100.00

bhs24f3: 2/3 - F - P1D 3c/P2L 19c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.68	0.84	38.68	0.84
-9	-9	1660.74	36.06	1699.42	36.90
All of the time	1	21.94	0.48	1721.37	37.37
Most of the time	2	71.35	1.55	1792.72	38.92
Some of the time	3	502.30	10.91	2295.01	49.83
A little of the time	4	1050.97	22.82	3345.98	72.64
None of the time	5	1260.02	27.36	4606.00	100.00

bhs24f4: 2/3 - F - P1D 3d/P2L 19d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.59	0.92	42.59	0.92
-9	-9	1660.74	36.06	1703.33	36.98
All of the time	1	23.26	0.51	1726.59	37.49
Most of the time	2	95.52	2.07	1822.11	39.56
Some of the time	3	458.08	9.95	2280.19	49.50
A little of the time	4	1116.14	24.23	3396.33	73.74
None of the time	5	1209.67	26.26	4606.00	100.00

bhs24f5: 2/3 - F - P1D 3e/P2L 19e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	43.61	0.95	43.61	0.95
-9	-9	1660.74	36.06	1704.35	37.00
All of the time	1	9.81	0.21	1714.16	37.22
Most of the time	2	14.58	0.32	1728.74	37.53
Some of the time	3	118.28	2.57	1847.02	40.10
A little of the time	4	364.53	7.91	2211.55	48.01
None of the time	5	2394.45	51.99	4606.00	100.00

bhs24f6: 2/3 - F - P1D 3f/P2L 19f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.16	1.07	49.16	1.07
-9	-9	1660.74	36.06	1709.90	37.12
All of the time	1	10.43	0.23	1720.33	37.35
Most of the time	2	26.00	0.56	1746.33	37.91
Some of the time	3	112.77	2.45	1859.10	40.36

bhs24f6: 2/3 - F - P1D 3f/P2L 19f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	249.64	5.42	2108.74	45.78
None of the time	5	2497.26	54.22	4606.00	100.00

bfk6g: 2/3 - F - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1748.31	37.96	1748.31	37.96
No probable serious mental illness	0	2819.33	61.21	4567.64	99.17
Probable serious mental illness	1	38.36	0.83	4606.00	100.00

bfk6s: 2/3 - F - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1748.31	37.96	1748.31	37.96
6	635.17	13.79	2383.48	51.75
7	418.37	9.08	2801.85	60.83
8	444.37	9.65	3246.22	70.48
9	433.64	9.41	3679.86	79.89
10	271.04	5.88	3950.90	85.78
11	196.40	4.26	4147.30	90.04
12	129.91	2.82	4277.21	92.86
13	95.99	2.08	4373.20	94.95
14	70.39	1.53	4443.59	96.47
15	35.94	0.78	4479.53	97.25
16	34.41	0.75	4513.94	98.00
17	30.54	0.66	4544.47	98.66
18	23.17	0.50	4567.64	99.17
19	8.26	0.18	4575.89	99.35
20	3.95	0.09	4579.84	99.43
21	7.71	0.17	4587.56	99.60
22	4.52	0.10	4592.07	99.70
23	2.68	0.06	4594.75	99.76
24	4.10	0.09	4598.85	99.84
27	2.03	0.04	4600.88	99.89
29	2.46	0.05	4603.34	99.94
30	2.66	0.06	4606.00	100.00

bhs26f3: 2/3 - F - P1L 19/P2L 20 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.13	0.37	17.13	0.37
-9	-9	1680.70	36.49	1697.83	36.86
Always	1	363.61	7.89	2061.45	44.76
Often	2	1031.53	22.40	3092.97	67.15
Sometimes	3	1051.28	22.82	4144.25	89.98
Rarely	4	388.31	8.43	4532.56	98.41
Never	5	73.44	1.59	4606.00	100.00