

## 04 Health behaviour and risk factors

### zhb05c: Age SC stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	7.08	0.16	7.08	0.16
0	802.86	18.30	809.94	18.47
30	343.40	7.83	1153.34	26.30
60	254.10	5.79	1407.43	32.09
90	318.00	7.25	1725.43	39.34
120	223.85	5.10	1949.28	44.44
150	159.97	3.65	2109.25	48.09
180	260.49	5.94	2369.74	54.03
210	168.72	3.85	2538.46	57.88
240	188.49	4.30	2726.95	62.17
270	153.78	3.51	2880.74	65.68
300	174.79	3.99	3055.53	69.67
330	139.36	3.18	3194.89	72.84
360	298.61	6.81	3493.50	79.65
390	153.63	3.50	3647.13	83.15
420	137.10	3.13	3784.23	86.28
450	97.94	2.23	3882.17	88.51
480	62.68	1.43	3944.84	89.94
510	35.29	0.80	3980.14	90.75
540	103.21	2.35	4083.34	93.10
570	18.78	0.43	4102.12	93.53
600	29.20	0.67	4131.32	94.19
630	9.51	0.22	4140.83	94.41
660	26.25	0.60	4167.09	95.01
690	7.37	0.17	4174.46	95.18
720	71.25	1.62	4245.71	96.80
750	6.29	0.14	4251.99	96.94
780	12.99	0.30	4264.98	97.24
810	5.79	0.13	4270.77	97.37
840	5.42	0.12	4276.19	97.50
870	3.13	0.07	4279.32	97.57
900	31.59	0.72	4310.92	98.29
930	4.53	0.10	4315.45	98.39
960	6.09	0.14	4321.54	98.53
1020	2.75	0.06	4324.29	98.59
1050	3.94	0.09	4328.22	98.68
1080	7.29	0.17	4335.51	98.85
1110	18.55	0.42	4354.06	99.27
1140	2.44	0.06	4356.50	99.33
1170	3.49	0.08	4359.99	99.41
1200	2.83	0.06	4362.82	99.47
1230	3.99	0.09	4366.81	99.56
1260	3.58	0.08	4370.38	99.64
1290	3.51	0.08	4373.89	99.72
1320	1.05	0.02	4374.94	99.75
1440	0.71	0.02	4375.65	99.76

**zhb05c: Age SC stopped breastfeeding**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1470	5.98	0.14	4381.63	99.90
1500	0.84	0.02	4382.47	99.92
1530	3.53	0.08	4386.00	100.00

**zbf1mth: SC breastfed at 1 month of age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	935.40	21.33	935.40	21.33
Yes	1	3450.60	78.67	4386.00	100.00

**zbf3mth: SC breastfed at 3 months of age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	1434.00	32.69	1434.00	32.69
Yes	1	2952.00	67.31	4386.00	100.00

**zbf6mth: SC breastfed at 6 months of age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	2104.29	47.98	2104.29	47.98
Yes	1	2281.71	52.02	4386.00	100.00

**chb21a1a1: 4/5 - P1 - F2F A1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	10.67	0.24	11.49	0.26
Not at all	0	332.37	7.58	343.86	7.84
Once	1	784.37	17.88	1128.22	25.72
Twice	2	1450.04	33.06	2578.26	58.78
More than twice	3	1807.74	41.22	4386.00	100.00

**chb21a2a1: 4/5 - P1 - F2F A1.2 - SC had fresh juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.85	0.16	7.66	0.17
Not at all	0	1871.36	42.67	1879.02	42.84
Once	1	1267.63	28.90	3146.65	71.74
Twice	2	716.36	16.33	3863.01	88.08
More than twice	3	522.99	11.92	4386.00	100.00

**chb21a1b1: 4/5 - P1 - F2F A1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	4.77	0.11	5.58	0.13
Not at all	0	934.51	21.31	940.09	21.43
Once	1	2510.15	57.23	3450.23	78.66
Twice	2	691.72	15.77	4141.95	94.44
More than twice	3	244.05	5.56	4386.00	100.00

**chb21a1c1: 4/5 - P1 - F2F A1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.42	0.15	7.23	0.16
Not at all	0	2470.86	56.34	2478.10	56.50
Once	1	1387.54	31.64	3865.63	88.14
Twice	2	397.78	9.07	4263.41	97.20
More than twice	3	122.59	2.80	4386.00	100.00

**chb21a3a1: 4/5 - P1 - F2F A1.5 - SC had pie, etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	11.16	0.25	11.98	0.27
Not at all	0	3436.38	78.35	3448.35	78.62
Once	1	834.06	19.02	4282.41	97.64
Twice	2	84.47	1.93	4366.88	99.56
More than twice	3	19.12	0.44	4386.00	100.00

**chb21a3b1: 4/5 - P1 - F2F A1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	12.04	0.27	12.85	0.29
Not at all	0	3359.86	76.60	3372.72	76.90
Once	1	973.52	22.20	4346.23	99.09
Twice	2	35.11	0.80	4381.34	99.89
More than twice	3	4.66	0.11	4386.00	100.00

**chb21a3c1: 4/5 - P1 - F2F A1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	9.97	0.23	10.78	0.25
Not at all	0	2907.35	66.29	2918.13	66.53
Once	1	1281.71	29.22	4199.84	95.76
Twice	2	153.56	3.50	4353.40	99.26
More than twice	3	32.60	0.74	4386.00	100.00

**chb21a3d1: 4/5 - P1 - F2F A1.8 - SC had biscuits, etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	11.03	0.25	11.84	0.27
Not at all	0	1238.92	28.25	1250.77	28.52
Once	1	2299.97	52.44	3550.73	80.96
Twice	2	679.42	15.49	4230.15	96.45
More than twice	3	155.85	3.55	4386.00	100.00

**chb21a3e1: 4/5 - P1 - F2F A1.9 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	9.71	0.22	10.52	0.24
Not at all	0	905.52	20.65	916.04	20.89
Once	1	1003.09	22.87	1919.13	43.76
Twice	2	1192.33	27.18	3111.46	70.94
More than twice	3	1274.54	29.06	4386.00	100.00

**chb21a4a1: 4/5 - P1 - F2F A1.10 - SC had skim milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	5.29	0.12	6.11	0.14
Not at all	0	3615.41	82.43	3621.52	82.57
Once	1	302.53	6.90	3924.05	89.47
Twice	2	250.12	5.70	4174.17	95.17
More than twice	3	211.83	4.83	4386.00	100.00

**chb21a5a1: 4/5 - P1 - F2F A1.11 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	11.78	0.27	12.59	0.29
Not at all	0	122.70	2.80	135.29	3.08
Once	1	222.24	5.07	357.52	8.15
Twice	2	380.34	8.67	737.86	16.82
More than twice	3	3648.14	83.18	4386.00	100.00

**chb21a2b1: 4/5 - P1 - F2F A1.12 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.17	0.14	6.98	0.16
Not at all	0	2998.08	68.36	3005.07	68.51
Once	1	874.53	19.94	3879.60	88.45
Twice	2	336.15	7.66	4215.75	96.12
More than twice	3	170.25	3.88	4386.00	100.00

**chb21a6a1: 4/5 - P1 - F2F A1.13 - SC had diet soft drink or cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.03	0.14	6.84	0.16
Not at all	0	4112.15	93.76	4118.99	93.91
Once	1	179.64	4.10	4298.64	98.01
Twice	2	56.60	1.29	4355.24	99.30
More than twice	3	30.76	0.70	4386.00	100.00

**cafandvb: 4/5 - P1 - Serves of fruit and vegetables (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	113.08	2.58	117.91	2.69
1	327.25	7.46	445.16	10.15
2	570.84	13.02	1016.00	23.16
3	959.56	21.88	1975.56	45.04
4	1074.25	24.49	3049.81	69.54
5	735.34	16.77	3785.16	86.30
6	361.55	8.24	4146.71	94.54
7	153.39	3.50	4300.10	98.04
8	53.25	1.21	4353.35	99.26
9	32.65	0.74	4386.00	100.00

**cahfatb: 4/5 - P1 - Serves of high fat food (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	501.54	11.44	506.37	11.55
1	1504.98	34.31	2011.35	45.86
2	1312.22	29.92	3323.57	75.78
3	700.68	15.98	4024.25	91.75
4	218.62	4.98	4242.87	96.74
5	82.86	1.89	4325.74	98.63
6	37.19	0.85	4362.92	99.47
7	8.29	0.19	4371.21	99.66
8	5.92	0.13	4377.13	99.80
9	6.43	0.15	4383.56	99.94
10	2.44	0.06	4386.00	100.00

**cahfwmb: 4/5 - P1 - Serves of high fat food (inc. whole milk) (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	126.77	2.89	131.60	3.00
1	424.20	9.67	555.80	12.67
2	779.56	17.77	1335.36	30.45
3	976.92	22.27	2312.28	52.72
4	954.18	21.76	3266.46	74.47
5	642.15	14.64	3908.61	89.12
6	292.78	6.68	4201.38	95.79
7	107.78	2.46	4309.17	98.25
8	38.92	0.89	4348.09	99.14
9	19.37	0.44	4367.45	99.58
10	9.56	0.22	4377.02	99.80
11	1.80	0.04	4378.81	99.84
12	4.74	0.11	4383.56	99.94
13	2.44	0.06	4386.00	100.00

**cahsdrnkb: 4/5 - P1 - Serves of high sugar drinks (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	1319.39	30.08	1324.21	30.19
1	1244.06	28.36	2568.27	58.56
2	851.18	19.41	3419.45	77.96
3	617.02	14.07	4036.48	92.03
4	242.68	5.53	4279.16	97.56
5	82.36	1.88	4361.53	99.44
6	24.47	0.56	4386.00	100.00

**chb21a1a2: 4/5 - P1 - F2F A1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	10.67	0.24	11.49	0.26
Not at all	0	332.37	7.58	343.86	7.84
Once	1	784.37	17.88	1128.22	25.72
Twice or more	2	3257.78	74.28	4386.00	100.00

**chb21a2a2: 4/5 - P1 - F2F A1.2 - SC had fresh juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.85	0.16	7.66	0.17
Not at all	0	1871.36	42.67	1879.02	42.84
Once	1	1267.63	28.90	3146.65	71.74
Twice or more	2	1239.35	28.26	4386.00	100.00

**chb21a1b2: 4/5 - P1 - F2F A1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	4.77	0.11	5.58	0.13
Not at all	0	934.51	21.31	940.09	21.43
Once	1	2510.15	57.23	3450.23	78.66
Twice or more	2	935.77	21.34	4386.00	100.00

**chb21a1c2: 4/5 - P1 - F2F A1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.42	0.15	7.23	0.16
Not at all	0	2470.86	56.34	2478.10	56.50
Once	1	1387.54	31.64	3865.63	88.14
Twice or more	2	520.37	11.86	4386.00	100.00

**chb21a3a2: 4/5 - P1 - F2F A1.5 - SC had pie, etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	11.16	0.25	11.98	0.27
Not at all	0	3436.38	78.35	3448.35	78.62
Once	1	834.06	19.02	4282.41	97.64
Twice or more	2	103.59	2.36	4386.00	100.00

**chb21a3b2: 4/5 - P1 - F2F A1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	12.04	0.27	12.85	0.29
Not at all	0	3359.86	76.60	3372.72	76.90
Once	1	973.52	22.20	4346.23	99.09
Twice or more	2	39.77	0.91	4386.00	100.00

**chb21a3c2: 4/5 - P1 - F2F A1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	9.97	0.23	10.78	0.25
Not at all	0	2907.35	66.29	2918.13	66.53
Once	1	1281.71	29.22	4199.84	95.76
Twice or more	2	186.16	4.24	4386.00	100.00

**chb21a3d2: 4/5 - P1 - F2F A1.8 - SC had biscuits, etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	11.03	0.25	11.84	0.27
Not at all	0	1238.92	28.25	1250.77	28.52
Once	1	2299.97	52.44	3550.73	80.96
Twice or more	2	835.27	19.04	4386.00	100.00

**chb21a3e2: 4/5 - P1 - F2F A1.9 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	9.71	0.22	10.52	0.24
Not at all	0	905.52	20.65	916.04	20.89
Once	1	1003.09	22.87	1919.13	43.76
Twice or more	2	2466.87	56.24	4386.00	100.00

**chb21a4a2: 4/5 - P1 - F2F A1.10 - SC had skim milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	5.29	0.12	6.11	0.14
Not at all	0	3615.41	82.43	3621.52	82.57
Once	1	302.53	6.90	3924.05	89.47
Twice or more	2	461.95	10.53	4386.00	100.00

**chb21a5a2: 4/5 - P1 - F2F A1.11 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	11.78	0.27	12.59	0.29
Not at all	0	122.70	2.80	135.29	3.08
Once	1	222.24	5.07	357.52	8.15
Twice or more	2	4028.48	91.85	4386.00	100.00

**chb21a2b2: 4/5 - P1 - F2F A1.12 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.17	0.14	6.98	0.16
Not at all	0	2998.08	68.36	3005.07	68.51
Once	1	874.53	19.94	3879.60	88.45
Twice or more	2	506.40	11.55	4386.00	100.00

**chb21a6a2: 4/5 - P1 - F2F A1.13 - SC had diet soft drink or cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	6.03	0.14	6.84	0.16
Not at all	0	4112.15	93.76	4118.99	93.91
Once	1	179.64	4.10	4298.64	98.01
Twice or more	2	87.36	1.99	4386.00	100.00

**cafandv: 4/5 - P1 - Serves of fruit and vegetables**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	113.08	2.58	117.91	2.69
1	327.25	7.46	445.16	10.15
2	700.67	15.98	1145.83	26.12
3	1436.21	32.75	2582.04	58.87
4	1153.82	26.31	3735.86	85.18
5	443.47	10.11	4179.33	95.29
6	206.67	4.71	4386.00	100.00

**cahfat: 4/5 - P1 - Serves of high fat food (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	501.54	11.44	506.37	11.55
1	1504.98	34.31	2011.35	45.86
2	1378.77	31.44	3390.12	77.29
3	686.23	15.65	4076.35	92.94
4	197.29	4.50	4273.64	97.44
5	78.39	1.79	4352.03	99.23
6	25.09	0.57	4377.13	99.80
7	5.08	0.12	4382.21	99.91
8	3.79	0.09	4386.00	100.00



**cahfwmm: 4/5 - P1 -Serves of high fat food (inc. whole milk) (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	126.77	2.89	131.60	3.00
1	424.20	9.67	555.80	12.67
2	909.97	20.75	1465.77	33.42
3	1277.28	29.12	2743.05	62.54
4	975.81	22.25	3718.85	84.79
5	439.48	10.02	4158.34	94.81
6	153.25	3.49	4311.59	98.30
7	46.75	1.07	4358.34	99.37
8	20.47	0.47	4378.81	99.84
9	3.40	0.08	4382.21	99.91
10	3.79	0.09	4386.00	100.00

**cahsdrnk: 4/5 - P1 - Serves of high sugar drinks (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.83	0.11	4.83	0.11
0	1319.39	30.08	1324.21	30.19
1	1244.06	28.36	2568.27	58.56
2	1242.04	28.32	3810.31	86.87
3	397.23	9.06	4207.54	95.93
4	178.46	4.07	4386.00	100.00

**chb22a: 4/5 - F2F A2 - Did child eat breakfast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	3.72	0.08	4.54	0.10
Yes	1	4173.03	95.14	4177.56	95.25
No	2	208.44	4.75	4386.00	100.00

**zhb23a: F2F W2+A21.1 - Age SC started clean teeth**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	3.40	0.08	3.40	0.08
1	11.34	0.26	14.74	0.34
2	7.88	0.18	22.62	0.52
3	29.82	0.68	52.44	1.20
4	114.32	2.61	166.76	3.80
5	121.50	2.77	288.26	6.57
6	601.74	13.72	890.01	20.29
7	191.83	4.37	1081.83	24.67
8	388.34	8.85	1470.17	33.52
9	257.36	5.87	1727.53	39.39
10	203.44	4.64	1930.97	44.03
11	111.17	2.53	2042.14	46.56
12	1278.28	29.14	3320.42	75.70
13	27.48	0.63	3347.89	76.33
14	70.07	1.60	3417.96	77.93
15	45.30	1.03	3463.27	78.96

**zhh23a: F2F W2+A21.1 - Age SC started clean teeth**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
16	21.41	0.49	3484.68	79.45
17	3.99	0.09	3488.67	79.54
18	388.29	8.85	3876.95	88.39
19	3.08	0.07	3880.04	88.46
20	21.55	0.49	3901.59	88.96
21	2.37	0.05	3903.96	89.01
22	7.35	0.17	3911.31	89.18
23	3.21	0.07	3914.53	89.25
24	377.89	8.62	4292.42	97.87
25	2.25	0.05	4294.67	97.92
27	0.57	0.01	4295.23	97.93
28	4.07	0.09	4299.30	98.02
30	22.93	0.52	4322.23	98.55
31	1.29	0.03	4323.52	98.58
32	2.82	0.06	4326.34	98.64
33	1.20	0.03	4327.54	98.67
34	3.64	0.08	4331.18	98.75
35	2.88	0.07	4334.05	98.82
36	27.43	0.63	4361.48	99.44
37	2.11	0.05	4363.59	99.49
38	1.96	0.04	4365.55	99.53
39	3.18	0.07	4368.72	99.61
48	17.28	0.39	4386.00	100.00

**zhh23a1: F2F W2+A21.1.1 - Age SC started clean teeth - Unit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Don't clean child's teeth	-1	3.40	0.08	3.40	0.08
Months	1	3247.00	74.03	3250.40	74.11
Years	2	1135.60	25.89	4386.00	100.00

**zhh23a2: F2F W2+A21.1.2 - Age SC started clean teeth - Amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3.40	0.08	3.40	0.08
1	736.69	16.80	740.09	16.87
2	373.42	8.51	1113.51	25.39
3	57.25	1.31	1170.76	26.69
4	131.60	3.00	1302.36	29.69
5	121.50	2.77	1423.86	32.46
6	601.74	13.72	2025.60	46.18
7	191.83	4.37	2217.43	50.56
8	388.34	8.85	2605.77	59.41
9	257.36	5.87	2863.13	65.28
10	203.44	4.64	3066.57	69.92
11	111.17	2.53	3177.74	72.45
12	552.93	12.61	3730.66	85.06
13	27.48	0.63	3758.14	85.68
14	70.07	1.60	3828.21	87.28

**zfb23a2: F2F W2+A21.1.2 - Age SC started clean teeth - Amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	45.30	1.03	3873.51	88.32
16	21.41	0.49	3894.93	88.80
17	3.99	0.09	3898.92	88.89
18	388.29	8.85	4287.20	97.75
19	3.08	0.07	4290.29	97.82
20	21.55	0.49	4311.84	98.31
21	2.37	0.05	4314.21	98.36
22	7.35	0.17	4321.56	98.53
23	3.21	0.07	4324.77	98.60
24	12.35	0.28	4337.13	98.89
25	2.25	0.05	4339.37	98.94
27	0.57	0.01	4339.94	98.95
28	4.07	0.09	4344.01	99.04
30	22.93	0.52	4366.94	99.57
31	1.29	0.03	4368.23	99.59
32	2.82	0.06	4371.05	99.66
33	1.20	0.03	4372.24	99.69
34	3.64	0.08	4375.88	99.77
35	2.88	0.07	4378.76	99.83
37	2.11	0.05	4380.87	99.88
38	1.96	0.04	4382.82	99.93
39	3.18	0.07	4386.00	100.00

**chb23b: 4/5 - F2F A21.2 - How often are child's teeth cleaned**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	4154.65	94.73	4155.46	94.74
More than twice a day	1	10.19	0.23	4165.65	94.98
Twice a day	2	93.79	2.14	4259.44	97.11
Once a day	3	97.67	2.23	4357.10	99.34
Less than once a day	4	23.98	0.55	4381.08	99.89
Don't clean teeth	5	4.92	0.11	4386.00	100.00

**chb23c: 4/5 - F2F W2+A21.4 - Had dental problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.78	0.02	0.78	0.02
Yes	1	942.99	21.50	943.77	21.52
No	2	3442.23	78.48	4386.00	100.00

**chb23c1: 4/5 - F2F W2+A21.4.1 - Had cavities or dental decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.78	0.02	0.78	0.02
No	0	3749.18	85.48	3749.95	85.50
Yes	1	636.05	14.50	4386.00	100.00

**chb23c4: 4/5 - F2F W2+A21.4.2 - Had accident causing tooth damage**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.78	0.02	0.78	0.02
No	0	4029.84	91.88	4030.62	91.90
Yes	1	355.38	8.10	4386.00	100.00

**chb23c2: 4/5 - F2F W2+A21.4.3 - Had teeth filled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.78	0.02	0.78	0.02
No	0	3994.39	91.07	3995.16	91.09
Yes	1	390.84	8.91	4386.00	100.00

**chb23c3: 4/5 - F2F W2+A21.4.4 - Had teeth pulled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.78	0.02	0.78	0.02
No	0	4307.76	98.22	4308.54	98.23
Yes	1	77.46	1.77	4386.00	100.00

**chb23d: 4/5 - F2F A21.4 - Last 2 yrs - dental problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	54.07	1.23	54.88	1.25
Yes	1	760.30	17.33	815.18	18.59
No	2	3570.82	81.41	4386.00	100.00

**chb23d1: 4/5 - F2F A21.4.1 - Last 2 yrs - cavities or dental decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	54.07	1.23	54.88	1.25
No	0	3722.04	84.86	3776.92	86.11
Yes	1	609.08	13.89	4386.00	100.00

**chb23d2: 4/5 - F2F A21.4.2 - Last 2 yrs - teeth filled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	54.07	1.23	54.88	1.25
No	0	3950.99	90.08	4005.87	91.33
Yes	1	380.13	8.67	4386.00	100.00

**chb23d3: 4/5 - F2F A21.4.3 - Last 2 yrs - teeth pulled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	54.07	1.23	54.88	1.25
No	0	4256.15	97.04	4311.03	98.29
Yes	1	74.97	1.71	4386.00	100.00

**chb23d4: 4/5 - F2F A21.4.4 - Last 2 yrs - accidental tooth damage**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	54.07	1.23	54.88	1.25
No	0	4161.02	94.87	4215.90	96.12
Yes	1	170.10	3.88	4386.00	100.00

**chb14c3: 4/5 - SC - F2F A28 - SC's enjoyment of physical activity**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	3.24	0.07	4.05	0.09
Very much dislikes activity	1	169.14	3.86	173.19	3.95
Somewhat dislikes activity	2	41.10	0.94	214.29	4.89
Neutral	3	132.40	3.02	346.69	7.90
Somewhat enjoys activity	4	625.29	14.26	971.98	22.16
Very much likes activity	5	3414.02	77.84	4386.00	100.00

**chb20a: 4/5 - F2F A29 - Frequency of sun protection**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	2.54	0.06	3.35	0.08
Every day	1	3270.62	74.57	3273.97	74.65
Most days	2	922.16	21.02	4196.13	95.67
Some days	3	135.60	3.09	4331.72	98.76
Never or hardly ever	4	54.28	1.24	4386.00	100.00

**chb15a5: 4/5 - P1 - F2F A32.1 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	977.16	22.28	977.97	22.30
No	2	3408.03	77.70	4386.00	100.00

**chb15a7: 4/5 - P1 - F2F A32.2 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	893.34	20.37	894.15	20.39
No	2	3491.85	79.61	4386.00	100.00

**chb15a6: 4/5 - P1 - F2F A32.3 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3408.03	77.70	3408.84	77.72
Less than one a day	1	86.66	1.98	3495.50	79.70
1 to 5 per day	2	150.40	3.43	3645.90	83.13
6 to 10 per day	3	330.69	7.54	3976.59	90.67
11 to 20 per day	4	335.78	7.66	4312.37	98.32
More than 20 per day	5	73.63	1.68	4386.00	100.00

**chb15a1: 4/5 - P1 - F2F A32.1/3 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Do not smoke at all	1	3408.03	77.70	3408.84	77.72
Less than once a day	2	83.83	1.91	3492.66	79.63
At least once a day	3	893.34	20.37	4386.00	100.00

**chb15a4b: 4/5 - P1 - F2F A32.4 - No. residents smoke inside**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.90	0.32	13.90	0.32
0	4097.22	93.42	4111.13	93.73
1	183.22	4.18	4294.34	97.91
2	77.96	1.78	4372.30	99.69
3	6.87	0.16	4379.16	99.84
4	1.82	0.04	4380.99	99.89
5	5.01	0.11	4386.00	100.00

**chb15a4a: 4/5 - P1 - F2F A32.4 - No. residents smoke inside (5+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.90	0.32	13.90	0.32
None	0	4097.22	93.42	4111.13	93.73
1	1	183.22	4.18	4294.34	97.91
2	2	77.96	1.78	4372.30	99.69
3	3	6.87	0.16	4379.16	99.84
4	4	1.82	0.04	4380.99	99.89
5 or more	5	5.01	0.11	4386.00	100.00

**chb16a2: 4/5 - P1 - F2F A33.1 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Never	0	837.60	19.10	838.41	19.12
Not in the last year	1	145.03	3.31	983.45	22.42
Monthly or less	2	1215.13	27.70	2198.58	50.13
2 to 3 times a month	3	483.98	11.03	2682.56	61.16
Once a week	4	634.02	14.46	3316.58	75.62
2 to 3 times a week	5	686.93	15.66	4003.51	91.28
4 to 6 times a week	6	282.28	6.44	4285.79	97.72
Everyday	7	100.21	2.28	4386.00	100.00

**chb16a3: 4/5 - P1 - F2F A33.2 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	837.60	19.10	838.41	19.12
1 or 2	1	2342.44	53.41	3180.86	72.52
3 or 4	2	885.98	20.20	4066.83	92.72
5 or 6	3	210.22	4.79	4277.05	97.52
7 to 10	4	87.65	2.00	4364.70	99.51
11 or more	5	21.30	0.49	4386.00	100.00

**chb16a6: 4/5 - P1 - F2F A33.3 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Everyday	1	2.59	0.06	3.40	0.08
4-6 times a week	2	7.40	0.17	10.80	0.25
2-3 times a week	3	40.59	0.93	51.39	1.17
Once a week	4	168.71	3.85	220.10	5.02
2-3 times a month	5	171.58	3.91	391.68	8.93
Monthly or less	6	1235.33	28.17	1627.01	37.10
Never	7	2758.99	62.90	4386.00	100.00

**chb16a5: 4/5 - P1 - F2F A33.3 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	837.60	19.10	838.41	19.12
Everyday	1	2.59	0.06	841.00	19.17
4-6 times a week	2	7.40	0.17	848.40	19.34
2-3 times a week	3	40.59	0.93	888.99	20.27
Once a week	4	168.71	3.85	1057.70	24.12
2-3 times a month	5	171.58	3.91	1229.28	28.03
Monthly or less	6	3156.72	71.97	4386.00	100.00

**caavdac: 4/5 - P1 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	2822.27	64.35	2823.08	64.37
0.5	828.18	18.88	3651.26	83.25
1	305.33	6.96	3956.59	90.21
1.5	281.25	6.41	4237.84	96.62
2	31.60	0.72	4269.44	97.34
2.5	59.61	1.36	4329.05	98.70
3	13.17	0.30	4342.22	99.00
3.5	26.98	0.62	4369.19	99.62
4	9.19	0.21	4378.38	99.83
4.5	3.51	0.08	4381.89	99.91
5.5	1.23	0.03	4383.12	99.93
6.5	1.57	0.04	4384.69	99.97
8.5	1.31	0.03	4386.00	100.00

**caalcgp: 4/5 - P1 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Abstain not in the last year	1	982.63	22.40	983.45	22.42
Occasional less than monthly	2	1215.13	27.70	2198.58	50.13
Light <2 drinks/day men, <1 women	3	1537.43	35.05	3736.01	85.18
Moderate >=2 to <4 men, >=1 to <2 women	4	512.38	11.68	4248.39	96.86

**caalcgp: 4/5 - P1 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous $\geq 4$ to $< 6$ men, $\geq 2$ and $< 4$ women	5	123.37	2.81	4371.76	99.68
Harmful $\geq 6$ men, $\geq 4$ women	6	14.24	0.32	4386.00	100.00

**cahvda: 4/5 - P1 - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	137.61	3.14	138.42	3.16
No	2	4247.58	96.84	4386.00	100.00

**cabinge: 4/5 - P1 - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	390.87	8.91	391.68	8.93
No	2	3994.32	91.07	4386.00	100.00

**caalcp: 4/5 - P1 - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	422.95	9.64	423.76	9.66
No	2	3962.24	90.34	4386.00	100.00

**chb14c4: 4/5 - SC - F2F E32 - SC's choice to spend free time**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	5.37	0.12	6.18	0.14
Usually chooses inactive pastimes	1	1237.93	28.22	1244.11	28.37
Usually chooses active pastimes	2	1797.57	40.98	3041.68	69.35
Just as likely to choose active as inactive pastimes	3	1344.32	30.65	4386.00	100.00

**chb13a2b: 4/5 - P1 - P1D 11 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	65.73	1.50	65.73	1.50
-9	692.89	15.80	758.62	17.30
0	188.64	4.30	947.26	21.60
1	1515.81	34.56	2463.08	56.16
2	1316.06	30.01	3779.14	86.16
3	432.72	9.87	4211.86	96.03
4	114.11	2.60	4325.97	98.63
5	38.33	0.87	4364.30	99.51
6	12.96	0.30	4377.26	99.80
7	7.05	0.16	4384.31	99.96
10	1.69	0.04	4386.00	100.00



**chb13a2a: 4/5 - P1 - P1D 11 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	65.73	1.50	65.73	1.50
-9	-9	692.89	15.80	758.62	17.30
Less than 1	0	188.64	4.30	947.26	21.60
0.5	0.5	0.33	0.01	947.60	21.61
1	1	1515.48	34.55	2463.08	56.16
2	2	1316.06	30.01	3779.14	86.16
2.5	2.5	2.65	0.06	3781.78	86.22
3	3	430.07	9.81	4211.86	96.03
4	4	114.11	2.60	4325.97	98.63
5	5	38.33	0.87	4364.30	99.51
6 or more	6	21.70	0.49	4386.00	100.00

**chb13a1b: 4/5 - P1 - P1D 12 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	26.19	0.60	26.19	0.60
-9	692.89	15.80	719.08	16.39
0	27.62	0.63	746.70	17.02
1	916.53	20.90	1663.24	37.92
2	1162.83	26.51	2826.07	64.43
3	871.66	19.87	3697.73	84.31
4	426.34	9.72	4124.08	94.03
5	196.79	4.49	4320.86	98.51
6	50.97	1.16	4371.83	99.68
7	12.00	0.27	4383.84	99.95
8	2.16	0.05	4386.00	100.00

**chb13a1a: 4/5 - P1 - P1D 12 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.19	0.60	26.19	0.60
-9	-9	692.89	15.80	719.08	16.39
Less than 1	0	27.62	0.63	746.70	17.02
0.5	0.5	3.80	0.09	750.51	17.11
1	1	912.73	20.81	1663.24	37.92
1.5	1.5	1.57	0.04	1664.80	37.96
2	2	1161.27	26.48	2826.07	64.43
2.5	2.5	2.90	0.07	2828.97	64.50
3	3	868.76	19.81	3697.73	84.31
4	4	426.34	9.72	4124.08	94.03
4.5	4.5	0.65	0.01	4124.73	94.04
5	5	196.13	4.47	4320.86	98.51
6 or more	6	65.14	1.49	4386.00	100.00

**chb14a2: 4/5 - P1 - P1D 13 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	100.51	2.29	100.51	2.29
-9	692.89	15.80	793.40	18.09
0	379.08	8.64	1172.48	26.73
1	521.53	11.89	1694.02	38.62
2	702.36	16.01	2396.37	54.64
3	735.58	16.77	3131.95	71.41
4	457.16	10.42	3589.11	81.83
5	406.67	9.27	3995.78	91.10
6	133.76	3.05	4129.53	94.15
7	256.47	5.85	4386.00	100.00

**chb13b2b: 4/5 - P2 - P2L 9 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	74.58	1.70	74.58	1.70
-9	1896.60	43.24	1971.17	44.94
0	252.20	5.75	2223.37	50.69
1	1123.84	25.62	3347.21	76.32
2	672.27	15.33	4019.48	91.64
3	242.01	5.52	4261.49	97.16
4	85.00	1.94	4346.49	99.10
5	28.57	0.65	4375.06	99.75
6	3.95	0.09	4379.01	99.84
7	3.64	0.08	4382.65	99.92
8	2.76	0.06	4385.41	99.99
9	0.59	0.01	4386.00	100.00

**chb13b2a: 4/5 - P2 - P2L 9 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	74.58	1.70	74.58	1.70
-9	-9	1896.60	43.24	1971.17	44.94
Less than 1	0	252.20	5.75	2223.37	50.69
1	1	1123.84	25.62	3347.21	76.32
2	2	672.27	15.33	4019.48	91.64
3	3	242.01	5.52	4261.49	97.16
4	4	85.00	1.94	4346.49	99.10
5	5	28.57	0.65	4375.06	99.75
6 or more	6	10.94	0.25	4386.00	100.00

**chb13b1b: 4/5 - P2 - P2L 10 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.48	0.81	35.48	0.81
-9	1896.60	43.24	1932.08	44.05
0	21.85	0.50	1953.93	44.55
1	922.43	21.03	2876.36	65.58
2	847.38	19.32	3723.74	84.90
3	430.71	9.82	4154.45	94.72
4	152.54	3.48	4306.99	98.20

**chb13b1b: 4/5 - P2 - P2L 10 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	56.14	1.28	4363.12	99.48
6	12.50	0.29	4375.62	99.76
7	5.82	0.13	4381.44	99.90
8	2.28	0.05	4383.72	99.95
9	2.28	0.05	4386.00	100.00

**chb13b1a: 4/5 - P2 - P2L 10 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.48	0.81	35.48	0.81
-9	-9	1896.60	43.24	1932.08	44.05
Less than 1	0	21.85	0.50	1953.93	44.55
1	1	922.43	21.03	2876.36	65.58
2	2	847.38	19.32	3723.74	84.90
3	3	430.71	9.82	4154.45	94.72
4	4	152.54	3.48	4306.99	98.20
5	5	56.14	1.28	4363.12	99.48
6 or more	6	22.88	0.52	4386.00	100.00

**chb14b2: 4/5 - P2 - P2L 11 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.07	1.35	59.07	1.35
-9	1896.60	43.24	1955.67	44.59
0	216.28	4.93	2171.94	49.52
1	381.51	8.70	2553.45	58.22
2	429.18	9.79	2982.63	68.00
3	425.46	9.70	3408.09	77.70
4	287.03	6.54	3695.12	84.25
5	338.01	7.71	4033.13	91.95
6	135.91	3.10	4169.04	95.05
7	216.96	4.95	4386.00	100.00

**chb15b5: 4/5 - P2 - P2L 16 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.48	0.26	11.48	0.26
-9	-9	1896.60	43.24	1908.08	43.50
Yes	1	519.49	11.84	2427.57	55.35
No	2	1958.43	44.65	4386.00	100.00

**chb15b6: 4/5 - P2 - P2L 17 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.14	0.55	24.14	0.55
-9	-9	3855.03	87.89	3879.18	88.44
Less than one a day	1	31.68	0.72	3910.86	89.17
1 to 5 per day	2	97.19	2.22	4008.05	91.38
6 to 10 per day	3	116.34	2.65	4124.39	94.04

**chb15b6: 4/5 - P2 - P2L 17 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11 to 20 per day	4	191.40	4.36	4315.79	98.40
More than 20 per day	5	70.21	1.60	4386.00	100.00

**chb15b1: 4/5 - P2 - P2L 16-17 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.14	0.55	24.14	0.55
-9	-9	1896.60	43.24	1920.74	43.79
Do not smoke at all	1	1958.43	44.65	3879.18	88.44
Less than once a day	2	31.68	0.72	3910.86	89.17
At least once a day	3	475.14	10.83	4386.00	100.00

**chb16b2: 4/5 - P2 - P2L 18 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.99	0.27	11.99	0.27
-9	-9	1896.60	43.24	1908.59	43.52
Never	0	240.72	5.49	2149.31	49.00
Not in the last year	1	29.75	0.68	2179.06	49.68
Monthly or less	2	374.90	8.55	2553.95	58.23
2 to 3 times a month	3	260.51	5.94	2814.47	64.17
Once a week	4	358.36	8.17	3172.83	72.34
2 to 3 times a week	5	664.93	15.16	3837.76	87.50
4 to 6 times a week	6	403.63	9.20	4241.39	96.70
Everyday	7	144.61	3.30	4386.00	100.00

**chb16b3: 4/5 - P2 - P2L 19 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.54	0.72	31.54	0.72
-9	-9	2137.32	48.73	2168.85	49.45
1 or 2	1	1129.86	25.76	3298.71	75.21
3 or 4	2	723.35	16.49	4022.07	91.70
5 or 6	3	269.03	6.13	4291.10	97.84
7 to 10	4	70.29	1.60	4361.38	99.44
11 or more	5	24.62	0.56	4386.00	100.00

**chb16b6: 4/5 - P2 - P2L 20 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.60	0.77	33.60	0.77
-9	-9	1896.60	43.24	1930.20	44.01
Everyday	1	11.51	0.26	1941.71	44.27
4-6 times a week	2	34.75	0.79	1976.45	45.06
2-3 times a week	3	119.56	2.73	2096.02	47.79
Once a week	4	239.56	5.46	2335.57	53.25
2-3 times a month	5	239.81	5.47	2575.38	58.72
Monthly or less	6	933.44	21.28	3508.82	80.00
Never	7	877.18	20.00	4386.00	100.00

**chb16b5: 4/5 - P2 - P2L 20 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.60	0.77	33.60	0.77
-9	-9	2137.32	48.73	2170.92	49.50
Everyday	1	11.51	0.26	2182.42	49.76
4-6 times a week	2	34.75	0.79	2217.17	50.55
2-3 times a week	3	119.56	2.73	2336.73	53.28
Once a week	4	239.56	5.46	2576.29	58.74
2-3 times a month	5	239.81	5.47	2816.10	64.21
Monthly or less	6	1569.90	35.79	4386.00	100.00

**cbavdac: 4/5 - P2 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1923.93	43.87	1923.93	43.87
0	942.02	21.48	2865.94	65.34
0.5	554.20	12.64	3420.14	77.98
1	261.41	5.96	3681.55	83.94
1.5	281.58	6.42	3963.14	90.36
2	82.71	1.89	4045.85	92.24
2.5	155.74	3.55	4201.59	95.80
3	22.88	0.52	4224.48	96.32
3.5	67.86	1.55	4292.33	97.86
4	46.68	1.06	4339.01	98.93
4.5	6.31	0.14	4345.31	99.07
5.5	25.62	0.58	4370.94	99.66
6.5	9.74	0.22	4380.68	99.88
8.5	4.32	0.10	4385.00	99.98
12	1.00	0.02	4386.00	100.00

**cbalcp: 4/5 - P2 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1915.80	43.68	1915.80	43.68
Abstain not in the last year	1	270.47	6.17	2186.27	49.85
Occasional less than monthly	2	374.90	8.55	2561.17	58.39
Light <2 drinks/day men, <1 women	3	1388.18	31.65	3949.34	90.04
Moderate >=2 to <4 men, >=1 to <2 women	4	341.98	7.80	4291.33	97.84
Hazardous >=4 to <6 men, >=2 and <4 women	5	79.61	1.82	4370.94	99.66
Harmful >=6 men, >=4 women	6	15.06	0.34	4386.00	100.00

**cbhvdac: 4/5 - P2 - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1923.93	43.87	1923.93	43.87
Yes	1	94.67	2.16	2018.60	46.02
No	2	2367.40	53.98	4386.00	100.00

**cbbinge: 4/5 - P2 - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1925.95	43.91	1925.95	43.91
Yes	1	645.18	14.71	2571.13	58.62
No	2	1814.87	41.38	4386.00	100.00

**cbalcp: 4/5 - P2 - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1930.98	44.03	1930.98	44.03
Yes	1	646.36	14.74	2577.34	58.76
No	2	1808.66	41.24	4386.00	100.00

**chb24a: 4/5 - Teach 20 - Activity during organised activities**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.98	0.59	25.98	0.59
-9	-9	1088.97	24.83	1114.95	25.42
I have not observed this child in such activities	-2	20.57	0.47	1135.52	25.89
A lot less active than most	1	69.06	1.57	1204.58	27.46
A little less active than most	2	355.12	8.10	1559.70	35.56
About the same as most	3	2112.01	48.15	3671.71	83.71
A little more active than most	4	521.99	11.90	4193.70	95.62
A lot more active than most	5	192.30	4.38	4386.00	100.00

**chb24b: 4/5 - Teach 21 - Activity during play**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.73	0.59	25.73	0.59
-9	-9	1088.97	24.83	1114.71	25.42
I have not observed this child in such activities	-2	13.89	0.32	1128.60	25.73
A lot less active than most	1	58.25	1.33	1186.85	27.06
A little less active than most	2	352.30	8.03	1539.15	35.09
About the same as most	3	2169.24	49.46	3708.39	84.55
A little more active than most	4	504.92	11.51	4213.31	96.06
A lot more active than most	5	172.69	3.94	4386.00	100.00

**chb15p5: 4/5 - PLE - PLE 33.1 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Yes	1	134.85	3.07	4221.90	96.26
No	2	164.10	3.74	4386.00	100.00

**chb15p7: 4/5 - PLE - PLE 33.2 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Yes	1	129.60	2.95	4216.65	96.14
No	2	169.35	3.86	4386.00	100.00

**chb15p2: 4/5 - PLE - PLE 33.3 - No. cigarettes smoked per day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.81	0.11	4.81	0.11
-9	4082.24	93.07	4087.05	93.18
0	169.35	3.86	4256.40	97.05
1	1.34	0.03	4257.74	97.08
2	2.70	0.06	4260.44	97.14
3	1.09	0.02	4261.53	97.16
4	2.19	0.05	4263.73	97.21
5	11.34	0.26	4275.07	97.47
6	0.75	0.02	4275.82	97.49
7	2.29	0.05	4278.11	97.54
8	4.76	0.11	4282.87	97.65
9	1.68	0.04	4284.55	97.69
10	22.57	0.51	4307.12	98.20
12	9.31	0.21	4316.43	98.41
15	24.57	0.56	4341.00	98.97
17	0.97	0.02	4341.97	99.00
18	0.66	0.01	4342.62	99.01
20	21.33	0.49	4363.95	99.50
25	12.30	0.28	4376.26	99.78
30	2.51	0.06	4378.77	99.84
35	3.53	0.08	4382.30	99.92
40	1.39	0.03	4383.69	99.95
50	1.73	0.04	4385.42	99.99
55	0.58	0.01	4386.00	100.00

**chb15p6: 4/5 - PLE - PLE 33 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4246.35	96.82	4251.15	96.93
Less than one a day	1	5.25	0.12	4256.40	97.05
1 to 5 per day	2	18.66	0.43	4275.07	97.47
6 to 10 per day	3	32.05	0.73	4307.12	98.20
11 to 20 per day	4	56.83	1.30	4363.95	99.50
More than 20 per day	5	22.05	0.50	4386.00	100.00

**chb15p1: 4/5 - PLE - PLE 33 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Do not smoke at all	1	164.10	3.74	4251.15	96.93
Less than once a day	2	5.25	0.12	4256.40	97.05
At least once a day	3	129.60	2.95	4386.00	100.00

**chb16p2: 4/5 - PLE - PLE 34.1 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Never	0	23.02	0.52	4110.06	93.71
Not in the last year	1	1.14	0.03	4111.21	93.73
Monthly or less	2	47.29	1.08	4158.50	94.81
2 to 3 times a month	3	29.70	0.68	4188.20	95.49
Once a week	4	45.86	1.05	4234.06	96.54
2 to 3 times a week	5	95.06	2.17	4329.12	98.70
4 to 6 times a week	6	27.51	0.63	4356.63	99.33
Everyday	7	29.37	0.67	4386.00	100.00

**chb16p3: 4/5 - PLE - PLE 34.2 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4106.40	93.63	4111.21	93.73
1 or 2	1	75.76	1.73	4186.97	95.46
3 or 4	2	115.70	2.64	4302.67	98.10
5 or 6	3	56.31	1.28	4358.98	99.38
7 to 10	4	19.85	0.45	4378.83	99.84
11 or more	5	7.17	0.16	4386.00	100.00

**chb16p5: 4/5 - PLE - PLE 34.3 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4106.40	93.63	4111.21	93.73
4-6 times a week	2	3.60	0.08	4114.81	93.82
2-3 times a week	3	16.32	0.37	4131.13	94.19
Once a week	4	28.04	0.64	4159.17	94.83
2-3 times a month	5	38.93	0.89	4198.10	95.72
Monthly or less	6	187.90	4.28	4386.00	100.00

**cpavdac: 4/5 - PLE - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4087.05	93.18	4087.05	93.18
0	83.07	1.89	4170.12	95.08
0.5	66.08	1.51	4236.20	96.58
1	28.23	0.64	4264.42	97.23
1.5	53.59	1.22	4318.01	98.45



**cpavdac: 4/5 - PLE - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	19.88	0.45	4337.89	98.90
2.5	8.95	0.20	4346.84	99.11
3	7.87	0.18	4354.71	99.29
3.5	15.49	0.35	4370.20	99.64
4	8.43	0.19	4378.63	99.83
4.5	0.82	0.02	4379.45	99.85
5.5	2.46	0.06	4381.91	99.91
6.5	3.07	0.07	4384.98	99.98
12	1.02	0.02	4386.00	100.00

**cpalcgp: 4/5 - PLE - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4087.05	93.18	4087.05	93.18
Abstain not in the last year	1	24.16	0.55	4111.21	93.73
Occasional less than monthly	2	47.29	1.08	4158.50	94.81
Light <2 drinks/day men, <1 women	3	159.50	3.64	4318.01	98.45
Moderate >=2 to <4 men, >=1 to <2 women	4	52.20	1.19	4370.20	99.64
Hazardous >=4 to <6 men, >=2 and <4 women	5	9.81	0.22	4380.01	99.86
Harmful >=6 men, >=4 women	6	5.99	0.14	4386.00	100.00

**cphvdac: 4/5 - PLE - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4087.05	93.18	4087.05	93.18
Yes	1	15.79	0.36	4102.84	93.54
No	2	283.16	6.46	4386.00	100.00

**cpbinge: 4/5 - PLE - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4087.05	93.18	4087.05	93.18
Yes	1	86.89	1.98	4173.94	95.17
No	2	212.06	4.83	4386.00	100.00

**cpalcp: 4/5 - PLE - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4087.05	93.18	4087.05	93.18
Yes	1	88.55	2.02	4175.60	95.20
No	2	210.40	4.80	4386.00	100.00

**chb15m5: 4/5 - M - F2F A32.1+P2L 16 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.63	0.06	2.63	0.06
-9	-9	31.67	0.72	34.30	0.78
Yes	1	949.38	21.65	983.68	22.43
No	2	3402.32	77.57	4386.00	100.00

**chb15m6: 4/5 - M - F2F A32.3+P2L 17 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.63	0.06	2.63	0.06
-9	-9	3433.99	78.29	3436.62	78.35
Less than one a day	1	86.89	1.98	3523.51	80.34
1 to 5 per day	2	146.34	3.34	3669.85	83.67
6 to 10 per day	3	321.47	7.33	3991.32	91.00
11 to 20 per day	4	322.58	7.35	4313.90	98.36
More than 20 per day	5	72.10	1.64	4386.00	100.00

**chb15m1: 4/5 - M - F2F A32.1/3+P2L 16-17 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.63	0.06	2.63	0.06
-9	-9	31.67	0.72	34.30	0.78
Do not smoke at all	1	3402.32	77.57	3436.62	78.35
Less than once a day	2	84.05	1.92	3520.67	80.27
At least once a day	3	865.32	19.73	4386.00	100.00

**chb16m2: 4/5 - M - F2F A33.1+P2L 18 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.39	0.08	3.39	0.08
-9	-9	31.67	0.72	35.06	0.80
Never	0	843.61	19.23	878.67	20.03
Not in the last year	1	144.67	3.30	1023.34	23.33
Monthly or less	2	1207.03	27.52	2230.37	50.85
2 to 3 times a month	3	473.13	10.79	2703.50	61.64
Once a week	4	628.45	14.33	3331.94	75.97
2 to 3 times a week	5	683.92	15.59	4015.87	91.56
4 to 6 times a week	6	275.50	6.28	4291.37	97.84
Everyday	7	94.63	2.16	4386.00	100.00

**chb16m3: 4/5 - M - F2F A33.2+P2L 19 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.67	0.08	3.67	0.08
-9	-9	875.28	19.96	878.95	20.04
1 or 2	1	2331.10	53.15	3210.06	73.19
3 or 4	2	865.46	19.73	4075.51	92.92
5 or 6	3	204.46	4.66	4279.97	97.58
7 to 10	4	84.73	1.93	4364.70	99.51
11 or more	5	21.30	0.49	4386.00	100.00

**chb16m6: 4/5 - M - F2F A33.3+P2L 20 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.67	0.08	3.67	0.08
-9	-9	31.67	0.72	35.34	0.81
Everyday	1	2.59	0.06	37.93	0.86
4-6 times a week	2	7.40	0.17	45.33	1.03
2-3 times a week	3	37.56	0.86	82.89	1.89

**chb16m6: 4/5 - M - F2F A33.3+P2L 20 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	4	164.07	3.74	246.96	5.63
2-3 times a month	5	171.98	3.92	418.94	9.55
Monthly or less	6	1228.21	28.00	1647.15	37.55
Never	7	2738.85	62.45	4386.00	100.00

**chb16m5: 4/5 - M - F2F A33.3+P2L 20 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.67	0.08	3.67	0.08
-9	-9	875.28	19.96	878.95	20.04
Everyday	1	2.59	0.06	881.54	20.10
4-6 times a week	2	7.40	0.17	888.94	20.27
2-3 times a week	3	37.56	0.86	926.50	21.12
Once a week	4	164.07	3.74	1090.57	24.86
2-3 times a month	5	171.98	3.92	1262.55	28.79
Monthly or less	6	3123.45	71.21	4386.00	100.00

**cmavdac: 4/5 - M - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.06	0.80	35.06	0.80
0	2813.83	64.15	2848.89	64.95
0.5	818.56	18.66	3667.45	83.62
1	303.48	6.92	3970.93	90.54
1.5	279.02	6.36	4249.95	96.90
2	29.99	0.68	4279.93	97.58
2.5	55.89	1.27	4335.82	98.86
3	11.69	0.27	4347.51	99.12
3.5	24.24	0.55	4371.76	99.68
4	7.31	0.17	4379.06	99.84
4.5	3.51	0.08	4382.57	99.92
5.5	0.55	0.01	4383.12	99.93
6.5	1.57	0.04	4384.69	99.97
8.5	1.31	0.03	4386.00	100.00

**cmalcgp: 4/5 - M - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.06	0.80	35.06	0.80
Abstain not in the last year	1	988.28	22.53	1023.34	23.33
Occasional less than monthly	2	1207.03	27.52	2230.37	50.85
Light <2 drinks/day men, <1 women	3	1507.29	34.37	3737.65	85.22
Moderate >=2 to <4 men, >=1 to <2 women	4	512.29	11.68	4249.95	96.90
Hazardous >=4 to <6 men, >=2 and <4 women	5	121.81	2.78	4371.76	99.68
Harmful >=6 men, >=4 women	6	14.24	0.32	4386.00	100.00

**cmhvdac: 4/5 - M - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.06	0.80	35.06	0.80
Yes	1	136.05	3.10	171.11	3.90
No	2	4214.89	96.10	4386.00	100.00

**cmbinge: 4/5 - M - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.30	0.78	34.30	0.78
Yes	1	383.59	8.75	417.89	9.53
No	2	3968.11	90.47	4386.00	100.00

**cmalcp: 4/5 - M - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.30	0.78	34.30	0.78
Yes	1	414.66	9.45	448.96	10.24
No	2	3937.04	89.76	4386.00	100.00

**chb13m2b: 4/5 - M - P1D 11+P2L 9 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	67.89	1.55	67.89	1.55
-9	711.28	16.22	779.17	17.76
0	185.18	4.22	964.35	21.99
1	1503.68	34.28	2468.03	56.27
2	1311.35	29.90	3779.38	86.17
3	432.99	9.87	4212.37	96.04
4	115.06	2.62	4327.43	98.66
5	37.55	0.86	4364.98	99.52
6	12.28	0.28	4377.26	99.80
7	7.05	0.16	4384.31	99.96
10	1.69	0.04	4386.00	100.00

**chb13m2a: 4/5 - M - P1D 11+P2L 9 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.89	1.55	67.89	1.55
-9	-9	711.28	16.22	779.17	17.76
Less than 1	0	185.18	4.22	964.35	21.99
0.5	0.5	0.33	0.01	964.68	21.99
1	1	1503.35	34.28	2468.03	56.27
2	2	1311.35	29.90	3779.38	86.17
2.5	2.5	2.65	0.06	3782.03	86.23
3	3	430.34	9.81	4212.37	96.04
4	4	115.06	2.62	4327.43	98.66
5	5	37.55	0.86	4364.98	99.52
6 or more	6	21.02	0.48	4386.00	100.00

**chb13m1b: 4/5 - M - P1D 12+P2L 10 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	28.01	0.64	28.01	0.64
-9	711.28	16.22	739.28	16.86
0	24.38	0.56	763.66	17.41
1	890.29	20.30	1653.95	37.71
2	1162.57	26.51	2816.52	64.22
3	879.02	20.04	3695.54	84.26
4	425.98	9.71	4121.52	93.97
5	198.27	4.52	4319.79	98.49
6	50.97	1.16	4370.76	99.65
7	13.08	0.30	4383.84	99.95
8	2.16	0.05	4386.00	100.00

**chb13m1a: 4/5 - M - P1D 12+P2L 10 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.01	0.64	28.01	0.64
-9	-9	711.28	16.22	739.28	16.86
Less than 1	0	24.38	0.56	763.66	17.41
0.5	0.5	3.29	0.08	766.95	17.49
1	1	887.00	20.22	1653.95	37.71
1.5	1.5	1.57	0.04	1655.51	37.75
2	2	1161.00	26.47	2816.52	64.22
2.5	2.5	2.90	0.07	2819.42	64.28
3	3	876.12	19.98	3695.54	84.26
4	4	425.98	9.71	4121.52	93.97
4.5	4.5	0.65	0.01	4122.17	93.98
5	5	197.62	4.51	4319.79	98.49
6 or more	6	66.21	1.51	4386.00	100.00

**chb14m2: 4/5 - M - P1D 13+P2L 11 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	103.44	2.36	103.44	2.36
-9	711.28	16.22	814.71	18.58
0	381.14	8.69	1195.85	27.27
1	524.00	11.95	1719.85	39.21
2	695.73	15.86	2415.59	55.07
3	733.63	16.73	3149.21	71.80
4	450.77	10.28	3599.98	82.08
5	406.77	9.27	4006.75	91.35
6	131.30	2.99	4138.05	94.35
7	247.95	5.65	4386.00	100.00

**chb15f5: 4/5 - F - F2F A32.1+P2L 16 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.66	0.22	9.66	0.22
-9	-9	1864.93	42.52	1874.59	42.74
Yes	1	547.27	12.48	2421.86	55.22
No	2	1964.14	44.78	4386.00	100.00

**chb15f6: 4/5 - F - F2F A32.3+P2L 17 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.33	0.51	22.33	0.51
-9	-9	3829.07	87.30	3851.39	87.81
Less than one a day	1	31.45	0.72	3882.85	88.53
1 to 5 per day	2	101.25	2.31	3984.10	90.84
6 to 10 per day	3	125.57	2.86	4109.66	93.70
11 to 20 per day	4	204.60	4.66	4314.26	98.36
More than 20 per day	5	71.74	1.64	4386.00	100.00

**chb15f1: 4/5 - F - F2F A32.1/3+P2L 16-17 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.33	0.51	22.33	0.51
-9	-9	1864.93	42.52	1887.26	43.03
Do not smoke at all	1	1964.14	44.78	3851.39	87.81
Less than once a day	2	31.45	0.72	3882.85	88.53
At least once a day	3	503.15	11.47	4386.00	100.00

**chb16f2: 4/5 - F - F2F A33.1+P2L 18 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.41	0.21	9.41	0.21
-9	-9	1864.93	42.52	1874.34	42.73
Never	0	234.70	5.35	2109.05	48.09
Not in the last year	1	30.12	0.69	2139.17	48.77
Monthly or less	2	383.00	8.73	2522.16	57.50
2 to 3 times a month	3	271.36	6.19	2793.52	63.69
Once a week	4	363.94	8.30	3157.47	71.99
2 to 3 times a week	5	667.94	15.23	3825.41	87.22
4 to 6 times a week	6	410.40	9.36	4235.80	96.58
Everyday	7	150.20	3.42	4386.00	100.00

**chb16f3: 4/5 - F - F2F A33.2+P2L 19 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.68	0.65	28.68	0.65
-9	-9	2099.63	47.87	2128.31	48.53
1 or 2	1	1141.20	26.02	3269.51	74.54
3 or 4	2	743.87	16.96	4013.39	91.50
5 or 6	3	274.79	6.27	4288.18	97.77
7 to 10	4	73.21	1.67	4361.38	99.44
11 or more	5	24.62	0.56	4386.00	100.00

**chb16f6: 4/5 - F - F2F A33.3+P2L 20 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.74	0.70	30.74	0.70
-9	-9	1864.93	42.52	1895.67	43.22
Everyday	1	11.51	0.26	1907.18	43.48
4-6 times a week	2	34.75	0.79	1941.92	44.28
2-3 times a week	3	122.60	2.80	2064.52	47.07
Once a week	4	244.20	5.57	2308.72	52.64
2-3 times a month	5	239.41	5.46	2548.13	58.10
Monthly or less	6	940.56	21.44	3488.69	79.54
Never	7	897.31	20.46	4386.00	100.00

**chb16f5: 4/5 - F - F2F A33.3+P2L 20 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.74	0.70	30.74	0.70
-9	-9	2099.63	47.87	2130.38	48.57
Everyday	1	11.51	0.26	2141.88	48.83
4-6 times a week	2	34.75	0.79	2176.63	49.63
2-3 times a week	3	122.60	2.80	2299.22	52.42
Once a week	4	244.20	5.57	2543.42	57.99
2-3 times a month	5	239.41	5.46	2782.84	63.45
Monthly or less	6	1603.16	36.55	4386.00	100.00

**cfavdac: 4/5 - F - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1889.68	43.08	1889.68	43.08
0	950.45	21.67	2840.13	64.75
0.5	563.82	12.85	3403.95	77.61
1	263.27	6.00	3667.22	83.61
1.5	283.81	6.47	3951.03	90.08
2	84.32	1.92	4035.36	92.01
2.5	159.46	3.64	4194.82	95.64
3	24.36	0.56	4219.18	96.20
3.5	70.59	1.61	4289.77	97.81
4	48.56	1.11	4338.32	98.91
4.5	6.31	0.14	4344.63	99.06
5.5	26.31	0.60	4370.94	99.66
6.5	9.74	0.22	4380.68	99.88
8.5	4.32	0.10	4385.00	99.98
12	1.00	0.02	4386.00	100.00

**cfalcgp: 4/5 - F - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1881.56	42.90	1881.56	42.90
Abstain not in the last year	1	264.82	6.04	2146.38	48.94
Occasional less than monthly	2	383.00	8.73	2529.38	57.67
Light <2 drinks/day men, <1 women	3	1418.32	32.34	3947.69	90.01
Moderate >=2 to <4 men, >=1 to <2 women	4	342.07	7.80	4289.77	97.81

**cfalcgp: 4/5 - F - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous $\geq 4$ to $< 6$ men, $\geq 2$ and $< 4$ women	5	81.17	1.85	4370.94	99.66
Harmful $\geq 6$ men, $\geq 4$ women	6	15.06	0.34	4386.00	100.00

**cfhvdac: 4/5 - F - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1889.68	43.08	1889.68	43.08
Yes	1	96.23	2.19	1985.91	45.28
No	2	2400.09	54.72	4386.00	100.00

**cfbinge: 4/5 - F - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1892.46	43.15	1892.46	43.15
Yes	1	652.46	14.88	2544.92	58.02
No	2	1841.08	41.98	4386.00	100.00

**cfalcp: 4/5 - F - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1897.49	43.26	1897.49	43.26
Yes	1	654.65	14.93	2552.14	58.19
No	2	1833.86	41.81	4386.00	100.00

**chb13f2b: 4/5 - F - P1D 11+P2L 9 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.41	1.65	72.41	1.65
-9	1878.21	42.82	1950.63	44.47
0	255.66	5.83	2206.29	50.30
1	1135.97	25.90	3342.26	76.20
2	676.98	15.43	4019.23	91.64
3	241.74	5.51	4260.97	97.15
4	84.05	1.92	4345.02	99.07
5	29.35	0.67	4374.37	99.73
6	4.64	0.11	4379.01	99.84
7	3.64	0.08	4382.65	99.92
8	2.76	0.06	4385.41	99.99
9	0.59	0.01	4386.00	100.00

**chb13f2a: 4/5 - F - P1D 11+P2L 9 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	72.41	1.65	72.41	1.65
-9	-9	1878.21	42.82	1950.63	44.47
Less than 1	0	255.66	5.83	2206.29	50.30
1	1	1135.97	25.90	3342.26	76.20
2	2	676.98	15.43	4019.23	91.64
3	3	241.74	5.51	4260.97	97.15
4	4	84.05	1.92	4345.02	99.07



**chb13f2a: 4/5 - F - P1D 11+P2L 9 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	5	29.35	0.67	4374.37	99.73
6 or more	6	11.63	0.27	4386.00	100.00

**chb13f1b: 4/5 - F - P1D 12+P2L 10 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33.67	0.77	33.67	0.77
-9	1878.21	42.82	1911.88	43.59
0	25.09	0.57	1936.97	44.16
1	948.68	21.63	2885.65	65.79
2	847.64	19.33	3733.29	85.12
3	423.35	9.65	4156.64	94.77
4	152.91	3.49	4309.55	98.26
5	54.65	1.25	4364.20	99.50
6	12.50	0.29	4376.70	99.79
7	4.75	0.11	4381.44	99.90
8	2.28	0.05	4383.72	99.95
9	2.28	0.05	4386.00	100.00

**chb13f1a: 4/5 - F - P1D 12+P2L 10 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.67	0.77	33.67	0.77
-9	-9	1878.21	42.82	1911.88	43.59
Less than 1	0	25.09	0.57	1936.97	44.16
0.5	0.5	0.51	0.01	1937.48	44.17
1	1	948.17	21.62	2885.65	65.79
2	2	847.64	19.33	3733.29	85.12
3	3	423.35	9.65	4156.64	94.77
4	4	152.91	3.49	4309.55	98.26
5	5	54.65	1.25	4364.20	99.50
6 or more	6	21.80	0.50	4386.00	100.00

**chb14f2: 4/5 - F - P1D 13+P2L 11 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.14	1.28	56.14	1.28
-9	1878.21	42.82	1934.35	44.10
0	214.22	4.88	2148.58	48.99
1	379.04	8.64	2527.61	57.63
2	435.80	9.94	2963.41	67.57
3	427.41	9.74	3390.82	77.31
4	293.42	6.69	3684.25	84.00
5	337.91	7.70	4022.16	91.70
6	138.37	3.15	4160.52	94.86
7	225.48	5.14	4386.00	100.00