

05 Health status

chs08a: 4/5 - Condition difficulties?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	286.78	6.54	4216.04	96.13
No	2	169.96	3.87	4386.00	100.00

chs08a1: 4/5 - Condition difficulties? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	225.51	5.14	4154.77	94.73
Yes	1	231.23	5.27	4386.00	100.00

chs08a2: 4/5 - Condition difficulties? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	440.69	10.05	4369.95	99.63
Yes	1	16.05	0.37	4386.00	100.00

chs08a3: 4/5 - Condition difficulties? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	382.73	8.73	4311.99	98.31
Yes	1	74.01	1.69	4386.00	100.00

chs08a4: 4/5 - Condition difficulties? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	359.23	8.19	4288.49	97.78
Yes	1	97.51	2.22	4386.00	100.00

chs08a7: 4/5 - Condition difficulties? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	356.55	8.13	4285.81	97.72
Yes	1	100.19	2.28	4386.00	100.00

chs08a8: 4/5 - Condition difficulties? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	356.20	8.12	4285.46	97.71
Yes	1	100.54	2.29	4386.00	100.00

chs08a5: 4/5 - Condition difficulties? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	344.10	7.85	4273.36	97.43
Yes	1	112.64	2.57	4386.00	100.00

chs08a6: 4/5 - Condition difficulties? Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
No	0	426.31	9.72	4355.57	99.31
Yes	1	30.43	0.69	4386.00	100.00

chs08b: 4/5 - Need more help?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	231.26	5.27	4160.52	94.86
No	2	225.48	5.14	4386.00	100.00

chs08b1: 4/5 - Need more help? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	180.45	4.11	4109.71	93.70
No	2	276.29	6.30	4386.00	100.00

chs08b2: 4/5 - Need more help? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	13.81	0.31	3943.07	89.90
No	2	442.93	10.10	4386.00	100.00

chs08b3: 4/5 - Need more help? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	68.65	1.57	3997.91	91.15
No	2	388.09	8.85	4386.00	100.00

chs08b4: 4/5 - Need more help? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	81.22	1.85	4010.48	91.44
No	2	375.52	8.56	4386.00	100.00

chs08b7: 4/5 - Need more help? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	77.76	1.77	4007.02	91.36
No	2	378.98	8.64	4386.00	100.00

chs08b8: 4/5 - Need more help? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	83.92	1.91	4013.18	91.50
No	2	372.82	8.50	4386.00	100.00

chs08b5: 4/5 - Need more help? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3929.26	89.59	3929.26	89.59
Yes	1	97.49	2.22	4026.75	91.81
No	2	359.25	8.19	4386.00	100.00

chs13c: 4/5 - SC - F2F A4 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Excellent	1	2346.60	53.50	2347.41	53.52
Very good	2	1470.03	33.52	3817.44	87.04
Good	3	473.67	10.80	4291.11	97.84
Fair	4	88.62	2.02	4379.73	99.86
Poor	5	6.27	0.14	4386.00	100.00

chs14a: 4/5 - F2F A5.1 - Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	574.44	13.10	575.25	13.12
No	2	3810.75	86.88	4386.00	100.00

chs14b: 4/5 - F2F A5.2 - Uses medicine because of condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	553.64	12.62	554.46	12.64
No	2	3831.54	87.36	4386.00	100.00

chs14c: 4/5 - F2F A5.3 - Medicated condition for 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	17.43	0.40	18.24	0.42
Yes	1	418.36	9.54	436.61	9.95
No	2	3949.39	90.05	4386.00	100.00

chs14d: 4/5 - F2F A5.4 - Extra medical care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	7.33	0.17	8.14	0.19
Yes	1	447.60	10.21	455.74	10.39
No	2	3930.26	89.61	4386.00	100.00

chs14e: 4/5 - F2F A5.5 - Extra medical care is due to condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	10.73	0.24	11.54	0.26
Yes	1	385.53	8.79	397.08	9.05
No	2	3988.92	90.95	4386.00	100.00

chs14f: 4/5 - F2F A5.6 - Extra care condition for year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	21.78	0.50	22.59	0.52
Yes	1	357.45	8.15	380.04	8.66
No	2	4005.96	91.34	4386.00	100.00

cshcn: 4/5 - Special health care needs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.31	0.05	2.31	0.05
Yes	1	650.32	14.83	652.63	14.88
No	2	3733.37	85.12	4386.00	100.00

chs28a: 4/5 - F2F A6.1 - Concerns about SC's physical health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
None	1	3119.06	71.11	3119.87	71.13
A little bit	2	818.56	18.66	3938.43	89.80
Some	3	265.09	6.04	4203.51	95.84
Quite a bit	4	130.20	2.97	4333.72	98.81
A lot	5	52.28	1.19	4386.00	100.00

chs28b: 4/5 - F2F A6.2 - Concerns about SC's emotional health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
None	1	2261.96	51.57	2262.77	51.59
A little bit	2	1321.52	30.13	3584.29	81.72
Some	3	502.63	11.46	4086.92	93.18
Quite a bit	4	223.54	5.10	4310.46	98.28
A lot	5	75.54	1.72	4386.00	100.00

cparimp: 4/5 - Parental impact scale

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
1	1764.53	40.23	1765.34	40.25
2	1938.49	44.20	3703.84	84.45
3	526.07	11.99	4229.91	96.44
4	127.50	2.91	4357.41	99.35
5	28.59	0.65	4386.00	100.00

chs12a: 4/5 - F2F A6 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Not at all	1	3635.19	82.88	3636.00	82.90
A little	2	590.83	13.47	4226.83	96.37
Moderately	3	115.26	2.63	4342.09	99.00
Very	4	43.91	1.00	4386.00	100.00

chs12b: 4/5 - F2F A7.2 - Judgment about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	2.88	0.07	3.69	0.08
Underweight	1	368.33	8.40	372.03	8.48
Normal weight	2	3874.38	88.34	4246.41	96.82
Somewhat overweight	3	133.50	3.04	4379.91	99.86
Very overweight	4	6.09	0.14	4386.00	100.00

chs15b: 4/5 - F2F A8.1 - SC had illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	1.28	0.03	2.09	0.05
Yes	1	884.74	20.17	886.83	20.22
No	2	3499.17	79.78	4386.00	100.00

chs15c: 4/5 - F2F A8.2 - Frequency of wheezing in last 12 months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
-2	1.28	0.03	2.09	0.05
0	4124.17	94.03	4126.26	94.08
5	236.50	5.39	4362.77	99.47
10	15.40	0.35	4378.16	99.82
15	2.30	0.05	4380.46	99.87
20	0.63	0.01	4381.09	99.89
25	1.70	0.04	4382.79	99.93
40	0.65	0.01	4383.44	99.94
50	2.56	0.06	4386.00	100.00

chs29a: 4/5 - F2F A9.1 - SC diagnosed with asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	9.81	0.22	10.62	0.24
Yes	1	954.42	21.76	965.04	22.00
No	2	3420.96	78.00	4386.00	100.00

chs29b: 4/5 - F2F A9.2 - Medication for asthma in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	13.11	0.30	13.92	0.32
Yes	1	633.94	14.45	647.86	14.77
No	2	3738.14	85.23	4386.00	100.00

chs17: 4/5 - F2F A10 - Has ongoing condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	1526.51	34.80	1527.32	34.82
No	2	2858.68	65.18	4386.00	100.00

chs17d: 4/5 - F2F A10.1 - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	3741.46	85.30	3742.27	85.32
Yes	1	643.73	14.68	4386.00	100.00

chs17i: 4/5 - F2F A10.2 - SC has ongoing - ADD/ADHD

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4357.52	99.35	4358.33	99.37
Yes	1	27.67	0.63	4386.00	100.00

chs17b: 4/5 - F2F A10.3 - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4245.26	96.79	4246.07	96.81
Yes	1	139.93	3.19	4386.00	100.00

chs17e: 4/5 - F2F A10.4 - Diarrhoea/colitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4350.06	99.18	4350.87	99.20
Yes	1	35.13	0.80	4386.00	100.00

chs17g: 4/5 - F2F A10.5 - Ear infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4127.41	94.10	4128.22	94.12
Yes	1	257.78	5.88	4386.00	100.00

chs17o: 4/5 - F2F A10.6 - Constipation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4244.61	96.78	4245.42	96.79
Yes	1	140.58	3.21	4386.00	100.00

chs17p: 4/5 - F2F A10.7 - Soiling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4312.60	98.33	4313.41	98.34
Yes	1	72.59	1.66	4386.00	100.00

chs17a: 4/5 - F2F A10.8 - Hearing problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4292.18	97.86	4292.99	97.88
Yes	1	93.01	2.12	4386.00	100.00

chs17q: 4/5 - F2F A10.9 - Tonsillitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4212.10	96.04	4212.91	96.05
Yes	1	173.09	3.95	4386.00	100.00

chs17i: 4/5 - F2F A10.10 - Food or digestive allergies

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4087.81	93.20	4088.62	93.22
Yes	1	297.38	6.78	4386.00	100.00

chs17m: 4/5 - F2F A10.11 - Frequent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4341.54	98.99	4342.35	99.00
Yes	1	43.65	1.00	4386.00	100.00

chs17n: 4/5 - F2F A10.12 - Recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4293.76	97.90	4294.57	97.92
Yes	1	91.43	2.08	4386.00	100.00

chs17h: 4/5 - F2F A10.13 - Other infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4335.49	98.85	4336.31	98.87
Yes	1	49.69	1.13	4386.00	100.00

chs17j: 4/5 - F2F A10.15 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4248.52	96.87	4249.34	96.88
Yes	1	136.66	3.12	4386.00	100.00

cnumcond: 4/5 - No. ongoing conditions

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	2858.68	65.18	2859.49	65.20
2	1383.83	31.55	4243.31	96.75
4	126.35	2.88	4369.66	99.63
6	12.75	0.29	4382.41	99.92
8	3.59	0.08	4386.00	100.00

chs17i1a: 4/5 - F2F A12.1 - Allergy to peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4288.36	97.77	4289.17	97.79
Yes	1	96.83	2.21	4386.00	100.00

chs17i2a: 4/5 - F2F A12.2 - Allergy to hen's eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4321.84	98.54	4322.65	98.56
Yes	1	63.35	1.44	4386.00	100.00

chs17i3a: 4/5 - F2F A12.3 - Allergy to cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4278.99	97.56	4279.81	97.58
Yes	1	106.19	2.42	4386.00	100.00

chs17i4a: 4/5 - F2F A12.4 - Allergy to soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4361.55	99.44	4362.36	99.46
Yes	1	23.64	0.54	4386.00	100.00

chs17i5a: 4/5 - F2F A12.5 - Allergy to sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4373.36	99.71	4374.18	99.73
Yes	1	11.82	0.27	4386.00	100.00

chs17i6a: 4/5 - F2F A12.6 - Allergy to wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4338.20	98.91	4339.01	98.93
Yes	1	46.99	1.07	4386.00	100.00

chs17i7a: 4/5 - F2F A12.7 - Allergy to other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4251.33	96.93	4252.14	96.95
Yes	1	133.86	3.05	4386.00	100.00

zhs17i8: F2F A13 - Age diagnosed with allergy

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.30	0.05	2.30	0.05
-9	4087.81	93.20	4090.10	93.25
0	39.62	0.90	4129.73	94.16
12	99.66	2.27	4229.38	96.43
24	87.02	1.98	4316.40	98.41
36	24.89	0.57	4341.29	98.98
48	41.37	0.94	4382.66	99.92
60	3.34	0.08	4386.00	100.00

zhs17i8a: F2F A13.1 - Age allergy - unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.30	0.05	2.30	0.05
-9	-9	4087.81	93.20	4090.10	93.25
Age in months	1	153.84	3.51	4243.95	96.76
Age in years	2	142.05	3.24	4386.00	100.00

zhs17i8b: F2F A13.2 - Age allergy - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.30	0.05	2.30	0.05
-9	4087.81	93.20	4090.10	93.25
0	181.67	4.14	4271.78	97.40
12	81.61	1.86	4353.39	99.26
24	29.21	0.67	4382.59	99.92
36	1.24	0.03	4383.83	99.95
48	0.86	0.02	4384.69	99.97
60	1.31	0.03	4386.00	100.00

chs17i1: 4/5 - F2F W1-2+A14 - Had ADD or ADHD medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.60	0.06	2.60	0.06
-9	-9	4357.52	99.35	4360.12	99.41
Yes	1	11.67	0.27	4371.79	99.68
No	2	14.21	0.32	4386.00	100.00

chs17i3: 4/5 - F2F A14.1 - Taking ADD medication?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.60	0.06	2.60	0.06
-9	-9	4371.73	99.67	4374.33	99.73
Yes	1	9.43	0.21	4383.76	99.95
No	2	2.24	0.05	4386.00	100.00

chs17i2b: 4/5 - F2F A14.2 - Ritalin or Dexamphetamine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.60	0.06	2.60	0.06
-9	-9	4373.97	99.73	4376.57	99.79
-2	-2	2.85	0.07	4379.42	99.85
Ritalin	1	5.54	0.13	4384.96	99.98
Dexamphetamine	2	1.04	0.02	4386.00	100.00

chs31a: 4/5 - F2F A15.1 - Does child wear glasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	89.89	2.05	90.70	2.07
No	2	4295.30	97.93	4386.00	100.00

zhs31b: F2F W2+A15.2 - Age started wearing glasses

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
-9	4293.23	97.88	4294.04	97.90
0	2.02	0.05	4296.06	97.95
10	5.86	0.13	4301.92	98.08
20	10.36	0.24	4312.29	98.32
30	4.02	0.09	4316.31	98.41

zhs31b: F2F W2+A15.2 - Age started wearing glasses

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
40	21.91	0.50	4338.21	98.91
50	38.18	0.87	4376.40	99.78
60	9.60	0.22	4386.00	100.00

zhs31b1: F2F W2+A15.2.1 - Age started wearing glasses - unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	4293.23	97.88	4294.04	97.90
Age in months	1	20.75	0.47	4314.79	98.38
Age in years	2	71.21	1.62	4386.00	100.00

zhs31b2: F2F W2+A15.2.2 - Age started wearing glasses - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
-9	4293.23	97.88	4294.04	97.90
0	5.65	0.13	4299.69	98.03
5	62.55	1.43	4362.25	99.46
10	2.76	0.06	4365.01	99.52
15	1.97	0.04	4366.98	99.57
20	3.15	0.07	4370.13	99.64
25	0.97	0.02	4371.10	99.66
30	2.46	0.06	4373.56	99.72
35	2.66	0.06	4376.22	99.78
40	8.90	0.20	4385.12	99.98
55	0.88	0.02	4386.00	100.00

chs31c: 4/5 - F2F A15.3 - Why does child wear glasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	4295.30	97.93	4296.11	97.95
Short sighted myopia	1	16.37	0.37	4312.48	98.32
Long sighted	2	24.50	0.56	4336.99	98.88
Turned eyes squint	3	10.77	0.25	4347.75	99.13
Astigmatism	4	21.34	0.49	4369.09	99.61
Amblyopia lazy eye	5	11.68	0.27	4380.78	99.88
Other reason	6	5.22	0.12	4386.00	100.00

chs18a: 4/5 - F2F A16.1 - No. times SC injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4378.52	99.83	4379.33	99.85
10	6.67	0.15	4386.00	100.00

chs18b1: 4/5 - F2F A16.2.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	536.34	12.23	4295.65	97.94
Yes	1	90.35	2.06	4386.00	100.00

chs18b2: 4/5 - F2F A16.2.2 - Injury - burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	612.03	13.95	4371.33	99.67
Yes	1	14.67	0.33	4386.00	100.00

chs18b3: 4/5 - F2F A16.2.3 - Injury - dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	617.86	14.09	4377.17	99.80
Yes	1	8.83	0.20	4386.00	100.00

chs18b4: 4/5 - F2F A16.2.4 - Injury - sprain or strain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	575.14	13.11	4334.44	98.82
Yes	1	51.56	1.18	4386.00	100.00

chs18b5: 4/5 - F2F A16.2.5 - Injury - cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	327.75	7.47	4087.06	93.18
Yes	1	298.94	6.82	4386.00	100.00

chs18b6: 4/5 - F2F A16.2.6 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	576.82	13.15	4336.12	98.86
Yes	1	49.88	1.14	4386.00	100.00

chs18b7: 4/5 - F2F A16.2.7 - Injury - internal (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	624.99	14.25	4384.29	99.96
Yes	1	1.71	0.04	4386.00	100.00

chs18b8: 4/5 - F2F A16.2.8 - Injury - dental

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	604.00	13.77	4363.30	99.48
Yes	1	22.70	0.52	4386.00	100.00

chs18b9: 4/5 - F2F A16.2.9 - Injury - accidental poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	624.35	14.24	4383.65	99.95
Yes	1	2.35	0.05	4386.00	100.00

chs18b10: 4/5 - F2F A16.2.10 - Injury - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
No	0	501.48	11.43	4260.78	97.15
Yes	1	125.22	2.85	4386.00	100.00

chs18d1: 4/5 - F2F A16.3.1 - No. of times broken bones

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4385.19	99.98	4386.00	100.00

chs18d2: 4/5 - F2F A16.3.2 - No. of times burn or scald

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4370.52	99.65	4371.33	99.67
1	14.67	0.33	4386.00	100.00

chs18d3: 4/5 - F2F A16.3.3 - No. of times dislocation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4384.32	99.96	4385.13	99.98
5	0.87	0.02	4386.00	100.00

chs18d4: 4/5 - F2F A16.3.4 - No. of times sprain or strain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4333.63	98.81	4334.44	98.82
1	49.32	1.12	4383.76	99.95
2	1.57	0.04	4385.33	99.98
3	0.67	0.02	4386.00	100.00

chs18d5: 4/5 - F2F A16.3.5 - No. of times cut or scrape

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4086.24	93.17	4087.06	93.18
1	247.72	5.65	4334.77	98.83
2	37.32	0.85	4372.09	99.68
3	5.80	0.13	4377.89	99.82
4	2.98	0.07	4380.87	99.88
5	1.72	0.04	4382.59	99.92
7	2.53	0.06	4385.12	99.98
8	0.88	0.02	4386.00	100.00

chs18d6: 4/5 - F2F A16.3.6 - No. of times concussion

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4335.31	98.84	4336.12	98.86
1	46.85	1.07	4382.97	99.93
2	3.03	0.07	4386.00	100.00

chs18d7: 4/5 - F2F A16.3.7 - No. of times internal (not head)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4383.48	99.94	4384.29	99.96
1	0.84	0.02	4385.13	99.98
6	0.87	0.02	4386.00	100.00

chs18d8: 4/5 - F2F A16.3.8 - No. of times dental

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4362.49	99.46	4363.30	99.48
1	19.91	0.45	4383.21	99.94
2	2.79	0.06	4386.00	100.00

chs18d9: 4/5 - F2F A16.3.9 - No. of times accidental poisoning

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4382.84	99.93	4383.65	99.95
1	2.35	0.05	4386.00	100.00

chs18d10: 4/5 - F2F A16.3.10 - No. of times other

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4259.97	97.13	4260.78	97.15
1	122.51	2.79	4383.30	99.94
2	2.70	0.06	4386.00	100.00

chs18c1: 4/5 - F2F A16.4 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	46.41	1.06	47.23	1.08
No	2	4338.77	98.92	4386.00	100.00

chs18c2: 4/5 - F2F A16.5 - No. times in hospital injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4338.77	98.92	4339.59	98.94
1	43.40	0.99	4382.99	99.93
2	2.15	0.05	4385.13	99.98
3	0.87	0.02	4386.00	100.00

chs18e: 4/5 - F2F A16.6 - Where most serious injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3758.49	85.69	3759.31	85.71
Home	1	354.09	8.07	4113.40	93.78
School or child care	2	86.94	1.98	4200.34	95.77
Car accident	3	6.70	0.15	4207.04	95.92
Pedestrian accident	4	5.85	0.13	4212.89	96.05
Other	5	173.11	3.95	4386.00	100.00

chs19a1: 4/5 - F2F A17.1 - Non-injury hospital stays

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	351.16	8.01	351.97	8.02
No	2	4034.03	91.98	4386.00	100.00

chs19a2: 4/5 - F2F A17.2 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
0	4034.03	91.98	4034.84	91.99
1	278.94	6.36	4313.78	98.35
2	43.91	1.00	4357.69	99.35
3	16.72	0.38	4374.41	99.74
4	4.15	0.09	4378.56	99.83
5	2.91	0.07	4381.47	99.90

chs19a2: 4/5 - F2F A17.2 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	0.93	0.02	4382.40	99.92
10	3.60	0.08	4386.00	100.00

chs19b1: 4/5 - F2F A17.3.1 - Hospital - fever or viral illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4349.36	99.16	4349.36	99.16
Yes	1	36.64	0.84	4386.00	100.00

chs19b2: 4/5 - F2F A17.3.2 - Hospital - asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4307.43	98.21	4307.43	98.21
Yes	1	78.57	1.79	4386.00	100.00

chs19b3: 4/5 - F2F A17.3.3 - Hospital - gastroenteritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4353.64	99.26	4353.64	99.26
Yes	1	32.36	0.74	4386.00	100.00

chs19b4: 4/5 - F2F A17.3.4 - Hospital - pneumonia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4364.55	99.51	4364.55	99.51
Yes	1	21.45	0.49	4386.00	100.00

chs19b5: 4/5 - F2F A17.3.5 - Hospital - bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4377.12	99.80	4377.12	99.80
Yes	1	8.88	0.20	4386.00	100.00

chs19b6: 4/5 - F2F A17.3.6 - Hospital - urine infection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4382.99	99.93	4382.99	99.93
Yes	1	3.01	0.07	4386.00	100.00

chs19b7: 4/5 - F2F A17.3.7 - Hospital - croup

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4365.41	99.53	4365.41	99.53
Yes	1	20.59	0.47	4386.00	100.00

chs19b8: 4/5 - F2F A17.3.8 - Hospital - febrile convulsion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4381.13	99.89	4381.13	99.89
Yes	1	4.87	0.11	4386.00	100.00

chs19b10: 4/5 - F2F A17.3.9 - Hospital - Tonsillectomy etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4295.25	97.93	4295.25	97.93
Yes	1	90.75	2.07	4386.00	100.00

chs19b11: 4/5 - F2F A17.3.10 - Hospital - other, surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4324.63	98.60	4324.63	98.60
Yes	1	61.37	1.40	4386.00	100.00

chs19b12: 4/5 - F2F A17.3.11 - Hospital - other, no surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4351.14	99.21	4351.14	99.21
Yes	1	34.86	0.79	4386.00	100.00

chs20a: 4/5 - F2F A18 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Not a problem at all	1	3073.48	70.07	3074.29	70.09
A small problem	2	919.87	20.97	3994.16	91.07
A moderate problem	3	282.12	6.43	4276.27	97.50
A large problem	4	109.73	2.50	4386.00	100.00

chs21a1: 4/5 - F2F A19 - Does child go to bed at regular times

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Always	1	2076.70	47.35	2077.51	47.37
Usually	2	1844.91	42.06	3922.42	89.43
Sometimes	3	265.94	6.06	4188.36	95.49
Rarely	4	129.62	2.96	4317.99	98.45
Never	5	68.01	1.55	4386.00	100.00

chs20b: 4/5 - F2F A20 - Does child have any sleep problems?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	2066.85	47.12	2067.66	47.14
No	2	2318.34	52.86	4386.00	100.00

chs20b3: 4/5 - F2F A20.1 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	3870.10	88.24	3870.91	88.26
Yes	1	515.08	11.74	4386.00	100.00

chs20b4: 4/5 - F2F A20.2 - Sleep problems - Sleeping alone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	3466.10	79.03	3466.91	79.04
Yes	1	919.09	20.96	4386.00	100.00

chs20b5: 4/5 - F2F A20.3 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	3647.89	83.17	3648.70	83.19
Yes	1	737.30	16.81	4386.00	100.00

chs20b11: 4/5 - F2F A20.4 - Sleep problems - Restless sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4153.60	94.70	4154.42	94.72
Yes	1	231.58	5.28	4386.00	100.00

chs20b8: 4/5 - F2F A20.5 - Sleep problems - bed wetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	3872.69	88.30	3873.51	88.32
Yes	1	512.49	11.68	4386.00	100.00

chs20b9: 4/5 - F2F A20.6 - Sleep problems - nightmares/terrors

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4201.16	95.79	4201.97	95.80
Yes	1	184.03	4.20	4386.00	100.00

chs20b1b: 4/5 - F2F A20.7 - Sleep problems - wheezing or asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4305.78	98.17	4306.60	98.19
Yes	1	79.40	1.81	4386.00	100.00

chs20b2: 4/5 - F2F A20.8 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4044.80	92.22	4045.61	92.24
Yes	1	340.39	7.76	4386.00	100.00

chs20b10: 4/5 - F2F A20.9 - Sleep problems - seeming tired

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4071.87	92.84	4072.69	92.86
Yes	1	313.31	7.14	4386.00	100.00

chs20b7: 4/5 - F2F A20.10 - Sleep problems - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
No	0	4332.09	98.77	4332.90	98.79
Yes	1	53.09	1.21	4386.00	100.00

chs33a: 4/5 - F2F A22.1 - Is child dry by day yet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Yes	1	4308.65	98.24	4309.47	98.26
No	2	76.53	1.74	4386.00	100.00

zhs33b: F2F A22.2 - Age toilet trained

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	77.35	1.76	77.35	1.76
-2	3.47	0.08	80.82	1.84
0	6.02	0.14	86.84	1.98
12	157.13	3.58	243.97	5.56
24	1830.48	41.73	2074.45	47.30
36	2135.56	48.69	4210.01	95.99
48	170.48	3.89	4380.49	99.87
60	5.51	0.13	4386.00	100.00

zhs33b1: F2F A22.2.1 - Age toilet trained - unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	76.53	1.74	77.35	1.76
-2	-2	3.47	0.08	80.82	1.84
Months	1	2292.66	52.27	2373.48	54.11
Years	2	2012.52	45.89	4386.00	100.00

zhs33b2: F2F A22.2.2 - Age toilet trained - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.81	0.02	0.81	0.02
-9	76.53	1.74	77.35	1.76
-2	3.47	0.08	80.82	1.84
1	35.96	0.82	116.78	2.66
2	1106.79	25.23	1223.57	27.90
3	781.00	17.81	2004.57	45.70
4	92.67	2.11	2097.23	47.82
5	2.12	0.05	2099.35	47.86

zhs33b2: F2F A22.2.2 - Age toilet trained - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	2.22	0.05	2101.58	47.92
7	2.15	0.05	2103.73	47.96
8	1.44	0.03	2105.17	48.00
9	5.38	0.12	2110.55	48.12
10	2.68	0.06	2113.23	48.18
11	6.81	0.16	2120.05	48.34
12	13.31	0.30	2133.35	48.64
13	12.15	0.28	2145.51	48.92
14	22.74	0.52	2168.24	49.44
15	24.44	0.56	2192.69	49.99
16	22.30	0.51	2214.98	50.50
17	7.80	0.18	2222.78	50.68
18	155.66	3.55	2378.44	54.23
19	17.30	0.39	2395.74	54.62
20	61.10	1.39	2456.84	56.02
21	15.16	0.35	2472.00	56.36
22	54.36	1.24	2526.36	57.60
23	41.32	0.94	2567.68	58.54
24	47.61	1.09	2615.30	59.63
25	29.47	0.67	2644.76	60.30
26	85.24	1.94	2730.00	62.24
27	91.25	2.08	2821.25	64.32
28	80.98	1.85	2902.23	66.17
29	47.33	1.08	2949.56	67.25
30	580.31	13.23	3529.87	80.48
31	85.25	1.94	3615.12	82.42
32	145.18	3.31	3760.30	85.73
33	164.26	3.74	3924.55	89.48
34	122.93	2.80	4047.49	92.28
35	78.08	1.78	4125.56	94.06
36	53.71	1.22	4179.28	95.29
37	24.37	0.56	4203.65	95.84
38	51.53	1.17	4255.18	97.02
39	26.41	0.60	4281.58	97.62
40	18.76	0.43	4300.34	98.05
41	4.46	0.10	4304.80	98.15
42	60.55	1.38	4365.35	99.53
43	2.02	0.05	4367.37	99.58
44	1.55	0.04	4368.92	99.61
45	6.02	0.14	4374.93	99.75
46	2.39	0.05	4377.32	99.80
47	1.06	0.02	4378.38	99.83
48	3.75	0.09	4382.13	99.91
50	0.48	0.01	4382.61	99.92
54	1.75	0.04	4384.36	99.96
57	1.64	0.04	4386.00	100.00

zhs33c: F2F A22.3 - Difficulty of toilet training

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	76.53	1.74	77.35	1.76
Not difficult	1	3350.46	76.39	3427.81	78.15
Quite difficult	2	768.85	17.53	4196.66	95.68
Very difficult	3	189.34	4.32	4386.00	100.00

chs34: 4/5 - F2F A22.4 - Frequency of child wetting pants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-2	-2	5.55	0.13	6.36	0.15
Never	1	3261.25	74.36	3267.61	74.50
Up to once per month	2	893.71	20.38	4161.32	94.88
Up to once a week	3	150.79	3.44	4312.11	98.32
Most days	4	73.89	1.68	4386.00	100.00

chs50a1: 4/5 - F2F A31 - P1 sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
Very good	1	645.79	14.72	646.60	14.74
Fairly good	2	1319.41	30.08	1966.01	44.82
OK/adequate	3	1464.47	33.39	3430.48	78.21
Fairly bad	4	686.19	15.64	4116.67	93.86
Very bad	5	269.33	6.14	4386.00	100.00

chs23c2: 4/5 - SC - F2F K3 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.15	0.16	7.15	0.16
-9	41.68	0.95	48.83	1.11
-3	12.31	0.28	61.15	1.39
10	6.55	0.15	67.70	1.54
15	1055.40	24.06	1123.10	25.61
20	2648.30	60.38	3771.39	85.99
25	530.63	12.10	4302.02	98.09
30	66.44	1.51	4368.45	99.60
35	17.55	0.40	4386.00	100.00

chs23c1: 4/5 - SC - F2F K4 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.21	0.03	1.21	0.03
-9	41.68	0.95	42.89	0.98
-3	16.75	0.38	59.64	1.36
90	9.45	0.22	69.09	1.58
100	825.39	18.82	894.48	20.39
110	3001.17	68.43	3895.64	88.82
120	484.49	11.05	4380.13	99.87
130	5.87	0.13	4386.00	100.00

chs23c3: 4/5 - SC - F2F K5 - SC's waist measurements (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.90	0.09	3.90	0.09
-9	41.68	0.95	45.59	1.04
-3	36.23	0.83	81.82	1.87
45	208.69	4.76	290.51	6.62
50	1604.47	36.58	1894.98	43.21
55	1794.72	40.92	3689.70	84.12
60	509.26	11.61	4198.97	95.74
65	137.64	3.14	4336.60	98.87
70	34.90	0.80	4371.50	99.67
75	14.50	0.33	4386.00	100.00

ccbmi: 4/5 - SC - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.80	1.52	66.80	1.52
10	35.29	0.80	102.08	2.33
15	3389.01	77.27	3491.10	79.60
20	848.60	19.35	4339.69	98.94
25	46.31	1.06	4386.00	100.00

cwaz: 4/5 - Weight for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.15	1.39	61.15	1.39
-4	2.57	0.06	63.72	1.45
-3	23.11	0.53	86.82	1.98
-2	73.90	1.68	160.72	3.66
-1	482.53	11.00	643.25	14.67
0	1499.22	34.18	2142.48	48.85
1	1571.12	35.82	3713.60	84.67
2	575.61	13.12	4289.21	97.79
3	88.26	2.01	4377.46	99.81
4	8.54	0.19	4386.00	100.00

cwapct: 4/5 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.15	1.39	61.15	1.39
0	53.80	1.23	114.95	2.62
5	54.86	1.25	169.81	3.87
10	76.96	1.75	246.77	5.63
15	93.09	2.12	339.86	7.75
20	107.88	2.46	447.74	10.21
25	119.57	2.73	567.32	12.93
30	130.44	2.97	697.76	15.91
35	125.47	2.86	823.23	18.77
40	159.47	3.64	982.70	22.41
45	185.46	4.23	1168.16	26.63
50	198.60	4.53	1366.76	31.16
55	205.47	4.68	1572.23	35.85

cwapct: 4/5 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
60	203.11	4.63	1775.34	40.48
65	285.74	6.51	2061.08	46.99
70	242.89	5.54	2303.97	52.53
75	291.15	6.64	2595.12	59.17
80	319.11	7.28	2914.24	66.44
85	337.30	7.69	3251.54	74.13
90	405.21	9.24	3656.75	83.37
95	463.26	10.56	4120.01	93.94
100	265.99	6.06	4386.00	100.00

cbmiz: 4/5 - BMI z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.80	1.52	66.80	1.52
-6	10.19	0.23	76.99	1.76
-5	11.59	0.26	88.58	2.02
-4	17.41	0.40	105.98	2.42
-3	32.79	0.75	138.78	3.16
-2	114.17	2.60	252.95	5.77
-1	454.56	10.36	707.51	16.13
0	1286.04	29.32	1993.54	45.45
1	1639.61	37.38	3633.16	82.84
2	628.43	14.33	4261.59	97.16
3	112.29	2.56	4373.88	99.72
4	12.12	0.28	4386.00	100.00

cbmipct: 4/5 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.80	1.52	66.80	1.52
0	107.67	2.45	174.47	3.98
5	93.27	2.13	267.74	6.10
10	92.75	2.11	360.49	8.22
15	76.43	1.74	436.93	9.96
20	94.05	2.14	530.98	12.11
25	98.96	2.26	629.93	14.36
30	111.32	2.54	741.25	16.90
35	136.02	3.10	877.27	20.00
40	144.21	3.29	1021.48	23.29
45	149.81	3.42	1171.29	26.71
50	157.32	3.59	1328.61	30.29
55	163.30	3.72	1491.91	34.02
60	190.20	4.34	1682.11	38.35
65	236.47	5.39	1918.58	43.74
70	260.43	5.94	2179.01	49.68
75	262.20	5.98	2441.22	55.66
80	319.45	7.28	2760.66	62.94
85	363.31	8.28	3123.97	71.23
90	427.78	9.75	3551.75	80.98

cbmipct: 4/5 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
95	488.33	11.13	4040.08	92.11
100	345.92	7.89	4386.00	100.00

chaz: 4/5 - Height for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.64	1.36	59.64	1.36
-3	9.81	0.22	69.45	1.58
-2	88.36	2.01	157.81	3.60
-1	619.22	14.12	777.03	17.72
0	1555.29	35.46	2332.32	53.18
1	1487.22	33.91	3819.55	87.09
2	497.48	11.34	4317.02	98.43
3	68.98	1.57	4386.00	100.00

chapct: 4/5 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.64	1.36	59.64	1.36
0	35.48	0.81	95.13	2.17
5	84.00	1.92	179.12	4.08
10	104.55	2.38	283.67	6.47
15	116.75	2.66	400.42	9.13
20	138.40	3.16	538.82	12.28
25	141.30	3.22	680.12	15.51
30	145.67	3.32	825.79	18.83
35	140.88	3.21	966.67	22.04
40	178.76	4.08	1145.43	26.12
45	199.39	4.55	1344.82	30.66
50	231.95	5.29	1576.77	35.95
55	242.25	5.52	1819.02	41.47
60	191.05	4.36	2010.07	45.83
65	232.02	5.29	2242.09	51.12
70	256.58	5.85	2498.67	56.97
75	242.62	5.53	2741.29	62.50
80	312.72	7.13	3054.01	69.63
85	337.93	7.70	3391.94	77.34
90	375.60	8.56	3767.54	85.90
95	386.69	8.82	4154.23	94.72
100	231.77	5.28	4386.00	100.00

cwhz: 4/5 - Weight for height z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	89.88	2.05	89.88	2.05
-6	6.79	0.15	96.66	2.20
-5	13.23	0.30	109.89	2.51
-4	10.83	0.25	120.72	2.75
-3	33.99	0.78	154.71	3.53
-2	100.96	2.30	255.68	5.83

cwhz: 4/5 - Weight for height z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	480.16	10.95	735.84	16.78
0	1437.48	32.77	2173.32	49.55
1	1654.49	37.72	3827.81	87.27
2	510.82	11.65	4338.63	98.92
3	47.37	1.08	4386.00	100.00

cwhpct: 4/5 - Weight for height percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	89.88	2.05	89.88	2.05
0	132.92	3.03	222.80	5.08
10	172.37	3.93	395.17	9.01
20	200.63	4.57	595.80	13.58
30	246.94	5.63	842.74	19.21
40	307.04	7.00	1149.78	26.21
50	364.26	8.30	1514.04	34.52
60	450.74	10.28	1964.78	44.80
70	555.22	12.66	2520.00	57.46
80	665.56	15.17	3185.56	72.63
90	793.09	18.08	3978.65	90.71
100	407.35	9.29	4386.00	100.00

chs13a: 4/5 - P1 - P1D 10 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.92	0.16	6.92	0.16
-9	-9	692.89	15.80	699.81	15.96
Excellent	1	738.94	16.85	1438.76	32.80
Very good	2	1585.93	36.16	3024.68	68.96
Good	3	1014.17	23.12	4038.85	92.09
Fair	4	305.40	6.96	4344.25	99.05
Poor	5	41.75	0.95	4386.00	100.00

chs23a2: 4/5 - P1 - P1D 14 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	129.18	2.95	129.18	2.95
-9	692.89	15.80	822.07	18.74
40	27.85	0.63	849.92	19.38
50	404.59	9.22	1254.51	28.60
60	1021.96	23.30	2276.47	51.90
70	930.40	21.21	3206.88	73.12
80	552.79	12.60	3759.67	85.72
90	311.98	7.11	4071.65	92.83
100	161.25	3.68	4232.90	96.51
110	71.28	1.63	4304.18	98.13
120	39.06	0.89	4343.24	99.03
130	29.54	0.67	4372.77	99.70
140	13.23	0.30	4386.00	100.00

chs23a1: 4/5 - P1 - F2F W1-2+A34 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	86.04	1.96	86.04	1.96
-9	696.39	15.88	782.43	17.84
140	6.44	0.15	788.88	17.99
150	285.79	6.52	1074.67	24.50
160	1383.09	31.53	2457.76	56.04
170	1500.39	34.21	3958.15	90.25
180	392.15	8.94	4350.30	99.19
190	35.70	0.81	4386.00	100.00

cabmi: 4/5 - P1 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	911.61	20.78	911.61	20.78
15	33.53	0.76	945.14	21.55
20	1051.35	23.97	1996.50	45.52
25	1320.98	30.12	3317.47	75.64
30	641.29	14.62	3958.77	90.26
35	270.69	6.17	4229.45	96.43
40	96.35	2.20	4325.80	98.63
45	45.06	1.03	4370.87	99.65
50	15.13	0.35	4386.00	100.00

chs35a: 4/5 - P1 - P1D 16 - Currently pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.50	1.74	76.50	1.74
-9	-9	774.52	17.66	851.02	19.40
Not sure, possibly	-2	15.53	0.35	866.55	19.76
Yes	1	176.04	4.01	1042.59	23.77
No	2	3343.41	76.23	4386.00	100.00

chs27: 4/5 - P1D 17 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
Yes	1	2066.84	47.12	2863.52	65.29
No	2	1522.48	34.71	4386.00	100.00

chs27p: 4/5 - P1D 17a - Events - Pregnant/had a baby

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3038.72	69.28	3835.39	87.45
Yes	1	550.61	12.55	4386.00	100.00

chs27a: 4/5 - P1D 17b - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3363.83	76.69	4160.51	94.86
Yes	1	225.49	5.14	4386.00	100.00

chs27b: 4/5 - P1D 17c - Events - illness etc to close relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3334.48	76.03	4131.15	94.19
Yes	1	254.85	5.81	4386.00	100.00

chs27c: 4/5 - P1D 17d - Events - parent, partner or child died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3436.68	78.36	4233.35	96.52
Yes	1	152.65	3.48	4386.00	100.00

chs27d: 4/5 - P1D 17e - Events - Close friend or other rel. died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	2937.67	66.98	3734.35	85.14
Yes	1	651.65	14.86	4386.00	100.00

chs27e: 4/5 - P1D 17f - Events - broke off a steady relationship

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3459.31	78.87	4255.99	97.04
Yes	1	130.01	2.96	4386.00	100.00

chs27q: 4/5 - P1D 17g - Events - Had new house member

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3387.97	77.24	4184.64	95.41
Yes	1	201.36	4.59	4386.00	100.00

chs27f: 4/5 - P1D 17h - Events - problem with friend/relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3212.00	73.23	4008.68	91.40
Yes	1	377.32	8.60	4386.00	100.00

chs27k: 4/5 - P1D 17i - Events - had a major financial crisis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3300.11	75.24	4096.79	93.41
Yes	1	289.21	6.59	4386.00	100.00

chs27g: 4/5 - P1D 17j - Events - work disappointment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3355.24	76.50	4151.92	94.66
Yes	1	234.08	5.34	4386.00	100.00

chs27h: 4/5 - P1D 17k - Events - thought would soon lose job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3488.09	79.53	4284.77	97.69
Yes	1	101.23	2.31	4386.00	100.00

chs27i: 4/5 - P1D 17l - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3475.06	79.23	4271.74	97.39
Yes	1	114.26	2.61	4386.00	100.00

chs27j: 4/5 - P1D 17m - Events - sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3440.18	78.44	4236.86	96.60
Yes	1	149.14	3.40	4386.00	100.00

chs27l: 4/5 - P1D 17n - Events - legal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3511.00	80.05	4307.68	98.21
Yes	1	78.32	1.79	4386.00	100.00

chs27m: 4/5 - P1D 17o - Events - Valuable lost or stolen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3456.62	78.81	4253.30	96.97
Yes	1	132.70	3.03	4386.00	100.00

chs27n: 4/5 - P1D 17p - Events - household D+A problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.79	2.37	103.79	2.37
-9	-9	692.89	15.80	796.68	18.16
No	0	3527.41	80.42	4324.09	98.59
Yes	1	61.91	1.41	4386.00	100.00

chs27o: 4/5 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4306.39	98.18	4306.39	98.18
Yes	1	79.61	1.82	4386.00	100.00

csle: 4/5 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	796.68	18.16	796.68	18.16
0	1522.48	34.71	2319.16	52.88
1	1128.64	25.73	3447.80	78.61
2	527.95	12.04	3975.75	90.65
3	235.68	5.37	4211.43	96.02
4	82.81	1.89	4294.24	97.91
5	52.22	1.19	4346.46	99.10
6	20.10	0.46	4366.56	99.56
7	8.70	0.20	4375.26	99.76
8	4.50	0.10	4379.76	99.86
9	2.95	0.07	4382.71	99.92
10	2.65	0.06	4385.36	99.99
16	0.64	0.01	4386.00	100.00

chs26a1: 4/5 - P1 - P1D 18 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.78	0.13	5.78	0.13
-9	-9	692.89	15.80	698.67	15.93
No problems or stress	1	275.41	6.28	974.08	22.21
Few problems or stresses	2	1691.90	38.57	2665.98	60.78
Some problems and stresses	3	1426.53	32.52	4092.51	93.31
Many problems and stresses	4	251.43	5.73	4343.93	99.04
Very many problems and stresses	5	42.07	0.96	4386.00	100.00

chs26a2: 4/5 - P1 - P1D 19 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.49	0.15	6.49	0.15
-9	-9	692.89	15.80	699.38	15.95
Not at all	1	12.52	0.29	711.90	16.23
A little	2	186.62	4.25	898.52	20.49
Fairly well	3	1753.93	39.99	2652.45	60.48
Very well	4	1471.63	33.55	4124.08	94.03
Extremely well	5	261.92	5.97	4386.00	100.00

chs25a1: 4/5 - P1 - P1D 20 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.34	0.62	27.34	0.62
-9	-9	692.89	15.80	720.23	16.42
Yes	1	1163.02	26.52	1883.26	42.94
No	2	2502.74	57.06	4386.00	100.00

chs26a3: 4/5 - P1 - P1D 21 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	514.41	11.73	514.41	11.73
-9	-9	692.89	15.80	1207.30	27.53
Always	1	458.95	10.46	1666.25	37.99
Often	2	1403.07	31.99	3069.32	69.98
Sometimes	3	1040.68	23.73	4110.01	93.71
Rarely	4	255.08	5.82	4365.09	99.52
Never	5	20.91	0.48	4386.00	100.00

chs24a1: 4/5 - P1 - P1D 23a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.78	0.70	30.78	0.70
-9	-9	692.89	15.80	723.67	16.50
All of the time	1	17.71	0.40	741.38	16.90
Most of the time	2	74.81	1.71	816.20	18.61
Some of the time	3	514.82	11.74	1331.02	30.35
A little of the time	4	1249.70	28.49	2580.72	58.84
None of the time	5	1805.28	41.16	4386.00	100.00

chs24a2: 4/5 - P1 - P1D 23b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.04	0.68	30.04	0.68
-9	-9	692.89	15.80	722.93	16.48
All of the time	1	13.97	0.32	736.89	16.80
Most of the time	2	58.50	1.33	795.39	18.13
Some of the time	3	300.95	6.86	1096.34	25.00
A little of the time	4	775.38	17.68	1871.73	42.67
None of the time	5	2514.27	57.33	4386.00	100.00

chs24a3: 4/5 - P1 - P1D 23c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.93	0.57	24.93	0.57
-9	-9	692.89	15.80	717.82	16.37
All of the time	1	21.80	0.50	739.61	16.86
Most of the time	2	85.32	1.95	824.93	18.81
Some of the time	3	413.60	9.43	1238.54	28.24
A little of the time	4	1058.77	24.14	2297.31	52.38
None of the time	5	2088.69	47.62	4386.00	100.00

chs24a4: 4/5 - P1 - P1D 23d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.32	0.65	28.32	0.65
-9	-9	692.89	15.80	721.21	16.44
All of the time	1	36.94	0.84	758.15	17.29
Most of the time	2	160.11	3.65	918.26	20.94
Some of the time	3	656.88	14.98	1575.13	35.91
A little of the time	4	1530.08	34.89	3105.22	70.80
None of the time	5	1280.78	29.20	4386.00	100.00

chs24a5: 4/5 - P1 - P1D 23e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.96	0.57	24.96	0.57
-9	-9	692.89	15.80	717.85	16.37
All of the time	1	21.74	0.50	739.59	16.86
Most of the time	2	40.78	0.93	780.36	17.79
Some of the time	3	248.72	5.67	1029.09	23.46
A little of the time	4	584.57	13.33	1613.66	36.79
None of the time	5	2772.34	63.21	4386.00	100.00

chs24a6: 4/5 - P1 - P1D 23f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.57	0.74	32.57	0.74
-9	-9	692.89	15.80	725.46	16.54
All of the time	1	32.06	0.73	757.52	17.27
Most of the time	2	42.69	0.97	800.21	18.24
Some of the time	3	170.46	3.89	970.67	22.13

chs24a6: 4/5 - P1 - P1D 23f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	444.28	10.13	1414.96	32.26
None of the time	5	2971.04	67.74	4386.00	100.00

cak6g: 4/5 - P1 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	753.59	17.18	753.59	17.18
No probable serious mental illness	0	3530.72	80.50	4284.30	97.68
Probable serious mental illness	1	101.70	2.32	4386.00	100.00

cak6s: 4/5 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	753.59	17.18	753.59	17.18
6	684.98	15.62	1438.57	32.80
7	646.19	14.73	2084.76	47.53
8	581.97	13.27	2666.73	60.80
9	472.96	10.78	3139.68	71.58
10	320.23	7.30	3459.92	78.89
11	221.83	5.06	3681.74	83.94
12	196.39	4.48	3878.14	88.42
13	108.60	2.48	3986.73	90.90
14	86.68	1.98	4073.41	92.87
15	66.12	1.51	4139.53	94.38
16	55.86	1.27	4195.39	95.65
17	46.82	1.07	4242.22	96.72
18	42.09	0.96	4284.30	97.68
19	23.75	0.54	4308.05	98.22
20	24.08	0.55	4332.13	98.77
21	12.63	0.29	4344.76	99.06
22	9.74	0.22	4354.50	99.28
23	7.53	0.17	4362.03	99.45
24	8.25	0.19	4370.28	99.64
25	4.81	0.11	4375.10	99.75
26	1.14	0.03	4376.24	99.78
27	2.54	0.06	4378.77	99.84
28	2.50	0.06	4381.28	99.89
30	4.72	0.11	4386.00	100.00

chs13b: 4/5 - P2 - P2L 8 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.83	0.16	6.83	0.16
-9	-9	1896.60	43.24	1903.43	43.40
Excellent	1	491.82	11.21	2395.24	54.61
Very good	2	1047.39	23.88	3442.63	78.49
Good	3	729.68	16.64	4172.31	95.13
Fair	4	192.29	4.38	4364.60	99.51
Poor	5	21.40	0.49	4386.00	100.00

chs23b2: 4/5 - P2 - P2L 12 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	78.21	1.78	78.21	1.78
-9	1896.60	43.24	1974.81	45.03
50	25.00	0.57	1999.81	45.60
60	99.35	2.27	2099.16	47.86
70	347.80	7.93	2446.97	55.79
80	629.87	14.36	3076.83	70.15
90	642.35	14.65	3719.18	84.80
100	378.15	8.62	4097.33	93.42
110	177.00	4.04	4274.33	97.45
120	70.65	1.61	4344.98	99.06
130	25.28	0.58	4370.26	99.64
140	15.74	0.36	4386.00	100.00

chs23b1: 4/5 - P2 - P2L 13 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	76.64	1.75	76.64	1.75
-9	1896.60	43.24	1973.24	44.99
150	17.82	0.41	1991.06	45.40
160	85.44	1.95	2076.50	47.34
170	552.06	12.59	2628.56	59.93
180	1297.76	29.59	3926.32	89.52
190	434.69	9.91	4361.01	99.43
200	24.99	0.57	4386.00	100.00

cbbmi: 4/5 - P2 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2029.28	46.27	2029.28	46.27
15	4.73	0.11	2034.01	46.38
20	243.71	5.56	2277.72	51.93
25	1151.87	26.26	3429.59	78.19
30	714.13	16.28	4143.72	94.48
35	191.41	4.36	4335.13	98.84
40	42.51	0.97	4377.63	99.81
45	8.37	0.19	4386.00	100.00

chs35b: 4/5 - P2 - P2L 15 - Currently pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.20	0.14	6.20	0.14
-9	-9	4312.97	98.33	4319.17	98.48
Yes	1	3.04	0.07	4322.21	98.55
No	2	63.79	1.45	4386.00	100.00

chs26b1: 4/5 - P2 - P2L 21 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.30	0.28	12.30	0.28
-9	-9	1896.60	43.24	1908.90	43.52
No problems or stress	1	165.70	3.78	2074.60	47.30
Few problems or stresses	2	1001.70	22.84	3076.30	70.14
Some problems and stresses	3	1079.18	24.61	4155.48	94.74
Many problems and stresses	4	198.02	4.51	4353.50	99.26
Very many problems and stresses	5	32.50	0.74	4386.00	100.00

chs26b2: 4/5 - P2 - P2L 22 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.35	0.26	11.35	0.26
-9	-9	1896.60	43.24	1907.95	43.50
Not at all	1	13.79	0.31	1921.74	43.82
A little	2	100.45	2.29	2022.19	46.11
Fairly well	3	1148.00	26.17	3170.19	72.28
Very well	4	993.04	22.64	4163.24	94.92
Extremely well	5	222.76	5.08	4386.00	100.00

chs25b1: 4/5 - P2 - P2L 23 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.06	0.50	22.06	0.50
-9	-9	1896.60	43.24	1918.66	43.75
Yes	1	676.07	15.41	2594.73	59.16
No	2	1791.27	40.84	4386.00	100.00

chs26b3: 4/5 - P2 - P2L 24 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.87	0.23	9.87	0.23
-9	-9	1896.60	43.24	1906.47	43.47
Always	1	281.56	6.42	2188.04	49.89
Often	2	878.89	20.04	3066.93	69.93
Sometimes	3	944.73	21.54	4011.65	91.46
Rarely	4	324.31	7.39	4335.96	98.86
Never	5	50.04	1.14	4386.00	100.00

chs24b1: 4/5 - P2 - P2L 26a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.66	0.47	20.66	0.47
-9	-9	1896.60	43.24	1917.26	43.71
All of the time	1	10.74	0.24	1928.00	43.96
Most of the time	2	30.76	0.70	1958.77	44.66
Some of the time	3	254.36	5.80	2213.13	50.46
A little of the time	4	859.28	19.59	3072.41	70.05
None of the time	5	1313.59	29.95	4386.00	100.00

chs24b2: 4/5 - P2 - P2L 26b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.86	0.52	22.86	0.52
-9	-9	1896.60	43.24	1919.46	43.76
All of the time	1	12.80	0.29	1932.25	44.06
Most of the time	2	29.29	0.67	1961.55	44.72
Some of the time	3	146.53	3.34	2108.07	48.06
A little of the time	4	380.90	8.68	2488.97	56.75
None of the time	5	1897.03	43.25	4386.00	100.00

chs24b3: 4/5 - P2 - P2L 26c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.84	0.52	22.84	0.52
-9	-9	1896.60	43.24	1919.44	43.76
All of the time	1	20.60	0.47	1940.03	44.23
Most of the time	2	78.53	1.79	2018.57	46.02
Some of the time	3	428.16	9.76	2446.73	55.78
A little of the time	4	824.70	18.80	3271.43	74.59
None of the time	5	1114.57	25.41	4386.00	100.00

chs24b4: 4/5 - P2 - P2L 26d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.23	0.64	28.23	0.64
-9	-9	1896.60	43.24	1924.83	43.89
All of the time	1	24.81	0.57	1949.64	44.45
Most of the time	2	86.07	1.96	2035.71	46.41
Some of the time	3	412.18	9.40	2447.89	55.81
A little of the time	4	876.72	19.99	3324.61	75.80
None of the time	5	1061.39	24.20	4386.00	100.00

chs24b5: 4/5 - P2 - P2L 26e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.60	0.63	27.60	0.63
-9	-9	1896.60	43.24	1924.20	43.87
All of the time	1	6.92	0.16	1931.12	44.03
Most of the time	2	18.76	0.43	1949.88	44.46
Some of the time	3	119.48	2.72	2069.36	47.18
A little of the time	4	307.26	7.01	2376.63	54.19
None of the time	5	2009.37	45.81	4386.00	100.00

chs24b6: 4/5 - P2 - P2L 26f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.43	0.58	25.43	0.58
-9	-9	1896.60	43.24	1922.03	43.82
All of the time	1	7.03	0.16	1929.06	43.98
Most of the time	2	31.42	0.72	1960.48	44.70
Some of the time	3	87.49	1.99	2047.97	46.69

chs24b6: 4/5 - P2 - P2L 26f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	237.48	5.41	2285.45	52.11
None of the time	5	2100.55	47.89	4386.00	100.00

cbk6g: 4/5 - P2 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1939.35	44.22	1939.35	44.22
No probable serious mental illness	0	2396.17	54.63	4335.52	98.85
Probable serious mental illness	1	50.48	1.15	4386.00	100.00

cbk6s: 4/5 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1939.35	44.22	1939.35	44.22
6	569.39	12.98	2508.75	57.20
7	377.14	8.60	2885.89	65.80
8	406.60	9.27	3292.49	75.07
9	318.39	7.26	3610.88	82.33
10	212.84	4.85	3823.72	87.18
11	141.71	3.23	3965.43	90.41
12	122.85	2.80	4088.28	93.21
13	65.00	1.48	4153.28	94.69
14	55.82	1.27	4209.10	95.97
15	44.13	1.01	4253.23	96.97
16	28.07	0.64	4281.31	97.61
17	21.50	0.49	4302.81	98.10
18	32.71	0.75	4335.52	98.85
19	12.83	0.29	4348.35	99.14
20	6.11	0.14	4354.46	99.28
21	3.67	0.08	4358.13	99.36
22	6.62	0.15	4364.75	99.52
23	10.75	0.25	4375.50	99.76
24	5.42	0.12	4380.92	99.88
26	2.77	0.06	4383.68	99.95
27	1.05	0.02	4384.73	99.97
29	0.69	0.02	4385.42	99.99
30	0.58	0.01	4386.00	100.00

chs13p: 4/5 - PLE - PLE 32 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Excellent	1	52.86	1.21	4139.90	94.39
Very good	2	106.60	2.43	4246.51	96.82
Good	3	105.06	2.40	4351.57	99.21
Fair	4	28.63	0.65	4380.20	99.87
Poor	5	5.80	0.13	4386.00	100.00

chs25p1: 4/5 - PLE - PLE 35 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Yes	1	139.20	3.17	4226.25	96.36
No	2	159.75	3.64	4386.00	100.00

chs24p1: 4/5 - PLE - PLE 36.1 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Most of the time	2	12.97	0.30	4100.02	93.48
Some of the time	3	45.23	1.03	4145.25	94.51
A little of the time	4	94.34	2.15	4239.59	96.66
None of the time	5	146.41	3.34	4386.00	100.00

chs24p2: 4/5 - PLE - PLE 36.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
All of the time	1	2.17	0.05	4089.22	93.23
Most of the time	2	10.93	0.25	4100.15	93.48
Some of the time	3	18.47	0.42	4118.61	93.90
A little of the time	4	48.57	1.11	4167.19	95.01
None of the time	5	218.81	4.99	4386.00	100.00

chs24p3: 4/5 - PLE - PLE 36.3 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
All of the time	1	5.78	0.13	4092.83	93.32
Most of the time	2	27.69	0.63	4120.52	93.95
Some of the time	3	47.68	1.09	4168.20	95.03
A little of the time	4	100.20	2.28	4268.40	97.32
None of the time	5	117.60	2.68	4386.00	100.00

chs24p4: 4/5 - PLE - PLE 36.4 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
All of the time	1	7.57	0.17	4094.62	93.36
Most of the time	2	13.37	0.30	4107.99	93.66
Some of the time	3	36.67	0.84	4144.66	94.50
A little of the time	4	96.52	2.20	4241.18	96.70
None of the time	5	144.82	3.30	4386.00	100.00

chs24p5: 4/5 - PLE - PLE 36.5 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
Most of the time	2	7.53	0.17	4094.58	93.36
Some of the time	3	22.17	0.51	4116.75	93.86
A little of the time	4	38.56	0.88	4155.31	94.74
None of the time	5	230.69	5.26	4386.00	100.00

chs24p6: 4/5 - PLE - PLE 36.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.81	0.11	4.81	0.11
-9	-9	4082.24	93.07	4087.05	93.18
All of the time	1	0.90	0.02	4087.95	93.20
Most of the time	2	4.30	0.10	4092.24	93.30
Some of the time	3	22.91	0.52	4115.15	93.82
A little of the time	4	23.63	0.54	4138.78	94.36
None of the time	5	247.22	5.64	4386.00	100.00

cpk6g: 4/5 - PLE - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4087.05	93.18	4087.05	93.18
No probable serious mental illness	0	287.15	6.55	4374.20	99.73
Probable serious mental illness	1	11.80	0.27	4386.00	100.00

cpk6s: 4/5 - PLE - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4087.05	93.18	4087.05	93.18
6	57.01	1.30	4144.06	94.48
7	41.51	0.95	4185.57	95.43
8	49.92	1.14	4235.49	96.57
9	44.05	1.00	4279.54	97.57
10	21.78	0.50	4301.32	98.07
11	18.69	0.43	4320.01	98.50
12	16.16	0.37	4336.17	98.86
13	6.24	0.14	4342.41	99.01
14	5.43	0.12	4347.84	99.13
15	10.31	0.24	4358.15	99.36
16	7.29	0.17	4365.43	99.53
17	5.13	0.12	4370.57	99.65
18	3.64	0.08	4374.20	99.73
19	1.11	0.03	4375.31	99.76
20	4.83	0.11	4380.13	99.87
21	0.63	0.01	4380.76	99.88
22	0.78	0.02	4381.54	99.90
23	3.85	0.09	4385.39	99.99
24	0.61	0.01	4386.00	100.00

chs13m: 4/5 - M - P1D 10+P2L 8 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.74	0.20	8.74	0.20
-9	-9	711.28	16.22	720.02	16.42
Excellent	1	736.07	16.78	1456.08	33.20
Very good	2	1586.90	36.18	3042.98	69.38
Good	3	1004.57	22.90	4047.54	92.28
Fair	4	297.39	6.78	4344.94	99.06
Poor	5	41.06	0.94	4386.00	100.00

chs23m2: 4/5 - M - P1D 14+P2L 12 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	133.62	3.05	133.62	3.05
-9	711.28	16.22	844.90	19.26
40	27.85	0.63	872.75	19.90
50	416.61	9.50	1289.35	29.40
60	1022.67	23.32	2312.02	52.71
70	925.01	21.09	3237.03	73.80
80	547.22	12.48	3784.25	86.28
90	293.42	6.69	4077.67	92.97
100	159.35	3.63	4237.02	96.60
110	70.00	1.60	4307.01	98.20
120	36.90	0.84	4343.92	99.04
130	28.85	0.66	4372.77	99.70
140	13.23	0.30	4386.00	100.00

chs23m1: 4/5 - M - F2F W1-2+A34+P2L 13 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	83.78	1.91	83.78	1.91
-9	713.71	16.27	797.49	18.18
140	6.44	0.15	803.93	18.33
150	293.63	6.69	1097.56	25.02
160	1401.75	31.96	2499.31	56.98
170	1501.78	34.24	4001.09	91.22
180	365.18	8.33	4366.27	99.55
190	19.73	0.45	4386.00	100.00

cmbmi: 4/5 - M - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	929.53	21.19	929.53	21.19
15	33.53	0.76	963.07	21.96
20	1054.32	24.04	2017.39	46.00
25	1304.58	29.74	3321.97	75.74
30	633.52	14.44	3955.49	90.18
35	273.87	6.24	4229.36	96.43
40	96.35	2.20	4325.71	98.63
45	45.16	1.03	4370.87	99.65
50	15.13	0.35	4386.00	100.00

chs35m: 4/5 - M - P1D 16+P2L 15 - Currently pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	82.70	1.89	82.70	1.89
-9	-9	711.28	16.22	793.97	18.10
Not sure, possibly	-2	15.53	0.35	809.51	18.46
Yes	1	179.08	4.08	988.58	22.54
No	2	3397.42	77.46	4386.00	100.00

chs26m1: 4/5 - M - P1D 18+P2L 21 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.84	0.16	6.84	0.16
-9	-9	711.28	16.22	718.12	16.37
No problems or stress	1	272.58	6.21	990.70	22.59
Few problems or stresses	2	1680.32	38.31	2671.02	60.90
Some problems and stresses	3	1423.57	32.46	4094.59	93.36
Many problems and stresses	4	250.24	5.71	4344.84	99.06
Very many problems and stresses	5	41.16	0.94	4386.00	100.00

chs26m2: 4/5 - M - P1D 19+P2L 22 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.56	0.17	7.56	0.17
-9	-9	711.28	16.22	718.84	16.39
Not at all	1	11.61	0.26	730.45	16.65
A little	2	183.25	4.18	913.69	20.83
Fairly well	3	1752.86	39.96	2666.56	60.80
Very well	4	1458.94	33.26	4125.50	94.06
Extremely well	5	260.50	5.94	4386.00	100.00

chs25m1: 4/5 - M - P1D 20+P2L 23 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.41	0.65	28.41	0.65
-9	-9	711.28	16.22	739.69	16.86
Yes	1	1151.13	26.25	1890.81	43.11
No	2	2495.19	56.89	4386.00	100.00

chs26m3: 4/5 - M - P1D 21+P2L 24 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	506.72	11.55	506.72	11.55
-9	-9	711.28	16.22	1218.00	27.77
Always	1	451.21	10.29	1669.21	38.06
Often	2	1405.18	32.04	3074.39	70.10
Sometimes	3	1036.44	23.63	4110.83	93.73
Rarely	4	256.78	5.85	4367.62	99.58
Never	5	18.38	0.42	4386.00	100.00

chs24m1: 4/5 - M - P1D 23a+P2L 26a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.69	0.70	30.69	0.70
-9	-9	711.28	16.22	741.97	16.92
All of the time	1	16.22	0.37	758.19	17.29
Most of the time	2	73.21	1.67	831.40	18.96
Some of the time	3	509.73	11.62	1341.13	30.58
A little of the time	4	1247.12	28.43	2588.25	59.01
None of the time	5	1797.75	40.99	4386.00	100.00

chs24m2: 4/5 - M - P1D 23b+P2L 26b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.08	0.66	29.08	0.66
-9	-9	711.28	16.22	740.35	16.88
All of the time	1	13.97	0.32	754.32	17.20
Most of the time	2	57.50	1.31	811.82	18.51
Some of the time	3	296.82	6.77	1108.65	25.28
A little of the time	4	769.29	17.54	1877.94	42.82
None of the time	5	2508.06	57.18	4386.00	100.00

chs24m3: 4/5 - M - P1D 23c+P2L 26c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.97	0.55	23.97	0.55
-9	-9	711.28	16.22	735.24	16.76
All of the time	1	23.56	0.54	758.81	17.30
Most of the time	2	84.38	1.92	843.19	19.22
Some of the time	3	420.90	9.60	1264.09	28.82
A little of the time	4	1050.60	23.95	2314.69	52.77
None of the time	5	2071.31	47.23	4386.00	100.00

chs24m4: 4/5 - M - P1D 23d+P2L 26d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.36	0.62	27.36	0.62
-9	-9	711.28	16.22	738.63	16.84
All of the time	1	34.41	0.78	773.04	17.63
Most of the time	2	163.07	3.72	936.11	21.34
Some of the time	3	659.30	15.03	1595.41	36.38
A little of the time	4	1518.67	34.63	3114.08	71.00
None of the time	5	1271.92	29.00	4386.00	100.00

chs24m5: 4/5 - M - P1D 23e+P2L 26e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.87	0.57	24.87	0.57
-9	-9	711.28	16.22	736.15	16.78
All of the time	1	22.78	0.52	758.93	17.30
Most of the time	2	39.19	0.89	798.12	18.20
Some of the time	3	247.98	5.65	1046.10	23.85

chs24m5: 4/5 - M - P1D 23e+P2L 26e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	577.56	13.17	1623.65	37.02
None of the time	5	2762.35	62.98	4386.00	100.00

chs24m6: 4/5 - M - P1D 23f+P2L 26f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.61	0.72	31.61	0.72
-9	-9	711.28	16.22	742.89	16.94
All of the time	1	32.42	0.74	775.31	17.68
Most of the time	2	41.17	0.94	816.48	18.62
Some of the time	3	164.51	3.75	981.00	22.37
A little of the time	4	446.04	10.17	1427.03	32.54
None of the time	5	2958.97	67.46	4386.00	100.00

cmk6g: 4/5 - M - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1971.11	44.94	1971.11	44.94
No probable serious mental illness	0	2364.26	53.90	4335.37	98.85
Probable serious mental illness	1	50.63	1.15	4386.00	100.00

cmk6s: 4/5 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1971.11	44.94	1971.11	44.94
1	0.75	0.02	1971.87	44.96
2	1.92	0.04	1973.78	45.00
3	0.82	0.02	1974.61	45.02
5	4.76	0.11	1979.37	45.13
6	476.52	10.86	2455.89	55.99
7	453.11	10.33	2909.00	66.32
8	398.59	9.09	3307.60	75.41
9	316.35	7.21	3623.95	82.63
10	222.95	5.08	3846.90	87.71
11	138.20	3.15	3985.10	90.86
12	113.58	2.59	4098.69	93.45
13	71.50	1.63	4170.19	95.08
14	47.46	1.08	4217.64	96.16
15	41.34	0.94	4258.98	97.10
16	32.29	0.74	4291.27	97.84
17	26.21	0.60	4317.49	98.44
18	26.14	0.60	4343.63	99.03
19	12.66	0.29	4356.29	99.32
20	7.77	0.18	4364.05	99.50
21	3.51	0.08	4367.56	99.58
22	6.00	0.14	4373.56	99.72
23	2.62	0.06	4376.18	99.78
24	4.19	0.10	4380.37	99.87
26	1.14	0.03	4381.51	99.90

cmk6s: 4/5 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
27	1.05	0.02	4382.55	99.92
30	3.45	0.08	4386.00	100.00

chs13f: 4/5 - F - P1D 10+P2L 8 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.01	0.11	5.01	0.11
-9	-9	1878.21	42.82	1883.23	42.94
Excellent	1	494.69	11.28	2377.92	54.22
Very good	2	1046.42	23.86	3424.33	78.07
Good	3	739.28	16.86	4163.62	94.93
Fair	4	200.30	4.57	4363.91	99.50
Poor	5	22.09	0.50	4386.00	100.00

chs23f2: 4/5 - F - P1D 14+P2L 12 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	73.77	1.68	73.77	1.68
-9	1878.21	42.82	1951.99	44.50
50	12.98	0.30	1964.97	44.80
60	98.65	2.25	2063.62	47.05
70	353.20	8.05	2416.82	55.10
80	635.44	14.49	3052.25	69.59
90	660.91	15.07	3713.17	84.66
100	380.05	8.67	4093.22	93.32
110	178.28	4.06	4271.50	97.39
120	72.80	1.66	4344.30	99.05
130	25.96	0.59	4370.26	99.64
140	15.74	0.36	4386.00	100.00

chs23f1: 4/5 - F - F2F W1-2+A34+P2L 13 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	78.90	1.80	78.90	1.80
-9	1879.28	42.85	1958.18	44.65
150	9.98	0.23	1968.16	44.87
160	66.79	1.52	2034.95	46.40
170	550.66	12.56	2585.61	58.95
180	1324.74	30.20	3910.35	89.16
190	450.67	10.28	4361.01	99.43
200	24.99	0.57	4386.00	100.00

cfbmi: 4/5 - F - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2011.35	45.86	2011.35	45.86
15	4.73	0.11	2016.09	45.97
20	240.74	5.49	2256.83	51.46
25	1168.27	26.64	3425.10	78.09
30	721.90	16.46	4147.00	94.55

cfbmi: 4/5 - F - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
35	188.22	4.29	4335.22	98.84
40	42.51	0.97	4377.73	99.81
45	8.27	0.19	4386.00	100.00

chs35f: 4/5 - F - P1D 16+P2L 15 - Currently pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4376.21	99.78	4376.21	99.78
No	2	9.79	0.22	4386.00	100.00

chs26f1: 4/5 - F - P1D 18+P2L 21 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.23	0.26	11.23	0.26
-9	-9	1878.21	42.82	1889.44	43.08
No problems or stress	1	168.54	3.84	2057.98	46.92
Few problems or stresses	2	1013.28	23.10	3071.26	70.02
Some problems and stresses	3	1082.13	24.67	4153.39	94.70
Many problems and stresses	4	199.20	4.54	4352.59	99.24
Very many problems and stresses	5	33.41	0.76	4386.00	100.00

chs26f2: 4/5 - F - P1D 19+P2L 22 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.28	0.23	10.28	0.23
-9	-9	1878.21	42.82	1888.50	43.06
Not at all	1	14.70	0.34	1903.20	43.39
A little	2	103.82	2.37	2007.02	45.76
Fairly well	3	1149.07	26.20	3156.09	71.96
Very well	4	1005.73	22.93	4161.82	94.89
Extremely well	5	224.18	5.11	4386.00	100.00

chs25f1: 4/5 - F - P1D 20+P2L 23 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.00	0.48	21.00	0.48
-9	-9	1878.21	42.82	1899.21	43.30
Yes	1	687.97	15.69	2587.18	58.99
No	2	1798.82	41.01	4386.00	100.00

chs26f3: 4/5 - F - P1D 21+P2L 24 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.56	0.40	17.56	0.40
-9	-9	1878.21	42.82	1895.78	43.22
Always	1	289.30	6.60	2185.08	49.82
Often	2	876.78	19.99	3061.86	69.81
Sometimes	3	948.97	21.64	4010.82	91.45
Rarely	4	322.61	7.36	4333.43	98.80
Never	5	52.57	1.20	4386.00	100.00

chs24f1: 4/5 - F - P1D 23a+P2L 26a - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.75	0.47	20.75	0.47
-9	-9	1878.21	42.82	1898.97	43.30
All of the time	1	12.23	0.28	1911.20	43.57
Most of the time	2	32.37	0.74	1943.57	44.31
Some of the time	3	259.45	5.92	2203.01	50.23
A little of the time	4	861.86	19.65	3064.87	69.88
None of the time	5	1321.13	30.12	4386.00	100.00

chs24f2: 4/5 - F - P1D 23b+P2L 26b - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.82	0.54	23.82	0.54
-9	-9	1878.21	42.82	1902.03	43.37
All of the time	1	12.80	0.29	1914.83	43.66
Most of the time	2	30.29	0.69	1945.11	44.35
Some of the time	3	150.65	3.43	2095.77	47.78
A little of the time	4	386.99	8.82	2482.76	56.61
None of the time	5	1903.24	43.39	4386.00	100.00

chs24f3: 4/5 - F - P1D 23c+P2L 26c - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.80	0.54	23.80	0.54
-9	-9	1878.21	42.82	1902.01	43.37
All of the time	1	18.83	0.43	1920.84	43.79
Most of the time	2	79.48	1.81	2000.32	45.61
Some of the time	3	420.86	9.60	2421.18	55.20
A little of the time	4	832.87	18.99	3254.05	74.19
None of the time	5	1131.95	25.81	4386.00	100.00

chs24f4: 4/5 - F - P1D 23d+P2L 26d - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.19	0.67	29.19	0.67
-9	-9	1878.21	42.82	1907.40	43.49
All of the time	1	27.34	0.62	1934.75	44.11
Most of the time	2	83.11	1.89	2017.86	46.01
Some of the time	3	409.76	9.34	2427.62	55.35
A little of the time	4	888.14	20.25	3315.75	75.60
None of the time	5	1070.25	24.40	4386.00	100.00

chs24f5: 4/5 - F - P1D 23e+P2L 26e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.69	0.63	27.69	0.63
-9	-9	1878.21	42.82	1905.90	43.45
All of the time	1	5.87	0.13	1911.78	43.59
Most of the time	2	20.35	0.46	1932.13	44.05
Some of the time	3	120.22	2.74	2052.35	46.79

chs24f5: 4/5 - F - P1D 23e+P2L 26e - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	314.28	7.17	2366.63	53.96
None of the time	5	2019.37	46.04	4386.00	100.00

chs24f6: 4/5 - F - P1D 23f+P2L 26f - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.39	0.60	26.39	0.60
-9	-9	1878.21	42.82	1904.61	43.42
All of the time	1	6.66	0.15	1911.27	43.58
Most of the time	2	32.94	0.75	1944.21	44.33
Some of the time	3	93.43	2.13	2037.64	46.46
A little of the time	4	235.72	5.37	2273.37	51.83
None of the time	5	2112.63	48.17	4386.00	100.00

cfk6g: 4/5 - F - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1921.93	43.82	1921.93	43.82
No probable serious mental illness	0	2411.95	54.99	4333.88	98.81
Probable serious mental illness	1	52.12	1.19	4386.00	100.00

cfk6s: 4/5 - F - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1921.93	43.82	1921.93	43.82
6	577.90	13.18	2499.83	57.00
7	383.80	8.75	2883.62	65.75
8	409.00	9.33	3292.62	75.07
9	316.79	7.22	3609.41	82.29
10	210.50	4.80	3819.91	87.09
11	138.00	3.15	3957.90	90.24
12	122.32	2.79	4080.22	93.03
13	63.77	1.45	4144.00	94.48
14	57.39	1.31	4201.39	95.79
15	46.13	1.05	4247.52	96.84
16	28.07	0.64	4275.59	97.48
17	24.69	0.56	4300.29	98.05
18	33.59	0.77	4333.88	98.81
19	13.93	0.32	4347.81	99.13
20	7.70	0.18	4355.51	99.30
21	3.67	0.08	4359.18	99.39
22	6.62	0.15	4365.80	99.54
23	10.75	0.25	4376.55	99.78
24	5.42	0.12	4381.96	99.91
26	2.77	0.06	4384.73	99.97
29	0.69	0.02	4385.42	99.99
30	0.58	0.01	4386.00	100.00