

04 Health behaviour and risk factors

zhb05a: F2F B8 - Whether SC ever breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.13	0.18	9.13	0.18
Yes	1	4454.41	89.39	4463.54	89.58
No	2	519.46	10.42	4983.00	100.00

zhb05c: F2F B9 - Age SC stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	26.63	0.53	26.63	0.53
-1	4.64	0.09	31.27	0.63
0	910.50	18.27	941.78	18.90
30	353.68	7.10	1295.45	26.00
60	236.23	4.74	1531.68	30.74
90	345.78	6.94	1877.46	37.68
120	253.24	5.08	2130.70	42.76
150	133.81	2.69	2264.51	45.44
180	398.77	8.00	2663.28	53.45
210	153.12	3.07	2816.40	56.52
240	186.64	3.75	3003.04	60.27
270	209.93	4.21	3212.97	64.48
300	200.38	4.02	3413.35	68.50
330	167.13	3.35	3580.48	71.85
360	412.67	8.28	3993.15	80.14
390	156.83	3.15	4149.97	83.28
420	146.67	2.94	4296.65	86.23
450	83.86	1.68	4380.51	87.91
480	54.85	1.10	4435.36	89.01
510	29.23	0.59	4464.59	89.60
540	133.47	2.68	4598.06	92.27
570	16.48	0.33	4614.53	92.61
600	33.95	0.68	4648.48	93.29
630	7.09	0.14	4655.57	93.43
660	21.74	0.44	4677.31	93.87
690	6.20	0.12	4683.51	93.99
720	161.15	3.23	4844.66	97.22
750	0.93	0.02	4845.59	97.24
780	6.69	0.13	4852.28	97.38
810	4.11	0.08	4856.39	97.46
840	1.26	0.03	4857.65	97.48
870	1.91	0.04	4859.56	97.52
900	30.19	0.61	4889.75	98.13
930	0.80	0.02	4890.54	98.14
960	2.03	0.04	4892.57	98.19
1020	1.56	0.03	4894.13	98.22
1050	1.07	0.02	4895.21	98.24
1110	56.78	1.14	4951.99	99.38
1230	1.89	0.04	4953.88	99.42
1290	8.41	0.17	4962.30	99.58

zhh05c: F2F B9 - Age SC stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1470	16.41	0.33	4978.70	99.91
1650	2.63	0.05	4981.33	99.97
1830	1.67	0.03	4983.00	100.00

zbf1mth: SC breastfed at 1 month of age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.63	0.53	26.63	0.53
No	0	1055.75	21.19	1082.39	21.72
Yes	1	3900.61	78.28	4983.00	100.00

zbf3mth: SC breastfed at 3 months of age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.63	0.53	26.63	0.53
No	0	1529.55	30.70	1556.18	31.23
Yes	1	3426.82	68.77	4983.00	100.00

zbf6mth: SC breastfed at 6 months of age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.63	0.53	26.63	0.53
No	0	2233.24	44.82	2259.87	45.35
Yes	1	2723.13	54.65	4983.00	100.00

zhh06: F2F B10 - Age SC first milk/food

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	45.63	0.92	45.63	0.92
0	1089.06	21.86	1134.69	22.77
30	388.89	7.80	1523.59	30.58
60	276.99	5.56	1800.57	36.13
90	597.24	11.99	2397.81	48.12
120	1175.23	23.58	3573.04	71.70
150	493.63	9.91	4066.67	81.61
180	624.01	12.52	4690.68	94.13
210	72.59	1.46	4763.27	95.59
240	58.18	1.17	4821.45	96.76
270	48.49	0.97	4869.94	97.73
300	20.63	0.41	4890.57	98.15
330	17.73	0.36	4908.31	98.50
360	60.47	1.21	4968.77	99.71
390	6.22	0.12	4974.99	99.84
420	5.75	0.12	4980.75	99.95
540	1.11	0.02	4981.85	99.98
630	1.15	0.02	4983.00	100.00

chb21a1a2: 4/5 - P1 - F2F B11 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	27.61	0.55	27.61	0.55
Not at all	0	606.12	12.16	633.73	12.72
Once	1	1368.25	27.46	2001.98	40.18
Twice or more	2	2981.02	59.82	4983.00	100.00

chb21a2a2: 4/5 - P1 - F2F B12 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	19.65	0.39	19.65	0.39
Not at all	0	1730.86	34.74	1750.51	35.13
Once	1	1383.66	27.77	3134.18	62.90
Twice or more	2	1848.82	37.10	4983.00	100.00

chb21a1b2: 4/5 - P1 - F2F B13 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	30.53	0.61	30.53	0.61
Not at all	0	1327.75	26.65	1358.28	27.26
Once	1	2487.01	49.91	3845.29	77.17
Twice or more	2	1137.71	22.83	4983.00	100.00

chb21a1c2: 4/5 - P1 - F2F B14 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	45.62	0.92	45.62	0.92
Not at all	0	3041.70	61.04	3087.32	61.96
Once	1	1363.96	27.37	4451.28	89.33
Twice or more	2	531.72	10.67	4983.00	100.00

chb21a3a2: 4/5 - P1 - F2F B15 - SC had pie, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	21.70	0.44	21.70	0.44
Not at all	0	3622.27	72.69	3643.97	73.13
Once	1	1162.07	23.32	4806.04	96.45
Twice or more	2	176.96	3.55	4983.00	100.00

chb21a3b2: 4/5 - P1 - F2F B16 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	31.94	0.64	31.94	0.64
Not at all	0	3635.34	72.95	3667.28	73.60
Once	1	1221.25	24.51	4888.53	98.10
Twice or more	2	94.47	1.90	4983.00	100.00

chb21a3c2: 4/5 - P1 - F2F B17 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	15.23	0.31	15.23	0.31
Not at all	0	3090.18	62.01	3105.40	62.32
Once	1	1585.31	31.81	4690.72	94.13
Twice or more	2	292.28	5.87	4983.00	100.00

chb21a3d2: 4/5 - P1 - F2F B18 - SC had biscuits, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	17.16	0.34	17.16	0.34
Not at all	0	1340.50	26.90	1357.65	27.25
Once	1	2558.04	51.34	3915.70	78.58
Twice or more	2	1067.30	21.42	4983.00	100.00

chb21a3e2: 4/5 - P1 - F2F B19 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	23.14	0.46	23.14	0.46
Not at all	0	598.40	12.01	621.54	12.47
Once	1	1008.16	20.23	1629.70	32.71
Twice or more	2	3353.30	67.29	4983.00	100.00

chb21a4a2: 4/5 - P1 - F2F B20 - SC had skim milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.13	0.36	18.13	0.36
Not at all	0	4416.01	88.62	4434.14	88.99
Once	1	243.80	4.89	4677.94	93.88
Twice or more	2	305.06	6.12	4983.00	100.00

chb21a5a2: 4/5 - P1 - F2F B21 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	15.40	0.31	15.40	0.31
Not at all	0	301.54	6.05	316.95	6.36
Once	1	400.43	8.04	717.37	14.40
Twice or more	2	4265.63	85.60	4983.00	100.00

chb21a2b2: 4/5 - P1 - F2F B22 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	14.60	0.29	14.60	0.29
Not at all	0	2632.02	52.82	2646.62	53.11
Once	1	1260.00	25.29	3906.62	78.40
Twice or more	2	1076.38	21.60	4983.00	100.00

cafandv: 4/5 - P1 - Serves of fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	76.76	1.54	76.76	1.54
0	223.75	4.49	300.51	6.03
1	560.49	11.25	861.01	17.28
2	1054.23	21.16	1915.23	38.44
3	1375.47	27.60	3290.71	66.04
4	1083.37	21.74	4374.07	87.78
5	396.70	7.96	4770.77	95.74
6	212.23	4.26	4983.00	100.00

cahfat: 4/5 - P1 - Serves of high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.48	1.05	52.48	1.05
0	451.70	9.06	504.18	10.12
1	1443.51	28.97	1947.70	39.09
2	1645.81	33.03	3593.51	72.12
3	876.41	17.59	4469.92	89.70
4	332.81	6.68	4802.73	96.38
5	110.66	2.22	4913.39	98.60
6	39.06	0.78	4952.45	99.39
7	14.90	0.30	4967.36	99.69
8	15.64	0.31	4983.00	100.00

cahfwf: 4/5 - P1 - Serves of high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	64.65	1.30	64.65	1.30
0	72.12	1.45	136.77	2.74
1	262.11	5.26	398.88	8.00
2	763.59	15.32	1162.47	23.33
3	1402.47	28.15	2564.94	51.47
4	1373.51	27.56	3938.45	79.04
5	656.71	13.18	4595.16	92.22
6	239.73	4.81	4834.90	97.03
7	90.12	1.81	4925.02	98.84
8	32.05	0.64	4957.06	99.48
9	16.01	0.32	4973.08	99.80
10	9.92	0.20	4983.00	100.00

cahsdrnk: 4/5 - P1 - Serves of high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.69	0.48	23.69	0.48
0	972.72	19.52	996.41	20.00
1	1088.43	21.84	2084.84	41.84
2	1731.30	34.74	3816.14	76.58
3	737.54	14.80	4553.68	91.38
4	429.32	8.62	4983.00	100.00

chb12a: 4/5 - F2F B34 - Agreement with child immunisation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.81	0.08	3.81	0.08
Very strongly agree	1	3857.15	77.41	3860.97	77.48
Quite strongly agree	2	814.70	16.35	4675.67	93.83
Neither agree nor disagree	3	227.59	4.57	4903.26	98.40
Quite strongly disagree	4	43.30	0.87	4946.56	99.27
Very strongly disagree	5	36.44	0.73	4983.00	100.00

chb12b: 4/5 - F2F B35 - SC up to date with immunisations

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.10	0.10	5.10	0.10
Yes, completely up to date	1	4651.02	93.34	4656.13	93.44
No, but has had most	2	259.64	5.21	4915.76	98.65
No, but has had some	3	29.72	0.60	4945.49	99.25
No, hasn't had any	4	37.51	0.75	4983.00	100.00

chb20a: 4/5 - F2F B54 - Frequency of sun protection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.39	0.07	3.39	0.07
Every day	1	3827.43	76.81	3830.82	76.88
Most days	2	902.27	18.11	4733.09	94.98
Some days	3	188.01	3.77	4921.10	98.76
Never or hardly ever	4	61.90	1.24	4983.00	100.00

chb20b1: 4/5 - F2F B55.1 - Sun cream to limit sun exposure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.39	0.07	3.39	0.07
No	0	477.31	9.58	480.70	9.65
Yes	1	4502.30	90.35	4983.00	100.00

chb20b2: 4/5 - F2F B55.2 - Hat to limit sun exposure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.39	0.07	3.39	0.07
No	0	275.94	5.54	279.33	5.61
Yes	1	4703.67	94.39	4983.00	100.00

chb20b3: 4/5 - F2F B55.3 - Clothing to limit sun exposure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.39	0.07	3.39	0.07
No	0	2632.04	52.82	2635.43	52.89
Yes	1	2347.57	47.11	4983.00	100.00

chb20b4: 4/5 - F2F B55.4 - Indoors/shade to limit sun exposure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.39	0.07	3.39	0.07
No	0	2772.66	55.64	2776.05	55.71
Yes	1	2206.95	44.29	4983.00	100.00

chb20b5: 4/5 - F2F B55.5 - Other actions to limit sun exposure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.39	0.07	3.39	0.07
No	0	4773.96	95.81	4777.35	95.87
Yes	1	205.65	4.13	4983.00	100.00

chb14c3: 4/5 - SC - F2F B58 - SC's enjoyment of physical activity

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.04	0.02	1.04	0.02
Very much dislikes activity	1	135.86	2.73	136.90	2.75
Somewhat dislikes activity	2	61.57	1.24	198.47	3.98
Neutral	3	143.76	2.89	342.23	6.87
Somewhat enjoys activity	4	750.14	15.05	1092.37	21.92
Very much likes activity	5	3890.63	78.08	4983.00	100.00

chb14c4: 4/5 - SC - F2F B59 - SC's choice to spend free time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.05	0.16	8.05	0.16
Usually chooses inactive pastimes	1	1288.62	25.86	1296.67	26.02
Usually chooses active pastimes	2	2234.49	44.84	3531.16	70.86
Just as likely to choose active as inactive pastimes	3	1451.84	29.14	4983.00	100.00

chb13a1a: 4/5 - P1 - P1L D2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	43.68	0.88	43.68	0.88
-9	-9	771.30	15.48	814.98	16.36
Less than 1	0	242.92	4.88	1057.90	21.23
1	1	1177.02	23.62	2234.93	44.85
2	2	1343.60	26.96	3578.53	71.81
3	3	862.12	17.30	4440.65	89.12
4	4	357.88	7.18	4798.52	96.30
5	5	116.20	2.33	4914.72	98.63
6 or more	6	68.28	1.37	4983.00	100.00

chb13a2a: 4/5 - P1 - P1L D3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.12	0.72	36.12	0.72
-9	-9	771.30	15.48	807.43	16.20
Less than 1	0	736.65	14.78	1544.08	30.99
1	1	1479.41	29.69	3023.49	60.68
2	2	1244.99	24.98	4268.48	85.66

chb13a2a: 4/5 - P1 - P1L D3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	3	500.95	10.05	4769.43	95.71
4	4	136.24	2.73	4905.67	98.45
5	5	36.45	0.73	4942.12	99.18
6 or more	6	40.88	0.82	4983.00	100.00

chb14a1: 4/5 - P1 - P1L D4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.14	0.77	38.14	0.77
-9	-9	771.30	15.48	809.45	16.24
Not enjoyable	1	222.48	4.46	1031.92	20.71
A little enjoyable	2	948.18	19.03	1980.10	39.74
Moderately enjoyable	3	1762.17	35.36	3742.27	75.10
Very enjoyable	4	1240.73	24.90	4983.00	100.00

chb14a2: 4/5 - P1 - P1L D5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	43.97	0.88	43.97	0.88
-9	771.30	15.48	815.27	16.36
0	573.12	11.50	1388.39	27.86
1	739.79	14.85	2128.19	42.71
2	794.87	15.95	2923.06	58.66
3	816.31	16.38	3739.36	75.04
4	493.91	9.91	4233.27	84.95
5	383.80	7.70	4617.07	92.66
6	140.27	2.82	4757.35	95.47
7	225.65	4.53	4983.00	100.00

chb16a1: 4/5 - P1 - P1L D6 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.17	0.73	36.17	0.73
-9	-9	771.30	15.48	807.47	16.20
Yes	1	3698.60	74.22	4506.07	90.43
No	2	476.93	9.57	4983.00	100.00

chb16a2: 4/5 - P1 - P1L D7 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	163.34	3.28	163.34	3.28
-9	-9	771.30	15.48	934.64	18.76
Never	0	476.93	9.57	1411.58	28.33
Not in the last year	1	273.05	5.48	1684.62	33.81
Monthly or less	2	1112.22	22.32	2796.84	56.13
2 to 3 times a month	3	544.40	10.93	3341.24	67.05
Once a week	4	547.51	10.99	3888.75	78.04
2 to 3 times a week	5	636.98	12.78	4525.72	90.82
4 to 6 times a week	6	322.51	6.47	4848.23	97.30
Everyday	7	134.77	2.70	4983.00	100.00

chb16a3: 4/5 - P1 - P1L D8 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	213.51	4.28	213.51	4.28
-9	-9	1521.28	30.53	1734.79	34.81
1 or 2	1	2129.62	42.74	3864.41	77.55
3 or 4	2	796.29	15.98	4660.70	93.53
5 or 6	3	208.25	4.18	4868.94	97.71
7 to 10	4	87.77	1.76	4956.71	99.47
11 or more	5	26.29	0.53	4983.00	100.00

chb16a4: 4/5 - P1 - P1L D9/10 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	100.87	2.02	100.87	2.02
-9	-9	852.85	17.12	953.73	19.14
Not in the last year	1	2279.77	45.75	3233.49	64.89
Monthly or less	2	1267.00	25.43	4500.49	90.32
2 or 3 times a month	3	213.65	4.29	4714.13	94.60
Once a week	4	183.45	3.68	4897.59	98.29
2 to 3 times a week	5	58.50	1.17	4956.09	99.46
4 to 6 times a week	6	14.17	0.28	4970.26	99.74
Every day	7	12.74	0.26	4983.00	100.00

chb16a5: 4/5 - P1 - P1L D9/10 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	100.87	2.02	100.87	2.02
-9	-9	1329.79	26.69	1430.66	28.71
Everyday	1	12.74	0.26	1443.40	28.97
4-6 times a week	2	14.17	0.28	1457.57	29.25
2-3 times a week	3	58.50	1.17	1516.07	30.42
Once a week	4	183.45	3.68	1699.52	34.11
2-3 times a month	5	213.65	4.29	1913.17	38.39
Monthly or less	6	3069.83	61.61	4983.00	100.00

caavdac: 4/5 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1003.38	20.14	1003.38	20.14
0	2399.75	48.16	3403.12	68.29
0.5	832.46	16.71	4235.58	85.00
1	303.35	6.09	4538.92	91.09
1.5	256.99	5.16	4795.92	96.25
2	37.52	0.75	4833.44	97.00
2.5	80.07	1.61	4913.51	98.61
3	11.72	0.24	4925.22	98.84
3.5	30.39	0.61	4955.62	99.45
4	9.53	0.19	4965.14	99.64
4.5	2.29	0.05	4967.43	99.69
5.5	8.20	0.16	4975.63	99.85

caavdac: 4/5 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.5	3.80	0.08	4979.43	99.93
8.5	3.57	0.07	4983.00	100.00

caalcgp: 4/5 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	964.48	19.36	964.48	19.36
Abstain not in the last year	1	749.98	15.05	1714.46	34.41
Occasional less than monthly	2	1112.22	22.32	2826.68	56.73
Light <2 drinks/day men, <1 women	3	1474.83	29.60	4301.51	86.32
Moderate >=2 to <4 men, >=1 to <2 women	4	505.88	10.15	4807.39	96.48
Hazardous >=4 to <6 men, >=2 and <4 women	5	151.50	3.04	4958.88	99.52
Harmful >=6 men, >=4 women	6	24.12	0.48	4983.00	100.00

cahvdc: 4/5 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	964.48	19.36	964.48	19.36
Yes	1	175.61	3.52	1140.09	22.88
No	2	3842.91	77.12	4983.00	100.00

cabinge: 4/5 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	928.05	18.62	928.05	18.62
Yes	1	482.51	9.68	1410.56	28.31
No	2	3572.44	71.69	4983.00	100.00

caalcp: 4/5 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	961.91	19.30	961.91	19.30
Yes	1	518.63	10.41	1480.54	29.71
No	2	3502.46	70.29	4983.00	100.00

zhhb17a1: P1L D12/P2L C12 - Mother drank during pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.76	2.08	103.76	2.08
-9	-9	829.58	16.65	933.34	18.73
Yes, occasionally	1	1095.48	21.98	2028.83	40.71
Yes, most days	2	20.62	0.41	2049.45	41.13
No	3	2933.55	58.87	4983.00	100.00

zhb19a: P1L D13/P2L C13 - Diabetes in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	105.45	2.12	105.45	2.12
-9	-9	829.58	16.65	935.03	18.76
-2	-2	29.74	0.60	964.77	19.36
Yes	1	227.55	4.57	1192.32	23.93
No	2	3790.68	76.07	4983.00	100.00

zhb19b: P1L D14/P2L C14 - High blood pressure in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	109.39	2.20	109.39	2.20
-9	-9	829.58	16.65	938.97	18.84
Yes	1	324.19	6.51	1263.16	25.35
No	2	3719.84	74.65	4983.00	100.00

zhb18a1: P1L D15/P2L C15 - Mother smoked during pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	105.14	2.11	105.14	2.11
-9	-9	829.58	16.65	934.72	18.76
Yes, occasionally	1	391.26	7.85	1325.98	26.61
Yes, most days	2	418.08	8.39	1744.06	35.00
No	3	3238.94	65.00	4983.00	100.00

zhb19d2: P1L D16/P2L C16 - Post-Natal Depression after pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	110.75	2.22	110.75	2.22
-9	-9	829.58	16.65	940.33	18.87
-2	-2	334.46	6.71	1274.79	25.58
Yes	1	571.59	11.47	1846.38	37.05
No	2	3136.62	62.95	4983.00	100.00

chb15a1: 4/5 - P1 - P1L D17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.23	1.43	71.23	1.43
-9	-9	771.30	15.48	842.53	16.91
Do not smoke at all	1	3087.21	61.95	3929.74	78.86
Less than once a day	2	154.01	3.09	4083.75	81.95
At least once a day	3	899.25	18.05	4983.00	100.00

chb15a2: 4/5 - P1 - P1L D18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	81.90	1.64	81.90	1.64
-9	771.30	15.48	853.21	17.12
0	3241.22	65.05	4094.42	82.17
1	5.78	0.12	4100.20	82.28
2	14.32	0.29	4114.52	82.57
3	28.51	0.57	4143.04	83.14

chb15a2: 4/5 - P1 - P1L D18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	9.20	0.18	4152.24	83.33
5	72.04	1.45	4224.27	84.77
6	34.13	0.68	4258.40	85.46
7	35.65	0.72	4294.06	86.17
8	45.21	0.91	4339.27	87.08
9	3.31	0.07	4342.57	87.15
10	212.59	4.27	4555.16	91.41
11	2.67	0.05	4557.83	91.47
12	41.47	0.83	4599.30	92.30
13	2.54	0.05	4601.84	92.35
14	2.89	0.06	4604.73	92.41
15	142.25	2.85	4746.98	95.26
17	6.67	0.13	4753.65	95.40
18	5.58	0.11	4759.22	95.51
20	130.75	2.62	4889.97	98.13
24	1.54	0.03	4891.51	98.16
25	52.40	1.05	4943.91	99.22
29	0.73	0.01	4944.65	99.23
30	32.36	0.65	4977.01	99.88
35	0.99	0.02	4978.00	99.90
40	3.85	0.08	4981.85	99.98
42	1.15	0.02	4983.00	100.00

chb15a3: 4/5 - P1 - P1L D19 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	66.45	1.33	66.45	1.33
-9	-9	771.30	15.48	837.76	16.81
Yes	1	1952.91	39.19	2790.67	56.00
No	2	2192.33	44.00	4983.00	100.00

chb15a4a: 4/5 - P1 - P1L D20 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.26	1.15	57.26	1.15
-9	-9	771.30	15.48	828.56	16.63
None	0	3560.98	71.46	4389.55	88.09
1	1	432.60	8.68	4822.14	96.77
2	2	137.82	2.77	4959.96	99.54
3	3	16.77	0.34	4976.73	99.87
4	4	4.18	0.08	4980.91	99.96
5 or more	5	2.09	0.04	4983.00	100.00

chb15a5: 4/5 - P1 - P1L D17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.23	1.43	71.23	1.43
-9	-9	771.30	15.48	842.53	16.91
Yes	1	1053.26	21.14	1895.79	38.05
No	2	3087.21	61.95	4983.00	100.00

chb15a6: 4/5 - P1 - P1L D18 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	81.90	1.64	81.90	1.64
-9	-9	3858.51	77.43	3940.41	79.08
Less than one a day	1	154.01	3.09	4094.42	82.17
1 to 5 per day	2	129.85	2.61	4224.27	84.77
6 to 10 per day	3	330.89	6.64	4555.16	91.41
11 to 20 per day	4	334.81	6.72	4889.97	98.13
More than 20 per day	5	93.03	1.87	4983.00	100.00

chb13b1a: 4/5 - P2 - P2L C2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.34	0.95	47.34	0.95
-9	-9	1670.64	33.53	1717.97	34.48
Less than 1	0	264.87	5.32	1982.85	39.79
1	1	1083.21	21.74	3066.06	61.53
2	2	1030.39	20.68	4096.45	82.21
3	3	516.86	10.37	4613.31	92.58
4	4	244.05	4.90	4857.36	97.48
5	5	72.17	1.45	4929.53	98.93
6 or more	6	53.47	1.07	4983.00	100.00

chb13b2a: 4/5 - P2 - P2L C3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.03	0.90	45.03	0.90
-9	-9	1670.64	33.53	1715.67	34.43
Less than 1	0	883.25	17.73	2598.91	52.16
1	1	1044.30	20.96	3643.21	73.11
2	2	776.38	15.58	4419.59	88.69
3	3	349.87	7.02	4769.46	95.71
4	4	125.97	2.53	4895.43	98.24
5	5	47.66	0.96	4943.09	99.20
6 or more	6	39.91	0.80	4983.00	100.00

chb14b1: 4/5 - P2 - P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.44	0.93	46.44	0.93
-9	-9	1670.64	33.53	1717.08	34.46
Not enjoyable	1	121.88	2.45	1838.96	36.90
A little enjoyable	2	561.31	11.26	2400.27	48.17

chb14b1: 4/5 - P2 - P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderately enjoyable	3	1268.57	25.46	3668.84	73.63
Very enjoyable	4	1314.16	26.37	4983.00	100.00

chb14b2: 4/5 - P2 - P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.86	1.20	59.86	1.20
-9	1670.64	33.53	1730.49	34.73
0	440.92	8.85	2171.41	43.58
1	519.76	10.43	2691.17	54.01
2	583.49	11.71	3274.66	65.72
3	538.06	10.80	3812.72	76.51
4	335.01	6.72	4147.73	83.24
5	346.99	6.96	4494.72	90.20
6	183.85	3.69	4678.57	93.89
7	304.43	6.11	4983.00	100.00

chb16b1: 4/5 - P2 - P2L C6 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.54	1.11	55.54	1.11
-9	-9	1670.64	33.53	1726.18	34.64
Yes	1	3050.84	61.22	4777.01	95.87
No	2	205.99	4.13	4983.00	100.00

chb16b2: 4/5 - P2 - P2L C7 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	111.66	2.24	111.66	2.24
-9	-9	1670.64	33.53	1782.29	35.77
Never	0	205.99	4.13	1988.28	39.90
Not in the last year	1	140.98	2.83	2129.26	42.73
Monthly or less	2	457.17	9.17	2586.42	51.90
2 to 3 times a month	3	353.65	7.10	2940.07	59.00
Once a week	4	425.21	8.53	3365.28	67.54
2 to 3 times a week	5	731.99	14.69	4097.26	82.22
4 to 6 times a week	6	563.53	11.31	4660.80	93.53
Everyday	7	322.20	6.47	4983.00	100.00

chb16b3: 4/5 - P2 - P2L C8 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	132.49	2.66	132.49	2.66
-9	-9	2017.60	40.49	2150.09	43.15
1 or 2	1	1374.20	27.58	3524.29	70.73
3 or 4	2	895.26	17.97	4419.55	88.69
5 or 6	3	393.86	7.90	4813.41	96.60
7 to 10	4	134.45	2.70	4947.86	99.29
11 or more	5	35.14	0.71	4983.00	100.00

chb16b4: 4/5 - P2 - P2L C9/10 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.04	0.04	2.04	0.04
-9	-9	1809.64	36.32	1811.68	36.36
Not in the last year	1	1268.81	25.46	3080.49	61.82
Monthly or less	2	1109.65	22.27	4190.14	84.09
2 or 3 times a month	3	278.80	5.59	4468.93	89.68
Once a week	4	303.23	6.09	4772.16	95.77
2 to 3 times a week	5	171.20	3.44	4943.36	99.20
4 to 6 times a week	6	28.48	0.57	4971.84	99.78
Every day	7	11.16	0.22	4983.00	100.00

chb16b5: 4/5 - P2 - P2L C9/10 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.04	0.04	2.04	0.04
-9	-9	2015.63	40.45	2017.67	40.49
Everyday	1	11.16	0.22	2028.83	40.71
4-6 times a week	2	28.48	0.57	2057.31	41.29
2-3 times a week	3	171.20	3.44	2228.50	44.72
Once a week	4	303.23	6.09	2531.74	50.81
2-3 times a month	5	278.80	5.59	2810.53	56.40
Monthly or less	6	2172.47	43.60	4983.00	100.00

cbavdac: 4/5 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1820.63	36.54	1820.63	36.54
0	1139.81	22.87	2960.44	59.41
0.5	614.42	12.33	3574.86	71.74
1	371.57	7.46	3946.42	79.20
1.5	350.83	7.04	4297.25	86.24
2	120.12	2.41	4417.37	88.65
2.5	207.92	4.17	4625.28	92.82
3	42.99	0.86	4668.27	93.68
3.5	135.01	2.71	4803.28	96.39
4	66.19	1.33	4869.47	97.72
4.5	10.67	0.21	4880.14	97.94
5.5	66.11	1.33	4946.25	99.26
6.5	15.66	0.31	4961.91	99.58
8.5	20.19	0.41	4982.10	99.98
12	0.90	0.02	4983.00	100.00

cbalcgp: 4/5 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1800.55	36.13	1800.55	36.13
Abstain not in the last year	1	346.96	6.96	2147.52	43.10
Occasional less than monthly	2	457.17	9.17	2604.69	52.27
Light <2 drinks/day men, <1 women	3	1682.38	33.76	4287.06	86.03
Moderate >=2 to <4 men, >=1 to <2 women	4	511.08	10.26	4798.14	96.29

cbalcp: 4/5 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	148.11	2.97	4946.25	99.26
Harmful ≥ 6 men, ≥ 4 women	6	36.75	0.74	4983.00	100.00

cbhvdac: 4/5 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1800.55	36.13	1800.55	36.13
Yes	1	184.86	3.71	1985.41	39.84
No	2	2997.59	60.16	4983.00	100.00

cbbinge: 4/5 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1791.24	35.95	1791.24	35.95
Yes	1	792.86	15.91	2584.11	51.86
No	2	2398.89	48.14	4983.00	100.00

cbalcp: 4/5 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1806.44	36.25	1806.44	36.25
Yes	1	802.27	16.10	2608.71	52.35
No	2	2374.29	47.65	4983.00	100.00

chb15b1: 4/5 - P2 - P2L C17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	174.26	3.50	174.26	3.50
-9	-9	1670.64	33.53	1844.90	37.02
Do not smoke at all	1	2335.84	46.88	4180.74	83.90
Less than once a day	2	96.17	1.93	4276.90	85.83
At least once a day	3	706.10	14.17	4983.00	100.00

chb15b2: 4/5 - P2 - P2L C18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	161.30	3.24	161.30	3.24
-9	1670.64	33.53	1831.94	36.76
0	2432.01	48.81	4263.95	85.57
1	7.31	0.15	4271.26	85.72
2	9.21	0.18	4280.47	85.90
3	16.24	0.33	4296.71	86.23
4	14.75	0.30	4311.46	86.52
5	27.67	0.56	4339.13	87.08
6	16.32	0.33	4355.45	87.41
7	15.11	0.30	4370.56	87.71
8	21.03	0.42	4391.59	88.13
9	2.93	0.06	4394.52	88.19
10	114.10	2.29	4508.63	90.48
11	1.39	0.03	4510.02	90.51

chb15b2: 4/5 - P2 - P2L C18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12	43.81	0.88	4553.83	91.39
13	2.17	0.04	4556.00	91.43
14	3.80	0.08	4559.80	91.51
15	105.94	2.13	4665.74	93.63
16	5.69	0.11	4671.43	93.75
17	2.81	0.06	4674.24	93.80
18	2.68	0.05	4676.92	93.86
19	1.78	0.04	4678.70	93.89
20	163.39	3.28	4842.09	97.17
22	1.82	0.04	4843.91	97.21
25	82.07	1.65	4925.98	98.86
28	2.81	0.06	4928.79	98.91
30	34.91	0.70	4963.70	99.61
35	5.94	0.12	4969.64	99.73
40	9.98	0.20	4979.61	99.93
50	1.94	0.04	4981.55	99.97
60	1.45	0.03	4983.00	100.00

chb15b5: 4/5 - P2 - P2L C17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	174.26	3.50	174.26	3.50
-9	-9	1670.64	33.53	1844.90	37.02
Yes	1	802.26	16.10	2647.16	53.12
No	2	2335.84	46.88	4983.00	100.00

chb15b6: 4/5 - P2 - P2L C18 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	161.30	3.24	161.30	3.24
-9	-9	4006.47	80.40	4167.78	83.64
Less than one a day	1	96.17	1.93	4263.95	85.57
1 to 5 per day	2	75.19	1.51	4339.13	87.08
6 to 10 per day	3	169.49	3.40	4508.63	90.48
11 to 20 per day	4	333.47	6.69	4842.09	97.17
More than 20 per day	5	140.91	2.83	4983.00	100.00

chb15b3: 4/5 - P2 - P2L C19 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	160.21	3.22	160.21	3.22
-9	-9	1670.64	33.53	1830.85	36.74
Yes	1	1507.51	30.25	3338.36	66.99
No	2	1644.64	33.01	4983.00	100.00

chb15b4a: 4/5 - P2 - P2L C20 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	147.21	2.95	147.21	2.95
-9	-9	1670.64	33.53	1817.84	36.48
None	0	2782.41	55.84	4600.25	92.32
1	1	250.06	5.02	4850.32	97.34
2	2	112.98	2.27	4963.30	99.60
3	3	13.41	0.27	4976.71	99.87
4	4	2.34	0.05	4979.05	99.92
5 or more	5	3.95	0.08	4983.00	100.00

chb13m1a: 4/5 - M - P1L D2/P2L C2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.63	0.86	42.63	0.86
-9	-9	806.31	16.18	848.94	17.04
Less than 1	0	235.05	4.72	1083.99	21.75
1	1	1151.80	23.11	2235.79	44.87
2	2	1338.66	26.86	3574.45	71.73
3	3	865.03	17.36	4439.48	89.09
4	4	361.87	7.26	4801.34	96.35
5	5	114.79	2.30	4916.13	98.66
6 or more	6	66.87	1.34	4983.00	100.00

chb13m2a: 4/5 - M - P1L D3/P2L C3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.07	0.70	35.07	0.70
-9	-9	806.31	16.18	841.38	16.89
Less than 1	0	707.42	14.20	1548.80	31.08
1	1	1472.06	29.54	3020.86	60.62
2	2	1250.10	25.09	4270.96	85.71
3	3	499.77	10.03	4770.72	95.74
4	4	136.79	2.75	4907.52	98.49
5	5	36.45	0.73	4943.97	99.22
6 or more	6	39.03	0.78	4983.00	100.00

chb14m1: 4/5 - M - P1L D4/P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.09	0.74	37.09	0.74
-9	-9	806.31	16.18	843.40	16.93
Not enjoyable	1	221.33	4.44	1064.73	21.37
A little enjoyable	2	946.97	19.00	2011.69	40.37
Moderately enjoyable	3	1739.60	34.91	3751.30	75.28
Very enjoyable	4	1231.70	24.72	4983.00	100.00

chb14m2: 4/5 - M - P1L D5/P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	42.92	0.86	42.92	0.86
-9	806.31	16.18	849.23	17.04
0	569.12	11.42	1418.35	28.46
1	731.94	14.69	2150.29	43.15
2	793.16	15.92	2943.45	59.07
3	809.67	16.25	3753.12	75.32
4	492.60	9.89	4245.72	85.20
5	379.34	7.61	4625.06	92.82
6	138.06	2.77	4763.12	95.59
7	219.88	4.41	4983.00	100.00

chb16m1: 4/5 - M - P1L D6/P2L C6 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.56	0.71	35.56	0.71
-9	-9	806.31	16.18	841.86	16.89
Yes	1	3658.44	73.42	4500.30	90.31
No	2	482.70	9.69	4983.00	100.00

chb16m2: 4/5 - M - P1L D7/P2L C7 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	159.74	3.21	159.74	3.21
-9	-9	806.31	16.18	966.05	19.39
Never	0	483.47	9.70	1449.52	29.09
Not in the last year	1	272.94	5.48	1722.45	34.57
Monthly or less	2	1108.01	22.24	2830.46	56.80
2 to 3 times a month	3	541.79	10.87	3372.25	67.68
Once a week	4	535.73	10.75	3907.98	78.43
2 to 3 times a week	5	630.05	12.64	4538.03	91.07
4 to 6 times a week	6	318.19	6.39	4856.22	97.46
Everyday	7	126.78	2.54	4983.00	100.00

chb16m3: 4/5 - M - P1L D8/P2L C8 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	210.89	4.23	210.89	4.23
-9	-9	1562.71	31.36	1773.60	35.59
1 or 2	1	2127.62	42.70	3901.22	78.29
3 or 4	2	784.73	15.75	4685.96	94.04
5 or 6	3	201.36	4.04	4887.32	98.08
7 to 10	4	69.60	1.40	4956.92	99.48
11 or more	5	26.08	0.52	4983.00	100.00

chb16m4: 4/5 - M - P1L D9/10/P2L C9/10 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	241.23	4.84	241.23	4.84
-9	-9	742.95	14.91	984.18	19.75
Not in the last year	1	2278.04	45.72	3262.22	65.47
Monthly or less	2	1255.74	25.20	4517.96	90.67
2 or 3 times a month	3	209.28	4.20	4727.24	94.87
Once a week	4	180.34	3.62	4907.58	98.49
2 to 3 times a week	5	54.04	1.08	4961.62	99.57
4 to 6 times a week	6	11.96	0.24	4973.58	99.81
Every day	7	9.42	0.19	4983.00	100.00

chb16m5: 4/5 - M - P1L D9/10/P2L C9/10 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	241.23	4.84	241.23	4.84
-9	-9	1226.42	24.61	1467.65	29.45
Everyday	1	9.42	0.19	1477.07	29.64
4-6 times a week	2	11.96	0.24	1489.03	29.88
2-3 times a week	3	54.04	1.08	1543.07	30.97
Once a week	4	180.34	3.62	1723.41	34.59
2-3 times a month	5	209.28	4.20	1932.69	38.79
Monthly or less	6	3050.31	61.21	4983.00	100.00

cmavdac: 4/5 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1001.53	20.10	1001.53	20.10
-9	32.39	0.65	1033.92	20.75
0	2405.32	48.27	3439.24	69.02
0.5	822.42	16.50	4261.67	85.52
1	294.51	5.91	4556.17	91.43
1.5	255.22	5.12	4811.39	96.56
2	38.59	0.77	4849.98	97.33
2.5	78.16	1.57	4928.14	98.90
3	8.26	0.17	4936.40	99.06
3.5	28.36	0.57	4964.76	99.63
4	8.73	0.18	4973.49	99.81
4.5	1.46	0.03	4974.95	99.84
5.5	6.56	0.13	4981.50	99.97
6.5	1.50	0.03	4983.00	100.00

cmalcgp: 4/5 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	963.49	19.34	963.49	19.34
-9	-9	32.39	0.65	995.88	19.99
Abstain not in the last year	1	756.41	15.18	1752.29	35.17
Occasional less than monthly	2	1108.01	22.24	2860.29	57.40
Light <2 drinks/day men, <1 women	3	1446.50	29.03	4306.79	86.43
Moderate >=2 to <4 men, >=1 to <2 women	4	504.60	10.13	4811.39	96.56

cmalcgp: 4/5 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	153.37	3.08	4964.76	99.63
Harmful ≥ 6 men, ≥ 4 women	6	18.24	0.37	4983.00	100.00

cmhvdac: 4/5 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	963.49	19.34	963.49	19.34
-9	-9	32.39	0.65	995.88	19.99
Yes	1	171.61	3.44	1167.49	23.43
No	2	3815.51	76.57	4983.00	100.00

cmbinge: 4/5 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	928.48	18.63	928.48	18.63
-9	-9	32.39	0.65	960.87	19.28
Yes	1	465.04	9.33	1425.91	28.62
No	2	3557.09	71.38	4983.00	100.00

cmalcp: 4/5 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	960.50	19.28	960.50	19.28
-9	-9	32.39	0.65	992.89	19.93
Yes	1	500.36	10.04	1493.24	29.97
No	2	3489.76	70.03	4983.00	100.00

chb15m1: 4/5 - M - P1L D17/P2L C17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	64.88	1.30	64.88	1.30
-9	-9	806.31	16.18	871.19	17.48
Do not smoke at all	1	3081.14	61.83	3952.33	79.32
Less than once a day	2	151.83	3.05	4104.16	82.36
At least once a day	3	878.84	17.64	4983.00	100.00

chb15m2: 4/5 - M - P1L D18/P2L C18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	76.99	1.55	76.99	1.55
-9	806.31	16.18	883.30	17.73
0	3232.97	64.88	4116.27	82.61
1	5.78	0.12	4122.05	82.72
2	14.32	0.29	4136.37	83.01
3	28.51	0.57	4164.89	83.58
4	9.20	0.18	4174.09	83.77
5	73.28	1.47	4247.37	85.24
6	34.13	0.68	4281.50	85.92
7	35.65	0.72	4317.15	86.64
8	45.21	0.91	4362.36	87.54

chb15m2: 4/5 - M - P1L D18/P2L C18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9	3.31	0.07	4365.67	87.61
10	203.64	4.09	4569.31	91.70
11	2.67	0.05	4571.98	91.75
12	42.77	0.86	4614.75	92.61
13	2.54	0.05	4617.29	92.66
14	1.34	0.03	4618.63	92.69
15	141.00	2.83	4759.64	95.52
17	6.67	0.13	4766.30	95.65
18	5.58	0.11	4771.88	95.76
20	126.97	2.55	4898.85	98.31
24	1.54	0.03	4900.39	98.34
25	49.26	0.99	4949.65	99.33
29	0.73	0.01	4950.38	99.35
30	26.63	0.53	4977.01	99.88
35	0.99	0.02	4978.00	99.90
40	3.85	0.08	4981.85	99.98
42	1.15	0.02	4983.00	100.00

chb15m5: 4/5 - M - P1L 14 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	64.88	1.30	64.88	1.30
-9	-9	806.31	16.18	871.19	17.48
Yes	1	1030.67	20.68	1901.86	38.17
No	2	3081.14	61.83	4983.00	100.00

chb15m6: 4/5 - M - P1L D18/P2L C18 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.99	1.55	76.99	1.55
-9	-9	3887.45	78.01	3964.44	79.56
Less than one a day	1	151.83	3.05	4116.27	82.61
1 to 5 per day	2	131.10	2.63	4247.37	85.24
6 to 10 per day	3	321.94	6.46	4569.31	91.70
11 to 20 per day	4	329.55	6.61	4898.85	98.31
More than 20 per day	5	84.15	1.69	4983.00	100.00

chb15m3: 4/5 - M - P1L D19/P2L C19 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.70	1.16	57.70	1.16
-9	-9	806.31	16.18	864.00	17.34
Yes	1	1929.49	38.72	2793.49	56.06
No	2	2189.51	43.94	4983.00	100.00

chb15m4a: 4/5 - M - P1L D19/P2L C20 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.99	0.98	48.99	0.98
-9	-9	806.31	16.18	855.30	17.16
None	0	3537.92	71.00	4393.21	88.16
1	1	431.20	8.65	4824.42	96.82
2	2	134.76	2.70	4959.18	99.52
3	3	16.77	0.34	4975.95	99.86
4	4	3.35	0.07	4979.30	99.93
5 or more	5	3.70	0.07	4983.00	100.00

chb13f1a: 4/5 - F - P1L D2/P2L C2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.39	0.97	48.39	0.97
-9	-9	1635.63	32.82	1684.02	33.80
Less than 1	0	272.74	5.47	1956.76	39.27
1	1	1108.44	22.24	3065.20	61.51
2	2	1035.34	20.78	4100.54	82.29
3	3	513.94	10.31	4614.48	92.60
4	4	240.06	4.82	4854.54	97.42
5	5	73.58	1.48	4928.12	98.90
6 or more	6	54.88	1.10	4983.00	100.00

chb13f2a: 4/5 - F - P1L D3/P2L C3 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.08	0.92	46.08	0.92
-9	-9	1635.63	32.82	1681.71	33.75
Less than 1	0	912.47	18.31	2594.19	52.06
1	1	1051.65	21.10	3645.83	73.17
2	2	771.28	15.48	4417.11	88.64
3	3	351.06	7.05	4768.17	95.69
4	4	125.42	2.52	4893.58	98.21
5	5	47.66	0.96	4941.25	99.16
6 or more	6	41.75	0.84	4983.00	100.00

chb14f1: 4/5 - F - P1L D4/P2L C4 - Level of enjoyment of exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.49	0.95	47.49	0.95
-9	-9	1635.63	32.82	1683.12	33.78
Not enjoyable	1	123.03	2.47	1806.15	36.25
A little enjoyable	2	562.53	11.29	2368.68	47.54
Moderately enjoyable	3	1291.14	25.91	3659.82	73.45
Very enjoyable	4	1323.18	26.55	4983.00	100.00

chb14f2: 4/5 - F - P1L D5/P2L C5 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	60.90	1.22	60.90	1.22
-9	1635.63	32.82	1696.54	34.05
0	444.91	8.93	2141.45	42.98
1	527.61	10.59	2669.06	53.56
2	585.21	11.74	3254.27	65.31
3	544.70	10.93	3798.97	76.24
4	336.32	6.75	4135.29	82.99
5	351.45	7.05	4486.73	90.04
6	186.06	3.73	4672.79	93.77
7	310.21	6.23	4983.00	100.00

chb16f1: 4/5 - F - P1L D6/P2L C6 - Ever drunk alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.15	1.13	56.15	1.13
-9	-9	1635.63	32.82	1691.78	33.95
Yes	1	3091.77	62.05	4783.55	96.00
No	2	199.45	4.00	4983.00	100.00

chb16f2: 4/5 - F - P1L D7/P2L C7 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	115.26	2.31	115.26	2.31
-9	-9	1635.63	32.82	1750.89	35.14
Never	0	199.45	4.00	1950.34	39.14
Not in the last year	1	141.09	2.83	2091.43	41.97
Monthly or less	2	461.38	9.26	2552.80	51.23
2 to 3 times a month	3	356.26	7.15	2909.06	58.38
Once a week	4	436.98	8.77	3346.04	67.15
2 to 3 times a week	5	738.91	14.83	4084.96	81.98
4 to 6 times a week	6	567.85	11.40	4652.81	93.37
Everyday	7	330.19	6.63	4983.00	100.00

chb16f3: 4/5 - F - P1L D8/P2L C8 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	135.11	2.71	135.11	2.71
-9	-9	1976.17	39.66	2111.28	42.37
1 or 2	1	1376.20	27.62	3487.48	69.99
3 or 4	2	906.81	18.20	4394.29	88.19
5 or 6	3	400.74	8.04	4795.04	96.23
7 to 10	4	152.61	3.06	4947.65	99.29
11 or more	5	35.35	0.71	4983.00	100.00

chb16f4: 4/5 - F - P1L D9/10/P2L C9/10 - Freq binge drinking (v1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1752.87	35.18	1752.87	35.18
-9	-9	28.36	0.57	1781.23	35.75
Not in the last year	1	1270.53	25.50	3051.76	61.24
Monthly or less	2	1120.91	22.49	4172.66	83.74
2 or 3 times a month	3	283.16	5.68	4455.83	89.42
Once a week	4	306.35	6.15	4762.17	95.57
2 to 3 times a week	5	175.66	3.53	4937.83	99.09
4 to 6 times a week	6	30.69	0.62	4968.52	99.71
Every day	7	14.48	0.29	4983.00	100.00

chb16f5: 4/5 - F - P1L D9/10/P2L C9/10 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	145.60	2.92	145.60	2.92
-9	-9	1835.08	36.83	1980.68	39.75
Everyday	1	14.48	0.29	1995.15	40.04
4-6 times a week	2	30.69	0.62	2025.84	40.66
2-3 times a week	3	175.66	3.53	2201.50	44.18
Once a week	4	306.35	6.15	2507.85	50.33
2-3 times a month	5	283.16	5.68	2791.01	56.01
Monthly or less	6	2191.99	43.99	4983.00	100.00

cfavdac: 4/5 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1077.48	21.62	1077.48	21.62
-9	712.61	14.30	1790.09	35.92
0	1134.23	22.76	2924.32	58.69
0.5	624.45	12.53	3548.77	71.22
1	380.40	7.63	3929.17	78.85
1.5	352.60	7.08	4281.78	85.93
2	119.05	2.39	4400.82	88.32
2.5	209.83	4.21	4610.66	92.53
3	46.44	0.93	4657.09	93.46
3.5	137.04	2.75	4794.14	96.21
4	66.99	1.34	4861.13	97.55
4.5	11.50	0.23	4872.63	97.79
5.5	67.75	1.36	4940.38	99.14
6.5	17.96	0.36	4958.34	99.51
8.5	23.76	0.48	4982.10	99.98
12	0.90	0.02	4983.00	100.00

cfalcgp: 4/5 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1056.55	21.20	1056.55	21.20
-9	-9	712.61	14.30	1769.15	35.50
Abstain not in the last year	1	340.54	6.83	2109.69	42.34
Occasional less than monthly	2	461.38	9.26	2571.07	51.60
Light <2 drinks/day men, <1 women	3	1710.71	34.33	4281.78	85.93

cfalcp: 4/5 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate ≥ 2 to < 4 men, ≥ 1 to < 2 women	4	512.36	10.28	4794.14	96.21
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	146.24	2.93	4940.38	99.14
Harmful ≥ 6 men, ≥ 4 women	6	42.62	0.86	4983.00	100.00

cfhvdac: 4/5 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1056.55	21.20	1056.55	21.20
-9	-9	712.61	14.30	1769.15	35.50
Yes	1	188.86	3.79	1958.02	39.29
No	2	3024.98	60.71	4983.00	100.00

cfbinge: 4/5 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1045.81	20.99	1045.81	20.99
-9	-9	712.61	14.30	1758.42	35.29
Yes	1	810.34	16.26	2568.76	51.55
No	2	2414.24	48.45	4983.00	100.00

cfalcp: 4/5 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1062.85	21.33	1062.85	21.33
-9	-9	712.61	14.30	1775.46	35.63
Yes	1	820.54	16.47	2596.00	52.10
No	2	2387.00	47.90	4983.00	100.00

chb15f1: 4/5 - F - P1L D17/P2L C17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	180.61	3.62	180.61	3.62
-9	-9	1635.63	32.82	1816.24	36.45
Do not smoke at all	1	2341.90	47.00	4158.14	83.45
Less than once a day	2	98.35	1.97	4256.49	85.42
At least once a day	3	726.51	14.58	4983.00	100.00

chb15f2: 4/5 - F - P1L D18/P2L C18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	166.21	3.34	166.21	3.34
-9	1635.63	32.82	1801.85	36.16
0	2440.25	48.97	4242.10	85.13
1	7.31	0.15	4249.41	85.28
2	9.21	0.18	4258.62	85.46
3	16.24	0.33	4274.86	85.79
4	14.75	0.30	4289.61	86.08
5	26.42	0.53	4316.04	86.62
6	16.32	0.33	4332.36	86.94

chb15f2: 4/5 - F - P1L D18/P2L C18 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	15.11	0.30	4347.47	87.25
8	21.03	0.42	4368.49	87.67
9	2.93	0.06	4371.43	87.73
10	123.05	2.47	4494.48	90.20
11	1.39	0.03	4495.87	90.22
12	42.51	0.85	4538.38	91.08
13	2.17	0.04	4540.55	91.12
14	5.35	0.11	4545.90	91.23
15	107.19	2.15	4653.08	93.38
16	5.69	0.11	4658.77	93.49
17	2.81	0.06	4661.58	93.55
18	2.68	0.05	4664.26	93.60
19	1.78	0.04	4666.05	93.64
20	167.16	3.35	4833.21	96.99
22	1.82	0.04	4835.03	97.03
25	85.21	1.71	4920.24	98.74
28	2.81	0.06	4923.05	98.80
30	40.64	0.82	4963.70	99.61
35	5.94	0.12	4969.64	99.73
40	9.98	0.20	4979.61	99.93
50	1.94	0.04	4981.55	99.97
60	1.45	0.03	4983.00	100.00

chb15f5: 4/5 - F - P1L 14 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	180.61	3.62	180.61	3.62
-9	-9	1635.63	32.82	1816.24	36.45
Yes	1	824.86	16.55	2641.10	53.00
No	2	2341.90	47.00	4983.00	100.00

chb15f6: 4/5 - F - P1L D18/P2L C18 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	166.21	3.34	166.21	3.34
-9	-9	3977.53	79.82	4143.75	83.16
Less than one a day	1	98.35	1.97	4242.10	85.13
1 to 5 per day	2	73.94	1.48	4316.04	86.62
6 to 10 per day	3	178.44	3.58	4494.48	90.20
11 to 20 per day	4	338.73	6.80	4833.21	96.99
More than 20 per day	5	149.79	3.01	4983.00	100.00

chb15f3: 4/5 - F - P1L D19/P2L C19 - Been a regular smoker

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	168.96	3.39	168.96	3.39
-9	-9	1635.63	32.82	1804.60	36.22
Yes	1	1530.94	30.72	3335.53	66.94
No	2	1647.47	33.06	4983.00	100.00

chb15f4a: 4/5 - F - P1L D19/P2L C20 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	155.47	3.12	155.47	3.12
-9	-9	1635.63	32.82	1791.11	35.94
None	0	2805.48	56.30	4596.59	92.25
1	1	251.46	5.05	4848.05	97.29
2	2	116.03	2.33	4964.08	99.62
3	3	13.41	0.27	4977.49	99.89
4	4	3.18	0.06	4980.67	99.95
5 or more	5	2.33	0.05	4983.00	100.00