

05 Health status

zhs03a: F2F B2 - SC's weight at birth (gm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.42	0.03	1.42	0.03
-2	90.57	1.82	91.98	1.85
500	5.16	0.10	97.14	1.95
1000	27.02	0.54	124.17	2.49
1500	34.79	0.70	158.95	3.19
2000	124.85	2.51	283.81	5.70
2500	367.70	7.38	651.50	13.07
3000	1198.42	24.05	1849.92	37.12
3500	1831.88	36.76	3681.81	73.89
4000	1045.85	20.99	4727.65	94.88
4500	234.56	4.71	4962.21	99.58
5000	15.97	0.32	4978.18	99.90
5500	3.45	0.07	4981.63	99.97
6000	1.37	0.03	4983.00	100.00

zbwz: Birth weight z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	91.98	1.85	91.98	1.85
-4	11.31	0.23	103.29	2.07
-3	93.44	1.88	196.74	3.95
-2	324.90	6.52	521.64	10.47
-1	1181.21	23.70	1702.84	34.17
0	1851.11	37.15	3553.95	71.32
1	1119.89	22.47	4673.84	93.80
2	268.50	5.39	4942.35	99.18
3	33.08	0.66	4975.43	99.85
4	5.67	0.11	4981.10	99.96
5	0.53	0.01	4981.63	99.97
6	1.37	0.03	4983.00	100.00

zbpwct: Birth weight percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	91.98	1.85	91.98	1.85
0	363.93	7.30	455.91	9.15
10	462.26	9.28	918.17	18.43
20	494.55	9.92	1412.72	28.35
30	499.55	10.03	1912.27	38.38
40	482.18	9.68	2394.45	48.05
50	504.16	10.12	2898.61	58.17
60	490.64	9.85	3389.25	68.02
70	429.18	8.61	3818.42	76.63
80	491.50	9.86	4309.92	86.49
90	437.60	8.78	4747.52	95.27
100	235.48	4.73	4983.00	100.00

zhs04a: F2F B3 - No. weeks of gestation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.48	0.05	2.48	0.05
-2	157.93	3.17	160.41	3.22
25	13.21	0.27	173.62	3.48
30	66.82	1.34	240.44	4.83
35	505.32	10.14	745.77	14.97
40	4210.09	84.49	4955.86	99.46
45	25.46	0.51	4981.32	99.97
50	1.68	0.03	4983.00	100.00

zhs04b: F2F B3/4 - SC born on time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	36.55	0.73	36.55	0.73
Late birth 42 weeks or more	1	361.28	7.25	397.84	7.98
On time 37-41 weeks	2	4206.18	84.41	4604.02	92.39
Somewhat early 33-36 weeks	3	296.00	5.94	4900.02	98.33
Very early 32 weeks or less	4	82.98	1.67	4983.00	100.00

zhs05a: F2F B5 - SC used intensive care after birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.70	0.17	8.70	0.17
Yes	1	744.53	14.94	753.24	15.12
No	2	4229.76	84.88	4983.00	100.00

zhs06: F2F B6 - Single or multiple birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.89	0.02	0.89	0.02
Single birth	1	4842.48	97.18	4843.37	97.20
Twin	2	128.38	2.58	4971.75	99.77
Triplet	3	11.25	0.23	4983.00	100.00

zhs07: F2F B7 - Whether assisted reproduction used

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.95	0.14	6.95	0.14
Yes	1	216.09	4.34	223.03	4.48
No	2	4759.97	95.52	4983.00	100.00

chs13c: 4/5 - SC - F2F B23 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.29	0.03	1.29	0.03
Excellent	1	2810.68	56.41	2811.98	56.43
Very good	2	1522.14	30.55	4334.12	86.98
Good	3	513.67	10.31	4847.79	97.29
Fair	4	119.30	2.39	4967.09	99.68
Poor	5	15.91	0.32	4983.00	100.00

chs14a: 4/5 - F2F B24 - Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.92	0.04	1.92	0.04
Yes	1	642.15	12.89	644.06	12.93
No	2	4338.94	87.07	4983.00	100.00

chs14b: 4/5 - F2F B25 - Uses medicine because of condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.08	0.10	5.08	0.10
Yes	1	603.52	12.11	608.60	12.21
No	2	4374.40	87.79	4983.00	100.00

chs14c: 4/5 - F2F B26 - Medicated condition for 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3	-3	1.31	0.03	1.31	0.03
-2	-2	32.42	0.65	33.72	0.68
Yes	1	432.70	8.68	466.43	9.36
No	2	4516.57	90.64	4983.00	100.00

chs14d: 4/5 - F2F B27 - Extra medical care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	14.79	0.30	14.79	0.30
Yes	1	500.19	10.04	514.98	10.33
No	2	4468.02	89.67	4983.00	100.00

chs14e: 4/5 - F2F B28 - Extra medical care is due to condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	16.84	0.34	16.84	0.34
Yes	1	442.44	8.88	459.28	9.22
No	2	4523.72	90.78	4983.00	100.00

chs14f: 4/5 - F2F B29 - Extra care condition for year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	43.26	0.87	43.26	0.87
Yes	1	386.03	7.75	429.29	8.62
No	2	4553.71	91.38	4983.00	100.00

chs14g: 4/5 - F2F B30 - Frequency able to get specific care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4540.56	91.12	4540.56	91.12
-2	-2	6.36	0.13	4546.92	91.25
Always	1	262.42	5.27	4809.34	96.51
Usually	2	96.71	1.94	4906.05	98.46
Sometimes	3	50.13	1.01	4956.17	99.46
Rarely	4	21.33	0.43	4977.51	99.89
Never	5	5.49	0.11	4983.00	100.00

csnch: 4/5 - Special health care needs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.55	1.11	55.55	1.11
Yes	1	668.97	13.43	724.52	14.54
No	2	4258.48	85.46	4983.00	100.00

chs28a: 4/5 - F2F B32 - Concerns about SC's physical health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.82	0.04	1.82	0.04
None	1	3415.03	68.53	3416.85	68.57
A little bit	2	914.68	18.36	4331.53	86.93
Some	3	363.54	7.30	4695.07	94.22
Quite a bit	4	206.52	4.14	4901.59	98.37
A lot	5	81.41	1.63	4983.00	100.00

chs28b: 4/5 - F2F B33 - Concerns about SC's emotional health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
None	1	2265.63	45.47	2265.63	45.47
A little bit	2	1582.81	31.76	3848.44	77.23
Some	3	630.08	12.64	4478.53	89.88
Quite a bit	4	364.48	7.31	4843.01	97.19
A lot	5	139.99	2.81	4983.00	100.00

cparimp: 4/5 - Parental impact scale

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1716.93	34.46	1716.93	34.46
2	2275.28	45.66	3992.21	80.12
3	740.04	14.85	4732.25	94.97
4	194.70	3.91	4926.95	98.88
5	56.05	1.12	4983.00	100.00

chs15a: 4/5 - F2F B36 - SC had wheezing or whistling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	11.84	0.24	11.84	0.24
Yes	1	1474.27	29.59	1486.11	29.82
No	2	3496.89	70.18	4983.00	100.00

chs15b: 4/5 - F2F B37 - SC had illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	22.19	0.45	22.19	0.45
Yes	1	753.28	15.12	775.47	15.56
No	2	4207.53	84.44	4983.00	100.00

chs15c: 4/5 - F2F B38 - Frequency of wheezing in last 12 months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	44.87	0.90	44.87	0.90
0	4694.36	94.21	4739.23	95.11
5	219.46	4.40	4958.69	99.51
10	16.35	0.33	4975.04	99.84
15	3.37	0.07	4978.41	99.91
20	1.41	0.03	4979.81	99.94
50	3.19	0.06	4983.00	100.00

chs29a: 4/5 - F2F B39 - SC diagnosed with asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	15.11	0.30	15.11	0.30
Yes	1	1051.48	21.10	1066.59	21.40
No	2	3916.41	78.60	4983.00	100.00

chs29b: 4/5 - F2F B40 - Medication for asthma in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	18.90	0.38	18.90	0.38
Yes	1	743.04	14.91	761.95	15.29
No	2	4221.05	84.71	4983.00	100.00

chs20a: 4/5 - F2F B41 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	2.98	0.06	2.98	0.06
Not a problem at all	1	3308.28	66.39	3311.26	66.45
A small problem	2	986.35	19.79	4297.61	86.25
A moderate problem	3	450.01	9.03	4747.62	95.28
A large problem	4	235.38	4.72	4983.00	100.00

chs20b: 4/5 - F2F B42 - Does child have any sleep problems?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
Yes	1	2618.88	52.56	2621.99	52.62
No	2	2361.01	47.38	4983.00	100.00

chs20b1b: 4/5 - F2F B42.1 - Sleep problems - wheezing or asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4864.71	97.63	4867.82	97.69
Yes	1	115.18	2.31	4983.00	100.00

chs20b2: 4/5 - F2F B42.2 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4496.12	90.23	4499.24	90.29
Yes	1	483.76	9.71	4983.00	100.00

chs20b3: 4/5 - F2F B42.3 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4340.09	87.10	4343.20	87.16
Yes	1	639.80	12.84	4983.00	100.00

chs20b4: 4/5 - F2F B42.4 - Sleep problems - Sleeping alone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	3853.49	77.33	3856.61	77.40
Yes	1	1126.39	22.60	4983.00	100.00

chs20b5: 4/5 - F2F B42.5 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4079.26	81.86	4082.37	81.93
Yes	1	900.63	18.07	4983.00	100.00

chs20b8: 4/5 - F2F B42.6 - Sleep problems - bed wetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4284.77	85.99	4287.89	86.05
Yes	1	695.11	13.95	4983.00	100.00

chs20b9: 4/5 - F2F B42.7 - Sleep problems - nightmares/terrors

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4701.08	94.34	4704.19	94.40
Yes	1	278.81	5.60	4983.00	100.00

chs20b10: 4/5 - F2F B42.8 - Sleep problems - seeming tired

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4524.78	90.80	4527.89	90.87
Yes	1	455.11	9.13	4983.00	100.00

chs20b7: 4/5 - F2F B42.9 - Sleep problems - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.11	0.06	3.11	0.06
No	0	4877.35	97.88	4880.46	97.94
Yes	1	102.54	2.06	4983.00	100.00

chs20c1: 4/5 - F2F B43 - P1 sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.53	0.03	1.53	0.03
Very good	1	917.72	18.42	919.25	18.45
Fairly good	2	2450.59	49.18	3369.84	67.63
Fairly bad	3	1119.06	22.46	4488.90	90.08
Very bad	4	494.10	9.92	4983.00	100.00

chs16a: 4/5 - F2F B44 - SC had bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	45.17	0.91	45.17	0.91
Yes	1	789.12	15.84	834.29	16.74
No	2	4148.71	83.26	4983.00	100.00

zhs16b: F2F B48 - Age in weeks first had bronchiolitis

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4193.88	84.16	4193.88	84.16
-2	16.70	0.34	4210.58	84.50
0	4.41	0.09	4215.00	84.59
4	24.49	0.49	4239.49	85.08
8	48.26	0.97	4287.75	86.05
12	35.08	0.70	4322.83	86.75
16	30.68	0.62	4353.51	87.37
20	18.12	0.36	4371.63	87.73
24	94.87	1.90	4466.51	89.63
32	14.09	0.28	4480.60	89.92
36	32.49	0.65	4513.08	90.57
40	31.26	0.63	4544.34	91.20
44	27.76	0.56	4572.10	91.75
48	4.58	0.09	4576.68	91.85
52	100.27	2.01	4676.95	93.86
56	2.91	0.06	4679.86	93.92
60	9.01	0.18	4688.87	94.10
64	8.13	0.16	4697.00	94.26
68	1.94	0.04	4698.95	94.30
72	0.72	0.01	4699.67	94.31
76	47.70	0.96	4747.37	95.27
84	2.09	0.04	4749.46	95.31
100	0.96	0.02	4750.41	95.33
104	116.36	2.34	4866.78	97.67
128	6.65	0.13	4873.43	97.80
136	0.83	0.02	4874.26	97.82
144	0.85	0.02	4875.11	97.83
152	1.35	0.03	4876.46	97.86
156	80.60	1.62	4957.06	99.48
176	1.08	0.02	4958.14	99.50
208	24.11	0.48	4982.25	99.98
260	0.75	0.02	4983.00	100.00

chs17a: 4/5 - F2F B46.1 - Hearing problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4816.12	96.65	4816.12	96.65
Yes	1	166.88	3.35	4983.00	100.00

chs17b: 4/5 - F2F B46.2 - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4833.56	97.00	4833.56	97.00
Yes	1	149.44	3.00	4983.00	100.00

chs17i: 4/5 - F2F B46.3 - SC has ongoing - ADD/ADHD

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4923.20	98.80	4923.20	98.80
Yes	1	59.80	1.20	4983.00	100.00

chs17d: 4/5 - F2F B46.4 - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4355.54	87.41	4355.54	87.41
Yes	1	627.46	12.59	4983.00	100.00

chs17e: 4/5 - F2F B46.5 - Diarrhoea/colitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4941.95	99.18	4941.95	99.18
Yes	1	41.05	0.82	4983.00	100.00

chs17m: 4/5 - F2F B46.6 - Frequent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4951.09	99.36	4951.09	99.36
Yes	1	31.91	0.64	4983.00	100.00

chs17g: 4/5 - F2F B46.7 - Ear infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4583.89	91.99	4583.89	91.99
Yes	1	399.11	8.01	4983.00	100.00

chs17h: 4/5 - F2F B46.8 - Other infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4868.55	97.70	4868.55	97.70
Yes	1	114.45	2.30	4983.00	100.00

chs17r: 4/5 - F2F B46.9 - Food or other allergies

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4563.71	91.59	4563.71	91.59
Yes	1	419.29	8.41	4983.00	100.00

chs17j: 4/5 - F2F B46.10 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4733.22	94.99	4733.22	94.99
Yes	1	249.78	5.01	4983.00	100.00

chs17k: 4/5 - F2F B46.11 - Other physical disabilities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4863.03	97.59	4863.03	97.59
Yes	1	119.97	2.41	4983.00	100.00

chs17l1: 4/5 - F2F B48 - Had ADD or ADHD medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	12.53	0.25	12.53	0.25
No	2	4970.47	99.75	4983.00	100.00

chs18a: 4/5 - F2F B49 - No. times SC injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3	0.86	0.02	0.86	0.02
-2	5.64	0.11	6.50	0.13
0	4964.26	99.62	4970.76	99.75
10	12.24	0.25	4983.00	100.00

chs18b1: 4/5 - F2F B50.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	753.51	15.12	4867.25	97.68
Yes	1	115.75	2.32	4983.00	100.00

chs18b2: 4/5 - F2F B50.2 - Injury - burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	836.33	16.78	4950.07	99.34
Yes	1	32.93	0.66	4983.00	100.00

chs18b3: 4/5 - F2F B50.3 - Injury - dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	853.74	17.13	4967.47	99.69
Yes	1	15.53	0.31	4983.00	100.00

chs18b4: 4/5 - F2F B50.4 - Injury - sprain or strain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	803.46	16.12	4917.20	98.68
Yes	1	65.80	1.32	4983.00	100.00

chs18b5: 4/5 - F2F B50.5 - Injury - cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	455.38	9.14	4569.12	91.69
Yes	1	413.88	8.31	4983.00	100.00

chs18b6: 4/5 - F2F B50.6 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	799.62	16.05	4913.36	98.60
Yes	1	69.64	1.40	4983.00	100.00

chs18b7: 4/5 - F2F B50.7 - Injury - internal (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	867.03	17.40	4980.77	99.96
Yes	1	2.23	0.04	4983.00	100.00

chs18b8: 4/5 - F2F B50.8 - Injury - dental

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	840.94	16.88	4954.68	99.43
Yes	1	28.32	0.57	4983.00	100.00

chs18b9: 4/5 - F2F B50.9 - Injury - accidental poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	859.22	17.24	4972.96	99.80
Yes	1	10.04	0.20	4983.00	100.00

chs18b10: 4/5 - F2F B50.10 - Injury - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4075.82	81.79	4075.82	81.79
-3	-3	32.28	0.65	4108.10	82.44
-2	-2	5.64	0.11	4113.74	82.56
No	0	614.01	12.32	4727.75	94.88
Yes	1	255.25	5.12	4983.00	100.00

chs18c1: 4/5 - F2F B51 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-3	-3	32.28	0.65	32.28	0.65
-2	-2	6.99	0.14	39.27	0.79
Yes	1	76.28	1.53	115.55	2.32
No	2	4867.45	97.68	4983.00	100.00

chs19a2: 4/5 - F2F B52 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	1.92	0.04	1.92	0.04
0	4637.46	93.07	4639.37	93.10
1	274.56	5.51	4913.93	98.61
2	42.77	0.86	4956.70	99.47
3	14.29	0.29	4970.99	99.76
4	3.64	0.07	4974.63	99.83
5	1.09	0.02	4975.72	99.85
6	4.41	0.09	4980.13	99.94
7	1.11	0.02	4981.24	99.96
9	0.96	0.02	4982.19	99.98
10	0.81	0.02	4983.00	100.00

chs19b1: 4/5 - F2F B53.1 - Hospital - fever or viral illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4932.37	98.98	4940.59	99.15
Yes	1	42.41	0.85	4983.00	100.00

chs19b2: 4/5 - F2F B53.2 - Hospital - asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4931.49	98.97	4939.70	99.13
Yes	1	43.30	0.87	4983.00	100.00

chs19b3: 4/5 - F2F B53.3 - Hospital - gastroenteritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4939.32	99.12	4947.53	99.29
Yes	1	35.47	0.71	4983.00	100.00

chs19b4: 4/5 - F2F B53.4 - Hospital - pneumonia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4947.82	99.29	4956.03	99.46
Yes	1	26.97	0.54	4983.00	100.00

chs19b5: 4/5 - F2F B53.5 - Hospital - bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4963.01	99.60	4971.23	99.76
Yes	1	11.77	0.24	4983.00	100.00

chs19b6: 4/5 - F2F B53.6 - Hospital - urine infection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4972.27	99.78	4980.49	99.95
Yes	1	2.51	0.05	4983.00	100.00

chs19b7: 4/5 - F2F B53.7 - Hospital - croup

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4954.46	99.43	4962.67	99.59
Yes	1	20.33	0.41	4983.00	100.00

chs19b8: 4/5 - F2F B53.8 - Hospital - febrile convulsion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4969.01	99.72	4977.23	99.88
Yes	1	5.77	0.12	4983.00	100.00

chs19b9: 4/5 - F2F B53.9 - Hospital - grommets etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4936.09	99.06	4944.30	99.22
Yes	1	38.70	0.78	4983.00	100.00

chs19b10: 4/5 - F2F B53.10 - Hospital - Tonsillectomy etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.21	0.16	8.21	0.16
No	0	4898.50	98.30	4906.71	98.47
Yes	1	76.29	1.53	4983.00	100.00

chs19b11: 4/5 - F2F B53.11 - Hospital - other, surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.30	0.13	6.30	0.13
No	0	4905.52	98.45	4911.82	98.57
Yes	1	71.18	1.43	4983.00	100.00

chs19b12: 4/5 - F2F B53.12 - Hospital - other, no surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.30	0.13	6.30	0.13
No	0	4936.95	99.08	4943.24	99.20
Yes	1	39.76	0.80	4983.00	100.00

chs19a1: 4/5 - F2F B52 - Non-injury hospital stays

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.92	0.04	1.92	0.04
Yes	1	343.63	6.90	345.54	6.93
No	2	4637.46	93.07	4983.00	100.00

chs12a: 4/5 - F2F B56 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.74	0.12	5.74	0.12
Not at all	1	3987.37	80.02	3993.10	80.13
A little	2	764.23	15.34	4757.33	95.47
Moderately	3	126.28	2.53	4883.62	98.01
Very	4	99.38	1.99	4983.00	100.00

chs12b: 4/5 - F2F B57 - Judgment about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	19.61	0.39	19.61	0.39
Underweight	1	680.99	13.67	700.60	14.06
Normal weight	2	4048.67	81.25	4749.26	95.31
Somewhat overweight	3	221.97	4.45	4971.23	99.76
Very overweight	4	11.77	0.24	4983.00	100.00

chs23c2: 4/5 - SC - F2F M1 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-4	2.92	0.06	2.92	0.06
-3	35.49	0.71	38.41	0.77
10	6.06	0.12	44.47	0.89
15	1285.33	25.79	1329.80	26.69
20	3077.25	61.75	4407.05	88.44
25	470.92	9.45	4877.96	97.89
30	85.93	1.72	4963.89	99.62
35	19.11	0.38	4983.00	100.00

chs23c1: 4/5 - SC - F2F M2 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	46.26	0.93	46.26	0.93
90	12.33	0.25	58.59	1.18
100	1107.95	22.23	1166.54	23.41
110	3376.04	67.75	4542.57	91.16
120	432.75	8.68	4975.32	99.85
130	7.68	0.15	4983.00	100.00

chs23c3: 4/5 - SC - F2F M3 - SC's waist measurements (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	83.63	1.68	83.63	1.68
45	152.82	3.07	236.46	4.75
50	1397.47	28.04	1633.92	32.79
55	2344.28	47.05	3978.20	79.84
60	750.28	15.06	4728.48	94.89
65	167.96	3.37	4896.44	98.26
70	47.99	0.96	4944.43	99.23
75	23.12	0.46	4967.55	99.69
80	15.45	0.31	4983.00	100.00

cwaz: 4/5 - Weight for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38.41	0.77	38.41	0.77
-4	1.74	0.03	40.14	0.81
-3	16.13	0.32	56.27	1.13
-2	109.10	2.19	165.38	3.32
-1	557.90	11.20	723.27	14.51
0	1746.35	35.05	2469.62	49.56
1	1842.02	36.97	4311.64	86.53
2	550.59	11.05	4862.23	97.58
3	106.31	2.13	4968.55	99.71
4	14.45	0.29	4983.00	100.00

cwapct: 4/5 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	38.41	0.77	38.41	0.77
0	45.59	0.91	84.00	1.69
5	95.63	1.92	179.62	3.60
10	101.70	2.04	281.32	5.65
15	117.25	2.35	398.57	8.00
20	108.70	2.18	507.26	10.18
25	114.20	2.29	621.46	12.47
30	149.57	3.00	771.03	15.47
35	154.35	3.10	925.38	18.57
40	183.44	3.68	1108.82	22.25
45	209.99	4.21	1318.82	26.47
50	251.44	5.05	1570.25	31.51
55	263.51	5.29	1833.76	36.80

cwapct: 4/5 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
60	233.05	4.68	2066.81	41.48
65	316.24	6.35	2383.05	47.82
70	311.04	6.24	2694.09	54.07
75	377.85	7.58	3071.94	61.65
80	363.31	7.29	3435.26	68.94
85	385.30	7.73	3820.55	76.67
90	406.22	8.15	4226.77	84.82
95	443.23	8.89	4670.00	93.72
100	313.00	6.28	4983.00	100.00

cbmiz: 4/5 - BMI z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.90	1.06	52.90	1.06
-5	7.23	0.15	60.13	1.21
-4	6.72	0.13	66.86	1.34
-3	28.68	0.58	95.54	1.92
-2	104.99	2.11	200.53	4.02
-1	519.36	10.42	719.89	14.45
0	1610.99	32.33	2330.87	46.78
1	1895.93	38.05	4226.80	84.82
2	613.87	12.32	4840.67	97.14
3	124.57	2.50	4965.23	99.64
4	15.05	0.30	4980.28	99.95
5	2.72	0.05	4983.00	100.00

cbmipct: 4/5 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.90	1.06	52.90	1.06
0	73.84	1.48	126.74	2.54
5	89.43	1.79	216.17	4.34
10	92.58	1.86	308.75	6.20
15	92.43	1.85	401.18	8.05
20	91.06	1.83	492.23	9.88
25	126.35	2.54	618.58	12.41
30	137.95	2.77	756.53	15.18
35	154.17	3.09	910.70	18.28
40	177.48	3.56	1088.17	21.84
45	186.96	3.75	1275.13	25.59
50	213.80	4.29	1488.93	29.88
55	203.08	4.08	1692.01	33.96
60	244.23	4.90	1936.24	38.86
65	300.84	6.04	2237.08	44.89
70	315.01	6.32	2552.09	51.22
75	346.85	6.96	2898.94	58.18
80	368.85	7.40	3267.79	65.58
85	424.13	8.51	3691.92	74.09
90	451.78	9.07	4143.69	83.16

cbmipct: 4/5 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
95	479.05	9.61	4622.74	92.77
100	360.26	7.23	4983.00	100.00

chaz: 4/5 - Height for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	46.26	0.93	46.26	0.93
-3	12.28	0.25	58.54	1.17
-2	97.87	1.96	156.41	3.14
-1	754.30	15.14	910.71	18.28
0	1870.43	37.54	2781.14	55.81
1	1583.98	31.79	4365.13	87.60
2	542.14	10.88	4907.27	98.48
3	68.65	1.38	4975.92	99.86
4	6.43	0.13	4982.35	99.99
5	0.65	0.01	4983.00	100.00

chapct: 4/5 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	46.26	0.93	46.26	0.93
0	46.51	0.93	92.77	1.86
5	86.58	1.74	179.35	3.60
10	127.73	2.56	307.08	6.16
15	133.74	2.68	440.82	8.85
20	162.55	3.26	603.38	12.11
25	182.40	3.66	785.78	15.77
30	181.21	3.64	966.99	19.41
35	209.79	4.21	1176.78	23.62
40	212.58	4.27	1389.36	27.88
45	194.80	3.91	1584.16	31.79
50	265.23	5.32	1849.39	37.11
55	278.79	5.59	2128.18	42.71
60	250.21	5.02	2378.39	47.73
65	283.34	5.69	2661.73	53.42
70	299.02	6.00	2960.75	59.42
75	310.97	6.24	3271.72	65.66
80	303.64	6.09	3575.36	71.75
85	366.40	7.35	3941.76	79.10
90	353.41	7.09	4295.17	86.20
95	409.81	8.22	4704.98	94.42
100	278.02	5.58	4983.00	100.00

cwhz: 4/5 - Weight for height z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	75.90	1.52	75.90	1.52
-4	11.14	0.22	87.04	1.75
-3	25.93	0.52	112.97	2.27
-2	92.04	1.85	205.01	4.11

cwhz: 4/5 - Weight for height z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	542.24	10.88	747.25	15.00
0	1811.47	36.35	2558.72	51.35
1	1867.77	37.48	4426.48	88.83
2	497.95	9.99	4924.43	98.82
3	54.01	1.08	4978.44	99.91
4	4.56	0.09	4983.00	100.00

cwhpct: 4/5 - Weight for height percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	75.90	1.52	75.90	1.52
0	105.86	2.12	181.77	3.65
10	182.53	3.66	364.30	7.31
20	221.23	4.44	585.53	11.75
30	293.89	5.90	879.42	17.65
40	375.80	7.54	1255.22	25.19
50	463.06	9.29	1718.27	34.48
60	544.24	10.92	2262.52	45.40
70	714.67	14.34	2977.19	59.75
80	782.18	15.70	3759.37	75.44
90	794.45	15.94	4553.82	91.39
100	429.18	8.61	4983.00	100.00

ccbmi: 4/5 - SC - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	52.90	1.06	52.90	1.06
10	17.67	0.35	70.57	1.42
15	4049.18	81.26	4119.75	82.68
20	806.53	16.19	4926.28	98.86
25	51.34	1.03	4977.62	99.89
30	5.38	0.11	4983.00	100.00

chs13a: 4/5 - P1 - P1L D1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.14	0.69	34.14	0.69
-9	-9	771.30	15.48	805.45	16.16
Excellent	1	670.59	13.46	1476.04	29.62
Very good	2	1744.54	35.01	3220.57	64.63
Good	3	1353.05	27.15	4573.62	91.78
Fair	4	359.79	7.22	4933.41	99.00
Poor	5	49.59	1.00	4983.00	100.00

chs23a1: 4/5 - P1 - P1L D21 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	229.27	4.60	229.27	4.60
-9	771.30	15.48	1000.57	20.08
120	1.44	0.03	1002.01	20.11
140	1.64	0.03	1003.66	20.14
150	354.54	7.11	1358.19	27.26
160	1672.32	33.56	3030.51	60.82
170	1529.68	30.70	4560.19	91.52
180	396.27	7.95	4956.47	99.47
190	26.53	0.53	4983.00	100.00

chs23a2: 4/5 - P1 - P1L D22 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	234.74	4.71	234.74	4.71
-9	771.30	15.48	1006.05	20.19
40	40.82	0.82	1046.87	21.01
50	530.89	10.65	1577.75	31.66
60	1235.13	24.79	2812.88	56.45
70	1006.29	20.19	3819.17	76.64
80	565.45	11.35	4384.62	87.99
90	288.56	5.79	4673.18	93.78
100	174.02	3.49	4847.19	97.27
110	75.78	1.52	4922.97	98.80
120	36.84	0.74	4959.82	99.53
130	23.18	0.47	4983.00	100.00

cabmi: 4/5 - P1 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1198.44	24.05	1198.44	24.05
15	42.98	0.86	1241.42	24.91
20	1218.68	24.46	2460.10	49.37
25	1457.40	29.25	3917.50	78.62
30	683.47	13.72	4600.97	92.33
35	244.55	4.91	4845.52	97.24
40	99.84	2.00	4945.37	99.24
45	32.76	0.66	4978.12	99.90
50	3.78	0.08	4981.91	99.98
55	1.09	0.02	4983.00	100.00

chs24a1: 4/5 - P1 - P1L D23 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.85	0.80	39.85	0.80
-9	-9	771.30	15.48	811.16	16.28
All of the time	1	31.41	0.63	842.56	16.91
Most of the time	2	119.81	2.40	962.37	19.31
Some of the time	3	838.78	16.83	1801.16	36.15

chs24a1: 4/5 - P1 - P1L D23 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	1635.52	32.82	3436.67	68.97
None of the time	5	1546.33	31.03	4983.00	100.00

chs24a2: 4/5 - P1 - P1L D24 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.92	0.96	47.92	0.96
-9	-9	771.30	15.48	819.22	16.44
All of the time	1	18.86	0.38	838.08	16.82
Most of the time	2	103.95	2.09	942.03	18.90
Some of the time	3	516.50	10.37	1458.53	29.27
A little of the time	4	1030.54	20.68	2489.08	49.95
None of the time	5	2493.92	50.05	4983.00	100.00

chs24a3: 4/5 - P1 - P1L D25 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.16	1.25	62.16	1.25
-9	-9	771.30	15.48	833.47	16.73
All of the time	1	27.67	0.56	861.14	17.28
Most of the time	2	135.15	2.71	996.28	19.99
Some of the time	3	649.87	13.04	1646.15	33.04
A little of the time	4	1336.90	26.83	2983.05	59.86
None of the time	5	1999.95	40.14	4983.00	100.00

chs24a4: 4/5 - P1 - P1L D26 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	54.13	1.09	54.13	1.09
-9	-9	771.30	15.48	825.44	16.57
All of the time	1	59.69	1.20	885.12	17.76
Most of the time	2	259.31	5.20	1144.43	22.97
Some of the time	3	879.46	17.65	2023.89	40.62
A little of the time	4	1624.65	32.60	3648.54	73.22
None of the time	5	1334.46	26.78	4983.00	100.00

chs24a5: 4/5 - P1 - P1L D27 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.88	0.82	40.88	0.82
-9	-9	771.30	15.48	812.18	16.30
All of the time	1	23.81	0.48	835.99	16.78
Most of the time	2	87.59	1.76	923.59	18.53
Some of the time	3	441.09	8.85	1364.68	27.39
A little of the time	4	817.43	16.40	2182.11	43.79
None of the time	5	2800.89	56.21	4983.00	100.00

chs24a6: 4/5 - P1 - P1L D28 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.88	0.84	41.88	0.84
-9	-9	771.30	15.48	813.18	16.32
All of the time	1	31.74	0.64	844.92	16.96
Most of the time	2	80.85	1.62	925.77	18.58
Some of the time	3	300.08	6.02	1225.86	24.60
A little of the time	4	654.71	13.14	1880.57	37.74
None of the time	5	3102.43	62.26	4983.00	100.00

cak6g: 4/5 - P1 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	866.23	17.38	866.23	17.38
No probable serious mental illness	0	3956.78	79.41	4823.01	96.79
Probable serious mental illness	1	159.99	3.21	4983.00	100.00

cak6s: 4/5 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	866.23	17.38	866.23	17.38
6	591.08	11.86	1457.31	29.25
7	505.69	10.15	1963.00	39.39
8	588.27	11.81	2551.26	51.20
9	525.17	10.54	3076.43	61.74
10	436.78	8.77	3513.21	70.50
11	313.49	6.29	3826.70	76.80
12	271.18	5.44	4097.88	82.24
13	185.12	3.71	4283.00	85.95
14	127.42	2.56	4410.42	88.51
15	133.78	2.68	4544.19	91.19
16	104.95	2.11	4649.14	93.30
17	96.38	1.93	4745.52	95.23
18	77.48	1.55	4823.01	96.79
19	56.91	1.14	4879.92	97.93
20	26.91	0.54	4906.83	98.47
21	20.13	0.40	4926.96	98.88
22	12.60	0.25	4939.56	99.13
23	9.60	0.19	4949.17	99.32
24	8.93	0.18	4958.09	99.50
25	6.53	0.13	4964.63	99.63
26	8.26	0.17	4972.89	99.80
27	1.21	0.02	4974.10	99.82
28	1.09	0.02	4975.19	99.84
29	0.70	0.01	4975.89	99.86
30	7.11	0.14	4983.00	100.00

chs25a1: 4/5 - P1 - P1L D29 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	52.00	1.04	52.00	1.04
-9	-9	771.30	15.48	823.31	16.52
Yes	1	1362.49	27.34	2185.80	43.87
No	2	2797.20	56.13	4983.00	100.00

chs25a2: 4/5 - P1 - P1L D30 - Depression for two or more years

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.84	0.96	47.84	0.96
-9	-9	771.30	15.48	819.14	16.44
Yes	1	788.06	15.82	1607.20	32.25
No	2	3375.80	67.75	4983.00	100.00

chs26a1: 4/5 - P1 - P1L D31 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.55	0.73	36.55	0.73
-9	-9	771.30	15.48	807.85	16.21
No problems or stress	1	349.33	7.01	1157.18	23.22
Few problems or stresses	2	1873.66	37.60	3030.84	60.82
Some problems and stresses	3	1540.81	30.92	4571.65	91.74
Many problems and stresses	4	328.41	6.59	4900.06	98.34
Very many problems and stresses	5	82.94	1.66	4983.00	100.00

chs26a2: 4/5 - P1 - P1L D32 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.76	0.76	37.76	0.76
-9	-9	771.30	15.48	809.07	16.24
Not at all	1	29.05	0.58	838.12	16.82
A little	2	185.23	3.72	1023.34	20.54
Fairly well	3	1868.76	37.50	2892.10	58.04
Very well	4	1674.34	33.60	4566.44	91.64
Extremely well	5	416.56	8.36	4983.00	100.00

chs26a3: 4/5 - P1 - P1L D33 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.56	0.81	40.56	0.81
-9	-9	771.30	15.48	811.86	16.29
Always	1	528.96	10.62	1340.82	26.91
Often	2	1517.56	30.45	2858.38	57.36
Sometimes	3	1641.48	32.94	4499.86	90.30
Rarely	4	403.82	8.10	4903.68	98.41
Never	5	79.32	1.59	4983.00	100.00

chs27: 4/5 - P1L D34-52 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.26	0.77	38.26	0.77
-9	-9	771.30	15.48	809.56	16.25
Yes	1	2883.03	57.86	3692.60	74.10
No	2	1290.40	25.90	4983.00	100.00

chs27a: 4/5 - P1L D34 - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.70	0.96	47.70	0.96
-9	-9	771.30	15.48	819.00	16.44
No	0	3830.52	76.87	4649.53	93.31
Yes	1	333.47	6.69	4983.00	100.00

chs27b: 4/5 - P1L D35 - Events - illness etc to close relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	65.47	1.31	65.47	1.31
-9	-9	771.30	15.48	836.77	16.79
No	0	3095.33	62.12	3932.10	78.91
Yes	1	1050.90	21.09	4983.00	100.00

chs27c: 4/5 - P1L D36 - Events - parent, partner or child died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	66.86	1.34	66.86	1.34
-9	-9	771.30	15.48	838.16	16.82
No	0	4007.25	80.42	4845.41	97.24
Yes	1	137.59	2.76	4983.00	100.00

chs27d: 4/5 - P1L D37 - Events - Close friend or other rel. died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	53.62	1.08	53.62	1.08
-9	-9	771.30	15.48	824.92	16.55
No	0	3033.67	60.88	3858.59	77.44
Yes	1	1124.41	22.56	4983.00	100.00

chs27e: 4/5 - P1L D38 - Events - broke off a steady relationship

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.32	1.15	57.32	1.15
-9	-9	771.30	15.48	828.62	16.63
No	0	3927.96	78.83	4756.58	95.46
Yes	1	226.42	4.54	4983.00	100.00

chs27f: 4/5 - P1L D39 - Events - problem with friend/relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.60	0.96	47.60	0.96
-9	-9	771.30	15.48	818.90	16.43
No	0	3382.25	67.88	4201.15	84.31
Yes	1	781.85	15.69	4983.00	100.00

chs27g: 4/5 - P1L D40 - Events - work disappointment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	51.48	1.03	51.48	1.03
-9	-9	771.30	15.48	822.78	16.51
No	0	3738.00	75.02	4560.78	91.53
Yes	1	422.22	8.47	4983.00	100.00

chs27h: 4/5 - P1L D41 - Events - thought would soon lose job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.18	1.21	60.18	1.21
-9	-9	771.30	15.48	831.48	16.69
No	0	3892.05	78.11	4723.54	94.79
Yes	1	259.46	5.21	4983.00	100.00

chs27i: 4/5 - P1L D42/D50 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.84	2.08	103.84	2.08
-9	-9	771.30	15.48	875.14	17.56
No	0	3720.44	74.66	4595.58	92.23
Yes	1	387.42	7.77	4983.00	100.00

chs27i1: 4/5 - P1L D42 - Events - P1 lost job, not from choice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.10	1.35	67.10	1.35
-9	-9	771.30	15.48	838.40	16.83
No	0	4003.53	80.34	4841.93	97.17
Yes	1	141.07	2.83	4983.00	100.00

chs27j: 4/5 - P1L D43/D51 - Events - sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	117.26	2.35	117.26	2.35
-9	-9	771.30	15.48	888.56	17.83
No	0	3618.22	72.61	4506.78	90.44
Yes	1	476.22	9.56	4983.00	100.00

chs27j1: 4/5 - P1L D43 - Events - P1 sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	65.06	1.31	65.06	1.31
-9	-9	771.30	15.48	836.36	16.78
No	0	3881.93	77.90	4718.29	94.69
Yes	1	264.71	5.31	4983.00	100.00

chs27k: 4/5 - P1L D44 - Events - had a major financial crisis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.45	1.17	58.45	1.17
-9	-9	771.30	15.48	829.76	16.65
No	0	3353.64	67.30	4183.39	83.95
Yes	1	799.61	16.05	4983.00	100.00

chs27l: 4/5 - P1L D45 - Events - legal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.15	1.17	58.15	1.17
-9	-9	771.30	15.48	829.45	16.65
No	0	4058.17	81.44	4887.62	98.09
Yes	1	95.38	1.91	4983.00	100.00

chs27m: 4/5 - P1L D46 - Events - Valuable lost or stolen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.29	1.11	55.29	1.11
-9	-9	771.30	15.48	826.60	16.59
No	0	3783.04	75.92	4609.64	92.51
Yes	1	373.36	7.49	4983.00	100.00

chs27n: 4/5 - P1L D47/D48 - Events - household D+A problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.79	1.18	58.79	1.18
-9	-9	771.30	15.48	830.09	16.66
No	0	3931.95	78.91	4762.04	95.57
Yes	1	220.96	4.43	4983.00	100.00

chs27n1: 4/5 - P1L D47 - Events - household alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.67	1.16	57.67	1.16
-9	-9	771.30	15.48	828.97	16.64
No	0	3987.87	80.03	4816.84	96.67
Yes	1	166.16	3.33	4983.00	100.00

chs27n2: 4/5 - P1L D48 - Events - household drug problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.85	1.14	56.85	1.14
-9	-9	771.30	15.48	828.15	16.62
No	0	4055.69	81.39	4883.85	98.01
Yes	1	99.15	1.99	4983.00	100.00

chs27i2: 4/5 - P1L D50 - Events - partner lost job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	83.33	1.67	83.33	1.67
-9	-9	771.30	15.48	854.63	17.15
No	0	3852.94	77.32	4707.57	94.47
Yes	1	275.43	5.53	4983.00	100.00

chs27j2: 4/5 - P1L D51 - Events - partner sought work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	102.08	2.05	102.08	2.05
-9	-9	771.30	15.48	873.38	17.53
No	0	3849.88	77.26	4723.26	94.79
Yes	1	259.74	5.21	4983.00	100.00

chs27o: 4/5 - P1L D52 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	97.11	1.95	97.11	1.95
-9	-9	771.30	15.48	868.41	17.43
No	0	3972.81	79.73	4841.22	97.15
Yes	1	141.78	2.85	4983.00	100.00

csle: 4/5 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	832.31	16.70	832.31	16.70
0	1286.25	25.81	2118.55	42.52
1	1101.12	22.10	3219.67	64.61
2	761.49	15.28	3981.17	79.89
3	421.08	8.45	4402.24	88.35
4	266.41	5.35	4668.65	93.69
5	132.81	2.67	4801.46	96.36
6	99.71	2.00	4901.17	98.36
7	27.67	0.56	4928.84	98.91
8	20.33	0.41	4949.17	99.32
9	21.85	0.44	4971.02	99.76
10	2.72	0.05	4973.75	99.81
11	4.00	0.08	4977.74	99.89
12	2.61	0.05	4980.35	99.95
14	1.53	0.03	4981.88	99.98
15	1.12	0.02	4983.00	100.00

chs13b: 4/5 - P2 - P2L C1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.06	0.92	46.06	0.92
-9	-9	1670.64	33.53	1716.69	34.45
Excellent	1	424.81	8.53	2141.51	42.98
Very good	2	1268.03	25.45	3409.53	68.42
Good	3	1184.51	23.77	4594.05	92.19
Fair	4	344.87	6.92	4938.91	99.12
Poor	5	44.09	0.88	4983.00	100.00

chs23b1: 4/5 - P2 - P2L C21 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	124.15	2.49	124.15	2.49
-9	1670.64	33.53	1794.79	36.02
150	13.96	0.28	1808.74	36.30
160	142.20	2.85	1950.94	39.15
170	765.63	15.36	2716.57	54.52
180	1685.22	33.82	4401.79	88.34
190	533.96	10.72	4935.75	99.05
200	41.91	0.84	4977.66	99.89
210	5.34	0.11	4983.00	100.00

chs23b2: 4/5 - P2 - P2L C22 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	237.16	4.76	237.16	4.76
-9	1670.64	33.53	1907.80	38.29
50	26.11	0.52	1933.91	38.81
60	154.54	3.10	2088.45	41.91
70	516.85	10.37	2605.30	52.28
80	828.76	16.63	3434.06	68.92
90	774.22	15.54	4208.28	84.45
100	451.70	9.06	4659.97	93.52
110	194.24	3.90	4854.21	97.42
120	86.28	1.73	4940.49	99.15
130	26.84	0.54	4967.33	99.69
140	8.93	0.18	4976.26	99.86
150	6.74	0.14	4983.00	100.00

cbbmi: 4/5 - P2 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1963.41	39.40	1963.41	39.40
15	14.54	0.29	1977.95	39.69
20	338.77	6.80	2316.72	46.49
25	1514.14	30.39	3830.86	76.88
30	881.54	17.69	4712.40	94.57
35	224.88	4.51	4937.28	99.08
40	37.48	0.75	4974.75	99.83
45	4.96	0.10	4979.71	99.93

cbbmi: 4/5 - P2 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
50	2.79	0.06	4982.51	99.99
55	0.49	0.01	4983.00	100.00

chs24b1: 4/5 - P2 - P2L C23 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	140.76	2.82	140.76	2.82
-9	-9	1670.64	33.53	1811.40	36.35
All of the time	1	21.05	0.42	1832.45	36.77
Most of the time	2	52.76	1.06	1885.21	37.83
Some of the time	3	482.76	9.69	2367.97	47.52
A little of the time	4	1257.31	25.23	3625.28	72.75
None of the time	5	1357.72	27.25	4983.00	100.00

chs24b2: 4/5 - P2 - P2L C24 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	145.38	2.92	145.38	2.92
-9	-9	1670.64	33.53	1816.01	36.44
All of the time	1	11.95	0.24	1827.96	36.68
Most of the time	2	32.47	0.65	1860.43	37.34
Some of the time	3	237.78	4.77	2098.21	42.11
A little of the time	4	606.93	12.18	2705.14	54.29
None of the time	5	2277.86	45.71	4983.00	100.00

chs24b3: 4/5 - P2 - P2L C25 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	155.03	3.11	155.03	3.11
-9	-9	1670.64	33.53	1825.67	36.64
All of the time	1	25.72	0.52	1851.39	37.15
Most of the time	2	95.54	1.92	1946.93	39.07
Some of the time	3	572.90	11.50	2519.83	50.57
A little of the time	4	1127.03	22.62	3646.86	73.19
None of the time	5	1336.14	26.81	4983.00	100.00

chs24b4: 4/5 - P2 - P2L C26 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.59	3.02	150.59	3.02
-9	-9	1670.64	33.53	1821.22	36.55
All of the time	1	42.14	0.85	1863.37	37.39
Most of the time	2	145.98	2.93	2009.35	40.32
Some of the time	3	520.05	10.44	2529.40	50.76
A little of the time	4	1165.22	23.38	3694.61	74.14
None of the time	5	1288.39	25.86	4983.00	100.00

chs24b5: 4/5 - P2 - P2L C27 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	148.19	2.97	148.19	2.97
-9	-9	1670.64	33.53	1818.82	36.50
All of the time	1	12.30	0.25	1831.12	36.75
Most of the time	2	25.73	0.52	1856.85	37.26
Some of the time	3	182.78	3.67	2039.64	40.93
A little of the time	4	485.67	9.75	2525.30	50.68
None of the time	5	2457.70	49.32	4983.00	100.00

chs24b6: 4/5 - P2 - P2L C28 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	144.60	2.90	144.60	2.90
-9	-9	1670.64	33.53	1815.24	36.43
All of the time	1	15.09	0.30	1830.33	36.73
Most of the time	2	30.44	0.61	1860.77	37.34
Some of the time	3	141.42	2.84	2002.19	40.18
A little of the time	4	316.99	6.36	2319.18	46.54
None of the time	5	2663.82	53.46	4983.00	100.00

cbk6g: 4/5 - P2 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1848.51	37.10	1848.51	37.10
No probable serious mental illness	0	3063.64	61.48	4912.14	98.58
Probable serious mental illness	1	70.86	1.42	4983.00	100.00

cbk6s: 4/5 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1848.51	37.10	1848.51	37.10
6	574.19	11.52	2422.69	48.62
7	458.68	9.20	2881.37	57.82
8	499.43	10.02	3380.80	67.85
9	411.96	8.27	3792.77	76.11
10	339.02	6.80	4131.79	82.92
11	212.77	4.27	4344.56	87.19
12	161.42	3.24	4505.98	90.43
13	120.36	2.42	4626.34	92.84
14	85.03	1.71	4711.37	94.55
15	70.84	1.42	4782.21	95.97
16	63.13	1.27	4845.33	97.24
17	32.95	0.66	4878.29	97.90
18	33.86	0.68	4912.14	98.58
19	19.12	0.38	4931.26	98.96
20	16.03	0.32	4947.30	99.28
21	6.40	0.13	4953.69	99.41
22	11.66	0.23	4965.35	99.65
23	6.16	0.12	4971.51	99.77
24	3.76	0.08	4975.27	99.84
25	1.66	0.03	4976.94	99.88

cbk6s: 4/5 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
28	2.43	0.05	4979.37	99.93
30	3.63	0.07	4983.00	100.00

chs26b1: 4/5 - P2 - P2L C29 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	127.35	2.56	127.35	2.56
-9	-9	1670.64	33.53	1797.99	36.08
No problems or stress	1	269.85	5.42	2067.84	41.50
Few problems or stresses	2	1453.34	29.17	3521.17	70.66
Some problems and stresses	3	1173.45	23.55	4694.63	94.21
Many problems and stresses	4	249.62	5.01	4944.25	99.22
Very many problems and stresses	5	38.75	0.78	4983.00	100.00

chs26b2: 4/5 - P2 - P2L C30 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	128.06	2.57	128.06	2.57
-9	-9	1670.64	33.53	1798.70	36.10
Not at all	1	19.79	0.40	1818.49	36.49
A little	2	123.63	2.48	1942.12	38.97
Fairly well	3	1352.66	27.15	3294.78	66.12
Very well	4	1333.33	26.76	4628.11	92.88
Extremely well	5	354.89	7.12	4983.00	100.00

chs26b3: 4/5 - P2 - P2L C31 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	132.01	2.65	132.01	2.65
-9	-9	1670.64	33.53	1802.64	36.18
Always	1	315.73	6.34	2118.37	42.51
Often	2	1103.03	22.14	3221.40	64.65
Sometimes	3	1305.87	26.21	4527.27	90.85
Rarely	4	391.05	7.85	4918.33	98.70
Never	5	64.67	1.30	4983.00	100.00

chs13m: 4/5 - M - P1L D1/P2L C1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.09	0.66	33.09	0.66
-9	-9	806.31	16.18	839.40	16.85
Excellent	1	668.15	13.41	1507.55	30.25
Very good	2	1733.34	34.79	3240.89	65.04
Good	3	1341.72	26.93	4582.60	91.96
Fair	4	351.59	7.06	4934.19	99.02
Poor	5	48.81	0.98	4983.00	100.00

chs23m1: 4/5 - M - P1L D21/P2L C21 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	227.31	4.56	227.31	4.56
-9	806.31	16.18	1033.62	20.74
120	1.44	0.03	1035.06	20.77
140	1.64	0.03	1036.70	20.80
150	359.72	7.22	1396.42	28.02
160	1698.60	34.09	3095.03	62.11
170	1519.22	30.49	4614.24	92.60
180	355.23	7.13	4969.47	99.73
190	13.53	0.27	4983.00	100.00

chs23m2: 4/5 - M - P1L D22/P2L C22 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	227.81	4.57	227.81	4.57
-9	806.31	16.18	1034.12	20.75
40	40.82	0.82	1074.94	21.57
50	537.91	10.79	1612.85	32.37
60	1249.80	25.08	2862.65	57.45
70	1006.70	20.20	3869.36	77.65
80	547.95	11.00	4417.30	88.65
90	277.44	5.57	4694.74	94.22
100	161.35	3.24	4856.09	97.45
110	73.16	1.47	4929.26	98.92
120	35.44	0.71	4964.69	99.63
130	18.31	0.37	4983.00	100.00

cmbmi: 4/5 - M - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1224.84	24.58	1224.84	24.58
15	42.98	0.86	1267.82	25.44
20	1229.24	24.67	2497.07	50.11
25	1431.86	28.73	3928.92	78.85
30	675.41	13.55	4604.33	92.40
35	244.81	4.91	4849.14	97.31
40	97.62	1.96	4946.76	99.27
45	31.36	0.63	4978.12	99.90
50	3.78	0.08	4981.91	99.98
55	1.09	0.02	4983.00	100.00

chs24m1: 4/5 - M - P1L D23/P2L C23 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.05	0.66	33.05	0.66
-9	-9	806.31	16.18	839.35	16.84
All of the time	1	33.02	0.66	872.37	17.51
Most of the time	2	122.51	2.46	994.87	19.97
Some of the time	3	840.69	16.87	1835.56	36.84

chs24m1: 4/5 - M - P1L D23/P2L C23 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	1607.96	32.27	3443.52	69.11
None of the time	5	1539.48	30.89	4983.00	100.00

chs24m2: 4/5 - M - P1L D24/P2L C24 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	43.90	0.88	43.90	0.88
-9	-9	806.31	16.18	850.21	17.06
All of the time	1	18.86	0.38	869.07	17.44
Most of the time	2	103.23	2.07	972.30	19.51
Some of the time	3	520.47	10.44	1492.77	29.96
A little of the time	4	1020.20	20.47	2512.97	50.43
None of the time	5	2470.03	49.57	4983.00	100.00

chs24m3: 4/5 - M - P1L D25/P2L C25 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.55	1.13	56.55	1.13
-9	-9	806.31	16.18	862.86	17.32
All of the time	1	27.67	0.56	890.53	17.87
Most of the time	2	132.78	2.66	1023.31	20.54
Some of the time	3	646.70	12.98	1670.01	33.51
A little of the time	4	1320.66	26.50	2990.67	60.02
None of the time	5	1992.33	39.98	4983.00	100.00

chs24m4: 4/5 - M - P1L D26/P2L C26 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.12	1.01	50.12	1.01
-9	-9	806.31	16.18	856.42	17.19
All of the time	1	59.44	1.19	915.87	18.38
Most of the time	2	258.19	5.18	1174.06	23.56
Some of the time	3	883.24	17.73	2057.30	41.29
A little of the time	4	1606.14	32.23	3663.43	73.52
None of the time	5	1319.57	26.48	4983.00	100.00

chs24m5: 4/5 - M - P1L D27/P2L C27 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.51	0.75	37.51	0.75
-9	-9	806.31	16.18	843.82	16.93
All of the time	1	25.42	0.51	869.24	17.44
Most of the time	2	88.61	1.78	957.85	19.22
Some of the time	3	432.29	8.68	1390.14	27.90
A little of the time	4	810.76	16.27	2200.90	44.17
None of the time	5	2782.10	55.83	4983.00	100.00

chs24m6: 4/5 - M - P1L D28/P2L C28 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.88	0.74	36.88	0.74
-9	-9	806.31	16.18	843.18	16.92
All of the time	1	34.28	0.69	877.46	17.61
Most of the time	2	80.15	1.61	957.61	19.22
Some of the time	3	298.51	5.99	1256.12	25.21
A little of the time	4	637.63	12.80	1893.75	38.00
None of the time	5	3089.25	62.00	4983.00	100.00

cmk6g: 4/5 - M - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	895.28	17.97	895.28	17.97
No probable serious mental illness	0	3929.20	78.85	4824.49	96.82
Probable serious mental illness	1	158.51	3.18	4983.00	100.00

cmk6s: 4/5 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	895.28	17.97	895.28	17.97
6	587.66	11.79	1482.95	29.76
7	505.89	10.15	1988.84	39.91
8	587.16	11.78	2576.00	51.70
9	517.94	10.39	3093.93	62.09
10	424.66	8.52	3518.59	70.61
11	309.42	6.21	3828.01	76.82
12	271.72	5.45	4099.74	82.27
13	183.92	3.69	4283.66	85.97
14	126.46	2.54	4410.12	88.50
15	134.17	2.69	4544.28	91.20
16	104.94	2.11	4649.22	93.30
17	96.38	1.93	4745.60	95.24
18	78.88	1.58	4824.49	96.82
19	54.84	1.10	4879.33	97.92
20	27.44	0.55	4906.77	98.47
21	20.13	0.40	4926.90	98.87
22	11.82	0.24	4938.72	99.11
23	10.44	0.21	4949.17	99.32
24	8.93	0.18	4958.09	99.50
25	6.53	0.13	4964.63	99.63
26	8.26	0.17	4972.89	99.80
27	1.21	0.02	4974.10	99.82
28	1.09	0.02	4975.19	99.84
29	0.70	0.01	4975.89	99.86
30	7.11	0.14	4983.00	100.00

chs26m1: 4/5 - M - P1L D31/P2L C29 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.01	0.62	31.01	0.62
-9	-9	806.31	16.18	837.32	16.80
No problems or stress	1	348.36	6.99	1185.68	23.79
Few problems or stresses	2	1854.56	37.22	3040.24	61.01
Some problems and stresses	3	1535.25	30.81	4575.48	91.82
Many problems and stresses	4	328.34	6.59	4903.82	98.41
Very many problems and stresses	5	79.18	1.59	4983.00	100.00

chs26m2: 4/5 - M - P1L D32/P2L C30 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.23	0.65	32.23	0.65
-9	-9	806.31	16.18	838.53	16.83
Not at all	1	29.33	0.59	867.86	17.42
A little	2	184.97	3.71	1052.84	21.13
Fairly well	3	1852.36	37.17	2905.19	58.30
Very well	4	1664.83	33.41	4570.02	91.71
Extremely well	5	412.98	8.29	4983.00	100.00

chs26m3: 4/5 - M - P1L D33/P2L C31 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.02	0.70	35.02	0.70
-9	-9	806.31	16.18	841.32	16.88
Always	1	527.70	10.59	1369.03	27.47
Often	2	1522.31	30.55	2891.34	58.02
Sometimes	3	1626.69	32.64	4518.02	90.67
Rarely	4	389.30	7.81	4907.32	98.48
Never	5	75.68	1.52	4983.00	100.00

chs13f: 4/5 - F - P1L D1/P2L C1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.11	0.95	47.11	0.95
-9	-9	1635.63	32.82	1682.74	33.77
Excellent	1	427.25	8.57	2109.99	42.34
Very good	2	1279.22	25.67	3389.22	68.02
Good	3	1195.85	24.00	4585.07	92.01
Fair	4	353.07	7.09	4938.13	99.10
Poor	5	44.87	0.90	4983.00	100.00

chs23f1: 4/5 - F - P1L D21/P2L C21 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	126.11	2.53	126.11	2.53
-9	1635.63	32.82	1761.74	35.35
150	8.78	0.18	1770.51	35.53
160	115.91	2.33	1886.43	37.86
170	776.09	15.57	2662.52	53.43
180	1726.26	34.64	4388.78	88.08

chs23f1: 4/5 - F - P1L D21/P2L C21 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
190	546.96	10.98	4935.75	99.05
200	41.91	0.84	4977.66	99.89
210	5.34	0.11	4983.00	100.00

chs23f2: 4/5 - F - P1L D22/P2L C22 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	244.09	4.90	244.09	4.90
-9	1635.63	32.82	1879.73	37.72
50	19.08	0.38	1898.81	38.11
60	139.87	2.81	2038.68	40.91
70	516.43	10.36	2555.11	51.28
80	846.26	16.98	3401.38	68.26
90	785.34	15.76	4186.71	84.02
100	464.36	9.32	4651.07	93.34
110	196.85	3.95	4847.93	97.29
120	87.69	1.76	4935.61	99.05
130	31.71	0.64	4967.33	99.69
140	8.93	0.18	4976.26	99.86
150	6.74	0.14	4983.00	100.00

cfbmi: 4/5 - F - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1937.00	38.87	1937.00	38.87
15	14.54	0.29	1951.55	39.16
20	328.21	6.59	2279.75	45.75
25	1539.68	30.90	3819.43	76.65
30	889.60	17.85	4709.04	94.50
35	224.62	4.51	4933.66	99.01
40	39.70	0.80	4973.36	99.81
45	6.36	0.13	4979.71	99.93
50	2.79	0.06	4982.51	99.99
55	0.49	0.01	4983.00	100.00

chs24f1: 4/5 - F - P1L D23/P2L C23 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	147.57	2.96	147.57	2.96
-9	-9	1635.63	32.82	1783.20	35.79
All of the time	1	19.44	0.39	1802.64	36.18
Most of the time	2	50.06	1.00	1852.70	37.18
Some of the time	3	480.86	9.65	2333.56	46.83
A little of the time	4	1284.87	25.78	3618.43	72.62
None of the time	5	1364.57	27.38	4983.00	100.00

chs24f2: 4/5 - F - P1L D24/P2L C24 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	149.39	3.00	149.39	3.00
-9	-9	1635.63	32.82	1785.03	35.82
All of the time	1	11.95	0.24	1796.98	36.06
Most of the time	2	33.19	0.67	1830.16	36.73
Some of the time	3	233.80	4.69	2063.97	41.42
A little of the time	4	617.28	12.39	2681.25	53.81
None of the time	5	2301.75	46.19	4983.00	100.00

chs24f3: 4/5 - F - P1L D25/P2L C25 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	160.65	3.22	160.65	3.22
-9	-9	1635.63	32.82	1796.28	36.05
All of the time	1	25.72	0.52	1822.00	36.56
Most of the time	2	97.91	1.96	1919.91	38.53
Some of the time	3	576.07	11.56	2495.97	50.09
A little of the time	4	1143.27	22.94	3639.25	73.03
None of the time	5	1343.75	26.97	4983.00	100.00

chs24f4: 4/5 - F - P1L D26/P2L C26 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	154.60	3.10	154.60	3.10
-9	-9	1635.63	32.82	1790.24	35.93
All of the time	1	42.39	0.85	1832.63	36.78
Most of the time	2	147.10	2.95	1979.72	39.73
Some of the time	3	516.27	10.36	2495.99	50.09
A little of the time	4	1183.74	23.76	3679.73	73.85
None of the time	5	1303.27	26.15	4983.00	100.00

chs24f5: 4/5 - F - P1L D27/P2L C27 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	151.55	3.04	151.55	3.04
-9	-9	1635.63	32.82	1787.18	35.87
All of the time	1	10.69	0.21	1797.87	36.08
Most of the time	2	24.72	0.50	1822.59	36.58
Some of the time	3	191.59	3.84	2014.17	40.42
A little of the time	4	492.34	9.88	2506.51	50.30
None of the time	5	2476.49	49.70	4983.00	100.00

chs24f6: 4/5 - F - P1L D28/P2L C28 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	149.61	3.00	149.61	3.00
-9	-9	1635.63	32.82	1785.24	35.83
All of the time	1	12.55	0.25	1797.79	36.08
Most of the time	2	31.14	0.62	1828.93	36.70
Some of the time	3	142.99	2.87	1971.92	39.57

chs24f6: 4/5 - F - P1L D28/P2L C28 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	334.07	6.70	2305.99	46.28
None of the time	5	2677.01	53.72	4983.00	100.00

cfk6g: 4/5 - F - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1819.45	36.51	1819.45	36.51
No probable serious mental illness	0	3091.21	62.04	4910.66	98.55
Probable serious mental illness	1	72.34	1.45	4983.00	100.00

cfk6s: 4/5 - F - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1819.45	36.51	1819.45	36.51
6	577.60	11.59	2397.06	48.10
7	458.48	9.20	2855.54	57.31
8	500.54	10.04	3356.07	67.35
9	419.19	8.41	3775.27	75.76
10	351.14	7.05	4126.41	82.81
11	216.84	4.35	4343.24	87.16
12	160.88	3.23	4504.12	90.39
13	121.55	2.44	4625.68	92.83
14	85.99	1.73	4711.67	94.55
15	70.45	1.41	4782.12	95.97
16	63.14	1.27	4845.25	97.24
17	32.95	0.66	4878.21	97.90
18	32.46	0.65	4910.66	98.55
19	21.19	0.43	4931.85	98.97
20	15.51	0.31	4947.36	99.28
21	6.40	0.13	4953.75	99.41
22	12.44	0.25	4966.19	99.66
23	5.32	0.11	4971.51	99.77
24	3.76	0.08	4975.27	99.84
25	1.66	0.03	4976.94	99.88
28	2.43	0.05	4979.37	99.93
30	3.63	0.07	4983.00	100.00

chs26f1: 4/5 - F - P1L D31/P2L C29 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	132.89	2.67	132.89	2.67
-9	-9	1635.63	32.82	1768.52	35.49
No problems or stress	1	270.82	5.43	2039.34	40.93
Few problems or stresses	2	1472.43	29.55	3511.78	70.48
Some problems and stresses	3	1179.02	23.66	4690.80	94.14
Many problems and stresses	4	249.70	5.01	4940.49	99.15
Very many problems and stresses	5	42.51	0.85	4983.00	100.00

chs26f2: 4/5 - F - P1L D32/P2L C30 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	133.60	2.68	133.60	2.68
-9	-9	1635.63	32.82	1769.23	35.51
Not at all	1	19.51	0.39	1788.74	35.90
A little	2	123.88	2.49	1912.63	38.38
Fairly well	3	1369.06	27.47	3281.69	65.86
Very well	4	1342.84	26.95	4624.53	92.81
Extremely well	5	358.47	7.19	4983.00	100.00

chs26f3: 4/5 - F - P1L D33/P2L C31 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	137.55	2.76	137.55	2.76
-9	-9	1635.63	32.82	1773.18	35.58
Always	1	316.98	6.36	2090.16	41.95
Often	2	1098.29	22.04	3188.44	63.99
Sometimes	3	1320.67	26.50	4509.11	90.49
Rarely	4	405.58	8.14	4914.69	98.63
Never	5	68.31	1.37	4983.00	100.00

chs18ai: 4/5 - W1.5 13 - No. times SC injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.84	0.14	6.84	0.14
-9	-9	1459.21	29.28	1466.05	29.42
None	1	2412.70	48.42	3878.75	77.84
Once	2	631.68	12.68	4510.44	90.52
2 or 3 times	3	356.97	7.16	4867.41	97.68
4 or 5 times	4	70.21	1.41	4937.62	99.09
6 or more times	5	45.38	0.91	4983.00	100.00

chs20ai: 4/5 - W1.5 14 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.87	0.12	5.87	0.12
-9	-9	1459.21	29.28	1465.07	29.40
Not a problem at all	1	2624.93	52.68	4090.00	82.08
A small problem	2	682.31	13.69	4772.31	95.77
A moderate problem	3	170.07	3.41	4942.38	99.18
A large problem	4	40.62	0.82	4983.00	100.00

chs20b1i: 4/5 - W1.5 15.1 - Sleep problems - wheezing or asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3454.24	69.32	4913.45	98.60
Yes	1	69.55	1.40	4983.00	100.00

chs20b2i: 4/5 - W1.5 15.2 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3346.38	67.16	4805.58	96.44
Yes	1	177.42	3.56	4983.00	100.00

chs20b3i: 4/5 - W1.5 15.3 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3228.07	64.78	4687.27	94.07
Yes	1	295.73	5.93	4983.00	100.00

chs20b4i: 4/5 - W1.5 15.4 - Sleep problems - Sleeping alone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	2942.14	59.04	4401.35	88.33
Yes	1	581.65	11.67	4983.00	100.00

chs20b5i: 4/5 - W1.5 15.5 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3132.00	62.85	4591.20	92.14
Yes	1	391.80	7.86	4983.00	100.00

chs20b6i: 4/5 - W1.5 15.6 - Sleep problems - restless sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3377.20	67.77	4836.40	97.06
Yes	1	146.60	2.94	4983.00	100.00

chs20i10: 4/5 - W1.5 15.7 - Sleep problems - seeming tired

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3117.14	62.56	4576.35	91.84
Yes	1	406.65	8.16	4983.00	100.00

chs34i: 4/5 - W1.5 16 - Frequency of child wetting pants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.45	0.81	40.45	0.81
-9	-9	1459.21	29.28	1499.66	30.10
Never	1	2977.98	59.76	4477.63	89.86
Up to once per month	2	368.05	7.39	4845.68	97.24
Up to once per week	3	86.31	1.73	4931.99	98.98
Most days	4	51.01	1.02	4983.00	100.00

chs13ci: 4/5 - SC - W1.5 17 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.47	0.15	7.47	0.15
-9	-9	1459.21	29.28	1466.68	29.43
Excellent	1	1811.96	36.36	3278.63	65.80
Very good	2	1272.13	25.53	4550.77	91.33
Good	3	365.83	7.34	4916.60	98.67
Fair	4	57.33	1.15	4973.93	99.82
Poor	5	9.07	0.18	4983.00	100.00

chs27pi: 4/5 - W1.5 18.1 - Events - Pregnant/had a baby

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3139.53	63.00	4598.74	92.29
Yes	1	384.26	7.71	4983.00	100.00

chs27ci: 4/5 - W1.5 18.2 - Events - Loved one died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	2948.42	59.17	4407.62	88.45
Yes	1	575.38	11.55	4983.00	100.00

chs27ai: 4/5 - W1.5 18.3 - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3368.84	67.61	4828.04	96.89
Yes	1	154.96	3.11	4983.00	100.00

chs27oi: 4/5 - W1.5 18.4 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3422.19	68.68	4881.39	97.96
Yes	1	101.61	2.04	4983.00	100.00

chs27ri: 4/5 - W1.5 18.5 - Events - Living with new partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3468.88	69.61	4928.08	98.90
Yes	1	54.92	1.10	4983.00	100.00

chs27ii: 4/5 - W1.5 18.6 - Events - Lost a job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3391.89	68.07	4851.09	97.35
Yes	1	131.91	2.65	4983.00	100.00

chs27si: 4/5 - W1.5 18.7 - Events - Changed jobs/returned to work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	2593.86	52.05	4053.07	81.34
Yes	1	929.93	18.66	4983.00	100.00

chs27ti: 4/5 - W1.5 18.8 - Events - Increased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	2738.07	54.95	4197.28	84.23
Yes	1	785.72	15.77	4983.00	100.00

chs27ui: 4/5 - W1.5 18.9 - Events - Decreased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3145.05	63.12	4604.26	92.40
Yes	1	378.74	7.60	4983.00	100.00

chs27ji: 4/5 - W1.5 18.1 - Events - sought work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3404.10	68.31	4863.30	97.60
Yes	1	119.70	2.40	4983.00	100.00

chs27vi: 4/5 - W1.5 18.11 - Events - Moved house

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3032.42	60.86	4491.62	90.14
Yes	1	491.38	9.86	4983.00	100.00

chs27wi: 4/5 - W1.5 18.12 - Events - Been away from home a lot

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1459.21	29.28	1459.21	29.28
No	0	3282.98	65.88	4742.18	95.17
Yes	1	240.82	4.83	4983.00	100.00

cslei: 4/5 - Stressful Life Events Index (BW)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1459.21	29.28	1459.21	29.28
0	1086.17	21.80	2545.37	51.08
1	1238.53	24.86	3783.91	75.94
2	706.79	14.18	4490.70	90.12
3	343.22	6.89	4833.92	97.01
4	95.74	1.92	4929.66	98.93
5	37.69	0.76	4967.35	99.69
6	13.44	0.27	4980.79	99.96
7	2.21	0.04	4983.00	100.00

chs25a1i: 4/5 - P1 - W1.5 19 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.73	0.72	35.73	0.72
-9	-9	1459.21	29.28	1494.94	30.00
Yes	1	970.15	19.47	2465.09	49.47
No	2	2517.91	50.53	4983.00	100.00