

04 Health behaviour and risk factors

dhb21a1a2: 6/7 - P1 - F2F B1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	19.30	0.43	19.30	0.43
Not at all	0	579.92	12.99	599.22	13.42
Once	1	1127.80	25.26	1727.03	38.69
Twice or more	2	2736.97	61.31	4464.00	100.00

dhb21a2a2: 6/7 - P1 - F2F B1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	7.24	0.16	7.24	0.16
Not at all	0	1756.32	39.34	1763.56	39.51
Once	1	1337.12	29.95	3100.68	69.46
Twice or more	2	1363.32	30.54	4464.00	100.00

dhb21a1b2: 6/7 - P1 - F2F B1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.62	0.22	9.62	0.22
Not at all	0	1109.57	24.86	1119.19	25.07
Once	1	2267.70	50.80	3386.89	75.87
Twice or more	2	1077.11	24.13	4464.00	100.00

dhb21a1c2: 6/7 - P1 - F2F B1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.07	0.20	9.07	0.20
Not at all	0	2463.22	55.18	2472.29	55.38
Once	1	1400.81	31.38	3873.10	86.76
Twice or more	2	590.90	13.24	4464.00	100.00

dhb21a3a2: 6/7 - P1 - F2F B1.5 - SC had pie, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.28	0.10	4.28	0.10
Not at all	0	3250.37	72.81	3254.65	72.91
Once	1	1065.40	23.87	4320.05	96.78
Twice or more	2	143.95	3.22	4464.00	100.00

dhb21a3b2: 6/7 - P1 - F2F B1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.85	0.11	4.85	0.11
Not at all	0	3325.87	74.50	3330.72	74.61
Once	1	1071.24	24.00	4401.96	98.61
Twice or more	2	62.04	1.39	4464.00	100.00

dhb21a3c2: 6/7 - P1 - F2F B1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.85	0.13	5.85	0.13
Not at all	0	2552.68	57.18	2558.53	57.31
Once	1	1575.19	35.29	4133.72	92.60
Twice or more	2	330.28	7.40	4464.00	100.00

dhb21a3d2: 6/7 - P1 - F2F B1.8 - SC had biscuits, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.79	0.11	4.79	0.11
Not at all	0	1275.49	28.57	1280.28	28.68
Once	1	2300.46	51.53	3580.75	80.21
Twice or more	2	883.25	19.79	4464.00	100.00

dhb21a3e2: 6/7 - P1 - F2F B1.9 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.19	0.07	3.19	0.07
Not at all	0	996.98	22.33	1000.17	22.41
Once	1	1137.27	25.48	2137.44	47.88
Twice or more	2	2326.56	52.12	4464.00	100.00

dhb21a4a2: 6/7 - P1 - F2F B1.10 - SC had skim milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.34	0.07	3.34	0.07
Not at all	0	3733.33	83.63	3736.67	83.71
Once	1	297.23	6.66	4033.90	90.37
Twice or more	2	430.10	9.63	4464.00	100.00

dhb21a5a2: 6/7 - P1 - F2F B1.11 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.65	0.13	5.65	0.13
Not at all	0	177.50	3.98	183.15	4.10
Once	1	231.95	5.20	415.10	9.30
Twice or more	2	4048.90	90.70	4464.00	100.00

dhb21a2b2: 6/7 - P1 - F2F B1.12 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.25	0.07	3.25	0.07
Not at all	0	2657.83	59.54	2661.07	59.61
Once	1	1075.91	24.10	3736.98	83.71
Twice or more	2	727.02	16.29	4464.00	100.00

dhb21a6a2: 6/7 - P1 - F2F B1.13 - SC had diet soft drink or cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.58	0.04	1.58	0.04
Not at all	0	4120.53	92.31	4122.11	92.34
Once	1	244.07	5.47	4366.18	97.81
Twice or more	2	97.82	2.19	4464.00	100.00

dhb22a: 6/7 - F2F B2 - Did child eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.47	0.12	5.47	0.12
Yes	1	4235.91	94.89	4241.39	95.01
No	2	222.61	4.99	4464.00	100.00

dafandv: 6/7 - P1 - Serves of fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.84	0.04	1.84	0.04
0	204.09	4.57	205.94	4.61
1	455.69	10.21	661.63	14.82
2	910.52	20.40	1572.15	35.22
3	1155.65	25.89	2727.80	61.11
4	1066.33	23.89	3794.13	84.99
5	421.95	9.45	4216.08	94.45
6	247.92	5.55	4464.00	100.00

dahfat: 6/7 - P1 - Serves of high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.41	0.14	6.41	0.14
0	920.77	20.63	927.17	20.77
1	2006.85	44.96	2934.02	65.73
2	1229.49	27.54	4163.51	93.27
3	249.14	5.58	4412.64	98.85
4	51.36	1.15	4464.00	100.00

dahfwm: 6/7 - P1 - Serves of high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.72	0.15	6.72	0.15
0	735.50	16.48	742.22	16.63
1	1075.62	24.10	1817.84	40.72
2	1966.49	44.05	3784.32	84.77
3	587.85	13.17	4372.18	97.94
4	91.82	2.06	4464.00	100.00

dahsdrnk: 6/7 - P1 - Serves of high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.75	0.02	0.75	0.02
0	1120.71	25.11	1121.47	25.12
1	1189.48	26.65	2310.94	51.77
2	1326.87	29.72	3637.81	81.49
3	554.27	12.42	4192.08	93.91
4	271.92	6.09	4464.00	100.00

zhh23a: F2F B15.1 - Age SC started clean teeth

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	21.78	0.49	21.78	0.49
1	12.28	0.28	34.06	0.76
2	5.78	0.13	39.84	0.89
3	28.14	0.63	67.98	1.52
4	84.41	1.89	152.39	3.41
5	68.49	1.53	220.88	4.95
6	593.96	13.31	814.83	18.25
7	127.82	2.86	942.66	21.12
8	281.63	6.31	1224.29	27.43
9	228.79	5.13	1453.08	32.55
10	175.96	3.94	1629.04	36.49
11	102.63	2.30	1731.67	38.79
12	1180.48	26.44	2912.15	65.24
13	14.03	0.31	2926.18	65.55
14	21.42	0.48	2947.60	66.03
15	34.86	0.78	2982.46	66.81
16	10.45	0.23	2992.91	67.05
17	1.07	0.02	2993.97	67.07
18	379.81	8.51	3373.78	75.58
19	2.82	0.06	3376.60	75.64
20	6.97	0.16	3383.57	75.80
22	1.22	0.03	3384.79	75.82
24	665.55	14.91	4050.34	90.73
26	0.33	0.01	4050.67	90.74
30	29.94	0.67	4080.61	91.41
36	221.11	4.95	4301.72	96.36
42	4.81	0.11	4306.54	96.47
48	105.94	2.37	4412.48	98.85
60	38.07	0.85	4450.55	99.70
72	13.45	0.30	4464.00	100.00

zhh23a1: F2F B15.1.1 - Age SC started clean teeth - Unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Don't clean child's teeth	-1	21.78	0.49	21.78	0.49
Months	1	2730.35	61.16	2752.13	61.65
Years	2	1711.87	38.35	4464.00	100.00

zhh23a2: F2F B15.1.2 - Age SC started clean teeth - Amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	21.78	0.49	21.78	0.49
1	702.03	15.73	723.82	16.21
2	652.21	14.61	1376.02	30.82
3	248.28	5.56	1624.30	36.39
4	188.44	4.22	1812.74	40.61
5	106.56	2.39	1919.30	43.00
6	607.41	13.61	2526.70	56.60
7	127.82	2.86	2654.53	59.47
8	281.63	6.31	2936.16	65.77
9	228.79	5.13	3164.95	70.90
10	175.96	3.94	3340.91	74.84
11	102.63	2.30	3443.54	77.14
12	490.72	10.99	3934.26	88.13
13	14.03	0.31	3948.29	88.45
14	21.42	0.48	3969.71	88.93
15	34.86	0.78	4004.58	89.71
16	10.45	0.23	4015.02	89.94
17	1.07	0.02	4016.09	89.97
18	379.81	8.51	4395.90	98.47
19	2.82	0.06	4398.71	98.54
20	6.97	0.16	4405.69	98.69
22	1.22	0.03	4406.90	98.72
24	19.12	0.43	4426.02	99.15
26	0.33	0.01	4426.36	99.16
30	29.94	0.67	4456.29	99.83
36	0.97	0.02	4457.27	99.85
42	4.81	0.11	4462.08	99.96
48	1.92	0.04	4464.00	100.00

dhh23b: 6/7 - F2F B15.2 - How often are child's teeth cleaned

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	21.78	0.49	21.78	0.49
More than twice a day	1	65.92	1.48	87.70	1.96
Twice a day	2	2660.93	59.61	2748.63	61.57
Once a day	3	1458.11	32.66	4206.73	94.24
Less than once a day	4	247.66	5.55	4454.39	99.78
Don't clean teeth	5	9.61	0.22	4464.00	100.00

nddentp: 6/7 - No. types of dental problems

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	9.61	0.22	9.61	0.22
0	2815.76	63.08	2825.37	63.29
1	1100.42	24.65	3925.78	87.94
2	400.37	8.97	4326.16	96.91
3	129.21	2.89	4455.37	99.81
4	8.63	0.19	4464.00	100.00

dhb23c: 6/7 - F2F B15.3.1 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.61	0.22	9.61	0.22
Yes	1	1638.63	36.71	1648.24	36.92
No	2	2815.76	63.08	4464.00	100.00

dhb23c1: 6/7 - F2F B15.3.2 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.61	0.22	9.61	0.22
No	0	3690.16	82.66	3699.77	82.88
Yes	1	764.23	17.12	4464.00	100.00

dhb23c2: 6/7 - F2F B15.3.3 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.61	0.22	9.61	0.22
No	0	3435.73	76.97	3445.34	77.18
Yes	1	1018.66	22.82	4464.00	100.00

dhb23c3: 6/7 - F2F B15.3.4 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.61	0.22	9.61	0.22
No	0	4195.56	93.99	4205.17	94.20
Yes	1	258.83	5.80	4464.00	100.00

dhb23c4: 6/7 - F2F B15.3.5 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.61	0.22	9.61	0.22
No	0	4172.79	93.48	4182.40	93.69
Yes	1	281.60	6.31	4464.00	100.00

dhb14c4: 6/7 - SC - F2F G7 - SC's choice to spend free time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.31	0.07	3.31	0.07
Usually chooses inactive pastimes	1	1306.96	29.28	1310.27	29.35
Usually chooses active pastimes	2	1879.41	42.10	3189.68	71.45
Just as likely to choose active as inactive pastimes	3	1274.32	28.55	4464.00	100.00

dhb14a2: 6/7 - P1 - P1L 9 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	114.03	2.55	114.03	2.55
-9	1110.88	24.89	1224.91	27.44
0	316.10	7.08	1541.02	34.52
1	448.01	10.04	1989.03	44.56
2	603.36	13.52	2592.39	58.07
3	685.89	15.36	3278.28	73.44
4	409.83	9.18	3688.11	82.62

dhb14a2: 6/7 - P1 - P1L 9 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	426.84	9.56	4114.95	92.18
6	128.47	2.88	4243.42	95.06
7	220.58	4.94	4464.00	100.00

dhb15a5: 6/7 - P1 - P1L 12 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.33	0.55	24.33	0.55
-9	-9	1110.88	24.89	1135.22	25.43
Yes	1	639.25	14.32	1774.47	39.75
No	2	2689.53	60.25	4464.00	100.00

dhb15a6: 6/7 - P1 - P1L 13 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.14	0.85	38.14	0.85
-9	-9	3800.42	85.13	3838.56	85.99
Less than one a day	1	38.31	0.86	3876.86	86.85
1 to 5 per day	2	106.00	2.37	3982.87	89.22
6 to 10 per day	3	188.86	4.23	4171.73	93.45
11 to 20 per day	4	239.47	5.36	4411.20	98.82
More than 20 per day	5	52.80	1.18	4464.00	100.00

dhb15a1: 6/7 - P1 - P1L 12/13 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.14	0.85	38.14	0.85
-9	-9	1110.88	24.89	1149.02	25.74
Do not smoke at all	1	2689.53	60.25	3838.56	85.99
Less than once a day	2	38.31	0.86	3876.86	86.85
At least once a day	3	587.14	13.15	4464.00	100.00

dhb16a2: 6/7 - P1 - P1L 14 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.31	0.66	29.31	0.66
-9	-9	1110.88	24.89	1140.20	25.54
Never	0	615.21	13.78	1755.40	39.32
Not in the last year	1	83.95	1.88	1839.36	41.20
Monthly or less	2	829.82	18.59	2669.18	59.79
2 to 3 times a month	3	448.88	10.06	3118.05	69.85
Once a week	4	432.49	9.69	3550.54	79.54
2 to 3 times a week	5	567.31	12.71	4117.85	92.25
4 to 6 times a week	6	258.75	5.80	4376.60	98.04
Everyday	7	87.40	1.96	4464.00	100.00

dhb16a3: 6/7 - P1 - P1L 15 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.36	2.00	89.36	2.00
-9	-9	1726.09	38.67	1815.45	40.67
1 or 2	1	1892.04	42.38	3707.49	83.05
3 or 4	2	592.85	13.28	4300.34	96.33
5 or 6	3	134.00	3.00	4434.34	99.34
7 to 10	4	24.92	0.56	4459.25	99.89
11 or more	5	4.75	0.11	4464.00	100.00

dhb16a5: 6/7 - P1 - P1L 16 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	195.50	4.38	195.50	4.38
-9	-9	1726.09	38.67	1921.59	43.05
Everyday	1	2.53	0.06	1924.12	43.10
4-6 times a week	2	11.41	0.26	1935.53	43.36
2-3 times a week	3	51.02	1.14	1986.55	44.50
Once a week	4	124.06	2.78	2110.61	47.28
2-3 times a month	5	162.60	3.64	2273.21	50.92
Monthly or less	6	2190.79	49.08	4464.00	100.00

daavdac: 6/7 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1189.87	26.65	1189.87	26.65
0	2043.76	45.78	3233.63	72.44
0.5	685.43	15.35	3919.06	87.79
1	250.92	5.62	4169.98	93.41
1.5	182.50	4.09	4352.48	97.50
2	17.43	0.39	4369.91	97.89
2.5	47.78	1.07	4417.69	98.96
3	1.92	0.04	4419.61	99.01
3.5	29.15	0.65	4448.76	99.66
4	8.58	0.19	4457.34	99.85
5.5	5.23	0.12	4462.57	99.97
6.5	1.43	0.03	4464.00	100.00

daalcgp: 6/7 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1149.21	25.74	1149.21	25.74
Abstain not in the last year	1	699.16	15.66	1848.38	41.41
Occasional less than monthly	2	829.82	18.59	2678.20	60.00
Light <2 drinks/day men, <1 women	3	1290.22	28.90	3968.41	88.90
Moderate >=2 to <4 men, >=1 to <2 women	4	396.00	8.87	4364.41	97.77
Hazardous >=4 to <6 men, >=2 and <4 women	5	86.53	1.94	4450.94	99.71
Harmful >=6 men, >=4 women	6	13.06	0.29	4464.00	100.00

dahvdac: 6/7 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1149.21	25.74	1149.21	25.74
Yes	1	99.58	2.23	1248.80	27.97
No	2	3215.20	72.03	4464.00	100.00

dabinge: 6/7 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1277.74	28.62	1277.74	28.62
Yes	1	351.62	7.88	1629.35	36.50
No	2	2834.65	63.50	4464.00	100.00

daalcp: 6/7 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1286.17	28.81	1286.17	28.81
Yes	1	372.33	8.34	1658.51	37.15
No	2	2805.49	62.85	4464.00	100.00

dhb14b2: 6/7 - P2 - P2L 9 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	94.32	2.11	94.32	2.11
-9	1687.55	37.80	1781.88	39.92
0	243.51	5.45	2025.39	45.37
1	401.50	8.99	2426.89	54.37
2	518.44	11.61	2945.33	65.98
3	454.68	10.19	3400.01	76.17
4	292.15	6.54	3692.16	82.71
5	332.42	7.45	4024.58	90.16
6	147.47	3.30	4172.05	93.46
7	291.95	6.54	4464.00	100.00

dhb15b5: 6/7 - P2 - P2L 12 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.48	0.62	27.48	0.62
-9	-9	1687.55	37.80	1715.03	38.42
Yes	1	558.68	12.52	2273.71	50.93
No	2	2190.29	49.07	4464.00	100.00

dhb15b6: 6/7 - P2 - P2L 13 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.29	0.88	39.29	0.88
-9	-9	3877.84	86.87	3917.14	87.75
Less than one a day	1	27.48	0.62	3944.62	88.37
1 to 5 per day	2	71.95	1.61	4016.57	89.98
6 to 10 per day	3	119.41	2.68	4135.98	92.65
11 to 20 per day	4	232.34	5.20	4368.32	97.86
More than 20 per day	5	95.68	2.14	4464.00	100.00

dhb15b1: 6/7 - P2 - P2L 12/13 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.29	0.88	39.29	0.88
-9	-9	1687.55	37.80	1726.85	38.68
Do not smoke at all	1	2190.29	49.07	3917.14	87.75
Less than once a day	2	27.48	0.62	3944.62	88.37
At least once a day	3	519.38	11.63	4464.00	100.00

dhb16b2: 6/7 - P2 - P2L 14 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.96	0.78	34.96	0.78
-9	-9	1687.55	37.80	1722.51	38.59
Never	0	318.12	7.13	2040.63	45.71
Not in the last year	1	26.78	0.60	2067.41	46.31
Monthly or less	2	406.69	9.11	2474.11	55.42
2 to 3 times a month	3	297.34	6.66	2771.44	62.08
Once a week	4	367.16	8.22	3138.61	70.31
2 to 3 times a week	5	651.12	14.59	3789.72	84.90
4 to 6 times a week	6	455.10	10.19	4244.83	95.09
Everyday	7	219.17	4.91	4464.00	100.00

dhb16b3: 6/7 - P2 - P2L 15 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.44	1.29	57.44	1.29
-9	-9	2005.67	44.93	2063.11	46.22
1 or 2	1	1239.98	27.78	3303.09	73.99
3 or 4	2	760.89	17.04	4063.98	91.04
5 or 6	3	308.72	6.92	4372.69	97.95
7 to 10	4	68.75	1.54	4441.44	99.49
11 or more	5	22.56	0.51	4464.00	100.00

dhb16b5: 6/7 - P2 - P2L 16 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	160.85	3.60	160.85	3.60
-9	-9	2005.67	44.93	2166.52	48.53
Everyday	1	16.43	0.37	2182.95	48.90
4-6 times a week	2	29.89	0.67	2212.84	49.57
2-3 times a week	3	149.56	3.35	2362.40	52.92
Once a week	4	285.35	6.39	2647.75	59.31
2-3 times a month	5	297.89	6.67	2945.64	65.99
Monthly or less	6	1518.36	34.01	4464.00	100.00

dbavdac: 6/7 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1738.97	38.96	1738.97	38.96
0	1049.25	23.50	2788.21	62.46
0.5	588.27	13.18	3376.48	75.64
1	304.30	6.82	3680.78	82.45

dbavdac: 6/7 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.5	314.54	7.05	3995.32	89.50
2	79.45	1.78	4074.77	91.28
2.5	170.69	3.82	4245.46	95.10
3	19.18	0.43	4264.64	95.53
3.5	75.53	1.69	4340.17	97.23
4	50.62	1.13	4390.79	98.36
4.5	4.93	0.11	4395.73	98.47
5.5	46.46	1.04	4442.19	99.51
6.5	9.44	0.21	4451.63	99.72
8.5	10.10	0.23	4461.73	99.95
12	2.27	0.05	4464.00	100.00

dbalcp: 6/7 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1731.09	38.78	1731.09	38.78
Abstain not in the last year	1	344.90	7.73	2075.99	46.51
Occasional less than monthly	2	406.69	9.11	2482.69	55.62
Light <2 drinks/day men, <1 women	3	1502.42	33.66	3985.11	89.27
Moderate >=2 to <4 men, >=1 to <2 women	4	353.98	7.93	4339.09	97.20
Hazardous >=4 to <6 men, >=2 and <4 women	5	100.96	2.26	4440.05	99.46
Harmful >=6 men, >=4 women	6	23.95	0.54	4464.00	100.00

dbhvdac: 6/7 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1731.09	38.78	1731.09	38.78
Yes	1	124.91	2.80	1856.00	41.58
No	2	2608.00	58.42	4464.00	100.00

dbbbinge: 6/7 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1834.69	41.10	1834.69	41.10
Yes	1	779.13	17.45	2613.82	58.55
No	2	1850.18	41.45	4464.00	100.00

dbalcp: 6/7 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1839.71	41.21	1839.71	41.21
Yes	1	781.47	17.51	2621.18	58.72
No	2	1842.82	41.28	4464.00	100.00

dhb15p5: 6/7 - PLE - PLE 26 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4261.01	95.45	4261.01	95.45
Yes	1	75.58	1.69	4336.59	97.15
No	2	127.41	2.85	4464.00	100.00

dhb15p6: 6/7 - PLE - PLE 27 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.11	0.07	3.11	0.07
-9	-9	4388.42	98.31	4391.53	98.38
1 to 5 per day	2	3.97	0.09	4395.50	98.47
6 to 10 per day	3	14.27	0.32	4409.77	98.79
11 to 20 per day	4	42.65	0.96	4452.42	99.74
More than 20 per day	5	11.58	0.26	4464.00	100.00

dhb15p1: 6/7 - PLE - PLE 26/27 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.11	0.07	3.11	0.07
-9	-9	4261.01	95.45	4264.12	95.52
Do not smoke at all	1	127.41	2.85	4391.53	98.38
At least once a day	3	72.47	1.62	4464.00	100.00

dhb16p2: 6/7 - PLE - PLE 28 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.61	0.04	1.61	0.04
-9	-9	4261.01	95.45	4262.62	95.49
Never	0	17.28	0.39	4279.89	95.88
Monthly or less	2	36.39	0.82	4316.28	96.69
2 to 3 times a month	3	21.37	0.48	4337.65	97.17
Once a week	4	36.70	0.82	4374.36	97.99
2 to 3 times a week	5	49.88	1.12	4424.24	99.11
4 to 6 times a week	6	27.67	0.62	4451.90	99.73
Everyday	7	12.10	0.27	4464.00	100.00

dhb16p3: 6/7 - PLE - PLE 29 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.45	0.08	3.45	0.08
-9	-9	4278.28	95.84	4281.73	95.92
1 or 2	1	70.20	1.57	4351.93	97.49
3 or 4	2	66.03	1.48	4417.96	98.97
5 or 6	3	33.49	0.75	4451.45	99.72
7 to 10	4	9.41	0.21	4460.86	99.93
11 or more	5	3.14	0.07	4464.00	100.00

dhb16p5: 6/7 - PLE - PLE 30 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.17	0.41	18.17	0.41
-9	-9	4278.28	95.84	4296.45	96.25
Everyday	1	3.17	0.07	4299.63	96.32
4-6 times a week	2	3.68	0.08	4303.31	96.40
2-3 times a week	3	13.89	0.31	4317.20	96.71
Once a week	4	30.53	0.68	4347.74	97.40
2-3 times a month	5	24.87	0.56	4372.60	97.95
Monthly or less	6	91.40	2.05	4464.00	100.00

dpavdac: 6/7 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4264.45	95.53	4264.45	95.53
0	77.15	1.73	4341.60	97.26
0.5	41.34	0.93	4382.94	98.18
1	16.25	0.36	4399.19	98.55
1.5	22.83	0.51	4422.02	99.06
2	6.71	0.15	4428.73	99.21
2.5	12.36	0.28	4441.09	99.49
3	2.41	0.05	4443.50	99.54
3.5	4.12	0.09	4447.63	99.63
4	6.12	0.14	4453.75	99.77
4.5	0.84	0.02	4454.59	99.79
5.5	3.46	0.08	4458.06	99.87
6.5	3.64	0.08	4461.70	99.95
12	2.30	0.05	4464.00	100.00

dpalcgp: 6/7 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4262.62	95.49	4262.62	95.49
Abstain not in the last year	1	17.28	0.39	4279.89	95.88
Occasional less than monthly	2	36.39	0.82	4316.28	96.69
Light <2 drinks/day men, <1 women	3	104.95	2.35	4421.23	99.04
Moderate >=2 to <4 men, >=1 to <2 women	4	26.40	0.59	4447.63	99.63
Hazardous >=4 to <6 men, >=2 and <4 women	5	10.43	0.23	4458.06	99.87
Harmful >=6 men, >=4 women	6	5.94	0.13	4464.00	100.00

dphvdac: 6/7 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4262.62	95.49	4262.62	95.49
Yes	1	16.37	0.37	4278.99	95.86
No	2	185.01	4.14	4464.00	100.00

dpbinge: 6/7 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4279.18	95.86	4279.18	95.86
Yes	1	76.15	1.71	4355.33	97.57
No	2	108.67	2.43	4464.00	100.00

dpalcp: 6/7 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4279.18	95.86	4279.18	95.86
Yes	1	76.15	1.71	4355.33	97.57
No	2	108.67	2.43	4464.00	100.00

dhb14m2: 6/7 - M - P1L 9/P2L 9 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	113.04	2.53	113.04	2.53
-9	1137.27	25.48	1250.31	28.01
0	315.82	7.07	1566.13	35.08
1	443.30	9.93	2009.43	45.01
2	597.81	13.39	2607.24	58.41
3	683.86	15.32	3291.10	73.73
4	410.61	9.20	3701.72	82.92
5	421.49	9.44	4123.21	92.37
6	124.15	2.78	4247.35	95.15
7	216.65	4.85	4464.00	100.00

dhb15m5: 6/7 - M - P1L 12/P2L 12 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.46	0.55	24.46	0.55
-9	-9	1137.27	25.48	1161.73	26.02
Yes	1	625.40	14.01	1787.13	40.03
No	2	2676.87	59.97	4464.00	100.00

dhb15m6: 6/7 - M - P1L 13/P2L 13 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.27	0.86	38.27	0.86
-9	-9	3814.14	85.44	3852.41	86.30
Less than one a day	1	38.31	0.86	3890.71	87.16
1 to 5 per day	2	99.14	2.22	3989.85	89.38
6 to 10 per day	3	187.76	4.21	4177.61	93.58
11 to 20 per day	4	237.09	5.31	4414.70	98.90
More than 20 per day	5	49.29	1.10	4464.00	100.00

dhb15m1: 6/7 - M - P1L 12/13/P2L 12/13 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.27	0.86	38.27	0.86
-9	-9	1137.27	25.48	1175.54	26.33
Do not smoke at all	1	2676.87	59.97	3852.41	86.30
Less than once a day	2	38.31	0.86	3890.71	87.16
At least once a day	3	573.29	12.84	4464.00	100.00

dhb16m2: 6/7 - M - P1L 14/P2L 14 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.44	0.66	29.44	0.66
-9	-9	1137.27	25.48	1166.71	26.14
Never	0	616.77	13.82	1783.48	39.95
Not in the last year	1	83.95	1.88	1867.43	41.83
Monthly or less	2	825.86	18.50	2693.29	60.33
2 to 3 times a month	3	444.87	9.97	3138.16	70.30
Once a week	4	423.98	9.50	3562.14	79.80
2 to 3 times a week	5	563.58	12.62	4125.72	92.42
4 to 6 times a week	6	254.09	5.69	4379.82	98.11
Everyday	7	84.18	1.89	4464.00	100.00

dhb16m3: 6/7 - M - P1L 15/P2L 15 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.49	2.00	89.49	2.00
-9	-9	1754.04	39.29	1843.52	41.30
1 or 2	1	1884.28	42.21	3727.81	83.51
3 or 4	2	576.76	12.92	4304.57	96.43
5 or 6	3	131.91	2.96	4436.48	99.38
7 to 10	4	22.77	0.51	4459.25	99.89
11 or more	5	4.75	0.11	4464.00	100.00

dhb16m5: 6/7 - M - P1L 16/P2L 16 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	198.58	4.45	198.58	4.45
-9	-9	1754.04	39.29	1952.62	43.74
Everyday	1	1.78	0.04	1954.39	43.78
4-6 times a week	2	10.71	0.24	1965.10	44.02
2-3 times a week	3	46.96	1.05	2012.06	45.07
Once a week	4	120.63	2.70	2132.69	47.78
2-3 times a month	5	159.65	3.58	2292.34	51.35
Monthly or less	6	2171.66	48.65	4464.00	100.00

dmavdac: 6/7 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1216.39	27.25	1216.39	27.25
0	2034.40	45.57	3250.79	72.82
0.5	680.32	15.24	3931.11	88.06
1	247.62	5.55	4178.73	93.61

dmavdac: 6/7 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.5	183.01	4.10	4361.74	97.71
2	17.86	0.40	4379.61	98.11
2.5	44.85	1.00	4424.46	99.11
3	0.72	0.02	4425.18	99.13
3.5	24.68	0.55	4449.86	99.68
4	8.03	0.18	4457.90	99.86
5.5	5.32	0.12	4463.21	99.98
6.5	0.79	0.02	4464.00	100.00

dmalcgp: 6/7 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1175.73	26.34	1175.73	26.34
Abstain not in the last year	1	700.72	15.70	1876.45	42.04
Occasional less than monthly	2	825.86	18.50	2702.31	60.54
Light <2 drinks/day men, <1 women	3	1272.93	28.52	3975.24	89.05
Moderate >=2 to <4 men, >=1 to <2 women	4	390.28	8.74	4365.51	97.79
Hazardous >=4 to <6 men, >=2 and <4 women	5	84.35	1.89	4449.86	99.68
Harmful >=6 men, >=4 women	6	14.14	0.32	4464.00	100.00

dmhvdac: 6/7 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1175.73	26.34	1175.73	26.34
Yes	1	98.49	2.21	1274.22	28.54
No	2	3189.78	71.46	4464.00	100.00

dmbinge: 6/7 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1307.20	29.28	1307.20	29.28
Yes	1	339.72	7.61	1646.93	36.89
No	2	2817.07	63.11	4464.00	100.00

dmalcp: 6/7 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1315.64	29.47	1315.64	29.47
Yes	1	360.44	8.07	1676.08	37.55
No	2	2787.92	62.45	4464.00	100.00

dhb14f2: 6/7 - F - P1L 9/P2L 9 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	95.32	2.14	95.32	2.14
-9	1661.17	37.21	1756.48	39.35
0	243.79	5.46	2000.27	44.81
1	406.21	9.10	2406.48	53.91
2	524.00	11.74	2930.48	65.65

dhb14f2: 6/7 - F - P1L 9/P2L 9 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	456.71	10.23	3387.18	75.88
4	291.37	6.53	3678.55	82.40
5	337.78	7.57	4016.32	89.97
6	151.80	3.40	4168.12	93.37
7	295.88	6.63	4464.00	100.00

dhb15f5: 6/7 - F - P1L 12/P2L 12 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.35	0.61	27.35	0.61
-9	-9	1661.17	37.21	1688.52	37.83
Yes	1	572.53	12.83	2261.04	50.65
No	2	2202.96	49.35	4464.00	100.00

dhb15f6: 6/7 - F - P1L 13/P2L 13 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.17	0.88	39.17	0.88
-9	-9	3864.12	86.56	3903.29	87.44
Less than one a day	1	27.48	0.62	3930.77	88.05
1 to 5 per day	2	78.81	1.77	4009.58	89.82
6 to 10 per day	3	120.51	2.70	4130.09	92.52
11 to 20 per day	4	234.72	5.26	4364.81	97.78
More than 20 per day	5	99.19	2.22	4464.00	100.00

dhb15f1: 6/7 - F - P1L 12/13/P2L 12/13 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.17	0.88	39.17	0.88
-9	-9	1661.17	37.21	1700.33	38.09
Do not smoke at all	1	2202.96	49.35	3903.29	87.44
Less than once a day	2	27.48	0.62	3930.77	88.05
At least once a day	3	533.23	11.95	4464.00	100.00

dhb16f2: 6/7 - F - P1L 14/P2L 14 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.83	0.78	34.83	0.78
-9	-9	1661.17	37.21	1695.99	37.99
Never	0	316.56	7.09	2012.55	45.08
Not in the last year	1	26.78	0.60	2039.34	45.68
Monthly or less	2	410.65	9.20	2449.99	54.88
2 to 3 times a month	3	301.34	6.75	2751.34	61.63
Once a week	4	375.67	8.42	3127.00	70.05
2 to 3 times a week	5	654.85	14.67	3781.85	84.72
4 to 6 times a week	6	459.76	10.30	4241.61	95.02
Everyday	7	222.39	4.98	4464.00	100.00

dhb16f3: 6/7 - F - P1L 15/P2L 15 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.31	1.28	57.31	1.28
-9	-9	1977.72	44.30	2035.04	45.59
1 or 2	1	1247.74	27.95	3282.78	73.54
3 or 4	2	776.98	17.41	4059.75	90.94
5 or 6	3	310.80	6.96	4370.55	97.91
7 to 10	4	70.89	1.59	4441.44	99.49
11 or more	5	22.56	0.51	4464.00	100.00

dhb16f5: 6/7 - F - P1L 16/P2L 16 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	157.77	3.53	157.77	3.53
-9	-9	1977.72	44.30	2135.49	47.84
Everyday	1	17.19	0.39	2152.68	48.22
4-6 times a week	2	30.59	0.69	2183.27	48.91
2-3 times a week	3	153.62	3.44	2336.89	52.35
Once a week	4	288.78	6.47	2625.66	58.82
2-3 times a month	5	300.85	6.74	2926.51	65.56
Monthly or less	6	1537.49	34.44	4464.00	100.00

dfavdac: 6/7 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1712.45	38.36	1712.45	38.36
0	1058.60	23.71	2771.05	62.08
0.5	593.38	13.29	3364.43	75.37
1	307.59	6.89	3672.03	82.26
1.5	314.03	7.03	3986.06	89.29
2	79.02	1.77	4065.07	91.06
2.5	173.62	3.89	4238.69	94.95
3	20.38	0.46	4259.07	95.41
3.5	80.00	1.79	4339.07	97.20
4	51.16	1.15	4390.24	98.35
4.5	4.93	0.11	4395.17	98.46
5.5	46.37	1.04	4441.54	99.50
6.5	10.09	0.23	4451.63	99.72
8.5	10.10	0.23	4461.73	99.95
12	2.27	0.05	4464.00	100.00

dfalcgp: 6/7 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1704.58	38.18	1704.58	38.18
Abstain not in the last year	1	343.34	7.69	2047.92	45.88
Occasional less than monthly	2	410.65	9.20	2458.57	55.08
Light <2 drinks/day men, <1 women	3	1519.72	34.04	3978.29	89.12
Moderate >=2 to <4 men, >=1 to <2 women	4	359.71	8.06	4337.99	97.18

dfalcgp: 6/7 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	103.14	2.31	4441.13	99.49
Harmful ≥ 6 men, ≥ 4 women	6	22.87	0.51	4464.00	100.00

dfhvdac: 6/7 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1704.58	38.18	1704.58	38.18
Yes	1	126.01	2.82	1830.58	41.01
No	2	2633.42	58.99	4464.00	100.00

dfbinge: 6/7 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1805.22	40.44	1805.22	40.44
Yes	1	791.02	17.72	2596.24	58.16
No	2	1867.76	41.84	4464.00	100.00

dfalcp: 6/7 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1810.24	40.55	1810.24	40.55
Yes	1	793.36	17.77	2603.61	58.32
No	2	1860.39	41.68	4464.00	100.00