

## 05 Health status

### dhs08a: 6/7 - Condition difficulties?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	346.65	7.77	346.65	7.77
No	2	4117.35	92.23	4464.00	100.00

### dhs08a1: 6/7 - Condition difficulties? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4237.37	94.92	4237.37	94.92
Yes	1	226.63	5.08	4464.00	100.00

### dhs08a2: 6/7 - Condition difficulties? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4388.04	98.30	4388.04	98.30
Yes	1	75.96	1.70	4464.00	100.00

### dhs08a3: 6/7 - Condition difficulties? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4393.42	98.42	4393.42	98.42
Yes	1	70.58	1.58	4464.00	100.00

### dhs08a4: 6/7 - Condition difficulties? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4356.96	97.60	4356.96	97.60
Yes	1	107.04	2.40	4464.00	100.00

### dhs08a5: 6/7 - Condition difficulties? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4277.81	95.83	4277.81	95.83
Yes	1	186.19	4.17	4464.00	100.00

### dhs08a6: 6/7 - Condition difficulties? Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4345.10	97.34	4345.10	97.34
Yes	1	118.90	2.66	4464.00	100.00

### dhs12a: 6/7 - F2F B3.1 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.65	0.01	0.65	0.01
Not at all	1	3596.62	80.57	3597.27	80.58
A little	2	640.78	14.35	4238.05	94.94
Moderately	3	131.25	2.94	4369.29	97.88
Very	4	94.71	2.12	4464.00	100.00

**dhs12b: 6/7 - F2F B3.2 - Judgment about SC's weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.62	0.10	4.62	0.10
Underweight	1	411.52	9.22	416.14	9.32
Normal weight	2	3790.86	84.92	4207.00	94.24
Somewhat overweight	3	244.18	5.47	4451.18	99.71
Very overweight	4	12.82	0.29	4464.00	100.00

**dhs13c: 6/7 - SC - F2F B4 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Excellent	1	2364.43	52.97	2364.43	52.97
Very good	2	1524.00	34.14	3888.43	87.11
Good	3	466.15	10.44	4354.59	97.55
Fair	4	95.22	2.13	4449.81	99.68
Poor	5	14.19	0.32	4464.00	100.00

**dhs14a: 6/7 - F2F B5.1 - Uses prescribed medicine**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.03	0.07	3.03	0.07
Yes	1	572.20	12.82	575.23	12.89
No	2	3888.77	87.11	4464.00	100.00

**dhs14b: 6/7 - F2F B5.2 - Uses medicine because of condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.93	0.09	3.93	0.09
Yes	1	553.70	12.40	557.63	12.49
No	2	3906.37	87.51	4464.00	100.00

**dhs14c: 6/7 - F2F B5.3 - Medicated condition for 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	27.49	0.62	27.49	0.62
Yes	1	456.71	10.23	484.20	10.85
No	2	3979.80	89.15	4464.00	100.00

**dhs14d: 6/7 - F2F B5.4 - Extra medical care**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.94	0.22	9.94	0.22
Yes	1	471.10	10.55	481.04	10.78
No	2	3982.96	89.22	4464.00	100.00

**dhs14e: 6/7 - F2F B5.5 - Extra medical care is due to condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.81	0.31	13.81	0.31
Yes	1	379.12	8.49	392.93	8.80
No	2	4071.07	91.20	4464.00	100.00

**dhs14f: 6/7 - F2F B5.6 - Extra care condition for year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	30.44	0.68	30.44	0.68
Yes	1	344.35	7.71	374.78	8.40
No	2	4089.22	91.60	4464.00	100.00

**dshcn: 6/7 - Special health care needs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	156.70	3.51	156.70	3.51
Yes	1	642.05	14.38	798.75	17.89
No	2	3665.25	82.11	4464.00	100.00

**dhs31a: 6/7 - F2F B6.1 - Does child wear glasses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	261.50	5.86	261.50	5.86
No	2	4202.50	94.14	4464.00	100.00

**zhs31b: F2F B6.2 - Age started wearing glasses**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4202.50	94.14	4202.50	94.14
10	7.13	0.16	4209.63	94.30
20	14.64	0.33	4224.27	94.63
30	4.18	0.09	4228.45	94.72
40	20.14	0.45	4248.59	95.17
50	25.78	0.58	4274.37	95.75
60	62.33	1.40	4336.70	97.15
70	114.49	2.56	4451.20	99.71
80	12.80	0.29	4464.00	100.00

**zhs31b1: F2F B6.2.1 - Age started wearing glasses - unit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4202.50	94.14	4202.50	94.14
Age in months	1	17.89	0.40	4220.40	94.54
Age in years	2	243.60	5.46	4464.00	100.00

**zhs31b2: F2F B6.2.2 - Age started wearing glasses - amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4202.50	94.14	4202.50	94.14
0	9.84	0.22	4212.34	94.36
5	238.08	5.33	4450.42	99.70
10	1.79	0.04	4452.21	99.74
15	1.04	0.02	4453.25	99.76
20	4.78	0.11	4458.03	99.87
30	4.18	0.09	4462.21	99.96
65	1.79	0.04	4464.00	100.00

**dhs31c: 6/7 - F2F B6.3 - Why does child wear glasses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4202.50	94.14	4202.50	94.14
Short sighted myopia	1	75.29	1.69	4277.80	95.83
Long sighted	2	65.37	1.46	4343.17	97.29
Turned eyes squint	3	23.29	0.52	4366.45	97.81
Astigmatism	4	26.12	0.59	4392.57	98.40
Amblyopia lazy eye	5	32.43	0.73	4425.00	99.13
Other reason	6	39.00	0.87	4464.00	100.00

**dhs15b: 6/7 - F2F B8.1 - SC had illness with wheezing**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	721.92	16.17	721.92	16.17
No	2	3742.08	83.83	4464.00	100.00

**dhs15c: 6/7 - F2F B8.2 - Frequency of wheezing in last 12 months**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4286.66	96.03	4286.66	96.03
5	161.12	3.61	4447.78	99.64
10	13.60	0.30	4461.38	99.94
20	2.62	0.06	4464.00	100.00

**dhs29a: 6/7 - F2F B9.1 - SC diagnosed with asthma**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.72	0.20	8.72	0.20
Yes	1	1053.69	23.60	1062.40	23.80
No	2	3401.60	76.20	4464.00	100.00

**dhs29b: 6/7 - F2F B9.2 - Medication for asthma in last 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.61	0.22	9.61	0.22
Yes	1	691.42	15.49	701.02	15.70
No	2	3762.98	84.30	4464.00	100.00

**dnumcond: 6/7 - No. ongoing conditions**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	3223.79	72.22	3223.79	72.22
2	1188.96	26.63	4412.75	98.85
4	49.13	1.10	4461.88	99.95
6	2.12	0.05	4464.00	100.00

**dhs17: 6/7 - F2F B11 - Has ongoing condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	1240.21	27.78	1240.21	27.78
No	2	3223.79	72.22	4464.00	100.00

**dhs17d: 6/7 - F2F B11.1 - Eczema**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3929.12	88.02	3929.12	88.02
Yes	1	534.88	11.98	4464.00	100.00

**dhs17l: 6/7 - F2F B11.2 - SC has ongoing - ADD/ADHD**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4391.83	98.38	4391.83	98.38
Yes	1	72.17	1.62	4464.00	100.00

**dhs17m: 6/7 - F2F B11.3 - Frequent headaches**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4386.19	98.26	4386.19	98.26
Yes	1	77.81	1.74	4464.00	100.00

**dhs17e: 6/7 - F2F B11.4 - Diarrhoea/colitis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4440.46	99.47	4440.46	99.47
Yes	1	23.54	0.53	4464.00	100.00

**dhs17g: 6/7 - F2F B11.5 - Ear infections**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4205.94	94.22	4205.94	94.22
Yes	1	258.06	5.78	4464.00	100.00

**dhs17h: 6/7 - F2F B11.6 - Other infections**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4404.22	98.66	4404.22	98.66
Yes	1	59.78	1.34	4464.00	100.00

**dhs17i: 6/7 - F2F B11.7 - Food or digestive allergies**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4188.67	93.83	4188.67	93.83
Yes	1	275.33	6.17	4464.00	100.00

**dhs17n: 6/7 - F2F B11.8 - Recurrent abdominal pain**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4342.29	97.27	4342.29	97.27
Yes	1	121.71	2.73	4464.00	100.00

**dhs17j: 6/7 - F2F B11.9 - Other illnesses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4290.52	96.11	4290.52	96.11
Yes	1	173.48	3.89	4464.00	100.00

**dhs1713: 6/7 - F2F B11.2.1 - Taking ADD medication?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4391.83	98.38	4391.83	98.38
Yes	1	47.72	1.07	4439.54	99.45
No	2	24.46	0.55	4464.00	100.00

**dhs1712a: 6/7 - F2F B11.2.2 - Ritalin or Dexamphetamine**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4416.28	98.93	4416.28	98.93
Ritalin	1	34.07	0.76	4450.35	99.69
Dexamphetamine	2	10.06	0.23	4460.42	99.92
Other	3	3.58	0.08	4464.00	100.00

**dhs18a: 6/7 - F2F B12.1 - No. times SC injured**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4461.56	99.95	4461.56	99.95
10	2.44	0.05	4464.00	100.00

**dhs18b1: 6/7 - F2F B12.2.1 - Injury - broken bones**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	537.70	12.05	4309.40	96.54
Yes	1	154.60	3.46	4464.00	100.00

**dhs18b2: 6/7 - F2F B12.2.2 - Injury - burn or scald**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	671.36	15.04	4443.05	99.53
Yes	1	20.95	0.47	4464.00	100.00

**dhs18b3: 6/7 - F2F B12.2.3 - Injury - dislocation**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	684.04	15.32	4455.74	99.81
Yes	1	8.26	0.19	4464.00	100.00

**dhs18b4: 6/7 - F2F B12.2.4 - Injury - sprain or strain**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	610.03	13.67	4381.72	98.16
Yes	1	82.28	1.84	4464.00	100.00

**dhs18b5: 6/7 - F2F B12.2.5 - Injury - cut or scrape**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	403.01	9.03	4174.71	93.52
Yes	1	289.29	6.48	4464.00	100.00

**dhs18b6: 6/7 - F2F B12.2.6 - Injury - concussion**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	645.66	14.46	4417.36	98.96
Yes	1	46.64	1.04	4464.00	100.00

**dhs18b7: 6/7 - F2F B12.2.7 - Injury - internal (not head)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	685.18	15.35	4456.88	99.84
Yes	1	7.12	0.16	4464.00	100.00

**dhs18b8: 6/7 - F2F B12.2.8 - Injury - dental**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	658.30	14.75	4430.00	99.24
Yes	1	34.00	0.76	4464.00	100.00

**dhs18b9: 6/7 - F2F B12.2.9 - Injury - accidental poisoning**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	690.31	15.46	4462.00	99.96
Yes	1	2.00	0.04	4464.00	100.00

**dhs18b10: 6/7 - F2F B12.2.10 - Injury - other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
No	0	572.45	12.82	4344.14	97.32
Yes	1	119.86	2.68	4464.00	100.00

**dhs18d1: 6/7 - F2F B12.3.1 - No. of times broken bones**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4463.17	99.98	4463.17	99.98
5	0.83	0.02	4464.00	100.00

**dhs18d2: 6/7 - F2F B12.3.2 - No. of times burn or scald**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4443.05	99.53	4443.05	99.53
1	19.85	0.44	4462.90	99.98
2	1.10	0.02	4464.00	100.00

**dhs18d3: 6/7 - F2F B12.3.3 - No. of times dislocation**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4464.00	100.00	4464.00	100.00

**dhs18d4: 6/7 - F2F B12.3.4 - No. of times sprain or strain**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4381.72	98.16	4381.72	98.16
1	79.65	1.78	4461.37	99.94
2	2.63	0.06	4464.00	100.00

**dhs18d5: 6/7 - F2F B12.3.5 - No. of times cut or scrape**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4174.71	93.52	4174.71	93.52
1	251.60	5.64	4426.30	99.16
2	25.40	0.57	4451.70	99.72
3	7.84	0.18	4459.54	99.90
4	2.84	0.06	4462.39	99.96
5	1.61	0.04	4464.00	100.00

**dhs18d6: 6/7 - F2F B12.3.6 - No. of times concussion**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4417.36	98.96	4417.36	98.96
1	44.01	0.99	4461.37	99.94
2	2.00	0.04	4463.37	99.99
3	0.63	0.01	4464.00	100.00

**dhs18d7: 6/7 - F2F B12.3.7 - No. of times internal (not head)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4456.88	99.84	4456.88	99.84
1	7.12	0.16	4464.00	100.00

**dhs18d8: 6/7 - F2F B12.3.8 - No. of times dental**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4430.00	99.24	4430.00	99.24
1	28.37	0.64	4458.37	99.87
2	5.63	0.13	4464.00	100.00

**dhs18d9: 6/7 - F2F B12.3.9 - No. of times accidental poisoning**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4462.00	99.96	4462.00	99.96
1	2.00	0.04	4464.00	100.00



**dhs18d10: 6/7 - F2F B12.3.10 - No. of times other**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4344.14	97.32	4344.14	97.32
1	114.65	2.57	4458.79	99.88
2	5.21	0.12	4464.00	100.00

**dhs18c1: 6/7 - F2F B12.4.1 - Stayed in hospital injured**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	65.60	1.47	65.60	1.47
No	2	4398.40	98.53	4464.00	100.00

**dhs18c2: 6/7 - F2F B12.4.2 - No. times in hospital injured**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4398.40	98.53	4398.40	98.53
1	55.06	1.23	4453.46	99.76
2	7.60	0.17	4461.06	99.93
3	1.88	0.04	4462.94	99.98
4	1.06	0.02	4464.00	100.00

**dhs18e: 6/7 - F2F B12.5 - Where most serious injury**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3771.70	84.49	3771.70	84.49
Home	1	282.94	6.34	4054.63	90.83
School or child care	2	174.00	3.90	4228.64	94.73
Car accident	3	4.49	0.10	4233.13	94.83
Pedestrian accident	4	3.32	0.07	4236.45	94.90
Other	5	227.55	5.10	4464.00	100.00

**dhs19a1: 6/7 - F2F B13.1 - Non-injury hospital stays**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	229.94	5.15	229.94	5.15
No	2	4234.06	94.85	4464.00	100.00

**dhs19a2: 6/7 - F2F B13.2 - No. non-injury hospital stays**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4234.06	94.85	4234.06	94.85
1	183.46	4.11	4417.51	98.96
2	25.14	0.56	4442.66	99.52
3	11.27	0.25	4453.92	99.77
4	5.32	0.12	4459.24	99.89
5	0.80	0.02	4460.04	99.91
12	1.32	0.03	4461.36	99.94
15	1.47	0.03	4462.83	99.97
20	1.17	0.03	4464.00	100.00

**dhs19b1: 6/7 - F2F B13.3.1 - Hospital - fever or viral illness**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4440.32	99.47	4440.32	99.47
Yes	1	23.68	0.53	4464.00	100.00

**dhs19b2: 6/7 - F2F B13.3.2 - Hospital - asthma**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4424.15	99.11	4424.15	99.11
Yes	1	39.85	0.89	4464.00	100.00

**dhs19b3: 6/7 - F2F B13.3.3 - Hospital - gastroenteritis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4442.63	99.52	4442.63	99.52
Yes	1	21.37	0.48	4464.00	100.00

**dhs19b4: 6/7 - F2F B13.3.4 - Hospital - pneumonia**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4451.67	99.72	4451.67	99.72
Yes	1	12.32	0.28	4464.00	100.00

**dhs19b5: 6/7 - F2F B13.3.5 - Hospital - bronchiolitis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4456.15	99.82	4456.15	99.82
Yes	1	7.85	0.18	4464.00	100.00

**dhs19b6: 6/7 - F2F B13.3.6 - Hospital - urine infection**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4459.94	99.91	4459.94	99.91
Yes	1	4.06	0.09	4464.00	100.00

**dhs19b7: 6/7 - F2F B13.3.7 - Hospital - croup**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4444.79	99.57	4444.79	99.57
Yes	1	19.21	0.43	4464.00	100.00

**dhs19b8: 6/7 - F2F B13.3.8 - Hospital - febrile convulsion**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4461.74	99.95	4461.74	99.95
Yes	1	2.26	0.05	4464.00	100.00

**dhs19b9: 6/7 - F2F B13.3.9 - Hospital - grommets etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4452.91	99.75	4452.91	99.75
Yes	1	11.09	0.25	4464.00	100.00

**dhs19b10: 6/7 - F2F B13.3.10 - Hospital - Tonsillectomy etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4415.53	98.91	4415.53	98.91
Yes	1	48.47	1.09	4464.00	100.00

**dhs19b11: 6/7 - F2F B13.3.11 - Hospital - other, surgery**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4407.69	98.74	4407.69	98.74
Yes	1	56.31	1.26	4464.00	100.00

**dhs19b12: 6/7 - F2F B13.3.12 - Hospital - other, no surgery**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4437.47	99.41	4437.47	99.41
Yes	1	26.53	0.59	4464.00	100.00

**dhs20a: 6/7 - F2F B14.1 - SC's sleeping patterns a problem**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	2.78	0.06	2.78	0.06
Not a problem at all	1	3424.29	76.71	3427.08	76.77
A small problem	2	760.91	17.05	4187.99	93.82
A moderate problem	3	182.79	4.09	4370.78	97.91
A large problem	4	93.22	2.09	4464.00	100.00

**dhs21a1: 6/7 - F2F B14.2 - Does child go to bed at regular times**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Always	1	2175.53	48.74	2175.53	48.74
Usually	2	1940.31	43.47	4115.84	92.20
Sometimes	3	245.78	5.51	4361.62	97.71
Rarely	4	83.38	1.87	4445.00	99.57
Never	5	19.00	0.43	4464.00	100.00

**dhs20b: 6/7 - F2F B14.3 - Does child have any sleep problems?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	1680.06	37.64	1680.06	37.64
No	2	2783.94	62.36	4464.00	100.00

**dhs20b3: 6/7 - F2F B14.4.1 - Sleep problems - getting to sleep**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3931.82	88.08	3931.82	88.08
Yes	1	532.18	11.92	4464.00	100.00

**dhs20b4: 6/7 - F2F B14.4.2 - Sleep problems - Sleeping alone**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3789.61	84.89	3789.61	84.89
Yes	1	674.39	15.11	4464.00	100.00

**dhs20b5: 6/7 - F2F B14.4.3 - Sleep problems - waking during night**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4097.14	91.78	4097.14	91.78
Yes	1	366.86	8.22	4464.00	100.00

**dhs20b11: 6/7 - F2F B14.4.4 - Sleep problems - Restless sleep**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4287.43	96.04	4287.43	96.04
Yes	1	176.57	3.96	4464.00	100.00

**dhs20b8: 6/7 - F2F B14.4.5 - Sleep problems - bed wetting**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4152.34	93.02	4152.34	93.02
Yes	1	311.66	6.98	4464.00	100.00

**dhs20b9: 6/7 - F2F B14.4.6 - Sleep problems - nightmares/terrors**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4306.74	96.48	4306.74	96.48
Yes	1	157.26	3.52	4464.00	100.00

**dhs20b1b: 6/7 - F2F B14.4.7 - Sleep problems - wheezing or asthma**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4406.06	98.70	4406.06	98.70
Yes	1	57.94	1.30	4464.00	100.00

**dhs20b2: 6/7 - F2F B14.4.8 - Sleep problems - snoring/breathing**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4217.95	94.49	4217.95	94.49
Yes	1	246.05	5.51	4464.00	100.00

**dhs20b10: 6/7 - F2F B14.4.9 - Sleep problems - seeming tired**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4018.14	90.01	4018.14	90.01
Yes	1	445.86	9.99	4464.00	100.00

**dhs20b7: 6/7 - F2F B14.4.10 - Sleep problems - other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4401.15	98.59	4401.15	98.59
Yes	1	62.85	1.41	4464.00	100.00

**dhs50a1: 6/7 - F2F B14.5 - P1 sleep quality**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	2.13	0.05	2.13	0.05
Very good	1	804.55	18.02	806.68	18.07
Fairly good	2	1322.17	29.62	2128.84	47.69
OK/adequate	3	1409.71	31.58	3538.56	79.27

**dhs50a1: 6/7 - F2F B14.5 - P1 sleep quality**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Fairly bad	4	658.41	14.75	4196.96	94.02
Very bad	5	267.04	5.98	4464.00	100.00

**dhs34: 6/7 - F2F B17 - Frequency of child wetting pants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.98	0.31	13.98	0.31
Never	1	3940.20	88.27	3954.18	88.58
Up to once per month	2	406.48	9.11	4360.66	97.68
Up to once a week	3	43.98	0.99	4404.64	98.67
Most days	4	59.36	1.33	4464.00	100.00

**dhs32a: 6/7 - F2F B18.1 - Able to run fast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	17.06	0.38	17.06	0.38
Better than other children	1	1419.29	31.79	1436.34	32.18
About the same	2	2646.44	59.28	4082.78	91.46
Not as well as other children	3	381.22	8.54	4464.00	100.00

**dhs32b: 6/7 - F2F B18.2 - Able to jump high**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	108.05	2.42	108.05	2.42
Better than other children	1	692.95	15.52	801.00	17.94
About the same	2	3400.99	76.19	4201.99	94.13
Not as well as other children	3	262.01	5.87	4464.00	100.00

**dhs32c: 6/7 - F2F B18.3 - Able to balance on one leg**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	64.44	1.44	64.44	1.44
Better than other children	1	1004.76	22.51	1069.20	23.95
About the same	2	3187.17	71.40	4256.37	95.35
Not as well as other children	3	207.63	4.65	4464.00	100.00

**dgmcc: 6/7 - Gross Motor Coordination**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.58	0.04	1.58	0.04
1	824.53	18.47	826.11	18.51
2	3427.78	76.79	4253.89	95.29
3	210.11	4.71	4464.00	100.00

**dhs23c2: 6/7 - SC - F2F N2 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.30	0.19	8.30	0.19
-9	18.89	0.42	27.19	0.61
15	61.32	1.37	88.51	1.98
20	1411.29	31.61	1499.80	33.60

**dhs23c2: 6/7 - SC - F2F N2 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
25	2059.55	46.14	3559.35	79.73
30	642.47	14.39	4201.83	94.13
35	157.76	3.53	4359.59	97.66
40	68.69	1.54	4428.28	99.20
45	35.72	0.80	4464.00	100.00

**dhs23c1: 6/7 - SC - F2F N3 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.42	0.48	21.42	0.48
-9	18.89	0.42	40.31	0.90
110	449.48	10.07	489.79	10.97
120	2728.49	61.12	3218.27	72.09
130	1193.70	26.74	4411.97	98.83
140	52.03	1.17	4464.00	100.00

**dhs23c3: 6/7 - SC - F2F N4 - SC's waist measurements (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	18.05	0.40	18.05	0.40
-9	18.89	0.42	36.94	0.83
45	54.25	1.22	91.19	2.04
50	692.55	15.51	783.74	17.56
55	1880.81	42.13	2664.56	59.69
60	1106.70	24.79	3771.26	84.48
65	391.02	8.76	4162.28	93.24
70	168.28	3.77	4330.56	97.01
75	84.99	1.90	4415.54	98.91
80	35.20	0.79	4450.74	99.70
85	13.26	0.30	4464.00	100.00

**dcbmi: 6/7 - SC - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.25	1.06	47.25	1.06
10	16.99	0.38	64.23	1.44
15	3393.82	76.03	3458.05	77.47
20	888.81	19.91	4346.86	97.38
25	106.07	2.38	4452.92	99.75
30	11.08	0.25	4464.00	100.00

**dwaz: 6/7 - Weight for age z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.19	0.61	27.19	0.61
-3	24.91	0.56	52.10	1.17
-2	133.09	2.98	185.19	4.15
-1	636.14	14.25	821.34	18.40
0	1651.66	37.00	2473.00	55.40
1	1434.93	32.14	3907.93	87.54

**dwaz: 6/7 - Weight for age z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	464.51	10.41	4372.44	97.95
3	91.56	2.05	4464.00	100.00

**dwapct: 6/7 - Weight for age percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.19	0.61	27.19	0.61
0	58.80	1.32	85.99	1.93
5	120.94	2.71	206.93	4.64
10	118.59	2.66	325.52	7.29
15	95.83	2.15	421.34	9.44
20	126.00	2.82	547.34	12.26
25	162.88	3.65	710.23	15.91
30	161.22	3.61	871.44	19.52
35	163.31	3.66	1034.76	23.18
40	178.46	4.00	1213.21	27.18
45	201.10	4.50	1414.31	31.68
50	181.88	4.07	1596.19	35.76
55	242.72	5.44	1838.91	41.19
60	257.69	5.77	2096.61	46.97
65	273.99	6.14	2370.59	53.10
70	288.45	6.46	2659.05	59.57
75	295.77	6.63	2954.82	66.19
80	272.38	6.10	3227.20	72.29
85	327.11	7.33	3554.30	79.62
90	311.55	6.98	3865.86	86.60
95	350.75	7.86	4216.60	94.46
100	247.40	5.54	4464.00	100.00

**dbmiz: 6/7 - BMI z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.25	1.06	47.25	1.06
-5	3.28	0.07	50.53	1.13
-4	3.07	0.07	53.60	1.20
-3	29.99	0.67	83.59	1.87
-2	116.75	2.62	200.34	4.49
-1	585.34	13.11	785.67	17.60
0	1616.89	36.22	2402.57	53.82
1	1520.47	34.06	3923.04	87.88
2	486.56	10.90	4409.60	98.78
3	54.40	1.22	4464.00	100.00

**dbmipct: 6/7 - BMI percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.25	1.06	47.25	1.06
0	80.08	1.79	127.33	2.85
5	89.74	2.01	217.07	4.86
10	91.31	2.05	308.38	6.91

**dbmipct: 6/7 - BMI percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	105.34	2.36	413.72	9.27
20	135.62	3.04	549.34	12.31
25	148.34	3.32	697.67	15.63
30	146.67	3.29	844.34	18.91
35	146.93	3.29	991.27	22.21
40	158.45	3.55	1149.72	25.76
45	195.47	4.38	1345.18	30.13
50	208.35	4.67	1553.53	34.80
55	244.55	5.48	1798.08	40.28
60	252.06	5.65	2050.14	45.93
65	257.93	5.78	2308.07	51.70
70	275.73	6.18	2583.80	57.88
75	292.98	6.56	2876.78	64.44
80	336.28	7.53	3213.06	71.98
85	341.79	7.66	3554.85	79.63
90	312.44	7.00	3867.28	86.63
95	359.30	8.05	4226.58	94.68
100	237.42	5.32	4464.00	100.00

**dhaz: 6/7 - Height for age z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.31	0.90	40.31	0.90
-3	21.33	0.48	61.64	1.38
-2	135.21	3.03	196.85	4.41
-1	860.83	19.28	1057.68	23.69
0	1765.65	39.55	2823.32	63.25
1	1245.72	27.91	4069.04	91.15
2	355.61	7.97	4424.65	99.12
3	38.62	0.87	4463.27	99.98
4	0.73	0.02	4464.00	100.00

**dhapct: 6/7 - Height for age percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.31	0.90	40.31	0.90
0	57.85	1.30	98.16	2.20
5	121.10	2.71	219.27	4.91
10	156.44	3.50	375.71	8.42
15	159.35	3.57	535.06	11.99
20	215.45	4.83	750.51	16.81
25	175.48	3.93	925.99	20.74
30	187.19	4.19	1113.18	24.94
35	204.84	4.59	1318.01	29.53
40	227.08	5.09	1545.09	34.61
45	222.13	4.98	1767.22	39.59
50	218.74	4.90	1985.96	44.49
55	206.84	4.63	2192.81	49.12
60	272.66	6.11	2465.47	55.23



**dhapct: 6/7 - Height for age percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
65	275.64	6.17	2741.11	61.40
70	246.56	5.52	2987.66	66.93
75	235.91	5.28	3223.57	72.21
80	245.64	5.50	3469.21	77.72
85	272.71	6.11	3741.93	83.82
90	267.09	5.98	4009.02	89.81
95	289.47	6.48	4298.49	96.29
100	165.51	3.71	4464.00	100.00

**dhs24a1: 6/7 - P1 - P1D 7a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.76	1.09	48.76	1.09
-9	-9	136.78	3.06	185.54	4.16
All of the time	1	27.04	0.61	212.59	4.76
Most of the time	2	91.48	2.05	304.07	6.81
Some of the time	3	565.52	12.67	869.59	19.48
A little of the time	4	1535.82	34.40	2405.40	53.88
None of the time	5	2058.60	46.12	4464.00	100.00

**dhs24a2: 6/7 - P1 - P1D 7b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.85	1.43	63.85	1.43
-9	-9	136.78	3.06	200.64	4.49
All of the time	1	16.65	0.37	217.29	4.87
Most of the time	2	80.10	1.79	297.38	6.66
Some of the time	3	330.71	7.41	628.09	14.07
A little of the time	4	850.18	19.05	1478.28	33.12
None of the time	5	2985.72	66.88	4464.00	100.00

**dhs24a3: 6/7 - P1 - P1D 7c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.11	1.23	55.11	1.23
-9	-9	136.78	3.06	191.89	4.30
All of the time	1	30.61	0.69	222.50	4.98
Most of the time	2	101.02	2.26	323.52	7.25
Some of the time	3	440.50	9.87	764.02	17.12
A little of the time	4	1129.42	25.30	1893.44	42.42
None of the time	5	2570.56	57.58	4464.00	100.00

**dhs24a4: 6/7 - P1 - P1D 7d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.49	1.31	58.49	1.31
-9	-9	136.78	3.06	195.27	4.37
All of the time	1	74.10	1.66	269.37	6.03
Most of the time	2	241.10	5.40	510.47	11.44
Some of the time	3	764.18	17.12	1274.65	28.55

**dhs24a4: 6/7 - P1 - P1D 7d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	1625.17	36.41	2899.82	64.96
None of the time	5	1564.18	35.04	4464.00	100.00

**dhs24a5: 6/7 - P1 - P1D 7e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.62	1.11	49.62	1.11
-9	-9	136.78	3.06	186.40	4.18
All of the time	1	26.10	0.58	212.50	4.76
Most of the time	2	71.82	1.61	284.31	6.37
Some of the time	3	307.17	6.88	591.48	13.25
A little of the time	4	656.80	14.71	1248.28	27.96
None of the time	5	3215.72	72.04	4464.00	100.00

**dhs24a6: 6/7 - P1 - P1D 7f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	54.26	1.22	54.26	1.22
-9	-9	136.78	3.06	191.05	4.28
All of the time	1	17.53	0.39	208.57	4.67
Most of the time	2	57.57	1.29	266.15	5.96
Some of the time	3	183.39	4.11	449.54	10.07
A little of the time	4	483.63	10.83	933.17	20.90
None of the time	5	3530.83	79.10	4464.00	100.00

**dak6g: 6/7 - P1 - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	267.42	5.99	267.42	5.99
No probable serious mental illness	0	4085.85	91.53	4353.28	97.52
Probable serious mental illness	1	110.72	2.48	4464.00	100.00

**dak6s: 6/7 - P1 - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	267.42	5.99	267.42	5.99
6	885.39	19.83	1152.82	25.82
7	772.66	17.31	1925.48	43.13
8	673.09	15.08	2598.56	58.21
9	427.18	9.57	3025.75	67.78
10	357.35	8.01	3383.09	75.79
11	248.91	5.58	3632.00	81.36
12	199.02	4.46	3831.02	85.82
13	139.18	3.12	3970.19	88.94
14	122.37	2.74	4092.56	91.68
15	92.08	2.06	4184.65	93.74
16	55.64	1.25	4240.29	94.99
17	49.57	1.11	4289.86	96.10
18	63.42	1.42	4353.28	97.52
19	23.62	0.53	4376.90	98.05

**dak6s: 6/7 - P1 - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20	19.26	0.43	4396.16	98.48
21	15.97	0.36	4412.12	98.84
22	16.95	0.38	4429.08	99.22
23	14.04	0.31	4443.11	99.53
24	6.87	0.15	4449.98	99.69
25	3.83	0.09	4453.82	99.77
26	3.50	0.08	4457.32	99.85
29	1.05	0.02	4458.38	99.87
30	5.62	0.13	4464.00	100.00

**dhs25a1: 6/7 - P1 - P1D 8 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.79	0.51	22.79	0.51
-9	-9	136.78	3.06	159.57	3.57
Yes	1	1181.43	26.47	1341.00	30.04
No	2	3123.00	69.96	4464.00	100.00

**dhs26a1: 6/7 - P1 - P1D 9 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.13	0.32	14.13	0.32
-9	-9	136.78	3.06	150.91	3.38
No problems or stress	1	462.21	10.35	613.12	13.73
Few problems or stresses	2	1897.57	42.51	2510.69	56.24
Some problems and stresses	3	1518.92	34.03	4029.61	90.27
Many problems and stresses	4	353.15	7.91	4382.76	98.18
Very many problems and stresses	5	81.24	1.82	4464.00	100.00

**dhs26a2: 6/7 - P1 - P1D 10 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.25	0.23	10.25	0.23
-9	-9	136.78	3.06	147.03	3.29
Not at all	1	7.83	0.18	154.85	3.47
A little	2	127.91	2.87	282.77	6.33
Fairly well	3	1650.21	36.97	1932.98	43.30
Very well	4	1999.97	44.80	3932.94	88.10
Extremely well	5	531.06	11.90	4464.00	100.00

**dhs13a: 6/7 - P1 - P1L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.35	0.46	20.35	0.46
-9	-9	1110.88	24.89	1131.23	25.34
Excellent	1	637.33	14.28	1768.57	39.62
Very good	2	1517.00	33.98	3285.56	73.60
Good	3	919.70	20.60	4205.27	94.20
Fair	4	215.24	4.82	4420.50	99.03
Poor	5	43.50	0.97	4464.00	100.00

**dhs23a2: 6/7 - P1 - P1L 10 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	181.72	4.07	181.72	4.07
-9	1110.88	24.89	1292.60	28.96
40	19.47	0.44	1312.07	29.39
50	400.13	8.96	1712.20	38.36
60	971.68	21.77	2683.88	60.12
70	794.98	17.81	3478.86	77.93
80	494.50	11.08	3973.36	89.01
90	247.66	5.55	4221.02	94.56
100	139.19	3.12	4360.21	97.67
110	55.35	1.24	4415.56	98.91
120	28.99	0.65	4444.56	99.56
130	19.44	0.44	4464.00	100.00

**dhs23a1: 6/7 - P1 - P1L 11 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	149.25	3.34	149.25	3.34
-9	1110.88	24.89	1260.14	28.23
140	7.25	0.16	1267.38	28.39
150	270.78	6.07	1538.16	34.46
160	1325.13	29.68	2863.29	64.14
170	1259.88	28.22	4123.17	92.36
180	310.54	6.96	4433.71	99.32
190	30.29	0.68	4464.00	100.00

**dabmi: 6/7 - P1 - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1424.85	31.92	1424.85	31.92
15	29.57	0.66	1454.42	32.58
20	937.68	21.01	2392.10	53.59
25	1177.64	26.38	3569.74	79.97
30	595.59	13.34	4165.33	93.31
35	201.48	4.51	4366.81	97.82
40	71.44	1.60	4438.26	99.42
45	20.81	0.47	4459.07	99.89
50	4.93	0.11	4464.00	100.00

**dhs26a3: 6/7 - P1 - P1L 17 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.53	0.57	25.53	0.57
-9	-9	1110.88	24.89	1136.41	25.46
Always	1	496.63	11.13	1633.04	36.58
Often	2	1465.47	32.83	3098.51	69.41
Sometimes	3	1115.59	24.99	4214.10	94.40
Rarely	4	218.43	4.89	4432.54	99.30
Never	5	31.46	0.70	4464.00	100.00

**dhs27: 6/7 - P1L 29 - Any stressful life events**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
Yes	1	1924.45	43.11	3112.05	69.71
No	2	1351.95	30.29	4464.00	100.00

**dhs27p: 6/7 - P1L 29a - Events - Pregnant/had a baby**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	2957.85	66.26	4145.45	92.86
Yes	1	318.55	7.14	4464.00	100.00

**dhs27a: 6/7 - P1L 29b - Events - illness, injury or assault**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3005.70	67.33	4193.30	93.94
Yes	1	270.70	6.06	4464.00	100.00

**dhs27b: 6/7 - P1L 29c - Events - illness etc to close relative**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	2865.50	64.19	4053.10	90.80
Yes	1	410.90	9.20	4464.00	100.00

**dhs27c: 6/7 - P1L 29d - Events - parent, partner or child died**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3139.62	70.33	4327.22	96.94
Yes	1	136.78	3.06	4464.00	100.00

**dhs27d: 6/7 - P1L 29e - Events - Close friend or other rel. died**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	2621.84	58.73	3809.44	85.34
Yes	1	654.56	14.66	4464.00	100.00

**dhs27e: 6/7 - P1L 29f - Events - broke off a steady relationship**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3155.25	70.68	4342.85	97.29
Yes	1	121.15	2.71	4464.00	100.00

**dhs27q: 6/7 - P1L 29g - Events - Had new house member**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3100.46	69.45	4288.06	96.06
Yes	1	175.94	3.94	4464.00	100.00

**dhs27f: 6/7 - P1L 29h - Events - problem with friend/relative**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	2842.27	63.67	4029.87	90.27
Yes	1	434.13	9.73	4464.00	100.00

**dhs27k: 6/7 - P1L 29i - Events - had a major financial crisis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	2977.75	66.71	4165.35	93.31
Yes	1	298.65	6.69	4464.00	100.00

**dhs27g: 6/7 - P1L 29j - Events - work disappointment**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3006.23	67.34	4193.83	93.95
Yes	1	270.17	6.05	4464.00	100.00

**dhs27h: 6/7 - P1L 29k - Events - thought would soon lose job**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3145.49	70.46	4333.09	97.07
Yes	1	130.91	2.93	4464.00	100.00

**dhs27i: 6/7 - P1L 29l - Any stressful life events**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3118.94	69.87	4306.54	96.47
Yes	1	157.46	3.53	4464.00	100.00

**dhs27j: 6/7 - P1L 29m - Events - sought work unsuccessfully**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3069.65	68.76	4257.25	95.37
Yes	1	206.75	4.63	4464.00	100.00

**dhs27l: 6/7 - P1L 29n - Events - legal problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3226.16	72.27	4413.76	98.87
Yes	1	50.24	1.13	4464.00	100.00

**dhs27m: 6/7 - P1L 29o - Events - Valuable lost or stolen**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3137.58	70.29	4325.18	96.89
Yes	1	138.82	3.11	4464.00	100.00

**dhs27n: 6/7 - P1L 29p - Events - household D+A problem**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.72	1.72	76.72	1.72
-9	-9	1110.88	24.89	1187.60	26.60
No	0	3193.66	71.54	4381.26	98.15
Yes	1	82.74	1.85	4464.00	100.00

**dhs27o: 6/7 - Events - relationship separation**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4381.84	98.16	4381.84	98.16
Yes	1	82.16	1.84	4464.00	100.00

**dsle: 6/7 - Stressful Life Events Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1187.60	26.60	1187.60	26.60
0	1326.58	29.72	2514.18	56.32
1	959.36	21.49	3473.54	77.81
2	475.94	10.66	3949.48	88.47
3	266.83	5.98	4216.31	94.45

**dsle: 6/7 - Stressful Life Events Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	148.27	3.32	4364.58	97.77
5	47.15	1.06	4411.73	98.83
6	26.73	0.60	4438.46	99.43
7	11.49	0.26	4449.95	99.69
8	7.57	0.17	4457.52	99.85
9	3.09	0.07	4460.61	99.92
10	2.29	0.05	4462.90	99.98
11	1.10	0.02	4464.00	100.00

**dhs13b: 6/7 - P2 - P2L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.09	0.70	31.09	0.70
-9	-9	1687.55	37.80	1718.64	38.50
Excellent	1	563.24	12.62	2281.88	51.12
Very good	2	1135.65	25.44	3417.53	76.56
Good	3	792.71	17.76	4210.24	94.32
Fair	4	218.36	4.89	4428.61	99.21
Poor	5	35.39	0.79	4464.00	100.00

**dhs23b2: 6/7 - P2 - P2L 10 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	103.47	2.32	103.47	2.32
-9	1687.55	37.80	1791.03	40.12
50	32.83	0.74	1823.86	40.86
60	131.25	2.94	1955.11	43.80
70	378.06	8.47	2333.17	52.27
80	718.01	16.08	3051.18	68.35
90	708.47	15.87	3759.65	84.22
100	398.90	8.94	4158.56	93.16
110	180.44	4.04	4339.00	97.20
120	74.14	1.66	4413.14	98.86
130	32.23	0.72	4445.37	99.58
140	5.63	0.13	4451.00	99.71
150	13.00	0.29	4464.00	100.00

**dhs23b1: 6/7 - P2 - P2L 11 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.42	1.62	72.42	1.62
-9	1687.55	37.80	1759.97	39.43
150	16.21	0.36	1776.18	39.79
160	129.63	2.90	1905.81	42.69
170	657.40	14.73	2563.21	57.42
180	1421.73	31.85	3984.95	89.27
190	442.17	9.91	4427.12	99.17
200	31.83	0.71	4458.95	99.89
210	5.05	0.11	4464.00	100.00



**dbbmi: 6/7 - P2 - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1836.89	41.15	1836.89	41.15
10	2.49	0.06	1839.39	41.20
15	10.07	0.23	1849.45	41.43
20	277.55	6.22	2127.00	47.65
25	1243.26	27.85	3370.26	75.50
30	838.40	18.78	4208.66	94.28
35	197.52	4.42	4406.18	98.70
40	39.11	0.88	4445.29	99.58
45	16.33	0.37	4461.62	99.95
50	2.38	0.05	4464.00	100.00

**dhs26b1: 6/7 - P2 - P2L 17 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.28	0.72	32.28	0.72
-9	-9	1687.55	37.80	1719.83	38.53
No problems or stress	1	237.13	5.31	1956.97	43.84
Few problems or stresses	2	1111.08	24.89	3068.05	68.73
Some problems and stresses	3	1107.34	24.81	4175.39	93.53
Many problems and stresses	4	247.65	5.55	4423.04	99.08
Very many problems and stresses	5	40.96	0.92	4464.00	100.00

**dhs26b2: 6/7 - P2 - P2L 18 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.05	0.79	35.05	0.79
-9	-9	1687.55	37.80	1722.60	38.59
Not at all	1	9.29	0.21	1731.89	38.80
A little	2	78.72	1.76	1810.61	40.56
Fairly well	3	1136.15	25.45	2946.77	66.01
Very well	4	1225.85	27.46	4172.62	93.47
Extremely well	5	291.38	6.53	4464.00	100.00

**dhs25b1: 6/7 - P2 - P2L 19 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.80	0.89	39.80	0.89
-9	-9	1687.55	37.80	1727.35	38.70
Yes	1	838.85	18.79	2566.20	57.49
No	2	1897.80	42.51	4464.00	100.00

**dhs24b1: 6/7 - P2 - P2L 20a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.51	1.31	58.51	1.31
-9	-9	1687.55	37.80	1746.06	39.11
All of the time	1	8.39	0.19	1754.45	39.30
Most of the time	2	29.15	0.65	1783.60	39.96
Some of the time	3	289.44	6.48	2073.04	46.44

**dhs24b1: 6/7 - P2 - P2L 20a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	973.43	21.81	3046.47	68.25
None of the time	5	1417.53	31.75	4464.00	100.00

**dhs24b2: 6/7 - P2 - P2L 20b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.78	1.61	71.78	1.61
-9	-9	1687.55	37.80	1759.33	39.41
All of the time	1	10.73	0.24	1770.06	39.65
Most of the time	2	32.43	0.73	1802.49	40.38
Some of the time	3	168.10	3.77	1970.59	44.14
A little of the time	4	462.15	10.35	2432.75	54.50
None of the time	5	2031.25	45.50	4464.00	100.00

**dhs24b3: 6/7 - P2 - P2L 20c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	70.96	1.59	70.96	1.59
-9	-9	1687.55	37.80	1758.52	39.39
All of the time	1	17.38	0.39	1775.90	39.78
Most of the time	2	82.71	1.85	1858.61	41.64
Some of the time	3	457.86	10.26	2316.47	51.89
A little of the time	4	914.26	20.48	3230.73	72.37
None of the time	5	1233.27	27.63	4464.00	100.00

**dhs24b4: 6/7 - P2 - P2L 20d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	74.62	1.67	74.62	1.67
-9	-9	1687.55	37.80	1762.18	39.48
All of the time	1	30.84	0.69	1793.01	40.17
Most of the time	2	105.35	2.36	1898.37	42.53
Some of the time	3	424.12	9.50	2322.49	52.03
A little of the time	4	1000.84	22.42	3323.32	74.45
None of the time	5	1140.68	25.55	4464.00	100.00

**dhs24b5: 6/7 - P2 - P2L 20e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	73.43	1.64	73.43	1.64
-9	-9	1687.55	37.80	1760.98	39.45
All of the time	1	1.92	0.04	1762.91	39.49
Most of the time	2	21.39	0.48	1784.29	39.97
Some of the time	3	121.97	2.73	1906.26	42.70
A little of the time	4	360.99	8.09	2267.25	50.79
None of the time	5	2196.75	49.21	4464.00	100.00

**dhs24b6: 6/7 - P2 - P2L 20f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	74.21	1.66	74.21	1.66
-9	-9	1687.55	37.80	1761.77	39.47
All of the time	1	9.02	0.20	1770.79	39.67
Most of the time	2	21.49	0.48	1792.27	40.15
Some of the time	3	114.77	2.57	1907.04	42.72
A little of the time	4	279.45	6.26	2186.49	48.98
None of the time	5	2277.51	51.02	4464.00	100.00

**dbk6g: 6/7 - P2 - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1787.47	40.04	1787.47	40.04
No probable serious mental illness	0	2621.58	58.73	4409.05	98.77
Probable serious mental illness	1	54.95	1.23	4464.00	100.00

**dbk6s: 6/7 - P2 - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1787.47	40.04	1787.47	40.04
6	603.98	13.53	2391.45	53.57
7	417.41	9.35	2808.86	62.92
8	433.18	9.70	3242.04	72.63
9	356.64	7.99	3598.68	80.62
10	227.81	5.10	3826.48	85.72
11	163.53	3.66	3990.01	89.38
12	130.59	2.93	4120.60	92.31
13	87.17	1.95	4207.76	94.26
14	69.65	1.56	4277.41	95.82
15	43.86	0.98	4321.27	96.80
16	42.17	0.94	4363.44	97.75
17	24.32	0.54	4387.76	98.29
18	21.29	0.48	4409.05	98.77
19	20.47	0.46	4429.52	99.23
20	14.51	0.33	4444.03	99.55
21	10.59	0.24	4454.62	99.79
22	4.33	0.10	4458.95	99.89
23	1.81	0.04	4460.76	99.93
24	2.20	0.05	4462.96	99.98
30	1.04	0.02	4464.00	100.00

**dhs26b3: 6/7 - P2 - P2L 21 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.31	0.88	39.31	0.88
-9	-9	1687.55	37.80	1726.87	38.68
Always	1	312.03	6.99	2038.90	45.67
Often	2	962.63	21.56	3001.52	67.24
Sometimes	3	1044.69	23.40	4046.22	90.64

**dhs26b3: 6/7 - P2 - P2L 21 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Rarely	4	369.92	8.29	4416.14	98.93
Never	5	47.86	1.07	4464.00	100.00

**dhs13p: 6/7 - PLE - PLE 25 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4261.01	95.45	4261.01	95.45
Excellent	1	45.33	1.02	4306.34	96.47
Very good	2	68.92	1.54	4375.26	98.01
Good	3	60.87	1.36	4436.13	99.38
Fair	4	25.43	0.57	4461.56	99.95
Poor	5	2.44	0.05	4464.00	100.00

**dhs25p1: 6/7 - PLE - PLE 32 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4261.01	95.45	4261.01	95.45
Yes	1	106.00	2.37	4367.01	97.83
No	2	96.99	2.17	4464.00	100.00

**dhs24p1: 6/7 - PLE - PLE 33a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.91	0.13	5.91	0.13
-9	-9	4261.01	95.45	4266.91	95.59
Most of the time	2	2.27	0.05	4269.19	95.64
Some of the time	3	25.35	0.57	4294.54	96.20
A little of the time	4	62.28	1.40	4356.82	97.60
None of the time	5	107.18	2.40	4464.00	100.00

**dhs24p2: 6/7 - PLE - PLE 33b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.91	0.13	5.91	0.13
-9	-9	4261.01	95.45	4266.91	95.59
All of the time	1	1.16	0.03	4268.08	95.61
Most of the time	2	8.79	0.20	4276.87	95.81
Some of the time	3	13.55	0.30	4290.41	96.11
A little of the time	4	41.78	0.94	4332.19	97.05
None of the time	5	131.81	2.95	4464.00	100.00

**dhs24p3: 6/7 - PLE - PLE 33c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.16	0.14	6.16	0.14
-9	-9	4261.01	95.45	4267.17	95.59
All of the time	1	2.71	0.06	4269.88	95.65
Most of the time	2	7.83	0.18	4277.71	95.83
Some of the time	3	30.89	0.69	4308.60	96.52

**dhs24p3: 6/7 - PLE - PLE 33c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	67.47	1.51	4376.07	98.03
None of the time	5	87.93	1.97	4464.00	100.00

**dhs24p4: 6/7 - PLE - PLE 33d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.91	0.13	5.91	0.13
-9	-9	4261.01	95.45	4266.91	95.59
All of the time	1	2.53	0.06	4269.45	95.64
Most of the time	2	11.61	0.26	4281.06	95.90
Some of the time	3	35.57	0.80	4316.63	96.70
A little of the time	4	57.83	1.30	4374.46	97.99
None of the time	5	89.54	2.01	4464.00	100.00

**dhs24p5: 6/7 - PLE - PLE 33e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.86	0.11	4.86	0.11
-9	-9	4261.01	95.45	4265.87	95.56
All of the time	1	1.15	0.03	4267.03	95.59
Most of the time	2	8.37	0.19	4275.40	95.78
Some of the time	3	15.98	0.36	4291.38	96.13
A little of the time	4	39.58	0.89	4330.96	97.02
None of the time	5	133.04	2.98	4464.00	100.00

**dhs24p6: 6/7 - PLE - PLE 33f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.91	0.13	5.91	0.13
-9	-9	4261.01	95.45	4266.91	95.59
Most of the time	2	5.56	0.12	4272.47	95.71
Some of the time	3	11.10	0.25	4283.57	95.96
A little of the time	4	32.13	0.72	4315.70	96.68
None of the time	5	148.30	3.32	4464.00	100.00

**dpk6g: 6/7 - PLE - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4268.28	95.62	4268.28	95.62
No probable serious mental illness	0	188.65	4.23	4456.92	99.84
Probable serious mental illness	1	7.08	0.16	4464.00	100.00

**dpk6s: 6/7 - PLE - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4268.28	95.62	4268.28	95.62
6	45.66	1.02	4313.94	96.64
7	23.15	0.52	4337.09	97.16
8	31.73	0.71	4368.82	97.87
9	17.13	0.38	4385.96	98.25

**dpk6s: 6/7 - PLE - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10	13.83	0.31	4399.78	98.56
11	12.26	0.27	4412.04	98.84
12	14.09	0.32	4426.13	99.15
13	10.08	0.23	4436.21	99.38
14	10.89	0.24	4447.10	99.62
15	0.79	0.02	4447.90	99.64
16	1.68	0.04	4449.57	99.68
17	2.37	0.05	4451.94	99.73
18	4.98	0.11	4456.92	99.84
19	1.74	0.04	4458.66	99.88
21	0.62	0.01	4459.28	99.89
22	0.98	0.02	4460.26	99.92
23	1.20	0.03	4461.47	99.94
24	1.46	0.03	4462.93	99.98
25	1.07	0.02	4464.00	100.00

**dhs13m: 6/7 - M - P1L 8/P2L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.48	0.46	20.48	0.46
-9	-9	1137.27	25.48	1157.75	25.94
Excellent	1	637.60	14.28	1795.34	40.22
Very good	2	1503.06	33.67	3298.40	73.89
Good	3	912.72	20.45	4211.12	94.34
Fair	4	212.55	4.76	4423.67	99.10
Poor	5	40.33	0.90	4464.00	100.00

**dhs23m2: 6/7 - M - P1L 10/P2L 10 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	180.91	4.05	180.91	4.05
-9	1137.27	25.48	1318.18	29.53
40	19.47	0.44	1337.65	29.97
50	403.10	9.03	1740.76	39.00
60	979.94	21.95	2720.70	60.95
70	798.37	17.88	3519.07	78.83
80	478.37	10.72	3997.44	89.55
90	235.88	5.28	4233.32	94.83
100	131.76	2.95	4365.09	97.78
110	52.18	1.17	4417.26	98.95
120	28.16	0.63	4445.43	99.58
130	18.57	0.42	4464.00	100.00

**dhs23m1: 6/7 - M - P1L 11/P2L 11 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	147.49	3.30	147.49	3.30
-9	1136.06	25.45	1283.55	28.75
140	7.25	0.16	1290.80	28.92
150	281.48	6.31	1572.28	35.22

**dhs23m1: 6/7 - M - P1L 11/P2L 11 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
160	1357.29	30.41	2929.57	65.63
170	1247.24	27.94	4176.80	93.57
180	273.91	6.14	4450.71	99.70
190	13.29	0.30	4464.00	100.00

**dmbmi: 6/7 - M - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1445.52	32.38	1445.52	32.38
15	29.38	0.66	1474.90	33.04
20	940.81	21.08	2415.71	54.12
25	1158.90	25.96	3574.62	80.08
30	583.25	13.07	4157.87	93.14
35	204.92	4.59	4362.79	97.73
40	75.62	1.69	4438.41	99.43
45	20.65	0.46	4459.07	99.89
50	4.93	0.11	4464.00	100.00

**dhs26m1: 6/7 - M - P1D 9/P2L 17 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.38	0.34	15.38	0.34
-9	-9	205.13	4.60	220.51	4.94
No problems or stress	1	449.06	10.06	669.58	15.00
Few problems or stresses	2	1865.97	41.80	2535.55	56.80
Some problems and stresses	3	1504.36	33.70	4039.91	90.50
Many problems and stresses	4	347.77	7.79	4387.68	98.29
Very many problems and stresses	5	76.32	1.71	4464.00	100.00

**dhs26m2: 6/7 - M - P1D 10/P2L 18 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.14	0.27	12.14	0.27
-9	-9	205.13	4.60	217.27	4.87
Not at all	1	5.72	0.13	222.99	5.00
A little	2	126.85	2.84	349.84	7.84
Fairly well	3	1621.10	36.31	1970.94	44.15
Very well	4	1969.16	44.11	3940.10	88.26
Extremely well	5	523.90	11.74	4464.00	100.00

**dhs25m1: 6/7 - M - P1D 8/P2L 19 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.68	0.55	24.68	0.55
-9	-9	205.13	4.60	229.81	5.15
Yes	1	1167.34	26.15	1397.15	31.30
No	2	3066.85	68.70	4464.00	100.00

**dhs24m1: 6/7 - M - P1D 7a/P2L 20a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.57	1.09	48.57	1.09
-9	-9	205.13	4.60	253.70	5.68
All of the time	1	25.14	0.56	278.84	6.25
Most of the time	2	89.95	2.02	368.79	8.26
Some of the time	3	561.95	12.59	930.74	20.85
A little of the time	4	1521.40	34.08	2452.13	54.93
None of the time	5	2011.87	45.07	4464.00	100.00

**dhs24m2: 6/7 - M - P1D 7b/P2L 20b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	65.18	1.46	65.18	1.46
-9	-9	205.13	4.60	270.31	6.06
All of the time	1	14.74	0.33	285.05	6.39
Most of the time	2	80.10	1.79	365.15	8.18
Some of the time	3	325.33	7.29	690.48	15.47
A little of the time	4	849.44	19.03	1539.92	34.50
None of the time	5	2924.08	65.50	4464.00	100.00

**dhs24m3: 6/7 - M - P1D 7c/P2L 20c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.70	1.32	58.70	1.32
-9	-9	205.13	4.60	263.83	5.91
All of the time	1	28.26	0.63	292.09	6.54
Most of the time	2	98.74	2.21	390.84	8.76
Some of the time	3	429.76	9.63	820.60	18.38
A little of the time	4	1121.83	25.13	1942.43	43.51
None of the time	5	2521.57	56.49	4464.00	100.00

**dhs24m4: 6/7 - M - P1D 7d/P2L 20d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.86	1.30	57.86	1.30
-9	-9	205.13	4.60	262.99	5.89
All of the time	1	67.62	1.51	330.61	7.41
Most of the time	2	238.56	5.34	569.17	12.75
Some of the time	3	755.66	16.93	1324.84	29.68
A little of the time	4	1601.83	35.88	2926.67	65.56
None of the time	5	1537.33	34.44	4464.00	100.00

**dhs24m5: 6/7 - M - P1D 7e/P2L 20e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.94	1.14	50.94	1.14
-9	-9	205.13	4.60	256.07	5.74
All of the time	1	24.19	0.54	280.27	6.28
Most of the time	2	71.82	1.61	352.08	7.89
Some of the time	3	300.76	6.74	652.84	14.62



**dhs24m5: 6/7 - M - P1D 7e/P2L 20e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	652.30	14.61	1305.14	29.24
None of the time	5	3158.86	70.76	4464.00	100.00

**dhs24m6: 6/7 - M - P1D 7f/P2L 20f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.59	1.25	55.59	1.25
-9	-9	205.13	4.60	260.72	5.84
All of the time	1	15.62	0.35	276.34	6.19
Most of the time	2	58.16	1.30	334.50	7.49
Some of the time	3	182.43	4.09	516.93	11.58
A little of the time	4	481.90	10.80	998.83	22.38
None of the time	5	3465.17	77.62	4464.00	100.00

**dmk6g: 6/7 - M - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	335.97	7.53	335.97	7.53
No probable serious mental illness	0	4019.73	90.05	4355.70	97.57
Probable serious mental illness	1	108.30	2.43	4464.00	100.00

**dmk6s: 6/7 - M - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	335.97	7.53	335.97	7.53
6	863.24	19.34	1199.21	26.86
7	761.06	17.05	1960.27	43.91
8	662.33	14.84	2622.60	58.75
9	417.00	9.34	3039.61	68.09
10	351.91	7.88	3391.52	75.97
11	249.74	5.59	3641.26	81.57
12	198.29	4.44	3839.55	86.01
13	137.70	3.08	3977.24	89.10
14	123.81	2.77	4101.06	91.87
15	89.98	2.02	4191.04	93.89
16	52.95	1.19	4243.99	95.07
17	49.10	1.10	4293.09	96.17
18	62.61	1.40	4355.70	97.57
19	24.30	0.54	4380.00	98.12
20	18.06	0.40	4398.06	98.52
21	15.97	0.36	4414.03	98.88
22	16.95	0.38	4430.98	99.26
23	14.04	0.31	4445.02	99.57
24	6.87	0.15	4451.89	99.73
25	3.83	0.09	4455.72	99.81
26	3.50	0.08	4459.23	99.89
30	4.77	0.11	4464.00	100.00

**dhs26m3: 6/7 - M - P1L 17/P2L 21 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.66	0.57	25.66	0.57
-9	-9	1137.27	25.48	1162.93	26.05
Always	1	498.07	11.16	1661.00	37.21
Often	2	1459.82	32.70	3120.82	69.91
Sometimes	3	1107.55	24.81	4228.37	94.72
Rarely	4	205.90	4.61	4434.27	99.33
Never	5	29.73	0.67	4464.00	100.00

**dhs13f: 6/7 - F - P1L 8/P2L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.96	0.69	30.96	0.69
-9	-9	1661.17	37.21	1692.12	37.91
Excellent	1	562.98	12.61	2255.11	50.52
Very good	2	1149.59	25.75	3404.69	76.27
Good	3	799.70	17.91	4204.39	94.18
Fair	4	221.05	4.95	4425.44	99.14
Poor	5	38.56	0.86	4464.00	100.00

**dhs23f2: 6/7 - F - P1L 10/P2L 10 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	104.28	2.34	104.28	2.34
-9	1661.17	37.21	1765.45	39.55
50	29.85	0.67	1795.30	40.22
60	122.99	2.76	1918.29	42.97
70	374.67	8.39	2292.96	51.37
80	734.14	16.45	3027.10	67.81
90	720.25	16.13	3747.36	83.95
100	406.33	9.10	4153.68	93.05
110	183.61	4.11	4337.29	97.16
120	74.97	1.68	4412.27	98.84
130	33.10	0.74	4445.37	99.58
140	5.63	0.13	4451.00	99.71
150	13.00	0.29	4464.00	100.00

**dhs23f1: 6/7 - F - P1L 11/P2L 11 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	74.19	1.66	74.19	1.66
-9	1662.37	37.24	1736.56	38.90
150	5.50	0.12	1742.06	39.02
160	97.48	2.18	1839.54	41.21
170	670.04	15.01	2509.58	56.22
180	1458.36	32.67	3967.94	88.89
190	460.05	10.31	4427.99	99.19
200	30.96	0.69	4458.95	99.89
210	5.05	0.11	4464.00	100.00

**dfbmi: 6/7 - F - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1810.22	40.55	1810.22	40.55
10	1.62	0.04	1811.84	40.59
15	17.66	0.40	1829.50	40.98
20	271.57	6.08	2101.07	47.07
25	1259.98	28.23	3361.05	75.29
30	845.65	18.94	4206.70	94.24
35	201.44	4.51	4408.14	98.75
40	38.22	0.86	4446.36	99.60
45	15.26	0.34	4461.62	99.95
50	2.38	0.05	4464.00	100.00

**dhs26f1: 6/7 - F - P1D 9/P2L 17 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.02	0.69	31.02	0.69
-9	-9	1619.21	36.27	1650.23	36.97
No problems or stress	1	250.28	5.61	1900.51	42.57
Few problems or stresses	2	1142.68	25.60	3043.19	68.17
Some problems and stresses	3	1121.90	25.13	4165.09	93.30
Many problems and stresses	4	253.03	5.67	4418.12	98.97
Very many problems and stresses	5	45.88	1.03	4464.00	100.00

**dhs26f2: 6/7 - F - P1D 10/P2L 18 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.15	0.74	33.15	0.74
-9	-9	1619.21	36.27	1652.36	37.02
Not at all	1	11.39	0.26	1663.75	37.27
A little	2	79.79	1.79	1743.54	39.06
Fairly well	3	1165.26	26.10	2908.80	65.16
Very well	4	1256.66	28.15	4165.46	93.31
Extremely well	5	298.54	6.69	4464.00	100.00

**dhs25f1: 6/7 - F - P1D 8/P2L 19 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.90	0.85	37.90	0.85
-9	-9	1619.21	36.27	1657.11	37.12
Yes	1	852.94	19.11	2510.05	56.23
No	2	1953.95	43.77	4464.00	100.00

**dhs24f1: 6/7 - F - P1D 7a/P2L 20a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.70	1.31	58.70	1.31
-9	-9	1619.21	36.27	1677.90	37.59
All of the time	1	10.29	0.23	1688.19	37.82
Most of the time	2	30.68	0.69	1718.88	38.51
Some of the time	3	293.02	6.56	2011.89	45.07

**dhs24f1: 6/7 - F - P1D 7a/P2L 20a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	987.85	22.13	2999.74	67.20
None of the time	5	1464.26	32.80	4464.00	100.00

**dhs24f2: 6/7 - F - P1D 7b/P2L 20b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	70.45	1.58	70.45	1.58
-9	-9	1619.21	36.27	1689.66	37.85
All of the time	1	12.64	0.28	1702.30	38.13
Most of the time	2	32.43	0.73	1734.73	38.86
Some of the time	3	173.48	3.89	1908.20	42.75
A little of the time	4	462.90	10.37	2371.10	53.12
None of the time	5	2092.90	46.88	4464.00	100.00

**dhs24f3: 6/7 - F - P1D 7c/P2L 20c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.36	1.51	67.36	1.51
-9	-9	1619.21	36.27	1686.57	37.78
All of the time	1	19.74	0.44	1706.31	38.22
Most of the time	2	84.99	1.90	1791.30	40.13
Some of the time	3	468.60	10.50	2259.90	50.63
A little of the time	4	921.84	20.65	3181.74	71.28
None of the time	5	1282.26	28.72	4464.00	100.00

**dhs24f4: 6/7 - F - P1D 7d/P2L 20d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	75.25	1.69	75.25	1.69
-9	-9	1619.21	36.27	1694.46	37.96
All of the time	1	37.32	0.84	1731.78	38.79
Most of the time	2	107.89	2.42	1839.67	41.21
Some of the time	3	432.64	9.69	2272.30	50.90
A little of the time	4	1024.17	22.94	3296.48	73.85
None of the time	5	1167.52	26.15	4464.00	100.00

**dhs24f5: 6/7 - F - P1D 7e/P2L 20e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	72.10	1.62	72.10	1.62
-9	-9	1619.21	36.27	1691.31	37.89
All of the time	1	3.83	0.09	1695.14	37.97
Most of the time	2	21.39	0.48	1716.53	38.45
Some of the time	3	128.38	2.88	1844.90	41.33
A little of the time	4	365.49	8.19	2210.39	49.52
None of the time	5	2253.61	50.48	4464.00	100.00

**dhs24f6: 6/7 - F - P1D 7f/P2L 20f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	72.89	1.63	72.89	1.63
-9	-9	1619.21	36.27	1692.09	37.91
All of the time	1	10.93	0.24	1703.02	38.15
Most of the time	2	20.90	0.47	1723.92	38.62
Some of the time	3	115.73	2.59	1839.65	41.21
A little of the time	4	281.18	6.30	2120.83	47.51
None of the time	5	2343.17	52.49	4464.00	100.00

**dfk6g: 6/7 - F - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1718.92	38.51	1718.92	38.51
No probable serious mental illness	0	2687.70	60.21	4406.62	98.71
Probable serious mental illness	1	57.38	1.29	4464.00	100.00

**dfk6s: 6/7 - F - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1718.92	38.51	1718.92	38.51
6	626.14	14.03	2345.06	52.53
7	429.01	9.61	2774.07	62.14
8	443.93	9.94	3218.00	72.09
9	366.82	8.22	3584.82	80.31
10	233.24	5.22	3818.05	85.53
11	162.70	3.64	3980.75	89.17
12	131.31	2.94	4112.07	92.12
13	88.65	1.99	4200.71	94.10
14	68.20	1.53	4268.92	95.63
15	45.95	1.03	4314.87	96.66
16	44.86	1.01	4359.74	97.66
17	24.79	0.56	4384.52	98.22
18	22.10	0.50	4406.62	98.71
19	19.79	0.44	4426.41	99.16
20	15.71	0.35	4442.13	99.51
21	10.59	0.24	4452.71	99.75
22	4.33	0.10	4457.04	99.84
23	1.81	0.04	4458.86	99.88
24	2.20	0.05	4461.05	99.93
29	1.05	0.02	4462.11	99.96
30	1.89	0.04	4464.00	100.00

**dhs26f3: 6/7 - F - P1L 17/P2L 21 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.18	0.88	39.18	0.88
-9	-9	1661.17	37.21	1700.35	38.09
Always	1	310.59	6.96	2010.94	45.05
Often	2	968.27	21.69	2979.21	66.74
Sometimes	3	1052.74	23.58	4031.95	90.32

**dhs26f3: 6/7 - F - P1L 17/P2L 21 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Rarely	4	382.46	8.57	4414.40	98.89
Never	5	49.60	1.11	4464.00	100.00