

04 Health behaviour and risk factors

ehb21a1a1: 8/9 - P1 - F2F A1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	15.34	0.35	15.34	0.35
Not at all	0	527.93	12.19	543.27	12.54
Once	1	1003.99	23.18	1547.26	35.73
Twice	2	1366.72	31.56	2913.98	67.28
More than twice	3	1417.02	32.72	4331.00	100.00

ehb21a2a1: 8/9 - P1 - F2F A1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.73	0.22	9.73	0.22
Not at all	0	1990.72	45.96	2000.45	46.19
Once	1	1252.72	28.92	3253.17	75.11
Twice	2	682.11	15.75	3935.28	90.86
More than twice	3	395.72	9.14	4331.00	100.00

ehb21a1b1: 8/9 - P1 - F2F A1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.24	0.31	13.24	0.31
Not at all	0	1048.84	24.22	1062.08	24.52
Once	1	2428.16	56.06	3490.25	80.59
Twice	2	597.90	13.81	4088.14	94.39
More than twice	3	242.86	5.61	4331.00	100.00

ehb21a1c1: 8/9 - P1 - F2F A1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.92	0.21	8.92	0.21
Not at all	0	2432.72	56.17	2441.63	56.38
Once	1	1365.83	31.54	3807.47	87.91
Twice	2	391.24	9.03	4198.71	96.95
More than twice	3	132.29	3.05	4331.00	100.00

ehb21a3a1: 8/9 - P1 - F2F A1.5 - SC had pie, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.35	0.31	13.35	0.31
Not at all	0	3151.65	72.77	3165.00	73.08
Once	1	1047.86	24.19	4212.85	97.27
Twice	2	98.55	2.28	4311.40	99.55
More than twice	3	19.60	0.45	4331.00	100.00

ehb21a3b1: 8/9 - P1 - F2F A1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.08	0.19	8.08	0.19
Not at all	0	3267.51	75.44	3275.59	75.63
Once	1	1022.35	23.61	4297.94	99.24
Twice	2	29.56	0.68	4327.50	99.92
More than twice	3	3.50	0.08	4331.00	100.00

ehb21a3c1: 8/9 - P1 - F2F A1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.72	0.16	6.72	0.16
Not at all	0	2552.74	58.94	2559.46	59.10
Once	1	1527.58	35.27	4087.03	94.37
Twice	2	198.84	4.59	4285.88	98.96
More than twice	3	45.12	1.04	4331.00	100.00

ehb21a3d1: 8/9 - P1 - F2F A1.8 - SC had biscuits, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	11.71	0.27	11.71	0.27
Not at all	0	1303.37	30.09	1315.08	30.36
Once	1	2153.42	49.72	3468.50	80.09
Twice	2	713.26	16.47	4181.76	96.55
More than twice	3	149.24	3.45	4331.00	100.00

ehb21a3e1: 8/9 - P1 - F2F A1.9 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.53	0.15	6.53	0.15
Not at all	0	1170.59	27.03	1177.12	27.18
Once	1	1227.58	28.34	2404.69	55.52
Twice	2	1045.56	24.14	3450.26	79.66
More than twice	3	880.74	20.34	4331.00	100.00

ehb21a4a1: 8/9 - P1 - F2F A1.10 - SC had skim milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.44	0.10	4.44	0.10
Not at all	0	3384.07	78.14	3388.52	78.24
Once	1	387.21	8.94	3775.73	87.18
Twice	2	341.20	7.88	4116.93	95.06
More than twice	3	214.07	4.94	4331.00	100.00

ehb21a5a1: 8/9 - P1 - F2F A1.11 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	10.56	0.24	10.56	0.24
Not at all	0	154.59	3.57	165.14	3.81
Once	1	235.28	5.43	400.42	9.25
Twice	2	418.23	9.66	818.65	18.90
More than twice	3	3512.35	81.10	4331.00	100.00

ehb21a2b1: 8/9 - P1 - F2F A1.12 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.45	0.13	5.45	0.13
Not at all	0	2649.14	61.17	2654.59	61.29
Once	1	1090.72	25.18	3745.32	86.48
Twice	2	379.56	8.76	4124.88	95.24
More than twice	3	206.12	4.76	4331.00	100.00

ehb21a6a1: 8/9 - P1 - F2F A1.13 - SC had diet soft drink or cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.04	0.12	5.04	0.12
Not at all	0	4009.84	92.58	4014.88	92.70
Once	1	222.56	5.14	4237.44	97.84
Twice	2	58.52	1.35	4295.96	99.19
More than twice	3	35.04	0.81	4331.00	100.00

eafandvb: 8/9 - P1 - Serves of fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.04	0.12	5.04	0.12
0	153.82	3.55	158.86	3.67
1	442.93	10.23	601.79	13.89
2	735.81	16.99	1337.60	30.88
3	958.66	22.13	2296.26	53.02
4	908.71	20.98	3204.97	74.00
5	631.56	14.58	3836.53	88.58
6	274.22	6.33	4110.75	94.91
7	133.58	3.08	4244.33	98.00
8	57.35	1.32	4301.68	99.32
9	29.32	0.68	4331.00	100.00

eahfatb: 8/9 - P1 - Serves of high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.09	0.14	6.09	0.14
0	408.72	9.44	414.81	9.58
1	1326.72	30.63	1741.52	40.21
2	1368.74	31.60	3110.26	71.81
3	766.92	17.71	3877.18	89.52
4	279.28	6.45	4156.47	95.97
5	98.56	2.28	4255.03	98.25
6	40.41	0.93	4295.43	99.18
7	24.64	0.57	4320.07	99.75
8	7.15	0.16	4327.22	99.91
9	0.78	0.02	4328.00	99.93
10	3.00	0.07	4331.00	100.00

eahfwmb: 8/9 - P1 - Serves of high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.44	0.10	4.44	0.10
0	121.31	2.80	125.75	2.90
1	486.42	11.23	612.17	14.13
2	884.96	20.43	1497.13	34.57
3	981.92	22.67	2479.05	57.24
4	847.95	19.58	3327.00	76.82
5	535.25	12.36	3862.26	89.18
6	271.60	6.27	4133.85	95.45
7	106.19	2.45	4240.05	97.90
8	54.15	1.25	4294.20	99.15
9	11.89	0.27	4306.08	99.42
10	17.60	0.41	4323.68	99.83
11	3.54	0.08	4327.22	99.91
12	2.42	0.06	4329.64	99.97
13	1.36	0.03	4331.00	100.00

eahsdrnkb: 8/9 - P1 - Serves of high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.04	0.12	5.04	0.12
0	1318.87	30.45	1323.91	30.57
1	1188.76	27.45	2512.67	58.02
2	891.73	20.59	3404.40	78.61
3	577.36	13.33	3981.76	91.94
4	224.54	5.18	4206.30	97.12
5	78.36	1.81	4284.66	98.93
6	46.34	1.07	4331.00	100.00

ehb21a1a2: 8/9 - P1 - F2F A1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	15.34	0.35	15.34	0.35
Not at all	0	527.93	12.19	543.27	12.54
Once	1	1003.99	23.18	1547.26	35.73
Twice or more	2	2783.74	64.27	4331.00	100.00

ehb21a2a2: 8/9 - P1 - F2F A1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	9.73	0.22	9.73	0.22
Not at all	0	1990.72	45.96	2000.45	46.19
Once	1	1252.72	28.92	3253.17	75.11
Twice or more	2	1077.83	24.89	4331.00	100.00

ehb21a1b2: 8/9 - P1 - F2F A1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.24	0.31	13.24	0.31
Not at all	0	1048.84	24.22	1062.08	24.52
Once	1	2428.16	56.06	3490.25	80.59
Twice or more	2	840.75	19.41	4331.00	100.00

ehb21a1c2: 8/9 - P1 - F2F A1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.92	0.21	8.92	0.21
Not at all	0	2432.72	56.17	2441.63	56.38
Once	1	1365.83	31.54	3807.47	87.91
Twice or more	2	523.53	12.09	4331.00	100.00

ehb21a3a2: 8/9 - P1 - F2F A1.5 - SC had pie, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.35	0.31	13.35	0.31
Not at all	0	3151.65	72.77	3165.00	73.08
Once	1	1047.86	24.19	4212.85	97.27
Twice or more	2	118.15	2.73	4331.00	100.00

ehb21a3b2: 8/9 - P1 - F2F A1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	8.08	0.19	8.08	0.19
Not at all	0	3267.51	75.44	3275.59	75.63
Once	1	1022.35	23.61	4297.94	99.24
Twice or more	2	33.06	0.76	4331.00	100.00

ehb21a3c2: 8/9 - P1 - F2F A1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.72	0.16	6.72	0.16
Not at all	0	2552.74	58.94	2559.46	59.10
Once	1	1527.58	35.27	4087.03	94.37
Twice or more	2	243.97	5.63	4331.00	100.00

ehb21a3d2: 8/9 - P1 - F2F A1.8 - SC had biscuits, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	11.71	0.27	11.71	0.27
Not at all	0	1303.37	30.09	1315.08	30.36
Once	1	2153.42	49.72	3468.50	80.09
Twice or more	2	862.50	19.91	4331.00	100.00

ehb21a3e2: 8/9 - P1 - F2F A1.9 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.53	0.15	6.53	0.15
Not at all	0	1170.59	27.03	1177.12	27.18
Once	1	1227.58	28.34	2404.69	55.52
Twice or more	2	1926.31	44.48	4331.00	100.00

ehb21a4a2: 8/9 - P1 - F2F A1.10 - SC had skim milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.44	0.10	4.44	0.10
Not at all	0	3384.07	78.14	3388.52	78.24
Once	1	387.21	8.94	3775.73	87.18
Twice or more	2	555.27	12.82	4331.00	100.00

ehb21a5a2: 8/9 - P1 - F2F A1.11 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	10.56	0.24	10.56	0.24
Not at all	0	154.59	3.57	165.14	3.81
Once	1	235.28	5.43	400.42	9.25
Twice or more	2	3930.58	90.75	4331.00	100.00

ehb21a2b2: 8/9 - P1 - F2F A1.12 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.45	0.13	5.45	0.13
Not at all	0	2649.14	61.17	2654.59	61.29
Once	1	1090.72	25.18	3745.32	86.48
Twice or more	2	585.68	13.52	4331.00	100.00

ehb21a6a2: 8/9 - P1 - F2F A1.13 - SC had diet soft drink or cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.04	0.12	5.04	0.12
Not at all	0	4009.84	92.58	4014.88	92.70
Once	1	222.56	5.14	4237.44	97.84
Twice or more	2	93.56	2.16	4331.00	100.00

eafandv: 8/9 - P1 - Serves of fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.04	0.12	5.04	0.12
0	153.82	3.55	158.86	3.67
1	442.93	10.23	601.79	13.89
2	878.11	20.27	1479.90	34.17
3	1250.31	28.87	2730.21	63.04
4	1037.15	23.95	3767.36	86.99
5	386.47	8.92	4153.83	95.91
6	177.17	4.09	4331.00	100.00

eahfat: 8/9 - P1 - Serves of high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.09	0.14	6.09	0.14
0	408.72	9.44	414.81	9.58
1	1326.72	30.63	1741.52	40.21
2	1420.15	32.79	3161.68	73.00
3	778.41	17.97	3940.08	90.97
4	258.11	5.96	4198.19	96.93
5	79.85	1.84	4278.04	98.78
6	41.08	0.95	4319.12	99.73
7	8.88	0.21	4328.00	99.93
8	3.00	0.07	4331.00	100.00

eahfwm: 8/9 - P1 - Serves of high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.44	0.10	4.44	0.10
0	121.31	2.80	125.75	2.90
1	486.42	11.23	612.17	14.13
2	970.84	22.42	1583.01	36.55
3	1164.25	26.88	2747.26	63.43
4	887.68	20.50	3634.95	83.93
5	452.04	10.44	4086.98	94.37
6	147.76	3.41	4234.74	97.78
7	55.49	1.28	4290.23	99.06
8	29.95	0.69	4320.18	99.75
9	7.82	0.18	4328.00	99.93
10	3.00	0.07	4331.00	100.00

eahsdrnk: 8/9 - P1 - Serves of high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.04	0.12	5.04	0.12
0	1318.87	30.45	1323.91	30.57
1	1188.76	27.45	2512.67	58.02
2	1169.34	27.00	3682.00	85.02
3	452.95	10.46	4134.95	95.47
4	196.05	4.53	4331.00	100.00

ehb22a: 8/9 - F2F A2 - Did child eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	11.90	0.27	11.90	0.27
Yes	1	4084.44	94.31	4096.34	94.58
No	2	234.66	5.42	4331.00	100.00

zhh23a: F2F W2+A21.1 - Age SC started clean teeth

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-1	2.48	0.06	2.48	0.06
1	11.02	0.25	13.50	0.31
2	5.18	0.12	18.68	0.43
3	30.43	0.70	49.11	1.13
4	77.79	1.80	126.91	2.93
5	66.65	1.54	193.55	4.47
6	582.22	13.44	775.77	17.91
7	129.23	2.98	905.00	20.90
8	272.57	6.29	1177.56	27.19
9	220.19	5.08	1397.75	32.27
10	171.38	3.96	1569.13	36.23
11	100.51	2.32	1669.63	38.55
12	1139.14	26.30	2808.77	64.85
13	10.35	0.24	2819.13	65.09
14	21.87	0.51	2841.00	65.60
15	32.73	0.76	2873.73	66.35
16	10.80	0.25	2884.53	66.60
17	0.90	0.02	2885.43	66.62
18	358.08	8.27	3243.52	74.89
19	2.53	0.06	3246.05	74.95
20	6.81	0.16	3252.86	75.11
22	1.14	0.03	3254.00	75.13
24	673.65	15.55	3927.65	90.69
26	0.31	0.01	3927.97	90.69
30	29.69	0.69	3957.65	91.38
36	217.33	5.02	4174.99	96.40
42	5.94	0.14	4180.93	96.53
48	90.04	2.08	4270.97	98.61
60	28.63	0.66	4299.60	99.27
72	11.67	0.27	4311.27	99.54
77	2.95	0.07	4314.22	99.61
81	0.97	0.02	4315.18	99.63
82	3.27	0.08	4318.45	99.71
83	5.12	0.12	4323.57	99.83
84	1.11	0.03	4324.69	99.85
85	3.74	0.09	4328.43	99.94
88	2.57	0.06	4331.00	100.00

zhh23a1: F2F W2+A21.1.1 - Age SC started clean teeth - Unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Don't clean child's teeth	-1	2.48	0.06	2.48	0.06
Months	1	2654.55	61.29	2657.03	61.35
Years	2	1673.97	38.65	4331.00	100.00

zhb23a2: F2F W2+A21.1.2 - Age SC started clean teeth - Amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2.48	0.06	2.48	0.06
1	683.04	15.77	685.52	15.83
2	661.33	15.27	1346.85	31.10
3	246.90	5.70	1593.75	36.80
4	165.71	3.83	1759.46	40.62
5	95.27	2.20	1854.74	42.82
6	593.89	13.71	2448.63	56.54
7	130.34	3.01	2578.97	59.55
8	272.57	6.29	2851.53	65.84
9	220.19	5.08	3071.72	70.92
10	171.38	3.96	3243.10	74.88
11	100.51	2.32	3343.60	77.20
12	467.12	10.79	3810.72	87.99
13	10.35	0.24	3821.08	88.23
14	21.87	0.51	3842.95	88.73
15	32.73	0.76	3875.68	89.49
16	10.80	0.25	3886.48	89.74
17	0.90	0.02	3887.38	89.76
18	358.08	8.27	4245.47	98.03
19	2.53	0.06	4248.00	98.08
20	6.81	0.16	4254.81	98.24
22	1.14	0.03	4255.95	98.27
24	17.51	0.40	4273.46	98.67
26	0.31	0.01	4273.77	98.68
30	29.69	0.69	4303.46	99.36
36	0.87	0.02	4304.32	99.38
42	5.94	0.14	4310.27	99.52
48	2.12	0.05	4312.38	99.57
77	2.95	0.07	4315.33	99.64
81	0.97	0.02	4316.30	99.66
82	3.27	0.08	4319.56	99.74
83	5.12	0.12	4324.69	99.85
85	3.74	0.09	4328.43	99.94
88	2.57	0.06	4331.00	100.00

ehb23b: 8/9 - F2F A21.2 - How often are child's teeth cleaned

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4142.11	95.64	4142.11	95.64
More than twice a day	1	9.78	0.23	4151.88	95.86
Twice a day	2	83.38	1.93	4235.26	97.79
Once a day	3	66.11	1.53	4301.38	99.32
Less than once a day	4	27.15	0.63	4328.52	99.94
Don't clean teeth	5	2.48	0.06	4331.00	100.00

ehb23c: 8/9 - F2F W2+A21.4 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	2193.66	50.65	2193.66	50.65
No	2	2137.34	49.35	4331.00	100.00

ehb23c1: 8/9 - F2F W2+A21.4.1 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	2671.17	61.68	2671.17	61.68
Yes	1	1659.83	38.32	4331.00	100.00

ehb23c4: 8/9 - F2F W2+A21.4.2 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3875.30	89.48	3875.30	89.48
Yes	1	455.70	10.52	4331.00	100.00

ehb23c2: 8/9 - F2F W2+A21.4.3 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	2755.72	63.63	2755.72	63.63
Yes	1	1575.28	36.37	4331.00	100.00

ehb23c3: 8/9 - F2F W2+A21.4.4 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3850.30	88.90	3850.30	88.90
Yes	1	480.70	11.10	4331.00	100.00

ehb23d: 8/9 - F2F A21.4 - Last 2 yrs - dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	34.44	0.80	34.44	0.80
Yes	1	1541.83	35.60	1576.27	36.40
No	2	2754.73	63.60	4331.00	100.00

ehb23d1: 8/9 - F2F A21.4.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	34.44	0.80	34.44	0.80
No	0	2904.80	67.07	2939.25	67.87
Yes	1	1391.75	32.13	4331.00	100.00

ehb23d2: 8/9 - F2F A21.4.2 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	34.44	0.80	34.44	0.80
No	0	3170.84	73.21	3205.29	74.01
Yes	1	1125.71	25.99	4331.00	100.00

ehb23d3: 8/9 - F2F A21.4.3 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	34.44	0.80	34.44	0.80
No	0	4000.73	92.37	4035.17	93.17
Yes	1	295.83	6.83	4331.00	100.00

ehb23d4: 8/9 - F2F A21.4.4 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	34.44	0.80	34.44	0.80
No	0	4080.42	94.21	4114.87	95.01
Yes	1	216.13	4.99	4331.00	100.00

ehb20a: 8/9 - F2F A29 - Frequency of sun protection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	1.28	0.03	1.28	0.03
Every day	1	2835.30	65.47	2836.59	65.49
Most days	2	1187.26	27.41	4023.85	92.91
Some days	3	231.91	5.35	4255.76	98.26
Never or hardly ever	4	75.24	1.74	4331.00	100.00

ehb15a5: 8/9 - P1 - F2F A32.1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	1018.14	23.51	1018.14	23.51
No	2	3312.86	76.49	4331.00	100.00

ehb15a7: 8/9 - P1 - F2F A32.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	948.21	21.89	948.21	21.89
No	2	3382.79	78.11	4331.00	100.00

ehb15a6: 8/9 - P1 - F2F A32.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3312.86	76.49	3312.86	76.49
Less than one a day	1	73.14	1.69	3386.00	78.18
1 to 5 per day	2	136.19	3.14	3522.19	81.33
6 to 10 per day	3	305.12	7.05	3827.31	88.37
11 to 20 per day	4	366.07	8.45	4193.38	96.82
More than 20 per day	5	137.62	3.18	4331.00	100.00

ehb15a1: 8/9 - P1 - F2F A32 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Do not smoke at all	1	3312.86	76.49	3312.86	76.49
Less than once a day	2	69.93	1.61	3382.79	78.11
At least once a day	3	948.21	21.89	4331.00	100.00

ehb15a4b: 8/9 - P1 - F2F A32.4 - No. residents smoke inside

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	9.62	0.22	9.62	0.22
0	3961.02	91.46	3970.64	91.68
1	245.41	5.67	4216.05	97.35
2	106.20	2.45	4322.25	99.80
3	3.72	0.09	4325.98	99.88
4	5.02	0.12	4331.00	100.00

ehb15a4a: 8/9 - P1 - F2F A32.4 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.62	0.22	9.62	0.22
None	0	3961.02	91.46	3970.64	91.68
1	1	245.41	5.67	4216.05	97.35
2	2	106.20	2.45	4322.25	99.80
3	3	3.72	0.09	4325.98	99.88
4	4	5.02	0.12	4331.00	100.00

ehb16a2: 8/9 - P1 - F2F A33.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Never	0	797.57	18.42	797.57	18.42
Not in the last year	1	131.90	3.05	929.47	21.46
Monthly or less	2	1145.07	26.44	2074.54	47.90
2 to 3 times a month	3	526.79	12.16	2601.33	60.06
Once a week	4	555.36	12.82	3156.70	72.89
2 to 3 times a week	5	729.13	16.84	3885.82	89.72
4 to 6 times a week	6	299.45	6.91	4185.28	96.64
Everyday	7	145.72	3.36	4331.00	100.00

ehb16a3: 8/9 - P1 - F2F A33.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	797.57	18.42	797.57	18.42
1 or 2	1	2285.75	52.78	3083.32	71.19
3 or 4	2	961.32	22.20	4044.64	93.39
5 or 6	3	196.22	4.53	4240.86	97.92
7 to 10	4	69.77	1.61	4310.63	99.53
11 or more	5	20.37	0.47	4331.00	100.00

ehb16a6: 8/9 - P1 - F2F A33.3 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Everyday	1	4.82	0.11	4.82	0.11
4-6 times a week	2	11.62	0.27	16.44	0.38
2-3 times a week	3	51.61	1.19	68.05	1.57
Once a week	4	152.87	3.53	220.92	5.10
2-3 times a month	5	193.39	4.47	414.30	9.57
Monthly or less	6	1214.19	28.03	1628.49	37.60
Never	7	2702.51	62.40	4331.00	100.00

ehb16a5: 8/9 - P1 - F2F A33.3 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	797.57	18.42	797.57	18.42
Everyday	1	4.82	0.11	802.39	18.53
4-6 times a week	2	11.62	0.27	814.01	18.79
2-3 times a week	3	51.61	1.19	865.62	19.99
Once a week	4	152.87	3.53	1018.49	23.52
2-3 times a month	5	193.39	4.47	1211.88	27.98
Monthly or less	6	3119.12	72.02	4331.00	100.00

eaavdac: 8/9 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2672.93	61.72	2672.93	61.72
0.5	887.74	20.50	3560.66	82.21
1	280.16	6.47	3840.82	88.68
1.5	305.01	7.04	4145.83	95.72
2	35.27	0.81	4181.11	96.54
2.5	71.53	1.65	4252.64	98.19
3	11.46	0.26	4264.10	98.46
3.5	43.08	0.99	4307.18	99.45
4	4.64	0.11	4311.82	99.56
4.5	1.87	0.04	4313.69	99.60
5.5	13.11	0.30	4326.80	99.90
6.5	2.56	0.06	4329.37	99.96
8.5	1.63	0.04	4331.00	100.00

eaalcgp: 8/9 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Abstain not in the last year	1	929.47	21.46	929.47	21.46
Occasional less than monthly	2	1145.07	26.44	2074.54	47.90
Light <2 drinks/day men, <1 women	3	1569.11	36.23	3643.66	84.13
Moderate >=2 to <4 men, >=1 to <2 women	4	531.30	12.27	4174.96	96.40
Hazardous >=4 to <6 men, >=2 and <4 women	5	137.00	3.16	4311.96	99.56
Harmful >=6 men, >=4 women	6	19.04	0.44	4331.00	100.00

eahvdac: 8/9 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	156.04	3.60	156.04	3.60
No	2	4174.96	96.40	4331.00	100.00

eabinge: 8/9 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	414.30	9.57	414.30	9.57
No	2	3916.70	90.43	4331.00	100.00

eaalcp: 8/9 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	462.76	10.68	462.76	10.68
No	2	3868.24	89.32	4331.00	100.00

ehb14c4: 8/9 - SC - F2F E32 - SC's choice to spend free time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.16	0.03	1.16	0.03
-2	-2	4.50	0.10	5.66	0.13
Usually chooses inactive pastimes	1	1367.80	31.58	1373.46	31.71
Usually chooses active pastimes	2	1719.32	39.70	3092.78	71.41
Just as likely to choose active as inactive pastimes	3	1238.22	28.59	4331.00	100.00

ehb25c1: 8/9 - F2F N8.1 - Body image

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	67.84	1.57	67.84	1.57
-3	-3	4.56	0.11	72.40	1.67
-2	-2	14.62	0.34	87.02	2.01
Picture 1	1	126.07	2.91	213.09	4.92
Picture 2	2	321.71	7.43	534.79	12.35
Picture 3	3	1078.35	24.90	1613.15	37.25
Picture 4	4	2034.15	46.97	3647.30	84.21
Picture 5	5	608.74	14.06	4256.04	98.27
Picture 6	6	60.22	1.39	4316.26	99.66
Picture 7	7	14.74	0.34	4331.00	100.00

ehb25c2: 8/9 - F2F N8.2 - Desired body image

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	67.84	1.57	67.84	1.57
-3	-3	4.56	0.11	72.40	1.67
-2	-2	18.29	0.42	90.69	2.09
Picture 1	1	323.81	7.48	414.50	9.57
Picture 2	2	544.49	12.57	958.98	22.14
Picture 3	3	1444.53	33.35	2403.51	55.50
Picture 4	4	1691.12	39.05	4094.64	94.54
Picture 5	5	222.03	5.13	4316.67	99.67
Picture 6	6	10.79	0.25	4327.46	99.92
Picture 7	7	3.54	0.08	4331.00	100.00

ehb13a2b: 8/9 - P1 - P1D 12 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	114.10	2.63	114.10	2.63
-9	628.83	14.52	742.93	17.15
0	198.81	4.59	941.75	21.74
1	1573.13	36.32	2514.87	58.07
2	1211.16	27.96	3726.03	86.03
3	426.98	9.86	4153.02	95.89

ehb13a2b: 8/9 - P1 - P1D 12 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	120.34	2.78	4273.35	98.67
5	29.99	0.69	4303.34	99.36
6	13.25	0.31	4316.59	99.67
7	3.17	0.07	4319.77	99.74
8	7.52	0.17	4327.29	99.91
10	3.71	0.09	4331.00	100.00

ehb13a2a: 8/9 - P1 - P1D 12 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	114.10	2.63	114.10	2.63
-9	-9	628.83	14.52	742.93	17.15
Less than 1	0	198.81	4.59	941.75	21.74
1	1	1573.13	36.32	2514.87	58.07
2	2	1211.16	27.96	3726.03	86.03
2.5	2.5	1.41	0.03	3727.44	86.06
3	3	425.58	9.83	4153.02	95.89
3.5	3.5	1.66	0.04	4154.67	95.93
4	4	118.68	2.74	4273.35	98.67
5	5	29.99	0.69	4303.34	99.36
6 or more	6	27.66	0.64	4331.00	100.00

ehb13a1b: 8/9 - P1 - P1D 13 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	73.08	1.69	73.08	1.69
-9	628.83	14.52	701.90	16.21
0	21.11	0.49	723.01	16.69
1	960.79	22.18	1683.80	38.88
2	1101.32	25.43	2785.12	64.31
3	846.49	19.54	3631.61	83.85
4	439.03	10.14	4070.63	93.99
5	192.63	4.45	4263.26	98.44
6	42.40	0.98	4305.66	99.41
7	13.53	0.31	4319.19	99.73
8	8.36	0.19	4327.55	99.92
10	3.45	0.08	4331.00	100.00

ehb13a1a: 8/9 - P1 - P1D 13 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	73.08	1.69	73.08	1.69
-9	-9	628.83	14.52	701.90	16.21
Less than 1	0	21.11	0.49	723.01	16.69
0.5	0.5	0.55	0.01	723.56	16.71
1	1	960.24	22.17	1683.80	38.88
2	2	1101.32	25.43	2785.12	64.31
2.5	2.5	1.59	0.04	2786.71	64.34
3	3	844.90	19.51	3631.61	83.85
3.5	3.5	3.66	0.08	3635.26	83.94

ehb13a1a: 8/9 - P1 - P1D 13 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	4	435.37	10.05	4070.63	93.99
5	5	192.63	4.45	4263.26	98.44
6 or more	6	67.74	1.56	4331.00	100.00

ehb14a2: 8/9 - P1 - P1D 14 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	117.70	2.72	117.70	2.72
-9	628.83	14.52	746.52	17.24
0	333.92	7.71	1080.44	24.95
1	492.64	11.37	1573.08	36.32
2	678.13	15.66	2251.21	51.98
3	705.88	16.30	2957.09	68.28
4	444.80	10.27	3401.89	78.55
5	490.22	11.32	3892.11	89.87
6	163.44	3.77	4055.55	93.64
7	275.45	6.36	4331.00	100.00

ehb13b2b: 8/9 - P2 - P2L 10 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.61	0.75	32.61	0.75
-9	1858.37	42.91	1890.98	43.66
0	21.66	0.50	1912.64	44.16
1	938.34	21.67	2850.98	65.83
2	840.28	19.40	3691.26	85.23
3	404.18	9.33	4095.44	94.56
4	163.73	3.78	4259.17	98.34
5	55.13	1.27	4314.30	99.61
6	13.73	0.32	4328.03	99.93
7	0.61	0.01	4328.65	99.95
8	0.74	0.02	4329.39	99.96
9	1.61	0.04	4331.00	100.00

ehb13b2a: 8/9 - P2 - P2L 10 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.61	0.75	32.61	0.75
-9	-9	1858.37	42.91	1890.98	43.66
Less than 1	0	21.66	0.50	1912.64	44.16
1	1	938.34	21.67	2850.98	65.83
2	2	840.28	19.40	3691.26	85.23
3	3	404.18	9.33	4095.44	94.56
4	4	163.73	3.78	4259.17	98.34
5	5	55.13	1.27	4314.30	99.61
6 or more	6	16.70	0.39	4331.00	100.00

ehb13b1b: 8/9 - P2 - P2L 9 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	84.59	1.95	84.59	1.95
-9	1858.37	42.91	1942.96	44.86
0	215.56	4.98	2158.52	49.84
1	1122.49	25.92	3281.01	75.76
2	674.15	15.57	3955.16	91.32
3	247.74	5.72	4202.90	97.04
4	81.38	1.88	4284.28	98.92
5	32.16	0.74	4316.44	99.66
6	6.57	0.15	4323.01	99.82
7	2.04	0.05	4325.05	99.86
8	3.21	0.07	4328.26	99.94
9	2.74	0.06	4331.00	100.00

ehb13b1a: 8/9 - P2 - P2L 9 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	84.59	1.95	84.59	1.95
-9	-9	1858.37	42.91	1942.96	44.86
Less than 1	0	215.56	4.98	2158.52	49.84
1	1	1122.49	25.92	3281.01	75.76
2	2	674.15	15.57	3955.16	91.32
3	3	247.74	5.72	4202.90	97.04
4	4	81.38	1.88	4284.28	98.92
5	5	32.16	0.74	4316.44	99.66
6 or more	6	14.56	0.34	4331.00	100.00

ehb14b2: 8/9 - P2 - P2L 11 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	64.82	1.50	64.82	1.50
-9	1858.37	42.91	1923.20	44.41
0	198.93	4.59	2122.13	49.00
1	379.96	8.77	2502.09	57.77
2	462.18	10.67	2964.28	68.44
3	414.95	9.58	3379.23	78.02
4	263.17	6.08	3642.40	84.10
5	319.47	7.38	3961.87	91.48
6	144.89	3.35	4106.76	94.82
7	224.24	5.18	4331.00	100.00

ehb15b5: 8/9 - P2 - P2L 16 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.43	0.29	12.43	0.29
-9	-9	1858.37	42.91	1870.81	43.20
Yes	1	469.78	10.85	2340.59	54.04
No	2	1990.41	45.96	4331.00	100.00

ehb15b6: 8/9 - P2 - P2L 17 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.14	0.67	29.14	0.67
-9	-9	3848.78	88.87	3877.92	89.54
Less than one a day	1	23.18	0.54	3901.10	90.07
1 to 5 per day	2	69.52	1.61	3970.62	91.68
6 to 10 per day	3	103.82	2.40	4074.45	94.08
11 to 20 per day	4	179.44	4.14	4253.88	98.22
More than 20 per day	5	77.12	1.78	4331.00	100.00

ehb15b1: 8/9 - P2 - P2L 16-17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.14	0.67	29.14	0.67
-9	-9	1858.37	42.91	1887.51	43.58
Do not smoke at all	1	1990.41	45.96	3877.92	89.54
Less than once a day	2	23.18	0.54	3901.10	90.07
At least once a day	3	429.90	9.93	4331.00	100.00

ehb16b2: 8/9 - P2 - P2L 18 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.58	0.27	11.58	0.27
-9	-9	1858.37	42.91	1869.96	43.18
Never	0	242.59	5.60	2112.55	48.78
Not in the last year	1	47.67	1.10	2160.22	49.88
Monthly or less	2	367.98	8.50	2528.20	58.37
2 to 3 times a month	3	248.74	5.74	2776.94	64.12
Once a week	4	338.48	7.82	3115.42	71.93
2 to 3 times a week	5	599.38	13.84	3714.81	85.77
4 to 6 times a week	6	419.63	9.69	4134.43	95.46
Everyday	7	196.57	4.54	4331.00	100.00

ehb16b3: 8/9 - P2 - P2L 19 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.06	0.92	40.06	0.92
-9	-9	2100.97	48.51	2141.03	49.43
1 or 2	1	1134.88	26.20	3275.91	75.64
3 or 4	2	702.98	16.23	3978.89	91.87
5 or 6	3	273.30	6.31	4252.19	98.18
7 to 10	4	71.84	1.66	4324.03	99.84
11 or more	5	6.97	0.16	4331.00	100.00

ehb16b6: 8/9 - P2 - P2L 20 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.67	0.73	31.67	0.73
-9	-9	1858.37	42.91	1890.04	43.64
Everyday	1	10.63	0.25	1900.67	43.89
4-6 times a week	2	32.33	0.75	1933.00	44.63
2-3 times a week	3	128.00	2.96	2061.00	47.59

ehb16b6: 8/9 - P2 - P2L 20 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	4	253.73	5.86	2314.73	53.45
2-3 times a month	5	211.73	4.89	2526.46	58.33
Monthly or less	6	883.82	20.41	3410.28	78.74
Never	7	920.72	21.26	4331.00	100.00

ehb16b5: 8/9 - P2 - P2L 20 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.67	0.73	31.67	0.73
-9	-9	2100.97	48.51	2132.63	49.24
Everyday	1	10.63	0.25	2143.26	49.49
4-6 times a week	2	32.33	0.75	2175.59	50.23
2-3 times a week	3	128.00	2.96	2303.59	53.19
Once a week	4	253.73	5.86	2557.32	59.05
2-3 times a month	5	211.73	4.89	2769.05	63.94
Monthly or less	6	1561.95	36.06	4331.00	100.00

ebavdac: 8/9 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1887.11	43.57	1887.11	43.57
0	940.23	21.71	2827.33	65.28
0.5	510.98	11.80	3338.31	77.08
1	256.27	5.92	3594.58	83.00
1.5	296.25	6.84	3890.82	89.84
2	78.32	1.81	3969.14	91.64
2.5	154.89	3.58	4124.03	95.22
3	19.05	0.44	4143.08	95.66
3.5	67.46	1.56	4210.54	97.22
4	60.14	1.39	4270.69	98.61
4.5	2.56	0.06	4273.25	98.67
5.5	42.73	0.99	4315.98	99.65
6.5	5.17	0.12	4321.14	99.77
8.5	9.86	0.23	4331.00	100.00

ebalcgp: 8/9 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1877.38	43.35	1877.38	43.35
Abstain not in the last year	1	290.26	6.70	2167.65	50.05
Occasional less than monthly	2	367.98	8.50	2535.62	58.55
Light <2 drinks/day men, <1 women	3	1337.88	30.89	3873.50	89.44
Moderate >=2 to <4 men, >=1 to <2 women	4	332.60	7.68	4206.10	97.12
Hazardous >=4 to <6 men, >=2 and <4 women	5	109.88	2.54	4315.98	99.65
Harmful >=6 men, >=4 women	6	15.02	0.35	4331.00	100.00

ebhvdac: 8/9 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1887.11	43.57	1887.11	43.57
Yes	1	124.90	2.88	2012.01	46.46
No	2	2318.99	53.54	4331.00	100.00

ebbinge: 8/9 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1882.32	43.46	1882.32	43.46
Yes	1	636.42	14.69	2518.74	58.16
No	2	1812.26	41.84	4331.00	100.00

ebalcp: 8/9 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1889.75	43.63	1889.75	43.63
Yes	1	645.89	14.91	2535.64	58.55
No	2	1795.36	41.45	4331.00	100.00

ehb24a: 8/9 - Teach 14 - Activity during organised activities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.84	1.43	61.84	1.43
-9	-9	727.74	16.80	789.58	18.23
I have not observed this child in such activities	-2	43.00	0.99	832.58	19.22
A lot less active than most	1	104.42	2.41	937.00	21.63
A little less active than most	2	404.16	9.33	1341.16	30.97
About the same as most	3	1885.18	43.53	3226.34	74.49
A little more active than most	4	659.78	15.23	3886.12	89.73
A lot more active than most	5	444.88	10.27	4331.00	100.00

ehb24b: 8/9 - Teach 15 - Activity during play

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	54.10	1.25	54.10	1.25
-9	-9	727.74	16.80	781.85	18.05
I have not observed this child in such activities	-2	67.83	1.57	849.67	19.62
A lot less active than most	1	92.60	2.14	942.27	21.76
A little less active than most	2	411.33	9.50	1353.61	31.25
About the same as most	3	2109.89	48.72	3463.49	79.97
A little more active than most	4	535.58	12.37	3999.07	92.34
A lot more active than most	5	331.93	7.66	4331.00	100.00

ehb15p5: 8/9 - PLE - PLE 33.1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
Yes	1	171.51	3.96	4071.64	94.01
No	2	259.36	5.99	4331.00	100.00

ehb15p7: 8/9 - PLE - PLE 33.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
Yes	1	165.32	3.82	4065.45	93.87
No	2	265.55	6.13	4331.00	100.00

ehb15p2: 8/9 - PLE - PLE 33.3 - No. cigarettes smoked per day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.28	0.05	2.28	0.05
-9	3897.85	90.00	3900.13	90.05
-2	1.09	0.03	3901.22	90.08
0	265.55	6.13	4166.77	96.21
1	0.51	0.01	4167.28	96.22
4	2.08	0.05	4169.37	96.27
5	7.08	0.16	4176.45	96.43
6	1.43	0.03	4177.88	96.46
7	1.39	0.03	4179.27	96.50
8	4.61	0.11	4183.88	96.60
9	1.20	0.03	4185.08	96.63
10	29.23	0.67	4214.31	97.31
12	7.81	0.18	4222.12	97.49
13	1.15	0.03	4223.27	97.51
14	1.59	0.04	4224.86	97.55
15	38.04	0.88	4262.89	98.43
18	1.13	0.03	4264.03	98.45
20	43.75	1.01	4307.77	99.46
25	16.17	0.37	4323.94	99.84
30	7.06	0.16	4331.00	100.00

ehb15p6: 8/9 - PLE - PLE 33 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	4157.22	95.99	4159.49	96.04
-2	-2	1.09	0.03	4160.58	96.07
Less than one a day	1	6.19	0.14	4166.77	96.21
1 to 5 per day	2	9.68	0.22	4176.45	96.43
6 to 10 per day	3	37.86	0.87	4214.31	97.31
11 to 20 per day	4	93.46	2.16	4307.77	99.46
More than 20 per day	5	23.23	0.54	4331.00	100.00

ehb15p1: 8/9 - PLE - PLE 33 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
Do not smoke at all	1	259.36	5.99	4159.49	96.04
Less than once a day	2	6.19	0.14	4165.68	96.18
At least once a day	3	165.32	3.82	4331.00	100.00

ehb16p2: 8/9 - PLE - PLE 34.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
Never	0	46.25	1.07	3946.39	91.12
Not in the last year	1	3.55	0.08	3949.93	91.20
Monthly or less	2	66.24	1.53	4016.17	92.73
2 to 3 times a month	3	33.89	0.78	4050.06	93.51
Once a week	4	80.06	1.85	4130.12	95.36
2 to 3 times a week	5	107.64	2.49	4237.76	97.85
4 to 6 times a week	6	49.39	1.14	4287.15	98.99
Everyday	7	43.85	1.01	4331.00	100.00

ehb16p3: 8/9 - PLE - PLE 34.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3947.66	91.15	3949.93	91.20
1 or 2	1	152.55	3.52	4102.48	94.72
3 or 4	2	135.44	3.13	4237.92	97.85
5 or 6	3	60.08	1.39	4298.00	99.24
7 to 10	4	23.99	0.55	4321.99	99.79
11 or more	5	9.01	0.21	4331.00	100.00

ehb16p5: 8/9 - PLE - PLE 34.3 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3947.66	91.15	3949.93	91.20
Everyday	1	1.33	0.03	3951.27	91.23
4-6 times a week	2	2.27	0.05	3953.54	91.28
2-3 times a week	3	21.67	0.50	3975.21	91.78
Once a week	4	42.37	0.98	4017.58	92.76
2-3 times a month	5	44.55	1.03	4062.13	93.79
Monthly or less	6	268.87	6.21	4331.00	100.00

epavdac: 8/9 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3900.13	90.05	3900.13	90.05
0	145.33	3.36	4045.46	93.41
0.5	90.38	2.09	4135.84	95.49
1	50.80	1.17	4186.64	96.67
1.5	65.20	1.51	4251.83	98.17
2	24.00	0.55	4275.83	98.73
2.5	23.99	0.55	4299.82	99.28
3	5.93	0.14	4305.75	99.42
3.5	14.29	0.33	4320.04	99.75
4	2.86	0.07	4322.91	99.81
4.5	1.25	0.03	4324.16	99.84
5.5	3.32	0.08	4327.48	99.92

epavdac: 8/9 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6.5	1.49	0.03	4328.98	99.95
8.5	2.02	0.05	4331.00	100.00

epalcgp: 8/9 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3900.13	90.05	3900.13	90.05
Abstain not in the last year	1	49.80	1.15	3949.93	91.20
Occasional less than monthly	2	66.24	1.53	4016.17	92.73
Light <2 drinks/day men, <1 women	3	232.10	5.36	4248.28	98.09
Moderate >=2 to <4 men, >=1 to <2 women	4	67.77	1.56	4316.05	99.65
Hazardous >=4 to <6 men, >=2 and <4 women	5	11.44	0.26	4327.48	99.92
Harmful >=6 men, >=4 women	6	3.52	0.08	4331.00	100.00

ephvdc: 8/9 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3900.13	90.05	3900.13	90.05
Yes	1	14.95	0.35	3915.09	90.40
No	2	415.91	9.60	4331.00	100.00

epbinge: 8/9 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3900.13	90.05	3900.13	90.05
Yes	1	112.20	2.59	4012.33	92.64
No	2	318.67	7.36	4331.00	100.00

epalcp: 8/9 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3900.13	90.05	3900.13	90.05
Yes	1	113.74	2.63	4013.87	92.68
No	2	317.13	7.32	4331.00	100.00

ehb15m5: 8/9 - M - F2F A32.1+P2L 16 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	100.69	2.32	101.50	2.34
Yes	1	969.78	22.39	1071.28	24.74
No	2	3259.72	75.26	4331.00	100.00

ehb15m6: 8/9 - M - F2F A32.3+P2L 17 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	3360.41	77.59	3361.22	77.61
Less than one a day	1	72.29	1.67	3433.51	79.28
1 to 5 per day	2	131.48	3.04	3564.99	82.31
6 to 10 per day	3	294.56	6.80	3859.55	89.11
11 to 20 per day	4	349.29	8.06	4208.84	97.18
More than 20 per day	5	122.16	2.82	4331.00	100.00

ehb15m1: 8/9 - M - F2F A32.1/3+P2L 16-17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	100.69	2.32	101.50	2.34
Do not smoke at all	1	3259.72	75.26	3361.22	77.61
Less than once a day	2	69.08	1.59	3430.30	79.20
At least once a day	3	900.70	20.80	4331.00	100.00

ehb16m2: 8/9 - M - F2F A33.1+P2L 18 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.81	0.02	0.81	0.02
-9	-9	100.69	2.32	101.50	2.34
Never	0	799.27	18.45	900.78	20.80
Not in the last year	1	127.16	2.94	1027.93	23.73
Monthly or less	2	1119.15	25.84	2147.09	49.57
2 to 3 times a month	3	516.28	11.92	2663.37	61.50
Once a week	4	551.62	12.74	3214.98	74.23
2 to 3 times a week	5	699.67	16.15	3914.65	90.39
4 to 6 times a week	6	286.15	6.61	4200.80	96.99
Everyday	7	130.20	3.01	4331.00	100.00

ehb16m3: 8/9 - M - F2F A33.2+P2L 19 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.36	0.05	2.36	0.05
-9	-9	899.96	20.78	902.32	20.83
1 or 2	1	2251.84	51.99	3154.15	72.83
3 or 4	2	915.88	21.15	4070.03	93.97
5 or 6	3	180.05	4.16	4250.09	98.13
7 to 10	4	61.88	1.43	4311.96	99.56
11 or more	5	19.04	0.44	4331.00	100.00

ehb16m6: 8/9 - M - F2F A33.3+P2L 20 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.35	0.05	2.35	0.05
-9	-9	100.69	2.32	103.04	2.38
Everyday	1	3.83	0.09	106.87	2.47
4-6 times a week	2	11.29	0.26	118.16	2.73
2-3 times a week	3	42.39	0.98	160.55	3.71

ehb16m6: 8/9 - M - F2F A33.3+P2L 20 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	4	142.39	3.29	302.95	6.99
2-3 times a month	5	190.80	4.41	493.74	11.40
Monthly or less	6	1186.26	27.39	1680.00	38.79
Never	7	2651.00	61.21	4331.00	100.00

ehb16m5: 8/9 - M - F2F A33.3+P2L 20 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.35	0.05	2.35	0.05
-9	-9	899.96	20.78	902.31	20.83
Everyday	1	3.83	0.09	906.15	20.92
4-6 times a week	2	11.29	0.26	917.43	21.18
2-3 times a week	3	42.39	0.98	959.83	22.16
Once a week	4	142.39	3.29	1102.22	25.45
2-3 times a month	5	190.80	4.41	1293.02	29.85
Monthly or less	6	3037.98	70.15	4331.00	100.00

emavdac: 8/9 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	102.23	2.36	102.23	2.36
0	2641.08	60.98	2743.32	63.34
0.5	866.27	20.00	3609.58	83.34
1	272.88	6.30	3882.46	89.64
1.5	293.82	6.78	4176.28	96.43
2	28.67	0.66	4204.96	97.09
2.5	64.48	1.49	4269.44	98.58
3	8.95	0.21	4278.39	98.79
3.5	34.55	0.80	4312.95	99.58
4	4.64	0.11	4317.59	99.69
4.5	1.87	0.04	4319.46	99.73
5.5	8.33	0.19	4327.79	99.93
6.5	2.56	0.06	4330.36	99.99
8.5	0.64	0.01	4331.00	100.00

emalcgp: 8/9 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	101.50	2.34	101.50	2.34
Abstain not in the last year	1	926.43	21.39	1027.93	23.73
Occasional less than monthly	2	1119.15	25.84	2147.09	49.57
Light <2 drinks/day men, <1 women	3	1511.31	34.90	3658.39	84.47
Moderate >=2 to <4 men, >=1 to <2 women	4	517.89	11.96	4176.28	96.43
Hazardous >=4 to <6 men, >=2 and <4 women	5	136.66	3.16	4312.95	99.58
Harmful >=6 men, >=4 women	6	18.05	0.42	4331.00	100.00

emhvdac: 8/9 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	102.23	2.36	102.23	2.36
Yes	1	154.72	3.57	256.95	5.93
No	2	4074.05	94.07	4331.00	100.00

embinge: 8/9 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	102.23	2.36	102.23	2.36
Yes	1	390.70	9.02	492.93	11.38
No	2	3838.07	88.62	4331.00	100.00

emalcp: 8/9 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	102.97	2.38	102.97	2.38
Yes	1	440.71	10.18	543.67	12.55
No	2	3787.33	87.45	4331.00	100.00

ehb13m2b: 8/9 - M - P1D 12+P2L 10 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	104.02	2.40	104.02	2.40
-9	691.28	15.96	795.30	18.36
0	187.08	4.32	982.38	22.68
1	1519.19	35.08	2501.57	57.76
2	1204.37	27.81	3705.94	85.57
3	440.94	10.18	4146.88	95.75
4	126.28	2.92	4273.16	98.66
5	34.34	0.79	4307.50	99.46
6	10.74	0.25	4318.24	99.71
7	3.17	0.07	4321.42	99.78
8	7.52	0.17	4328.94	99.95
10	2.06	0.05	4331.00	100.00

ehb13m2a: 8/9 - M - P1D 12+P2L 10 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	104.02	2.40	104.02	2.40
-9	-9	691.28	15.96	795.30	18.36
Less than 1	0	187.08	4.32	982.38	22.68
1	1	1519.19	35.08	2501.57	57.76
2	2	1204.37	27.81	3705.94	85.57
2.5	2.5	1.41	0.03	3707.35	85.60
3	3	439.53	10.15	4146.88	95.75
3.5	3.5	1.66	0.04	4148.54	95.79
4	4	124.62	2.88	4273.16	98.66
5	5	34.34	0.79	4307.50	99.46
6 or more	6	23.50	0.54	4331.00	100.00

ehb13m1b: 8/9 - M - P1D 13+P2L 9 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	69.22	1.60	69.22	1.60
-9	691.28	15.96	760.50	17.56
0	22.18	0.51	782.68	18.07
1	941.44	21.74	1724.12	39.81
2	1085.66	25.07	2809.78	64.88
3	842.22	19.45	3652.00	84.32
4	424.53	9.80	4076.54	94.12
5	190.74	4.40	4267.28	98.53
6	40.54	0.94	4307.82	99.46
7	11.37	0.26	4319.19	99.73
8	8.36	0.19	4327.55	99.92
10	3.45	0.08	4331.00	100.00

ehb13m1a: 8/9 - M - P1D 13+P2L 9 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	69.22	1.60	69.22	1.60
-9	-9	691.28	15.96	760.50	17.56
Less than 1	0	22.18	0.51	782.68	18.07
0.5	0.5	0.55	0.01	783.23	18.08
1	1	940.89	21.72	1724.12	39.81
2	2	1085.66	25.07	2809.78	64.88
2.5	2.5	1.59	0.04	2811.37	64.91
3	3	840.63	19.41	3652.00	84.32
3.5	3.5	3.66	0.08	3655.66	84.41
4	4	420.88	9.72	4076.54	94.12
5	5	190.74	4.40	4267.28	98.53
6 or more	6	63.72	1.47	4331.00	100.00

ehb14m2: 8/9 - M - P1D 14+P2L 11 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	116.86	2.70	116.86	2.70
-9	691.28	15.96	808.14	18.66
0	335.72	7.75	1143.86	26.41
1	486.14	11.22	1630.00	37.64
2	657.50	15.18	2287.50	52.82
3	710.61	16.41	2998.11	69.22
4	434.54	10.03	3432.65	79.26
5	479.78	11.08	3912.43	90.34
6	156.73	3.62	4069.17	93.95
7	261.83	6.05	4331.00	100.00

ehb15f5: 8/9 - F - F2F A32.1+P2L 16 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.62	0.27	11.62	0.27
-9	-9	1757.69	40.58	1769.31	40.85
Yes	1	518.14	11.96	2287.45	52.82
No	2	2043.55	47.18	4331.00	100.00

ehb15f6: 8/9 - F - F2F A32.3+P2L 17 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.32	0.65	28.32	0.65
-9	-9	3801.24	87.77	3829.56	88.42
Less than one a day	1	24.03	0.55	3853.59	88.98
1 to 5 per day	2	74.23	1.71	3927.82	90.69
6 to 10 per day	3	114.38	2.64	4042.21	93.33
11 to 20 per day	4	196.22	4.53	4238.42	97.86
More than 20 per day	5	92.58	2.14	4331.00	100.00

ehb15f1: 8/9 - F - F2F A32.1/3+P2L 16-17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.32	0.65	28.32	0.65
-9	-9	1757.69	40.58	1786.01	41.24
Do not smoke at all	1	2043.55	47.18	3829.56	88.42
Less than once a day	2	24.03	0.55	3853.59	88.98
At least once a day	3	477.41	11.02	4331.00	100.00

ehb16f2: 8/9 - F - F2F A33.1+P2L 18 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.77	0.25	10.77	0.25
-9	-9	1757.69	40.58	1768.46	40.83
Never	0	240.89	5.56	2009.35	46.39
Not in the last year	1	52.42	1.21	2061.76	47.60
Monthly or less	2	393.90	9.09	2455.66	56.70
2 to 3 times a month	3	259.25	5.99	2714.91	62.69
Once a week	4	342.22	7.90	3057.13	70.59
2 to 3 times a week	5	628.84	14.52	3685.98	85.11
4 to 6 times a week	6	432.93	10.00	4118.91	95.10
Everyday	7	212.09	4.90	4331.00	100.00

ehb16f3: 8/9 - F - F2F A33.2+P2L 19 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.71	0.87	37.71	0.87
-9	-9	1998.58	46.15	2036.28	47.02
1 or 2	1	1168.79	26.99	3205.08	74.00
3 or 4	2	748.42	17.28	3953.49	91.28
5 or 6	3	289.48	6.68	4242.97	97.97
7 to 10	4	79.73	1.84	4322.70	99.81
11 or more	5	8.30	0.19	4331.00	100.00

ehb16f6: 8/9 - F - F2F A33.3+P2L 20 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.32	0.68	29.32	0.68
-9	-9	1757.69	40.58	1787.00	41.26
Everyday	1	11.62	0.27	1798.62	41.53
4-6 times a week	2	32.66	0.75	1831.28	42.28
2-3 times a week	3	137.22	3.17	1968.50	45.45
Once a week	4	264.20	6.10	2232.70	51.55
2-3 times a month	5	214.32	4.95	2447.02	56.50
Monthly or less	6	911.75	21.05	3358.77	77.55
Never	7	972.23	22.45	4331.00	100.00

ehb16f5: 8/9 - F - F2F A33.3+P2L 20 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.32	0.68	29.32	0.68
-9	-9	1998.58	46.15	2027.89	46.82
Everyday	1	11.62	0.27	2039.51	47.09
4-6 times a week	2	32.66	0.75	2072.17	47.85
2-3 times a week	3	137.22	3.17	2209.39	51.01
Once a week	4	264.20	6.10	2473.59	57.11
2-3 times a month	5	214.32	4.95	2687.91	62.06
Monthly or less	6	1643.09	37.94	4331.00	100.00

efavdac: 8/9 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1784.87	41.21	1784.87	41.21
0	972.08	22.44	2756.95	63.66
0.5	532.45	12.29	3289.39	75.95
1	263.54	6.08	3552.93	82.03
1.5	307.44	7.10	3860.37	89.13
2	84.92	1.96	3945.29	91.09
2.5	161.94	3.74	4107.23	94.83
3	21.56	0.50	4128.79	95.33
3.5	75.98	1.75	4204.77	97.09
4	60.14	1.39	4264.92	98.47
4.5	2.56	0.06	4267.48	98.53
5.5	47.51	1.10	4314.99	99.63
6.5	5.17	0.12	4320.16	99.75
8.5	10.84	0.25	4331.00	100.00

efalcgp: 8/9 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1775.88	41.00	1775.88	41.00
Abstain not in the last year	1	293.31	6.77	2069.19	47.78
Occasional less than monthly	2	393.90	9.09	2463.08	56.87
Light <2 drinks/day men, <1 women	3	1395.69	32.23	3858.77	89.10
Moderate >=2 to <4 men, >=1 to <2 women	4	346.01	7.99	4204.77	97.09

efalcgp: 8/9 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	110.22	2.54	4314.99	99.63
Harmful ≥ 6 men, ≥ 4 women	6	16.01	0.37	4331.00	100.00

efhvdac: 8/9 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1784.87	41.21	1784.87	41.21
Yes	1	126.23	2.91	1911.10	44.13
No	2	2419.90	55.87	4331.00	100.00

efbinge: 8/9 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1780.09	41.10	1780.09	41.10
Yes	1	660.02	15.24	2440.11	56.34
No	2	1890.89	43.66	4331.00	100.00

efalcp: 8/9 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1786.78	41.26	1786.78	41.26
Yes	1	667.94	15.42	2454.73	56.68
No	2	1876.27	43.32	4331.00	100.00

ehb13f2b: 8/9 - F - P1D 12+P2L 10 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	42.69	0.99	42.69	0.99
-9	1795.92	41.47	1838.61	42.45
0	33.39	0.77	1872.00	43.22
1	992.28	22.91	2864.28	66.13
2	847.07	19.56	3711.35	85.69
3	390.23	9.01	4101.58	94.70
4	157.79	3.64	4259.37	98.35
5	50.77	1.17	4310.14	99.52
6	16.24	0.37	4326.38	99.89
7	0.61	0.01	4326.99	99.91
8	0.74	0.02	4327.74	99.92
9	1.61	0.04	4329.35	99.96
10	1.65	0.04	4331.00	100.00

ehb13f2a: 8/9 - F - P1D 12+P2L 10 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.69	0.99	42.69	0.99
-9	-9	1795.92	41.47	1838.61	42.45
Less than 1	0	33.39	0.77	1872.00	43.22
1	1	992.28	22.91	2864.28	66.13
2	2	847.07	19.56	3711.35	85.69
3	3	390.23	9.01	4101.58	94.70

ehb13f2a: 8/9 - F - P1D 12+P2L 10 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	4	157.79	3.64	4259.37	98.35
5	5	50.77	1.17	4310.14	99.52
6 or more	6	20.86	0.48	4331.00	100.00

ehb13f1b: 8/9 - F - P1D 13+P2L 9 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	88.45	2.04	88.45	2.04
-9	1795.92	41.47	1884.36	43.51
0	214.49	4.95	2098.85	48.46
1	1141.83	26.36	3240.68	74.83
2	689.81	15.93	3930.49	90.75
3	252.01	5.82	4182.50	96.57
4	95.87	2.21	4278.37	98.78
5	34.05	0.79	4312.42	99.57
6	8.43	0.19	4320.85	99.77
7	4.20	0.10	4325.05	99.86
8	3.21	0.07	4328.26	99.94
9	2.74	0.06	4331.00	100.00

ehb13f1a: 8/9 - F - P1D 13+P2L 9 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	88.45	2.04	88.45	2.04
-9	-9	1795.92	41.47	1884.36	43.51
Less than 1	0	214.49	4.95	2098.85	48.46
1	1	1141.83	26.36	3240.68	74.83
2	2	689.81	15.93	3930.49	90.75
3	3	252.01	5.82	4182.50	96.57
4	4	95.87	2.21	4278.37	98.78
5	5	34.05	0.79	4312.42	99.57
6 or more	6	18.58	0.43	4331.00	100.00

ehb14f2: 8/9 - F - P1D 14+P2L 11 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	65.66	1.52	65.66	1.52
-9	1795.92	41.47	1861.58	42.98
0	197.13	4.55	2058.71	47.53
1	386.46	8.92	2445.17	56.46
2	482.82	11.15	2927.99	67.61
3	410.22	9.47	3338.21	77.08
4	273.43	6.31	3611.64	83.39
5	329.90	7.62	3941.55	91.01
6	151.59	3.50	4093.14	94.51
7	237.86	5.49	4331.00	100.00