

## 05 Health status

### ehs08a: 8/9 - Condition difficulties?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	288.41	6.66	4209.12	97.19
No	2	121.88	2.81	4331.00	100.00

### ehs08a1: 8/9 - Condition difficulties? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	259.55	5.99	4180.27	96.52
Yes	1	150.73	3.48	4331.00	100.00

### ehs08a2: 8/9 - Condition difficulties? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	383.06	8.84	4303.77	99.37
Yes	1	27.23	0.63	4331.00	100.00

### ehs08a3: 8/9 - Condition difficulties? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	349.36	8.07	4270.08	98.59
Yes	1	60.92	1.41	4331.00	100.00

### ehs08a4: 8/9 - Condition difficulties? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	284.24	6.56	4204.96	97.09
Yes	1	126.04	2.91	4331.00	100.00

### ehs08a7: 8/9 - Condition difficulties? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	267.93	6.19	4188.64	96.71
Yes	1	142.36	3.29	4331.00	100.00

### ehs08a8: 8/9 - Condition difficulties? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	294.20	6.79	4214.91	97.32
Yes	1	116.09	2.68	4331.00	100.00

**ehs08a5: 8/9 - Condition difficulties? Learning**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	192.76	4.45	4113.47	94.98
Yes	1	217.53	5.02	4331.00	100.00

**ehs08a6: 8/9 - Condition difficulties? Other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
No	0	370.03	8.54	4290.74	99.07
Yes	1	40.26	0.93	4331.00	100.00

**ehs08b: 8/9 - Need more help?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	257.66	5.95	4178.38	96.48
No	2	152.62	3.52	4331.00	100.00

**ehs08b1: 8/9 - Need more help? Communication**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	134.54	3.11	4055.26	93.63
No	2	275.74	6.37	4331.00	100.00

**ehs08b2: 8/9 - Need more help? Mobility**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	22.57	0.52	3943.29	91.05
No	2	387.71	8.95	4331.00	100.00

**ehs08b3: 8/9 - Need more help? Self-care**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	59.17	1.37	3979.89	91.89
No	2	351.11	8.11	4331.00	100.00

**ehs08b4: 8/9 - Need more help? Relating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	107.61	2.48	4028.32	93.01
No	2	302.68	6.99	4331.00	100.00

**ehs08b7: 8/9 - Need more help? Coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	126.25	2.91	4046.96	93.44
No	2	284.04	6.56	4331.00	100.00

**ehs08b8: 8/9 - Need more help? Behaving**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	104.68	2.42	4025.40	92.94
No	2	305.60	7.06	4331.00	100.00

**ehs08b5: 8/9 - Need more help? Learning**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3920.72	90.53	3920.72	90.53
Yes	1	214.01	4.94	4134.73	95.47
No	2	196.27	4.53	4331.00	100.00

**ehs13c: 8/9 - SC - F2F A4 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Excellent	1	2404.75	55.52	2404.75	55.52
Very good	2	1396.89	32.25	3801.63	87.78
Good	3	445.09	10.28	4246.72	98.05
Fair	4	78.23	1.81	4324.95	99.86
Poor	5	6.05	0.14	4331.00	100.00

**ehs14a: 8/9 - F2F A5.1 - Uses prescribed medicine**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	616.37	14.23	616.37	14.23
No	2	3714.63	85.77	4331.00	100.00

**ehs14b: 8/9 - F2F A5.2 - Uses medicine because of condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	604.11	13.95	604.11	13.95
No	2	3726.89	86.05	4331.00	100.00

**ehs14c: 8/9 - F2F A5.3 - Medicated condition for 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	6.34	0.15	6.34	0.15
Yes	1	496.15	11.46	502.49	11.60
No	2	3828.51	88.40	4331.00	100.00

**ehs14d: 8/9 - F2F A5.4 - Extra medical care**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	11.16	0.26	11.16	0.26
Yes	1	522.82	12.07	533.98	12.33
No	2	3797.02	87.67	4331.00	100.00

**ehs14e: 8/9 - F2F A5.5 - Extra medical care is due to condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	15.90	0.37	15.90	0.37
Yes	1	414.51	9.57	430.41	9.94
No	2	3900.59	90.06	4331.00	100.00

**ehs14f: 8/9 - F2F A5.6 - Extra care condition for year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	19.04	0.44	19.04	0.44
Yes	1	389.28	8.99	408.31	9.43
No	2	3922.69	90.57	4331.00	100.00

**eshcn: 8/9 - Special health care needs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	705.51	16.29	705.51	16.29
No	2	3625.49	83.71	4331.00	100.00

**ehs12a: 8/9 - F2F A6 - Concern about SC's weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	5.34	0.12	5.34	0.12
Not at all	1	3225.55	74.48	3230.89	74.60
A little	2	834.55	19.27	4065.44	93.87
Moderately	3	177.97	4.11	4243.42	97.98
Very	4	87.58	2.02	4331.00	100.00

**ehs12b: 8/9 - F2F A7.2 - Judgment about SC's weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.23	0.10	4.23	0.10
Underweight	1	368.37	8.51	372.60	8.60
Normal weight	2	3492.10	80.63	3864.70	89.23
Somewhat overweight	3	450.01	10.39	4314.72	99.62
Very overweight	4	16.28	0.38	4331.00	100.00

**ehs15b: 8/9 - F2F A8.1 - SC had illness with wheezing**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	3.19	0.07	3.19	0.07
Yes	1	561.81	12.97	565.00	13.05
No	2	3766.00	86.95	4331.00	100.00

**ehs15c: 8/9 - F2F A8.2 - Frequency of wheezing in last 12 months**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	3.19	0.07	3.19	0.07
0	4185.76	96.65	4188.95	96.72
5	124.72	2.88	4313.67	99.60
10	10.62	0.25	4324.29	99.85
15	0.70	0.02	4324.99	99.86
20	5.57	0.13	4330.56	99.99
50	0.44	0.01	4331.00	100.00

**ehs29a: 8/9 - F2F A9.1 - SC diagnosed with asthma**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.13	0.10	4.13	0.10
Yes	1	1342.43	31.00	1346.56	31.09
No	2	2984.44	68.91	4331.00	100.00

**ehs29b: 8/9 - F2F A9.2 - Medication for asthma in last 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	4.13	0.10	4.13	0.10
Yes	1	674.04	15.56	678.17	15.66
No	2	3652.83	84.34	4331.00	100.00

**ehs17: 8/9 - F2F A11 - Has ongoing condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	1547.05	35.72	1547.05	35.72
No	2	2783.95	64.28	4331.00	100.00

**ehs17d: 8/9 - F2F A11.1 - Eczema**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3839.17	88.64	3839.17	88.64
Yes	1	491.83	11.36	4331.00	100.00

**ehs17l: 8/9 - F2F A11.2 - SC has ongoing - ADD/ADHD**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4219.63	97.43	4219.63	97.43
Yes	1	111.37	2.57	4331.00	100.00

**ehs17b: 8/9 - F2F A11.3 - Vision problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3995.17	92.25	3995.17	92.25
Yes	1	335.83	7.75	4331.00	100.00

**ehs17o: 8/9 - F2F A11.4 - Constipation**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4173.51	96.36	4173.51	96.36
Yes	1	157.49	3.64	4331.00	100.00

**ehs17p: 8/9 - F2F A11.5 - Soiling**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4245.99	98.04	4245.99	98.04
Yes	1	85.01	1.96	4331.00	100.00

**ehs17a: 8/9 - F2F A11.6 - Hearing problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4216.37	97.35	4216.37	97.35
Yes	1	114.63	2.65	4331.00	100.00

**ehs17q: 8/9 - F2F A11.7 - Tonsillitis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4180.70	96.53	4180.70	96.53
Yes	1	150.30	3.47	4331.00	100.00

**ehs17i: 8/9 - F2F A11.8 - Food or digestive allergies**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4092.25	94.49	4092.25	94.49
Yes	1	238.75	5.51	4331.00	100.00

**ehs17m: 8/9 - F2F A11.9 - Frequent headaches**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4149.07	95.80	4149.07	95.80
Yes	1	181.93	4.20	4331.00	100.00

**ehs17n: 8/9 - F2F A11.10 - Recurrent abdominal pain**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4199.64	96.97	4199.64	96.97
Yes	1	131.36	3.03	4331.00	100.00

**ehs17h: 8/9 - F2F A11.11 - Other infections**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4280.66	98.84	4280.66	98.84
Yes	1	50.34	1.16	4331.00	100.00

**ehs17j: 8/9 - F2F A11.12 - Other illnesses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4160.77	96.07	4160.77	96.07
Yes	1	170.23	3.93	4331.00	100.00

**enumcond: 8/9 - No. ongoing conditions**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	2790.03	64.42	2790.03	64.42
2	1398.26	32.28	4188.29	96.70
4	123.68	2.86	4311.98	99.56
6	19.02	0.44	4331.00	100.00

**ehs17i1a: 8/9 - F2F A12.1 - Allergy to peanuts**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4274.11	98.69	4274.11	98.69
Yes	1	56.89	1.31	4331.00	100.00

**ehs17i2a: 8/9 - F2F A12.2 - Allergy to hen's eggs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4306.90	99.44	4306.90	99.44
Yes	1	24.10	0.56	4331.00	100.00

**ehs17i3a: 8/9 - F2F A12.3 - Allergy to cow's milk**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4244.51	98.00	4244.51	98.00
Yes	1	86.49	2.00	4331.00	100.00

**ehs17i4a: 8/9 - F2F A12.4 - Allergy to soy**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4318.23	99.71	4318.23	99.71
Yes	1	12.77	0.29	4331.00	100.00

**ehs17i5a: 8/9 - F2F A12.5 - Allergy to sesame**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4320.57	99.76	4320.57	99.76
Yes	1	10.43	0.24	4331.00	100.00

**ehs17i6a: 8/9 - F2F A12.6 - Allergy to wheat**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4288.81	99.03	4288.81	99.03
Yes	1	42.19	0.97	4331.00	100.00

**ehs17i7a: 8/9 - F2F A12.7 - Allergy to other food**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4205.42	97.10	4205.42	97.10
Yes	1	125.58	2.90	4331.00	100.00

**zhs17i8: F2F A13 - Age diagnosed with allergy**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4092.25	94.49	4092.25	94.49
0	17.36	0.40	4109.62	94.89
12	84.42	1.95	4194.03	96.84
24	33.69	0.78	4227.72	97.62
36	19.67	0.45	4247.40	98.07
48	18.97	0.44	4266.36	98.51
60	13.42	0.31	4279.78	98.82
72	17.01	0.39	4296.79	99.21

**zhs17i8: F2F A13 - Age diagnosed with allergy**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
84	13.92	0.32	4310.71	99.53
96	20.29	0.47	4331.00	100.00

**zhs17i8a: F2F A13.1 - Age allergy - unit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4092.25	94.49	4092.25	94.49
Age in months	1	91.57	2.11	4183.82	96.60
Age in years	2	147.18	3.40	4331.00	100.00

**zhs17i8b: F2F A13.2 - Age allergy - amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4092.25	94.49	4092.25	94.49
0	113.32	2.62	4205.58	97.10
12	111.43	2.57	4317.00	99.68
24	12.00	0.28	4329.00	99.95
36	1.35	0.03	4330.35	99.98
48	0.65	0.02	4331.00	100.00

**ehs17i1: 8/9 - F2F W1-2+A14 - Had ADD or ADHD medicine**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4216.18	97.35	4216.18	97.35
Yes	1	84.35	1.95	4300.53	99.30
No	2	30.47	0.70	4331.00	100.00

**ehs17i3: 8/9 - F2F A14.1 - Taking ADD medication?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4250.68	98.15	4250.68	98.15
Yes	1	66.41	1.53	4317.08	99.68
No	2	13.92	0.32	4331.00	100.00

**ehs17i2b: 8/9 - F2F A14.2 - Ritalin or Dexamphetamine**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4264.59	98.47	4264.59	98.47
-2	-2	10.68	0.25	4275.27	98.71
Ritalin	1	42.75	0.99	4318.02	99.70
Dexamphetamine	2	12.98	0.30	4331.00	100.00

**ehs31a: 8/9 - F2F A15.1 - Does child wear glasses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	448.20	10.35	448.20	10.35
No	2	3882.80	89.65	4331.00	100.00



**zhs31b: F2F W2+A15.2 - Age started wearing glasses**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3832.67	88.49	3832.67	88.49
10	5.83	0.13	3838.49	88.63
20	12.94	0.30	3851.43	88.93
30	5.26	0.12	3856.69	89.05
40	18.57	0.43	3875.27	89.48
50	25.87	0.60	3901.14	90.07
60	56.26	1.30	3957.40	91.37
70	108.34	2.50	4065.74	93.88
80	109.67	2.53	4175.41	96.41
90	11.79	0.27	4187.20	96.68
100	131.87	3.04	4319.08	99.72
110	11.92	0.28	4331.00	100.00

**zhs31b1: F2F W2+A15.2.1 - Age started wearing glasses - unit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3832.67	88.49	3832.67	88.49
Age in months	1	18.80	0.43	3851.47	88.93
Age in years	2	479.53	11.07	4331.00	100.00

**zhs31b2: F2F W2+A15.2.2 - Age started wearing glasses - amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3832.67	88.49	3832.67	88.49
0	8.43	0.19	3841.09	88.69
5	287.35	6.63	4128.45	95.32
10	144.74	3.34	4273.19	98.67
15	1.16	0.03	4274.34	98.69
20	4.38	0.10	4278.72	98.79
30	5.26	0.12	4283.99	98.91
65	1.59	0.04	4285.58	98.95
80	21.97	0.51	4307.55	99.46
85	21.22	0.49	4328.77	99.95
90	0.63	0.01	4329.39	99.96
95	0.72	0.02	4330.11	99.98
100	0.89	0.02	4331.00	100.00

**ehs31c: 8/9 - F2F A15.3 - Why does child wear glasses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3882.80	89.65	3882.80	89.65
Short sighted myopia	1	135.62	3.13	4018.41	92.78
Long sighted	2	152.52	3.52	4170.94	96.30
Turned eyes squint	3	22.94	0.53	4193.88	96.83
Astigmatism	4	51.11	1.18	4244.99	98.01
Amblyopia lazy eye	5	25.97	0.60	4270.96	98.61
Other reason	6	60.04	1.39	4331.00	100.00

**ehs18a: 8/9 - F2F A16.1 - No. times SC injured**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4325.83	99.88	4325.83	99.88
10	5.17	0.12	4331.00	100.00

**ehs18b1: 8/9 - F2F A16.2.1 - Injury - broken bones**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	542.88	12.53	4141.72	95.63
Yes	1	189.28	4.37	4331.00	100.00

**ehs18b2: 8/9 - F2F A16.2.2 - Injury - burn or scald**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	712.06	16.44	4310.90	99.54
Yes	1	20.10	0.46	4331.00	100.00

**ehs18b3: 8/9 - F2F A16.2.3 - Injury - dislocation**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	726.13	16.77	4324.98	99.86
Yes	1	6.02	0.14	4331.00	100.00

**ehs18b4: 8/9 - F2F A16.2.4 - Injury - sprain or strain**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	562.10	12.98	4160.94	96.07
Yes	1	170.06	3.93	4331.00	100.00

**ehs18b5: 8/9 - F2F A16.2.5 - Injury - cut or scrape**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	471.20	10.88	4070.04	93.97
Yes	1	260.96	6.03	4331.00	100.00

**ehs18b6: 8/9 - F2F A16.2.6 - Injury - concussion**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	670.79	15.49	4269.64	98.58
Yes	1	61.36	1.42	4331.00	100.00

**ehs18b7: 8/9 - F2F A16.2.7 - Injury - internal (not head)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	726.72	16.78	4325.57	99.87
Yes	1	5.43	0.13	4331.00	100.00

**ehs18b8: 8/9 - F2F A16.2.8 - Injury - dental**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	716.97	16.55	4315.82	99.65
Yes	1	15.18	0.35	4331.00	100.00

**ehs18b9: 8/9 - F2F A16.2.9 - Injury - accidental poisoning**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	729.82	16.85	4328.67	99.95
Yes	1	2.33	0.05	4331.00	100.00

**ehs18b10: 8/9 - F2F A16.2.10 - Injury - other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
No	0	636.83	14.70	4235.67	97.80
Yes	1	95.32	2.20	4331.00	100.00

**ehs18d1: 8/9 - F2F A16.3.1 - No. of times broken bones**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4331.00	100.00	4331.00	100.00

**ehs18d2: 8/9 - F2F A16.3.2 - No. of times burn or scald**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4310.90	99.54	4310.90	99.54
1	15.10	0.35	4326.00	99.88
2	3.93	0.09	4329.93	99.98
3	1.07	0.02	4331.00	100.00

**ehs18d3: 8/9 - F2F A16.3.3 - No. of times dislocation**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4331.00	100.00	4331.00	100.00

**ehs18d4: 8/9 - F2F A16.3.4 - No. of times sprain or strain**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4160.94	96.07	4160.94	96.07
1	144.20	3.33	4305.14	99.40
2	19.56	0.45	4324.70	99.85
3	2.87	0.07	4327.58	99.92
4	2.58	0.06	4330.16	99.98
5	0.84	0.02	4331.00	100.00

**ehs18d5: 8/9 - F2F A16.3.5 - No. of times cut or scrape**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4070.04	93.97	4070.04	93.97
1	233.29	5.39	4303.33	99.36
2	22.38	0.52	4325.71	99.88
3	3.43	0.08	4329.15	99.96
5	1.85	0.04	4331.00	100.00

**ehs18d6: 8/9 - F2F A16.3.6 - No. of times concussion**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4269.64	98.58	4269.64	98.58
1	58.18	1.34	4327.82	99.93
2	0.71	0.02	4328.53	99.94
3	2.47	0.06	4331.00	100.00

**ehs18d7: 8/9 - F2F A16.3.7 - No. of times internal (not head)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4325.57	99.87	4325.57	99.87
1	5.43	0.13	4331.00	100.00

**ehs18d8: 8/9 - F2F A16.3.8 - No. of times dental**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4315.82	99.65	4315.82	99.65
1	14.23	0.33	4330.05	99.98
2	0.95	0.02	4331.00	100.00

**ehs18d9: 8/9 - F2F A16.3.9 - No. of times accidental poisoning**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4328.67	99.95	4328.67	99.95
1	2.33	0.05	4331.00	100.00

**ehs18d10: 8/9 - F2F A16.3.10 - No. of times other**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4235.67	97.80	4235.67	97.80
1	84.08	1.94	4319.76	99.74
2	6.89	0.16	4326.64	99.90
3	1.89	0.04	4328.53	99.94
5	2.47	0.06	4331.00	100.00

**ehs18c1: 8/9 - F2F A16.4 - Stayed in hospital injured**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	61.94	1.43	61.94	1.43
No	2	4269.06	98.57	4331.00	100.00

**ehs18c2: 8/9 - F2F A16.5 - No. times in hospital injured**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4269.06	98.57	4269.06	98.57
1	57.48	1.33	4326.54	99.90
2	4.46	0.10	4331.00	100.00

**ehs18e: 8/9 - F2F A16.6 - Where most serious injury**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3598.84	83.09	3598.84	83.09
Home	1	291.39	6.73	3890.23	89.82
School or child care	2	218.24	5.04	4108.47	94.86
Car accident	3	9.47	0.22	4117.94	95.08
Pedestrian accident	4	10.43	0.24	4128.37	95.32
Other	5	202.63	4.68	4331.00	100.00

**ehs19a1: 8/9 - F2F A17.1 - Non-injury hospital stays**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	197.25	4.55	197.25	4.55
No	2	4133.75	95.45	4331.00	100.00

**ehs19a2: 8/9 - F2F A17.2 - No. non-injury hospital stays**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0	4133.75	95.45	4133.75	95.45
1	174.70	4.03	4308.44	99.48
2	20.74	0.48	4329.18	99.96
4	1.82	0.04	4331.00	100.00

**ehs19b1: 8/9 - F2F A17.3.1 - Hospital - fever or viral illness**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4313.40	99.59	4313.40	99.59
Yes	1	17.60	0.41	4331.00	100.00

**ehs19b2: 8/9 - F2F A17.3.2 - Hospital - asthma**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4308.59	99.48	4308.59	99.48
Yes	1	22.41	0.52	4331.00	100.00

**ehs19b3: 8/9 - F2F A17.3.3 - Hospital - gastroenteritis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4317.37	99.69	4317.37	99.69
Yes	1	13.63	0.31	4331.00	100.00

**ehs19b4: 8/9 - F2F A17.3.4 - Hospital - pneumonia**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4315.16	99.63	4315.16	99.63
Yes	1	15.84	0.37	4331.00	100.00

**ehs19b5: 8/9 - F2F A17.3.5 - Hospital - bronchiolitis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4328.29	99.94	4328.29	99.94
Yes	1	2.71	0.06	4331.00	100.00

**ehs19b6: 8/9 - F2F A17.3.6 - Hospital - urine infection**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4329.45	99.96	4329.45	99.96
Yes	1	1.55	0.04	4331.00	100.00

**ehs19b7: 8/9 - F2F A17.3.7 - Hospital - croup**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4326.68	99.90	4326.68	99.90
Yes	1	4.32	0.10	4331.00	100.00

**ehs19b8: 8/9 - F2F A17.3.8 - Hospital - febrile convulsion**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4330.39	99.99	4330.39	99.99
Yes	1	0.61	0.01	4331.00	100.00

**ehs19b10: 8/9 - F2F A17.3.9 - Hospital - Tonsillectomy etc.**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4300.91	99.31	4300.91	99.31
Yes	1	30.09	0.69	4331.00	100.00

**ehs19b11: 8/9 - F2F A17.3.10 - Hospital - other, surgery**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4271.62	98.63	4271.62	98.63
Yes	1	59.38	1.37	4331.00	100.00

**ehs19b12: 8/9 - F2F A17.3.11 - Hospital - other, no surgery**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4288.11	99.01	4288.11	99.01
Yes	1	42.89	0.99	4331.00	100.00

**ehs20a: 8/9 - F2F A18 - SC's sleeping patterns a problem**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	0.79	0.02	0.79	0.02
Not a problem at all	1	3407.34	78.67	3408.13	78.69
A small problem	2	668.04	15.42	4076.18	94.12
A moderate problem	3	167.55	3.87	4243.73	97.99
A large problem	4	87.27	2.01	4331.00	100.00

**ehs21a1: 8/9 - F2F A19 - Does child go to bed at regular times**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Always	1	1963.81	45.34	1963.81	45.34
Usually	2	2021.22	46.67	3985.03	92.01
Sometimes	3	246.76	5.70	4231.78	97.71
Rarely	4	75.37	1.74	4307.16	99.45
Never	5	23.84	0.55	4331.00	100.00

**ehs20b: 8/9 - F2F A20 - Does child have any sleep problems?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes	1	1437.68	33.20	1437.68	33.20
No	2	2893.32	66.80	4331.00	100.00

**ehs20b3: 8/9 - F2F A20.1 - Sleep problems - getting to sleep**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3731.46	86.16	3731.46	86.16
Yes	1	599.54	13.84	4331.00	100.00

**ehs20b4: 8/9 - F2F A20.2 - Sleep problems - Sleeping alone**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3818.35	88.16	3818.35	88.16
Yes	1	512.65	11.84	4331.00	100.00

**ehs20b5: 8/9 - F2F A20.3 - Sleep problems - waking during night**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4062.06	93.79	4062.06	93.79
Yes	1	268.94	6.21	4331.00	100.00

**ehs20b11: 8/9 - F2F A20.4 - Sleep problems - Restless sleep**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4143.39	95.67	4143.39	95.67
Yes	1	187.61	4.33	4331.00	100.00

**ehs20b8: 8/9 - F2F A20.5 - Sleep problems - bed wetting**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4163.26	96.13	4163.26	96.13
Yes	1	167.74	3.87	4331.00	100.00

**ehs20b9: 8/9 - F2F A20.6 - Sleep problems - nightmares/terrors**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4192.90	96.81	4192.90	96.81
Yes	1	138.10	3.19	4331.00	100.00

**ehs20b1b: 8/9 - F2F A20.7 - Sleep problems - wheezing or asthma**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4262.87	98.43	4262.87	98.43
Yes	1	68.13	1.57	4331.00	100.00

**ehs20b2: 8/9 - F2F A20.8 - Sleep problems - snoring/breathing**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4093.59	94.52	4093.59	94.52
Yes	1	237.41	5.48	4331.00	100.00

**ehs20b10: 8/9 - F2F A20.9 - Sleep problems - seeming tired**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3889.26	89.80	3889.26	89.80
Yes	1	441.74	10.20	4331.00	100.00

**ehs20b7: 8/9 - F2F A20.10 - Sleep problems - other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4264.23	98.46	4264.23	98.46
Yes	1	66.77	1.54	4331.00	100.00

**ehs34: 8/9 - F2F A22.4 - Frequency of child wetting pants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	13.18	0.30	13.18	0.30
Never	1	4081.71	94.24	4094.89	94.55
Up to once per month	2	170.86	3.94	4265.75	98.49
Up to once a week	3	37.83	0.87	4303.59	99.37
Most days	4	27.41	0.63	4331.00	100.00

**ehs32a: 8/9 - F2F A30.1 - Able to run fast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	16.81	0.39	16.81	0.39
Better than other children	1	1326.60	30.63	1343.40	31.02
About the same	2	2553.87	58.97	3897.28	89.99
Not as well as other children	3	433.72	10.01	4331.00	100.00

**ehs32b: 8/9 - F2F A30.2 - Able to jump high**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	72.27	1.67	72.27	1.67
Better than other children	1	721.94	16.67	794.21	18.34
About the same	2	3170.37	73.20	3964.59	91.54
Not as well as other children	3	366.41	8.46	4331.00	100.00



**ehs32c: 8/9 - F2F A30.3 - Able to balance on one leg**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-2	-2	77.67	1.79	77.67	1.79
Better than other children	1	981.44	22.66	1059.11	24.45
About the same	2	3085.59	71.24	4144.70	95.70
Not as well as other children	3	186.30	4.30	4331.00	100.00

**egmc: 8/9 - Gross Motor Coordination**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.02	0.28	12.02	0.28
1	861.46	19.89	873.48	20.17
2	3201.06	73.91	4074.54	94.08
3	256.46	5.92	4331.00	100.00

**ehs50a1: 8/9 - F2F A31 - P1 sleep quality**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very good	1	844.77	19.51	844.77	19.51
Fairly good	2	1299.01	29.99	2143.78	49.50
OK/adequate	3	1321.32	30.51	3465.10	80.01
Fairly bad	4	608.95	14.06	4074.05	94.07
Very bad	5	256.95	5.93	4331.00	100.00

**ehs23c2: 8/9 - SC - F2F K3 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.18	0.03	1.18	0.03
-9	33.48	0.77	34.66	0.80
-3	5.72	0.13	40.39	0.93
20	138.26	3.19	178.64	4.12
25	1081.45	24.97	1260.10	29.09
30	1489.55	34.39	2749.65	63.49
35	859.74	19.85	3609.39	83.34
40	369.64	8.53	3979.03	91.87
45	199.75	4.61	4178.78	96.49
50	74.88	1.73	4253.66	98.21
55	45.91	1.06	4299.57	99.27
60	19.43	0.45	4319.01	99.72
65	11.99	0.28	4331.00	100.00

**ehs23c1: 8/9 - SC - F2F K4 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.45	0.13	5.45	0.13
-9	33.48	0.77	38.93	0.90
-3	5.94	0.14	44.87	1.04
120	325.14	7.51	370.01	8.54
130	2239.90	51.72	2609.90	60.26
140	1565.35	36.14	4175.26	96.40
150	155.74	3.60	4331.00	100.00

**ehs23c3: 8/9 - SC - F2F K5 - SC's waist measurements (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.37	0.05	2.37	0.05
-9	33.48	0.77	35.85	0.83
-3	9.34	0.22	45.19	1.04
45	7.42	0.17	52.61	1.21
50	194.27	4.49	246.88	5.70
55	1029.71	23.78	1276.59	29.48
60	1373.78	31.72	2650.36	61.20
65	786.04	18.15	3436.41	79.34
70	396.26	9.15	3832.66	88.49
75	235.71	5.44	4068.38	93.94
80	131.68	3.04	4200.05	96.98
85	76.02	1.76	4276.08	98.73
90	29.78	0.69	4305.86	99.42
95	25.14	0.58	4331.00	100.00

**ecbmi: 8/9 - SC - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.17	1.09	47.17	1.09
10	14.22	0.33	61.39	1.42
15	2474.37	57.13	2535.76	58.55
20	1469.49	33.93	4005.25	92.48
25	271.31	6.26	4276.57	98.74
30	54.43	1.26	4331.00	100.00

**ewaz: 8/9 - Weight for age z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.39	0.93	40.39	0.93
-3	16.73	0.39	57.11	1.32
-2	117.61	2.72	174.72	4.03
-1	617.75	14.26	792.47	18.30
0	1543.25	35.63	2335.73	53.93
1	1385.07	31.98	3720.80	85.91
2	523.27	12.08	4244.07	97.99
3	86.93	2.01	4331.00	100.00

**ewapct: 8/9 - Weight for age percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.39	0.93	40.39	0.93
0	50.17	1.16	90.56	2.09
5	103.37	2.39	193.93	4.48
10	107.91	2.49	301.83	6.97
15	120.28	2.78	422.11	9.75
20	126.41	2.92	548.52	12.66
25	143.87	3.32	692.39	15.99
30	164.23	3.79	856.62	19.78
35	183.40	4.23	1040.03	24.01
40	161.75	3.73	1201.77	27.75

**ewapct: 8/9 - Weight for age percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
45	174.66	4.03	1376.43	31.78
50	201.48	4.65	1577.91	36.43
55	198.10	4.57	1776.01	41.01
60	218.84	5.05	1994.84	46.06
65	260.46	6.01	2255.30	52.07
70	240.70	5.56	2496.00	57.63
75	259.91	6.00	2755.91	63.63
80	258.49	5.97	3014.40	69.60
85	314.09	7.25	3328.49	76.85
90	332.75	7.68	3661.23	84.54
95	366.63	8.47	4027.87	93.00
100	303.13	7.00	4331.00	100.00

**ebmiz: 8/9 - BMI z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.17	1.09	47.17	1.09
-4	7.03	0.16	54.20	1.25
-3	19.44	0.45	73.65	1.70
-2	127.23	2.94	200.87	4.64
-1	574.47	13.26	775.34	17.90
0	1543.54	35.64	2318.88	53.54
1	1380.96	31.89	3699.84	85.43
2	604.16	13.95	4304.00	99.38
3	27.00	0.62	4331.00	100.00

**ebmipct: 8/9 - BMI percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	47.17	1.09	47.17	1.09
0	72.57	1.68	119.73	2.76
5	95.44	2.20	215.17	4.97
10	109.85	2.54	325.02	7.50
15	104.64	2.42	429.66	9.92
20	134.23	3.10	563.89	13.02
25	125.66	2.90	689.54	15.92
30	141.63	3.27	831.17	19.19
35	176.55	4.08	1007.72	23.27
40	168.55	3.89	1176.27	27.16
45	219.83	5.08	1396.10	32.24
50	172.72	3.99	1568.82	36.22
55	221.67	5.12	1790.49	41.34
60	235.44	5.44	2025.93	46.78
65	216.97	5.01	2242.89	51.79
70	233.94	5.40	2476.83	57.19
75	260.38	6.01	2737.22	63.20
80	270.15	6.24	3007.37	69.44
85	300.99	6.95	3308.37	76.39
90	320.55	7.40	3628.92	83.79

**ebmipct: 8/9 - BMI percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
95	450.45	10.40	4079.38	94.19
100	251.62	5.81	4331.00	100.00

**ehaz: 8/9 - Height for age z-score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	44.87	1.04	44.87	1.04
-3	21.94	0.51	66.81	1.54
-2	145.15	3.35	211.96	4.89
-1	884.36	20.42	1096.32	25.31
0	1632.32	37.69	2728.64	63.00
1	1229.20	28.38	3957.84	91.38
2	340.48	7.86	4298.33	99.25
3	32.67	0.75	4331.00	100.00

**ehapct: 8/9 - Height for age percentile**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	44.87	1.04	44.87	1.04
0	65.20	1.51	110.07	2.54
5	121.61	2.81	231.68	5.35
10	160.91	3.72	392.58	9.06
15	170.54	3.94	563.12	13.00
20	203.36	4.70	766.48	17.70
25	181.92	4.20	948.39	21.90
30	200.75	4.64	1149.14	26.53
35	185.24	4.28	1334.39	30.81
40	183.46	4.24	1517.85	35.05
45	243.39	5.62	1761.25	40.67
50	208.70	4.82	1969.95	45.48
55	223.41	5.16	2193.36	50.64
60	241.36	5.57	2434.71	56.22
65	215.33	4.97	2650.05	61.19
70	239.83	5.54	2889.88	66.73
75	254.03	5.87	3143.92	72.59
80	232.71	5.37	3376.62	77.96
85	263.97	6.09	3640.59	84.06
90	277.13	6.40	3917.71	90.46
95	262.64	6.06	4180.35	96.52
100	150.65	3.48	4331.00	100.00

**ehs36a: 8/9 - P1D 4a - Skin changes**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.67	0.52	22.67	0.52
-9	-9	628.83	14.52	651.49	15.04
Has not started yet	1	3142.03	72.55	3793.52	87.59
Has barely started	2	388.07	8.96	4181.59	96.55

**ehs36a: 8/9 - P1D 4a - Skin changes**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Has definitely started	3	148.73	3.43	4330.32	99.98
Seems complete	4	0.68	0.02	4331.00	100.00

**ehs36b: 8/9 - P1D 4b - Adult type body odour**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.85	0.44	18.85	0.44
-9	-9	628.83	14.52	647.68	14.95
Has not started yet	1	3157.83	72.91	3805.51	87.87
Has barely started	2	310.92	7.18	4116.42	95.05
Has definitely started	3	210.34	4.86	4326.76	99.90
Seems complete	4	4.24	0.10	4331.00	100.00

**ehs36c: 8/9 - P1D 4c - Body hair**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.14	0.40	17.14	0.40
-9	-9	628.83	14.52	645.96	14.91
Has not started yet	1	3453.10	79.73	4099.07	94.64
Has barely started	2	149.17	3.44	4248.23	98.09
Has definitely started	3	80.33	1.85	4328.56	99.94
Seems complete	4	2.44	0.06	4331.00	100.00

**ehs36d: 8/9 - P1D 4d - Breast growth**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.12	0.21	9.12	0.21
-9	-9	2523.19	58.26	2532.31	58.47
Has not started yet	1	1383.63	31.95	3915.94	90.42
Has barely started	2	294.55	6.80	4210.49	97.22
Has definitely started	3	120.51	2.78	4331.00	100.00

**epubrt: 8/9 - Puberty scale**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	639.66	14.77	639.66	14.77
1	3111.90	71.85	3751.56	86.62
2	522.61	12.07	4274.16	98.69
3	56.84	1.31	4331.00	100.00

**ehs13a: 8/9 - P1 - P1D 11 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.51	0.70	30.51	0.70
-9	-9	628.83	14.52	659.34	15.22
Excellent	1	727.40	16.80	1386.74	32.02
Very good	2	1501.90	34.68	2888.64	66.70
Good	3	1081.64	24.97	3970.28	91.67
Fair	4	303.88	7.02	4274.16	98.69
Poor	5	56.84	1.31	4331.00	100.00

**ehs23a2: 8/9 - P1 - P1D 15 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	162.74	3.76	162.74	3.76
-9	628.83	14.52	791.57	18.28
40	24.42	0.56	815.99	18.84
50	385.40	8.90	1201.39	27.74
60	970.12	22.40	2171.51	50.14
70	929.76	21.47	3101.27	71.61
80	573.54	13.24	3674.81	84.85
90	334.95	7.73	4009.77	92.58
100	190.00	4.39	4199.76	96.97
110	73.54	1.70	4273.30	98.67
120	36.44	0.84	4309.74	99.51
130	12.71	0.29	4322.45	99.80
140	8.55	0.20	4331.00	100.00

**ehs23a1: 8/9 - P1 - F2F W1-2+A34 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	156.69	3.62	156.69	3.62
-9	634.24	14.64	790.93	18.26
140	7.03	0.16	797.96	18.42
150	305.66	7.06	1103.62	25.48
160	1462.90	33.78	2566.52	59.26
170	1351.94	31.22	3918.47	90.47
180	373.26	8.62	4291.73	99.09
190	39.27	0.91	4331.00	100.00

**eabmi: 8/9 - P1 - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	937.04	21.64	937.04	21.64
15	31.18	0.72	968.21	22.36
20	917.44	21.18	1885.65	43.54
25	1343.91	31.03	3229.57	74.57
30	689.98	15.93	3919.55	90.50
35	283.23	6.54	4202.78	97.04
40	90.48	2.09	4293.26	99.13
45	29.13	0.67	4322.39	99.80
50	8.61	0.20	4331.00	100.00

**ehs35a: 8/9 - P1 - P1D 17 - Currently pregnant**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	97.37	2.25	97.37	2.25
-9	-9	787.58	18.18	884.94	20.43
Not sure, possibly	-2	8.44	0.19	893.38	20.63
Yes	1	79.76	1.84	973.14	22.47
No	2	3357.86	77.53	4331.00	100.00

**ehs27: 8/9 - P1D 18 - Any stressful life events**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
Yes	1	1965.58	45.38	2744.85	63.38
No	2	1586.15	36.62	4331.00	100.00

**ehs27p: 8/9 - P1D 18a - Events - Pregnant/had a baby**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3331.64	76.93	4110.92	94.92
Yes	1	220.08	5.08	4331.00	100.00

**ehs27a: 8/9 - P1D 18b - Events - illness, injury or assault**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3315.42	76.55	4094.69	94.54
Yes	1	236.31	5.46	4331.00	100.00

**ehs27b: 8/9 - P1D 18c - Events - illness etc to close relative**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3248.30	75.00	4027.57	92.99
Yes	1	303.43	7.01	4331.00	100.00

**ehs27c: 8/9 - P1D 18d - Events - parent, partner or child died**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3408.58	78.70	4187.85	96.69
Yes	1	143.15	3.31	4331.00	100.00

**ehs27d: 8/9 - P1D 18e - Events - Close friend or other rel. died**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	2840.61	65.59	3619.88	83.58
Yes	1	711.12	16.42	4331.00	100.00

**ehs27e: 8/9 - P1D 18f - Events - broke off a steady relationship**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3386.55	78.19	4165.82	96.19
Yes	1	165.18	3.81	4331.00	100.00

**ehs27q: 8/9 - P1D 18g - Events - Had new house member**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3344.61	77.22	4123.89	95.22
Yes	1	207.11	4.78	4331.00	100.00

**ehs27f: 8/9 - P1D 18h - Events - problem with friend/relative**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3158.19	72.92	3937.47	90.91
Yes	1	393.53	9.09	4331.00	100.00

**ehs27k: 8/9 - P1D 18i - Events - had a major financial crisis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3269.12	75.48	4048.40	93.47
Yes	1	282.60	6.53	4331.00	100.00

**ehs27g: 8/9 - P1D 18j - Events - work disappointment**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3318.28	76.62	4097.56	94.61
Yes	1	233.44	5.39	4331.00	100.00

**ehs27h: 8/9 - P1D 18k - Events - thought would soon lose job**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3435.81	79.33	4215.08	97.32
Yes	1	115.92	2.68	4331.00	100.00



**ehs27i: 8/9 - P1D 18l - Any stressful life events**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3424.77	79.08	4204.04	97.07
Yes	1	126.96	2.93	4331.00	100.00

**ehs27j: 8/9 - P1D 18m - Events - sought work unsuccessfully**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3397.24	78.44	4176.51	96.43
Yes	1	154.49	3.57	4331.00	100.00

**ehs27l: 8/9 - P1D 18n - Events - legal problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3467.86	80.07	4247.13	98.06
Yes	1	83.87	1.94	4331.00	100.00

**ehs27m: 8/9 - P1D 18o - Events - Valuable lost or stolen**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3397.27	78.44	4176.54	96.43
Yes	1	154.46	3.57	4331.00	100.00

**ehs27n: 8/9 - P1D 18p - Events - household D+A problem**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	150.45	3.47	150.45	3.47
-9	-9	628.83	14.52	779.27	17.99
No	0	3450.77	79.68	4230.04	97.67
Yes	1	100.96	2.33	4331.00	100.00

**ehs27o: 8/9 - Events - relationship separation**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	4244.40	98.00	4244.40	98.00
Yes	1	86.60	2.00	4331.00	100.00

**esle: 8/9 - Stressful Life Events Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	779.27	17.99	779.27	17.99
0	1586.15	36.62	2365.42	54.62
1	1013.58	23.40	3379.00	78.02
2	538.48	12.43	3917.48	90.45
3	218.83	5.05	4136.31	95.50

**esle: 8/9 - Stressful Life Events Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	106.27	2.45	4242.58	97.96
5	50.12	1.16	4292.70	99.12
6	15.47	0.36	4308.17	99.47
7	10.63	0.25	4318.80	99.72
8	3.63	0.08	4322.43	99.80
9	4.40	0.10	4326.84	99.90
11	3.59	0.08	4330.43	99.99
16	0.57	0.01	4331.00	100.00

**ehs26a1: 8/9 - P1 - P1D 19 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.00	0.35	15.00	0.35
-9	-9	628.83	14.52	643.83	14.87
No problems or stress	1	272.53	6.29	916.36	21.16
Few problems or stresses	2	1556.19	35.93	2472.55	57.09
Some problems and stresses	3	1493.59	34.49	3966.14	91.58
Many problems and stresses	4	294.58	6.80	4260.73	98.38
Very many problems and stresses	5	70.27	1.62	4331.00	100.00

**ehs26a2: 8/9 - P1 - P1D 20 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.80	0.46	19.80	0.46
-9	-9	628.83	14.52	648.63	14.98
Not at all	1	32.57	0.75	681.20	15.73
A little	2	180.17	4.16	861.37	19.89
Fairly well	3	1862.83	43.01	2724.20	62.90
Very well	4	1383.68	31.95	4107.88	94.85
Extremely well	5	223.12	5.15	4331.00	100.00

**ehs25a1: 8/9 - P1 - P1D 21 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.88	1.11	47.88	1.11
-9	-9	628.83	14.52	676.71	15.62
Yes	1	1235.02	28.52	1911.72	44.14
No	2	2419.28	55.86	4331.00	100.00

**ehs26a3: 8/9 - P1 - P1D 22 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	774.82	17.89	774.82	17.89
-9	-9	628.83	14.52	1403.64	32.41
Always	1	444.22	10.26	1847.87	42.67
Often	2	1298.78	29.99	3146.65	72.65
Sometimes	3	936.25	21.62	4082.90	94.27
Rarely	4	215.46	4.97	4298.36	99.25
Never	5	32.64	0.75	4331.00	100.00

**ehs24a1: 8/9 - P1 - P1D 24a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.74	0.94	40.74	0.94
-9	-9	628.83	14.52	669.57	15.46
All of the time	1	24.17	0.56	693.74	16.02
Most of the time	2	96.27	2.22	790.01	18.24
Some of the time	3	508.82	11.75	1298.84	29.99
A little of the time	4	1349.90	31.17	2648.73	61.16
None of the time	5	1682.26	38.84	4331.00	100.00

**ehs24a2: 8/9 - P1 - P1D 24b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.35	1.12	48.35	1.12
-9	-9	628.83	14.52	677.18	15.64
All of the time	1	17.76	0.41	694.93	16.05
Most of the time	2	76.13	1.76	771.07	17.80
Some of the time	3	369.15	8.52	1140.21	26.33
A little of the time	4	801.74	18.51	1941.96	44.84
None of the time	5	2389.04	55.16	4331.00	100.00

**ehs24a3: 8/9 - P1 - P1D 24c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.45	1.14	49.45	1.14
-9	-9	628.83	14.52	678.28	15.66
All of the time	1	21.03	0.49	699.32	16.15
Most of the time	2	106.27	2.45	805.58	18.60
Some of the time	3	450.93	10.41	1256.51	29.01
A little of the time	4	1044.37	24.11	2300.87	53.13
None of the time	5	2030.13	46.87	4331.00	100.00

**ehs24a4: 8/9 - P1 - P1D 24d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.96	0.99	42.96	0.99
-9	-9	628.83	14.52	671.79	15.51
All of the time	1	49.79	1.15	721.58	16.66
Most of the time	2	212.79	4.91	934.37	21.57
Some of the time	3	686.32	15.85	1620.68	37.42
A little of the time	4	1451.84	33.52	3072.52	70.94
None of the time	5	1258.47	29.06	4331.00	100.00

**ehs24a5: 8/9 - P1 - P1D 24e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.78	0.85	36.78	0.85
-9	-9	628.83	14.52	665.61	15.37
All of the time	1	21.11	0.49	686.71	15.86
Most of the time	2	76.04	1.76	762.76	17.61
Some of the time	3	285.66	6.60	1048.42	24.21

**ehs24a5: 8/9 - P1 - P1D 24e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	663.37	15.32	1711.79	39.52
None of the time	5	2619.21	60.48	4331.00	100.00

**ehs24a6: 8/9 - P1 - P1D 24f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.65	1.08	46.65	1.08
-9	-9	628.83	14.52	675.48	15.60
All of the time	1	20.26	0.47	695.74	16.06
Most of the time	2	81.99	1.89	777.74	17.96
Some of the time	3	208.65	4.82	986.38	22.77
A little of the time	4	476.90	11.01	1463.29	33.79
None of the time	5	2867.71	66.21	4331.00	100.00

**eak6g: 8/9 - P1 - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	705.72	16.29	705.72	16.29
No probable serious mental illness	0	3497.77	80.76	4203.50	97.06
Probable serious mental illness	1	127.50	2.94	4331.00	100.00

**eak6s: 8/9 - P1 - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	705.72	16.29	705.72	16.29
6	674.97	15.58	1380.69	31.88
7	573.21	13.24	1953.90	45.11
8	569.35	13.15	2523.25	58.26
9	428.03	9.88	2951.28	68.14
10	326.98	7.55	3278.27	75.69
11	239.08	5.52	3517.34	81.21
12	166.50	3.84	3683.84	85.06
13	135.45	3.13	3819.30	88.19
14	112.75	2.60	3932.04	90.79
15	81.44	1.88	4013.48	92.67
16	89.63	2.07	4103.11	94.74
17	48.98	1.13	4152.09	95.87
18	51.41	1.19	4203.50	97.06
19	30.46	0.70	4233.96	97.76
20	19.35	0.45	4253.31	98.21
21	16.04	0.37	4269.35	98.58
22	17.61	0.41	4286.96	98.98
23	21.43	0.49	4308.38	99.48
24	7.30	0.17	4315.69	99.65
25	5.87	0.14	4321.56	99.78
27	3.00	0.07	4324.56	99.85
28	1.64	0.04	4326.20	99.89
29	3.08	0.07	4329.28	99.96
30	1.72	0.04	4331.00	100.00

**ehs13b: 8/9 - P2 - P2L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.74	0.16	6.74	0.16
-9	-9	1858.37	42.91	1865.11	43.06
Excellent	1	483.64	11.17	2348.75	54.23
Very good	2	1006.38	23.24	3355.13	77.47
Good	3	754.55	17.42	4109.68	94.89
Fair	4	199.13	4.60	4308.81	99.49
Poor	5	22.19	0.51	4331.00	100.00

**ehs23b2: 8/9 - P2 - P2L 12 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	70.29	1.62	70.29	1.62
-9	1858.37	42.91	1928.66	44.53
40	3.83	0.09	1932.49	44.62
50	22.73	0.52	1955.22	45.14
60	109.41	2.53	2064.63	47.67
70	349.46	8.07	2414.09	55.74
80	634.52	14.65	3048.61	70.39
90	601.00	13.88	3649.61	84.27
100	379.09	8.75	4028.70	93.02
110	173.70	4.01	4202.40	97.03
120	69.72	1.61	4272.12	98.64
130	42.88	0.99	4315.00	99.63
140	10.39	0.24	4325.39	99.87
150	5.61	0.13	4331.00	100.00

**ehs23b1: 8/9 - P2 - P2L 13 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	65.71	1.52	65.71	1.52
-9	1858.37	42.91	1924.08	44.43
150	21.55	0.50	1945.63	44.92
160	128.44	2.97	2074.07	47.89
170	600.81	13.87	2674.88	61.76
180	1241.73	28.67	3916.60	90.43
190	384.79	8.88	4301.39	99.32
200	29.61	0.68	4331.00	100.00

**ebbmi: 8/9 - P2 - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1980.10	45.72	1980.10	45.72
15	5.81	0.13	1985.91	45.85
20	224.53	5.18	2210.44	51.04
25	1085.45	25.06	3295.89	76.10
30	764.31	17.65	4060.21	93.75
35	210.64	4.86	4270.85	98.61
40	43.35	1.00	4314.20	99.61
45	16.80	0.39	4331.00	100.00

**ehs35b: 8/9 - P2 - P2L 15 - Currently pregnant**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.82	0.13	5.82	0.13
-9	-9	4226.87	97.60	4232.70	97.73
Not sure, possibly	-2	1.01	0.02	4233.71	97.75
Yes	1	1.56	0.04	4235.27	97.79
No	2	95.73	2.21	4331.00	100.00

**ehs26b1: 8/9 - P2 - P2L 21 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.60	0.36	15.60	0.36
-9	-9	1858.37	42.91	1873.98	43.27
No problems or stress	1	165.56	3.82	2039.54	47.09
Few problems or stresses	2	989.07	22.84	3028.61	69.93
Some problems and stresses	3	1021.80	23.59	4050.41	93.52
Many problems and stresses	4	247.96	5.73	4298.36	99.25
Very many problems and stresses	5	32.64	0.75	4331.00	100.00

**ehs26b2: 8/9 - P2 - P2L 22 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.37	0.45	19.37	0.45
-9	-9	1858.37	42.91	1877.74	43.36
Not at all	1	11.47	0.26	1889.21	43.62
A little	2	99.99	2.31	1989.20	45.93
Fairly well	3	1174.52	27.12	3163.72	73.05
Very well	4	978.09	22.58	4141.81	95.63
Extremely well	5	189.19	4.37	4331.00	100.00

**ehs25b1: 8/9 - P2 - P2L 23 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.20	0.54	23.20	0.54
-9	-9	1858.37	42.91	1881.57	43.44
Yes	1	769.61	17.77	2651.19	61.21
No	2	1679.81	38.79	4331.00	100.00

**ehs26b3: 8/9 - P2 - P2L 24 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.60	0.41	17.60	0.41
-9	-9	1858.37	42.91	1875.98	43.32
Always	1	250.59	5.79	2126.56	49.10
Often	2	851.37	19.66	2977.93	68.76
Sometimes	3	965.60	22.30	3943.53	91.05
Rarely	4	338.78	7.82	4282.32	98.88
Never	5	48.68	1.12	4331.00	100.00

**ehs24b1: 8/9 - P2 - P2L 26a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.07	0.60	26.07	0.60
-9	-9	1858.37	42.91	1884.44	43.51
All of the time	1	6.96	0.16	1891.40	43.67
Most of the time	2	35.16	0.81	1926.56	44.48
Some of the time	3	311.59	7.19	2238.15	51.68
A little of the time	4	879.69	20.31	3117.84	71.99
None of the time	5	1213.16	28.01	4331.00	100.00

**ehs24b2: 8/9 - P2 - P2L 26b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.91	0.62	26.91	0.62
-9	-9	1858.37	42.91	1885.28	43.53
All of the time	1	4.41	0.10	1889.69	43.63
Most of the time	2	28.22	0.65	1917.92	44.28
Some of the time	3	157.86	3.64	2075.77	47.93
A little of the time	4	384.92	8.89	2460.70	56.82
None of the time	5	1870.30	43.18	4331.00	100.00

**ehs24b3: 8/9 - P2 - P2L 26c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.10	0.63	27.10	0.63
-9	-9	1858.37	42.91	1885.48	43.53
All of the time	1	13.87	0.32	1899.35	43.85
Most of the time	2	79.09	1.83	1978.44	45.68
Some of the time	3	447.89	10.34	2426.32	56.02
A little of the time	4	782.89	18.08	3209.22	74.10
None of the time	5	1121.78	25.90	4331.00	100.00

**ehs24b4: 8/9 - P2 - P2L 26d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.50	0.75	32.50	0.75
-9	-9	1858.37	42.91	1890.87	43.66
All of the time	1	26.02	0.60	1916.89	44.26
Most of the time	2	97.78	2.26	2014.67	46.52
Some of the time	3	384.11	8.87	2398.77	55.39
A little of the time	4	877.04	20.25	3275.81	75.64
None of the time	5	1055.19	24.36	4331.00	100.00

**ehs24b5: 8/9 - P2 - P2L 26e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.08	0.65	28.08	0.65
-9	-9	1858.37	42.91	1886.45	43.56
All of the time	1	3.70	0.09	1890.15	43.64
Most of the time	2	19.92	0.46	1910.07	44.10
Some of the time	3	133.18	3.08	2043.26	47.18

**ehs24b5: 8/9 - P2 - P2L 26e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	360.20	8.32	2403.46	55.49
None of the time	5	1927.54	44.51	4331.00	100.00

**ehs24b6: 8/9 - P2 - P2L 26f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.46	0.61	26.46	0.61
-9	-9	1858.37	42.91	1884.84	43.52
All of the time	1	8.77	0.20	1893.61	43.72
Most of the time	2	26.75	0.62	1920.36	44.34
Some of the time	3	111.94	2.58	2032.30	46.92
A little of the time	4	256.24	5.92	2288.54	52.84
None of the time	5	2042.46	47.16	4331.00	100.00

**ebk6g: 8/9 - P2 - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1902.27	43.92	1902.27	43.92
No probable serious mental illness	0	2389.49	55.17	4291.77	99.09
Probable serious mental illness	1	39.23	0.91	4331.00	100.00

**ebk6s: 8/9 - P2 - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1902.27	43.92	1902.27	43.92
6	560.52	12.94	2462.79	56.86
7	361.63	8.35	2824.43	65.21
8	396.87	9.16	3221.30	74.38
9	287.61	6.64	3508.91	81.02
10	222.41	5.14	3731.32	86.15
11	148.05	3.42	3879.36	89.57
12	94.17	2.17	3973.54	91.75
13	81.03	1.87	4054.56	93.62
14	72.37	1.67	4126.93	95.29
15	53.41	1.23	4180.34	96.52
16	46.50	1.07	4226.84	97.59
17	35.38	0.82	4262.21	98.41
18	29.55	0.68	4291.77	99.09
19	9.01	0.21	4300.77	99.30
20	6.09	0.14	4306.86	99.44
21	10.93	0.25	4317.79	99.70
22	6.21	0.14	4324.00	99.84
23	0.84	0.02	4324.84	99.86
24	0.94	0.02	4325.78	99.88
25	2.09	0.05	4327.87	99.93
26	0.85	0.02	4328.73	99.95
27	0.54	0.01	4329.27	99.96
30	1.73	0.04	4331.00	100.00



**ehs13p: 8/9 - PLE - PLE 32 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
Excellent	1	73.26	1.69	3973.39	91.74
Very good	2	148.18	3.42	4121.58	95.16
Good	3	139.70	3.23	4261.28	98.39
Fair	4	60.03	1.39	4321.31	99.78
Poor	5	9.69	0.22	4331.00	100.00

**ehs25p1: 8/9 - PLE - PLE 35 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
Yes	1	249.31	5.76	4149.44	95.81
No	2	181.56	4.19	4331.00	100.00

**ehs24p1: 8/9 - PLE - PLE 36.1 - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
All of the time	1	7.39	0.17	3907.52	90.22
Most of the time	2	23.04	0.53	3930.56	90.75
Some of the time	3	66.89	1.54	3997.45	92.30
A little of the time	4	133.74	3.09	4131.19	95.39
None of the time	5	199.81	4.61	4331.00	100.00

**ehs24p2: 8/9 - PLE - PLE 36.2 - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
All of the time	1	6.26	0.14	3906.39	90.20
Most of the time	2	17.04	0.39	3923.44	90.59
Some of the time	3	36.68	0.85	3960.11	91.44
A little of the time	4	77.45	1.79	4037.57	93.22
None of the time	5	293.43	6.78	4331.00	100.00

**ehs24p3: 8/9 - PLE - PLE 36.3 - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
All of the time	1	16.32	0.38	3916.45	90.43
Most of the time	2	38.20	0.88	3954.65	91.31
Some of the time	3	80.84	1.87	4035.50	93.18
A little of the time	4	139.18	3.21	4174.68	96.39
None of the time	5	156.32	3.61	4331.00	100.00

**ehs24p4: 8/9 - PLE - PLE 36.4 - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
All of the time	1	7.16	0.17	3907.29	90.22
Most of the time	2	39.78	0.92	3947.07	91.14
Some of the time	3	82.68	1.91	4029.75	93.04
A little of the time	4	119.37	2.76	4149.12	95.80
None of the time	5	181.88	4.20	4331.00	100.00

**ehs24p5: 8/9 - PLE - PLE 36.5 - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
All of the time	1	3.54	0.08	3903.67	90.13
Most of the time	2	11.45	0.26	3915.12	90.40
Some of the time	3	42.88	0.99	3958.00	91.39
A little of the time	4	74.83	1.73	4032.83	93.12
None of the time	5	298.17	6.88	4331.00	100.00

**ehs24p6: 8/9 - PLE - PLE 36.6 - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.28	0.05	2.28	0.05
-9	-9	3897.85	90.00	3900.13	90.05
All of the time	1	1.35	0.03	3901.48	90.08
Most of the time	2	11.40	0.26	3912.89	90.35
Some of the time	3	33.16	0.77	3946.05	91.11
A little of the time	4	38.98	0.90	3985.03	92.01
None of the time	5	345.97	7.99	4331.00	100.00

**epk6g: 8/9 - PLE - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3900.13	90.05	3900.13	90.05
No probable serious mental illness	0	404.10	9.33	4304.23	99.38
Probable serious mental illness	1	26.77	0.62	4331.00	100.00

**epk6s: 8/9 - PLE - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3900.13	90.05	3900.13	90.05
6	70.22	1.62	3970.35	91.67
7	56.44	1.30	4026.79	92.98
8	56.62	1.31	4083.41	94.28
9	46.86	1.08	4130.28	95.37
10	53.87	1.24	4184.15	96.61
11	23.55	0.54	4207.70	97.15
12	27.53	0.64	4235.22	97.79
13	18.77	0.43	4254.00	98.22
14	9.16	0.21	4263.16	98.43

**epk6s: 8/9 - PLE - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	10.75	0.25	4273.91	98.68
16	13.65	0.32	4287.56	99.00
17	12.59	0.29	4300.15	99.29
18	4.08	0.09	4304.23	99.38
19	1.91	0.04	4306.14	99.43
20	6.03	0.14	4312.18	99.57
21	4.77	0.11	4316.94	99.68
22	4.57	0.11	4321.52	99.78
23	5.18	0.12	4326.70	99.90
24	1.21	0.03	4327.91	99.93
25	0.92	0.02	4328.84	99.95
26	0.81	0.02	4329.65	99.97
27	0.89	0.02	4330.54	99.99
28	0.46	0.01	4331.00	100.00

**ehs13m: 8/9 - M - P1D 11+P2L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.33	0.72	31.33	0.72
-9	-9	691.28	15.96	722.61	16.68
Excellent	1	733.78	16.94	1456.39	33.63
Very good	2	1474.14	34.04	2930.52	67.66
Good	3	1058.14	24.43	3988.66	92.10
Fair	4	291.84	6.74	4280.51	98.83
Poor	5	50.49	1.17	4331.00	100.00

**ehs23m2: 8/9 - M - P1D 15+P2L 12 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	166.31	3.84	166.31	3.84
-9	691.28	15.96	857.60	19.80
40	26.98	0.62	884.58	20.42
50	395.03	9.12	1279.60	29.55
60	984.95	22.74	2264.55	52.29
70	926.16	21.38	3190.71	73.67
80	551.39	12.73	3742.09	86.40
90	297.61	6.87	4039.70	93.27
100	165.93	3.83	4205.63	97.11
110	70.42	1.63	4276.05	98.73
120	34.84	0.80	4310.89	99.54
130	11.56	0.27	4322.45	99.80
140	8.55	0.20	4331.00	100.00

**ehs23m1: 8/9 - M - F2F W1-2+A34+P2L 13 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	153.86	3.55	153.86	3.55
-9	695.51	16.06	849.37	19.61
140	7.03	0.16	856.40	19.77
150	320.35	7.40	1176.74	27.17

**ehs23m1: 8/9 - M - F2F W1-2+A34+P2L 13 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
160	1501.04	34.66	2677.78	61.83
170	1325.17	30.60	4002.95	92.43
180	315.73	7.29	4318.67	99.72
190	12.33	0.28	4331.00	100.00

**embmi: 8/9 - M - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	999.04	23.07	999.04	23.07
15	28.91	0.67	1027.95	23.73
20	927.37	21.41	1955.32	45.15
25	1301.31	30.05	3256.63	75.19
30	658.64	15.21	3915.27	90.40
35	284.53	6.57	4199.80	96.97
40	91.93	2.12	4291.73	99.09
45	30.66	0.71	4322.39	99.80
50	8.61	0.20	4331.00	100.00

**ehs35m: 8/9 - M - P1D 17+P2L 15 - Currently pregnant**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	102.27	2.36	102.27	2.36
-9	-9	691.28	15.96	793.55	18.32
Not sure, possibly	-2	9.45	0.22	803.00	18.54
Yes	1	81.32	1.88	884.32	20.42
No	2	3446.68	79.58	4331.00	100.00

**ehs26m1: 8/9 - M - P1D 19+P2L 21 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.82	0.37	15.82	0.37
-9	-9	691.28	15.96	707.10	16.33
No problems or stress	1	266.94	6.16	974.04	22.49
Few problems or stresses	2	1535.86	35.46	2509.89	57.95
Some problems and stresses	3	1462.23	33.76	3972.12	91.71
Many problems and stresses	4	292.98	6.76	4265.09	98.48
Very many problems and stresses	5	65.91	1.52	4331.00	100.00

**ehs26m2: 8/9 - M - P1D 20+P2L 22 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.62	0.48	20.62	0.48
-9	-9	691.28	15.96	711.90	16.44
Not at all	1	31.17	0.72	743.07	17.16
A little	2	178.32	4.12	921.39	21.27
Fairly well	3	1821.46	42.06	2742.85	63.33
Very well	4	1365.49	31.53	4108.33	94.86
Extremely well	5	222.67	5.14	4331.00	100.00

**ehs25m1: 8/9 - M - P1D 21+P2L 23 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.25	1.09	47.25	1.09
-9	-9	691.28	15.96	738.53	17.05
Yes	1	1215.22	28.06	1953.76	45.11
No	2	2377.24	54.89	4331.00	100.00

**ehs26m3: 8/9 - M - P1D 22+P2L 24 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	734.04	16.95	734.04	16.95
-9	-9	691.28	15.96	1425.33	32.91
Always	1	449.28	10.37	1874.60	43.28
Often	2	1290.38	29.79	3164.98	73.08
Sometimes	3	924.50	21.35	4089.48	94.42
Rarely	4	210.68	4.86	4300.16	99.29
Never	5	30.84	0.71	4331.00	100.00

**ehs24m1: 8/9 - M - P1D 24a+P2L 26a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.75	0.87	37.75	0.87
-9	-9	691.28	15.96	729.03	16.83
All of the time	1	24.17	0.56	753.20	17.39
Most of the time	2	95.72	2.21	848.93	19.60
Some of the time	3	504.66	11.65	1353.59	31.25
A little of the time	4	1334.80	30.82	2688.39	62.07
None of the time	5	1642.61	37.93	4331.00	100.00

**ehs24m2: 8/9 - M - P1D 24b+P2L 26b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.39	1.05	45.39	1.05
-9	-9	691.28	15.96	736.67	17.01
All of the time	1	17.76	0.41	754.42	17.42
Most of the time	2	73.25	1.69	827.67	19.11
Some of the time	3	372.31	8.60	1199.98	27.71
A little of the time	4	785.17	18.13	1985.15	45.84
None of the time	5	2345.85	54.16	4331.00	100.00

**ehs24m3: 8/9 - M - P1D 24c+P2L 26c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.67	1.17	50.67	1.17
-9	-9	691.28	15.96	741.95	17.13
All of the time	1	19.89	0.46	761.84	17.59
Most of the time	2	102.97	2.38	864.81	19.97
Some of the time	3	435.61	10.06	1300.42	30.03
A little of the time	4	1028.73	23.75	2329.15	53.78
None of the time	5	2001.85	46.22	4331.00	100.00

**ehs24m4: 8/9 - M - P1D 24d+P2L 26d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.54	0.98	42.54	0.98
-9	-9	691.28	15.96	733.82	16.94
All of the time	1	50.64	1.17	784.46	18.11
Most of the time	2	204.87	4.73	989.33	22.84
Some of the time	3	681.74	15.74	1671.07	38.58
A little of the time	4	1423.59	32.87	3094.67	71.45
None of the time	5	1236.33	28.55	4331.00	100.00

**ehs24m5: 8/9 - M - P1D 24e+P2L 26e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.83	0.80	34.83	0.80
-9	-9	691.28	15.96	726.11	16.77
All of the time	1	21.11	0.49	747.22	17.25
Most of the time	2	71.83	1.66	819.05	18.91
Some of the time	3	282.47	6.52	1101.52	25.43
A little of the time	4	659.73	15.23	1761.25	40.67
None of the time	5	2569.75	59.33	4331.00	100.00

**ehs24m6: 8/9 - M - P1D 24f+P2L 26f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.70	1.03	44.70	1.03
-9	-9	691.28	15.96	735.98	16.99
All of the time	1	21.31	0.49	757.30	17.49
Most of the time	2	78.53	1.81	835.83	19.30
Some of the time	3	208.25	4.81	1044.08	24.11
A little of the time	4	472.15	10.90	1516.24	35.01
None of the time	5	2814.76	64.99	4331.00	100.00

**emk6g: 8/9 - M - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	766.01	17.69	766.01	17.69
No probable serious mental illness	0	3440.84	79.45	4206.85	97.13
Probable serious mental illness	1	124.15	2.87	4331.00	100.00

**emk6s: 8/9 - M - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	766.01	17.69	766.01	17.69
6	660.36	15.25	1426.37	32.93
7	563.57	13.01	1989.94	45.95
8	549.81	12.69	2539.74	58.64
9	418.28	9.66	2958.03	68.30
10	329.94	7.62	3287.97	75.92
11	243.10	5.61	3531.07	81.53
12	163.40	3.77	3694.47	85.30
13	134.80	3.11	3829.27	88.42
14	109.94	2.54	3939.21	90.95

**emk6s: 8/9 - M - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	79.31	1.83	4018.52	92.79
16	89.64	2.07	4108.16	94.85
17	49.35	1.14	4157.51	95.99
18	49.34	1.14	4206.85	97.13
19	30.33	0.70	4237.18	97.83
20	19.48	0.45	4256.66	98.28
21	16.04	0.37	4272.70	98.65
22	17.61	0.41	4290.31	99.06
23	19.47	0.45	4309.78	99.51
24	5.91	0.14	4315.69	99.65
25	5.87	0.14	4321.56	99.78
27	3.00	0.07	4324.56	99.85
28	1.64	0.04	4326.20	99.89
29	3.08	0.07	4329.28	99.96
30	1.72	0.04	4331.00	100.00

**ehs13f: 8/9 - F - P1D 11+P2L 8 - Global health measure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.92	0.14	5.92	0.14
-9	-9	1795.92	41.47	1801.84	41.60
Excellent	1	477.27	11.02	2279.11	52.62
Very good	2	1034.15	23.88	3313.25	76.50
Good	3	778.05	17.96	4091.30	94.47
Fair	4	211.17	4.88	4302.46	99.34
Poor	5	28.54	0.66	4331.00	100.00

**ehs23f2: 8/9 - F - P1D 15+P2L 12 - Weight (kg)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.72	1.54	66.72	1.54
-9	1795.92	41.47	1862.64	43.01
40	1.26	0.03	1863.90	43.04
50	13.11	0.30	1877.01	43.34
60	94.59	2.18	1971.60	45.52
70	353.06	8.15	2324.66	53.67
80	656.68	15.16	2981.34	68.84
90	638.34	14.74	3619.67	83.58
100	403.16	9.31	4022.83	92.88
110	176.81	4.08	4199.65	96.97
120	71.32	1.65	4270.97	98.61
130	44.03	1.02	4315.00	99.63
140	10.39	0.24	4325.39	99.87
150	5.61	0.13	4331.00	100.00

**ehs23f1: 8/9 - F - F2F W1-2+A34+P2L 13 - Height (cm)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	68.54	1.58	68.54	1.58
-9	1797.10	41.49	1865.65	43.08
150	6.87	0.16	1872.51	43.24
160	90.30	2.08	1962.81	45.32
170	627.59	14.49	2590.40	59.81
180	1299.26	30.00	3889.66	89.81
190	411.74	9.51	4301.39	99.32
200	29.61	0.68	4331.00	100.00

**efbmi: 8/9 - F - Body Mass Index**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1918.09	44.29	1918.09	44.29
15	8.08	0.19	1926.17	44.47
20	214.61	4.96	2140.77	49.43
25	1128.05	26.05	3268.83	75.48
30	795.66	18.37	4064.48	93.85
35	209.35	4.83	4273.83	98.68
40	41.91	0.97	4315.74	99.65
45	15.26	0.35	4331.00	100.00

**ehs35f: 8/9 - F - P1D 17+P2L 15 - Currently pregnant**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.92	0.02	0.92	0.02
-9	-9	4323.16	99.82	4324.08	99.84
No	2	6.92	0.16	4331.00	100.00

**ehs26f1: 8/9 - F - P1D 19+P2L 21 - Difficulty of life at present**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.79	0.34	14.79	0.34
-9	-9	1795.92	41.47	1810.71	41.81
No problems or stress	1	171.16	3.95	1981.87	45.76
Few problems or stresses	2	1009.40	23.31	2991.27	69.07
Some problems and stresses	3	1053.16	24.32	4044.43	93.38
Many problems and stresses	4	249.56	5.76	4294.00	99.15
Very many problems and stresses	5	37.00	0.85	4331.00	100.00

**ehs26f2: 8/9 - F - P1D 20+P2L 22 - Level of coping**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.55	0.43	18.55	0.43
-9	-9	1795.92	41.47	1814.47	41.90
Not at all	1	12.86	0.30	1827.34	42.19
A little	2	101.84	2.35	1929.18	44.54
Fairly well	3	1215.90	28.07	3145.08	72.62
Very well	4	996.28	23.00	4141.36	95.62
Extremely well	5	189.64	4.38	4331.00	100.00



**ehs25f1: 8/9 - F - P1D 21+P2L 23 - Depression 2 weeks in past year**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.83	0.55	23.83	0.55
-9	-9	1795.92	41.47	1819.75	42.02
Yes	1	789.41	18.23	2609.15	60.24
No	2	1721.85	39.76	4331.00	100.00

**ehs26f3: 8/9 - F - P1D 22+P2L 24 - Frequency of feeling rushed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.37	1.35	58.37	1.35
-9	-9	1795.92	41.47	1854.29	42.81
Always	1	245.53	5.67	2099.83	48.48
Often	2	859.77	19.85	2959.60	68.34
Sometimes	3	977.36	22.57	3936.95	90.90
Rarely	4	343.57	7.93	4280.52	98.83
Never	5	50.48	1.17	4331.00	100.00

**ehs24f1: 8/9 - F - P1D 24a+P2L 26a - Felt nervous**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.06	0.67	29.06	0.67
-9	-9	1795.92	41.47	1824.98	42.14
All of the time	1	6.96	0.16	1831.94	42.30
Most of the time	2	35.71	0.82	1867.65	43.12
Some of the time	3	315.75	7.29	2183.40	50.41
A little of the time	4	894.80	20.66	3078.19	71.07
None of the time	5	1252.81	28.93	4331.00	100.00

**ehs24f2: 8/9 - F - P1D 24b+P2L 26b - Felt hopeless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.87	0.69	29.87	0.69
-9	-9	1795.92	41.47	1825.79	42.16
All of the time	1	4.41	0.10	1830.20	42.26
Most of the time	2	31.11	0.72	1861.31	42.98
Some of the time	3	154.70	3.57	2016.01	46.55
A little of the time	4	401.50	9.27	2417.51	55.82
None of the time	5	1913.49	44.18	4331.00	100.00

**ehs24f3: 8/9 - F - P1D 24c+P2L 26c - Felt restless or fidgety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.89	0.60	25.89	0.60
-9	-9	1795.92	41.47	1821.81	42.06
All of the time	1	15.02	0.35	1836.83	42.41
Most of the time	2	82.38	1.90	1919.21	44.31
Some of the time	3	463.21	10.70	2382.41	55.01
A little of the time	4	798.53	18.44	3180.94	73.45
None of the time	5	1150.06	26.55	4331.00	100.00

**ehs24f4: 8/9 - F - P1D 24d+P2L 26d - Felt everything was an effort**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.92	0.76	32.92	0.76
-9	-9	1795.92	41.47	1828.84	42.23
All of the time	1	25.16	0.58	1854.00	42.81
Most of the time	2	105.70	2.44	1959.70	45.25
Some of the time	3	388.69	8.97	2348.39	54.22
A little of the time	4	905.28	20.90	3253.67	75.13
None of the time	5	1077.33	24.87	4331.00	100.00

**ehs24f5: 8/9 - F - P1D 24e+P2L 26e - Felt so sad couldn't cheer up**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.03	0.69	30.03	0.69
-9	-9	1795.92	41.47	1825.95	42.16
All of the time	1	3.70	0.09	1829.65	42.25
Most of the time	2	24.13	0.56	1853.78	42.80
Some of the time	3	136.37	3.15	1990.16	45.95
A little of the time	4	363.84	8.40	2354.00	54.35
None of the time	5	1977.00	45.65	4331.00	100.00

**ehs24f6: 8/9 - F - P1D 24f+P2L 26f - Felt worthless**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.42	0.66	28.42	0.66
-9	-9	1795.92	41.47	1824.33	42.12
All of the time	1	7.72	0.18	1832.06	42.30
Most of the time	2	30.21	0.70	1862.27	43.00
Some of the time	3	112.34	2.59	1974.60	45.59
A little of the time	4	260.99	6.03	2235.59	51.62
None of the time	5	2095.41	48.38	4331.00	100.00

**efk6g: 8/9 - F - K-6 Depression scale group**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1841.99	42.53	1841.99	42.53
No probable serious mental illness	0	2446.42	56.49	4288.41	99.02
Probable serious mental illness	1	42.59	0.98	4331.00	100.00

**efk6s: 8/9 - F - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1841.99	42.53	1841.99	42.53
6	575.13	13.28	2417.12	55.81
7	371.28	8.57	2788.39	64.38
8	416.41	9.61	3204.81	74.00
9	297.36	6.87	3502.17	80.86
10	219.45	5.07	3721.62	85.93
11	144.02	3.33	3865.63	89.26
12	97.28	2.25	3962.91	91.50
13	81.68	1.89	4044.59	93.39
14	75.18	1.74	4119.77	95.12

**efk6s: 8/9 - F - K-6 Depression scale summed score**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
15	55.54	1.28	4175.30	96.41
16	46.48	1.07	4221.79	97.48
17	35.01	0.81	4256.80	98.29
18	31.61	0.73	4288.41	99.02
19	9.14	0.21	4297.55	99.23
20	5.96	0.14	4303.51	99.37
21	10.93	0.25	4314.44	99.62
22	6.21	0.14	4320.65	99.76
23	2.80	0.06	4323.45	99.83
24	2.34	0.05	4325.78	99.88
25	2.09	0.05	4327.87	99.93
26	0.85	0.02	4328.73	99.95
27	0.54	0.01	4329.27	99.96
30	1.73	0.04	4331.00	100.00