

## 04 Health behaviour and risk factors

### ehb13a2b: 8/9 - P1 - CASI H7.1 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.35	2.68	109.35	2.68
-3	5.98	0.15	115.33	2.82
0	286.10	7.00	401.44	9.83
1	1827.20	44.73	2228.63	54.56
2	1279.14	31.31	3507.78	85.87
3	452.22	11.07	3960.00	96.94
4	82.65	2.02	4042.64	98.96
5	28.23	0.69	4070.87	99.65
6	11.14	0.27	4082.02	99.93
7	0.90	0.02	4082.92	99.95
8	2.08	0.05	4085.00	100.00

### ehb13a2a: 8/9 - P1 - CASI H7.1 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	109.35	2.68	109.35	2.68
-3	-3	5.98	0.15	115.33	2.82
Less than 1	0	286.10	7.00	401.44	9.83
1	1	1827.20	44.73	2228.63	54.56
2	2	1279.14	31.31	3507.78	85.87
3	3	452.22	11.07	3960.00	96.94
4	4	82.65	2.02	4042.64	98.96
5	5	28.23	0.69	4070.87	99.65
6 or more	6	14.13	0.35	4085.00	100.00

### ehb13a1b: 8/9 - P1 - CASI H7.2 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.35	2.68	109.35	2.68
-3	5.57	0.14	114.91	2.81
0	28.78	0.70	143.69	3.52
1	1003.81	24.57	1147.50	28.09
2	1276.41	31.25	2423.91	59.34
3	924.62	22.63	3348.54	81.97
4	444.25	10.88	3792.78	92.85
5	226.65	5.55	4019.44	98.40
6	49.61	1.21	4069.05	99.61
7	8.60	0.21	4077.64	99.82
8	6.49	0.16	4084.13	99.98
10	0.87	0.02	4085.00	100.00

### ehb13a1a: 8/9 - P1 - CASI H7.2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	109.35	2.68	109.35	2.68
-3	-3	5.57	0.14	114.91	2.81
Less than 1	0	28.78	0.70	143.69	3.52
1	1	1003.81	24.57	1147.50	28.09

**ehb13a1a: 8/9 - P1 - CASI H7.2 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	2	1276.41	31.25	2423.91	59.34
3	3	924.62	22.63	3348.54	81.97
4	4	444.25	10.88	3792.78	92.85
5	5	226.65	5.55	4019.44	98.40
6 or more	6	65.56	1.60	4085.00	100.00

**ehb14a2: 8/9 - P1 - CASI H7.3 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.35	2.68	109.35	2.68
-3	5.98	0.15	115.33	2.82
0	476.54	11.67	591.87	14.49
1	559.01	13.68	1150.88	28.17
2	785.26	19.22	1936.15	47.40
3	816.68	19.99	2752.82	67.39
4	464.38	11.37	3217.20	78.76
5	503.45	12.32	3720.65	91.08
6	162.21	3.97	3882.85	95.05
7	202.15	4.95	4085.00	100.00

**ehb15a1: 8/9 - P1 - CASI H8.1/H8.2 - Current cigarette smoking-Frequency**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	107.16	2.62	107.16	2.62
-3	-3	9.11	0.22	116.26	2.85
Do not smoke at all	1	3216.45	78.74	3332.72	81.58
Less than once a day	2	77.24	1.89	3409.95	83.48
At least once a day	3	675.05	16.52	4085.00	100.00

**ehb15a5: 8/9 - P1 - CASI H8.1 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	107.16	2.62	107.16	2.62
-3	-3	9.11	0.22	116.26	2.85
Yes	1	752.28	18.42	868.55	21.26
No	2	3216.45	78.74	4085.00	100.00

**ehb15a7: 8/9 - P1 - CASI H8.2 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	116.26	2.85	116.26	2.85
Yes	1	675.05	16.52	791.31	19.37
No	2	3293.69	80.63	4085.00	100.00

**ehb15a8: 8/9 - P1 - CASI H8.3 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3409.95	83.48	3409.95	83.48
1 to 5 per day	2	119.72	2.93	3529.67	86.41
6 to 10 per day	3	259.72	6.36	3789.39	92.76
11 to 20 per day	4	242.77	5.94	4032.16	98.71
More than 20 per day	5	52.84	1.29	4085.00	100.00

**ehb15a4b: 8/9 - P1 - CASI H8.4 - No. residents smoke inside**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	326.84	8.00	326.84	8.00
-3	7.84	0.19	334.68	8.19
0	3345.54	81.90	3680.22	90.09
1	262.01	6.41	3942.23	96.51
2	120.19	2.94	4062.42	99.45
3	18.15	0.44	4080.57	99.89
4	0.94	0.02	4081.50	99.91
5	2.50	0.06	4084.00	99.98
7	1.00	0.02	4085.00	100.00

**ehb15a4a: 8/9 - P1 - CASI H8.4 - No. residents smoke inside (5+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	326.84	8.00	326.84	8.00
-3	-3	7.84	0.19	334.68	8.19
None	0	3345.54	81.90	3680.22	90.09
1	1	262.01	6.41	3942.23	96.51
2	2	120.19	2.94	4062.42	99.45
3	3	18.15	0.44	4080.57	99.89
4	4	0.94	0.02	4081.50	99.91
5 or more	5	3.50	0.09	4085.00	100.00

**ehb16a2: 8/9 - P1 - CASI H9.1 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	107.16	2.62	107.16	2.62
-3	-3	9.11	0.22	116.26	2.85
Never	0	612.64	15.00	728.91	17.84
Not in the last year	1	191.52	4.69	920.43	22.53
Monthly or less	2	1037.18	25.39	1957.61	47.92
2 to 3 times a month	3	506.83	12.41	2464.45	60.33
Once a week	4	532.10	13.03	2996.55	73.35
2 to 3 times a week	5	681.71	16.69	3678.26	90.04
4 to 6 times a week	6	309.12	7.57	3987.38	97.61
Everyday	7	97.62	2.39	4085.00	100.00

**ehb16a3: 8/9 - P1 - CASI H9.2 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.80	17.62	719.80	17.62
-3	-3	10.70	0.26	730.50	17.88
1 or 2	1	2229.49	54.58	2959.99	72.46
3 or 4	2	844.34	20.67	3804.33	93.13
5 or 6	3	204.96	5.02	4009.29	98.15
7 to 10	4	63.25	1.55	4072.54	99.69
11 or more	5	12.46	0.31	4085.00	100.00

**ehb16a7: 8/9 - P1 - CASI H9.3 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	730.50	17.88	730.50	17.88
Everyday	1	9.65	0.24	740.15	18.12
4-6 times a week	2	15.91	0.39	756.05	18.51
2-3 times a week	3	56.50	1.38	812.55	19.89
Once a week	4	187.59	4.59	1000.14	24.48
2-3 times a month	5	206.25	5.05	1206.39	29.53
Monthly or less	6	1225.00	29.99	2431.40	59.52
Never	7	1653.60	40.48	4085.00	100.00

**ehb16a8: 8/9 - P1 - CASI H9.4 - Freq binge drinking (v4)-7 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	741.01	18.14	741.01	18.14
-3	-3	0.92	0.02	741.93	18.16
Everyday	1	2.84	0.07	744.76	18.23
4-6 times a week	2	9.30	0.23	754.07	18.46
2-3 times a week	3	18.93	0.46	773.00	18.92
Once a week	4	89.29	2.19	862.29	21.11
2-3 times a month	5	107.69	2.64	969.99	23.75
Monthly or less	6	765.79	18.75	1735.77	42.49
Never	7	2349.23	57.51	4085.00	100.00

**ehb16a5a: 8/9 - P1 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	109.19	2.67	109.19	2.67
-9	-9	623.33	15.26	732.52	17.93
-3	-3	0.92	0.02	733.44	17.95
Everyday	1	9.65	0.24	743.09	18.19
4-6 times a week	2	14.36	0.35	757.45	18.54
2-3 times a week	3	50.86	1.25	808.31	19.79
Once a week	4	184.21	4.51	992.52	24.30
2-3 times a month	5	208.56	5.11	1201.07	29.40
Monthly or less	6	1210.65	29.64	2411.73	59.04
Never	7	1673.27	40.96	4085.00	100.00

**ehb16a5: 8/9 - P1 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2405.80	58.89	2405.80	58.89
Everyday	1	9.65	0.24	2415.44	59.13
4-6 times a week	2	14.36	0.35	2429.80	59.48
2-3 times a week	3	50.86	1.25	2480.66	60.73
Once a week	4	184.21	4.51	2664.87	65.24
2-3 times a month	5	208.56	5.11	2873.43	70.34
Monthly or less	6	1211.57	29.66	4085.00	100.00

**eaavdac: 8/9 - P1 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	105.58	2.58	105.58	2.58
-9	10.68	0.26	116.26	2.85
0	2435.98	59.63	2552.25	62.48
0.5	798.42	19.55	3350.66	82.02
1	299.90	7.34	3650.57	89.37
1.5	255.98	6.27	3906.55	95.63
2	33.27	0.81	3939.81	96.45
2.5	75.17	1.84	4014.99	98.29
3	8.95	0.22	4023.94	98.51
3.5	34.70	0.85	4058.64	99.35
4	10.91	0.27	4069.55	99.62
4.5	1.99	0.05	4071.54	99.67
5.5	9.44	0.23	4080.98	99.90
6.5	1.18	0.03	4082.16	99.93
8.5	2.84	0.07	4085.00	100.00

**eaalcgp: 8/9 - P1 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	105.58	2.58	105.58	2.58
-9	-9	10.68	0.26	116.26	2.85
Abstain not in the last year	1	804.16	19.69	920.43	22.53
Occasional less than monthly	2	1037.18	25.39	1957.61	47.92
Light <2 drinks/day men, <1 women	3	1478.77	36.20	3436.38	84.12
Moderate >=2 to <4 men, >=1 to <2 women	4	488.49	11.96	3924.88	96.08
Hazardous >=4 to <6 men, >=2 and <4 women	5	137.27	3.36	4062.15	99.44
Harmful >=6 men, >=4 women	6	22.85	0.56	4085.00	100.00

**eahvdac: 8/9 - P1 - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	116.26	2.85	116.26	2.85
Yes	1	160.12	3.92	276.39	6.77
No	2	3808.61	93.23	4085.00	100.00

**eaabinge: 8/9 - P1 - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	116.26	2.85	116.26	2.85
Yes	1	499.08	12.22	615.35	15.06
No	2	3469.65	84.94	4085.00	100.00

**eaalcp: 8/9 - P1 - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	116.26	2.85	116.26	2.85
Yes	1	534.74	13.09	651.01	15.94
No	2	3433.99	84.06	4085.00	100.00

**ehb21a1a1: 8/9 - P1 - F2F J1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	17.93	0.44	71.38	1.75
Not at all	0	380.57	9.32	451.95	11.06
Once	1	902.14	22.08	1354.09	33.15
Twice	2	1378.64	33.75	2732.72	66.90
More than twice	3	1352.28	33.10	4085.00	100.00

**ehb21a1a2: 8/9 - P1 - F2F J1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	17.93	0.44	71.38	1.75
Not at all	0	380.57	9.32	451.95	11.06
Once	1	902.14	22.08	1354.09	33.15
Twice or more	2	2730.91	66.85	4085.00	100.00

**ehb21a2a1: 8/9 - P1 - F2F J1.2 - SC had fruit juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	10.76	0.26	64.22	1.57
Not at all	0	2121.49	51.93	2185.70	53.51
Once	1	1153.63	28.24	3339.34	81.75
Twice	2	531.37	13.01	3870.71	94.75
More than twice	3	214.29	5.25	4085.00	100.00

**ehb21a2a2: 8/9 - P1 - F2F J1.2 -SC had fresh juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	10.76	0.26	64.22	1.57
Not at all	0	2121.49	51.93	2185.70	53.51

**ehb21a2a2: 8/9 - P1 - F2F J1.2 -SC had fresh juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1	1153.63	28.24	3339.34	81.75
Twice or more	2	745.66	18.25	4085.00	100.00

**ehb21a1b1: 8/9 - P1 - F2F J1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	6.85	0.17	60.30	1.48
Not at all	0	973.13	23.82	1033.43	25.30
Once	1	2058.92	50.40	3092.35	75.70
Twice	2	704.57	17.25	3796.92	92.95
More than twice	3	288.08	7.05	4085.00	100.00

**ehb21a1b2: 8/9 - P1 - F2F J1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	6.85	0.17	60.30	1.48
Not at all	0	973.13	23.82	1033.43	25.30
Once	1	2058.92	50.40	3092.35	75.70
Twice or more	2	992.65	24.30	4085.00	100.00

**ehb21a1c1: 8/9 - P1 - F2F J1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	8.74	0.21	62.19	1.52
Not at all	0	1899.20	46.49	1961.39	48.01
Once	1	1478.14	36.18	3439.53	84.20
Twice	2	488.73	11.96	3928.26	96.16
More than twice	3	156.74	3.84	4085.00	100.00

**ehb21a1c2: 8/9 - P1 - F2F J1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	8.74	0.21	62.19	1.52
Not at all	0	1899.20	46.49	1961.39	48.01
Once	1	1478.14	36.18	3439.53	84.20
Twice or more	2	645.47	15.80	4085.00	100.00

**ehb21a3a1: 8/9 - P1 - F2F J1.5 - SC had pie, hamburger, sausage roll**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	6.94	0.17	60.39	1.48
Not at all	0	2942.57	72.03	3002.96	73.51
Once	1	994.40	24.34	3997.36	97.85
Twice	2	72.20	1.77	4069.56	99.62
More than twice	3	15.44	0.38	4085.00	100.00

**ehb21a3a2: 8/9 - P1 - F2F J1.5 - SC had pie, hamburger, sausage roll**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	6.94	0.17	60.39	1.48
Not at all	0	2942.57	72.03	3002.96	73.51
Once	1	994.40	24.34	3997.36	97.85
Twice or more	2	87.64	2.15	4085.00	100.00

**ehb21a3b1: 8/9 - P1 - F2F J1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	7.58	0.19	61.04	1.49
Not at all	0	3030.78	74.19	3091.81	75.69
Once	1	941.79	23.05	4033.60	98.74
Twice	2	43.15	1.06	4076.76	99.80
More than twice	3	8.24	0.20	4085.00	100.00

**ehb21a3b2: 8/9 - P1 - F2F J1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	7.58	0.19	61.04	1.49
Not at all	0	3030.78	74.19	3091.81	75.69
Once	1	941.79	23.05	4033.60	98.74
Twice or more	2	51.40	1.26	4085.00	100.00

**ehb21a3c1: 8/9 - P1 - F2F J1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	5.78	0.14	59.23	1.45
Not at all	0	2237.06	54.76	2296.29	56.21
Once	1	1473.45	36.07	3769.74	92.28
Twice	2	267.54	6.55	4037.28	98.83
More than twice	3	47.72	1.17	4085.00	100.00



**ehb21a3c2: 8/9 - P1 - F2F J1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	5.78	0.14	59.23	1.45
Not at all	0	2237.06	54.76	2296.29	56.21
Once	1	1473.45	36.07	3769.74	92.28
Twice or more	2	315.26	7.72	4085.00	100.00

**ehb21a3d1: 8/9 - P1 - F2F J1.8 - SC had biscuits, donuts, cake or chocolate**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	11.50	0.28	64.95	1.59
Not at all	0	1035.96	25.36	1100.91	26.95
Once	1	2028.11	49.65	3129.02	76.60
Twice	2	778.34	19.05	3907.36	95.65
More than twice	3	177.64	4.35	4085.00	100.00

**ehb21a3d2: 8/9 - P1 - F2F J1.8 - SC had biscuits, donuts, cake or chocolate**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	11.50	0.28	64.95	1.59
Not at all	0	1035.96	25.36	1100.91	26.95
Once	1	2028.11	49.65	3129.02	76.60
Twice or more	2	955.98	23.40	4085.00	100.00

**ehb21a3e1: 8/9 - P1 - F2F J1.9 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	8.08	0.20	61.53	1.51
Not at all	0	942.33	23.07	1003.86	24.57
Once	1	1096.14	26.83	2100.00	51.41
Twice	2	1139.83	27.90	3239.83	79.31
More than twice	3	845.17	20.69	4085.00	100.00

**ehb21a3e2: 8/9 - P1 - F2F J1.9 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	8.08	0.20	61.53	1.51
Not at all	0	942.33	23.07	1003.86	24.57
Once	1	1096.14	26.83	2100.00	51.41
Twice or more	2	1985.00	48.59	4085.00	100.00

**ehb21a4a1: 8/9 - P1 - F2F J1.10 - SC had skim milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	6.28	0.15	59.73	1.46
Not at all	0	2945.81	72.11	3005.54	73.57
Once	1	411.11	10.06	3416.65	83.64
Twice	2	402.42	9.85	3819.07	93.49
More than twice	3	265.93	6.51	4085.00	100.00

**ehb21a4a2: 8/9 - P1 - F2F J1.10 - SC had skim milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	6.28	0.15	59.73	1.46
Not at all	0	2945.81	72.11	3005.54	73.57
Once	1	411.11	10.06	3416.65	83.64
Twice or more	2	668.35	16.36	4085.00	100.00

**ehb21a5a1: 8/9 - P1 - F2F J1.11 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	17.55	0.43	71.00	1.74
Not at all	0	62.66	1.53	133.66	3.27
Once	1	160.37	3.93	294.04	7.20
Twice	2	301.22	7.37	595.26	14.57
More than twice	3	3489.74	85.43	4085.00	100.00

**ehb21a5a2: 8/9 - P1 - F2F J1.11 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	17.55	0.43	71.00	1.74
Not at all	0	62.66	1.53	133.66	3.27
Once	1	160.37	3.93	294.04	7.20
Twice or more	2	3790.96	92.80	4085.00	100.00

**ehb21a2b1: 8/9 - P1 - F2F J1.12 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	4.45	0.11	57.90	1.42
Not at all	0	2615.41	64.02	2673.30	65.44
Once	1	972.75	23.81	3646.05	89.25
Twice	2	319.79	7.83	3965.84	97.08
More than twice	3	119.16	2.92	4085.00	100.00

**ehb21a2b2: 8/9 - P1 - F2F J1.12 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	4.45	0.11	57.90	1.42
Not at all	0	2615.41	64.02	2673.30	65.44
Once	1	972.75	23.81	3646.05	89.25
Twice or more	2	438.95	10.75	4085.00	100.00

**ehb21a6a1: 8/9 - P1 - F2F J1.13 - SC had diet soft drink or cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	4.45	0.11	57.90	1.42
Not at all	0	3743.53	91.64	3801.43	93.06
Once	1	210.35	5.15	4011.78	98.21
Twice	2	50.85	1.24	4062.64	99.45
More than twice	3	22.36	0.55	4085.00	100.00

**ehb21a6a2: 8/9 - P1 - F2F J1.13 - SC had diet soft drink or cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.61	0.24	9.61	0.24
-9	-9	43.84	1.07	53.45	1.31
-2	-2	4.45	0.11	57.90	1.42
Not at all	0	3743.53	91.64	3801.43	93.06
Once	1	210.35	5.15	4011.78	98.21
Twice or more	2	73.22	1.79	4085.00	100.00

**eafandvb: 8/9 - P1 - Frequency ate fruit and vegetables (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.37	1.40	57.37	1.40
0	125.46	3.07	182.83	4.48
1	301.82	7.39	484.65	11.86
2	606.92	14.86	1091.57	26.72
3	826.16	20.22	1917.74	46.95
4	903.40	22.11	2821.13	69.06
5	643.86	15.76	3464.99	84.82
6	345.86	8.47	3810.85	93.29
7	157.77	3.86	3968.62	97.15
8	79.63	1.95	4048.25	99.10
9	36.75	0.90	4085.00	100.00

**eahfatb: 8/9 - P1 - Frequency ate high fat food (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.23	1.45	59.23	1.45
0	328.84	8.05	388.07	9.50
1	1025.95	25.12	1414.03	34.62
2	1391.68	34.07	2805.70	68.68

**eahfatb: 8/9 - P1 - Frequency ate high fat food (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	735.98	18.02	3541.69	86.70
4	369.21	9.04	3910.90	95.74
5	104.52	2.56	4015.42	98.30
6	32.01	0.78	4047.43	99.08
7	20.50	0.50	4067.93	99.58
8	7.86	0.19	4075.79	99.77
9	3.50	0.09	4079.29	99.86
10	3.90	0.10	4083.19	99.96
12	1.81	0.04	4085.00	100.00

**eahfwmb: 8/9 - P1 - Frequency ate high fat food (inc. whole milk) (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.90	1.42	57.90	1.42
0	91.75	2.25	149.64	3.66
1	354.89	8.69	504.54	12.35
2	679.96	16.65	1184.50	29.00
3	894.62	21.90	2079.12	50.90
4	865.29	21.18	2944.41	72.08
5	648.01	15.86	3592.42	87.94
6	283.15	6.93	3875.56	94.87
7	126.94	3.11	4002.51	97.98
8	49.21	1.20	4051.72	99.19
9	15.23	0.37	4066.95	99.56
10	10.05	0.25	4077.00	99.80
11	1.21	0.03	4078.21	99.83
12	2.48	0.06	4080.69	99.89
13	3.37	0.08	4084.06	99.98
14	0.94	0.02	4085.00	100.00

**eahsdrnkb: 8/9 - P1 - Frequency drank high sugar drinks (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.48	1.38	56.48	1.38
0	1505.57	36.86	1562.05	38.24
1	1130.84	27.68	2692.89	65.92
2	751.51	18.40	3444.40	84.32
3	439.71	10.76	3884.11	95.08
4	144.92	3.55	4029.03	98.63
5	39.43	0.97	4068.46	99.60
6	16.54	0.40	4085.00	100.00

**eafandv: 8/9 - P1 - Frequency ate fruit and vegetables**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.37	1.40	57.37	1.40
0	125.46	3.07	182.83	4.48
1	301.82	7.39	484.65	11.86
2	698.62	17.10	1183.27	28.97
3	1109.37	27.16	2292.65	56.12

**eafandv: 8/9 - P1 - Frequency ate fruit and vegetables**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	1066.41	26.11	3359.06	82.23
5	471.22	11.54	3830.28	93.76
6	254.72	6.24	4085.00	100.00

**eahfat: 8/9 - P1 - Frequency ate high fat food (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	59.23	1.45	59.23	1.45
0	328.84	8.05	388.07	9.50
1	1025.95	25.12	1414.03	34.62
2	1439.81	35.25	2853.84	69.86
3	774.06	18.95	3627.90	88.81
4	319.22	7.81	3947.12	96.62
5	95.41	2.34	4042.52	98.96
6	26.08	0.64	4068.60	99.60
7	11.02	0.27	4079.62	99.87
8	5.38	0.13	4085.00	100.00

**eahfwm: 8/9 - P1 - Frequency ate high fat food (inc. whole milk) (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.90	1.42	57.90	1.42
0	91.75	2.25	149.64	3.66
1	354.89	8.69	504.54	12.35
2	741.64	18.16	1246.18	30.51
3	1049.21	25.68	2295.39	56.19
4	1020.08	24.97	3315.47	81.16
5	487.46	11.93	3802.93	93.09
6	201.84	4.94	4004.77	98.04
7	49.21	1.20	4053.98	99.24
8	18.18	0.45	4072.16	99.69
9	8.33	0.20	4080.49	99.89
10	4.51	0.11	4085.00	100.00

**eahsdrnk: 8/9 - P1 - Frequency drank high sugar drinks (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.48	1.38	56.48	1.38
0	1505.57	36.86	1562.05	38.24
1	1130.84	27.68	2692.89	65.92
2	931.51	22.80	3624.40	88.72
3	340.64	8.34	3965.04	97.06
4	119.96	2.94	4085.00	100.00

**ehb22a: 8/9 - P1 - F2F J1.14 - Did child eat breakfast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	53.45	1.31	53.45	1.31
-2	-2	8.55	0.21	62.00	1.52
Yes	1	3816.79	93.43	3878.79	94.95
No	2	206.21	5.05	4085.00	100.00

**ehb20a: 8/9 - F2F J10.1 - Frequency of sun protection**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
Every day	1	2415.18	59.12	2469.47	60.45
Most days	2	1340.46	32.81	3809.92	93.27
Some days	3	223.84	5.48	4033.77	98.75
Never or hardly ever	4	51.23	1.25	4085.00	100.00

**ehb14c3: 8/9 - F2F J10.2 - SC's enjoyment of physical activity**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
Very much dislikes activity	1	192.98	4.72	247.26	6.05
Somewhat dislikes activity	2	119.37	2.92	366.63	8.98
Neutral	3	240.59	5.89	607.22	14.86
Somewhat enjoys activity	4	978.33	23.95	1585.55	38.81
Very much likes activity	5	2499.45	61.19	4085.00	100.00

**zhb23a: 8/9 - F2F U1.1/2 - Age SC started clean teeth**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	245.32	6.01	245.32	6.01
-1	2.04	0.05	247.36	6.06
1	11.44	0.28	258.80	6.34
2	6.38	0.16	265.18	6.49
3	26.63	0.65	291.82	7.14
4	95.49	2.34	387.30	9.48
5	103.09	2.52	490.39	12.00
6	551.61	13.50	1042.00	25.51
7	176.34	4.32	1218.34	29.82
8	339.54	8.31	1557.89	38.14
9	223.30	5.47	1781.19	43.60
10	183.17	4.48	1964.36	48.09
11	84.23	2.06	2048.59	50.15
12	1130.22	27.67	3178.81	77.82
13	24.24	0.59	3203.04	78.41
14	51.27	1.26	3254.31	79.66
15	35.02	0.86	3289.33	80.52
16	17.52	0.43	3306.86	80.95
17	4.23	0.10	3311.09	81.05
18	337.38	8.26	3648.47	89.31
19	3.12	0.08	3651.59	89.39
20	18.60	0.46	3670.19	89.85
21	2.34	0.06	3672.54	89.90

**zhb23a: 8/9 - F2F U1.1/2 - Age SC started clean teeth**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
22	6.16	0.15	3678.70	90.05
23	2.48	0.06	3681.18	90.11
24	315.31	7.72	3996.49	97.83
25	1.46	0.04	3997.95	97.87
27	0.58	0.01	3998.53	97.88
28	3.33	0.08	4001.87	97.96
30	16.21	0.40	4018.08	98.36
31	1.37	0.03	4019.45	98.40
32	3.18	0.08	4022.63	98.47
33	1.41	0.03	4024.04	98.51
34	3.22	0.08	4027.26	98.59
35	3.18	0.08	4030.44	98.66
36	33.04	0.81	4063.47	99.47
37	2.22	0.05	4065.70	99.53
38	2.03	0.05	4067.72	99.58
39	3.29	0.08	4071.01	99.66
48	11.99	0.29	4083.00	99.95
55	2.00	0.05	4085.00	100.00

**zhb23a1: 8/9 - F2F U1.1 - Age SC started clean teeth - Unit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	245.32	6.01	245.32	6.01
Don't clean child's teeth	-1	2.04	0.05	247.36	6.06
Months	1	2851.85	69.81	3099.20	75.87
Years	2	985.80	24.13	4085.00	100.00

**zhb23a2: 8/9 - F2F U1.2 - Age SC started clean teeth - Amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	245.32	6.01	245.32	6.01
1	647.38	15.85	892.70	21.85
2	311.21	7.62	1203.92	29.47
3	59.67	1.46	1263.59	30.93
4	108.45	2.65	1372.04	33.59
5	103.09	2.52	1475.13	36.11
6	551.61	13.50	2026.74	49.61
7	177.40	4.34	2204.14	53.96
8	339.54	8.31	2543.68	62.27
9	223.30	5.47	2766.99	67.74
10	183.17	4.48	2950.16	72.22
11	84.23	2.06	3034.39	74.28
12	494.28	12.10	3528.66	86.38
13	24.24	0.59	3552.90	86.97
14	51.27	1.26	3604.17	88.23
15	35.02	0.86	3639.19	89.09
16	17.52	0.43	3656.71	89.52
17	4.23	0.10	3660.94	89.62
18	337.38	8.26	3998.32	97.88

**zhh23a2: 8/9 - F2F U1.2 - Age SC started clean teeth - Amount**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19	3.12	0.08	4001.45	97.95
20	18.60	0.46	4020.05	98.41
21	2.34	0.06	4022.39	98.47
22	6.16	0.15	4028.55	98.62
23	2.48	0.06	4031.03	98.68
24	10.48	0.26	4041.51	98.94
25	1.46	0.04	4042.98	98.97
27	0.58	0.01	4043.56	98.99
28	3.33	0.08	4046.89	99.07
30	16.21	0.40	4063.11	99.46
31	1.37	0.03	4064.47	99.50
32	3.18	0.08	4067.65	99.58
33	1.41	0.03	4069.06	99.61
34	3.22	0.08	4072.28	99.69
35	3.18	0.08	4075.46	99.77
37	2.22	0.05	4077.68	99.82
38	2.03	0.05	4079.71	99.87
39	3.29	0.08	4083.00	99.95
55	2.00	0.05	4085.00	100.00

**ehb23b: 8/9 - F2F U1.3 - How often are child's teeth cleaned**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
More than twice a day	1	79.13	1.94	133.41	3.27
Twice a day	2	2522.58	61.75	2656.00	65.02
Once a day	3	1200.65	29.39	3856.65	94.41
Less than once a day	4	218.80	5.36	4075.45	99.77
Don't clean teeth	5	9.55	0.23	4085.00	100.00

**ehb23c: 8/9 - F2F U1.4+W2-4 - Had dental problems**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	50.43	1.23	50.43	1.23
-2	-2	5.26	0.13	55.68	1.36
Yes	1	2144.21	52.49	2199.89	53.85
No	2	1885.11	46.15	4085.00	100.00

**ehb23c1: 8/9 - F2F U1.4.1+W2-4 - Had cavities or dental decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	50.43	1.23	50.43	1.23
No	0	2339.60	57.27	2390.02	58.51
Yes	1	1694.98	41.49	4085.00	100.00



**ehb23c4: 8/9 - F2F U1.4.2+W2-4 - Had accident causing tooth damage**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	53.54	1.31	53.54	1.31
No	0	3413.91	83.57	3467.45	84.88
Yes	1	617.55	15.12	4085.00	100.00

**ehb23c2: 8/9 - F2F U1.5.1+W2-4 - Had teeth filled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	50.43	1.23	50.43	1.23
No	0	2586.02	63.31	2636.45	64.54
Yes	1	1448.55	35.46	4085.00	100.00

**ehb23c3: 8/9 - F2F U1.5.2+W2-4 - Had teeth pulled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	3685.49	90.22	3739.77	91.55
Yes	1	345.23	8.45	4085.00	100.00

**ehb23d1: 8/9 - F2F U1.4.1 - Last 2 yrs - cavities or dental decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	2806.30	68.70	2860.59	70.03
Yes	1	1224.41	29.97	4085.00	100.00

**ehb23d2: 8/9 - F2F U1.5.1 - Last 2 yrs - teeth filled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	3020.28	73.94	3074.57	75.26
Yes	1	1010.43	24.74	4085.00	100.00

**ehb23d3: 8/9 - F2F U1.5.2 - Last 2 yrs - teeth pulled due to decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	3774.77	92.41	3829.05	93.73
Yes	1	255.95	6.27	4085.00	100.00

**ehb23d4: 8/9 - F2F U1.4.2 - Last 2 yrs - accidental tooth damage**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	3853.90	94.34	3908.19	95.67
Yes	1	176.81	4.33	4085.00	100.00

**ehb23d5: 8/9 - F2F U1.4.3 - Last 2 yrs - Braces/other dental problems (e.g. oral surgery)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	3812.08	93.32	3866.36	94.65
Yes	1	218.64	5.35	4085.00	100.00

**ehb23d6: 8/9 - F2F U1.4.4 - Last 2 yrs - No problems with teeth**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	1542.81	37.77	1597.10	39.10
Yes	1	2487.90	60.90	4085.00	100.00

**ehb23d7: 8/9 - F2F U1.5.3 - Last 2 yrs - No treatment - result of cavity/dental decay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.28	1.33	54.28	1.33
No	0	3921.66	96.00	3975.94	97.33
Yes	1	109.06	2.67	4085.00	100.00

**ehb14c4: 8/9 - F2F M8.9 - SC's choice to spend free time**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	55.74	1.36	55.74	1.36
-2	-2	4.41	0.11	60.15	1.47
Usually chooses inactive pastimes	1	1120.77	27.44	1180.92	28.91
Usually chooses active pastimes	2	1736.58	42.51	2917.50	71.42
Just as likely to choose active as inactive pastimes	3	1167.50	28.58	4085.00	100.00

**ehb25c1: 8/9 - CSRB 6.1 - Body Shape**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	81.74	2.00	81.74	2.00
-3	-3	6.88	0.17	88.62	2.17
-2	-2	9.81	0.24	98.43	2.41
Picture 1	1	96.22	2.36	194.65	4.77
Picture 2	2	324.63	7.95	519.28	12.71
Picture 3	3	1149.41	28.14	1668.69	40.85
Picture 4	4	1814.42	44.42	3483.11	85.27
Picture 5	5	540.05	13.22	4023.15	98.49
Picture 6	6	49.59	1.21	4072.75	99.70
Picture 7	7	12.25	0.30	4085.00	100.00

**ehb25c2: 8/9 - CSRB 6.2 - Body Shape SC wants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	81.74	2.00	81.74	2.00
-3	-3	8.93	0.22	90.67	2.22
-2	-2	10.19	0.25	100.86	2.47
Picture 1	1	255.08	6.24	355.94	8.71
Picture 2	2	647.33	15.85	1003.27	24.56
Picture 3	3	1511.13	36.99	2514.40	61.55

**ehb25c2: 8/9 - CSRB 6.2 - Body Shape SC wants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Picture 4	4	1406.22	34.42	3920.62	95.98
Picture 5	5	150.18	3.68	4070.79	99.65
Picture 6	6	6.81	0.17	4077.61	99.82
Picture 7	7	7.39	0.18	4085.00	100.00

**ehb15p5: 8/9 - PLE - PLE 19.2 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3657.58	89.54	3657.58	89.54
Yes	1	148.14	3.63	3805.73	93.16
No	2	279.27	6.84	4085.00	100.00

**ehb15p1: 8/9 - PLE - PLE 19.2/3 - Current cigarette smoking -Frequency**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3657.58	89.54	3657.58	89.54
Do not smoke at all	1	279.27	6.84	3936.86	96.37
Less than once a day	2	6.78	0.17	3943.64	96.54
At least once a day	3	141.36	3.46	4085.00	100.00

**ehb15p7: 8/9 - PLE - PLE 19.3 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3936.86	96.37	3936.86	96.37
Yes	1	141.36	3.46	4078.22	99.83
No	2	6.78	0.17	4085.00	100.00

**ehb15p8: 8/9 - PLE - PLE 19.4 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3943.64	96.54	3943.64	96.54
1 to 5 per day	2	18.58	0.45	3962.22	96.99
6 to 10 per day	3	43.97	1.08	4006.19	98.07
11 to 20 per day	4	47.12	1.15	4053.31	99.22
More than 20 per day	5	31.69	0.78	4085.00	100.00

**ehb16p2: 8/9 - PLE - PLE 20.1 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3657.58	89.54	3657.58	89.54
Never	0	37.38	0.91	3694.96	90.45
Not in the last year	1	5.60	0.14	3700.56	90.59
Monthly or less	2	68.17	1.67	3768.73	92.26
2 to 3 times a month	3	45.10	1.10	3813.82	93.36
Once a week	4	81.65	2.00	3895.48	95.36
2 to 3 times a week	5	112.61	2.76	4008.08	98.12
4 to 6 times a week	6	45.13	1.10	4053.21	99.22
Everyday	7	31.79	0.78	4085.00	100.00

**ehb16p3: 8/9 - PLE - PLE 20.2 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3700.56	90.59	3700.56	90.59
1 or 2	1	148.88	3.64	3849.44	94.23
3 or 4	2	140.96	3.45	3990.40	97.68
5 or 6	3	58.20	1.42	4048.60	99.11
7 to 10	4	22.46	0.55	4071.07	99.66
11 or more	5	13.93	0.34	4085.00	100.00

**ehb16p7: 8/9 - PLE - PLE 20.3 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3700.56	90.59	3700.56	90.59
Everyday	1	5.71	0.14	3706.27	90.73
4-6 times a week	2	11.16	0.27	3717.44	91.00
2-3 times a week	3	28.47	0.70	3745.90	91.70
Once a week	4	64.21	1.57	3810.11	93.27
2-3 times a month	5	47.59	1.17	3857.70	94.44
Monthly or less	6	152.29	3.73	4009.99	98.16
Never	7	75.01	1.84	4085.00	100.00

**ehb16p8: 8/9 - PLE - PLE 20.4 - Freq binge drinking (v4)-7 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3700.56	90.59	3700.56	90.59
-2	-2	1.18	0.03	3701.74	90.62
Everyday	1	0.82	0.02	3702.56	90.64
4-6 times a week	2	4.42	0.11	3706.97	90.75
2-3 times a week	3	9.79	0.24	3716.76	90.99
Once a week	4	38.23	0.94	3754.99	91.92
2-3 times a month	5	24.47	0.60	3779.46	92.52
Monthly or less	6	150.34	3.68	3929.80	96.20
Never	7	155.20	3.80	4085.00	100.00

**ehb16p5a: 8/9 - PLE - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.60	0.14	5.60	0.14
-9	-9	3694.96	90.45	3700.56	90.59
-2	-2	1.18	0.03	3701.74	90.62
Everyday	1	0.82	0.02	3702.56	90.64
4-6 times a week	2	4.42	0.11	3706.97	90.75
2-3 times a week	3	9.79	0.24	3716.76	90.99
Once a week	4	40.78	1.00	3757.54	91.98
2-3 times a month	5	25.12	0.61	3782.66	92.60
Monthly or less	6	151.85	3.72	3934.51	96.32
Never	7	150.49	3.68	4085.00	100.00

**ehb16p5: 8/9 - PLE - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3851.05	94.27	3851.05	94.27
Everyday	1	0.82	0.02	3851.87	94.29
4-6 times a week	2	4.42	0.11	3856.29	94.40
2-3 times a week	3	10.97	0.27	3867.25	94.67
Once a week	4	40.78	1.00	3908.03	95.67
2-3 times a month	5	25.12	0.61	3933.15	96.28
Monthly or less	6	151.85	3.72	4085.00	100.00

**epavdac: 8/9 - PLE - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3657.58	89.54	3657.58	89.54
0	154.23	3.78	3811.81	93.31
0.5	93.26	2.28	3905.08	95.60
1	41.71	1.02	3946.79	96.62
1.5	61.52	1.51	4008.31	98.12
2	11.14	0.27	4019.45	98.40
2.5	19.74	0.48	4039.19	98.88
3	8.26	0.20	4047.46	99.08
3.5	13.97	0.34	4061.43	99.42
4	6.87	0.17	4068.30	99.59
4.5	1.67	0.04	4069.97	99.63
5.5	9.08	0.22	4079.05	99.85
6.5	4.11	0.10	4083.16	99.95
8.5	0.82	0.02	4083.97	99.97
12	1.03	0.03	4085.00	100.00

**epalcgp: 8/9 - PLE - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3688.41	90.29	3688.41	90.29
Abstain not in the last year	1	42.98	1.05	3731.38	91.34
Occasional less than monthly	2	68.17	1.67	3799.55	93.01
Light <2 drinks/day men, <1 women	3	173.78	4.25	3973.34	97.27
Moderate >=2 to <4 men, >=1 to <2 women	4	48.31	1.18	4021.65	98.45
Hazardous >=4 to <6 men, >=2 and <4 women	5	47.40	1.16	4069.05	99.61
Harmful >=6 men, >=4 women	6	15.95	0.39	4085.00	100.00

**ephvdac: 8/9 - PLE - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3657.58	89.54	3657.58	89.54
Yes	1	25.02	0.61	3682.61	90.15
No	2	402.39	9.85	4085.00	100.00

**epbinge: 8/9 - PLE - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3657.58	89.54	3657.58	89.54
Yes	1	82.10	2.01	3739.69	91.55
No	2	345.31	8.45	4085.00	100.00

**epalcp: 8/9 - PLE - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3657.58	89.54	3657.58	89.54
Yes	1	87.05	2.13	3744.63	91.67
No	2	340.37	8.33	4085.00	100.00

**ehb13b2b: 8/9 - P2 - P2B 13 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	45.30	1.11	45.30	1.11
-9	1826.40	44.71	1871.69	45.82
0	235.67	5.77	2107.36	51.59
1	1056.67	25.87	3164.03	77.45
2	615.30	15.06	3779.33	92.52
3	205.40	5.03	3984.73	97.55
4	61.55	1.51	4046.28	99.05
5	24.59	0.60	4070.87	99.65
6	8.60	0.21	4079.47	99.86
7	2.34	0.06	4081.80	99.92
8	2.14	0.05	4083.95	99.97
9	1.05	0.03	4085.00	100.00

**ehb13b2a: 8/9 - P2 - P2B 13 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.30	1.11	45.30	1.11
-9	-9	1826.40	44.71	1871.69	45.82
Less than 1	0	235.67	5.77	2107.36	51.59
1	1	1056.67	25.87	3164.03	77.45
2	2	615.30	15.06	3779.33	92.52
3	3	205.40	5.03	3984.73	97.55
4	4	61.55	1.51	4046.28	99.05
5	5	24.59	0.60	4070.87	99.65
6 or more	6	14.13	0.35	4085.00	100.00

**ehb13b1b: 8/9 - P2 - P2B 14 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	41.36	1.01	41.36	1.01
-9	1826.40	44.71	1867.76	45.72
0	23.66	0.58	1891.42	46.30
1	868.17	21.25	2759.59	67.55
2	741.10	18.14	3500.69	85.70
3	378.36	9.26	3879.05	94.96
4	134.79	3.30	4013.84	98.26

**ehb13b1b: 8/9 - P2 - P2B 14 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	54.35	1.33	4068.19	99.59
6	15.52	0.38	4083.71	99.97
7	0.68	0.02	4084.38	99.98
8	0.62	0.02	4085.00	100.00

**ehb13b1a: 8/9 - P2 - P2B 14 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.36	1.01	41.36	1.01
-9	-9	1826.40	44.71	1867.76	45.72
Less than 1	0	23.66	0.58	1891.42	46.30
1	1	868.17	21.25	2759.59	67.55
2	2	741.10	18.14	3500.69	85.70
3	3	378.36	9.26	3879.05	94.96
4	4	134.79	3.30	4013.84	98.26
5	5	54.35	1.33	4068.19	99.59
6 or more	6	16.81	0.41	4085.00	100.00

**ehb14b2: 8/9 - P2 - P2B 15 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.36	0.99	40.36	0.99
-9	1826.40	44.71	1866.76	45.70
0	198.54	4.86	2065.30	50.56
1	311.78	7.63	2377.08	58.19
2	389.10	9.53	2766.18	67.72
3	377.21	9.23	3143.39	76.95
4	241.81	5.92	3385.20	82.87
5	347.49	8.51	3732.70	91.38
6	151.25	3.70	3883.95	95.08
7	201.05	4.92	4085.00	100.00

**ehb15b5: 8/9 - P2 - P2B 17 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.22	0.40	16.22	0.40
-9	-9	1826.40	44.71	1842.62	45.11
Yes	1	343.48	8.41	2186.10	53.52
No	2	1898.90	46.48	4085.00	100.00

**ehb15b1: 8/9 - P2 - P2B 17/18 - Current cigarette smoking-Frequency**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.09	0.86	35.09	0.86
-9	-9	1826.40	44.71	1861.49	45.57
Do not smoke at all	1	1898.90	46.48	3760.39	92.05
Less than once a day	2	21.86	0.54	3782.25	92.59
At least once a day	3	302.75	7.41	4085.00	100.00

**ehb15b7: 8/9 - P2 - P2B 18 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.75	0.78	31.75	0.78
-9	-9	1826.40	44.71	1858.14	45.49
Yes	1	305.30	7.47	2163.44	52.96
No	2	1921.56	47.04	4085.00	100.00

**ehb15b8: 8/9 - P2 - P2B 18/19 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.37	1.36	55.37	1.36
-9	-9	3725.30	91.19	3780.67	92.55
1 to 5 per day	2	68.49	1.68	3849.16	94.23
6 to 10 per day	3	89.26	2.19	3938.42	96.41
11 to 20 per day	4	106.39	2.60	4044.81	99.02
More than 20 per day	5	40.19	0.98	4085.00	100.00

**ehb16b2: 8/9 - P2 - P2B 20 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.11	0.39	16.11	0.39
-9	-9	1826.40	44.71	1842.51	45.10
Never	0	212.44	5.20	2054.96	50.30
Not in the last year	1	44.12	1.08	2099.07	51.38
Monthly or less	2	322.63	7.90	2421.71	59.28
2 to 3 times a month	3	267.53	6.55	2689.24	65.83
Once a week	4	286.90	7.02	2976.14	72.86
2 to 3 times a week	5	589.38	14.43	3565.52	87.28
4 to 6 times a week	6	381.24	9.33	3946.76	96.62
Everyday	7	138.24	3.38	4085.00	100.00

**ehb16b3: 8/9 - P2 - P2B 21 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.11	0.61	25.11	0.61
-9	-9	2038.84	49.91	2063.95	50.53
1 or 2	1	1057.53	25.89	3121.48	76.41
3 or 4	2	656.89	16.08	3778.38	92.49
5 or 6	3	232.94	5.70	4011.32	98.20
7 to 10	4	60.59	1.48	4071.91	99.68
11 or more	5	13.09	0.32	4085.00	100.00

**ehb16b7: 8/9 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.26	0.62	25.26	0.62
-9	-9	2038.84	49.91	2064.10	50.53
Everyday	1	23.36	0.57	2087.46	51.10
4-6 times a week	2	40.06	0.98	2127.53	52.08
2-3 times a week	3	133.98	3.28	2261.50	55.36
Once a week	4	242.24	5.93	2503.75	61.29
2-3 times a month	5	221.87	5.43	2725.62	66.72



**ehb16b7: 8/9 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	6	833.11	20.39	3558.72	87.12
Never	7	526.28	12.88	4085.00	100.00

**ehb16b8: 8/9 - P2 - P2B 23 - Freq binge drinking (v4)-7 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.81	1.42	57.81	1.42
-9	-9	2038.84	49.91	2096.65	51.33
Everyday	1	7.15	0.18	2103.80	51.50
4-6 times a week	2	7.11	0.17	2110.91	51.67
2-3 times a week	3	54.82	1.34	2165.73	53.02
Once a week	4	130.95	3.21	2296.69	56.22
2-3 times a month	5	127.29	3.12	2423.98	59.34
Monthly or less	6	758.31	18.56	3182.29	77.90
Never	7	902.71	22.10	4085.00	100.00

**ehb16b5a: 8/9 - P2 - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	269.56	6.60	269.56	6.60
-9	-9	1826.40	44.71	2095.96	51.31
Everyday	1	7.15	0.18	2103.11	51.48
4-6 times a week	2	7.11	0.17	2110.22	51.66
2-3 times a week	3	54.72	1.34	2164.94	53.00
Once a week	4	133.23	3.26	2298.17	56.26
2-3 times a month	5	128.76	3.15	2426.93	59.41
Monthly or less	6	768.82	18.82	3195.75	78.23
Never	7	889.25	21.77	4085.00	100.00

**ehb16b5: 8/9 - P2 - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	269.56	6.60	269.56	6.60
-9	-9	2715.65	66.48	2985.21	73.08
Everyday	1	7.15	0.18	2992.36	73.25
4-6 times a week	2	7.11	0.17	2999.47	73.43
2-3 times a week	3	54.72	1.34	3054.19	74.77
Once a week	4	133.23	3.26	3187.42	78.03
2-3 times a month	5	128.76	3.15	3316.18	81.18
Monthly or less	6	768.82	18.82	4085.00	100.00

**ebavdac: 8/9 - P2 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.18	0.49	20.18	0.49
-9	1826.40	44.71	1846.58	45.20
0	859.03	21.03	2705.61	66.23
0.5	514.08	12.58	3219.69	78.82
1	223.43	5.47	3443.12	84.29
1.5	254.06	6.22	3697.18	90.51

**ebavdac: 8/9 - P2 - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	70.32	1.72	3767.50	92.23
2.5	150.47	3.68	3917.97	95.91
3	13.10	0.32	3931.07	96.23
3.5	57.87	1.42	3988.94	97.65
4	48.13	1.18	4037.07	98.83
4.5	3.54	0.09	4040.61	98.91
5.5	25.19	0.62	4065.80	99.53
6.5	11.01	0.27	4076.81	99.80
8.5	5.82	0.14	4082.63	99.94
12	2.37	0.06	4085.00	100.00

**ebalcp: 8/9 - P2 - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.39	0.45	18.39	0.45
-9	-9	1826.40	44.71	1844.79	45.16
Abstain not in the last year	1	256.56	6.28	2101.35	51.44
Occasional less than monthly	2	322.63	7.90	2423.98	59.34
Light <2 drinks/day men, <1 women	3	1264.89	30.96	3688.87	90.30
Moderate >=2 to <4 men, >=1 to <2 women	4	298.00	7.30	3986.87	97.60
Hazardous >=4 to <6 men, >=2 and <4 women	5	78.93	1.93	4065.80	99.53
Harmful >=6 men, >=4 women	6	19.20	0.47	4085.00	100.00

**ebhvdac: 8/9 - P2 - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.18	0.49	20.18	0.49
-9	-9	1826.40	44.71	1846.58	45.20
Yes	1	98.13	2.40	1944.71	47.61
No	2	2140.29	52.39	4085.00	100.00

**ebbinge: 8/9 - P2 - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.40	0.43	17.40	0.43
-9	-9	1826.40	44.71	1843.80	45.14
Yes	1	328.83	8.05	2172.63	53.19
No	2	1912.37	46.81	4085.00	100.00

**ebalcp: 8/9 - P2 - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.40	0.55	22.40	0.55
-9	-9	1826.40	44.71	1848.80	45.26
Yes	1	343.29	8.40	2192.08	53.66
No	2	1892.92	46.34	4085.00	100.00

**ehb24a: 8/9 - Teach 16 - Activity during organised activities**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.86	0.76	30.86	0.76
-9	-9	635.74	15.56	666.60	16.32
I have not observed this child in such activities	-2	53.55	1.31	720.15	17.63
A lot less active than most	1	108.65	2.66	828.80	20.29
A little less active than most	2	377.76	9.25	1206.55	29.54
About the same as most	3	1866.42	45.69	3072.97	75.23
A little more active than most	4	572.26	14.01	3645.23	89.23
A lot more active than most	5	439.77	10.77	4085.00	100.00

**ehb24b: 8/9 - Teach 17 - Activity during play**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.35	0.67	27.35	0.67
-9	-9	635.74	15.56	663.08	16.23
I have not observed this child in such activities	-2	53.91	1.32	717.00	17.55
A lot less active than most	1	80.81	1.98	797.80	19.53
A little less active than most	2	395.90	9.69	1193.70	29.22
About the same as most	3	2095.54	51.30	3289.24	80.52
A little more active than most	4	496.51	12.15	3785.75	92.67
A lot more active than most	5	299.25	7.33	4085.00	100.00

**ehb13m2b: 8/9 - M - CASI H7.1+P2B 13 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.70	0.29	11.70	0.29
-9	167.54	4.10	179.24	4.39
-3	5.98	0.15	185.23	4.53
0	281.38	6.89	466.61	11.42
1	1770.36	43.34	2236.97	54.76
2	1274.42	31.20	3511.40	85.96
3	449.08	10.99	3960.48	96.95
4	83.33	2.04	4043.81	98.99
5	28.03	0.69	4071.83	99.68
6	10.19	0.25	4082.02	99.93
7	0.90	0.02	4082.92	99.95
8	2.08	0.05	4085.00	100.00

**ehb13m2a: 8/9 - M - CASI H7.1+P2B 13 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.70	0.29	11.70	0.29
-9	-9	167.54	4.10	179.24	4.39
-3	-3	5.98	0.15	185.23	4.53
Less than 1	0	281.38	6.89	466.61	11.42
1	1	1770.36	43.34	2236.97	54.76
2	2	1274.42	31.20	3511.40	85.96
3	3	449.08	10.99	3960.48	96.95
4	4	83.33	2.04	4043.81	98.99

**ehb13m2a: 8/9 - M - CASI H7.1+P2B 13 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	5	28.03	0.69	4071.83	99.68
6 or more	6	13.17	0.32	4085.00	100.00

**ehb13m1b: 8/9 - M - CASI H7.2+P2B 14 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.70	0.29	11.70	0.29
-9	167.54	4.10	179.24	4.39
-3	5.57	0.14	184.81	4.52
0	29.54	0.72	214.35	5.25
1	965.08	23.62	1179.43	28.87
2	1245.23	30.48	2424.66	59.36
3	923.81	22.61	3348.47	81.97
4	445.32	10.90	3793.79	92.87
5	225.54	5.52	4019.34	98.39
6	50.39	1.23	4069.73	99.63
7	8.60	0.21	4078.33	99.84
8	5.80	0.14	4084.13	99.98
10	0.87	0.02	4085.00	100.00

**ehb13m1a: 8/9 - M - CASI H7.2+P2B 14 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.70	0.29	11.70	0.29
-9	-9	167.54	4.10	179.24	4.39
-3	-3	5.57	0.14	184.81	4.52
Less than 1	0	29.54	0.72	214.35	5.25
1	1	965.08	23.62	1179.43	28.87
2	2	1245.23	30.48	2424.66	59.36
3	3	923.81	22.61	3348.47	81.97
4	4	445.32	10.90	3793.79	92.87
5	5	225.54	5.52	4019.34	98.39
6 or more	6	65.66	1.61	4085.00	100.00

**ehb14m2: 8/9 - M - CASI H7.3+P2B 15 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.63	0.31	12.63	0.31
-9	167.54	4.10	180.17	4.41
-3	5.98	0.15	186.15	4.56
0	467.98	11.46	654.14	16.01
1	560.21	13.71	1214.34	29.73
2	766.00	18.75	1980.34	48.48
3	808.53	19.79	2788.87	68.27
4	462.86	11.33	3251.73	79.60
5	483.39	11.83	3735.13	91.44
6	154.72	3.79	3889.84	95.22
7	195.16	4.78	4085.00	100.00

**ehb15m1: 8/9 - M - CASI H8.1/H8.2+P2B 17/18 - Current cigarette smoking -Frequency**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.70	0.29	11.70	0.29
-9	-9	165.35	4.05	177.06	4.33
-3	-3	9.11	0.22	186.16	4.56
Do not smoke at all	1	3169.50	77.59	3355.67	82.15
Less than once a day	2	76.74	1.88	3432.40	84.02
At least once a day	3	652.60	15.98	4085.00	100.00

**ehb15m5: 8/9 - M - CASI H8.1+P2B 17 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.70	0.29	11.70	0.29
-9	-9	165.35	4.05	177.06	4.33
-3	-3	9.11	0.22	186.16	4.56
Yes	1	729.33	17.85	915.50	22.41
No	2	3169.50	77.59	4085.00	100.00

**ehb15m7: 8/9 - M - CASI H8.2+P2B 18 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.70	0.29	11.70	0.29
-9	-9	174.46	4.27	186.16	4.56
Yes	1	652.60	15.98	838.76	20.53
No	2	3246.24	79.47	4085.00	100.00

**ehb15m8: 8/9 - M - CASI H8.3+P2B 18/19 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.25	0.30	12.25	0.30
-9	-9	3420.15	83.72	3432.40	84.02
1 to 5 per day	2	120.93	2.96	3553.34	86.99
6 to 10 per day	3	254.18	6.22	3807.52	93.21
11 to 20 per day	4	227.87	5.58	4035.38	98.79
More than 20 per day	5	49.62	1.21	4085.00	100.00

**ehb16m2: 8/9 - M - CASI H9.1+P2B 20 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.70	0.29	11.70	0.29
-9	-9	165.35	4.05	177.06	4.33
-3	-3	9.11	0.22	186.16	4.56
Never	0	615.64	15.07	801.80	19.63
Not in the last year	1	188.42	4.61	990.22	24.24
Monthly or less	2	1027.43	25.15	2017.65	49.39
2 to 3 times a month	3	488.83	11.97	2506.48	61.36
Once a week	4	529.97	12.97	3036.44	74.33
2 to 3 times a week	5	673.72	16.49	3710.17	90.82
4 to 6 times a week	6	289.80	7.09	3999.97	97.92
Everyday	7	85.03	2.08	4085.00	100.00

**ehb16m3: 8/9 - M - CASI H9.2+P2B 21 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.33	0.30	12.33	0.30
-9	-9	780.99	19.12	793.32	19.42
-3	-3	10.70	0.26	804.01	19.68
1 or 2	1	2203.87	53.95	3007.88	73.63
3 or 4	2	801.72	19.63	3809.60	93.26
5 or 6	3	201.18	4.92	4010.77	98.18
7 to 10	4	63.25	1.55	4074.02	99.73
11 or more	5	10.98	0.27	4085.00	100.00

**ehb16m7: 8/9 - M - CASI H9.3+P2B 22 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.33	0.30	12.33	0.30
-9	-9	791.69	19.38	804.01	19.68
Everyday	1	9.65	0.24	813.66	19.92
4-6 times a week	2	13.39	0.33	827.05	20.25
2-3 times a week	3	49.19	1.20	876.24	21.45
Once a week	4	174.83	4.28	1051.06	25.73
2-3 times a month	5	203.38	4.98	1254.44	30.71
Monthly or less	6	1185.73	29.03	2440.18	59.74
Never	7	1644.82	40.26	4085.00	100.00

**ehb16m8: 8/9 - M - CASI H9.4+P2B 23 - Freq binge drinking (v4) -7 or more standard drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.02	0.32	13.02	0.32
-9	-9	800.17	19.59	813.19	19.91
-3	-3	0.92	0.02	814.12	19.93
Everyday	1	2.84	0.07	816.95	20.00
4-6 times a week	2	8.33	0.20	825.28	20.20
2-3 times a week	3	18.10	0.44	843.38	20.65
Once a week	4	77.39	1.89	920.76	22.54
2-3 times a month	5	102.11	2.50	1022.88	25.04
Monthly or less	6	731.26	17.90	1754.14	42.94
Never	7	2330.86	57.06	4085.00	100.00

**ehb16m5a: 8/9 - M - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	132.83	3.25	132.83	3.25
-9	-9	671.18	16.43	804.01	19.68
-3	-3	0.92	0.02	804.94	19.70
Everyday	1	9.65	0.24	814.59	19.94
4-6 times a week	2	13.39	0.33	827.97	20.27
2-3 times a week	3	49.19	1.20	877.16	21.47
Once a week	4	174.83	4.28	1051.98	25.75
2-3 times a month	5	203.38	4.98	1255.37	30.73
Monthly or less	6	1184.81	29.00	2440.18	59.74
Never	7	1644.82	40.26	4085.00	100.00

**ehb16m5: 8/9 - M - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.49	0.75	30.49	0.75
-9	-9	2418.35	59.20	2448.84	59.95
Everyday	1	9.65	0.24	2458.48	60.18
4-6 times a week	2	13.39	0.33	2471.87	60.51
2-3 times a week	3	49.19	1.20	2521.06	61.71
Once a week	4	174.83	4.28	2695.88	65.99
2-3 times a month	5	203.38	4.98	2899.27	70.97
Monthly or less	6	1185.73	29.03	4085.00	100.00

**emavdac: 8/9 - M - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	113.08	2.77	113.08	2.77
-9	73.70	1.80	186.79	4.57
0	2418.06	59.19	2604.84	63.77
0.5	785.11	19.22	3389.95	82.99
1	291.56	7.14	3681.51	90.12
1.5	245.64	6.01	3927.14	96.14
2	32.99	0.81	3960.14	96.94
2.5	65.57	1.61	4025.70	98.55
3	8.95	0.22	4034.66	98.77
3.5	27.50	0.67	4062.15	99.44
4	10.06	0.25	4072.21	99.69
4.5	0.51	0.01	4072.72	99.70
5.5	8.26	0.20	4080.98	99.90
6.5	1.18	0.03	4082.16	99.93
8.5	2.84	0.07	4085.00	100.00

**emalcgp: 8/9 - M - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	112.46	2.75	112.46	2.75
-9	-9	73.70	1.80	186.16	4.56
Abstain not in the last year	1	804.06	19.68	990.22	24.24
Occasional less than monthly	2	1027.43	25.15	2017.65	49.39
Light <2 drinks/day men, <1 women	3	1433.81	35.10	3451.46	84.49
Moderate >=2 to <4 men, >=1 to <2 women	4	475.69	11.64	3927.14	96.14
Hazardous >=4 to <6 men, >=2 and <4 women	5	135.01	3.30	4062.15	99.44
Harmful >=6 men, >=4 women	6	22.85	0.56	4085.00	100.00

**emhvdac: 8/9 - M - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.33	0.30	12.33	0.30
-9	-9	174.46	4.27	186.79	4.57
Yes	1	157.86	3.86	344.64	8.44
No	2	3740.36	91.56	4085.00	100.00

**embinge: 8/9 - M - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.33	0.30	12.33	0.30
-9	-9	174.46	4.27	186.79	4.57
Yes	1	449.64	11.01	636.43	15.58
No	2	3448.57	84.42	4085.00	100.00

**emalcp: 8/9 - M - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.33	0.30	12.33	0.30
-9	-9	174.46	4.27	186.79	4.57
Yes	1	486.00	11.90	672.78	16.47
No	2	3412.22	83.53	4085.00	100.00

**ehb13f2b: 8/9 - F - CASI H7.1+P2B 13 - No. serves of fruit/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	76.44	1.87	76.44	1.87
-9	1744.34	42.70	1820.78	44.57
0	240.39	5.88	2061.17	50.46
1	1099.54	26.92	3160.71	77.37
2	617.23	15.11	3777.94	92.48
3	206.84	5.06	3984.78	97.55
4	60.33	1.48	4045.11	99.02
5	24.80	0.61	4069.91	99.63
6	9.56	0.23	4079.47	99.86
7	2.34	0.06	4081.80	99.92
8	2.14	0.05	4083.95	99.97
9	1.05	0.03	4085.00	100.00

**ehb13f2a: 8/9 - F - CASI H7.1+P2B 13 - No. serves of fruit/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.44	1.87	76.44	1.87
-9	-9	1744.34	42.70	1820.78	44.57
Less than 1	0	240.39	5.88	2061.17	50.46
1	1	1099.54	26.92	3160.71	77.37
2	2	617.23	15.11	3777.94	92.48
3	3	206.84	5.06	3984.78	97.55
4	4	60.33	1.48	4045.11	99.02
5	5	24.80	0.61	4069.91	99.63
6 or more	6	15.09	0.37	4085.00	100.00

**ehb13f1b: 8/9 - F - CASI H7.2+P2B 14 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.51	1.78	72.51	1.78
-9	1744.34	42.70	1816.85	44.48
0	22.90	0.56	1839.75	45.04
1	896.66	21.95	2736.41	66.99
2	767.72	18.79	3504.14	85.78



**ehb13f1b: 8/9 - F - CASI H7.2+P2B 14 - No. serves of vegetables/day**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	378.53	9.27	3882.67	95.05
4	133.72	3.27	4016.38	98.32
5	51.90	1.27	4068.29	99.59
6	14.73	0.36	4083.02	99.95
7	0.68	0.02	4083.70	99.97
8	1.30	0.03	4085.00	100.00

**ehb13f1a: 8/9 - F - CASI H7.2+P2B 14 - No. serves of vegetables/day (6+)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	72.51	1.78	72.51	1.78
-9	-9	1744.34	42.70	1816.85	44.48
Less than 1	0	22.90	0.56	1839.75	45.04
1	1	896.66	21.95	2736.41	66.99
2	2	767.72	18.79	3504.14	85.78
3	3	378.53	9.27	3882.67	95.05
4	4	133.72	3.27	4016.38	98.32
5	5	51.90	1.27	4068.29	99.59
6 or more	6	16.71	0.41	4085.00	100.00

**ehb14f2: 8/9 - F - CASI H7.3+P2B 15 - Days per week exercise**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	70.58	1.73	70.58	1.73
-9	1744.34	42.70	1814.92	44.43
0	206.46	5.05	2021.38	49.48
1	308.79	7.56	2330.17	57.04
2	404.12	9.89	2734.28	66.93
3	383.40	9.39	3117.68	76.32
4	242.27	5.93	3359.95	82.25
5	359.83	8.81	3719.78	91.06
6	157.72	3.86	3877.50	94.92
7	207.50	5.08	4085.00	100.00

**ehb15f1: 8/9 - F - CASI H8.1/H8.2+P2B 17/18 - Current cigarette smoking -Frequency**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	66.24	1.62	66.24	1.62
-9	-9	1744.34	42.70	1810.57	44.32
Do not smoke at all	1	1930.39	47.26	3740.96	91.58
Less than once a day	2	22.36	0.55	3763.32	92.13
At least once a day	3	321.68	7.87	4085.00	100.00

**ehb15f5: 8/9 - F - CASI H8.1+P2B 17 - Current cigarette smoking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.36	1.16	47.36	1.16
-9	-9	1744.34	42.70	1791.70	43.86
Yes	1	362.91	8.88	2154.61	52.74
No	2	1930.39	47.26	4085.00	100.00

**ehb15f7: 8/9 - F - CASI H8.2+P2B 18 - Smoke once a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.89	1.54	62.89	1.54
-9	-9	1744.34	42.70	1807.23	44.24
Yes	1	324.23	7.94	2131.46	52.18
No	2	1953.54	47.82	4085.00	100.00

**ehb15f8: 8/9 - F - CASI H8.3+P2B 18/19 - No. cigarettes smoked per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	85.97	2.10	85.97	2.10
-9	-9	3675.77	89.98	3761.74	92.09
1 to 5 per day	2	67.27	1.65	3829.01	93.73
6 to 10 per day	3	94.81	2.32	3923.82	96.05
11 to 20 per day	4	120.27	2.94	4044.09	99.00
More than 20 per day	5	40.91	1.00	4085.00	100.00

**ehb16f2: 8/9 - F - CASI H9.1+P2B 20 - Frequency of drinking alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.26	1.16	47.26	1.16
-9	-9	1744.34	42.70	1791.60	43.86
Never	0	205.09	5.02	1996.68	48.88
Not in the last year	1	45.67	1.12	2042.35	50.00
Monthly or less	2	326.61	8.00	2368.96	57.99
2 to 3 times a month	3	283.04	6.93	2652.00	64.92
Once a week	4	289.03	7.08	2941.03	72.00
2 to 3 times a week	5	596.17	14.59	3537.21	86.59
4 to 6 times a week	6	399.00	9.77	3936.21	96.36
Everyday	7	148.79	3.64	4085.00	100.00

**ehb16f3: 8/9 - F - CASI H9.2+P2B 21 - Av. daily alcohol when drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.64	1.36	55.64	1.36
-9	-9	1949.42	47.72	2005.06	49.08
1 or 2	1	1070.98	26.22	3076.04	75.30
3 or 4	2	697.62	17.08	3773.66	92.38
5 or 6	3	236.17	5.78	4009.83	98.16
7 to 10	4	60.59	1.48	4070.42	99.64
11 or more	5	14.58	0.36	4085.00	100.00

**ehb16f7: 8/9 - F - CASI H9.3+P2B 22 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.78	1.37	55.78	1.37
-9	-9	1949.42	47.72	2005.21	49.09
Everyday	1	23.36	0.57	2028.57	49.66
4-6 times a week	2	42.58	1.04	2071.15	50.70
2-3 times a week	3	140.55	3.44	2211.70	54.14
Once a week	4	254.19	6.22	2465.90	60.36
2-3 times a month	5	223.68	5.48	2689.57	65.84

**ehb16f7: 8/9 - F - CASI H9.3+P2B 22 - Freq binge drinking (v4)-5 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	6	864.97	21.17	3554.54	87.01
Never	7	530.46	12.99	4085.00	100.00

**ehb16f8: 8/9 - F - CASI H9.4+P2B 23 - Freq binge drinking (v4)-7 or more std drinks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	87.64	2.15	87.64	2.15
-9	-9	1951.45	47.77	2039.09	49.92
Everyday	1	7.15	0.18	2046.24	50.09
4-6 times a week	2	8.09	0.20	2054.33	50.29
2-3 times a week	3	55.66	1.36	2109.98	51.65
Once a week	4	141.79	3.47	2251.78	55.12
2-3 times a month	5	132.87	3.25	2384.64	58.38
Monthly or less	6	787.25	19.27	3171.89	77.65
Never	7	913.11	22.35	4085.00	100.00

**ehb16f5a: 8/9 - F - Freq binge drinking (v3)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	286.86	7.02	286.86	7.02
-9	-9	1752.23	42.89	2039.09	49.92
Everyday	1	7.15	0.18	2046.24	50.09
4-6 times a week	2	8.09	0.20	2054.33	50.29
2-3 times a week	3	55.66	1.36	2109.98	51.65
Once a week	4	141.79	3.47	2251.78	55.12
2-3 times a month	5	132.87	3.25	2384.64	58.38
Monthly or less	6	787.25	19.27	3171.89	77.65
Never	7	913.11	22.35	4085.00	100.00

**ehb16f5: 8/9 - F - Freq binge drinking (v2)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	275.38	6.74	275.38	6.74
-9	-9	2676.82	65.53	2952.19	72.27
Everyday	1	7.15	0.18	2959.34	72.44
4-6 times a week	2	8.09	0.20	2967.43	72.64
2-3 times a week	3	55.66	1.36	3023.09	74.00
Once a week	4	141.79	3.47	3164.88	77.48
2-3 times a month	5	132.87	3.25	3297.75	80.73
Monthly or less	6	787.25	19.27	4085.00	100.00

**efavdac: 8/9 - F - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	60.16	1.47	60.16	1.47
-9	1734.88	42.47	1795.04	43.94
0	862.76	21.12	2657.80	65.06
0.5	526.20	12.88	3184.00	77.94
1	231.04	5.66	3415.04	83.60
1.5	262.36	6.42	3677.40	90.02

**efavdac: 8/9 - F - Average daily alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	70.60	1.73	3747.99	91.75
2.5	159.26	3.90	3907.25	95.65
3	13.10	0.32	3920.36	95.97
3.5	65.07	1.59	3985.43	97.56
4	48.98	1.20	4034.41	98.76
4.5	5.03	0.12	4039.44	98.88
5.5	26.37	0.65	4065.80	99.53
6.5	11.01	0.27	4076.81	99.80
8.5	5.82	0.14	4082.63	99.94
12	2.37	0.06	4085.00	100.00

**efalcgp: 8/9 - F - Alcohol consumption groups**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.99	1.44	58.99	1.44
-9	-9	1734.88	42.47	1793.87	43.91
Abstain not in the last year	1	250.75	6.14	2044.63	50.05
Occasional less than monthly	2	326.61	8.00	2371.23	58.05
Light <2 drinks/day men, <1 women	3	1306.16	31.97	3677.40	90.02
Moderate >=2 to <4 men, >=1 to <2 women	4	308.03	7.54	3985.43	97.56
Hazardous >=4 to <6 men, >=2 and <4 women	5	80.38	1.97	4065.80	99.53
Harmful >=6 men, >=4 women	6	19.20	0.47	4085.00	100.00

**efhvdac: 8/9 - F - Heavy daily alcohol consumption**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.71	1.24	50.71	1.24
-9	-9	1744.34	42.70	1795.04	43.94
Yes	1	99.57	2.44	1894.62	46.38
No	2	2190.38	53.62	4085.00	100.00

**efbinge: 8/9 - F - Frequent binge drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	47.92	1.17	47.92	1.17
-9	-9	1744.34	42.70	1792.26	43.87
Yes	1	375.65	9.20	2167.91	53.07
No	2	1917.09	46.93	4085.00	100.00

**efalcp: 8/9 - F - Problematic alcohol use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	52.92	1.30	52.92	1.30
-9	-9	1744.34	42.70	1797.26	44.00
Yes	1	389.42	9.53	2186.68	53.53
No	2	1898.32	46.47	4085.00	100.00