

04 Health behaviour and risk factors

fhb13a2b: 10/11 - P1 - CASI H5- No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.32	1.71	71.32	1.71
-3	18.43	0.44	89.76	2.15
0	284.97	6.84	374.73	8.99
1	1767.88	42.41	2142.61	51.39
2	1387.48	33.28	3530.09	84.67
3	481.59	11.55	4011.68	96.23
4	114.36	2.74	4126.04	98.97
5	27.46	0.66	4153.49	99.63
6	9.66	0.23	4163.15	99.86
7	4.81	0.12	4167.96	99.98
8	0.29	0.01	4168.25	99.98
10	0.75	0.02	4169.00	100.00

fhb13a2a: 10/11 - P1 - CASI H5- No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	18.43	0.44	89.76	2.15
Less than 1	0	284.97	6.84	374.73	8.99
1	1	1767.88	42.41	2142.61	51.39
2	2	1387.48	33.28	3530.09	84.67
3	3	481.59	11.55	4011.68	96.23
4	4	114.36	2.74	4126.04	98.97
5	5	27.46	0.66	4153.49	99.63
6 or more	6	15.51	0.37	4169.00	100.00

fhb13a1b: 10/11 - P1 - CASI H6- No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.32	1.71	71.32	1.71
-3	16.02	0.38	87.34	2.10
0	38.21	0.92	125.55	3.01
1	1032.85	24.77	1158.40	27.79
2	1201.74	28.83	2360.13	56.61
3	1017.21	24.40	3377.35	81.01
4	491.28	11.78	3868.63	92.80
5	223.04	5.35	4091.67	98.15
6	51.25	1.23	4142.92	99.37
7	12.66	0.30	4155.58	99.68
8	8.25	0.20	4163.83	99.88
9	1.92	0.05	4165.75	99.92
10	3.25	0.08	4169.00	100.00

fhb13a1a: 10/11 - P1 - CASI H6- No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	16.02	0.38	87.34	2.10
Less than 1	0	38.21	0.92	125.55	3.01
1	1	1032.85	24.77	1158.40	27.79
2	2	1201.74	28.83	2360.13	56.61
3	3	1017.21	24.40	3377.35	81.01
4	4	491.28	11.78	3868.63	92.80
5	5	223.04	5.35	4091.67	98.15
6 or more	6	77.33	1.85	4169.00	100.00

fhb14a2: 10/11 - P1 - CASI H7- Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	71.32	1.71	71.32	1.71
-3	19.74	0.47	91.06	2.18
0	473.62	11.36	564.68	13.54
1	630.05	15.11	1194.73	28.66
2	724.86	17.39	1919.59	46.04
3	779.23	18.69	2698.81	64.74
4	489.01	11.73	3187.82	76.46
5	506.15	12.14	3693.97	88.61
6	187.54	4.50	3881.51	93.10
7	287.49	6.90	4169.00	100.00

fhb15a5: 10/11 - P1 - CASI H9.1- Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	16.02	0.38	87.34	2.10
Yes	1	912.50	21.89	999.84	23.98
No	2	3169.16	76.02	4169.00	100.00

fhb15a7: 10/11 - P1 - CASI H9.2- Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	87.34	2.10	87.34	2.10
-9	-9	3169.16	76.02	3256.50	78.11
Yes	1	823.80	19.76	4080.30	97.87
No	2	88.70	2.13	4169.00	100.00

fhb15a1: 10/11 - P1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	87.34	2.10	87.34	2.10
Do not smoke at all	1	3169.16	76.02	3256.50	78.11
Less than once a day	2	88.70	2.13	3345.20	80.24
At least once a day	3	823.80	19.76	4169.00	100.00

fhb15a8: 10/11 - P1 - CASI H9.3- No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3256.50	78.11	3256.50	78.11
1	1	88.70	2.13	3345.20	80.24
1 to 5 per day	2	135.38	3.25	3480.58	83.49
6 to 10 per day	3	262.10	6.29	3742.67	89.77
11 to 20 per day	4	331.39	7.95	4074.06	97.72
More than 20 per day	5	94.94	2.28	4169.00	100.00

fhb15a4b: 10/11 - P1 - CASI H9.4- No. residents smoke inside

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	620.37	14.88	620.37	14.88
-3	19.81	0.48	640.17	15.36
0	3208.74	76.97	3848.91	92.32
1	241.30	5.79	4090.21	98.11
2	55.73	1.34	4145.94	99.45
3	16.34	0.39	4162.28	99.84
4	3.72	0.09	4166.01	99.93
5	2.99	0.07	4169.00	100.00

fhb15a4a: 10/11 - P1 - CASI H9.4- No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	272.50	6.54	272.50	6.54
-3	-3	19.81	0.48	292.30	7.01
None	0	3490.78	83.73	3783.08	90.74
1	1	241.30	5.79	4024.38	96.53
2	2	119.00	2.85	4143.38	99.39
3	3	17.36	0.42	4160.73	99.80
4	4	4.62	0.11	4165.35	99.91
5 or more	5	3.65	0.09	4169.00	100.00

fhb16a2: 10/11 - P1 - CASI H10.1- Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	15.76	0.38	87.08	2.09
Never	0	691.96	16.60	779.04	18.69
Not in the last year	1	222.12	5.33	1001.16	24.01
Monthly or less	2	936.02	22.45	1937.17	46.47
2 to 3 times a month	3	518.02	12.43	2455.19	58.89
Once a week	4	539.77	12.95	2994.96	71.84
2 to 3 times a week	5	718.61	17.24	3713.58	89.08
4 to 6 times a week	6	354.49	8.50	4068.07	97.58
Everyday	7	100.93	2.42	4169.00	100.00

fhb16a3: 10/11 - P1 - CASI H10.2- Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-9	-9	691.96	16.60	763.28	18.31
-3	-3	26.12	0.63	789.40	18.93
1 or 2	1	2159.28	51.79	2948.68	70.73
3 or 4	2	854.33	20.49	3803.01	91.22
5 or 6	3	210.91	5.06	4013.93	96.28
7 to 10	4	57.97	1.39	4071.90	97.67
11 or more	5	97.10	2.33	4169.00	100.00

fhb16a7: 10/11 - P1 - CASI H10.3- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	97.44	2.34	97.44	2.34
-9	-9	691.96	16.60	789.40	18.93
Everyday	1	18.16	0.44	807.56	19.37
4-6 times a week	2	18.23	0.44	825.79	19.81
2-3 times a week	3	78.00	1.87	903.80	21.68
Once a week	4	204.58	4.91	1108.38	26.59
2-3 times a month	5	214.21	5.14	1322.59	31.72
Monthly or less	6	1192.14	28.60	2514.73	60.32
Never	7	1654.27	39.68	4169.00	100.00

fhb16a8: 10/11 - P1 - CASI H10.4- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	99.96	2.40	99.96	2.40
-9	-9	691.96	16.60	791.92	19.00
-3	-3	2.76	0.07	794.68	19.06
Everyday	1	5.76	0.14	800.43	19.20
4-6 times a week	2	6.89	0.17	807.32	19.36
2-3 times a week	3	23.36	0.56	830.68	19.93
Once a week	4	90.29	2.17	920.97	22.09
2-3 times a month	5	91.94	2.21	1012.91	24.30
Monthly or less	6	718.27	17.23	1731.18	41.53
Never	7	2437.82	58.47	4169.00	100.00

fhb16a5a: 10/11 - P1 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	155.12	3.72	155.12	3.72
-9	-9	691.96	16.60	847.07	20.32
-3	-3	1.05	0.03	848.13	20.34
Everyday	1	14.62	0.35	862.74	20.69
4-6 times a week	2	17.78	0.43	880.52	21.12
2-3 times a week	3	68.13	1.63	948.66	22.76
Once a week	4	197.09	4.73	1145.75	27.48
2-3 times a month	5	208.87	5.01	1354.62	32.49
Monthly or less	6	1189.53	28.53	2544.15	61.03
Never	7	1624.85	38.97	4169.00	100.00

fhb16a5: 10/11 - P1 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	155.12	3.72	155.12	3.72
-9	-9	2316.81	55.57	2471.93	59.29
-3	-3	1.05	0.03	2472.98	59.32
Everyday	1	14.62	0.35	2487.60	59.67
4-6 times a week	2	17.78	0.43	2505.38	60.10
2-3 times a week	3	68.13	1.63	2573.51	61.73
Once a week	4	197.09	4.73	2770.60	66.46
2-3 times a month	5	208.87	5.01	2979.47	71.47
Monthly or less	6	1189.53	28.53	4169.00	100.00

faavdac: 10/11 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	92.22	2.21	92.22	2.21
-9	691.96	16.60	784.17	18.81
0	1708.84	40.99	2493.01	59.80
0.5	850.56	20.40	3343.57	80.20
1	332.31	7.97	3675.88	88.17
1.5	259.36	6.22	3935.24	94.39
2	37.02	0.89	3972.27	95.28
2.5	99.53	2.39	4071.80	97.67
3	1.48	0.04	4073.27	97.70
3.5	34.92	0.84	4108.19	98.54
4	17.63	0.42	4125.83	98.96
4.5	20.44	0.49	4146.27	99.45
5.5	10.77	0.26	4157.04	99.71
6.5	1.09	0.03	4158.13	99.74
8.5	9.76	0.23	4167.89	99.97
12	1.11	0.03	4169.00	100.00

faalcgp: 10/11 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	91.74	2.20	91.74	2.20
-9	-9	691.96	16.60	783.70	18.80
Abstain not in the last year	1	222.12	5.33	1005.82	24.13
Occasional less than monthly	2	936.02	22.45	1941.83	46.58
Light <2 drinks/day men, <1 women	3	1508.61	36.19	3450.44	82.76
Moderate >=2 to <4 men, >=1 to <2 women	4	507.44	12.17	3957.88	94.94
Hazardous >=4 to <6 men, >=2 and <4 women	5	161.46	3.87	4119.34	98.81
Harmful >=6 men, >=4 women	6	49.66	1.19	4169.00	100.00

fahvdac: 10/11 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	94.73	2.27	94.73	2.27
-9	-9	691.96	16.60	786.69	18.87
Yes	1	211.12	5.06	997.81	23.93
No	2	3171.19	76.07	4169.00	100.00

fabinge: 10/11 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	144.87	3.47	144.87	3.47
-9	-9	691.96	16.60	836.83	20.07
Yes	1	506.49	12.15	1343.32	32.22
No	2	2825.68	67.78	4169.00	100.00

faalcp: 10/11 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	143.82	3.45	143.82	3.45
-9	-9	691.96	16.60	835.77	20.05
Yes	1	579.70	13.90	1415.47	33.95
No	2	2753.53	66.05	4169.00	100.00

zhb23a: 10/11 - F2F W3+J32.1 - Age SC started clean teeth

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	98.16	2.35	98.16	2.35
1	9.57	0.23	107.73	2.58
2	5.20	0.12	112.93	2.71
3	25.56	0.61	138.49	3.32
4	72.39	1.74	210.88	5.06
5	62.02	1.49	272.90	6.55
6	544.07	13.05	816.97	19.60
7	121.90	2.92	938.87	22.52
8	259.93	6.23	1198.80	28.76
9	203.01	4.87	1401.81	33.62
10	163.50	3.92	1565.30	37.55
11	86.35	2.07	1651.65	39.62
12	1088.43	26.11	2740.08	65.73
13	8.52	0.20	2748.61	65.93
14	22.07	0.53	2770.68	66.46
15	32.10	0.77	2802.78	67.23
16	9.72	0.23	2812.50	67.46
17	0.96	0.02	2813.46	67.49
18	338.61	8.12	3152.07	75.61
19	2.57	0.06	3154.64	75.67
20	5.68	0.14	3160.32	75.81
22	1.08	0.03	3161.40	75.83
24	637.51	15.29	3798.91	91.12
26	0.32	0.01	3799.23	91.13
30	24.58	0.59	3823.81	91.72
36	191.02	4.58	4014.83	96.30

zhhb23a: 10/11 - F2F W3+J32.1 - Age SC started clean teeth

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
42	2.98	0.07	4017.80	96.37
48	89.02	2.14	4106.82	98.51
60	24.80	0.59	4131.62	99.10
72	15.77	0.38	4147.39	99.48
77	3.02	0.07	4150.41	99.55
81	0.91	0.02	4151.32	99.58
82	3.31	0.08	4154.63	99.66
83	5.38	0.13	4160.01	99.78
84	1.08	0.03	4161.09	99.81
85	4.11	0.10	4165.19	99.91
88	2.55	0.06	4167.74	99.97
108	1.26	0.03	4169.00	100.00

zhhb23a1: 10/11 - F2F W3+J32.1.1 - Age SC started clean teeth - Unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	98.16	2.35	98.16	2.35
Months	1	2473.75	59.34	2571.91	61.69
Years	2	1597.09	38.31	4169.00	100.00

zhhb23a2: 10/11 - F2F W3+J32.1.2 - Age SC started clean teeth - Amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	98.16	2.35	98.16	2.35
1	664.68	15.94	762.84	18.30
2	627.14	15.04	1389.98	33.34
3	215.78	5.18	1605.76	38.52
4	159.31	3.82	1765.07	42.34
5	86.82	2.08	1851.89	44.42
6	559.84	13.43	2411.73	57.85
7	122.98	2.95	2534.71	60.80
8	259.93	6.23	2794.63	67.03
9	204.26	4.90	2998.90	71.93
10	163.50	3.92	3162.39	75.85
11	86.35	2.07	3248.74	77.93
12	433.32	10.39	3682.06	88.32
13	8.52	0.20	3690.59	88.52
14	22.07	0.53	3712.66	89.05
15	32.10	0.77	3744.76	89.82
16	9.72	0.23	3754.48	90.06
17	0.96	0.02	3755.44	90.08
18	338.61	8.12	4094.05	98.20
19	2.57	0.06	4096.62	98.26
20	5.68	0.14	4102.30	98.40
22	1.08	0.03	4103.38	98.43
24	15.57	0.37	4118.95	98.80
26	0.32	0.01	4119.27	98.81
30	24.58	0.59	4143.85	99.40
36	0.80	0.02	4144.65	99.42

zfb23a2: 10/11 - F2F W3+J32.1.2 - Age SC started clean teeth - Amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
42	2.98	0.07	4147.62	99.49
48	2.10	0.05	4149.72	99.54
77	3.02	0.07	4152.74	99.61
81	0.91	0.02	4153.65	99.63
82	3.31	0.08	4156.97	99.71
83	5.38	0.13	4162.34	99.84
85	4.11	0.10	4166.45	99.94
88	2.55	0.06	4169.00	100.00

fhb23b: 10/11 - F2F J32.1 - How often are child's teeth cleaned

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
More than twice a day	1	66.03	1.58	79.50	1.91
Twice a day	2	2460.51	59.02	2540.01	60.93
Once a day	3	1333.64	31.99	3873.65	92.92
Less than once a day	4	273.58	6.56	4147.23	99.48
Don't clean teeth	5	21.77	0.52	4169.00	100.00

fhb23c: 10/11 - F2F W3+J33.3 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	86.23	2.07	86.23	2.07
Yes	1	2399.52	57.56	2485.76	59.62
No	2	1683.24	40.38	4169.00	100.00

fhb23c1: 10/11 - F2F W3+J33.4.1 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	95.65	2.29	95.65	2.29
No	0	2143.80	51.42	2239.45	53.72
Yes	1	1929.55	46.28	4169.00	100.00

fhb23c4: 10/11 - F2F W3+J33.4.2 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	143.80	3.45	143.80	3.45
No	0	3461.33	83.03	3605.14	86.47
Yes	1	563.86	13.53	4169.00	100.00

fhb23c2: 10/11 - F2F W3+J33.4.3 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	111.94	2.68	111.94	2.68
No	0	2268.74	54.42	2380.68	57.10
Yes	1	1788.32	42.90	4169.00	100.00

fhb23c3: 10/11 - F2F W3+J33.4.4 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	146.60	3.52	146.60	3.52
No	0	3520.77	84.45	3667.37	87.97
Yes	1	501.63	12.03	4169.00	100.00

fhb23d1: 10/11 - F2F A21.4.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	40.99	0.98	54.46	1.31
No	0	3008.81	72.17	3063.27	73.48
Yes	1	1105.73	26.52	4169.00	100.00

fhb23d2: 10/11 - F2F A21.4.2 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	40.99	0.98	54.46	1.31
No	0	3189.81	76.51	3244.27	77.82
Yes	1	924.73	22.18	4169.00	100.00

fhb23d3: 10/11 - F2F A21.4.3 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	40.99	0.98	54.46	1.31
No	0	4020.98	96.45	4075.45	97.76
Yes	1	93.55	2.24	4169.00	100.00

fhb23d4: 10/11 - F2F A21.4.4 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	40.99	0.98	54.46	1.31
No	0	3938.34	94.47	3992.80	95.77
Yes	1	176.20	4.23	4169.00	100.00

fhb20a: 10/11 - F2F J37 - Frequency of sun protection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	13.47	0.32	13.47	0.32
-2	-2	3.28	0.08	16.75	0.40
Every day	1	2401.19	57.60	2417.93	58.00
Most days	2	1387.23	33.27	3805.16	91.27
Some days	3	278.07	6.67	4083.23	97.94
Never or hardly ever	4	85.77	2.06	4169.00	100.00

fhb21c1a1: 10/11 - SC - ACASI 1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	0.69	0.02	73.81	1.77
Not at all	0	516.46	12.39	590.28	14.16
Once	1	1323.47	31.75	1913.75	45.90
Twice	2	1333.13	31.98	3246.88	77.88
More than twice	3	922.12	22.12	4169.00	100.00

fhb21c2a1: 10/11 - SC - ACASI 1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	1638.81	39.31	1711.94	41.06
Once	1	1492.75	35.81	3204.69	76.87
Twice	2	606.88	14.56	3811.57	91.43
More than twice	3	357.43	8.57	4169.00	100.00

fhb21c1b1: 10/11 - SC - ACASI 1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	0.68	0.02	73.81	1.77
Not at all	0	1196.32	28.70	1270.13	30.47
Once	1	1580.12	37.90	2850.25	68.37
Twice	2	652.10	15.64	3502.35	84.01
More than twice	3	666.65	15.99	4169.00	100.00

fhb21c1c1: 10/11 - SC - ACASI 1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	2087.30	50.07	2160.43	51.82
Once	1	1249.77	29.98	3410.20	81.80
Twice	2	465.77	11.17	3875.97	92.97
More than twice	3	293.03	7.03	4169.00	100.00

fhb21c3a1: 10/11 - SC - ACASI 1.5 - SC had pie, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	1.84	0.04	74.97	1.80
Not at all	0	2516.43	60.36	2591.39	62.16
Once	1	1114.64	26.74	3706.04	88.90
Twice	2	259.74	6.23	3965.77	95.13
More than twice	3	203.22	4.87	4169.00	100.00

fhb21c3b1: 10/11 - SC - ACASI 1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	2.10	0.05	75.22	1.80
Not at all	0	2701.74	64.81	2776.96	66.61
Once	1	1041.43	24.98	3818.39	91.59
Twice	2	181.51	4.35	3999.91	95.94
More than twice	3	169.09	4.06	4169.00	100.00

fhb21c3c1: 10/11 - SC - ACASI 1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	2.10	0.05	75.22	1.80
Not at all	0	1756.21	42.13	1831.43	43.93
Once	1	1626.65	39.02	3458.09	82.95
Twice	2	471.05	11.30	3929.13	94.25
More than twice	3	239.87	5.75	4169.00	100.00

fhb21c3d1: 10/11 - SC - ACASI 1.8 - SC had biscuits, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	1.84	0.04	74.97	1.80
Not at all	0	1218.97	29.24	1293.94	31.04
Once	1	2035.92	48.83	3329.86	79.87
Twice	2	584.26	14.01	3914.12	93.89
More than twice	3	254.88	6.11	4169.00	100.00

fhb21c8a1: 10/11 - SC - ACASI 1.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	717.43	17.21	790.56	18.96
Once	1	1885.14	45.22	2675.70	64.18
Twice	2	1015.24	24.35	3690.94	88.53
More than twice	3	478.06	11.47	4169.00	100.00

fhb21c3e1: 10/11 - SC - ACASI 1.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	584.23	14.01	657.36	15.77
Once	1	1680.41	40.31	2337.77	56.08
Twice	2	1190.21	28.55	3527.97	84.62
More than twice	3	641.03	15.38	4169.00	100.00

fhb21c4b1: 10/11 - SC - ACASI 1.11 - SC had soy milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	6.44	0.15	79.57	1.91
Not at all	0	3522.18	84.48	3601.74	86.39
Once	1	359.38	8.62	3961.12	95.01
Twice	2	129.31	3.10	4090.44	98.12
More than twice	3	78.56	1.88	4169.00	100.00

fhb21c5a1: 10/11 - SC - ACASI 1.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	86.69	2.08	159.81	3.83
Once	1	342.06	8.20	501.87	12.04
Twice	2	597.31	14.33	1099.19	26.37
More than twice	3	3069.81	73.63	4169.00	100.00

fhb21c2b1: 10/11 - SC - ACASI 1.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	1.43	0.03	74.56	1.79
Not at all	0	1873.20	44.93	1947.76	46.72
Once	1	1339.49	32.13	3287.25	78.85
Twice	2	538.05	12.91	3825.30	91.76
More than twice	3	343.70	8.24	4169.00	100.00

fcfandvb: 10/11 - SC - NA - Serves of fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.15	0.75	31.15	0.75
-9	43.35	1.04	74.50	1.79
0	226.32	5.43	300.82	7.22
1	467.86	11.22	768.68	18.44
2	692.50	16.61	1461.17	35.05
3	759.44	18.22	2220.62	53.27
4	690.31	16.56	2910.92	69.82
5	460.34	11.04	3371.26	80.86
6	377.12	9.05	3748.38	89.91
7	204.07	4.90	3952.46	94.81
8	136.21	3.27	4088.67	98.07
9	80.33	1.93	4169.00	100.00

fchfatb: 10/11 - SC - NA - Serves of high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.98	0.79	32.98	0.79
-9	43.35	1.04	76.32	1.83
0	360.11	8.64	436.44	10.47
1	979.93	23.51	1416.36	33.97
2	997.65	23.93	2414.01	57.90
3	630.23	15.12	3044.24	73.02
4	449.35	10.78	3493.60	83.80
5	238.90	5.73	3732.50	89.53
6	140.59	3.37	3873.09	92.90
7	76.17	1.83	3949.26	94.73
8	64.12	1.54	4013.38	96.27
9	31.97	0.77	4045.35	97.03
10	36.11	0.87	4081.46	97.90
11	36.10	0.87	4117.56	98.77
12	51.44	1.23	4169.00	100.00

fchfwmb: 10/11 - SC - NA - Serves of high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.98	0.79	32.98	0.79
-9	43.35	1.04	76.32	1.83
0	63.10	1.51	139.43	3.34
1	329.48	7.90	468.90	11.25
2	667.03	16.00	1135.93	27.25
3	869.65	20.86	2005.58	48.11
4	696.04	16.70	2701.62	64.80
5	490.65	11.77	3192.27	76.57
6	331.13	7.94	3523.41	84.51
7	232.40	5.57	3755.80	90.09
8	125.51	3.01	3881.31	93.10
9	70.51	1.69	3951.82	94.79
10	58.58	1.41	4010.40	96.20
11	39.32	0.94	4049.72	97.14
12	24.18	0.58	4073.90	97.72
13	38.75	0.93	4112.65	98.65
14	28.14	0.68	4140.79	99.32
15	28.21	0.68	4169.00	100.00

fchsdrnkb: 10/11 - SC - NA - Serves of high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.21	0.75	31.21	0.75
-9	43.35	1.04	74.56	1.79
0	930.73	22.33	1005.29	24.11
1	1126.24	27.01	2131.53	51.13
2	898.61	21.55	3030.14	72.68
3	570.10	13.67	3600.24	86.36
4	336.03	8.06	3936.27	94.42

fchsdnkb: 10/11 - SC - NA - Serves of high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	149.46	3.59	4085.73	98.00
6	83.27	2.00	4169.00	100.00

fhb21c1a2: 10/11 - SC - ACASI 1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	0.69	0.02	73.81	1.77
Not at all	0	516.46	12.39	590.28	14.16
Once	1	1323.47	31.75	1913.75	45.90
Twice or more	2	2255.25	54.10	4169.00	100.00

fhb21c2a2: 10/11 - SC - ACASI 1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	1638.81	39.31	1711.94	41.06
Once	1	1492.75	35.81	3204.69	76.87
Twice or more	2	964.31	23.13	4169.00	100.00

fhb21c1b2: 10/11 - SC - ACASI 1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	0.68	0.02	73.81	1.77
Not at all	0	1196.32	28.70	1270.13	30.47
Once	1	1580.12	37.90	2850.25	68.37
Twice or more	2	1318.75	31.63	4169.00	100.00

fhb21c1c2: 10/11 - SC - ACASI 1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	2087.30	50.07	2160.43	51.82
Once	1	1249.77	29.98	3410.20	81.80
Twice or more	2	758.80	18.20	4169.00	100.00

fhb21c3a2: 10/11 - SC - ACASI 1.5 - SC had pie, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	1.84	0.04	74.97	1.80
Not at all	0	2516.43	60.36	2591.39	62.16
Once	1	1114.64	26.74	3706.04	88.90
Twice or more	2	462.96	11.10	4169.00	100.00

fhb21c3b2: 10/11 - SC - ACASI 1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	2.10	0.05	75.22	1.80
Not at all	0	2701.74	64.81	2776.96	66.61
Once	1	1041.43	24.98	3818.39	91.59
Twice or more	2	350.61	8.41	4169.00	100.00

fhb21c3c2: 10/11 - SC - ACASI 1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	2.10	0.05	75.22	1.80
Not at all	0	1756.21	42.13	1831.43	43.93
Once	1	1626.65	39.02	3458.09	82.95
Twice or more	2	710.91	17.05	4169.00	100.00

fhb21c3d2: 10/11 - SC - ACASI 1.8 - SC had biscuits, etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	1.84	0.04	74.97	1.80
Not at all	0	1218.97	29.24	1293.94	31.04
Once	1	2035.92	48.83	3329.86	79.87
Twice or more	2	839.14	20.13	4169.00	100.00

fhb21c8a2: 10/11 - SC - ACASI 1.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	717.43	17.21	790.56	18.96
Once	1	1885.14	45.22	2675.70	64.18
Twice or more	2	1493.30	35.82	4169.00	100.00

fhb21c3e2: 10/11 - SC - ACASI 1.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	584.23	14.01	657.36	15.77
Once	1	1680.41	40.31	2337.77	56.08
Twice or more	2	1831.23	43.92	4169.00	100.00

fhb21c4b2: 10/11 - SC - ACASI 1.11 - SC had soy milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	6.44	0.15	79.57	1.91
Not at all	0	3522.18	84.48	3601.74	86.39
Once	1	359.38	8.62	3961.12	95.01
Twice or more	2	207.88	4.99	4169.00	100.00

fhb21c5a2: 10/11 - SC - ACASI 1.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
Not at all	0	86.69	2.08	159.81	3.83
Once	1	342.06	8.20	501.87	12.04
Twice or more	2	3667.13	87.96	4169.00	100.00

fhb21c2b2: 10/11 - SC - ACASI 1.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.78	0.71	29.78	0.71
-9	-9	43.35	1.04	73.13	1.75
-3	-3	1.43	0.03	74.56	1.79
Not at all	0	1873.20	44.93	1947.76	46.72
Once	1	1339.49	32.13	3287.25	78.85
Twice or more	2	881.75	21.15	4169.00	100.00

fcfandv: 10/11 - SC - NA - Serves of fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.15	0.75	31.15	0.75
-9	43.35	1.04	74.50	1.79
0	226.32	5.43	300.82	7.22
1	467.86	11.22	768.68	18.44
2	786.08	18.86	1554.76	37.29
3	929.35	22.29	2484.11	59.59
4	811.78	19.47	3295.89	79.06
5	497.63	11.94	3793.52	90.99
6	375.48	9.01	4169.00	100.00

fchfat: 10/11 - SC - NA - Serves of high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.98	0.79	32.98	0.79
-9	43.35	1.04	76.32	1.83
0	360.11	8.64	436.44	10.47
1	979.93	23.51	1416.36	33.97
2	1044.52	25.05	2460.88	59.03
3	654.60	15.70	3115.48	74.73
4	458.99	11.01	3574.47	85.74
5	242.97	5.83	3817.44	91.57

fchfat: 10/11 - SC - NA - Serves of high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	137.57	3.30	3955.00	94.87
7	77.24	1.85	4032.24	96.72
8	136.76	3.28	4169.00	100.00

fchfwm: 10/11 - SC - NA - Serves of high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.98	0.79	32.98	0.79
-9	43.35	1.04	76.32	1.83
0	63.10	1.51	139.43	3.34
1	329.48	7.90	468.90	11.25
2	710.98	17.05	1179.88	28.30
3	967.69	23.21	2147.58	51.51
4	736.36	17.66	2883.94	69.18
5	461.20	11.06	3345.14	80.24
6	357.53	8.58	3702.66	88.81
7	180.97	4.34	3883.63	93.16
8	109.30	2.62	3992.93	95.78
9	69.59	1.67	4062.52	97.45
10	106.48	2.55	4169.00	100.00

fchsdrnk: 10/11 - SC - NA - Serves of high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.21	0.75	31.21	0.75
-9	43.35	1.04	74.56	1.79
0	930.73	22.33	1005.29	24.11
1	1126.24	27.01	2131.53	51.13
2	1068.81	25.64	3200.35	76.77
3	614.81	14.75	3815.16	91.51
4	353.84	8.49	4169.00	100.00

fhb25c1: 10/11 - SC - ACASI 1.14 - Body Shape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.42	0.75	31.42	0.75
-9	-9	43.35	1.04	74.77	1.79
-3	-3	13.92	0.33	88.69	2.13
Picture 1	1	32.34	0.78	121.03	2.90
Picture 2	2	167.23	4.01	288.26	6.91
Picture 3	3	970.25	23.27	1258.52	30.19
Picture 4	4	1921.13	46.08	3179.65	76.27
Picture 5	5	841.39	20.18	4021.04	96.45
Picture 6	6	125.54	3.01	4146.58	99.46
Picture 7	7	22.41	0.54	4169.00	100.00

fhb25c2: 10/11 - SC - ACASI 1.15 - Body Shape SC wants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.42	0.75	31.42	0.75
-9	-9	43.35	1.04	74.77	1.79
-3	-3	8.55	0.21	83.32	2.00
Picture 1	1	73.17	1.76	156.49	3.75
Picture 2	2	304.19	7.30	460.68	11.05
Picture 3	3	1432.89	34.37	1893.57	45.42
Picture 4	4	2084.56	50.00	3978.13	95.42
Picture 5	5	181.23	4.35	4159.36	99.77
Picture 6	6	6.74	0.16	4166.10	99.93
Picture 7	7	2.90	0.07	4169.00	100.00

fhb14c5: 10/11 - SC - ACASI 13 - Enjoy being physically active

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.53	0.85	35.53	0.85
-9	-9	43.35	1.04	78.88	1.89
-3	-3	1.98	0.05	80.86	1.94
A lot	1	2631.22	63.11	2712.08	65.05
Quite a lot	2	1174.80	28.18	3886.88	93.23
Not very much	3	240.13	5.76	4127.01	98.99
Not at all	4	41.99	1.01	4169.00	100.00

fhb23b1: 10/11 - ACASI 18 - How often teeth cleaned per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.60	0.90	37.60	0.90
-9	-9	43.35	1.04	80.94	1.94
-3	-3	4.46	0.11	85.40	2.05
Not at all	1	346.19	8.30	431.59	10.35
Once	2	1213.36	29.10	1644.95	39.46
Twice	3	2225.50	53.38	3870.46	92.84
More than twice	4	298.54	7.16	4169.00	100.00

fhb15p5: 10/11 - PLE - PLE 40.1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
Yes	1	210.45	5.05	3845.58	92.24
No	2	323.42	7.76	4169.00	100.00

fhb15p7: 10/11 - PLE - PLE 40.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3958.55	94.95	3958.55	94.95
Yes	1	204.73	4.91	4163.28	99.86
No	2	5.72	0.14	4169.00	100.00

fhb15p8: 10/11 - PLE - PLE 40.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3964.27	95.09	3964.27	95.09
1 to 5 per day	2	15.06	0.36	3979.33	95.45
6 to 10 per day	3	47.79	1.15	4027.12	96.60
11 to 20 per day	4	88.88	2.13	4116.00	98.73
More than 20 per day	5	53.00	1.27	4169.00	100.00

fhb16p2: 10/11 - PLE - PLE 41.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-3	-3	0.60	0.01	3635.12	87.19
Never	0	57.56	1.38	3692.69	88.57
Not in the last year	1	11.49	0.28	3704.18	88.85
Monthly or less	2	67.89	1.63	3772.07	90.48
2 to 3 times a month	3	55.12	1.32	3827.19	91.80
Once a week	4	99.70	2.39	3926.89	94.19
2 to 3 times a week	5	114.97	2.76	4041.85	96.95
4 to 6 times a week	6	55.75	1.34	4097.60	98.29
Everyday	7	71.40	1.71	4169.00	100.00

fhb16p3: 10/11 - PLE - PLE 41.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3704.18	88.85	3704.18	88.85
1 or 2	1	207.21	4.97	3911.39	93.82
3 or 4	2	146.15	3.51	4057.54	97.33
5 or 6	3	78.55	1.88	4136.10	99.21
7 to 10	4	22.66	0.54	4158.76	99.75
11 or more	5	10.24	0.25	4169.00	100.00

fhb16p7: 10/11 - PLE - PLE 41.2 - Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3704.18	88.85	3704.18	88.85
Everyday	1	7.67	0.18	3711.85	89.03
4-6 times a week	2	10.96	0.26	3722.81	89.30
2-3 times a week	3	28.11	0.67	3750.92	89.97
Once a week	4	80.65	1.93	3831.58	91.91
2-3 times a month	5	50.56	1.21	3882.14	93.12
Monthly or less	6	154.03	3.69	4036.17	96.81
Never	7	132.83	3.19	4169.00	100.00

fhb16p8: 10/11 - PLE - PLE 41.3 - Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3837.01	92.04	3837.01	92.04
Everyday	1	5.14	0.12	3842.15	92.16
4-6 times a week	2	2.05	0.05	3844.20	92.21
2-3 times a week	3	9.07	0.22	3853.27	92.43
Once a week	4	49.88	1.20	3903.15	93.62

fhb16p8: 10/11 - PLE - PLE 41.3 - Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	5	39.93	0.96	3943.09	94.58
Monthly or less	6	133.74	3.21	4076.83	97.79
Never	7	92.17	2.21	4169.00	100.00

fhb16p5a: 10/11 - PLE - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.17	0.15	6.17	0.15
-9	-9	3821.68	91.67	3827.85	91.82
Everyday	1	5.14	0.12	3832.99	91.94
4-6 times a week	2	2.05	0.05	3835.04	91.99
2-3 times a week	3	9.24	0.22	3844.28	92.21
Once a week	4	54.55	1.31	3898.83	93.52
2-3 times a month	5	41.95	1.01	3940.78	94.53
Monthly or less	6	136.37	3.27	4077.16	97.80
Never	7	91.84	2.20	4169.00	100.00

fhb16p5: 10/11 - PLE - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.17	0.15	6.17	0.15
-9	-9	3913.52	93.87	3919.69	94.02
Everyday	1	5.14	0.12	3924.83	94.14
4-6 times a week	2	2.05	0.05	3926.88	94.19
2-3 times a week	3	9.24	0.22	3936.13	94.41
Once a week	4	54.55	1.31	3990.67	95.72
2-3 times a month	5	41.95	1.01	4032.63	96.73
Monthly or less	6	136.37	3.27	4169.00	100.00

fpavdac: 10/11 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.60	0.01	0.60	0.01
-9	3634.52	87.18	3635.12	87.19
0	203.28	4.88	3838.40	92.07
0.5	100.82	2.42	3939.22	94.49
1	44.57	1.07	3983.79	95.56
1.5	76.17	1.83	4059.96	97.38
2	25.28	0.61	4085.24	97.99
2.5	25.25	0.61	4110.49	98.60
3	4.28	0.10	4114.77	98.70
3.5	24.01	0.58	4138.77	99.27
4	13.38	0.32	4152.16	99.60
4.5	0.81	0.02	4152.97	99.62
5.5	9.64	0.23	4162.61	99.85
8.5	2.25	0.05	4164.87	99.90
12	4.13	0.10	4169.00	100.00

fpalcp: 10/11 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.77	0.09	3.77	0.09
-9	-9	3634.52	87.18	3638.29	87.27
Abstain not in the last year	1	69.05	1.66	3707.34	88.93
Occasional less than monthly	2	67.89	1.63	3775.23	90.55
Light <2 drinks/day men, <1 women	3	281.67	6.76	4056.90	97.31
Moderate >=2 to <4 men, >=1 to <2 women	4	79.58	1.91	4136.48	99.22
Hazardous >=4 to <6 men, >=2 and <4 women	5	26.13	0.63	4162.61	99.85
Harmful >=6 men, >=4 women	6	6.39	0.15	4169.00	100.00

fphvdac: 10/11 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.77	0.16	6.77	0.16
-9	-9	3634.52	87.18	3641.29	87.34
Yes	1	32.52	0.78	3673.81	88.12
No	2	495.19	11.88	4169.00	100.00

fpbinge: 10/11 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	124.27	2.98	124.27	2.98
-9	-9	3634.52	87.18	3758.80	90.16
Yes	1	112.94	2.71	3871.73	92.87
No	2	297.27	7.13	4169.00	100.00

fpalcp: 10/11 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	123.01	2.95	123.01	2.95
-9	-9	3634.52	87.18	3757.54	90.13
Yes	1	117.64	2.82	3875.17	92.95
No	2	293.83	7.05	4169.00	100.00

fhn13b2b: 10/11 - P2 - P2K 12- No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.88	0.38	15.88	0.38
-9	1782.18	42.75	1798.06	43.13
0	215.01	5.16	2013.07	48.29
1	1117.65	26.81	3130.72	75.10
2	663.78	15.92	3794.50	91.02
3	261.36	6.27	4055.85	97.29
4	74.66	1.79	4130.51	99.08
5	27.26	0.65	4157.77	99.73
6	4.64	0.11	4162.42	99.84
7	4.55	0.11	4166.97	99.95
8	1.38	0.03	4168.34	99.98
9	0.66	0.02	4169.00	100.00

fhb13b2a: 10/11 - P2 - P2K 12- No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.88	0.38	15.88	0.38
-9	-9	1782.18	42.75	1798.06	43.13
Less than 1	0	215.01	5.16	2013.07	48.29
1	1	1117.65	26.81	3130.72	75.10
2	2	663.78	15.92	3794.50	91.02
3	3	261.36	6.27	4055.85	97.29
4	4	74.66	1.79	4130.51	99.08
5	5	27.26	0.65	4157.77	99.73
6 or more	6	11.23	0.27	4169.00	100.00

fhb13b1b: 10/11 - P2 - P2K 13- No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.76	0.14	5.76	0.14
-9	1782.18	42.75	1787.94	42.89
0	29.77	0.71	1817.71	43.60
1	853.95	20.48	2671.66	64.08
2	811.71	19.47	3483.37	83.55
3	419.65	10.07	3903.02	93.62
4	180.45	4.33	4083.48	97.95
5	57.68	1.38	4141.16	99.33
6	16.63	0.40	4157.79	99.73
7	5.43	0.13	4163.23	99.86
8	3.99	0.10	4167.21	99.96
9	1.79	0.04	4169.00	100.00

fhb13b1a: 10/11 - P2 - P2K 13- No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.76	0.14	5.76	0.14
-9	-9	1782.18	42.75	1787.94	42.89
Less than 1	0	29.77	0.71	1817.71	43.60
1	1	853.95	20.48	2671.66	64.08
2	2	811.71	19.47	3483.37	83.55
3	3	419.65	10.07	3903.02	93.62
4	4	180.45	4.33	4083.48	97.95
5	5	57.68	1.38	4141.16	99.33
6 or more	6	27.84	0.67	4169.00	100.00

fhb14b2: 10/11 - P2 - P2K 14- Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.55	0.33	13.55	0.33
-9	1782.18	42.75	1795.73	43.07
0	216.73	5.20	2012.46	48.27
1	355.29	8.52	2367.76	56.79
2	417.35	10.01	2785.11	66.81
3	399.65	9.59	3184.77	76.39
4	282.15	6.77	3466.92	83.16
5	317.76	7.62	3784.68	90.78

fhb14b2: 10/11 - P2 - P2K 14- Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	142.02	3.41	3926.69	94.19
7	240.53	5.77	4167.22	99.96
8	1.78	0.04	4169.00	100.00

fhb15b5: 10/11 - P2 - P2K 17- Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.82	0.24	9.82	0.24
-9	-9	1782.18	42.75	1792.00	42.98
Yes	1	398.77	9.57	2190.77	52.55
No	2	1978.23	47.45	4169.00	100.00

fhb15b8: 10/11 - P2 - P2K 18- No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3760.40	90.20	3760.40	90.20
1	1	37.05	0.89	3797.45	91.09
1 to 5 per day	2	58.39	1.40	3855.85	92.49
6 to 10 per day	3	87.90	2.11	3943.75	94.60
11 to 20 per day	4	163.83	3.93	4107.58	98.53
More than 20 per day	5	61.42	1.47	4169.00	100.00

fhb16b2: 10/11 - P2 - P2K 19- Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.47	0.37	15.47	0.37
-9	-9	1782.18	42.75	1797.65	43.12
Never	0	260.73	6.25	2058.38	49.37
Not in the last year	1	42.78	1.03	2101.17	50.40
Monthly or less	2	356.27	8.55	2457.43	58.95
2 to 3 times a month	3	227.94	5.47	2685.38	64.41
Once a week	4	316.28	7.59	3001.66	72.00
2 to 3 times a week	5	592.76	14.22	3594.42	86.22
4 to 6 times a week	6	400.69	9.61	3995.11	95.83
Everyday	7	173.89	4.17	4169.00	100.00

fhb16b3: 10/11 - P2 - P2K 20- Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	282.62	6.78	282.62	6.78
-9	-9	1782.18	42.75	2064.80	49.53
1 or 2	1	1151.36	27.62	3216.16	77.14
3 or 4	2	647.35	15.53	3863.51	92.67
5 or 6	3	234.73	5.63	4098.24	98.30
7 to 10	4	59.59	1.43	4157.83	99.73
11 or more	5	11.17	0.27	4169.00	100.00

fhb16b7: 10/11 - P2 - P2K 21- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	274.89	6.59	274.89	6.59
-9	-9	1782.18	42.75	2057.07	49.34
Everyday	1	28.58	0.69	2085.64	50.03
4-6 times a week	2	41.16	0.99	2126.81	51.01
2-3 times a week	3	139.19	3.34	2266.00	54.35
Once a week	4	267.26	6.41	2533.26	60.76
2-3 times a month	5	216.64	5.20	2749.90	65.96
Monthly or less	6	829.56	19.90	3579.46	85.86
Never	7	589.54	14.14	4169.00	100.00

fhb16b8: 10/11 - P2 - P2K 22- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	626.90	15.04	626.90	15.04
-9	-9	1782.18	42.75	2409.08	57.79
Everyday	1	9.47	0.23	2418.56	58.01
4-6 times a week	2	12.80	0.31	2431.36	58.32
2-3 times a week	3	54.50	1.31	2485.86	59.63
Once a week	4	134.55	3.23	2620.41	62.85
2-3 times a month	5	125.05	3.00	2745.46	65.85
Monthly or less	6	755.49	18.12	3500.95	83.98
Never	7	668.05	16.02	4169.00	100.00

fhb16b5a: 10/11 - P2 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	598.15	14.35	598.15	14.35
-9	-9	1782.18	42.75	2380.33	57.10
Everyday	1	9.47	0.23	2389.81	57.32
4-6 times a week	2	12.80	0.31	2402.61	57.63
2-3 times a week	3	56.44	1.35	2459.05	58.98
Once a week	4	138.86	3.33	2597.90	62.31
2-3 times a month	5	132.19	3.17	2730.10	65.49
Monthly or less	6	765.55	18.36	3495.64	83.85
Never	7	673.36	16.15	4169.00	100.00

fhb16b5: 10/11 - P2 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	598.15	14.35	598.15	14.35
-9	-9	2455.54	58.90	3053.69	73.25
Everyday	1	9.47	0.23	3063.16	73.47
4-6 times a week	2	12.80	0.31	3075.96	73.78
2-3 times a week	3	56.44	1.35	3132.40	75.14
Once a week	4	138.86	3.33	3271.26	78.47
2-3 times a month	5	132.19	3.17	3403.45	81.64
Monthly or less	6	765.55	18.36	4169.00	100.00

fbavdac: 10/11 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	24.05	0.58	24.05	0.58
-9	1782.18	42.75	1806.23	43.33
0	954.59	22.90	2760.83	66.22
0.5	484.81	11.63	3245.63	77.85
1	236.39	5.67	3482.03	83.52
1.5	276.35	6.63	3758.37	90.15
2	68.20	1.64	3826.57	91.79
2.5	158.37	3.80	3984.94	95.59
3	14.77	0.35	3999.71	95.94
3.5	68.11	1.63	4067.82	97.57
4	51.41	1.23	4119.24	98.81
5.5	28.67	0.69	4147.91	99.49
6.5	6.52	0.16	4154.42	99.65
8.5	13.36	0.32	4167.78	99.97
12	1.22	0.03	4169.00	100.00

fbalcp: 10/11 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.63	0.42	17.63	0.42
-9	-9	1782.18	42.75	1799.81	43.17
Abstain not in the last year	1	303.51	7.28	2103.32	50.45
Occasional less than monthly	2	356.27	8.55	2459.59	59.00
Light <2 drinks/day men, <1 women	3	1284.59	30.81	3744.18	89.81
Moderate >=2 to <4 men, >=1 to <2 women	4	316.32	7.59	4060.51	97.40
Hazardous >=4 to <6 men, >=2 and <4 women	5	87.40	2.10	4147.91	99.49
Harmful >=6 men, >=4 women	6	21.09	0.51	4169.00	100.00

fbhvdac: 10/11 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.05	0.58	24.05	0.58
-9	-9	1782.18	42.75	1806.23	43.33
Yes	1	108.49	2.60	1914.73	45.93
No	2	2254.27	54.07	4169.00	100.00

fbbinge: 10/11 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	329.53	7.90	329.53	7.90
-9	-9	1782.18	42.75	2111.71	50.65
Yes	1	349.76	8.39	2461.48	59.04
No	2	1707.52	40.96	4169.00	100.00

fbalcp: 10/11 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	331.64	7.95	331.64	7.95
-9	-9	1782.18	42.75	2113.82	50.70
Yes	1	369.61	8.87	2483.43	59.57
No	2	1685.57	40.43	4169.00	100.00

fhb24a: 10/11 - Teach 16 - Activity during organised activities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.35	0.27	11.35	0.27
-9	-9	885.62	21.24	896.97	21.52
I have not observed this child in such activities	-2	30.17	0.72	927.14	22.24
A lot less active than most	1	115.64	2.77	1042.78	25.01
A little less active than most	2	367.68	8.82	1410.46	33.83
About the same as most	3	1597.74	38.32	3008.21	72.16
A little more active than most	4	637.39	15.29	3645.60	87.45
A lot more active than most	5	523.40	12.55	4169.00	100.00

fhb24b: 10/11 - Teach 17 - Activity during play

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.47	0.18	7.47	0.18
-9	-9	885.62	21.24	893.08	21.42
I have not observed this child in such activities	-2	40.75	0.98	933.84	22.40
A lot less active than most	1	91.69	2.20	1025.53	24.60
A little less active than most	2	410.08	9.84	1435.61	34.44
About the same as most	3	1828.75	43.87	3264.35	78.30
A little more active than most	4	563.37	13.51	3827.73	91.81
A lot more active than most	5	341.27	8.19	4169.00	100.00

fhb13m2b: 10/11 - M - CASI H5- No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	65.03	1.56	65.03	1.56
-9	111.46	2.67	176.49	4.23
-3	17.60	0.42	194.09	4.66
0	261.53	6.27	455.62	10.93
1	1725.67	41.39	2181.29	52.32
2	1370.20	32.87	3551.49	85.19
3	464.29	11.14	4015.78	96.32
4	112.55	2.70	4128.33	99.02
5	26.77	0.64	4155.10	99.67
6	9.66	0.23	4164.76	99.90
7	3.49	0.08	4168.25	99.98
10	0.75	0.02	4169.00	100.00

fhb13m2a: 10/11 - M - CASI H5- No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	65.03	1.56	65.03	1.56
-9	-9	111.46	2.67	176.49	4.23
-3	-3	17.60	0.42	194.09	4.66
Less than 1	0	261.53	6.27	455.62	10.93
1	1	1725.67	41.39	2181.29	52.32
2	2	1370.20	32.87	3551.49	85.19
3	3	464.29	11.14	4015.78	96.32
4	4	112.55	2.70	4128.33	99.02
5	5	26.77	0.64	4155.10	99.67
6 or more	6	13.90	0.33	4169.00	100.00

fhb13m1b: 10/11 - M - CASI H6- No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	62.99	1.51	62.99	1.51
-9	111.46	2.67	174.45	4.18
-3	15.19	0.36	189.64	4.55
0	32.14	0.77	221.77	5.32
1	995.85	23.89	1217.63	29.21
2	1178.59	28.27	2396.21	57.48
3	988.76	23.72	3384.97	81.19
4	487.31	11.69	3872.28	92.88
5	219.54	5.27	4091.82	98.15
6	52.46	1.26	4144.28	99.41
7	11.62	0.28	4155.90	99.69
8	8.25	0.20	4164.15	99.88
9	1.92	0.05	4166.08	99.93
10	2.92	0.07	4169.00	100.00

fhb13m1a: 10/11 - M - CASI H6- No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	15.19	0.36	189.64	4.55
Less than 1	0	32.14	0.77	221.77	5.32
1	1	995.85	23.89	1217.63	29.21
2	2	1178.59	28.27	2396.21	57.48
3	3	988.76	23.72	3384.97	81.19
4	4	487.31	11.69	3872.28	92.88
5	5	219.54	5.27	4091.82	98.15
6 or more	6	77.18	1.85	4169.00	100.00

fhb14m2: 10/11 - M - CASI H7- Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	65.71	1.58	65.71	1.58
-9	111.46	2.67	177.17	4.25
-3	18.90	0.45	196.07	4.70
0	458.49	11.00	654.57	15.70

fhb14m2: 10/11 - M - CASI H7- Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	616.62	14.79	1271.19	30.49
2	702.77	16.86	1973.96	47.35
3	767.06	18.40	2741.02	65.75
4	483.18	11.59	3224.20	77.34
5	492.29	11.81	3716.48	89.15
6	184.25	4.42	3900.73	93.57
7	268.27	6.43	4169.00	100.00

fhb15m5: 10/11 - M - CASI H9.2- Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	15.19	0.36	189.64	4.55
Yes	1	872.20	20.92	1061.84	25.47
No	2	3107.16	74.53	4169.00	100.00

fhb15m8: 10/11 - M - CASI H9.3- No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	201.40	4.83	201.40	4.83
-9	-9	3094.60	74.23	3295.99	79.06
1	1	87.12	2.09	3383.12	81.15
1 to 5 per day	2	132.28	3.17	3515.40	84.32
6 to 10 per day	3	258.48	6.20	3773.88	90.52
11 to 20 per day	4	316.53	7.59	4090.41	98.11
More than 20 per day	5	78.59	1.89	4169.00	100.00

fhb16m2: 10/11 - M - CASI H10.1- Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.76	1.53	63.76	1.53
-9	-9	111.46	2.67	175.23	4.20
-3	-3	13.05	0.31	188.27	4.52
Never	0	695.59	16.68	883.86	21.20
Not in the last year	1	216.20	5.19	1100.06	26.39
Monthly or less	2	927.89	22.26	2027.95	48.64
2 to 3 times a month	3	495.57	11.89	2523.52	60.53
Once a week	4	522.57	12.53	3046.08	73.07
2 to 3 times a week	5	692.74	16.62	3738.83	89.68
4 to 6 times a week	6	336.97	8.08	4075.79	97.76
Everyday	7	93.21	2.24	4169.00	100.00

fhb16m3: 10/11 - M - CASI H10.2- Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	98.76	2.37	98.76	2.37
-9	-9	772.63	18.53	871.39	20.90
-3	-3	23.41	0.56	894.79	21.46
1 or 2	1	2143.16	51.41	3037.95	72.87

fhb16m3: 10/11 - M - CASI H10.2- Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3 or 4	2	799.14	19.17	3837.09	92.04
5 or 6	3	191.13	4.58	4028.22	96.62
7 to 10	4	53.08	1.27	4081.29	97.90
11 or more	5	87.70	2.10	4169.00	100.00

fhb16m7: 10/11 - M - CASI H10.3- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	119.14	2.86	119.14	2.86
-9	-9	772.63	18.53	891.76	21.39
Everyday	1	15.89	0.38	907.65	21.77
4-6 times a week	2	14.34	0.34	921.99	22.12
2-3 times a week	3	66.62	1.60	988.61	23.71
Once a week	4	185.04	4.44	1173.65	28.15
2-3 times a month	5	206.89	4.96	1380.54	33.11
Monthly or less	6	1148.68	27.55	2529.22	60.67
Never	7	1639.78	39.33	4169.00	100.00

fhb16m8: 10/11 - M - CASI H10.4- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	149.70	3.59	149.70	3.59
-9	-9	772.63	18.53	922.32	22.12
-3	-3	1.71	0.04	924.03	22.16
Everyday	1	7.03	0.17	931.06	22.33
4-6 times a week	2	3.45	0.08	934.51	22.42
2-3 times a week	3	20.90	0.50	955.41	22.92
Once a week	4	73.93	1.77	1029.34	24.69
2-3 times a month	5	82.82	1.99	1112.16	26.68
Monthly or less	6	665.40	15.96	1777.56	42.64
Never	7	2391.44	57.36	4169.00	100.00

fhb16m5a: 10/11 - M - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	121.65	2.92	121.65	2.92
-9	-9	772.63	18.53	894.28	21.45
Everyday	1	15.89	0.38	910.17	21.83
4-6 times a week	2	14.34	0.34	924.51	22.18
2-3 times a week	3	66.62	1.60	991.13	23.77
Once a week	4	185.04	4.44	1176.17	28.21
2-3 times a month	5	206.89	4.96	1383.05	33.17
Monthly or less	6	1146.16	27.49	2529.22	60.67
Never	7	1639.78	39.33	4169.00	100.00

fhb16m5: 10/11 - M - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	121.65	2.92	121.65	2.92
-9	-9	2412.41	57.87	2534.06	60.78
Everyday	1	15.89	0.38	2549.95	61.16
4-6 times a week	2	14.34	0.34	2564.29	61.51
2-3 times a week	3	66.62	1.60	2630.91	63.11
Once a week	4	185.04	4.44	2815.95	67.54
2-3 times a month	5	206.89	4.96	3022.84	72.51
Monthly or less	6	1146.16	27.49	4169.00	100.00

fmavdac: 10/11 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	83.52	2.00	83.52	2.00
-9	772.63	18.53	856.14	20.54
0	1722.93	41.33	2579.07	61.86
0.5	824.26	19.77	3403.33	81.63
1	318.42	7.64	3721.75	89.27
1.5	241.14	5.78	3962.89	95.06
2	32.62	0.78	3995.51	95.84
2.5	92.21	2.21	4087.72	98.05
3	1.48	0.04	4089.20	98.09
3.5	31.32	0.75	4120.52	98.84
4	11.04	0.26	4131.57	99.10
4.5	20.44	0.49	4152.01	99.59
5.5	6.21	0.15	4158.22	99.74
6.5	1.09	0.03	4159.31	99.77
8.5	8.58	0.21	4167.89	99.97
12	1.11	0.03	4169.00	100.00

fmalcgp: 10/11 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	82.48	1.98	82.48	1.98
-9	-9	772.63	18.53	855.10	20.51
Abstain not in the last year	1	250.62	6.01	1105.72	26.52
Occasional less than monthly	2	927.89	22.26	2033.61	48.78
Light <2 drinks/day men, <1 women	3	1431.89	34.35	3465.50	83.13
Moderate >=2 to <4 men, >=1 to <2 women	4	497.39	11.93	3962.89	95.06
Hazardous >=4 to <6 men, >=2 and <4 women	5	157.63	3.78	4120.52	98.84
Harmful >=6 men, >=4 women	6	48.48	1.16	4169.00	100.00

fmhvdac: 10/11 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	86.03	2.06	86.03	2.06
-9	-9	772.63	18.53	858.66	20.60
Yes	1	206.11	4.94	1064.77	25.54
No	2	3104.23	74.46	4169.00	100.00

fmbinge: 10/11 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	86.03	2.06	86.03	2.06
-9	-9	772.63	18.53	858.66	20.60
Yes	1	488.77	11.72	1347.43	32.32
No	2	2821.57	67.68	4169.00	100.00

fmalcp: 10/11 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	86.03	2.06	86.03	2.06
-9	-9	772.63	18.53	858.66	20.60
Yes	1	563.50	13.52	1422.16	34.11
No	2	2746.84	65.89	4169.00	100.00

fmb13f2b: 10/11 - F - CASI H5- No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	22.17	0.53	22.17	0.53
-9	1670.72	40.07	1692.89	40.61
-3	0.83	0.02	1693.73	40.63
0	238.45	5.72	1932.18	46.35
1	1159.86	27.82	3092.03	74.17
2	681.06	16.34	3773.09	90.50
3	278.66	6.68	4051.75	97.19
4	76.47	1.83	4128.22	99.02
5	27.94	0.67	4156.17	99.69
6	4.64	0.11	4160.81	99.80
7	5.87	0.14	4166.68	99.94
8	1.66	0.04	4168.34	99.98
9	0.66	0.02	4169.00	100.00

fmb13f2a: 10/11 - F - CASI H5- No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.17	0.53	22.17	0.53
-9	-9	1670.72	40.07	1692.89	40.61
-3	-3	0.83	0.02	1693.73	40.63
Less than 1	0	238.45	5.72	1932.18	46.35
1	1	1159.86	27.82	3092.03	74.17
2	2	681.06	16.34	3773.09	90.50
3	3	278.66	6.68	4051.75	97.19
4	4	76.47	1.83	4128.22	99.02
5	5	27.94	0.67	4156.17	99.69
6 or more	6	12.83	0.31	4169.00	100.00

fhb13f1b: 10/11 - F - CASI H6- No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.09	0.34	14.09	0.34
-9	1670.72	40.07	1684.81	40.41
-3	0.83	0.02	1685.65	40.43
0	35.84	0.86	1721.49	41.29
1	890.94	21.37	2612.43	62.66
2	834.86	20.03	3447.29	82.69
3	448.11	10.75	3895.40	93.44
4	184.43	4.42	4079.83	97.86
5	61.19	1.47	4141.02	99.33
6	15.42	0.37	4156.43	99.70
7	6.47	0.16	4162.90	99.85
8	3.99	0.10	4166.89	99.95
9	1.79	0.04	4168.68	99.99
10	0.32	0.01	4169.00	100.00

fhb13f1a: 10/11 - F - CASI H6- No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.09	0.34	14.09	0.34
-9	-9	1670.72	40.07	1684.81	40.41
-3	-3	0.83	0.02	1685.65	40.43
Less than 1	0	35.84	0.86	1721.49	41.29
1	1	890.94	21.37	2612.43	62.66
2	2	834.86	20.03	3447.29	82.69
3	3	448.11	10.75	3895.40	93.44
4	4	184.43	4.42	4079.83	97.86
5	5	61.19	1.47	4141.02	99.33
6 or more	6	27.98	0.67	4169.00	100.00

fhb14f2: 10/11 - F - CASI H7- Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.16	0.46	19.16	0.46
-9	1670.72	40.07	1689.88	40.53
-3	0.83	0.02	1690.71	40.55
0	231.86	5.56	1922.57	46.12
1	368.73	8.84	2291.30	54.96
2	439.44	10.54	2730.74	65.50
3	411.82	9.88	3142.56	75.38
4	287.98	6.91	3430.54	82.29
5	331.62	7.95	3762.16	90.24
6	145.31	3.49	3907.47	93.73
7	259.75	6.23	4167.22	99.96
8	1.78	0.04	4169.00	100.00

fhb15f5: 10/11 - F - CASI H9.2- Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.15	0.44	18.15	0.44
-9	-9	1670.72	40.07	1688.87	40.51
-3	-3	0.83	0.02	1689.71	40.53
Yes	1	439.06	10.53	2128.77	51.06
No	2	2040.23	48.94	4169.00	100.00

fhb15f8: 10/11 - F - CASI H9.3- No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3559.01	85.37	3559.01	85.37
-9	-9	161.90	3.88	3720.91	89.25
1	1	38.62	0.93	3759.53	90.18
1 to 5 per day	2	61.49	1.48	3821.02	91.65
6 to 10 per day	3	91.52	2.20	3912.54	93.85
11 to 20 per day	4	178.69	4.29	4091.23	98.13
More than 20 per day	5	77.76	1.87	4169.00	100.00

fhb16f2: 10/11 - F - CASI H10.1- Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.03	0.55	23.03	0.55
-9	-9	1670.72	40.07	1693.75	40.63
-3	-3	2.71	0.07	1696.46	40.69
Never	0	257.10	6.17	1953.56	46.86
Not in the last year	1	48.71	1.17	2002.27	48.03
Monthly or less	2	364.39	8.74	2366.66	56.77
2 to 3 times a month	3	250.39	6.01	2617.05	62.77
Once a week	4	333.48	8.00	2950.54	70.77
2 to 3 times a week	5	618.63	14.84	3569.17	85.61
4 to 6 times a week	6	418.22	10.03	3987.39	95.64
Everyday	7	181.61	4.36	4169.00	100.00

fhb16f3: 10/11 - F - CASI H10.2- Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	255.18	6.12	255.18	6.12
-9	-9	1701.51	40.81	1956.70	46.93
-3	-3	2.71	0.07	1959.41	47.00
1 or 2	1	1167.48	28.00	3126.89	75.00
3 or 4	2	702.55	16.85	3829.43	91.86
5 or 6	3	254.51	6.10	4083.95	97.96
7 to 10	4	64.48	1.55	4148.43	99.51
11 or more	5	20.57	0.49	4169.00	100.00

fhb16f7: 10/11 - F - CASI H10.3- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	253.19	6.07	253.19	6.07
-9	-9	1701.51	40.81	1954.70	46.89
Everyday	1	30.85	0.74	1985.55	47.63
4-6 times a week	2	45.06	1.08	2030.61	48.71
2-3 times a week	3	150.58	3.61	2181.18	52.32
Once a week	4	286.80	6.88	2467.99	59.20
2-3 times a month	5	223.97	5.37	2691.96	64.57
Monthly or less	6	873.01	20.94	3564.97	85.51
Never	7	604.03	14.49	4169.00	100.00

fhb16f8: 10/11 - F - CASI H10.4- Freq binge drinking (v4)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	577.16	13.84	577.16	13.84
-9	-9	1701.51	40.81	2278.68	54.66
-3	-3	1.05	0.03	2279.73	54.68
Everyday	1	8.20	0.20	2287.93	54.88
4-6 times a week	2	16.24	0.39	2304.17	55.27
2-3 times a week	3	56.96	1.37	2361.13	56.64
Once a week	4	150.91	3.62	2512.04	60.26
2-3 times a month	5	134.17	3.22	2646.21	63.47
Monthly or less	6	808.36	19.39	3454.57	82.86
Never	7	714.43	17.14	4169.00	100.00

fhb16f5a: 10/11 - F - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	631.61	15.15	631.61	15.15
-9	-9	1701.51	40.81	2333.12	55.96
-3	-3	1.05	0.03	2334.18	55.99
Everyday	1	8.20	0.20	2342.38	56.19
4-6 times a week	2	16.24	0.39	2358.62	56.58
2-3 times a week	3	57.96	1.39	2416.57	57.97
Once a week	4	150.91	3.62	2567.49	61.59
2-3 times a month	5	134.17	3.22	2701.66	64.80
Monthly or less	6	808.91	19.40	3510.57	84.21
Never	7	658.43	15.79	4169.00	100.00

fhb16f5: 10/11 - F - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	631.61	15.15	631.61	15.15
-9	-9	2359.94	56.61	2991.55	71.76
-3	-3	1.05	0.03	2992.60	71.78
Everyday	1	8.20	0.20	3000.81	71.98
4-6 times a week	2	16.24	0.39	3017.04	72.37
2-3 times a week	3	57.96	1.39	3075.00	73.76
Once a week	4	150.91	3.62	3225.91	77.38

fhb16f5: 10/11 - F - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	5	134.17	3.22	3360.09	80.60
Monthly or less	6	808.91	19.40	4169.00	100.00

ffavdac: 10/11 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.75	0.79	32.75	0.79
-9	1701.51	40.81	1734.27	41.60
0	940.51	22.56	2674.77	64.16
0.5	511.11	12.26	3185.88	76.42
1	250.28	6.00	3436.16	82.42
1.5	294.57	7.07	3730.73	89.49
2	72.60	1.74	3803.33	91.23
2.5	165.69	3.97	3969.02	95.20
3	14.77	0.35	3983.79	95.56
3.5	71.71	1.72	4055.50	97.28
4	58.00	1.39	4113.50	98.67
5.5	33.23	0.80	4146.73	99.47
6.5	6.52	0.16	4153.24	99.62
8.5	14.54	0.35	4167.78	99.97
12	1.22	0.03	4169.00	100.00

ffalcgp: 10/11 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	26.89	0.64	26.89	0.64
-9	-9	1701.51	40.81	1728.40	41.46
Abstain not in the last year	1	275.02	6.60	2003.42	48.06
Occasional less than monthly	2	364.39	8.74	2367.81	56.80
Light <2 drinks/day men, <1 women	3	1361.31	32.65	3729.12	89.45
Moderate >=2 to <4 men, >=1 to <2 women	4	326.38	7.83	4055.50	97.28
Hazardous >=4 to <6 men, >=2 and <4 women	5	91.23	2.19	4146.73	99.47
Harmful >=6 men, >=4 women	6	22.27	0.53	4169.00	100.00

ffhvdac: 10/11 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.75	0.79	32.75	0.79
-9	-9	1701.51	40.81	1734.27	41.60
Yes	1	113.50	2.72	1847.77	44.32
No	2	2321.23	55.68	4169.00	100.00

ffbinge: 10/11 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	388.37	9.32	388.37	9.32
-9	-9	1701.51	40.81	2089.88	50.13
Yes	1	367.48	8.81	2457.36	58.94
No	2	1711.64	41.06	4169.00	100.00

ffalcp: 10/11 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	389.42	9.34	389.42	9.34
-9	-9	1701.51	40.81	2090.94	50.15
Yes	1	385.81	9.25	2476.74	59.41
No	2	1692.26	40.59	4169.00	100.00