

05 Health status

fhs08a: 10/11 - Condition difficulties?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	155.94	3.74	4115.41	98.71
No	2	53.59	1.29	4169.00	100.00

fhs08a1: 10/11 - Condition difficulties? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	120.16	2.88	4079.63	97.86
Yes	1	89.37	2.14	4169.00	100.00

fhs08a2: 10/11 - Condition difficulties? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	195.05	4.68	4154.52	99.65
Yes	1	14.48	0.35	4169.00	100.00

fhs08a3: 10/11 - Condition difficulties? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	166.31	3.99	4125.78	98.96
Yes	1	43.22	1.04	4169.00	100.00

fhs08a4: 10/11 - Condition difficulties? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	138.06	3.31	4097.53	98.29
Yes	1	71.47	1.71	4169.00	100.00

fhs08a7: 10/11 - Condition difficulties? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	127.11	3.05	4086.58	98.02
Yes	1	82.42	1.98	4169.00	100.00

fhs08a8: 10/11 - Condition difficulties? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	129.38	3.10	4088.86	98.08
Yes	1	80.14	1.92	4169.00	100.00

fhs08a5: 10/11 - Condition difficulties? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	93.47	2.24	4052.94	97.22
Yes	1	116.06	2.78	4169.00	100.00

fhs08a6: 10/11 - Condition difficulties? Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
No	0	193.92	4.65	4153.39	99.63
Yes	1	15.61	0.37	4169.00	100.00

fhs08b: 10/11 - Need more help?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	141.01	3.38	4100.48	98.36
No	2	68.52	1.64	4169.00	100.00

fhs08b1: 10/11 - Need more help? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	74.03	1.78	4033.50	96.75
No	2	135.50	3.25	4169.00	100.00

fhs08b2: 10/11 - Need more help? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	10.88	0.26	3970.36	95.24
No	2	198.64	4.76	4169.00	100.00

fhs08b3: 10/11 - Need more help? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	42.82	1.03	4002.30	96.00
No	2	166.70	4.00	4169.00	100.00

fhs08b4: 10/11 - Need more help? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	64.10	1.54	4023.57	96.51
No	2	145.43	3.49	4169.00	100.00

fhs08b7: 10/11 - Need more help? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	79.62	1.91	4039.09	96.88
No	2	129.91	3.12	4169.00	100.00

fhs08b8: 10/11 - Need more help? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	76.47	1.83	4035.94	96.81
No	2	133.06	3.19	4169.00	100.00

fhs08b5: 10/11 - Need more help? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3959.47	94.97	3959.47	94.97
Yes	1	111.78	2.68	4071.25	97.66
No	2	97.75	2.34	4169.00	100.00

fhs12a: 10/11 - CASI F4 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	11.85	0.28	83.17	2.00
Not at all	1	2784.08	66.78	2867.25	68.78
A little	2	904.44	21.69	3771.69	90.47
Moderately	3	259.83	6.23	4031.52	96.70
Very	4	137.48	3.30	4169.00	100.00

fhs12b: 10/11 - CASI F5 - Judgment about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	11.85	0.28	83.17	2.00
Underweight	1	298.85	7.17	382.02	9.16
Normal weight	2	3027.07	72.61	3409.09	81.77
Somewhat overweight	3	709.61	17.02	4118.70	98.79
Very overweight	4	50.30	1.21	4169.00	100.00

fhs36e: 10/11 - CASI F6.1 - Growth Spurt

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	13.91	0.33	85.23	2.04
Has not yet started	1	653.41	15.67	738.65	17.72
Has barely started	2	1203.59	28.87	1942.24	46.59
Has definitely started	3	2185.78	52.43	4128.02	99.02
Seems complete	4	40.97	0.98	4169.00	100.00

fhs36c: 10/11 - CASI F6.2 - Body hair

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	13.85	0.33	85.17	2.04
-2	-2	81.56	1.96	166.73	4.00
Has not started yet	1	2138.10	51.29	2304.83	55.29
Has barely started	2	981.49	23.54	3286.32	78.83
Has definitely started	3	828.48	19.87	4114.80	98.70
Seems complete	4	54.20	1.30	4169.00	100.00

fhs36a: 10/11 - CASI F6.3 - Skin changes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	11.85	0.28	83.17	2.00
Has not started yet	1	2364.27	56.71	2447.44	58.71
Has barely started	2	1138.52	27.31	3585.96	86.01
Has definitely started	3	576.61	13.83	4162.57	99.85
Seems complete	4	6.42	0.15	4169.00	100.00

fhs36f: 10/11 - CASI F6.4 - Deepening Voice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.59	0.85	35.59	0.85
-9	-9	2032.88	48.76	2068.48	49.62
-3	-3	11.04	0.26	2079.51	49.88
Has not yet started	1	1879.61	45.09	3959.12	94.97
Has barely started	2	178.48	4.28	4137.60	99.25
Has definitely started	3	31.40	0.75	4169.00	100.00

fhs36g: 10/11 - CASI F6.5 - Grow facial hair

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.59	0.85	35.59	0.85
-9	-9	2032.88	48.76	2068.48	49.62
-3	-3	10.55	0.25	2079.03	49.87
Has not yet started	1	1971.66	47.29	4050.68	97.16
Has barely started	2	98.81	2.37	4149.49	99.53
Has definitely started	3	19.51	0.47	4169.00	100.00

fhs36d: 10/11 - CASI F6.6 - Breast growth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.24	0.94	39.24	0.94
-9	-9	2136.12	51.24	2175.36	52.18
-3	-3	2.68	0.06	2178.04	52.24
-2	-2	12.27	0.29	2190.31	52.54
Has not started yet	1	467.20	11.21	2657.51	63.74
Has barely started	2	654.05	15.69	3311.56	79.43
Has definitely started	3	848.37	20.35	4159.93	99.78
Seems complete	4	9.07	0.22	4169.00	100.00

fhs36h: 10/11 - CASI F6.7 - Menstruate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.24	0.94	39.24	0.94
-9	-9	2136.12	51.24	2175.36	52.18
-3	-3	2.68	0.06	2178.04	52.24
Yes	1	114.12	2.74	2292.15	54.98
No	2	1876.85	45.02	4169.00	100.00

fpubrtyb: 10/11 - Puberty scale

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	83.17	2.00	83.17	2.00
1	1497.56	35.92	1580.73	37.92
2	1870.48	44.87	3451.21	82.78
3	707.07	16.96	4158.29	99.74
4	10.71	0.26	4169.00	100.00

fhs13a: 10/11 - P1 - CASI H4- Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	16.02	0.38	87.34	2.10
Excellent	1	690.56	16.56	777.90	18.66
Very good	2	1680.56	40.31	2458.46	58.97
Good	3	1248.17	29.94	3706.62	88.91
Fair	4	391.82	9.40	4098.44	98.31
Poor	5	70.56	1.69	4169.00	100.00

fhs50a1: 10/11 - CASI H8 - P1 sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	16.02	0.38	87.34	2.10
Very good	1	693.66	16.64	781.00	18.73
Fairly good	2	1332.84	31.97	2113.84	50.70
OK/adequate	3	1328.57	31.87	3442.42	82.57
Fairly bad	4	586.03	14.06	4028.45	96.63
Very bad	5	140.55	3.37	4169.00	100.00

fhs23a1: 10/11 - P1 - CASI W1-3+H11- Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	171.55	4.11	171.55	4.11
-9	15.75	0.38	187.29	4.49
140	14.10	0.34	201.40	4.83
150	354.72	8.51	556.12	13.34
160	1629.83	39.09	2185.95	52.43
170	1504.44	36.09	3690.39	88.52
180	433.40	10.40	4123.78	98.92
190	45.22	1.08	4169.00	100.00

fhs23a2: 10/11 - P1 - CASI H12- Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.74	0.86	35.74	0.86
R	0.91	0.02	36.65	0.88
-9	110.15	2.64	146.80	3.52
40	31.02	0.74	177.81	4.27
50	417.14	10.01	594.96	14.27
60	1014.81	24.34	1609.77	38.61
70	986.06	23.65	2595.83	62.27
80	685.05	16.43	3280.88	78.70
90	421.90	10.12	3702.78	88.82
100	260.23	6.24	3963.01	95.06
110	95.82	2.30	4058.84	97.36
120	61.94	1.49	4120.77	98.84
130	26.96	0.65	4147.73	99.49
140	21.27	0.51	4169.00	100.00

fabmi: 10/11 - P1 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	311.15	7.46	311.15	7.46
15	28.29	0.68	339.44	8.14
20	942.30	22.60	1281.74	30.74
25	1459.98	35.02	2741.71	65.76
30	829.75	19.90	3571.46	85.67
35	390.89	9.38	3962.36	95.04
40	134.94	3.24	4097.29	98.28
45	45.94	1.10	4143.23	99.38
50	25.77	0.62	4169.00	100.00

fhs27: 10/11 - CASI H12.26 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.22	2.14	89.22	2.14
Yes	1	3373.99	80.93	3463.21	83.07
No	2	705.79	16.93	4169.00	100.00

fhs27p: 10/11 - CASI H12.1 - Events - Pregnant/had a baby

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3892.98	93.38	3982.20	95.52
Yes	1	186.80	4.48	4169.00	100.00

fhs27a: 10/11 - CASI H12.2 - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3556.05	85.30	3645.27	87.44
Yes	1	523.73	12.56	4169.00	100.00

fhs27b: 10/11 - CASI H12.3 - Events - illness etc to close relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3281.90	78.72	3371.12	80.86
Yes	1	797.88	19.14	4169.00	100.00

fhs27c: 10/11 - CASI H12.4 - Events - parent, partner or child died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3840.14	92.11	3929.36	94.25
Yes	1	239.64	5.75	4169.00	100.00

fhs27d: 10/11 - CASI H12.5 - Events - Close friend or other rel. died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3075.21	73.76	3164.43	75.90
Yes	1	1004.57	24.10	4169.00	100.00

fhs27o: 10/11 - CASI H12.6 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3874.11	92.93	3963.33	95.07
Yes	1	205.67	4.93	4169.00	100.00

fhs27e: 10/11 - CASI H12.7 - Events - broke off a steady relationship

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3934.20	94.37	4023.42	96.51
Yes	1	145.58	3.49	4169.00	100.00

fhs27r: 10/11 - CASI H12.8 - Events - Living with new partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	4001.05	95.97	4090.27	98.11
Yes	1	78.73	1.89	4169.00	100.00

fhs27q: 10/11 - CASI H12.9 - Events - Had new house member

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3803.11	91.22	3892.33	93.36
Yes	1	276.67	6.64	4169.00	100.00

fhs27f: 10/11 - CASI H12.10 - Events - problem with friend/relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3563.79	85.48	3653.01	87.62
Yes	1	515.99	12.38	4169.00	100.00

fhs27k: 10/11 - CASI H12.11 - Events - had a major financial crisis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3566.39	85.55	3655.61	87.69
Yes	1	513.39	12.31	4169.00	100.00

fhs27g: 10/11 - CASI H12.12 - Events - work disappointment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3462.05	83.04	3551.27	85.18
Yes	1	617.73	14.82	4169.00	100.00

fhs27h: 10/11 - CASI H12.13 - Events - thought would soon lose job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3573.91	85.73	3663.13	87.87
Yes	1	505.87	12.13	4169.00	100.00

fhs27i: 10/11 - CASI H12.14 - Events - Lost a job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3715.96	89.13	3805.18	91.27
Yes	1	363.82	8.73	4169.00	100.00

fhs27j: 10/11 - CASI H12.15 - Events - sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3657.12	87.72	3746.34	89.86
Yes	1	422.66	10.14	4169.00	100.00

fhs27l: 10/11 - CASI H12.16 - Events - legal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3923.67	94.12	4012.89	96.26
Yes	1	156.11	3.74	4169.00	100.00

fhs27m: 10/11 - CASI H12.17 - Events - Valuable lost or stolen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3802.86	91.22	3892.08	93.36
Yes	1	276.92	6.64	4169.00	100.00

fhs27n: 10/11 - CASI H12.18 - Events - household D+A problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3928.30	94.23	4017.52	96.37
Yes	1	151.48	3.63	4169.00	100.00

fhs27s: 10/11 - CASI H12.19 - Events - Changed jobs/returned to work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3188.06	76.47	3277.28	78.61
Yes	1	891.72	21.39	4169.00	100.00

fhs27t: 10/11 - CASI H12.20 - Events - Increased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3006.90	72.13	3096.12	74.27
Yes	1	1072.87	25.73	4169.00	100.00

fhs27u: 10/11 - CASI H12.21 - Events - Decreased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3499.74	83.95	3588.96	86.09
Yes	1	580.04	13.91	4169.00	100.00

fhs27v: 10/11 - CASI H12.22 - Events - Moved house

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3465.40	83.12	3554.62	85.26
Yes	1	614.38	14.74	4169.00	100.00

fhs27w: 10/11 - CASI H12.23 - Events - Been away from home a lot

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3707.50	88.93	3796.72	91.07
Yes	1	372.28	8.93	4169.00	100.00

fhs27x: 10/11 - CASI H12.24 - Events - Lived in drought-affected area

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3771.13	90.46	3860.35	92.60
Yes	1	308.65	7.40	4169.00	100.00

fhs27y: 10/11 - CASI H12.25 - Events - local home was affected by natural disaster

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	17.90	0.43	89.22	2.14
No	0	3791.32	90.94	3880.54	93.08
Yes	1	288.46	6.92	4169.00	100.00

fsle: 10/11 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	89.22	2.14	89.22	2.14
0	705.79	16.93	795.01	19.07
1	849.16	20.37	1644.17	39.44
2	739.32	17.73	2383.49	57.17
3	577.88	13.86	2961.37	71.03
4	388.42	9.32	3349.79	80.35
5	267.56	6.42	3617.35	86.77
6	208.85	5.01	3826.20	91.78
7	124.04	2.98	3950.24	94.75
8	96.02	2.30	4046.26	97.06

fsle: 10/11 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9	45.67	1.10	4091.93	98.15
10	31.21	0.75	4123.13	98.90
11	23.34	0.56	4146.48	99.46
12	13.14	0.32	4159.61	99.77
13	5.32	0.13	4164.94	99.90
14	1.76	0.04	4166.69	99.94
15	1.84	0.04	4168.53	99.99
22	0.47	0.01	4169.00	100.00

fhs26a1: 10/11 - P1 - CASI H13- Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	18.89	0.45	90.22	2.16
No problems or stress	1	407.26	9.77	497.48	11.93
Few problems or stresses	2	1807.12	43.35	2304.60	55.28
Some problems and stresses	3	1443.68	34.63	3748.28	89.91
Many problems and stresses	4	310.12	7.44	4058.41	97.35
Very many problems and stresses	5	110.59	2.65	4169.00	100.00

fhs26a2: 10/11 - P1 - CASI H14- Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	18.89	0.45	90.22	2.16
Not at all	1	49.81	1.19	140.03	3.36
A little	2	239.34	5.74	379.37	9.10
Fairly well	3	1954.84	46.89	2334.20	55.99
Very well	4	1473.62	35.35	3807.82	91.34
Extremely well	5	361.18	8.66	4169.00	100.00

fhs25a1: 10/11 - P1 - CASI H15- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	18.89	0.45	90.22	2.16
Yes	1	1451.19	34.81	1541.40	36.97
No	2	2627.60	63.03	4169.00	100.00

fhs26a3: 10/11 - P1 - CASI H16- Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	18.89	0.45	90.22	2.16
Always	1	641.94	15.40	732.16	17.56
Often	2	1632.47	39.16	2364.63	56.72
Sometimes	3	1393.04	33.41	3757.68	90.13
Rarely	4	343.10	8.23	4100.78	98.36
Never	5	68.22	1.64	4169.00	100.00

fhs24a1: 10/11 - P1 - CASI H28.1- Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	23.59	0.57	94.91	2.28
All of the time	1	27.53	0.66	122.44	2.94
Most of the time	2	158.98	3.81	281.43	6.75
Some of the time	3	574.74	13.79	856.16	20.54
A little of the time	4	1470.42	35.27	2326.59	55.81
None of the time	5	1842.41	44.19	4169.00	100.00

fhs24a2: 10/11 - P1 - CASI H28.2- Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	23.01	0.55	94.33	2.26
All of the time	1	20.23	0.49	114.56	2.75
Most of the time	2	96.08	2.30	210.65	5.05
Some of the time	3	352.86	8.46	563.51	13.52
A little of the time	4	690.49	16.56	1254.00	30.08
None of the time	5	2915.00	69.92	4169.00	100.00

fhs24a3: 10/11 - P1 - CASI H28.3- Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	23.01	0.55	94.33	2.26
All of the time	1	27.89	0.67	122.23	2.93
Most of the time	2	107.92	2.59	230.14	5.52
Some of the time	3	465.92	11.18	696.07	16.70
A little of the time	4	1197.23	28.72	1893.30	45.41
None of the time	5	2275.70	54.59	4169.00	100.00

fhs24a4: 10/11 - P1 - CASI H28.4- Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	23.01	0.55	94.33	2.26
All of the time	1	59.94	1.44	154.28	3.70
Most of the time	2	241.14	5.78	395.41	9.48
Some of the time	3	723.57	17.36	1118.98	26.84
A little of the time	4	1621.69	38.90	2740.67	65.74
None of the time	5	1428.33	34.26	4169.00	100.00

fhs24a5: 10/11 - P1 - CASI H28.5- Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	23.01	0.55	94.33	2.26
All of the time	1	16.12	0.39	110.45	2.65
Most of the time	2	109.38	2.62	219.84	5.27
Some of the time	3	345.67	8.29	565.51	13.56

fhs24a5: 10/11 - P1 - CASI H28.5- Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	760.47	18.24	1325.98	31.81
None of the time	5	2843.02	68.19	4169.00	100.00

fhs24a6: 10/11 - P1 - CASI H28.6- Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.32	1.71	71.32	1.71
-3	-3	23.01	0.55	94.33	2.26
All of the time	1	28.45	0.68	122.78	2.95
Most of the time	2	94.49	2.27	217.27	5.21
Some of the time	3	253.25	6.07	470.52	11.29
A little of the time	4	574.51	13.78	1045.03	25.07
None of the time	5	3123.97	74.93	4169.00	100.00

fak6g: 10/11 - P1 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	94.91	2.28	94.91	2.28
No probable serious mental illness	0	3898.27	93.51	3993.18	95.78
Probable serious mental illness	1	175.82	4.22	4169.00	100.00

fak6s: 10/11 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	94.91	2.28	94.91	2.28
6	834.66	20.02	929.57	22.30
7	634.28	15.21	1563.85	37.51
8	640.25	15.36	2204.10	52.87
9	423.89	10.17	2627.98	63.04
10	352.50	8.46	2980.48	71.49
11	239.02	5.73	3219.50	77.22
12	223.71	5.37	3443.21	82.59
13	139.06	3.34	3582.27	85.93
14	135.46	3.25	3717.73	89.18
15	72.47	1.74	3790.20	90.91
16	78.72	1.89	3868.91	92.80
17	53.85	1.29	3922.77	94.09
18	70.42	1.69	3993.18	95.78
19	33.38	0.80	4026.56	96.58
20	25.08	0.60	4051.65	97.19
21	39.19	0.94	4090.83	98.13
22	22.43	0.54	4113.27	98.66
23	12.53	0.30	4125.80	98.96
24	15.63	0.37	4141.43	99.34
25	5.00	0.12	4146.43	99.46
26	4.99	0.12	4151.42	99.58
27	5.06	0.12	4156.48	99.70
28	3.87	0.09	4160.35	99.79

fak6s: 10/11 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
29	1.97	0.05	4162.32	99.84
30	6.68	0.16	4169.00	100.00

fhs13c: 10/11 - SC - F2F J3 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	0.65	0.02	14.12	0.34
Excellent	1	1715.93	41.16	1730.05	41.50
Very good	2	1717.35	41.19	3447.41	82.69
Good	3	590.23	14.16	4037.64	96.85
Fair	4	114.85	2.75	4152.48	99.60
Poor	5	16.52	0.40	4169.00	100.00

fhs14a: 10/11 - F2F J4.1 - Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	1.51	0.04	14.98	0.36
Yes	1	639.92	15.35	654.89	15.71
No	2	3514.11	84.29	4169.00	100.00

fhs14b: 10/11 - F2F J4.2 - Uses medicine because of condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	4.04	0.10	17.51	0.42
Yes	1	601.34	14.42	618.85	14.84
No	2	3550.15	85.16	4169.00	100.00

fhs14c: 10/11 - F2F J4.3 - Medicated condition for 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	22.84	0.55	36.31	0.87
Yes	1	527.15	12.64	563.46	13.52
No	2	3605.54	86.48	4169.00	100.00

fhs14d: 10/11 - F2F J4.4 - Extra medical care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	22.28	0.53	35.75	0.86
Yes	1	425.38	10.20	461.13	11.06
No	2	3707.87	88.94	4169.00	100.00

fhs14e: 10/11 - F2F J4.5 - Extra medical care is due to condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	22.28	0.53	35.75	0.86
Yes	1	360.07	8.64	395.82	9.49
No	2	3773.18	90.51	4169.00	100.00

fhs14f: 10/11 - F2F J4.6 - Extra care condition for year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	41.82	1.00	55.29	1.33
Yes	1	333.18	7.99	388.47	9.32
No	2	3780.53	90.68	4169.00	100.00

fshcn: 10/11 - Special health care needs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	3.06	0.07	16.53	0.40
Yes	1	680.90	16.33	697.44	16.73
No	2	3471.56	83.27	4169.00	100.00

fhs15b: 10/11 - F2F J7 - SC had illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	1.25	0.03	14.72	0.35
Yes	1	491.07	11.78	505.78	12.13
No	2	3663.22	87.87	4169.00	100.00

fhs15c: 10/11 - F2F J8 - Frequency of wheezing in last 12 months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	3664.46	87.90	3677.93	88.22
0	386.16	9.26	4064.09	97.48
5	97.87	2.35	4161.96	99.83
10	4.92	0.12	4166.88	99.95
15	1.65	0.04	4168.53	99.99
50	0.47	0.01	4169.00	100.00

fhs29a: 10/11 - F2F J9 - SC diagnosed with asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.61	0.30	12.61	0.30
-2	-2	7.08	0.17	19.68	0.47
Yes	1	1416.95	33.99	1436.64	34.46
No	2	2732.36	65.54	4169.00	100.00

fhs29b: 10/11 - F2F J10 - Medication for asthma in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	2739.44	65.71	2752.91	66.03
-2	-2	0.79	0.02	2753.69	66.05
Never had asthma	-1	3.96	0.09	2757.65	66.15
Yes	1	646.76	15.51	3404.41	81.66
No	2	764.59	18.34	4169.00	100.00

fhs17: 10/11 - F2F J11 - Has ongoing condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
Yes	1	1958.75	46.98	1972.22	47.31
No	2	2196.78	52.69	4169.00	100.00

fhs17d: 10/11 - F2F J11.1 - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3713.97	89.09	3727.44	89.41
Yes	1	441.56	10.59	4169.00	100.00

fhs17b: 10/11 - F2F J11.2 - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3475.26	83.36	3488.73	83.68
Yes	1	680.27	16.32	4169.00	100.00

fhs17g: 10/11 - F2F J11.3 - Ear infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4008.08	96.14	4021.54	96.46
Yes	1	147.45	3.54	4169.00	100.00

fhs17a: 10/11 - F2F J11.4 - Hearing problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4062.41	97.44	4075.88	97.77
Yes	1	93.12	2.23	4169.00	100.00

fhs17q: 10/11 - F2F J11.5 - Tonsillitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4017.33	96.36	4030.80	96.69
Yes	1	138.20	3.31	4169.00	100.00

fhs17e: 10/11 - F2F J11.6 - Diarrhoea/colitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4117.35	98.76	4130.82	99.08
Yes	1	38.18	0.92	4169.00	100.00

fhs17o: 10/11 - F2F J11.7 - Constipation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4008.36	96.15	4021.83	96.47
Yes	1	147.17	3.53	4169.00	100.00

fhs17p: 10/11 - F2F J11.8 - Soiling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4122.29	98.88	4135.76	99.20
Yes	1	33.24	0.80	4169.00	100.00

fhs17s: 10/11 - F2F J11.9 - Wetting self during the day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4122.54	98.89	4136.01	99.21
Yes	1	32.99	0.79	4169.00	100.00

fhs17m: 10/11 - F2F J11.10 - Frequent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3885.82	93.21	3899.29	93.53
Yes	1	269.71	6.47	4169.00	100.00

fhs17n: 10/11 - F2F J11.11 - Recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3997.35	95.88	4010.82	96.21
Yes	1	158.18	3.79	4169.00	100.00

fhs17t: 10/11 - F2F J11.12 - Recurrent pain in other parts of the body

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4022.09	96.48	4035.56	96.80
Yes	1	133.44	3.20	4169.00	100.00

fhs17u: 10/11 - F2F J11.13 - Bone, joint or muscle problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3860.47	92.60	3873.94	92.92
Yes	1	295.06	7.08	4169.00	100.00

fhs17l: 10/11 - F2F J11.14 - SC has ongoing - ADD/ADHD

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4036.38	96.82	4049.85	97.14
Yes	1	119.15	2.86	4169.00	100.00

fhs17v: 10/11 - F2F J11.15 - Anxiety disorder, Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4018.40	96.39	4031.87	96.71
Yes	1	137.13	3.29	4169.00	100.00

fhs17w: 10/11 - F2F J11.16 - Autism, Aspergers, or other autism spectrum

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4057.25	97.32	4070.72	97.64
Yes	1	98.28	2.36	4169.00	100.00

fhs17x: 10/11 - F2F J11.17 - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4141.47	99.34	4154.94	99.66
Yes	1	14.06	0.34	4169.00	100.00

fhs17y: 10/11 - F2F J11.18 - Epilepsy or seizure disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4131.90	99.11	4145.37	99.43
Yes	1	23.63	0.57	4169.00	100.00

fhs17z: 10/11 - F2F J11.19 - Chronic fatigue

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4152.20	99.60	4165.67	99.92
Yes	1	3.33	0.08	4169.00	100.00

fhs17h: 10/11 - F2F J11.20 - Other infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4129.86	99.06	4143.33	99.38
Yes	1	25.67	0.62	4169.00	100.00

fhs17j: 10/11 - F2F J11.21 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3966.79	95.15	3980.26	95.47
Yes	1	188.74	4.53	4169.00	100.00

fnumcond: 10/11 - No. ongoing conditions

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
0	2196.78	52.69	2210.25	53.02
2	1674.64	40.17	3884.89	93.19
4	228.27	5.48	4113.15	98.66
6	44.68	1.07	4157.84	99.73
8	9.97	0.24	4167.80	99.97
12	1.20	0.03	4169.00	100.00

fhs37d: 10/11 - F2F J13.1 - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3713.97	89.09	3727.44	89.41
Mild	1	344.05	8.25	4071.49	97.66
Moderate	2	83.76	2.01	4155.25	99.67
Severe	3	13.75	0.33	4169.00	100.00

fhs37b: 10/11 - F2F J13.2 - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	281.14	6.74	281.14	6.74
-9	-9	3475.26	83.36	3756.40	90.10
Mild	1	266.69	6.40	4023.08	96.50
Moderate	2	100.67	2.41	4123.75	98.91
Severe	3	45.25	1.09	4169.00	100.00

fhs37g: 10/11 - F2F J13.3 - Ear infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4008.08	96.14	4021.54	96.46
Mild	1	76.68	1.84	4098.22	98.30
Moderate	2	41.38	0.99	4139.60	99.29
Severe	3	29.40	0.71	4169.00	100.00

fhs37a: 10/11 - F2F J13.4 - Hearing problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
Mild	1	56.83	1.36	4132.71	99.13
Moderate	2	28.53	0.68	4161.24	99.81
Severe	3	7.76	0.19	4169.00	100.00

fhs37q: 10/11 - F2F J13.5 - Tonsillitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4017.33	96.36	4030.80	96.69
Mild	1	59.96	1.44	4090.76	98.12
Moderate	2	55.32	1.33	4146.08	99.45
Severe	3	22.92	0.55	4169.00	100.00

fhs37e: 10/11 - F2F J13.6 - Diarrhoea/colitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4117.35	98.76	4130.82	99.08
Mild	1	23.87	0.57	4154.69	99.66
Moderate	2	9.79	0.23	4164.48	99.89
Severe	3	4.52	0.11	4169.00	100.00

fhs37o: 10/11 - F2F J13.7 - Constipation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4008.36	96.15	4021.83	96.47
Mild	1	90.53	2.17	4112.36	98.64
Moderate	2	39.26	0.94	4151.62	99.58
Severe	3	17.38	0.42	4169.00	100.00

fhs37p: 10/11 - F2F J13.8 - Soiling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4122.29	98.88	4135.76	99.20
Mild	1	15.97	0.38	4151.72	99.59
Moderate	2	13.65	0.33	4165.37	99.91
Severe	3	3.63	0.09	4169.00	100.00

fhs37s: 10/11 - F2F J13.9 - Wetting self during the day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4122.54	98.89	4136.01	99.21
Mild	1	13.99	0.34	4150.01	99.54
Moderate	2	15.73	0.38	4165.74	99.92
Severe	3	3.26	0.08	4169.00	100.00

fhs37m: 10/11 - F2F J13.10 - Frequent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3885.82	93.21	3899.29	93.53
Mild	1	121.31	2.91	4020.60	96.44
Moderate	2	104.83	2.51	4125.42	98.95
Severe	3	43.58	1.05	4169.00	100.00

fhs37n: 10/11 - F2F J13.11 - Recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3997.35	95.88	4010.82	96.21
Mild	1	105.00	2.52	4115.82	98.72
Moderate	2	44.86	1.08	4160.67	99.80
Severe	3	8.33	0.20	4169.00	100.00

fhs37t: 10/11 - F2F J13.12 - Recurrent pain in other parts of the body

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4022.09	96.48	4035.56	96.80
Mild	1	83.30	2.00	4118.86	98.80
Moderate	2	44.38	1.06	4163.24	99.86
Severe	3	5.76	0.14	4169.00	100.00

fhs37u: 10/11 - F2F J13.13 - Bone, joint or muscle problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3860.47	92.60	3873.94	92.92
Mild	1	189.01	4.53	4062.94	97.46
Moderate	2	78.90	1.89	4141.85	99.35
Severe	3	27.15	0.65	4169.00	100.00

fhs37l: 10/11 - F2F J13.14 - Attention Deficit Disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4036.38	96.82	4049.85	97.14
Mild	1	31.06	0.75	4080.91	97.89
Moderate	2	58.55	1.40	4139.46	99.29
Severe	3	29.54	0.71	4169.00	100.00

fhs37v: 10/11 - F2F J13.15 - Anxiety disorder, Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4018.40	96.39	4031.87	96.71
Mild	1	41.73	1.00	4073.61	97.71
Moderate	2	68.87	1.65	4142.48	99.36
Severe	3	26.52	0.64	4169.00	100.00

fhs37w: 10/11 - F2F J13.16 - Autism, Aspergers, or other autism spectrum

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4057.25	97.32	4070.72	97.64
Mild	1	51.94	1.25	4122.67	98.89
Moderate	2	41.54	1.00	4164.21	99.88
Severe	3	4.79	0.12	4169.00	100.00

fhs37x: 10/11 - F2F J13.17 - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4141.47	99.34	4154.94	99.66
Mild	1	0.60	0.01	4155.54	99.68
Moderate	2	3.17	0.08	4158.71	99.75
Severe	3	10.29	0.25	4169.00	100.00

fhs37y: 10/11 - F2F J13.18 - Epilepsy or seizure disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4131.90	99.11	4145.37	99.43
Mild	1	12.27	0.29	4157.63	99.73
Moderate	2	8.71	0.21	4166.35	99.94
Severe	3	2.65	0.06	4169.00	100.00

fhs37z: 10/11 - F2F J13.19 - Chronic fatigue

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4152.20	99.60	4165.67	99.92
Mild	1	0.65	0.02	4166.31	99.94
Moderate	2	2.69	0.06	4169.00	100.00

fhs37h: 10/11 - F2F J13.20 - Other infections

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4129.86	99.06	4143.33	99.38
Mild	1	8.59	0.21	4151.92	99.59
Moderate	2	11.00	0.26	4162.92	99.85
Severe	3	6.08	0.15	4169.00	100.00

fhs37j: 10/11 - F2F J13.21 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.11	0.34	14.11	0.34
-9	-9	3966.79	95.15	3980.90	95.49
Mild	1	77.85	1.87	4058.75	97.36
Moderate	2	56.66	1.36	4115.41	98.71
Severe	3	53.59	1.29	4169.00	100.00

fhs17d1: 10/11 - F2F J14.1 - Eczema on elbows

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3713.97	89.09	3727.44	89.41
No	0	214.11	5.14	3941.55	94.54
Yes	1	227.45	5.46	4169.00	100.00

fhs17d2: 10/11 - F2F J14.2 - Eczema behind knees

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3713.97	89.09	3727.44	89.41
No	0	231.40	5.55	3958.84	94.96
Yes	1	210.16	5.04	4169.00	100.00

fhs17d3: 10/11 - F2F J14.3 - Eczema under buttocks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3713.97	89.09	3727.44	89.41
No	0	372.73	8.94	4100.17	98.35
Yes	1	68.83	1.65	4169.00	100.00

fhs17d4: 10/11 - F2F J14.4 - Eczema around neck

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3713.97	89.09	3727.44	89.41
No	0	358.43	8.60	4085.87	98.01
Yes	1	83.13	1.99	4169.00	100.00

fhs17d5: 10/11 - F2F J14.5 - Eczema other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3713.97	89.09	3727.44	89.41
No	0	251.83	6.04	3979.27	95.45
Yes	1	189.73	4.55	4169.00	100.00

fhs17d0: 10/11 - F2F J14.6 - Kept awake by eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3727.44	89.41	3727.44	89.41
Every night	1	4.12	0.10	3731.56	89.51
Most nights	2	1.06	0.03	3732.62	89.53
Some nights	3	26.30	0.63	3758.92	90.16
A few nights a month	4	19.90	0.48	3778.82	90.64
Rarely	5	141.61	3.40	3920.44	94.04
Never	6	248.56	5.96	4169.00	100.00

fhs31a: 10/11 - F2F J15.1 - Does child wear glasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.92	1.20	49.92	1.20
-9	-9	3475.26	83.36	3525.18	84.56
Yes	1	578.29	13.87	4103.47	98.43
No	2	65.53	1.57	4169.00	100.00

zhs31b: 10/11 - F2F W3+J15.2 - Age started wearing glasses

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	51.30	1.23	51.30	1.23
-9	3540.79	84.93	3592.09	86.16
10	5.81	0.14	3597.90	86.30
20	12.61	0.30	3610.51	86.60
30	5.02	0.12	3615.53	86.72
40	13.26	0.32	3628.79	87.04
50	23.46	0.56	3652.25	87.60
60	41.90	1.00	3694.15	88.61
70	75.28	1.81	3769.43	90.42
80	98.51	2.36	3867.94	92.78
90	11.12	0.27	3879.06	93.05
100	128.14	3.07	4007.20	96.12
110	66.88	1.60	4074.08	97.72
120	78.16	1.87	4152.24	99.60
130	16.76	0.40	4169.00	100.00

zhs31b1: 10/11 - F2F W3+J15.2.1 - Age started wearing glasses - unit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	51.30	1.23	51.30	1.23
-9	-9	3540.79	84.93	3592.09	86.16
Age in months	1	104.28	2.50	3696.37	88.66
Age in years	2	472.63	11.34	4169.00	100.00

zhs31b2: 10/11 - F2F W3+J15.2.2 - Age started wearing glasses - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	51.30	1.23	51.30	1.23
-9	3540.79	84.93	3592.09	86.16
0	7.84	0.19	3599.93	86.35
5	224.69	5.39	3824.62	91.74
10	261.68	6.28	4086.29	98.02
15	1.10	0.03	4087.40	98.04
20	4.66	0.11	4092.05	98.15
30	5.02	0.12	4097.08	98.27
65	1.55	0.04	4098.63	98.31
80	18.03	0.43	4116.66	98.74
85	20.92	0.50	4137.58	99.25
90	0.59	0.01	4138.17	99.26
95	0.69	0.02	4138.86	99.28
100	4.77	0.11	4143.63	99.39
105	15.55	0.37	4159.18	99.76

zhs31b2: 10/11 - F2F W3+J15.2.2 - Age started wearing glasses - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
110	7.47	0.18	4166.66	99.94
115	2.34	0.06	4169.00	100.00

fhs31c: 10/11 - F2F J15.3 - Why does child wear glasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
Short sighted myopia	1	119.22	2.86	3949.98	94.75
Long sighted	2	93.33	2.24	4043.31	96.99
Turned eyes squint	3	11.38	0.27	4054.69	97.26
Astigmatism	4	36.82	0.88	4091.51	98.14
Amblyopia lazy eye	5	19.65	0.47	4111.16	98.61
Other reason	6	57.84	1.39	4169.00	100.00

fhs31d: 10/11 - Other eye conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
Yes	1	84.90	2.04	3915.65	93.92
No	2	253.35	6.08	4169.00	100.00

fhs31d1: 10/11 - F2F J16.1 - Other eye conditions - Short sighted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
No	0	320.77	7.69	4151.52	99.58
Yes	1	17.48	0.42	4169.00	100.00

fhs31d2: 10/11 - F2F J16.2 - Other eye conditions - Long sighted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
No	0	312.99	7.51	4143.74	99.39
Yes	1	25.26	0.61	4169.00	100.00

fhs31d3: 10/11 - F2F J16.3 - Other eye conditions - Turned eye(s)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
No	0	327.58	7.86	4158.34	99.74
Yes	1	10.66	0.26	4169.00	100.00

fhs31d4: 10/11 - F2F J16.4 - Other eye conditions - Astigmatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
No	0	310.99	7.46	4141.75	99.35
Yes	1	27.25	0.65	4169.00	100.00

fhs31d5: 10/11 - F2F J16.5 - Other eye conditions - Amblyopia (lazy eye)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	289.97	6.96	289.97	6.96
-9	-9	3540.79	84.93	3830.76	91.89
No	0	321.42	7.71	4152.17	99.60
Yes	1	16.83	0.40	4169.00	100.00

fhs38: 10/11 - Uses any aids

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
Yes	1	18.78	0.45	4094.66	98.22
No	2	74.34	1.78	4169.00	100.00

fhs38a: 10/11 - F2F J17.1 - Hearing aids

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
No	0	86.96	2.09	4162.83	99.85
Yes	1	6.17	0.15	4169.00	100.00

fhs38b: 10/11 - F2F J17.2 - Cochlear implant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
No	0	92.09	2.21	4167.97	99.98
Yes	1	1.03	0.02	4169.00	100.00

fhs38c: 10/11 - F2F J17.3 - Adaptations in mainstream classroom

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
No	0	85.57	2.05	4161.44	99.82
Yes	1	7.56	0.18	4169.00	100.00

fhs38d: 10/11 - F2F J17.4 - Special visiting teacher

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
No	0	86.33	2.07	4162.20	99.84
Yes	1	6.80	0.16	4169.00	100.00

fhs38e: 10/11 - F2F J17.5 - Special school

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4062.41	97.44	4075.88	97.77
No	0	88.86	2.13	4164.73	99.90
Yes	1	4.27	0.10	4169.00	100.00

fhs37p1: 10/11 - F2F J18.8 - Soiling frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4122.29	98.88	4135.76	99.20
Daily	1	6.37	0.15	4142.12	99.36
Most days 4-6 times a week	2	2.96	0.07	4145.09	99.43
Some days 1-3 times a week	3	14.38	0.34	4159.47	99.77
A few times a month	4	7.06	0.17	4166.53	99.94
Rarely	5	2.47	0.06	4169.00	100.00

fhs37s1: 10/11 - F2F J18.9 - Wetting self during the day frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4122.54	98.89	4136.01	99.21
Daily	1	10.89	0.26	4146.91	99.47
Most days 4-6 times a week	2	6.71	0.16	4153.62	99.63
Some days 1-3 times a week	3	6.45	0.15	4160.08	99.79
A few times a month	4	8.92	0.21	4169.00	100.00

fhs37m1: 10/11 - F2F J18.10 - Frequent headaches frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3885.82	93.21	3899.29	93.53
Daily	1	5.53	0.13	3904.82	93.66
Most days 4-6 times a week	2	27.02	0.65	3931.84	94.31
Some days 1-3 times a week	3	96.51	2.32	4028.35	96.63
A few times a month	4	123.87	2.97	4152.23	99.60
Rarely	5	16.77	0.40	4169.00	100.00

fhs37n1: 10/11 - F2F J18.11 - Recurrent abdominal pain frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3997.35	95.88	4010.82	96.21
Daily	1	5.23	0.13	4016.05	96.33
Most days 4-6 times a week	2	9.62	0.23	4025.68	96.56
Some days 1-3 times a week	3	52.14	1.25	4077.82	97.81
A few times a month	4	61.64	1.48	4139.45	99.29
Rarely	5	29.55	0.71	4169.00	100.00

fhs37t1: 10/11 - F2F J18.12 - Recurrent pain in other parts of the body frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4022.09	96.48	4035.56	96.80
Daily	1	10.32	0.25	4045.88	97.05
Most days 4-6 times a week	2	12.53	0.30	4058.41	97.35
Some days 1-3 times a week	3	39.73	0.95	4098.15	98.30
A few times a month	4	45.25	1.09	4143.39	99.39
Rarely	5	25.61	0.61	4169.00	100.00

fhs17l1: 10/11 - F2F W1-3+J19 - Had ADD or ADHD medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4041.00	96.93	4041.00	96.93
Yes	1	108.31	2.60	4149.31	99.53
No	2	19.69	0.47	4169.00	100.00

fhs17l3: 10/11 - F2F J19.1 - Taking ADD medication?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.16	0.80	33.16	0.80
-9	-9	4036.38	96.82	4069.54	97.61
Yes	1	88.17	2.11	4157.71	99.73
No	2	11.29	0.27	4169.00	100.00

fhs17l3c: 10/11 - F2F J19.2 - Name of ADD/ADHA medication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.45	1.07	44.45	1.07
-9	-9	4036.38	96.82	4080.83	97.89
Ritalin 10 tablets, Ritalin LA capsules or Concerta tablets	1	47.15	1.13	4127.98	99.02
Dexamphetamine	2	18.84	0.45	4146.82	99.47
Strattera	3	8.56	0.21	4155.38	99.67
Catapres	4	1.78	0.04	4157.15	99.72
Risperdal	5	4.77	0.11	4161.93	99.83
Other specify	6	7.07	0.17	4169.00	100.00

fhs17w2: 10/11 - F2F J20 - Age autism/Aspergers diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4057.25	97.32	4070.72	97.64
10	4.16	0.10	4074.88	97.74
20	14.04	0.34	4088.92	98.08
30	0.78	0.02	4089.70	98.10
40	13.60	0.33	4103.31	98.42
50	12.96	0.31	4116.27	98.74
60	11.04	0.26	4127.31	99.00
70	5.53	0.13	4132.84	99.13
80	7.49	0.18	4140.33	99.31
100	11.07	0.27	4151.40	99.58
110	7.89	0.19	4159.29	99.77
120	9.02	0.22	4168.31	99.98
130	0.69	0.02	4169.00	100.00

fhs17w3: 10/11 - F2F J20.1 - Age autism/Aspergers diagnosed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4057.25	97.32	4070.72	97.64
Age in months	1	3.10	0.07	4073.82	97.72
Age in years	2	95.18	2.28	4169.00	100.00

fhs17w4: 10/11 - F2F J20.2 - Age autism/Aspergers diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4057.25	97.32	4070.72	97.64
0	16.62	0.40	4087.34	98.04
5	51.48	1.23	4138.82	99.28
10	28.67	0.69	4167.49	99.96
35	0.78	0.02	4168.26	99.98
40	0.74	0.02	4169.00	100.00

fhs17x2: 10/11 - F2F J21 - Diabetes diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4141.47	99.34	4154.94	99.66
0	0.60	0.01	4155.54	99.68
35	0.74	0.02	4156.28	99.69
50	3.26	0.08	4159.53	99.77
60	0.57	0.01	4160.11	99.79
85	3.03	0.07	4163.13	99.86
95	1.89	0.05	4165.02	99.90
110	2.90	0.07	4167.92	99.97
120	1.08	0.03	4169.00	100.00

fhs17x3: 10/11 - F2F J21.1 - Diabetes diagnosed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4141.47	99.34	4154.94	99.66
Age in months	1	0.60	0.01	4155.54	99.68
Age in years	2	13.46	0.32	4169.00	100.00

fhs17x4: 10/11 - F2F J21.2 - Diabetes diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4141.47	99.34	4154.94	99.66
0	4.59	0.11	4159.53	99.77
10	9.47	0.23	4169.00	100.00

fhs17y2: 10/11 - F2F J22 - Epilepsy or seizures diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4131.90	99.11	4145.37	99.43
0	1.20	0.03	4146.57	99.46
5	2.39	0.06	4148.96	99.52
10	1.26	0.03	4150.22	99.55
15	2.15	0.05	4152.36	99.60
20	0.51	0.01	4152.88	99.61
25	1.14	0.03	4154.02	99.64
35	2.17	0.05	4156.19	99.69
50	0.92	0.02	4157.11	99.71
60	0.80	0.02	4157.91	99.73
70	3.22	0.08	4161.13	99.81
85	2.33	0.06	4163.46	99.87
95	4.28	0.10	4167.74	99.97
110	1.26	0.03	4169.00	100.00

fhs17y3: 10/11 - F2F J22.1 - Epilepsy or seizures diagnosed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4131.90	99.11	4145.37	99.43
Age in months	1	7.51	0.18	4152.88	99.61
Age in years	2	16.12	0.39	4169.00	100.00

fhs17y4: 10/11 - F2F J22.2 - Epilepsy or seizures diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4131.90	99.11	4145.37	99.43
0	5.43	0.13	4150.80	99.56
10	15.54	0.37	4166.34	99.94
20	2.66	0.06	4169.00	100.00

fhs39: 10/11 - F2F J23 - Ever had a reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
Yes	1	511.39	12.27	524.86	12.59
No	2	3644.14	87.41	4169.00	100.00

fhs39a1: 10/11 - F2F J24.1 - Reaction to Peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	429.69	10.31	4087.30	98.04
Yes	1	81.70	1.96	4169.00	100.00

fhs39b1: 10/11 - F2F J24.2 - Reaction to Other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	463.90	11.13	4121.52	98.86
Yes	1	47.48	1.14	4169.00	100.00

fhs39c1: 10/11 - F2F J24.3 - Reaction to Eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	464.96	11.15	4122.58	98.89
Yes	1	46.42	1.11	4169.00	100.00

fhs39d1: 10/11 - F2F J24.4 - Reaction to Cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	457.03	10.96	4114.64	98.70
Yes	1	54.36	1.30	4169.00	100.00

fhs39e1: 10/11 - F2F J24.5 - Reaction to Soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	500.73	12.01	4158.34	99.74
Yes	1	10.66	0.26	4169.00	100.00

fhs39f1: 10/11 - F2F J24.6 - Reaction to Sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	510.02	12.23	4167.63	99.97
Yes	1	1.37	0.03	4169.00	100.00

fhs39g1: 10/11 - F2F J24.7 - Reaction to Wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	484.23	11.62	4141.84	99.35
Yes	1	27.16	0.65	4169.00	100.00

fhs39h1: 10/11 - F2F J24.8 - Reaction to Other food (specify)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3644.14	87.41	3657.61	87.73
No	0	165.15	3.96	3822.76	91.69
Yes	1	346.24	8.31	4169.00	100.00

fhs39a2: 10/11 - F2F J25.1.1 - Age of Peanut reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4073.83	97.72	4087.30	98.04
0	2.76	0.07	4090.07	98.11
5	2.67	0.06	4092.74	98.17
10	25.95	0.62	4118.68	98.79
15	1.30	0.03	4119.99	98.82
20	13.21	0.32	4133.19	99.14
25	11.56	0.28	4144.76	99.42
35	9.56	0.23	4154.32	99.65
50	3.37	0.08	4157.69	99.73
60	1.78	0.04	4159.47	99.77
70	2.28	0.05	4161.75	99.83
85	1.34	0.03	4163.09	99.86
95	2.39	0.06	4165.49	99.92
110	2.36	0.06	4167.85	99.97
120	1.15	0.03	4169.00	100.00

fhs39a3: 10/11 - F2F J25.1.2 - Age of Peanut reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4073.83	97.72	4087.30	98.04
Age in months	1	32.68	0.78	4119.99	98.82
Age in years	2	49.01	1.18	4169.00	100.00

fhs39a4: 10/11 - F2F J25.1.3 - Age of Peanut reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4073.83	97.72	4087.30	98.04
0	40.46	0.97	4127.77	99.01
10	28.03	0.67	4155.79	99.68
20	13.21	0.32	4169.00	100.00

fhs39a5: 10/11 - F2F J25.1.4 - Time taken for Peanut reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4073.83	97.72	4087.30	98.04
Less than half an hour	1	61.30	1.47	4148.60	99.51
Half an hour to an hour	2	11.20	0.27	4159.81	99.78
1 - 4 hours	3	5.00	0.12	4164.80	99.90
More than 4 hours	4	4.20	0.10	4169.00	100.00

fhs39a6a: 10/11 - F2F J25.1.5 - Reaction Peanuts - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	22.32	0.54	4109.63	98.58
Yes	1	59.37	1.42	4169.00	100.00

fhs39a6b: 10/11 - F2F J25.1.6 - Reaction Peanuts - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	74.46	1.79	4161.76	99.83
Yes	1	7.24	0.17	4169.00	100.00

fhs39a6c: 10/11 - F2F J25.1.7 - Reaction Peanuts - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	80.13	1.92	4167.44	99.96
Yes	1	1.56	0.04	4169.00	100.00

fhs39a6d: 10/11 - F2F J25.1.8 - Reaction Peanuts - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	76.77	1.84	4164.07	99.88
Yes	1	4.93	0.12	4169.00	100.00

fhs39a6e: 10/11 - F2F J25.1.9 - Reaction Peanuts - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	80.13	1.92	4167.44	99.96
Yes	1	1.56	0.04	4169.00	100.00

fhs39a6f: 10/11 - F2F J25.1.10 - Reaction Peanuts - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	64.88	1.56	4152.18	99.60
Yes	1	16.82	0.40	4169.00	100.00

fhs39a6g: 10/11 - F2F J25.1.11 - Reaction Peanuts - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	41.74	1.00	4129.04	99.04
Yes	1	39.96	0.96	4169.00	100.00

fhs39a6h: 10/11 - F2F J25.1.12 - Reaction Peanuts - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4087.30	98.04	4087.30	98.04
No	0	67.67	1.62	4154.97	99.66
Yes	1	14.03	0.34	4169.00	100.00

fhs39a7a: 10/11 - F2F J25.1.14 - Skin prick test - peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4073.83	97.72	4087.30	98.04
-2	-2	1.45	0.03	4088.76	98.08
Yes	1	55.50	1.33	4144.26	99.41
No	2	24.74	0.59	4169.00	100.00

fhs39a7b: 10/11 - F2F J25.1.15 - Skin prick test result

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.66	0.95	39.66	0.95
-9	-9	4073.83	97.72	4113.50	98.67
Positive for this food	1	50.35	1.21	4163.84	99.88
Negative for this food	2	5.16	0.12	4169.00	100.00

fhs39a8a: 10/11 - F2F J25.1.16 - Food challenge

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4073.83	97.72	4087.30	98.04
-2	-2	5.03	0.12	4092.33	98.16
Yes	1	16.87	0.40	4109.20	98.57
No	2	59.80	1.43	4169.00	100.00

fhs39a8b: 10/11 - F2F J25.1.17 - Food challenge result

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	78.30	1.88	78.30	1.88
-9	-9	4073.83	97.72	4152.13	99.60
Don't know	-2	0.47	0.01	4152.61	99.61
Positive for this food	1	14.25	0.34	4166.86	99.95
Negative for this food	2	2.14	0.05	4169.00	100.00

fhs39b2: 10/11 - F2F J25.2.1 - Age of other nuts reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4108.05	98.54	4121.52	98.86
5	1.56	0.04	4123.08	98.90
10	10.70	0.26	4133.78	99.16
15	0.76	0.02	4134.54	99.17
20	4.05	0.10	4138.59	99.27
25	4.99	0.12	4143.57	99.39
35	5.65	0.14	4149.23	99.53
50	5.45	0.13	4154.68	99.66
60	4.79	0.11	4159.47	99.77
70	2.48	0.06	4161.95	99.83
95	2.17	0.05	4164.13	99.88
110	3.07	0.07	4167.20	99.96
120	1.80	0.04	4169.00	100.00

fhs39b3: 10/11 - F2F J25.2.2 - Age of other nuts reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4108.05	98.54	4121.52	98.86
Age in months	1	10.12	0.24	4131.64	99.10
Age in years	2	37.36	0.90	4169.00	100.00

fhs39b4: 10/11 - F2F J25.2.3 - Age of other nuts reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4108.05	98.54	4121.52	98.86
0	23.04	0.55	4144.55	99.41
10	20.39	0.49	4164.95	99.90
20	4.05	0.10	4169.00	100.00

fhs39b5: 10/11 - F2F J25.2.4 - Time taken for other nuts reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4108.05	98.54	4121.52	98.86
Less than half an hour	1	40.72	0.98	4162.24	99.84
Half an hour to an hour	2	2.32	0.06	4164.55	99.89
1 - 4 hours	3	2.65	0.06	4167.20	99.96
More than 4 hours	4	1.80	0.04	4169.00	100.00

fhs39b6a: 10/11 - F2F J25.2.5 - Reaction Other nuts - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	17.68	0.42	4139.20	99.29
Yes	1	29.80	0.71	4169.00	100.00

fhs39b6b: 10/11 - F2F J25.2.6 - Reaction Other nuts - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	37.14	0.89	4158.65	99.75
Yes	1	10.35	0.25	4169.00	100.00

fhs39b6c: 10/11 - F2F J25.2.7 - Reaction Other nuts - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	43.65	1.05	4165.16	99.91
Yes	1	3.84	0.09	4169.00	100.00

fhs39b6d: 10/11 - F2F J25.2.8 - Reaction Other nuts - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	39.65	0.95	4161.16	99.81
Yes	1	7.84	0.19	4169.00	100.00

fhs39b6e: 10/11 - F2F J25.2.9 - Reaction Other nuts - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	45.46	1.09	4166.97	99.95
Yes	1	2.03	0.05	4169.00	100.00

fhs39b6f: 10/11 - F2F J25.2.10 - Reaction Other nuts - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	32.35	0.78	4153.86	99.64
Yes	1	15.14	0.36	4169.00	100.00

fhs39b6g: 10/11 - F2F J25.2.11 - Reaction Other nuts - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	25.03	0.60	4146.55	99.46
Yes	1	22.45	0.54	4169.00	100.00

fhs39b6h: 10/11 - F2F J25.2.12 - Reaction Other nuts - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4121.52	98.86	4121.52	98.86
No	0	39.19	0.94	4160.71	99.80
Yes	1	8.29	0.20	4169.00	100.00

fhs39b7a: 10/11 - F2F J25.2.14 - Skin prick test - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4108.05	98.54	4121.52	98.86
-2	-2	1.45	0.03	4122.97	98.90
Yes	1	30.44	0.73	4153.40	99.63
No	2	15.60	0.37	4169.00	100.00

fhs39b7b: 10/11 - F2F J25.2.15 - Skin prick test result - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.52	0.73	30.52	0.73
-9	-9	4108.05	98.54	4138.56	99.27
Positive for this food	1	27.85	0.67	4166.41	99.94
Negative for this food	2	2.59	0.06	4169.00	100.00

fhs39b8a: 10/11 - F2F J25.2.16 - Food challenge - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4108.05	98.54	4121.52	98.86
-2	-2	1.45	0.03	4122.97	98.90
Yes	1	10.89	0.26	4133.86	99.16
No	2	35.14	0.84	4169.00	100.00

fhs39b8b: 10/11 - F2F J25.2.17 - Food challenge result - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.06	1.20	50.06	1.20
-9	-9	4108.05	98.54	4158.11	99.74
Positive for this food	1	10.89	0.26	4169.00	100.00

fhs39c2: 10/11 - F2F J25.3.1 - Age of eggs reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4109.11	98.56	4122.58	98.89
0	0.77	0.02	4123.34	98.90
5	7.57	0.18	4130.91	99.09
10	15.78	0.38	4146.68	99.46
15	2.81	0.07	4149.49	99.53
20	4.06	0.10	4153.55	99.63
25	5.80	0.14	4159.35	99.77
50	3.30	0.08	4162.65	99.85
60	1.90	0.05	4164.56	99.89
70	2.55	0.06	4167.11	99.95
85	0.76	0.02	4167.88	99.97
110	1.12	0.03	4169.00	100.00

fhs39c3: 10/11 - F2F J25.3.2 - Age of eggs reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4109.11	98.56	4122.58	98.89
Age in months	1	23.34	0.56	4145.92	99.45
Age in years	2	23.08	0.55	4169.00	100.00

fhs39c4: 10/11 - F2F J25.3.3 - Age of eggs reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4109.11	98.56	4122.58	98.89
0	18.30	0.44	4140.88	99.33
10	22.56	0.54	4163.43	99.87
20	5.57	0.13	4169.00	100.00

fhs39c5: 10/11 - F2F J25.3.4 - Time taken for eggs reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4109.11	98.56	4122.58	98.89
Less than half an hour	1	31.09	0.75	4153.67	99.63
Half an hour to an hour	2	4.64	0.11	4158.31	99.74
1 - 4 hours	3	5.02	0.12	4163.34	99.86
More than 4 hours	4	5.66	0.14	4169.00	100.00

fhs39c6a: 10/11 - F2F J25.3.5 - Reaction eggs - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	10.33	0.25	4132.91	99.13
Yes	1	36.09	0.87	4169.00	100.00

fhs39c6b: 10/11 - F2F J25.3.6 - Reaction eggs - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	37.00	0.89	4159.58	99.77
Yes	1	9.42	0.23	4169.00	100.00

fhs39c6c: 10/11 - F2F J25.3.7 - Reaction eggs - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	43.77	1.05	4166.35	99.94
Yes	1	2.65	0.06	4169.00	100.00

fhs39c6d: 10/11 - F2F J25.3.8 - Reaction eggs - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	43.35	1.04	4165.92	99.93
Yes	1	3.08	0.07	4169.00	100.00

fhs39c6e: 10/11 - F2F J25.3.9 - Reaction eggs - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	46.42	1.11	4169.00	100.00

fhs39c6f: 10/11 - F2F J25.3.10 - Reaction eggs - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	45.00	1.08	4167.58	99.97
Yes	1	1.42	0.03	4169.00	100.00

fhs39c6g: 10/11 - F2F J25.3.11 - Reaction eggs - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	37.37	0.90	4159.94	99.78
Yes	1	9.06	0.22	4169.00	100.00

fhs39c6h: 10/11 - F2F J25.3.12 - Reaction eggs - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4122.58	98.89	4122.58	98.89
No	0	40.84	0.98	4163.42	99.87
Yes	1	5.58	0.13	4169.00	100.00

fhs39c7a: 10/11 - F2F J25.3.14 - Skin prick test - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4109.11	98.56	4122.58	98.89
Yes	1	21.31	0.51	4143.88	99.40
No	2	25.12	0.60	4169.00	100.00

fhs39c7b: 10/11 - F2F J25.3.15 - Skin prick test result - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.58	0.93	38.58	0.93
-9	-9	4109.11	98.56	4147.69	99.49
Don't know	-2	1.36	0.03	4149.05	99.52
Positive for this food	1	17.32	0.42	4166.37	99.94
Negative for this food	2	2.63	0.06	4169.00	100.00

fhs39c8a: 10/11 - F2F J25.3.16 - Food challenge - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4109.11	98.56	4122.58	98.89
Yes	1	8.40	0.20	4130.98	99.09
No	2	38.02	0.91	4169.00	100.00

fhs39c8b: 10/11 - F2F J25.3.17 - Food challenge result - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	51.49	1.24	51.49	1.24
-9	-9	4109.11	98.56	4160.60	99.80
Positive for this food	1	5.96	0.14	4166.56	99.94
Negative for this food	2	2.44	0.06	4169.00	100.00

fhs39d2: 10/11 - F2F J25.4.1 - Age of cow's milk reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4101.17	98.37	4114.64	98.70
0	10.26	0.25	4124.90	98.94
5	17.76	0.43	4142.66	99.37
10	12.08	0.29	4154.74	99.66
25	3.57	0.09	4158.31	99.74
35	0.70	0.02	4159.00	99.76
50	3.19	0.08	4162.20	99.84
60	1.42	0.03	4163.61	99.87
70	0.77	0.02	4164.38	99.89
95	3.40	0.08	4167.78	99.97
120	1.22	0.03	4169.00	100.00

fhs39d3: 10/11 - F2F J25.4.2 - Age of cow's milk reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4101.17	98.37	4114.64	98.70
Age in months	1	34.38	0.82	4149.03	99.52
Age in years	2	19.97	0.48	4169.00	100.00

fhs39d4: 10/11 - F2F J25.4.3 - Age of cow's milk reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4101.17	98.37	4114.64	98.70
0	28.20	0.68	4142.84	99.37
10	26.16	0.63	4169.00	100.00

fhs39d5: 10/11 - F2F J25.4.4 - Time taken for cow's milk reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4101.17	98.37	4114.64	98.70
Less than half an hour	1	28.55	0.68	4143.20	99.38
Half an hour to an hour	2	5.90	0.14	4149.09	99.52
1 - 4 hours	3	6.97	0.17	4156.06	99.69
More than 4 hours	4	12.94	0.31	4169.00	100.00

fhs39d6a: 10/11 - F2F J25.4.5 - Reaction cow's milk - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	22.92	0.55	4137.56	99.25
Yes	1	31.44	0.75	4169.00	100.00

fhs39d6b: 10/11 - F2F J25.4.6 - Reaction cow's milk - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	39.84	0.96	4154.48	99.65
Yes	1	14.52	0.35	4169.00	100.00

fhs39d6c: 10/11 - F2F J25.4.7 - Reaction cow's milk - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	40.78	0.98	4155.42	99.67
Yes	1	13.58	0.33	4169.00	100.00

fhs39d6d: 10/11 - F2F J25.4.8 - Reaction cow's milk - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	38.69	0.93	4153.34	99.62
Yes	1	15.66	0.38	4169.00	100.00

fhs39d6e: 10/11 - F2F J25.4.9 - Reaction cow's milk - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	53.89	1.29	4168.53	99.99
Yes	1	0.47	0.01	4169.00	100.00

fhs39d6f: 10/11 - F2F J25.4.10 - Reaction cow's milk - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	50.09	1.20	4164.74	99.90
Yes	1	4.26	0.10	4169.00	100.00

fhs39d6g: 10/11 - F2F J25.4.11 - Reaction cow's milk - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	50.63	1.21	4165.27	99.91
Yes	1	3.73	0.09	4169.00	100.00

fhs39d6h: 10/11 - F2F J25.4.12 - Reaction cow's milk - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4114.64	98.70	4114.64	98.70
No	0	47.93	1.15	4162.57	99.85
Yes	1	6.43	0.15	4169.00	100.00

fhs39d7a: 10/11 - F2F J25.4.14 - Skin prick test - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4101.17	98.37	4114.64	98.70
-2	-2	1.03	0.02	4115.67	98.72
Yes	1	19.81	0.48	4135.49	99.20
No	2	33.51	0.80	4169.00	100.00

fhs39d7b: 10/11 - F2F J25.4.15 - Skin prick test result - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.01	1.15	48.01	1.15
-9	-9	4101.17	98.37	4149.19	99.52
Don't know	-2	2.61	0.06	4151.80	99.59
Positive for this food	1	13.46	0.32	4165.26	99.91
Negative for this food	2	3.74	0.09	4169.00	100.00

fhs39d8a: 10/11 - F2F J25.4.16 - Food challenge - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4101.17	98.37	4114.64	98.70
-2	-2	1.21	0.03	4115.86	98.73
Yes	1	7.48	0.18	4123.34	98.90
No	2	45.66	1.10	4169.00	100.00

fhs39d8b: 10/11 - F2F J25.4.17 - Food challenge result - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	60.34	1.45	60.34	1.45
-9	-9	4101.17	98.37	4161.52	99.82
Don't know	-2	1.40	0.03	4162.92	99.85
Positive for this food	1	6.08	0.15	4169.00	100.00

fhs39e2: 10/11 - F2F J25.5.1 - Age of soy reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4144.87	99.42	4158.34	99.74
5	3.81	0.09	4162.16	99.84
10	2.28	0.05	4164.44	99.89
25	3.43	0.08	4167.86	99.97
35	0.53	0.01	4168.39	99.99
95	0.61	0.01	4169.00	100.00

fhs39e3: 10/11 - F2F J25.5.2 - Age of soy reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4144.87	99.42	4158.34	99.74
Age in months	1	6.09	0.15	4164.44	99.89
Age in years	2	4.56	0.11	4169.00	100.00

fhs39e4: 10/11 - F2F J25.5.3 - Age of soy reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4144.87	99.42	4158.34	99.74
0	4.95	0.12	4163.30	99.86
10	5.70	0.14	4169.00	100.00

fhs39e5: 10/11 - F2F J25.5.4 - Time taken for soy reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4144.87	99.42	4158.34	99.74
Less than half an hour	1	7.25	0.17	4165.59	99.92
Half an hour to an hour	2	1.80	0.04	4167.39	99.96
1 - 4 hours	3	1.00	0.02	4168.39	99.99
More than 4 hours	4	0.61	0.01	4169.00	100.00

fhs39e6a: 10/11 - F2F J25.5.5 - Reaction soy - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	1.73	0.04	4160.08	99.79
Yes	1	8.92	0.21	4169.00	100.00

fhs39e6b: 10/11 - F2F J25.5.6 - Reaction soy - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	5.28	0.13	4163.62	99.87
Yes	1	5.38	0.13	4169.00	100.00

fhs39e6c: 10/11 - F2F J25.5.7 - Reaction soy - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	8.29	0.20	4166.64	99.94
Yes	1	2.36	0.06	4169.00	100.00

fhs39e6d: 10/11 - F2F J25.5.8 - Reaction soy - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	7.30	0.17	4165.64	99.92
Yes	1	3.36	0.08	4169.00	100.00

fhs39e6e: 10/11 - F2F J25.5.9 - Reaction soy - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	10.66	0.26	4169.00	100.00

fhs39e6f: 10/11 - F2F J25.5.10 - Reaction soy - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	10.66	0.26	4169.00	100.00

fhs39e6g: 10/11 - F2F J25.5.11 - Reaction soy - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	10.66	0.26	4169.00	100.00

fhs39e6h: 10/11 - F2F J25.5.12 - Reaction soy - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4158.34	99.74	4158.34	99.74
No	0	10.66	0.26	4169.00	100.00

fhs39e7a: 10/11 - F2F J25.5.14 - Skin prick test - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4144.87	99.42	4158.34	99.74
Yes	1	2.90	0.07	4161.25	99.81
No	2	7.75	0.19	4169.00	100.00

fhs39e7b: 10/11 - F2F J25.5.15 - Skin prick test result - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.22	0.51	21.22	0.51
-9	-9	4144.87	99.42	4166.10	99.93
Positive for this food	1	2.16	0.05	4168.26	99.98
Negative for this food	2	0.74	0.02	4169.00	100.00

fhs39e8a: 10/11 - F2F J25.5.16 - Food challenge - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4144.87	99.42	4158.34	99.74
No	2	10.66	0.26	4169.00	100.00

fhs39e8b: 10/11 - F2F J25.5.17 - Food challenge result - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.12	0.58	24.12	0.58
-9	-9	4144.87	99.42	4169.00	100.00

fhs39f2: 10/11 - F2F J25.6.1 - Age of sesame reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4154.16	99.64	4167.63	99.97
20	0.81	0.02	4168.44	99.99
70	0.56	0.01	4169.00	100.00

fhs39f3: 10/11 - F2F J25.6.2 - Age of sesame reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4154.16	99.64	4167.63	99.97
Age in months	1	0.81	0.02	4168.44	99.99
Age in years	2	0.56	0.01	4169.00	100.00

fhs39f4: 10/11 - F2F J25.6.3 - Age of sesame reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4154.16	99.64	4167.63	99.97
10	0.56	0.01	4168.19	99.98
20	0.81	0.02	4169.00	100.00

fhs39f5: 10/11 - F2F J25.6.4 - Time taken for sesame reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4154.16	99.64	4167.63	99.97
Less than half an hour	1	1.37	0.03	4169.00	100.00

fhs39f6a: 10/11 - F2F J25.6.5 - Reaction sesame - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
Yes	1	1.37	0.03	4169.00	100.00

fhs39f6b: 10/11 - F2F J25.6.6 - Reaction sesame - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
No	0	0.81	0.02	4168.44	99.99
Yes	1	0.56	0.01	4169.00	100.00

fhs39f6c: 10/11 - F2F J25.6.7 - Reaction sesame - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
No	0	1.37	0.03	4169.00	100.00

fhs39f6d: 10/11 - F2F J25.6.8 - Reaction sesame - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
No	0	1.37	0.03	4169.00	100.00

fhs39f6e: 10/11 - F2F J25.6.9 - Reaction sesame - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
No	0	1.37	0.03	4169.00	100.00

fhs39f6f: 10/11 - F2F J25.6.10 - Reaction sesame - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
No	0	1.37	0.03	4169.00	100.00

fhs39f6g: 10/11 - F2F J25.6.11 - Reaction sesame - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
Yes	1	1.37	0.03	4169.00	100.00

fhs39f6h: 10/11 - F2F J25.6.12 - Reaction sesame - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4167.63	99.97	4167.63	99.97
No	0	1.37	0.03	4169.00	100.00

fhs39f7a: 10/11 - F2F J25.6.14 - Skin prick test - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4154.16	99.64	4167.63	99.97
Yes	1	1.37	0.03	4169.00	100.00

fhs39f7b: 10/11 - F2F J25.6.15 - Skin prick test result - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4154.16	99.64	4167.63	99.97
Positive for this food	1	1.37	0.03	4169.00	100.00

fhs39f8a: 10/11 - F2F J25.6.16 - Food challenge - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4154.16	99.64	4167.63	99.97
Yes	1	0.81	0.02	4168.44	99.99
No	2	0.56	0.01	4169.00	100.00

fhs39f8b: 10/11 - F2F J25.6.17 - Food challenge result - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.03	0.34	14.03	0.34
-9	-9	4154.16	99.64	4168.19	99.98
Positive for this food	1	0.81	0.02	4169.00	100.00

fhs39g2: 10/11 - F2F J25.7.1 - Age of wheat reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4128.37	99.03	4141.84	99.35
0	0.80	0.02	4142.64	99.37
10	10.28	0.25	4152.92	99.61
20	1.51	0.04	4154.43	99.65
40	5.93	0.14	4160.37	99.79
50	2.72	0.07	4163.09	99.86
60	2.09	0.05	4165.18	99.91
70	1.14	0.03	4166.32	99.94
100	2.68	0.06	4169.00	100.00

fhs39g3: 10/11 - F2F J25.7.2 - Age of wheat reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4128.37	99.03	4141.84	99.35
Age in months	1	8.95	0.21	4150.79	99.56
Age in years	2	18.21	0.44	4169.00	100.00

fhs39g4: 10/11 - F2F J25.7.3 - Age of wheat reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4128.37	99.03	4141.84	99.35
0	13.10	0.31	4154.94	99.66
10	13.39	0.32	4168.33	99.98
20	0.67	0.02	4169.00	100.00

fhs39g5: 10/11 - F2F J25.7.4 - Time taken for wheat reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4128.37	99.03	4141.84	99.35
Less than half an hour	1	8.08	0.19	4149.92	99.54
Half an hour to an hour	2	2.85	0.07	4152.76	99.61
1 - 4 hours	3	1.47	0.04	4154.24	99.65
More than 4 hours	4	14.76	0.35	4169.00	100.00

fhs39g6a: 10/11 - F2F J25.7.5 - Reaction wheat - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	14.10	0.34	4155.94	99.69
Yes	1	13.06	0.31	4169.00	100.00

fhs39g6b: 10/11 - F2F J25.7.6 - Reaction wheat - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	25.34	0.61	4167.18	99.96
Yes	1	1.82	0.04	4169.00	100.00

fhs39g6c: 10/11 - F2F J25.7.7 - Reaction wheat - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	21.49	0.52	4163.33	99.86
Yes	1	5.67	0.14	4169.00	100.00

fhs39g6d: 10/11 - F2F J25.7.8 - Reaction wheat - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	12.49	0.30	4154.33	99.65
Yes	1	14.67	0.35	4169.00	100.00

fhs39g6e: 10/11 - F2F J25.7.9 - Reaction wheat - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	26.32	0.63	4168.16	99.98
Yes	1	0.84	0.02	4169.00	100.00

fhs39g6f: 10/11 - F2F J25.7.10 - Reaction wheat - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	25.64	0.62	4167.49	99.96
Yes	1	1.51	0.04	4169.00	100.00

fhs39g6g: 10/11 - F2F J25.7.11 - Reaction wheat - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	27.16	0.65	4169.00	100.00

fhs39g6h: 10/11 - F2F J25.7.12 - Reaction wheat - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4141.84	99.35	4141.84	99.35
No	0	19.72	0.47	4161.56	99.82
Yes	1	7.44	0.18	4169.00	100.00

fhs39g7a: 10/11 - F2F J25.7.14 - Skin prick test - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4128.37	99.03	4141.84	99.35
Yes	1	6.50	0.16	4148.34	99.50
No	2	20.66	0.50	4169.00	100.00

fhs39g7b: 10/11 - F2F J25.7.15 - Skin prick test result - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.13	0.82	34.13	0.82
-9	-9	4128.37	99.03	4162.50	99.84
Don't know	-2	1.98	0.05	4164.48	99.89
Positive for this food	1	4.17	0.10	4168.65	99.99
Negative for this food	2	0.35	0.01	4169.00	100.00

fhs39g8a: 10/11 - F2F J25.7.16 - Food challenge - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	4128.37	99.03	4141.84	99.35
Yes	1	4.90	0.12	4146.74	99.47
No	2	22.26	0.53	4169.00	100.00

fhs39g8b: 10/11 - F2F J25.7.17 - Food challenge result - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.73	0.86	35.73	0.86
-9	-9	4128.37	99.03	4164.10	99.88
Don't know	-2	1.14	0.03	4165.23	99.91
Positive for this food	1	3.77	0.09	4169.00	100.00

fhs39h2: 10/11 - F2F J25.8.1 - Age of other food reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	3809.29	91.37	3822.76	91.69
0	2.11	0.05	3824.87	91.75
5	19.17	0.46	3844.04	92.21
10	35.89	0.86	3879.92	93.07
20	7.42	0.18	3887.34	93.24
25	43.19	1.04	3930.53	94.28
35	32.99	0.79	3963.52	95.07
50	32.37	0.78	3995.89	95.85
60	25.83	0.62	4021.72	96.47
70	24.23	0.58	4045.95	97.05
85	23.67	0.57	4069.62	97.62
95	32.20	0.77	4101.82	98.39
110	30.53	0.73	4132.35	99.12
120	33.95	0.81	4166.30	99.94
130	2.70	0.06	4169.00	100.00

fhs39h3: 10/11 - F2F J25.8.2 - Age of other food reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3809.29	91.37	3822.76	91.69
Age in months	1	47.94	1.15	3870.70	92.84
Age in years	2	298.30	7.16	4169.00	100.00

fhs39h4: 10/11 - F2F J25.8.3 - Age of other food reaction

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	3809.29	91.37	3822.76	91.69
0	131.65	3.16	3954.41	94.85
10	207.17	4.97	4161.58	99.82
20	7.42	0.18	4169.00	100.00

fhs39h5: 10/11 - F2F J25.8.4 - Time taken for other food reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3809.29	91.37	3822.76	91.69
Less than half an hour	1	170.86	4.10	3993.63	95.79
Half an hour to an hour	2	55.52	1.33	4049.14	97.13
1 - 4 hours	3	53.71	1.29	4102.85	98.41
More than 4 hours	4	66.15	1.59	4169.00	100.00

fhs39h6a: 10/11 - F2F J25.8.5 - Reaction other food - Skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	127.59	3.06	3950.36	94.76
Yes	1	218.64	5.24	4169.00	100.00

fhs39h6b: 10/11 - F2F J25.8.6 - Reaction other food - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	309.93	7.43	4132.70	99.13
Yes	1	36.30	0.87	4169.00	100.00

fhs39h6c: 10/11 - F2F J25.8.7 - Reaction other food - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	337.67	8.10	4160.43	99.79
Yes	1	8.57	0.21	4169.00	100.00

fhs39h6d: 10/11 - F2F J25.8.8 - Reaction other food - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	328.94	7.89	4151.70	99.59
Yes	1	17.30	0.41	4169.00	100.00

fhs39h6e: 10/11 - F2F J25.8.9 - Reaction other food - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	340.18	8.16	4162.95	99.85
Yes	1	6.05	0.15	4169.00	100.00

fhs39h6f: 10/11 - F2F J25.8.10 - Reaction other food - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	333.14	7.99	4155.90	99.69
Yes	1	13.10	0.31	4169.00	100.00

fhs39h6g: 10/11 - F2F J25.8.11 - Reaction other food - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	288.94	6.93	4111.70	98.63
Yes	1	57.30	1.37	4169.00	100.00

fhs39h6h: 10/11 - F2F J25.8.12 - Reaction other food - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.76	91.69	3822.76	91.69
No	0	276.26	6.63	4099.02	98.32
Yes	1	69.98	1.68	4169.00	100.00

fhs39h7a: 10/11 - F2F J25.8.14 - Skin prick test - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3809.29	91.37	3822.76	91.69
-2	-2	3.65	0.09	3826.41	91.78
Yes	1	51.04	1.22	3877.45	93.01
No	2	291.55	6.99	4169.00	100.00

fhs39h7b: 10/11 - F2F J25.8.15 - Skin prick test result - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	308.66	7.40	308.66	7.40
-9	-9	3809.29	91.37	4117.96	98.78
Don't know	-2	5.17	0.12	4123.13	98.90
Positive for this food	1	36.31	0.87	4159.44	99.77
Negative for this food	2	9.56	0.23	4169.00	100.00

fhs39h8a: 10/11 - F2F J25.8.16 - Food challenge - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-9	-9	3809.29	91.37	3822.76	91.69
Yes	1	15.30	0.37	3838.06	92.06
No	2	330.94	7.94	4169.00	100.00

fhs39h8b: 10/11 - F2F J25.8.17 - Food challenge result - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	344.41	8.26	344.41	8.26
-9	-9	3809.29	91.37	4153.70	99.63
Positive for this food	1	12.88	0.31	4166.59	99.94
Negative for this food	2	2.41	0.06	4169.00	100.00

fhs18a: 10/11 - F2F J26.1 - No. times SC injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
0	4125.86	98.97	4139.33	99.29
10	27.68	0.66	4167.02	99.95
20	1.98	0.05	4169.00	100.00

fhs18b1: 10/11 - F2F J26.2.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	566.51	13.59	3946.98	94.67
Yes	1	222.02	5.33	4169.00	100.00

fhs18b2: 10/11 - F2F J26.2.2 - Injury - burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	779.41	18.70	4159.89	99.78
Yes	1	9.11	0.22	4169.00	100.00

fhs18b3: 10/11 - F2F J26.2.3 - Injury - dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	767.09	18.40	4147.57	99.49
Yes	1	21.43	0.51	4169.00	100.00

fhs18b4: 10/11 - F2F J26.2.4 - Injury - sprain or strain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	550.78	13.21	3931.26	94.30
Yes	1	237.74	5.70	4169.00	100.00

fhs18b5: 10/11 - F2F J26.2.5 - Injury - cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	625.24	15.00	4005.71	96.08
Yes	1	163.29	3.92	4169.00	100.00

fhs18b11: 10/11 - F2F J26.2.6 - Injury - Bruises or swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	683.39	16.39	4063.87	97.48
Yes	1	105.13	2.52	4169.00	100.00

fhs18b12: 10/11 - F2F J26.2.7 - Injury - Animal bites or bee stings

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	759.36	18.21	4139.83	99.30
Yes	1	29.17	0.70	4169.00	100.00

fhs18b6: 10/11 - F2F J26.2.8 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	749.85	17.99	4130.33	99.07
Yes	1	38.67	0.93	4169.00	100.00

fhs18b7: 10/11 - F2F J26.2.9 - Injury - internal (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	782.59	18.77	4163.07	99.86
Yes	1	5.93	0.14	4169.00	100.00

fhs18b8: 10/11 - F2F J26.2.10 - Injury - dental

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	771.91	18.52	4152.39	99.60
Yes	1	16.61	0.40	4169.00	100.00

fhs18b9: 10/11 - F2F J26.2.11 - Injury - accidental poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	788.52	18.91	4169.00	100.00

fhs18b10: 10/11 - F2F J26.2.12 - Injury - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
No	0	704.81	16.91	4085.29	97.99
Yes	1	83.71	2.01	4169.00	100.00

fhs18d1: 10/11 - F2F J26.3.1 - No. of times broken bones

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3946.98	94.67	3946.98	94.67
0	217.76	5.22	4164.74	99.90
5	4.26	0.10	4169.00	100.00

fhs18d2: 10/11 - F2F J26.3.2 - No. of times burn or scald

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4159.89	99.78	4159.89	99.78
1	9.11	0.22	4169.00	100.00

fhs18d3: 10/11 - F2F J26.3.3 - No. of times dislocation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4147.57	99.49	4147.57	99.49
0	21.43	0.51	4169.00	100.00

fhs18d4: 10/11 - F2F J26.3.4 - No. of times sprain or strain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3931.26	94.30	3931.26	94.30
1	183.55	4.40	4114.80	98.70
2	39.42	0.95	4154.22	99.65
3	9.39	0.23	4163.61	99.87
4	4.50	0.11	4168.11	99.98
6	0.89	0.02	4169.00	100.00

fhs18d5: 10/11 - F2F J26.3.5 - No. of times cut or scrape

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4005.71	96.08	4005.71	96.08
1	132.24	3.17	4137.95	99.26
2	16.75	0.40	4154.70	99.66
3	10.35	0.25	4165.05	99.91
4	1.75	0.04	4166.80	99.95
5	1.17	0.03	4167.96	99.98
12	1.04	0.02	4169.00	100.00

fhs18d11: 10/11 - F2F J26.3.6 - No. of times Bruises or swelling

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4063.87	97.48	4063.87	97.48
1	80.70	1.94	4144.57	99.41
2	15.56	0.37	4160.13	99.79
3	6.40	0.15	4166.53	99.94
4	1.16	0.03	4167.68	99.97
5	0.42	0.01	4168.11	99.98
6	0.89	0.02	4169.00	100.00

fhs18d12: 10/11 - F2F J26.3.7 - No. of times Animal bites or bee stings

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4139.83	99.30	4139.83	99.30
1	25.26	0.61	4165.09	99.91
2	2.61	0.06	4167.70	99.97
4	1.30	0.03	4169.00	100.00

fhs18d6: 10/11 - F2F J26.3.8 - No. of times concussion

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4130.33	99.07	4130.33	99.07
1	37.05	0.89	4167.38	99.96
2	1.00	0.02	4168.38	99.99
3	0.62	0.01	4169.00	100.00

fhs18d7: 10/11 - F2F J26.3.9 - No. of times internal (not head)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4163.07	99.86	4163.07	99.86
1	5.93	0.14	4169.00	100.00

fhs18d8: 10/11 - F2F J26.3.10 - No. of times dental

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4152.39	99.60	4152.39	99.60
1	15.58	0.37	4167.97	99.98
5	1.03	0.02	4169.00	100.00

fhs18d9: 10/11 - F2F J26.3.11 - No. of times accidental poisoning

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4169.00	100.00	4169.00	100.00

fhs18d10: 10/11 - F2F J26.3.12 - No. of times other

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4085.29	97.99	4085.29	97.99
1	78.07	1.87	4163.36	99.86
2	2.24	0.05	4165.60	99.92
3	0.75	0.02	4166.35	99.94
5	1.23	0.03	4167.57	99.97
6	1.42	0.03	4169.00	100.00

fhs18c1: 10/11 - F2F J26.4 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
Yes	1	55.30	1.33	3435.77	82.41
No	2	733.22	17.59	4169.00	100.00

fhs18c2: 10/11 - F2F J26.5 - No. times in hospital injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	4113.70	98.67	4113.70	98.67
1	40.67	0.98	4154.38	99.65
2	11.36	0.27	4165.73	99.92
3	2.80	0.07	4168.53	99.99
11	0.47	0.01	4169.00	100.00

fhs18e1: 10/11 - F2F J26.6 - Where most serious injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3380.48	81.09	3380.48	81.09
At home	1	220.90	5.30	3601.38	86.38
School or child care	2	227.78	5.46	3829.15	91.85
Someone else's place e.g. family member/friends/neighbours	3	64.58	1.55	3893.73	93.40
Outside public place other than a road e.g. beach, playground, sports ground	4	205.28	4.92	4099.01	98.32
Inside public place e.g. shopping centre, supermarket	5	8.44	0.20	4107.45	98.52
Car accident	6	3.04	0.07	4110.48	98.60
Pedestrian accident	7	2.39	0.06	4112.87	98.65
Other	8	56.13	1.35	4169.00	100.00

fhs19a1: 10/11 - F2F J27.1 - Non-injury hospital stays

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
Yes	1	124.77	2.99	138.24	3.32
No	2	4030.76	96.68	4169.00	100.00

fhs19a2: 10/11 - F2F J27.2 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.47	0.32	13.47	0.32
-9	4030.76	96.68	4044.23	97.01
1	112.83	2.71	4157.06	99.71
2	6.99	0.17	4164.05	99.88
4	0.93	0.02	4164.98	99.90
5	0.64	0.02	4165.62	99.92
6	2.16	0.05	4167.78	99.97
10	1.22	0.03	4169.00	100.00

fhs19b1: 10/11 - F2F J27.3.1 - Hospital - fever or viral illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	132.97	3.19	4163.73	99.87
Yes	1	5.27	0.13	4169.00	100.00

fhs19b2: 10/11 - F2F J27.3.2 - Hospital - asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	127.48	3.06	4158.24	99.74
Yes	1	10.76	0.26	4169.00	100.00

fhs19b3: 10/11 - F2F J27.3.3 - Hospital - gastroenteritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	129.80	3.11	4160.56	99.80
Yes	1	8.44	0.20	4169.00	100.00

fhs19b4: 10/11 - F2F J27.3.4 - Hospital - pneumonia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	135.99	3.26	4166.75	99.95
Yes	1	2.25	0.05	4169.00	100.00

fhs19b5: 10/11 - F2F J27.3.5 - Hospital - bronchiolitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	138.24	3.32	4169.00	100.00

fhs19b6: 10/11 - F2F J27.3.6 - Hospital - urine infection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	136.12	3.26	4166.88	99.95
Yes	1	2.12	0.05	4169.00	100.00

fhs19b7: 10/11 - F2F J27.3.7 - Hospital - croup

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	137.57	3.30	4168.33	99.98
Yes	1	0.67	0.02	4169.00	100.00

fhs19b8: 10/11 - F2F J27.3.8 - Hospital - febrile convulsion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	138.24	3.32	4169.00	100.00

fhs19b9: 10/11 - F2F J27.3.9 - Hospital - grommets etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	136.19	3.27	4166.95	99.95
Yes	1	2.05	0.05	4169.00	100.00

fhs19b10: 10/11 - F2F J27.3.10 - Hospital - Tonsillectomy etc.

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	119.70	2.87	4150.46	99.56
Yes	1	18.54	0.44	4169.00	100.00

fhs19b11: 10/11 - F2F J27.3.11 - Hospital - other, surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	94.45	2.27	4125.21	98.95
Yes	1	43.79	1.05	4169.00	100.00

fhs19b12: 10/11 - F2F J27.3.12 - Hospital - other, no surgery

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4030.76	96.68	4030.76	96.68
No	0	103.48	2.48	4134.23	99.17
Yes	1	34.76	0.83	4169.00	100.00

fhs20a: 10/11 - F2F J28 - SC's sleeping patterns a problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
-2	-2	5.50	0.13	18.97	0.45
Not a problem at all	1	3138.56	75.28	3157.53	75.74
A small problem	2	696.63	16.71	3854.15	92.45
A moderate problem	3	222.44	5.34	4076.59	97.78
A large problem	4	92.41	2.22	4169.00	100.00

fhs21a1: 10/11 - F2F J29 - Does child go to bed at regular times

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
Always	1	1448.41	34.74	1461.88	35.07
Usually	2	2284.36	54.79	3746.24	89.86
Sometimes	3	307.03	7.36	4053.27	97.22
Rarely	4	91.70	2.20	4144.97	99.42
Never	5	24.03	0.58	4169.00	100.00

fhs20b: 10/11 - F2F J30 - Does child have any sleep problems?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
Yes	1	1351.64	32.42	1365.11	32.74
No	2	2803.89	67.26	4169.00	100.00

fhs20b3: 10/11 - F2F J31.1 - Sleep problems - getting to sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3493.72	83.80	3507.19	84.13
Yes	1	661.81	15.87	4169.00	100.00

fhs20b4: 10/11 - F2F J31.2 - Sleep problems - Sleeping alone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3793.45	90.99	3806.92	91.31
Yes	1	362.08	8.69	4169.00	100.00

fhs20b5: 10/11 - F2F J31.3 - Sleep problems - waking during night

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3937.06	94.44	3950.53	94.76
Yes	1	218.47	5.24	4169.00	100.00

fhs20b11: 10/11 - F2F J31.4 - Sleep problems - Restless sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3982.81	95.53	3996.28	95.86
Yes	1	172.72	4.14	4169.00	100.00

fhs20b8: 10/11 - F2F J31.5 - Sleep problems - bed wetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4074.83	97.74	4088.30	98.06
Yes	1	80.70	1.94	4169.00	100.00

fhs20b9: 10/11 - F2F J31.6 - Sleep problems - nightmares/terrors

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4046.36	97.06	4059.83	97.38
Yes	1	109.17	2.62	4169.00	100.00

fhs20b1b: 10/11 - F2F J31.7 - Sleep problems - wheezing or asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4112.23	98.64	4125.70	98.96
Yes	1	43.30	1.04	4169.00	100.00

fhs20b2: 10/11 - F2F J31.8 - Sleep problems - snoring/breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3944.72	94.62	3958.19	94.94
Yes	1	210.81	5.06	4169.00	100.00

fhs20b10: 10/11 - F2F J31.9 - Sleep problems - seeming tired

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	3703.89	88.84	3717.36	89.17
Yes	1	451.64	10.83	4169.00	100.00

fhs20b7: 10/11 - F2F J31.10 - Sleep problems - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.47	0.32	13.47	0.32
No	0	4118.65	98.79	4132.12	99.12
Yes	1	36.88	0.88	4169.00	100.00

fhs32a: 10/11 - F2F J39.1 - Able to run fast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	13.47	0.32	13.47	0.32
-2	-2	14.50	0.35	27.97	0.67
Better than other children	1	1286.97	30.87	1314.94	31.54
About the same	2	2303.22	55.25	3618.16	86.79
Not as well as other children	3	550.84	13.21	4169.00	100.00

fhs32b: 10/11 - F2F J39.2 - Able to jump high

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	13.47	0.32	13.47	0.32
-2	-2	66.70	1.60	80.17	1.92
Better than other children	1	885.27	21.23	965.44	23.16
About the same	2	2720.00	65.24	3685.44	88.40
Not as well as other children	3	483.56	11.60	4169.00	100.00

fhs32c: 10/11 - F2F J39.3 - Able to balance on one leg

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	13.47	0.32	13.47	0.32
-2	-2	79.18	1.90	92.65	2.22
Better than other children	1	968.06	23.22	1060.71	25.44
About the same	2	2901.80	69.60	3962.51	95.05
Not as well as other children	3	206.49	4.95	4169.00	100.00

fhs37c1a: 10/11 - SC - ACASI 12.1 - Fit and Well

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.53	0.85	35.53	0.85
-9	-9	43.35	1.04	78.88	1.89
-3	-3	5.40	0.13	84.28	2.02
Not at all	1	114.06	2.74	198.33	4.76
Slightly	2	294.19	7.06	492.52	11.81
Moderately	3	913.46	21.91	1405.97	33.72
Very	4	1564.81	37.53	2970.78	71.26
Extremely	5	1198.22	28.74	4169.00	100.00

fhs37c1b: 10/11 - SC - ACASI 12.2 - Full of energy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.53	0.85	35.53	0.85
-9	-9	43.35	1.04	78.88	1.89
-3	-3	3.24	0.08	82.12	1.97
Not at all	1	93.51	2.24	175.63	4.21

fhs37c1b: 10/11 - SC - ACASI 12.2 - Full of energy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Slightly	2	250.87	6.02	426.50	10.23
Moderately	3	739.54	17.74	1166.04	27.97
Very	4	1352.56	32.44	2518.61	60.41
Extremely	5	1650.39	39.59	4169.00	100.00

fhs12c: 10/11 - ACASI 14.1 - Trying to lose weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.53	0.85	35.53	0.85
-9	-9	43.35	1.04	78.88	1.89
-3	-3	10.61	0.25	89.49	2.15
Yes	1	2394.70	57.44	2484.19	59.59
No	2	1684.81	40.41	4169.00	100.00

fhs12d: 10/11 - ACASI 14.2 - Weight Management

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.53	0.85	35.53	0.85
-9	-9	43.35	1.04	78.88	1.89
-3	-3	12.65	0.30	91.53	2.20
Lose weight	1	1571.38	37.69	1662.91	39.89
Gain weight	2	256.66	6.16	1919.57	46.04
Stay the same weight	3	1309.75	31.42	3229.32	77.46
I am not trying to do anything about my weight	4	939.68	22.54	4169.00	100.00

fhs21c8b: 10/11 - ACASI 15.1 - Go to bed (Hours)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	36.56	0.88	36.56	0.88
-9	43.35	1.04	79.90	1.92
-3	9.39	0.23	89.29	2.14
16	1.38	0.03	90.67	2.17
17	9.41	0.23	100.08	2.40
18	43.09	1.03	143.17	3.43
19	335.11	8.04	478.28	11.47
20	2219.58	53.24	2697.86	64.71
21	1217.27	29.20	3915.13	93.91
22	193.98	4.65	4109.11	98.56
23	49.73	1.19	4158.84	99.76
24	10.16	0.24	4169.00	100.00

fhs21c8c: 10/11 - ACASI 15.2 - Go to bed (Minutes)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	36.56	0.88	36.56	0.88
-9	43.35	1.04	79.90	1.92
-3	10.12	0.24	90.03	2.16
0	1125.51	27.00	1215.53	29.16
15	585.54	14.05	1801.07	43.20

fhs21c8c: 10/11 - ACASI 15.2 - Go to bed (Minutes)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30	1995.44	47.86	3796.52	91.07
45	372.48	8.93	4169.00	100.00

fhs21c8a: 10/11 - Go to bed (Time)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	46.68	1.12	46.68	1.12
-0:00	43.35	1.04	90.03	2.16
0:15	2.31	0.06	92.34	2.21
0:30	5.60	0.13	97.95	2.35
0:45	1.01	0.02	98.95	2.37
16:15	1.38	0.03	100.33	2.41
17:00	3.18	0.08	103.51	2.48
17:15	4.04	0.10	107.56	2.58
17:30	2.19	0.05	109.75	2.63
18:00	13.35	0.32	123.10	2.95
18:15	9.55	0.23	132.64	3.18
18:30	15.99	0.38	148.63	3.57
18:45	4.20	0.10	152.83	3.67
19:00	54.40	1.30	207.24	4.97
19:15	26.44	0.63	233.68	5.61
19:30	194.44	4.66	428.12	10.27
19:45	59.08	1.42	487.21	11.69
20:00	425.39	10.20	912.60	21.89
20:15	268.68	6.44	1181.27	28.33
20:30	1311.46	31.46	2492.73	59.79
20:45	214.06	5.13	2706.79	64.93
21:00	516.57	12.39	3223.36	77.32
21:15	225.17	5.40	3448.53	82.72
21:30	396.05	9.50	3844.58	92.22
21:45	79.48	1.91	3924.06	94.12
22:00	90.86	2.18	4014.91	96.30
22:15	34.87	0.84	4049.78	97.14
22:30	61.25	1.47	4111.03	98.61
22:45	7.00	0.17	4118.03	98.78
23:00	20.52	0.49	4138.55	99.27
23:15	13.09	0.31	4151.64	99.58
23:30	8.47	0.20	4160.11	99.79
23:45	7.66	0.18	4167.77	99.97
24:00	1.23	0.03	4169.00	100.00

fhs21c9b: 10/11 - ACASI 15.3 - Fall asleep (Hours)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	36.56	0.88	36.56	0.88
-9	43.35	1.04	79.90	1.92
-3	4.32	0.10	84.23	2.02
17	4.04	0.10	88.27	2.12
18	11.79	0.28	100.06	2.40

fhs21c9b: 10/11 - ACASI 15.3 - Fall asleep (Hours)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
19	134.21	3.22	234.27	5.62
20	1472.42	35.32	1706.69	40.94
21	1808.61	43.38	3515.29	84.32
22	515.57	12.37	4030.87	96.69
23	98.94	2.37	4129.81	99.06
24	39.19	0.94	4169.00	100.00

fhs21c9c: 10/11 - ACASI 15.4 - Fall asleep (Minutes)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	36.56	0.88	36.56	0.88
-9	43.35	1.04	79.90	1.92
-3	4.32	0.10	84.23	2.02
0	1091.20	26.17	1175.43	28.19
15	735.43	17.64	1910.86	45.84
30	1539.22	36.92	3450.09	82.76
45	718.91	17.24	4169.00	100.00

fhs21c9a: 10/11 - Fall asleep (Time)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	40.88	0.98	40.88	0.98
-0:00	43.35	1.04	84.23	2.02
0:15	7.67	0.18	91.90	2.20
0:30	13.39	0.32	105.29	2.53
0:45	8.37	0.20	113.65	2.73
17:15	4.04	0.10	117.70	2.82
18:00	2.40	0.06	120.10	2.88
18:15	3.94	0.09	124.05	2.98
18:30	1.95	0.05	126.00	3.02
18:45	3.50	0.08	129.49	3.11
19:00	10.87	0.26	140.36	3.37
19:15	15.03	0.36	155.39	3.73
19:30	72.11	1.73	227.50	5.46
19:45	36.20	0.87	263.70	6.33
20:00	178.05	4.27	441.75	10.60
20:15	169.11	4.06	610.86	14.65
20:30	728.18	17.47	1339.04	32.12
20:45	397.07	9.52	1736.12	41.64
21:00	674.73	16.18	2410.85	57.83
21:15	388.41	9.32	2799.26	67.14
21:30	532.24	12.77	3331.49	79.91
21:45	213.23	5.11	3544.72	85.03
22:00	182.72	4.38	3727.44	89.41
22:15	133.31	3.20	3860.75	92.61
22:30	157.74	3.78	4018.49	96.39
22:45	41.81	1.00	4060.29	97.39
23:00	32.67	0.78	4092.96	98.18
23:15	13.92	0.33	4106.88	98.51

fhs21c9a: 10/11 - Fall asleep (Time)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
23:30	33.62	0.81	4140.49	99.32
23:45	18.74	0.45	4159.24	99.77
24:00	9.76	0.23	4169.00	100.00

fhs21c10b: 10/11 - ACASI 15.5 - Wake up in the morning (Hours)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.86	1.75	72.86	1.75
-9	43.35	1.04	116.21	2.79
-3	4.32	0.10	120.53	2.89
0	3501.25	83.98	3621.78	86.87
15	547.22	13.13	4169.00	100.00

fhs21c10c: 10/11 - ACASI 15.6 - Wake up in the morning (Minutes)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	72.86	1.75	72.86	1.75
-9	43.35	1.04	116.21	2.79
-3	6.74	0.16	122.95	2.95
0	1382.57	33.16	1505.52	36.11
15	825.82	19.81	2331.33	55.92
30	1306.98	31.35	3638.31	87.27
45	530.69	12.73	4169.00	100.00

fhs21c10a: 10/11 - Wake up in the morning (Time)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	79.60	1.91	79.60	1.91
-0:00	43.35	1.04	122.95	2.95
4:00	6.60	0.16	129.54	3.11
4:30	2.86	0.07	132.40	3.18
4:45	3.18	0.08	135.59	3.25
5:00	26.78	0.64	162.37	3.89
5:15	23.20	0.56	185.56	4.45
5:30	40.55	0.97	226.12	5.42
5:45	43.52	1.04	269.64	6.47
6:00	270.83	6.50	540.46	12.96
6:15	198.51	4.76	738.97	17.73
6:30	413.24	9.91	1152.22	27.64
6:45	274.77	6.59	1426.99	34.23
7:00	834.59	20.02	2261.58	54.25
7:15	470.00	11.27	2731.58	65.52
7:30	718.31	17.23	3449.89	82.75
7:45	171.89	4.12	3621.78	86.87
8:00	197.89	4.75	3819.67	91.62
8:15	94.89	2.28	3914.56	93.90
8:30	103.87	2.49	4018.43	96.39
8:45	29.63	0.71	4048.06	97.10
9:00	45.89	1.10	4093.95	98.20
9:15	39.22	0.94	4133.17	99.14

fhs21c10a: 10/11 - Wake up in the morning (Time)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9:30	28.14	0.67	4161.31	99.82
9:45	7.69	0.18	4169.00	100.00

fhs20c3: 10/11 - ACASI 16 - SC enough sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	36.45	0.87	36.45	0.87
-9	-9	43.35	1.04	79.80	1.91
-3	-3	4.26	0.10	84.06	2.02
Plenty	1	1672.22	40.11	1756.28	42.13
Just enough	2	1631.52	39.13	3387.80	81.26
Not quite enough	3	637.92	15.30	4025.72	96.56
Not nearly enough	4	143.28	3.44	4169.00	100.00

fhs20c4: 10/11 - ACASI 17 - SC sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.60	0.90	37.60	0.90
-9	-9	43.35	1.04	80.94	1.94
-3	-3	4.26	0.10	85.21	2.04
Very well	1	1716.50	41.17	1801.71	43.22
Fairly well	2	1971.26	47.28	3772.97	90.50
Fairly badly	3	318.03	7.63	4090.99	98.13
Very badly	4	78.01	1.87	4169.00	100.00

fhs40c1a: 10/11 - SC - F2F Q3.1.1 - 1st systolic measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	230.71	5.53	230.71	5.53
-3	73.20	1.76	303.90	7.29
10	1.13	0.03	305.03	7.32
45	0.86	0.02	305.90	7.34
50	1.29	0.03	307.19	7.37
55	3.93	0.09	311.11	7.46
60	8.33	0.20	319.45	7.66
65	5.38	0.13	324.82	7.79
70	25.99	0.62	350.82	8.41
75	81.14	1.95	431.95	10.36
80	145.51	3.49	577.46	13.85
85	313.22	7.51	890.68	21.36
90	555.99	13.34	1446.67	34.70
95	588.78	14.12	2035.45	48.82
100	650.11	15.59	2685.56	64.42
105	520.43	12.48	3205.99	76.90
110	440.04	10.56	3646.03	87.46
115	224.29	5.38	3870.32	92.84
120	140.96	3.38	4011.28	96.22
125	77.87	1.87	4089.15	98.08
130	39.26	0.94	4128.41	99.03
135	16.83	0.40	4145.25	99.43

fhs40c1a: 10/11 - SC - F2F Q3.1.1 - 1st systolic measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
140	9.38	0.22	4154.62	99.66
145	10.13	0.24	4164.75	99.90
150	0.58	0.01	4165.33	99.91
155	1.17	0.03	4166.50	99.94
160	1.27	0.03	4167.77	99.97
175	1.23	0.03	4169.00	100.00

fhs40c1b: 10/11 - SC - F2F Q3.1.2 - 1st diastolic measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	236.34	5.67	236.34	5.67
-3	73.20	1.76	309.54	7.42
15	1.23	0.03	310.76	7.45
25	2.49	0.06	313.25	7.51
30	10.30	0.25	323.55	7.76
35	21.78	0.52	345.33	8.28
40	52.88	1.27	398.21	9.55
45	200.93	4.82	599.14	14.37
50	479.94	11.51	1079.08	25.88
55	706.30	16.94	1785.39	42.83
60	892.58	21.41	2677.97	64.24
65	672.21	16.12	3350.18	80.36
70	478.17	11.47	3828.35	91.83
75	155.31	3.73	3983.66	95.55
80	89.60	2.15	4073.27	97.70
85	42.70	1.02	4115.96	98.73
90	21.65	0.52	4137.61	99.25
95	8.36	0.20	4145.97	99.45
100	22.36	0.54	4168.33	99.98
115	0.67	0.02	4169.00	100.00

fhs40c2a: 10/11 - SC - F2F Q3.2.1 - 2nd systolic measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	350.05	8.40	350.05	8.40
-3	73.20	1.76	423.25	10.15
10	1.13	0.03	424.38	10.18
20	1.16	0.03	425.54	10.21
50	3.06	0.07	428.60	10.28
60	8.35	0.20	436.95	10.48
70	57.98	1.39	494.93	11.87
80	362.01	8.68	856.95	20.56
90	964.63	23.14	1821.57	43.69
100	1330.28	31.91	3151.86	75.60
110	711.84	17.07	3863.69	92.68
120	237.27	5.69	4100.96	98.37
130	45.77	1.10	4146.73	99.47
140	16.37	0.39	4163.10	99.86
150	1.50	0.04	4164.60	99.89

fhs40c2a: 10/11 - SC - F2F Q3.2.1 - 2nd systolic measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
160	1.17	0.03	4165.77	99.92
190	1.06	0.03	4166.83	99.95
200	2.17	0.05	4169.00	100.00

fhs40c2b: 10/11 - SC - F2F Q3.2.2 - 2nd diastolic measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	351.42	8.43	351.42	8.43
-3	73.20	1.76	424.61	10.19
15	1.08	0.03	425.70	10.21
25	1.75	0.04	427.44	10.25
30	4.70	0.11	432.14	10.37
35	21.78	0.52	453.92	10.89
40	70.22	1.68	524.14	12.57
45	216.81	5.20	740.95	17.77
50	579.94	13.91	1320.89	31.68
55	758.85	18.20	2079.74	49.89
60	807.62	19.37	2887.37	69.26
65	591.66	14.19	3479.03	83.45
70	419.71	10.07	3898.74	93.52
75	139.37	3.34	4038.11	96.86
80	55.06	1.32	4093.17	98.18
85	37.05	0.89	4130.22	99.07
90	13.74	0.33	4143.96	99.40
95	15.54	0.37	4159.50	99.77
100	8.68	0.21	4168.18	99.98
105	0.82	0.02	4169.00	100.00

fhs23c2: 10/11 - SC - F2F R3 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	50.13	1.20	50.13	1.20
-3	9.85	0.24	59.99	1.44
20	7.77	0.19	67.76	1.63
25	137.60	3.30	205.36	4.93
30	640.27	15.36	845.63	20.28
35	972.22	23.32	1817.85	43.60
40	901.21	21.62	2719.06	65.22
45	552.04	13.24	3271.10	78.46
50	358.07	8.59	3629.17	87.05
55	244.07	5.85	3873.24	92.91
60	127.94	3.07	4001.19	95.97
65	75.48	1.81	4076.67	97.79
70	45.98	1.10	4122.65	98.89
75	14.38	0.35	4137.04	99.23
80	7.25	0.17	4144.29	99.41
85	6.98	0.17	4151.27	99.57
90	0.49	0.01	4151.76	99.59

fhs23c2: 10/11 - SC - F2F R3 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
95	4.65	0.11	4156.41	99.70
100	12.59	0.30	4169.00	100.00

fhs23c1: 10/11 - SC - F2F R4 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	140.93	3.38	140.93	3.38
-3	9.85	0.24	150.79	3.62
120	17.70	0.42	168.48	4.04
130	272.22	6.53	440.70	10.57
140	1718.69	41.23	2159.39	51.80
150	1719.27	41.24	3878.67	93.04
160	290.33	6.96	4169.00	100.00

fhs23c3: 10/11 - SC - F2F R5 - SC's waist measurements (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	83.49	2.00	83.49	2.00
-3	9.85	0.24	93.35	2.24
45	2.10	0.05	95.45	2.29
50	44.44	1.07	139.89	3.36
55	432.41	10.37	572.30	13.73
60	1059.55	25.42	1631.85	39.14
65	950.50	22.80	2582.35	61.94
70	601.96	14.44	3184.31	76.38
75	386.74	9.28	3571.05	85.66
80	246.30	5.91	3817.35	91.57
85	165.42	3.97	3982.77	95.53
90	95.47	2.29	4078.24	97.82
95	43.91	1.05	4122.15	98.88
100	36.46	0.87	4158.61	99.75
105	10.39	0.25	4169.00	100.00

fcBMI: 10/11 - SC - NA - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	140.93	3.38	140.93	3.38
-3	9.85	0.24	150.79	3.62
10	10.31	0.25	161.09	3.86
15	1576.40	37.81	1737.49	41.68
20	1748.94	41.95	3486.43	83.63
25	544.67	13.06	4031.11	96.69
30	99.43	2.39	4130.54	99.08
35	22.42	0.54	4152.96	99.62
40	5.76	0.14	4158.72	99.75
45	7.99	0.19	4166.71	99.95
50	2.29	0.05	4169.00	100.00

fwaz: 10/11 - Weight for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	50.13	1.20	50.13	1.20
-3	34.54	0.83	84.68	2.03
-2	117.01	2.81	201.69	4.84
-1	658.20	15.79	859.89	20.63
0	1374.61	32.97	2234.49	53.60
1	1290.56	30.96	3525.06	84.55
2	569.28	13.66	4094.34	98.21
3	72.80	1.75	4167.14	99.96
4	1.86	0.04	4169.00	100.00

fwapct: 10/11 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	50.13	1.20	50.13	1.20
-3	9.85	0.24	59.99	1.44
0	56.57	1.36	116.56	2.80
5	94.15	2.26	210.71	5.05
10	125.72	3.02	336.42	8.07
15	147.63	3.54	484.05	11.61
20	152.39	3.66	636.44	15.27
25	130.66	3.13	767.10	18.40
30	154.25	3.70	921.35	22.10
35	159.13	3.82	1080.48	25.92
40	166.08	3.98	1246.56	29.90
45	175.56	4.21	1422.12	34.11
50	184.50	4.43	1606.63	38.54
55	168.12	4.03	1774.74	42.57
60	183.46	4.40	1958.20	46.97
65	205.78	4.94	2163.98	51.91
70	232.96	5.59	2396.94	57.49
75	258.58	6.20	2655.52	63.70
80	212.38	5.09	2867.90	68.79
85	273.25	6.55	3141.15	75.35
90	324.73	7.79	3465.88	83.13
95	394.41	9.46	3860.29	92.59
100	308.71	7.41	4169.00	100.00

fbmiz: 10/11 - BMI z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	140.93	3.38	140.93	3.38
-4	7.36	0.18	148.29	3.56
-3	26.69	0.64	174.99	4.20
-2	121.24	2.91	296.22	7.11
-1	605.59	14.53	901.81	21.63
0	1381.22	33.13	2283.03	54.76
1	1229.50	29.49	3512.53	84.25
2	623.20	14.95	4135.73	99.20
3	33.27	0.80	4169.00	100.00

fbmipct: 10/11 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	140.93	3.38	140.93	3.38
-3	9.85	0.24	150.79	3.62
0	75.13	1.80	225.91	5.42
5	88.99	2.13	314.90	7.55
10	110.83	2.66	425.73	10.21
15	133.37	3.20	559.10	13.41
20	127.08	3.05	686.18	16.46
25	122.80	2.95	808.97	19.40
30	155.42	3.73	964.39	23.13
35	159.75	3.83	1124.14	26.96
40	157.03	3.77	1281.18	30.73
45	167.18	4.01	1448.35	34.74
50	185.91	4.46	1634.26	39.20
55	179.24	4.30	1813.51	43.50
60	218.14	5.23	2031.65	48.73
65	189.57	4.55	2221.22	53.28
70	202.80	4.86	2424.02	58.14
75	206.40	4.95	2630.41	63.09
80	228.53	5.48	2858.94	68.58
85	251.91	6.04	3110.85	74.62
90	323.50	7.76	3434.34	82.38
95	490.74	11.77	3925.08	94.15
100	243.92	5.85	4169.00	100.00

fhaz: 10/11 - Height for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	140.93	3.38	140.93	3.38
-4	6.20	0.15	147.13	3.53
-3	20.65	0.50	167.79	4.02
-2	97.99	2.35	265.78	6.38
-1	706.50	16.95	972.28	23.32
0	1521.67	36.50	2493.95	59.82
1	1308.40	31.38	3802.35	91.21
2	359.71	8.63	4162.07	99.83
3	6.93	0.17	4169.00	100.00

fhapct: 10/11 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	140.93	3.38	140.93	3.38
-3	9.85	0.24	150.79	3.62
0	37.09	0.89	187.88	4.51
5	96.09	2.30	283.97	6.81
10	99.30	2.38	383.27	9.19
15	157.02	3.77	540.29	12.96
20	163.94	3.93	704.23	16.89
25	166.85	4.00	871.08	20.89
30	157.96	3.79	1029.04	24.68

fhapct: 10/11 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
35	177.56	4.26	1206.60	28.94
40	164.15	3.94	1370.75	32.88
45	165.87	3.98	1536.62	36.86
50	202.92	4.87	1739.53	41.73
55	214.96	5.16	1954.50	46.88
60	226.57	5.43	2181.07	52.32
65	235.01	5.64	2416.07	57.95
70	227.67	5.46	2643.74	63.41
75	239.33	5.74	2883.08	69.16
80	264.93	6.35	3148.01	75.51
85	292.93	7.03	3440.94	82.54
90	315.11	7.56	3756.05	90.09
95	316.03	7.58	4072.08	97.68
100	96.92	2.32	4169.00	100.00

fbodyfat: 10/11 - F2F R8 - Body fat Measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	152.76	3.66	152.76	3.66
-3	26.57	0.64	179.32	4.30
0	617.81	14.82	797.14	19.12
10	132.07	3.17	929.21	22.29
15	768.53	18.43	1697.74	40.72
20	895.01	21.47	2592.75	62.19
25	673.84	16.16	3266.58	78.35
30	422.37	10.13	3688.95	88.49
35	283.77	6.81	3972.72	95.29
40	105.18	2.52	4077.90	97.81
45	54.19	1.30	4132.08	99.11
50	20.47	0.49	4152.56	99.61
55	3.25	0.08	4155.80	99.68
100	13.20	0.32	4169.00	100.00

fhs13p: 10/11 - PLE - PLE 39 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
Excellent	1	87.48	2.10	3722.60	89.29
Very good	2	188.67	4.53	3911.28	93.82
Good	3	172.96	4.15	4084.23	97.97
Fair	4	68.01	1.63	4152.24	99.60
Poor	5	16.76	0.40	4169.00	100.00

fhs25p1: 10/11 - PLE - PLE 42 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
Yes	1	244.30	5.86	3879.42	93.05
No	2	289.58	6.95	4169.00	100.00

fhs24p1: 10/11 - PLE - PLE 43.1 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
All of the time	1	6.65	0.16	3641.78	87.35
Most of the time	2	23.71	0.57	3665.49	87.92
Some of the time	3	78.37	1.88	3743.86	89.80
A little of the time	4	155.28	3.72	3899.14	93.53
None of the time	5	269.86	6.47	4169.00	100.00

fhs24p2: 10/11 - PLE - PLE 43.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
All of the time	1	1.22	0.03	3636.34	87.22
Most of the time	2	16.67	0.40	3653.02	87.62
Some of the time	3	56.39	1.35	3709.41	88.98
A little of the time	4	92.97	2.23	3802.38	91.21
None of the time	5	366.62	8.79	4169.00	100.00

fhs24p3: 10/11 - PLE - PLE 43.3 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
All of the time	1	11.85	0.28	3646.97	87.48
Most of the time	2	27.20	0.65	3674.18	88.13
Some of the time	3	98.54	2.36	3772.72	90.49
A little of the time	4	130.16	3.12	3902.88	93.62
None of the time	5	266.12	6.38	4169.00	100.00

fhs24p4: 10/11 - PLE - PLE 43.4 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
All of the time	1	8.78	0.21	3643.90	87.40
Most of the time	2	36.14	0.87	3680.05	88.27
Some of the time	3	93.54	2.24	3773.59	90.52
A little of the time	4	145.99	3.50	3919.57	94.02
None of the time	5	249.43	5.98	4169.00	100.00

fhs24p5: 10/11 - PLE - PLE 43.5 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
All of the time	1	4.03	0.10	3639.16	87.29
Most of the time	2	19.62	0.47	3658.78	87.76
Some of the time	3	35.79	0.86	3694.57	88.62
A little of the time	4	81.92	1.96	3776.48	90.58
None of the time	5	392.52	9.42	4169.00	100.00

fhs24p6: 10/11 - PLE - PLE 43.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3634.52	87.18	3634.52	87.18
-2	-2	0.60	0.01	3635.12	87.19
All of the time	1	3.72	0.09	3638.84	87.28
Most of the time	2	6.95	0.17	3645.80	87.45
Some of the time	3	37.50	0.90	3683.30	88.35
A little of the time	4	65.94	1.58	3749.24	89.93
None of the time	5	419.76	10.07	4169.00	100.00

fpk6g: 10/11 - PLE - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3635.12	87.19	3635.12	87.19
No probable serious mental illness	0	506.51	12.15	4141.63	99.34
Probable serious mental illness	1	27.36	0.66	4169.00	100.00

fpk6s: 10/11 - PLE - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3635.12	87.19	3635.12	87.19
6	114.87	2.76	3750.00	89.95
7	93.60	2.25	3843.59	92.19
8	77.14	1.85	3920.73	94.04
9	40.17	0.96	3960.90	95.01
10	31.92	0.77	3992.82	95.77
11	44.39	1.06	4037.20	96.84
12	25.02	0.60	4062.22	97.44
13	16.01	0.38	4078.23	97.82
14	18.57	0.45	4096.80	98.27
15	15.52	0.37	4112.32	98.64
16	9.96	0.24	4122.28	98.88
17	14.24	0.34	4136.52	99.22
18	5.12	0.12	4141.63	99.34
19	4.38	0.10	4146.01	99.45
20	13.16	0.32	4159.17	99.76
21	1.11	0.03	4160.28	99.79
22	0.86	0.02	4161.14	99.81
23	0.39	0.01	4161.53	99.82
24	3.75	0.09	4165.28	99.91

fpk6s: 10/11 - PLE - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
25	2.50	0.06	4167.78	99.97
30	1.22	0.03	4169.00	100.00

fhs13b: 10/11 - P2 - P2K 11- Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.56	0.11	4.56	0.11
-9	-9	1782.18	42.75	1786.74	42.86
Excellent	1	382.66	9.18	2169.41	52.04
Very good	2	995.24	23.87	3164.64	75.91
Good	3	809.33	19.41	3973.98	95.32
Fair	4	171.15	4.11	4145.13	99.43
Poor	5	23.87	0.57	4169.00	100.00

fhs23b2: 10/11 - P2 - P2K 15- Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1815.52	43.55	1815.52	43.55
40	2.64	0.06	1818.17	43.61
50	18.82	0.45	1836.99	44.06
60	105.26	2.52	1942.24	46.59
70	315.89	7.58	2258.13	54.16
80	639.01	15.33	2897.14	69.49
90	564.74	13.55	3461.89	83.04
100	381.27	9.15	3843.16	92.18
110	200.20	4.80	4043.35	96.99
120	67.75	1.63	4111.10	98.61
130	38.41	0.92	4149.51	99.53
140	9.15	0.22	4158.66	99.75
150	5.90	0.14	4164.56	99.89
160	0.77	0.02	4165.32	99.91
170	3.67	0.09	4169.00	100.00

fhs23b1: 10/11 - P2 - P2K 16- Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1831.12	43.92	1831.12	43.92
150	26.25	0.63	1857.38	44.55
160	138.08	3.31	1995.46	47.86
170	546.70	13.11	2542.16	60.98
180	1222.45	29.32	3764.61	90.30
190	365.99	8.78	4130.60	99.08
200	38.40	0.92	4169.00	100.00

fbbmi: 10/11 - P2 - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1843.08	44.21	1843.08	44.21
5	2.75	0.07	1845.83	44.28
10	1.90	0.05	1847.73	44.32
15	7.41	0.18	1855.14	44.50
20	196.57	4.72	2051.72	49.21
25	1062.04	25.47	3113.76	74.69
30	769.44	18.46	3883.20	93.14
35	207.91	4.99	4091.11	98.13
40	53.36	1.28	4144.46	99.41
45	14.44	0.35	4158.90	99.76
50	2.26	0.05	4161.17	99.81
65	2.86	0.07	4164.03	99.88
70	0.81	0.02	4164.84	99.90
105	0.62	0.01	4165.46	99.92
140	0.66	0.02	4166.12	99.93
145	0.83	0.02	4166.96	99.95
175	0.77	0.02	4167.72	99.97
225	0.29	0.01	4168.01	99.98
265	0.99	0.02	4169.00	100.00

fhs24b1: 10/11 - P2 - P2K 25.1- Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.49	0.61	25.49	0.61
-9	-9	1782.18	42.75	1807.67	43.36
All of the time	1	4.66	0.11	1812.33	43.47
Most of the time	2	35.28	0.85	1847.61	44.32
Some of the time	3	243.28	5.84	2090.89	50.15
A little of the time	4	798.03	19.14	2888.92	69.30
None of the time	5	1280.08	30.70	4169.00	100.00

fhs24b2: 10/11 - P2 - P2K 25.2- Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.81	0.67	27.81	0.67
-9	-9	1782.18	42.75	1809.99	43.42
All of the time	1	4.83	0.12	1814.82	43.53
Most of the time	2	23.02	0.55	1837.84	44.08
Some of the time	3	127.88	3.07	1965.72	47.15
A little of the time	4	319.20	7.66	2284.91	54.81
None of the time	5	1884.09	45.19	4169.00	100.00

fhs24b3: 10/11 - P2 - P2K 25.3- Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.17	0.70	29.17	0.70
-9	-9	1782.18	42.75	1811.35	43.45
All of the time	1	6.94	0.17	1818.30	43.61
Most of the time	2	40.19	0.96	1858.48	44.58
Some of the time	3	243.89	5.85	2102.37	50.43

fhs24b3: 10/11 - P2 - P2K 25.3- Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	721.72	17.31	2824.09	67.74
None of the time	5	1344.91	32.26	4169.00	100.00

fhs24b4: 10/11 - P2 - P2K 25.4- Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.89	0.57	23.89	0.57
-9	-9	1782.18	42.75	1806.07	43.32
All of the time	1	11.63	0.28	1817.70	43.60
Most of the time	2	95.77	2.30	1913.47	45.90
Some of the time	3	337.35	8.09	2250.83	53.99
A little of the time	4	828.16	19.86	3078.99	73.85
None of the time	5	1090.01	26.15	4169.00	100.00

fhs24b5: 10/11 - P2 - P2K 25.5- Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.46	0.66	27.46	0.66
-9	-9	1782.18	42.75	1809.64	43.41
All of the time	1	1.30	0.03	1810.94	43.44
Most of the time	2	18.71	0.45	1829.66	43.89
Some of the time	3	91.38	2.19	1921.03	46.08
A little of the time	4	275.18	6.60	2196.21	52.68
None of the time	5	1972.79	47.32	4169.00	100.00

fhs24b6: 10/11 - P2 - P2K 25.6- Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.53	0.61	25.53	0.61
-9	-9	1782.18	42.75	1807.71	43.36
All of the time	1	5.47	0.13	1813.18	43.49
Most of the time	2	12.71	0.30	1825.89	43.80
Some of the time	3	74.36	1.78	1900.24	45.58
A little of the time	4	213.30	5.12	2113.54	50.70
None of the time	5	2055.46	49.30	4169.00	100.00

fbk6g: 10/11 - P2 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1829.43	43.88	1829.43	43.88
No probable serious mental illness	0	2308.22	55.37	4137.65	99.25
Probable serious mental illness	1	31.35	0.75	4169.00	100.00

fbk6s: 10/11 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1829.43	43.88	1829.43	43.88
6	652.46	15.65	2481.89	59.53
7	406.36	9.75	2888.25	69.28
8	379.28	9.10	3267.53	78.38

fbk6s: 10/11 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
9	259.97	6.24	3527.51	84.61
10	196.16	4.71	3723.66	89.32
11	122.75	2.94	3846.41	92.26
12	98.05	2.35	3944.46	94.61
13	49.88	1.20	3994.34	95.81
14	47.63	1.14	4041.96	96.95
15	33.64	0.81	4075.60	97.76
16	27.75	0.67	4103.35	98.43
17	17.89	0.43	4121.25	98.85
18	16.40	0.39	4137.65	99.25
19	7.51	0.18	4145.16	99.43
20	8.55	0.21	4153.71	99.63
21	4.57	0.11	4158.28	99.74
22	0.89	0.02	4159.18	99.76
23	1.22	0.03	4160.40	99.79
24	4.95	0.12	4165.35	99.91
26	2.35	0.06	4167.70	99.97
30	1.30	0.03	4169.00	100.00

fhs26b1: 10/11 - P2 - P2K 26- Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.44	0.23	9.44	0.23
-9	-9	1782.18	42.75	1791.62	42.97
No problems or stress	1	224.70	5.39	2016.33	48.36
Few problems or stresses	2	1095.46	26.28	3111.79	74.64
Some problems and stresses	3	852.80	20.46	3964.59	95.10
Many problems and stresses	4	173.44	4.16	4138.03	99.26
Very many problems and stresses	5	30.97	0.74	4169.00	100.00

fhs26b2: 10/11 - P2 - P2K 27- Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.35	0.30	12.35	0.30
-9	-9	1782.18	42.75	1794.53	43.04
Not at all	1	8.05	0.19	1802.59	43.24
A little	2	66.95	1.61	1869.54	44.84
Fairly well	3	938.03	22.50	2807.57	67.34
Very well	4	1119.74	26.86	3927.30	94.20
Extremely well	5	241.70	5.80	4169.00	100.00

fhs25b1: 10/11 - P2 - P2K 28- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.86	0.52	21.86	0.52
-9	-9	1782.18	42.75	1804.04	43.27
Yes	1	513.39	12.31	2317.43	55.59
No	2	1851.57	44.41	4169.00	100.00

fhs26b3: 10/11 - P2 - P2K 29- Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.72	0.26	10.72	0.26
-9	-9	1782.18	42.75	1792.90	43.01
Always	1	182.90	4.39	1975.80	47.39
Often	2	740.98	17.77	2716.78	65.17
Sometimes	3	984.52	23.62	3701.29	88.78
Rarely	4	402.93	9.66	4104.22	98.45
Never	5	64.78	1.55	4169.00	100.00

fhs13m: 10/11 - M - CASI H4- Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	15.19	0.36	189.64	4.55
Excellent	1	680.78	16.33	870.42	20.88
Very good	2	1637.93	39.29	2508.35	60.17
Good	3	1222.05	29.31	3730.40	89.48
Fair	4	368.00	8.83	4098.40	98.31
Poor	5	70.60	1.69	4169.00	100.00

fhs23m1: 10/11 - M - CASI W1-3+H11- Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	382.91	9.18	382.91	9.18
-9	15.75	0.38	398.66	9.56
140	14.10	0.34	412.76	9.90
150	350.68	8.41	763.44	18.31
160	1618.31	38.82	2381.75	57.13
170	1441.55	34.58	3823.30	91.71
180	333.14	7.99	4156.44	99.70
190	12.56	0.30	4169.00	100.00

fhs23m2: 10/11 - M - CASI H12- Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	259.27	6.22	259.27	6.22
R	0.91	0.02	260.18	6.24
-9	99.10	2.38	359.29	8.62
40	31.02	0.74	390.31	9.36
50	414.00	9.93	804.31	19.29
60	998.90	23.96	1803.21	43.25
70	945.48	22.68	2748.69	65.93
80	639.07	15.33	3387.77	81.26
90	373.33	8.95	3761.09	90.22
100	227.36	5.45	3988.46	95.67
110	84.21	2.02	4072.67	97.69
120	55.85	1.34	4128.52	99.03
130	21.43	0.51	4149.94	99.54
140	19.06	0.46	4169.00	100.00

fmbmi: 10/11 - M - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	511.47	12.27	511.47	12.27
15	28.29	0.68	539.76	12.95
20	920.84	22.09	1460.60	35.03
25	1370.02	32.86	2830.62	67.90
30	769.76	18.46	3600.38	86.36
35	374.24	8.98	3974.62	95.34
40	127.38	3.06	4102.01	98.39
45	41.23	0.99	4143.23	99.38
50	25.77	0.62	4169.00	100.00

fhs26m1: 10/11 - M - CASI H13- Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	16.18	0.39	190.63	4.57
No problems or stress	1	400.88	9.62	591.51	14.19
Few problems or stresses	2	1766.24	42.37	2357.76	56.55
Some problems and stresses	3	1400.14	33.58	3757.90	90.14
Many problems and stresses	4	308.09	7.39	4065.99	97.53
Very many problems and stresses	5	103.01	2.47	4169.00	100.00

fhs26m2: 10/11 - M - CASI H14- Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	16.18	0.39	190.63	4.57
Not at all	1	44.07	1.06	234.70	5.63
A little	2	230.65	5.53	465.35	11.16
Fairly well	3	1883.42	45.18	2348.78	56.34
Very well	4	1456.57	34.94	3805.34	91.28
Extremely well	5	363.66	8.72	4169.00	100.00

fhs25m1: 10/11 - M - CASI H15- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	16.18	0.39	190.63	4.57
Yes	1	1398.90	33.55	1589.53	38.13
No	2	2579.47	61.87	4169.00	100.00

fhs26m3: 10/11 - M - CASI H16- Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.99	1.51	62.99	1.51
-9	-9	111.46	2.67	174.45	4.18
-3	-3	16.18	0.39	190.63	4.57
Always	1	638.65	15.32	829.28	19.89

fhs26m3: 10/11 - M - CASI H16- Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	2	1603.37	38.46	2432.65	58.35
Sometimes	3	1345.41	32.27	3778.05	90.62
Rarely	4	332.25	7.97	4110.30	98.59
Never	5	58.70	1.41	4169.00	100.00

fhs24m1: 10/11 - M - CASI H28.1- Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.23	1.61	67.23	1.61
-9	-9	111.46	2.67	178.70	4.29
-3	-3	19.29	0.46	197.99	4.75
All of the time	1	24.98	0.60	222.97	5.35
Most of the time	2	153.41	3.68	376.38	9.03
Some of the time	3	557.64	13.38	934.02	22.40
A little of the time	4	1451.00	34.80	2385.02	57.21
None of the time	5	1783.98	42.79	4169.00	100.00

fhs24m2: 10/11 - M - CASI H28.2- Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.23	1.61	67.23	1.61
-9	-9	111.46	2.67	178.70	4.29
-3	-3	18.71	0.45	197.41	4.74
All of the time	1	18.98	0.46	216.39	5.19
Most of the time	2	95.25	2.28	311.64	7.48
Some of the time	3	340.45	8.17	652.09	15.64
A little of the time	4	665.08	15.95	1317.17	31.59
None of the time	5	2851.83	68.41	4169.00	100.00

fhs24m3: 10/11 - M - CASI H28.3- Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.23	1.61	67.23	1.61
-9	-9	111.46	2.67	178.70	4.29
-3	-3	18.71	0.45	197.41	4.74
All of the time	1	27.89	0.67	225.30	5.40
Most of the time	2	100.45	2.41	325.76	7.81
Some of the time	3	447.31	10.73	773.06	18.54
A little of the time	4	1160.97	27.85	1934.03	46.39
None of the time	5	2234.97	53.61	4169.00	100.00

fhs24m4: 10/11 - M - CASI H28.4- Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	66.31	1.59	66.31	1.59
-9	-9	111.46	2.67	177.77	4.26
-3	-3	18.71	0.45	196.48	4.71
All of the time	1	57.20	1.37	253.69	6.09
Most of the time	2	235.11	5.64	488.79	11.72
Some of the time	3	703.70	16.88	1192.49	28.60

fhs24m4: 10/11 - M - CASI H28.4- Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	1584.29	38.00	2776.79	66.61
None of the time	5	1392.21	33.39	4169.00	100.00

fhs24m5: 10/11 - M - CASI H28.5- Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	68.38	1.64	68.38	1.64
-9	-9	111.46	2.67	179.85	4.31
-3	-3	18.71	0.45	198.56	4.76
All of the time	1	16.12	0.39	214.68	5.15
Most of the time	2	100.84	2.42	315.53	7.57
Some of the time	3	342.53	8.22	658.06	15.78
A little of the time	4	735.28	17.64	1393.34	33.42
None of the time	5	2775.66	66.58	4169.00	100.00

fhs24m6: 10/11 - M - CASI H28.6- Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.23	1.61	67.23	1.61
-9	-9	111.46	2.67	178.70	4.29
-3	-3	18.71	0.45	197.41	4.74
All of the time	1	25.71	0.62	223.12	5.35
Most of the time	2	92.38	2.22	315.50	7.57
Some of the time	3	251.66	6.04	567.17	13.60
A little of the time	4	544.89	13.07	1112.06	26.67
None of the time	5	3056.94	73.33	4169.00	100.00

fmk6g: 10/11 - M - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	200.63	4.81	200.63	4.81
No probable serious mental illness	0	3799.39	91.13	4000.03	95.95
Probable serious mental illness	1	168.97	4.05	4169.00	100.00

fmk6s: 10/11 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	200.63	4.81	200.63	4.81
6	801.36	19.22	1001.99	24.03
7	629.51	15.10	1631.50	39.13
8	623.57	14.96	2255.08	54.09
9	423.50	10.16	2678.58	64.25
10	339.91	8.15	3018.48	72.40
11	237.38	5.69	3255.87	78.10
12	216.72	5.20	3472.58	83.30
13	134.36	3.22	3606.95	86.52
14	127.00	3.05	3733.94	89.56
15	70.36	1.69	3804.31	91.25
16	78.25	1.88	3882.55	93.13
17	53.22	1.28	3935.78	94.41

fmk6s: 10/11 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	64.25	1.54	4000.03	95.95
19	31.83	0.76	4031.86	96.71
20	25.08	0.60	4056.94	97.31
21	36.04	0.86	4092.98	98.18
22	22.43	0.54	4115.41	98.71
23	11.74	0.28	4127.16	99.00
24	16.83	0.40	4143.98	99.40
25	5.00	0.12	4148.98	99.52
26	4.99	0.12	4153.98	99.64
27	2.51	0.06	4156.48	99.70
28	3.87	0.09	4160.35	99.79
29	1.97	0.05	4162.32	99.84
30	6.68	0.16	4169.00	100.00

fhs13f: 10/11 - F - CASI H4- Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.90	0.31	12.90	0.31
-9	-9	1670.72	40.07	1683.62	40.38
-3	-3	0.83	0.02	1684.45	40.40
Excellent	1	392.44	9.41	2076.89	49.82
Very good	2	1037.87	24.89	3114.75	74.71
Good	3	835.44	20.04	3950.20	94.75
Fair	4	194.98	4.68	4145.17	99.43
Poor	5	23.83	0.57	4169.00	100.00

fhs23f1: 10/11 - F - CASI W1-3+H11- Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3957.64	94.93	3957.64	94.93
150	4.04	0.10	3961.68	95.03
160	11.52	0.28	3973.20	95.30
170	62.89	1.51	4036.09	96.81
180	100.26	2.40	4136.34	99.22
190	32.66	0.78	4169.00	100.00

fhs23f2: 10/11 - F - CASI H12- Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3945.46	94.64	3945.46	94.64
-9	11.05	0.26	3956.51	94.90
50	3.14	0.08	3959.65	94.98
60	15.91	0.38	3975.56	95.36
70	40.58	0.97	4016.14	96.33
80	45.97	1.10	4062.11	97.44
90	48.57	1.17	4110.68	98.60
100	32.87	0.79	4143.55	99.39
110	11.62	0.28	4155.17	99.67
120	6.09	0.15	4161.26	99.81

fhs23f2: 10/11 - F - CASI H12- Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
130	5.53	0.13	4166.79	99.95
140	2.21	0.05	4169.00	100.00

ffbmi: 10/11 - F - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1754.73	42.09	1754.73	42.09
5	2.75	0.07	1757.48	42.16
10	1.90	0.05	1759.38	42.20
15	5.80	0.14	1765.18	42.34
20	190.47	4.57	1955.65	46.91
25	1105.48	26.52	3061.13	73.43
30	806.57	19.35	3867.71	92.77
35	218.09	5.23	4085.80	98.00
40	56.77	1.36	4142.56	99.37
45	18.07	0.43	4160.64	99.80
50	1.58	0.04	4162.22	99.84
65	2.86	0.07	4165.08	99.91
70	0.81	0.02	4165.89	99.93
105	0.62	0.01	4166.51	99.94
140	0.66	0.02	4167.17	99.96
145	0.83	0.02	4168.01	99.98
265	0.99	0.02	4169.00	100.00

fhs26f1: 10/11 - F - CASI H13- Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.78	0.43	17.78	0.43
-9	-9	1670.72	40.07	1688.49	40.50
-3	-3	2.71	0.07	1691.21	40.57
No problems or stress	1	231.08	5.54	1922.29	46.11
Few problems or stresses	2	1136.34	27.26	3058.63	73.37
Some problems and stresses	3	896.34	21.50	3954.98	94.87
Many problems and stresses	4	175.48	4.21	4130.45	99.08
Very many problems and stresses	5	38.55	0.92	4169.00	100.00

fhs26f2: 10/11 - F - CASI H14- Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.69	0.50	20.69	0.50
-9	-9	1670.72	40.07	1691.41	40.57
-3	-3	2.71	0.07	1694.12	40.64
Not at all	1	13.80	0.33	1707.92	40.97
A little	2	75.64	1.81	1783.56	42.78
Fairly well	3	1009.44	24.21	2792.99	66.99
Very well	4	1136.79	27.27	3929.78	94.26
Extremely well	5	239.22	5.74	4169.00	100.00

fhs25f1: 10/11 - F - CASI H15- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.19	0.72	30.19	0.72
-9	-9	1670.72	40.07	1700.91	40.80
-3	-3	2.71	0.07	1703.62	40.86
Yes	1	565.68	13.57	2269.30	54.43
No	2	1899.70	45.57	4169.00	100.00

fhs26f3: 10/11 - F - CASI H16- Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.05	0.46	19.05	0.46
-9	-9	1670.72	40.07	1689.77	40.53
-3	-3	2.71	0.07	1692.48	40.60
Always	1	186.19	4.47	1878.67	45.06
Often	2	770.09	18.47	2648.76	63.53
Sometimes	3	1032.15	24.76	3680.92	88.29
Rarely	4	413.78	9.93	4094.70	98.22
Never	5	74.30	1.78	4169.00	100.00

fhs24f1: 10/11 - F - CASI H28.1- Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.58	0.71	29.58	0.71
-9	-9	1670.72	40.07	1700.30	40.78
-3	-3	4.30	0.10	1704.59	40.89
All of the time	1	7.22	0.17	1711.81	41.06
Most of the time	2	40.84	0.98	1752.65	42.04
Some of the time	3	260.38	6.25	2013.04	48.29
A little of the time	4	817.45	19.61	2830.49	67.89
None of the time	5	1338.51	32.11	4169.00	100.00

fhs24f2: 10/11 - F - CASI H28.2- Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.89	0.77	31.89	0.77
-9	-9	1670.72	40.07	1702.61	40.84
-3	-3	4.30	0.10	1706.91	40.94
All of the time	1	6.08	0.15	1712.99	41.09
Most of the time	2	23.85	0.57	1736.84	41.66
Some of the time	3	140.29	3.37	1877.14	45.03
A little of the time	4	344.60	8.27	2221.74	53.29
None of the time	5	1947.26	46.71	4169.00	100.00

fhs24f3: 10/11 - F - CASI H28.3- Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.26	0.80	33.26	0.80
-9	-9	1670.72	40.07	1703.98	40.87
-3	-3	4.30	0.10	1708.27	40.98
All of the time	1	6.94	0.17	1715.22	41.14
Most of the time	2	47.65	1.14	1762.87	42.29

fhs24f3: 10/11 - F - CASI H28.3- Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Some of the time	3	262.51	6.30	2025.38	48.58
A little of the time	4	757.98	18.18	2783.36	66.76
None of the time	5	1385.64	33.24	4169.00	100.00

fhs24f4: 10/11 - F - CASI H28.4- Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.91	0.69	28.91	0.69
-9	-9	1670.72	40.07	1699.63	40.77
-3	-3	4.30	0.10	1703.92	40.87
All of the time	1	14.37	0.34	1718.29	41.22
Most of the time	2	101.80	2.44	1820.09	43.66
Some of the time	3	357.22	8.57	2177.32	52.23
A little of the time	4	865.56	20.76	3042.87	72.99
None of the time	5	1126.13	27.01	4169.00	100.00

fhs24f5: 10/11 - F - CASI H28.5- Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.40	0.73	30.40	0.73
-9	-9	1670.72	40.07	1701.12	40.80
-3	-3	4.30	0.10	1705.42	40.91
All of the time	1	1.30	0.03	1706.72	40.94
Most of the time	2	27.25	0.65	1733.97	41.59
Some of the time	3	94.51	2.27	1828.48	43.86
A little of the time	4	300.37	7.20	2128.85	51.06
None of the time	5	2040.15	48.94	4169.00	100.00

fhs24f6: 10/11 - F - CASI H28.6- Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	29.62	0.71	29.62	0.71
-9	-9	1670.72	40.07	1700.34	40.79
-3	-3	4.30	0.10	1704.63	40.89
All of the time	1	8.20	0.20	1712.83	41.08
Most of the time	2	14.82	0.36	1727.65	41.44
Some of the time	3	75.94	1.82	1803.60	43.26
A little of the time	4	242.92	5.83	2046.52	49.09
None of the time	5	2122.48	50.91	4169.00	100.00

ffk6g: 10/11 - F - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1723.71	41.35	1723.71	41.35
No probable serious mental illness	0	2407.10	57.74	4130.80	99.08
Probable serious mental illness	1	38.20	0.92	4169.00	100.00

ffk6s: 10/11 - F - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1723.71	41.35	1723.71	41.35
6	685.76	16.45	2409.47	57.79
7	411.13	9.86	2820.59	67.66
8	395.96	9.50	3216.55	77.15
9	260.36	6.25	3476.91	83.40
10	208.75	5.01	3685.65	88.41
11	124.38	2.98	3810.04	91.39
12	105.04	2.52	3915.08	93.91
13	54.58	1.31	3969.66	95.22
14	56.09	1.35	4025.75	96.56
15	35.74	0.86	4061.49	97.42
16	28.22	0.68	4089.72	98.10
17	18.52	0.44	4108.24	98.54
18	22.57	0.54	4130.80	99.08
19	9.06	0.22	4139.87	99.30
20	8.55	0.21	4148.42	99.51
21	7.72	0.19	4156.14	99.69
22	0.89	0.02	4157.03	99.71
23	2.01	0.05	4159.04	99.76
24	3.76	0.09	4162.80	99.85
26	2.35	0.06	4165.15	99.91
27	2.55	0.06	4167.70	99.97
30	1.30	0.03	4169.00	100.00