

04 Health behaviour and risk factors

ghb13a2b: 12/13 - P1 - CASI H7.1 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.22	3.37	133.22	3.37
-3	12.49	0.32	145.71	3.68
0	301.30	7.62	447.01	11.30
1	1727.40	43.67	2174.41	54.96
2	1245.13	31.47	3419.53	86.44
3	384.02	9.71	3803.56	96.15
4	90.69	2.29	3894.25	98.44
5	48.35	1.22	3942.59	99.66
6	7.22	0.18	3949.82	99.84
7	1.29	0.03	3951.10	99.88
8	2.88	0.07	3953.99	99.95
10	2.01	0.05	3956.00	100.00

ghb13a2a: 12/13 - P1 - CASI H7.1 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.22	3.37	133.22	3.37
-3	-3	12.49	0.32	145.71	3.68
Less than 1	0	301.30	7.62	447.01	11.30
1	1	1727.40	43.67	2174.41	54.96
2	2	1245.13	31.47	3419.53	86.44
3	3	384.02	9.71	3803.56	96.15
4	4	90.69	2.29	3894.25	98.44
5	5	48.35	1.22	3942.59	99.66
6 or more	6	13.41	0.34	3956.00	100.00

ghb13a1b: 12/13 - P1 - CASI H7.2 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.22	3.37	133.22	3.37
-3	9.52	0.24	142.74	3.61
0	35.37	0.89	178.12	4.50
1	1018.80	25.75	1196.92	30.26
2	1134.50	28.68	2331.42	58.93
3	894.32	22.61	3225.74	81.54
4	440.46	11.13	3666.20	92.67
5	210.94	5.33	3877.14	98.01
6	50.79	1.28	3927.92	99.29
7	13.08	0.33	3941.00	99.62
8	5.66	0.14	3946.66	99.76
9	1.54	0.04	3948.19	99.80
10	2.70	0.07	3950.90	99.87
12	5.10	0.13	3956.00	100.00

ghb13a1a: 12/13 - P1 - CASI H7.2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.22	3.37	133.22	3.37
-3	-3	9.52	0.24	142.74	3.61
Less than 1	0	35.37	0.89	178.12	4.50
1	1	1018.80	25.75	1196.92	30.26
2	2	1134.50	28.68	2331.42	58.93
3	3	894.32	22.61	3225.74	81.54
4	4	440.46	11.13	3666.20	92.67
5	5	210.94	5.33	3877.14	98.01
6 or more	6	78.86	1.99	3956.00	100.00

ghb14a2: 12/13 - P1 - CASI H7.3 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.22	3.37	133.22	3.37
-3	9.96	0.25	143.18	3.62
0	507.61	12.83	650.79	16.45
1	525.71	13.29	1176.49	29.74
2	646.40	16.34	1822.89	46.08
3	730.11	18.46	2553.00	64.53
4	461.51	11.67	3014.51	76.20
5	500.73	12.66	3515.24	88.86
6	183.05	4.63	3698.29	93.49
7	257.71	6.51	3956.00	100.00

ghb15a1: 12/13 - P1 - CASI H8.1/H8.2 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.22	3.37	133.22	3.37
-3	-3	7.93	0.20	141.15	3.57
Do not smoke at all	1	3085.79	78.00	3226.94	81.57
Less than once a day	2	84.90	2.15	3311.83	83.72
At least once a day	3	644.17	16.28	3956.00	100.00

ghb15a5: 12/13 - P1 - CASI H8.1- Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.22	3.37	133.22	3.37
-3	-3	7.93	0.20	141.15	3.57
Yes	1	729.06	18.43	870.21	22.00
No	2	3085.79	78.00	3956.00	100.00

ghb15a7: 12/13 - P1 - CASI H8.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	141.15	3.57	141.15	3.57
Yes	1	644.17	16.28	785.32	19.85
No	2	3170.68	80.15	3956.00	100.00

ghb15a8: 12/13 - P1 - CASI H8.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3311.83	83.72	3311.83	83.72
1 to 5 per day	2	95.66	2.42	3407.50	86.13
6 to 10 per day	3	202.26	5.11	3609.75	91.25
11 to 20 per day	4	264.79	6.69	3874.54	97.94
More than 20 per day	5	81.46	2.06	3956.00	100.00

ghb15a4b: 12/13 - P1 - CASI H8.4 - No. residents smoke inside

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	271.95	6.87	271.95	6.87
-3	20.83	0.53	292.78	7.40
0	3284.56	83.03	3577.34	90.43
1	227.78	5.76	3805.12	96.19
2	128.98	3.26	3934.09	99.45
3	13.81	0.35	3947.91	99.80
4	3.81	0.10	3951.72	99.89
5	2.47	0.06	3954.18	99.95
9	1.82	0.05	3956.00	100.00

ghb15a4a: 12/13 - P1 - CASI H8.4 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	271.95	6.87	271.95	6.87
-3	-3	20.83	0.53	292.78	7.40
None	0	3284.56	83.03	3577.34	90.43
1	1	227.78	5.76	3805.12	96.19
2	2	128.98	3.26	3934.09	99.45
3	3	13.81	0.35	3947.91	99.80
4	4	3.81	0.10	3951.72	99.89
5 or more	5	4.28	0.11	3956.00	100.00

ghb16a2: 12/13 - P1 - CASI H9.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.22	3.37	133.22	3.37
-3	-3	7.12	0.18	140.34	3.55
Never	0	618.73	15.64	759.07	19.19
Not in the last year	1	179.64	4.54	938.72	23.73
Monthly or less	2	937.83	23.71	1876.55	47.44
2 to 3 times a month	3	447.68	11.32	2324.23	58.75
Once a week	4	448.04	11.33	2772.27	70.08
2 to 3 times a week	5	715.89	18.10	3488.16	88.17
4 to 6 times a week	6	354.11	8.95	3842.27	97.13
Everyday	7	113.73	2.87	3956.00	100.00

ghb16a3: 12/13 - P1 - CASI H9.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	751.95	19.01	751.95	19.01
-3	-3	8.92	0.23	760.87	19.23
1 or 2	1	2200.85	55.63	2961.71	74.87
3 or 4	2	742.64	18.77	3704.35	93.64
5 or 6	3	197.58	4.99	3901.93	98.63
7 to 10	4	46.73	1.18	3948.65	99.81
11 or more	5	7.35	0.19	3956.00	100.00

ghb16a7: 12/13 - P1 - CASI H9.3 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	760.87	19.23	760.87	19.23
Everyday	1	24.05	0.61	784.92	19.84
4-6 times a week	2	14.92	0.38	799.84	20.22
2-3 times a week	3	63.00	1.59	862.83	21.81
Once a week	4	216.39	5.47	1079.23	27.28
2-3 times a month	5	169.74	4.29	1248.96	31.57
Monthly or less	6	1065.94	26.95	2314.91	58.52
Never	7	1641.09	41.48	3956.00	100.00

ghb16a8: 12/13 - P1 - CASI H9.4 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	762.24	19.27	762.24	19.27
-3	-3	7.59	0.19	769.83	19.46
Everyday	1	10.03	0.25	779.86	19.71
4-6 times a week	2	5.01	0.13	784.87	19.84
2-3 times a week	3	22.64	0.57	807.50	20.41
Once a week	4	95.22	2.41	902.72	22.82
2-3 times a month	5	100.45	2.54	1003.17	25.36
Monthly or less	6	675.66	17.08	1678.83	42.44
Never	7	2277.17	57.56	3956.00	100.00

ghb16a5a: 12/13 - P1 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	135.75	3.43	135.75	3.43
-9	-9	625.12	15.80	760.87	19.23
-3	-3	7.59	0.19	768.46	19.43
Everyday	1	21.66	0.55	790.12	19.97
4-6 times a week	2	13.35	0.34	803.47	20.31
2-3 times a week	3	55.81	1.41	859.28	21.72
Once a week	4	207.28	5.24	1066.56	26.96
2-3 times a month	5	163.71	4.14	1230.27	31.10
Monthly or less	6	1046.83	26.46	2277.10	57.56
Never	7	1678.90	42.44	3956.00	100.00

ghb16a5: 12/13 - P1 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2441.39	61.71	2441.39	61.71
Everyday	1	21.66	0.55	2463.05	62.26
4-6 times a week	2	13.35	0.34	2476.40	62.60
2-3 times a week	3	55.81	1.41	2532.21	64.01
Once a week	4	208.96	5.28	2741.18	69.29
2-3 times a month	5	163.71	4.14	2904.89	73.43
Monthly or less	6	1051.11	26.57	3956.00	100.00

gaavdac: 12/13 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	134.76	3.41	134.76	3.41
-9	6.39	0.16	141.15	3.57
0	2292.01	57.94	2433.16	61.51
0.5	735.87	18.60	3169.03	80.11
1	310.77	7.86	3479.80	87.96
1.5	270.34	6.83	3750.13	94.80
2	35.72	0.90	3785.85	95.70
2.5	90.40	2.29	3876.24	97.98
3	3.41	0.09	3879.65	98.07
3.5	37.14	0.94	3916.79	99.01
4	19.45	0.49	3936.25	99.50
5.5	12.05	0.30	3948.30	99.81
8.5	5.36	0.14	3953.66	99.94
12	2.34	0.06	3956.00	100.00

gaalcgp: 12/13 - P1- Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	134.76	3.41	134.76	3.41
-9	-9	6.39	0.16	141.15	3.57
Abstain not in the last year	1	798.37	20.18	939.52	23.75
Occasional less than monthly	2	937.83	23.71	1877.36	47.46
Light <2 drinks/day men, <1 women	3	1386.05	35.04	3263.41	82.49
Moderate >=2 to <4 men, >=1 to <2 women	4	509.77	12.89	3773.18	95.38
Hazardous >=4 to <6 men, >=2 and <4 women	5	152.84	3.86	3926.03	99.24
Harmful >=6 men, >=4 women	6	29.97	0.76	3956.00	100.00

gahvdac: 12/13 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	141.15	3.57	141.15	3.57
Yes	1	182.82	4.62	323.97	8.19
No	2	3632.03	91.81	3956.00	100.00

gabinge: 12/13 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	141.15	3.57	141.15	3.57
Yes	1	520.63	13.16	661.78	16.73
No	2	3294.22	83.27	3956.00	100.00

gaalcp: 12/13 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	141.15	3.57	141.15	3.57
Yes	1	562.75	14.23	703.90	17.79
No	2	3252.10	82.21	3956.00	100.00

ghb20a: 12/13 - F2F J10.1 - Frequency of sun protection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
-2	-2	8.31	0.21	62.32	1.58
Every day	1	1900.35	48.04	1962.67	49.61
Most days	2	1450.39	36.66	3413.06	86.28
Some days	3	371.99	9.40	3785.05	95.68
Never or hardly ever	4	170.95	4.32	3956.00	100.00

ghb23c: 12/13 - F2F U1.4+W2-4 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	21.72	0.55	21.72	0.55
-2	-2	1.06	0.03	22.78	0.58
Yes	1	2644.68	66.85	2667.46	67.43
No	2	1288.54	32.57	3956.00	100.00

ghb23c1: 12/13 - F2F U1.4.1+W2-4 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.01	0.68	27.01	0.68
No	0	1974.17	49.90	2001.18	50.59
Yes	1	1954.82	49.41	3956.00	100.00

ghb23c4: 12/13 - F2F U1.4.2+W2-4 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	48.35	1.22	48.35	1.22
No	0	3294.80	83.29	3343.15	84.51
Yes	1	612.85	15.49	3956.00	100.00

ghb23c2: 12/13 - F2F U1.5.1+W2-4 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	31.77	0.80	31.77	0.80
No	0	2084.77	52.70	2116.54	53.50
Yes	1	1839.46	46.50	3956.00	100.00

ghb23c3: 12/13 - F2F U1.5.2+W2-4 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	47.25	1.19	47.25	1.19
No	0	3401.77	85.99	3449.02	87.18
Yes	1	506.98	12.82	3956.00	100.00

ghb23d1: 12/13 - F2F U1.4.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	3218.45	81.36	3272.46	82.72
Yes	1	683.54	17.28	3956.00	100.00

ghb23d2: 12/13 - F2F U1.5.1 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	3316.48	83.83	3370.49	85.20
Yes	1	585.51	14.80	3956.00	100.00

ghb23d3: 12/13 - F2F U1.5.2 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	3829.02	96.79	3883.04	98.16
Yes	1	72.96	1.84	3956.00	100.00

ghb23d4: 12/13 - F2F U1.4.2 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	3778.70	95.52	3832.71	96.88
Yes	1	123.29	3.12	3956.00	100.00

ghb23d5: 12/13 - F2F U1.4.3 - Braces/other dental issues (e.g. oral surgery) in last 2yrs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	3275.95	82.81	3329.96	84.18
Yes	1	626.04	15.82	3956.00	100.00

ghb23d6: 12/13 - F2F U1.4.4 - Last 2 yrs - No problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	1389.08	35.11	1443.09	36.48
Yes	1	2512.91	63.52	3956.00	100.00

ghb23d7: 12/13 - F2F U1.5.3 - Last 2 yrs - No treatment - result of cavity/dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.01	1.37	54.01	1.37
No	0	3834.40	96.93	3888.41	98.29
Yes	1	67.59	1.71	3956.00	100.00

ghb14c4: 12/13 - F2F M8.9 - SC's choice to spend free time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	57.88	1.46	57.88	1.46
-2	-2	7.17	0.18	65.05	1.64
Usually chooses inactive pastimes	1	1735.40	43.87	1800.45	45.51
Usually chooses active pastimes	2	1456.44	36.82	3256.90	82.33
Just as likely to choose active as inactive pastimes	3	699.10	17.67	3956.00	100.00

ghb14c5: 12/13 - CSRK 6.1 - Enjoy being physically active

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	112.07	2.83	112.07	2.83
A lot	1	2175.58	54.99	2287.65	57.83
Quite a lot	2	1261.84	31.90	3549.48	89.72
Not very much	3	379.56	9.59	3929.04	99.32
Not at all	4	26.96	0.68	3956.00	100.00

ghb21c1a1: 12/13 - SC - ACASI 3.1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	560.99	14.18	681.69	17.23
Once	1	1271.92	32.15	1953.62	49.38
Twice	2	1140.28	28.82	3093.90	78.21
More than twice	3	862.10	21.79	3956.00	100.00

ghb21c1a2: 12/13 - SC - ACASI 3.1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	560.99	14.18	681.69	17.23
Once	1	1271.92	32.15	1953.62	49.38
Twice or more	2	2002.38	50.62	3956.00	100.00

ghb21c2a1: 12/13 - SC - ACASI 3.1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1669.60	42.20	1790.30	45.26
Once	1	1399.49	35.38	3189.79	80.63
Twice	2	521.89	13.19	3711.68	93.82
More than twice	3	244.32	6.18	3956.00	100.00

ghb21c2a2: 12/13 - SC - ACASI 3.1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1669.60	42.20	1790.30	45.26
Once	1	1399.49	35.38	3189.79	80.63
Twice or more	2	766.21	19.37	3956.00	100.00

ghb21c1b1: 12/13 - SC - ACASI 3.1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	994.22	25.13	1114.91	28.18
Once	1	1736.87	43.90	2851.78	72.09
Twice	2	612.88	15.49	3464.67	87.58
More than twice	3	491.33	12.42	3956.00	100.00

ghb21c1b2: 12/13 - SC - ACASI 3.1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	994.22	25.13	1114.91	28.18
Once	1	1736.87	43.90	2851.78	72.09
Twice or more	2	1104.22	27.91	3956.00	100.00

ghb21c1c1: 12/13 - SC - ACASI 3.1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	1.37	0.03	122.07	3.09
Not at all	0	1758.24	44.44	1880.31	47.53
Once	1	1408.29	35.60	3288.60	83.13
Twice	2	435.50	11.01	3724.11	94.14
More than twice	3	231.89	5.86	3956.00	100.00

ghb21c1c2: 12/13 - SC - ACASI 3.1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	1.37	0.03	122.07	3.09
Not at all	0	1758.24	44.44	1880.31	47.53
Once	1	1408.29	35.60	3288.60	83.13
Twice or more	2	667.40	16.87	3956.00	100.00

ghb21c3a1: 12/13 - SC - ACASI 3.1.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	2.07	0.05	122.77	3.10
Not at all	0	2486.56	62.86	2609.33	65.96
Once	1	1024.47	25.90	3633.80	91.86
Twice	2	204.02	5.16	3837.82	97.01
More than twice	3	118.18	2.99	3956.00	100.00

ghb21c3a2: 12/13 - SC - ACASI 3.1.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	2.07	0.05	122.77	3.10
Not at all	0	2486.56	62.86	2609.33	65.96
Once	1	1024.47	25.90	3633.80	91.86
Twice or more	2	322.20	8.14	3956.00	100.00

ghb21c3b1: 12/13 - SC - ACASI 3.1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	2.07	0.05	122.77	3.10
Not at all	0	2769.42	70.01	2892.19	73.11
Once	1	861.87	21.79	3754.06	94.90
Twice	2	128.73	3.25	3882.79	98.15
More than twice	3	73.21	1.85	3956.00	100.00

ghb21c3b2: 12/13 - SC - ACASI 3.1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	2.07	0.05	122.77	3.10
Not at all	0	2769.42	70.01	2892.19	73.11
Once	1	861.87	21.79	3754.06	94.90
Twice or more	2	201.94	5.10	3956.00	100.00

ghb21c3c1: 12/13 - SC - ACASI 3.1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1729.98	43.73	1850.68	46.78
Once	1	1581.68	39.98	3432.35	86.76
Twice	2	371.62	9.39	3803.97	96.16
More than twice	3	152.03	3.84	3956.00	100.00

ghb21c3c2: 12/13 - SC - ACASI 3.1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1729.98	43.73	1850.68	46.78
Once	1	1581.68	39.98	3432.35	86.76
Twice or more	2	523.65	13.24	3956.00	100.00

ghb21c3d1: 12/13 - SC - ACASI 3.1.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1292.13	32.66	1412.83	35.71
Once	1	1850.22	46.77	3263.04	82.48
Twice	2	511.24	12.92	3774.29	95.41
More than twice	3	181.71	4.59	3956.00	100.00

ghb21c3d2: 12/13 - SC - ACASI 3.1.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1292.13	32.66	1412.83	35.71
Once	1	1850.22	46.77	3263.04	82.48
Twice or more	2	692.96	17.52	3956.00	100.00

ghb21c8a1: 12/13 - SC - ACASI 3.1.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	714.78	18.07	835.48	21.12
Once	1	1828.34	46.22	2663.82	67.34
Twice	2	931.32	23.54	3595.13	90.88
More than twice	3	360.87	9.12	3956.00	100.00

ghb21c8a2: 12/13 - SC - ACASI 3.1.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	714.78	18.07	835.48	21.12
Once	1	1828.34	46.22	2663.82	67.34
Twice or more	2	1292.18	32.66	3956.00	100.00

ghb21c3e1: 12/13 - SC - ACASI 3.1.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	446.63	11.29	567.33	14.34
Once	1	1582.45	40.00	2149.78	54.34
Twice	2	1124.18	28.42	3273.96	82.76
More than twice	3	682.04	17.24	3956.00	100.00

ghb21c3e2: 12/13 - SC - ACASI 3.1.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	446.63	11.29	567.33	14.34
Once	1	1582.45	40.00	2149.78	54.34
Twice or more	2	1806.22	45.66	3956.00	100.00

ghb21c4b1: 12/13 - SC - ACASI 3.1.11 - SC had soy milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	3454.01	87.31	3574.71	90.36
Once	1	252.91	6.39	3827.62	96.75
Twice	2	83.97	2.12	3911.60	98.88
More than twice	3	44.40	1.12	3956.00	100.00

ghb21c4b2: 12/13 - SC - ACASI 3.1.11 - SC had soy milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	3454.01	87.31	3574.71	90.36
Once	1	252.91	6.39	3827.62	96.75
Twice or more	2	128.38	3.25	3956.00	100.00

ghb21c5a1: 12/13 - SC - ACASI 3.1.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	79.19	2.00	199.89	5.05
Once	1	288.62	7.30	488.51	12.35
Twice	2	450.20	11.38	938.71	23.73
More than twice	3	3017.29	76.27	3956.00	100.00

ghb21c5a2: 12/13 - SC - ACASI 3.1.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	79.19	2.00	199.89	5.05
Once	1	288.62	7.30	488.51	12.35
Twice or more	2	3467.49	87.65	3956.00	100.00

ghb21c2b1: 12/13 - SC - ACASI 3.1.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1796.49	45.41	1917.19	48.46
Once	1	1311.36	33.15	3228.55	81.61
Twice	2	477.31	12.07	3705.86	93.68
More than twice	3	250.14	6.32	3956.00	100.00

ghb21c2b2: 12/13 - SC - ACASI 3.1.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
Not at all	0	1796.49	45.41	1917.19	48.46
Once	1	1311.36	33.15	3228.55	81.61
Twice or more	2	727.45	18.39	3956.00	100.00

gcfandvb: 12/13 - SC - Frequency ate fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
-3	1.37	0.03	122.07	3.09
0	185.40	4.69	307.47	7.77
1	447.35	11.31	754.82	19.08
2	666.00	16.84	1420.82	35.92
3	733.42	18.54	2154.24	54.45
4	654.99	16.56	2809.23	71.01
5	520.45	13.16	3329.68	84.17

gcfandvb: 12/13 - SC - Frequency ate fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	283.16	7.16	3612.84	91.33
7	175.65	4.44	3788.49	95.77
8	93.02	2.35	3881.51	98.12
9	74.49	1.88	3956.00	100.00

gchfatb: 12/13 - SC - Frequency ate high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
-3	2.07	0.05	122.77	3.10
0	377.99	9.55	500.76	12.66
1	953.14	24.09	1453.90	36.75
2	1071.52	27.09	2525.42	63.84
3	630.13	15.93	3155.55	79.77
4	374.36	9.46	3529.91	89.23
5	165.84	4.19	3695.75	93.42
6	97.49	2.46	3793.25	95.89
7	52.06	1.32	3845.31	97.20
8	28.79	0.73	3874.10	97.93
9	31.27	0.79	3905.36	98.72
10	24.35	0.62	3929.72	99.34
11	11.89	0.30	3941.60	99.64
12	14.40	0.36	3956.00	100.00

gchfwmb: 12/13 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
-3	2.07	0.05	122.77	3.10
0	36.27	0.92	159.04	4.02
1	284.26	7.19	443.30	11.21
2	692.23	17.50	1135.53	28.70
3	840.42	21.24	1975.94	49.95
4	779.86	19.71	2755.80	69.66
5	492.38	12.45	3248.18	82.11
6	290.00	7.33	3538.19	89.44
7	161.42	4.08	3699.61	93.52
8	87.07	2.20	3786.68	95.72
9	54.24	1.37	3840.92	97.09
10	26.12	0.66	3867.04	97.75
11	29.63	0.75	3896.67	98.50
12	20.81	0.53	3917.48	99.03
13	17.03	0.43	3934.51	99.46
14	11.06	0.28	3945.57	99.74
15	10.43	0.26	3956.00	100.00

gchsdnkb: 12/13 - SC - Frequency drank high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
0	897.16	22.68	1017.86	25.73
1	1144.34	28.93	2162.20	54.66
2	886.80	22.42	3049.00	77.07
3	512.27	12.95	3561.28	90.02
4	267.11	6.75	3828.38	96.77
5	96.27	2.43	3924.65	99.21
6	31.35	0.79	3956.00	100.00

gcfandv: 12/13 - SC - Frequency ate fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
-3	1.37	0.03	122.07	3.09
0	185.40	4.69	307.47	7.77
1	447.35	11.31	754.82	19.08
2	741.85	18.75	1496.67	37.83
3	895.86	22.65	2392.53	60.48
4	778.29	19.67	3170.82	80.15
5	483.28	12.22	3654.09	92.37
6	301.91	7.63	3956.00	100.00

gchfat: 12/13 - SC - Frequency ate high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
-3	2.07	0.05	122.77	3.10
0	377.99	9.55	500.76	12.66
1	953.14	24.09	1453.90	36.75
2	1109.07	28.04	2562.97	64.79
3	646.89	16.35	3209.86	81.14
4	399.30	10.09	3609.15	91.23
5	149.38	3.78	3758.53	95.01
6	95.79	2.42	3854.32	97.43
7	47.25	1.19	3901.58	98.62
8	54.42	1.38	3956.00	100.00

gchfwm: 12/13 - SC - Frequency ate high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
-3	2.07	0.05	122.77	3.10
0	36.27	0.92	159.04	4.02
1	284.26	7.19	443.30	11.21
2	751.61	19.00	1194.91	30.20
3	933.47	23.60	2128.37	53.80
4	829.89	20.98	2958.26	74.78
5	473.30	11.96	3431.56	86.74
6	256.64	6.49	3688.20	93.23
7	103.93	2.63	3792.13	95.86

gchfwm: 12/13 - SC - Frequency ate high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8	74.79	1.89	3866.92	97.75
9	41.32	1.04	3908.25	98.79
10	47.75	1.21	3956.00	100.00

gchsdrrnk: 12/13 - SC - Frequency drank high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	120.70	3.05	120.70	3.05
0	897.16	22.68	1017.86	25.73
1	1144.34	28.93	2162.20	54.66
2	1045.58	26.43	3207.78	81.09
3	530.21	13.40	3737.99	94.49
4	218.01	5.51	3956.00	100.00

ghb22c: 12/13 - SC - ACASI 3.3 - Eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	0.66	0.02	121.36	3.07
Yes	1	3412.20	86.25	3533.56	89.32
No	2	422.44	10.68	3956.00	100.00

ghb25c1: 12/13 - ACASI 3.4 - Body Shape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	2.75	0.07	123.45	3.12
Picture 1	1	8.17	0.21	131.62	3.33
Picture 2	2	150.28	3.80	281.90	7.13
Picture 3	3	918.36	23.21	1200.27	30.34
Picture 4	4	1710.80	43.25	2911.06	73.59
Picture 5	5	875.16	22.12	3786.22	95.71
Picture 6	6	159.57	4.03	3945.79	99.74
Picture 7	7	10.21	0.26	3956.00	100.00

ghb25c2: 12/13 - ACASI 3.5 - Body Shape SC wants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	4.03	0.10	124.73	3.15
Picture 1	1	25.65	0.65	150.38	3.80
Picture 2	2	235.68	5.96	386.06	9.76
Picture 3	3	1289.87	32.61	1675.92	42.36
Picture 4	4	2064.50	52.19	3740.43	94.55
Picture 5	5	204.53	5.17	3944.95	99.72
Picture 6	6	10.24	0.26	3955.19	99.98
Picture 7	7	0.81	0.02	3956.00	100.00

ghb23b1: 12/13 - ACASI 8.3 - How often teeth cleaned per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	5.06	0.13	125.76	3.18
Not at all	1	187.22	4.73	312.98	7.91
Once	2	1043.51	26.38	1356.49	34.29
Twice	3	2413.48	61.01	3769.97	95.30
More than twice	4	186.03	4.70	3956.00	100.00

ghb15c9: 12/13 - ACASI 9.2 - Ever smoked part of a cigarette

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	4.90	0.12	125.60	3.17
No	1	3696.71	93.45	3822.31	96.62
Yes, just a few puffs	2	104.28	2.64	3926.59	99.26
Yes, I have smoked fewer than 10 cigarettes in my life	3	15.00	0.38	3941.59	99.64
Yes, I have smoked 10 to 100 cigarettes in my life	4	10.48	0.26	3952.07	99.90
Yes, I have smoked more than 100 cigarettes in my life	5	3.93	0.10	3956.00	100.00

ghb15c10: 12/13 - ACASI 9.3 - First cigarette - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3822.31	96.62	3822.31	96.62
-3	1.88	0.05	3824.19	96.67
4	2.28	0.06	3826.47	96.73
5	4.90	0.12	3831.36	96.85
6	4.54	0.11	3835.91	96.96
7	0.88	0.02	3836.79	96.99
8	3.74	0.09	3840.53	97.08
9	12.47	0.32	3852.99	97.40
10	13.00	0.33	3866.00	97.72
11	23.21	0.59	3889.20	98.31
12	57.66	1.46	3946.86	99.77
13	9.14	0.23	3956.00	100.00

ghb15c11: 12/13 - ACASI 9.4 - Smoked in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3822.31	96.62	3822.31	96.62
Yes	1	60.54	1.53	3882.84	98.15
No	2	73.16	1.85	3956.00	100.00

ghb15c12: 12/13 - ACASI 9.5 - Smoked in last 4 weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3895.46	98.47	3895.46	98.47
Yes	1	24.68	0.62	3920.14	99.09
No	2	35.86	0.91	3956.00	100.00

ghb15c13: 12/13 - ACASI 9.6 - No. cigarettes smoked per week

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3931.32	99.38	3931.32	99.38
-3	1.64	0.04	3932.96	99.42
0	11.50	0.29	3944.46	99.71
5	3.87	0.10	3948.33	99.81
10	1.68	0.04	3950.01	99.85
15	1.68	0.04	3951.69	99.89
30	2.25	0.06	3953.94	99.95
40	2.06	0.05	3956.00	100.00

ghb16c11: 12/13 - ACASI 9.7 - Ever had alcoholic drink

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	6.50	0.16	127.20	3.22
No	1	2570.44	64.98	2697.64	68.19
Yes, just a few sips	2	1184.97	29.95	3882.61	98.14
Yes, I have had fewer than 10 alcoholic drinks in my life	3	52.14	1.32	3934.75	99.46
Yes, I have had 10 or more alcoholic drinks in my life	4	21.25	0.54	3956.00	100.00

ghb16c12: 12/13 - ACASI 9.8 - First alcoholic drink - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.18	0.03	1.18	0.03
-9	3882.61	98.14	3883.79	98.17
-3	0.94	0.02	3884.72	98.20
5	2.49	0.06	3887.21	98.26
8	3.16	0.08	3890.37	98.34
9	1.99	0.05	3892.36	98.39
10	11.73	0.30	3904.09	98.69
11	15.44	0.39	3919.53	99.08
12	24.42	0.62	3943.95	99.70
13	12.05	0.30	3956.00	100.00

ghb16c13: 12/13 - ACASI 9.9 - Alcohol consumption - In last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3882.61	98.14	3882.61	98.14
Yes	1	59.92	1.51	3942.53	99.66
No	2	13.47	0.34	3956.00	100.00

ghb16c9: 12/13 - ACASI 9.10 - Alcohol consumption - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3896.08	98.49	3896.08	98.49
Yes	1	26.69	0.67	3922.77	99.16
No	2	33.23	0.84	3956.00	100.00

ghb16c10: 12/13 - ACASI 9.11 - Previous week's alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3929.31	99.33	3929.31	99.33
0	19.45	0.49	3948.75	99.82
5	6.06	0.15	3954.81	99.97
10	1.19	0.03	3956.00	100.00

ghb26c1: 12/13 - ACASI 10.1 - Ever had marijuana

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	6.50	0.16	127.20	3.22
Yes	1	74.41	1.88	201.61	5.10
No	2	3754.39	94.90	3956.00	100.00

ghb26c2: 12/13 - ACASI 10.2 - First marijuana - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	48.11	1.22	48.11	1.22
-9	3881.59	98.12	3929.69	99.34
-3	9.70	0.25	3939.39	99.58
6	0.87	0.02	3940.26	99.60
10	1.46	0.04	3941.72	99.64
11	1.73	0.04	3943.45	99.68
12	5.81	0.15	3949.26	99.83
13	6.74	0.17	3956.00	100.00

ghb26c3: 12/13 - ACASI 10.3 - Marijuana - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3881.59	98.12	3881.59	98.12
Yes	1	12.61	0.32	3894.20	98.44
No	2	61.80	1.56	3956.00	100.00

ghb26c4: 12/13 - ACASI 10.4 - Marijuana - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3943.39	99.68	3943.39	99.68
Yes	1	7.53	0.19	3950.92	99.87
No	2	5.08	0.13	3956.00	100.00

ghb27c1: 12/13 - ACASI 10.5 - Ever tried sniffing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	8.92	0.23	129.62	3.28
Yes	1	37.09	0.94	166.71	4.21
No	2	3789.29	95.79	3956.00	100.00

ghb27c2: 12/13 - ACASI 10.6 - First sniffing - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	6.54	0.17	6.54	0.17
-9	3918.91	99.06	3925.45	99.23
-3	0.38	0.01	3925.83	99.24
5	0.70	0.02	3926.52	99.25
7	1.88	0.05	3928.40	99.30
9	1.68	0.04	3930.08	99.34
10	2.63	0.07	3932.71	99.41
11	3.30	0.08	3936.01	99.49
12	13.79	0.35	3949.80	99.84
13	6.20	0.16	3956.00	100.00

ghb27c3: 12/13 - ACASI 10.7 - Sniffing - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3918.91	99.06	3918.91	99.06
Yes	1	21.85	0.55	3940.76	99.61
No	2	15.24	0.39	3956.00	100.00

ghb27c4: 12/13 - ACASI 10.8 - Sniffing - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3934.15	99.45	3934.15	99.45
Yes	1	8.22	0.21	3942.37	99.66
No	2	13.63	0.34	3956.00	100.00

ghb28c1: 12/13 - ACASI 10.9 - Ever had other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	120.70	3.05	120.70	3.05
-3	-3	7.68	0.19	128.38	3.25
Yes	1	4.89	0.12	133.27	3.37
No	2	3822.73	96.63	3956.00	100.00

ghb28c3: 12/13 - ACASI 10.11 - First other drugs - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.10	0.08	3.10	0.08
-9	3951.11	99.88	3954.21	99.95
7	0.60	0.02	3954.81	99.97
12	1.19	0.03	3956.00	100.00

ghb28c4: 12/13 - ACASI 10.12 - Other drugs - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3951.11	99.88	3951.11	99.88
Yes	1	4.89	0.12	3956.00	100.00

ghb28c5: 12/13 - ACASI 10.13 - Other drugs - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3951.11	99.88	3951.11	99.88
Yes	1	3.10	0.08	3954.21	99.95
No	2	1.79	0.05	3956.00	100.00

ghb15p5: 12/13 - PLE - PLE 19.2 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3480.47	87.98	3480.47	87.98
Yes	1	161.73	4.09	3642.20	92.07
No	2	313.80	7.93	3956.00	100.00

ghb15p1: 12/13 - PLE - PLE 19.2/3 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3480.47	87.98	3480.47	87.98
Do not smoke at all	1	313.80	7.93	3794.27	95.91
Less than once a day	2	2.22	0.06	3796.49	95.97
At least once a day	3	159.51	4.03	3956.00	100.00

ghb15p7: 12/13 - PLE - PLE 19.3 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3794.27	95.91	3794.27	95.91
Yes	1	159.51	4.03	3953.78	99.94
No	2	2.22	0.06	3956.00	100.00

ghb15p8: 12/13 - PLE - PLE 19.4 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3796.49	95.97	3796.49	95.97
1 to 5 per day	2	18.57	0.47	3815.05	96.44
6 to 10 per day	3	39.49	1.00	3854.54	97.44
11 to 20 per day	4	60.94	1.54	3915.48	98.98
More than 20 per day	5	40.52	1.02	3956.00	100.00

ghb16p2: 12/13 - PLE - PLE 20.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3480.47	87.98	3480.47	87.98
Never	0	49.31	1.25	3529.78	89.23
Not in the last year	1	14.03	0.35	3543.81	89.58
Monthly or less	2	68.98	1.74	3612.80	91.32
2 to 3 times a month	3	29.18	0.74	3641.98	92.06
Once a week	4	90.74	2.29	3732.72	94.36
2 to 3 times a week	5	104.90	2.65	3837.62	97.01
4 to 6 times a week	6	56.60	1.43	3894.22	98.44
Everyday	7	61.78	1.56	3956.00	100.00

ghb16p3: 12/13 - PLE - PLE 20.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3543.81	89.58	3543.81	89.58
1 or 2	1	195.70	4.95	3739.51	94.53
3 or 4	2	143.02	3.62	3882.53	98.14
5 or 6	3	47.67	1.20	3930.20	99.35
7 to 10	4	16.11	0.41	3946.30	99.75
11 or more	5	9.70	0.25	3956.00	100.00

ghb16p7: 12/13 - PLE - PLE 20.3 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3543.81	89.58	3543.81	89.58
Everyday	1	2.97	0.08	3546.79	89.66
4-6 times a week	2	10.62	0.27	3557.41	89.92
2-3 times a week	3	32.33	0.82	3589.74	90.74
Once a week	4	72.97	1.84	3662.72	92.59
2-3 times a month	5	39.15	0.99	3701.87	93.58
Monthly or less	6	159.04	4.02	3860.90	97.60
Never	7	95.10	2.40	3956.00	100.00

ghb16p8: 12/13 - PLE - PLE 20.4 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3543.81	89.58	3543.81	89.58
Everyday	1	0.77	0.02	3544.59	89.60
4-6 times a week	2	3.45	0.09	3548.04	89.69
2-3 times a week	3	5.56	0.14	3553.60	89.83
Once a week	4	46.38	1.17	3599.98	91.00
2-3 times a month	5	20.76	0.52	3620.74	91.53
Monthly or less	6	166.43	4.21	3787.16	95.73
Never	7	168.84	4.27	3956.00	100.00

ghb16p5a: 12/13 - PLE - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.03	0.35	14.03	0.35
-9	-9	3529.78	89.23	3543.81	89.58
Everyday	1	0.77	0.02	3544.59	89.60
4-6 times a week	2	5.92	0.15	3550.51	89.75
2-3 times a week	3	5.56	0.14	3556.07	89.89
Once a week	4	49.87	1.26	3605.94	91.15
2-3 times a month	5	19.12	0.48	3625.06	91.63
Monthly or less	6	173.53	4.39	3798.59	96.02
Never	7	157.41	3.98	3956.00	100.00

ghb16p5: 12/13 - PLE - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3701.23	93.56	3701.23	93.56
Everyday	1	0.77	0.02	3702.00	93.58
4-6 times a week	2	5.92	0.15	3707.92	93.73
2-3 times a week	3	5.56	0.14	3713.48	93.87
Once a week	4	49.87	1.26	3763.35	95.13
2-3 times a month	5	19.12	0.48	3782.47	95.61
Monthly or less	6	173.53	4.39	3956.00	100.00

gpavdac: 12/13 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3480.47	87.98	3480.47	87.98
0	178.75	4.52	3659.22	92.50
0.5	97.09	2.45	3756.31	94.95
1	45.26	1.14	3801.57	96.10
1.5	73.86	1.87	3875.42	97.96
2	10.32	0.26	3885.75	98.22
2.5	22.34	0.56	3908.09	98.79
3	3.14	0.08	3911.23	98.87
3.5	26.40	0.67	3937.63	99.54
4	6.01	0.15	3943.64	99.69
5.5	8.31	0.21	3951.95	99.90
6.5	3.27	0.08	3955.23	99.98
8.5	0.77	0.02	3956.00	100.00

gpalcgp: 12/13 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3498.45	88.43	3498.45	88.43
Abstain not in the last year	1	63.34	1.60	3561.79	90.04
Occasional less than monthly	2	68.98	1.74	3630.78	91.78
Light <2 drinks/day men, <1 women	3	200.23	5.06	3831.00	96.84
Moderate >=2 to <4 men, >=1 to <2 women	4	46.93	1.19	3877.93	98.03
Hazardous >=4 to <6 men, >=2 and <4 women	5	63.74	1.61	3941.67	99.64
Harmful >=6 men, >=4 women	6	14.33	0.36	3956.00	100.00

gphvdac: 12/13 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3480.47	87.98	3480.47	87.98
Yes	1	18.37	0.46	3498.84	88.44
No	2	457.16	11.56	3956.00	100.00

gpbinge: 12/13 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3480.47	87.98	3480.47	87.98
Yes	1	81.24	2.05	3561.72	90.03
No	2	394.28	9.97	3956.00	100.00

gpalcpl: 12/13 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3480.47	87.98	3480.47	87.98
Yes	1	82.19	2.08	3562.66	90.06
No	2	393.34	9.94	3956.00	100.00

ghb13b2b: 12/13 - P2 - P2K 15 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	45.96	1.16	45.96	1.16
-9	1743.82	44.08	1789.78	45.24
0	183.97	4.65	1973.75	49.89
1	1071.58	27.09	3045.33	76.98
2	587.12	14.84	3632.44	91.82
3	225.46	5.70	3857.91	97.52
4	63.54	1.61	3921.45	99.13
5	23.87	0.60	3945.32	99.73
6	2.36	0.06	3947.68	99.79
7	5.26	0.13	3952.94	99.92
8	2.30	0.06	3955.23	99.98
9	0.77	0.02	3956.00	100.00

ghb13b2a: 12/13 - P2 - P2K 15 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.96	1.16	45.96	1.16
-9	-9	1743.82	44.08	1789.78	45.24
Less than 1	0	183.97	4.65	1973.75	49.89
1	1	1071.58	27.09	3045.33	76.98
2	2	587.12	14.84	3632.44	91.82
3	3	225.46	5.70	3857.91	97.52
4	4	63.54	1.61	3921.45	99.13
5	5	23.87	0.60	3945.32	99.73
6 or more	6	10.68	0.27	3956.00	100.00

ghb13b1b: 12/13 - P2 - P2K 16 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	25.68	0.65	25.68	0.65
-9	1743.82	44.08	1769.50	44.73
0	23.68	0.60	1793.18	45.33
1	808.49	20.44	2601.68	65.77
2	779.69	19.71	3381.37	85.47
3	377.99	9.55	3759.36	95.03
4	129.68	3.28	3889.04	98.31

ghb13b1b: 12/13 - P2 - P2K 16 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	50.08	1.27	3939.12	99.57
6	10.22	0.26	3949.34	99.83
7	5.68	0.14	3955.01	99.98
8	0.99	0.02	3956.00	100.00

ghb13b1a: 12/13 - P2 - P2K 16 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.68	0.65	25.68	0.65
-9	-9	1743.82	44.08	1769.50	44.73
Less than 1	0	23.68	0.60	1793.18	45.33
1	1	808.49	20.44	2601.68	65.77
2	2	779.69	19.71	3381.37	85.47
3	3	377.99	9.55	3759.36	95.03
4	4	129.68	3.28	3889.04	98.31
5	5	50.08	1.27	3939.12	99.57
6 or more	6	16.88	0.43	3956.00	100.00

ghb14b2: 12/13 - P2 - P2K 17 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	43.17	1.09	43.17	1.09
-9	1743.82	44.08	1786.99	45.17
0	198.51	5.02	1985.50	50.19
1	278.62	7.04	2264.12	57.23
2	386.13	9.76	2650.26	66.99
3	389.32	9.84	3039.58	76.83
4	236.74	5.98	3276.32	82.82
5	338.27	8.55	3614.59	91.37
6	131.44	3.32	3746.04	94.69
7	209.96	5.31	3956.00	100.00

ghb15b5: 12/13 - P2 - P2K 21 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.22	0.46	18.22	0.46
-9	-9	1743.82	44.08	1762.05	44.54
Yes	1	305.65	7.73	2067.70	52.27
No	2	1888.30	47.73	3956.00	100.00

ghb15b1: 12/13 - P2 - P2K 21/22 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.29	0.82	32.29	0.82
-9	-9	1743.82	44.08	1776.12	44.90
Do not smoke at all	1	1888.30	47.73	3664.42	92.63
Less than once a day	2	18.18	0.46	3682.60	93.09
At least once a day	3	273.40	6.91	3956.00	100.00

ghb15b7: 12/13 - P2 - P2K 22 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.75	0.65	25.75	0.65
-9	-9	1743.82	44.08	1769.57	44.73
Yes	1	273.99	6.93	2043.56	51.66
No	2	1912.44	48.34	3956.00	100.00

ghb15b8: 12/13 - P2 - P2K 22/23 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	64.73	1.64	64.73	1.64
-9	-9	3632.12	91.81	3696.86	93.45
1 to 5 per day	2	48.28	1.22	3745.14	94.67
6 to 10 per day	3	59.26	1.50	3804.40	96.17
11 to 20 per day	4	105.72	2.67	3910.12	98.84
More than 20 per day	5	45.88	1.16	3956.00	100.00

ghb16b2: 12/13 - P2 - P2K 24 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.77	0.45	17.77	0.45
-9	-9	1743.82	44.08	1761.59	44.53
Never	0	230.59	5.83	1992.18	50.36
Not in the last year	1	36.24	0.92	2028.41	51.27
Monthly or less	2	316.43	8.00	2344.84	59.27
2 to 3 times a month	3	247.42	6.25	2592.26	65.53
Once a week	4	263.41	6.66	2855.66	72.19
2 to 3 times a week	5	559.53	14.14	3415.20	86.33
4 to 6 times a week	6	358.69	9.07	3773.88	95.40
Everyday	7	182.12	4.60	3956.00	100.00

ghb16b3: 12/13 - P2 - P2K 25 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.98	0.83	32.98	0.83
-9	-9	1974.41	49.91	2007.39	50.74
1 or 2	1	1029.07	26.01	3036.46	76.76
3 or 4	2	631.44	15.96	3667.90	92.72
5 or 6	3	233.45	5.90	3901.35	98.62
7 to 10	4	46.11	1.17	3947.46	99.78
11 or more	5	8.54	0.22	3956.00	100.00

ghb16b7: 12/13 - P2 - P2K 26 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.99	0.88	34.99	0.88
-9	-9	1974.41	49.91	2009.40	50.79
Everyday	1	28.47	0.72	2037.86	51.51
4-6 times a week	2	42.03	1.06	2079.89	52.58
2-3 times a week	3	137.51	3.48	2217.41	56.05
Once a week	4	240.86	6.09	2458.26	62.14
2-3 times a month	5	175.33	4.43	2633.59	66.57

ghb16b7: 12/13 - P2 - P2K 26 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	6	774.73	19.58	3408.32	86.16
Never	7	547.68	13.84	3956.00	100.00

ghb16b8: 12/13 - P2 - P2K 27 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	86.37	2.18	86.37	2.18
-9	-9	1974.41	49.91	2060.78	52.09
Everyday	1	6.07	0.15	2066.85	52.25
4-6 times a week	2	9.62	0.24	2076.47	52.49
2-3 times a week	3	58.21	1.47	2134.68	53.96
Once a week	4	119.74	3.03	2254.42	56.99
2-3 times a month	5	104.22	2.63	2358.64	59.62
Monthly or less	6	651.46	16.47	3010.10	76.09
Never	7	945.90	23.91	3956.00	100.00

ghb16b5a: 12/13 - P2 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	317.43	8.02	317.43	8.02
-9	-9	1743.82	44.08	2061.25	52.10
Everyday	1	6.07	0.15	2067.33	52.26
4-6 times a week	2	10.61	0.27	2077.93	52.53
2-3 times a week	3	60.96	1.54	2138.89	54.07
Once a week	4	125.66	3.18	2264.55	57.24
2-3 times a month	5	108.05	2.73	2372.60	59.97
Monthly or less	6	661.63	16.72	3034.23	76.70
Never	7	921.77	23.30	3956.00	100.00

ghb16b5: 12/13 - P2 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	317.43	8.02	317.43	8.02
-9	-9	2665.59	67.38	2983.02	75.41
Everyday	1	6.07	0.15	2989.10	75.56
4-6 times a week	2	10.61	0.27	2999.70	75.83
2-3 times a week	3	60.96	1.54	3060.66	77.37
Once a week	4	125.66	3.18	3186.32	80.54
2-3 times a month	5	108.05	2.73	3294.37	83.28
Monthly or less	6	661.63	16.72	3956.00	100.00

gbavdac: 12/13 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.70	0.70	27.70	0.70
-9	1743.82	44.08	1771.52	44.78
0	858.03	21.69	2629.55	66.47
0.5	429.69	10.86	3059.24	77.33
1	215.77	5.45	3275.01	82.79
1.5	287.21	7.26	3562.22	90.05

gbavdac: 12/13 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	73.68	1.86	3635.90	91.91
2.5	133.55	3.38	3769.45	95.28
3	16.04	0.41	3785.48	95.69
3.5	61.14	1.55	3846.62	97.24
4	42.53	1.08	3889.15	98.31
4.5	2.53	0.06	3891.68	98.37
5.5	42.92	1.08	3934.60	99.46
6.5	10.31	0.26	3944.90	99.72
8.5	8.63	0.22	3953.54	99.94
12	2.46	0.06	3956.00	100.00

gbalcgp: 12/13 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.12	0.48	19.12	0.48
-9	-9	1743.82	44.08	1762.94	44.56
Abstain not in the last year	1	266.82	6.74	2029.76	51.31
Occasional less than monthly	2	316.43	8.00	2346.19	59.31
Light <2 drinks/day men, <1 women	3	1194.78	30.20	3540.97	89.51
Moderate >=2 to <4 men, >=1 to <2 women	4	299.32	7.57	3840.29	97.08
Hazardous >=4 to <6 men, >=2 and <4 women	5	92.81	2.35	3933.09	99.42
Harmful >=6 men, >=4 women	6	22.91	0.58	3956.00	100.00

gbhvdac: 12/13 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.70	0.70	27.70	0.70
-9	-9	1743.82	44.08	1771.52	44.78
Yes	1	115.71	2.92	1887.24	47.71
No	2	2068.76	52.29	3956.00	100.00

gbbbinge: 12/13 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.96	0.56	21.96	0.56
-9	-9	1743.82	44.08	1765.78	44.64
Yes	1	311.35	7.87	2077.12	52.51
No	2	1878.88	47.49	3956.00	100.00

gbalcp: 12/13 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	28.55	0.72	28.55	0.72
-9	-9	1743.82	44.08	1772.37	44.80
Yes	1	323.35	8.17	2095.72	52.98
No	2	1860.28	47.02	3956.00	100.00

ghb13m2b: 12/13 - M - CASI H7.1+P2K 15 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.30	0.36	14.30	0.36
-9	246.50	6.23	260.80	6.59
-3	11.62	0.29	272.43	6.89
0	268.67	6.79	541.10	13.68
1	1671.26	42.25	2212.37	55.92
2	1222.94	30.91	3435.31	86.84
3	371.05	9.38	3806.36	96.22
4	90.90	2.30	3897.26	98.52
5	45.76	1.16	3943.02	99.67
6	7.22	0.18	3950.24	99.85
7	0.86	0.02	3951.10	99.88
8	2.88	0.07	3953.99	99.95
10	2.01	0.05	3956.00	100.00

ghb13m2a: 12/13 - M - CASI H7.1+P2K 15 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.30	0.36	14.30	0.36
-9	-9	246.50	6.23	260.80	6.59
-3	-3	11.62	0.29	272.43	6.89
Less than 1	0	268.67	6.79	541.10	13.68
1	1	1671.26	42.25	2212.37	55.92
2	2	1222.94	30.91	3435.31	86.84
3	3	371.05	9.38	3806.36	96.22
4	4	90.90	2.30	3897.26	98.52
5	5	45.76	1.16	3943.02	99.67
6 or more	6	12.98	0.33	3956.00	100.00

ghb13m1b: 12/13 - M - CASI H7.2+P2K 16 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.30	0.29	11.30	0.29
-9	246.50	6.23	257.80	6.52
-3	9.52	0.24	267.32	6.76
0	28.24	0.71	295.57	7.47
1	950.18	24.02	1245.75	31.49
2	1105.24	27.94	2350.99	59.43
3	883.93	22.34	3234.92	81.77
4	428.60	10.83	3663.52	92.61
5	209.60	5.30	3873.12	97.90
6	53.55	1.35	3926.67	99.26
7	14.33	0.36	3941.00	99.62
8	5.66	0.14	3946.66	99.76
9	1.54	0.04	3948.19	99.80
10	2.70	0.07	3950.90	99.87
12	5.10	0.13	3956.00	100.00

ghb13m1a: 12/13 - M - CASI H7.2+P2K 16 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.30	0.29	11.30	0.29
-9	-9	246.50	6.23	257.80	6.52
-3	-3	9.52	0.24	267.32	6.76
Less than 1	0	28.24	0.71	295.57	7.47
1	1	950.18	24.02	1245.75	31.49
2	2	1105.24	27.94	2350.99	59.43
3	3	883.93	22.34	3234.92	81.77
4	4	428.60	10.83	3663.52	92.61
5	5	209.60	5.30	3873.12	97.90
6 or more	6	82.88	2.10	3956.00	100.00

ghb14m2: 12/13 - M - CASI H7.3+P2K 17 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.01	0.35	14.01	0.35
-9	246.50	6.23	260.51	6.59
-3	9.96	0.25	270.46	6.84
0	493.79	12.48	764.25	19.32
1	501.47	12.68	1265.71	31.99
2	629.78	15.92	1895.49	47.91
3	714.22	18.05	2609.71	65.97
4	444.94	11.25	3054.65	77.22
5	482.27	12.19	3536.92	89.41
6	175.41	4.43	3712.33	93.84
7	243.67	6.16	3956.00	100.00

ghb15m1: 12/13 - M - CASI H8.1/H8.2+P2K 21/22 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.11	0.26	10.11	0.26
-9	-9	246.50	6.23	256.61	6.49
-3	-3	7.93	0.20	264.54	6.69
Do not smoke at all	1	3016.81	76.26	3281.36	82.95
Less than once a day	2	75.28	1.90	3356.64	84.85
At least once a day	3	599.36	15.15	3956.00	100.00

ghb15m5: 12/13 - M - CASI H8.1+P2K 21 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.11	0.26	10.11	0.26
-9	-9	246.50	6.23	256.61	6.49
-3	-3	7.93	0.20	264.54	6.69
Yes	1	674.64	17.05	939.19	23.74
No	2	3016.81	76.26	3956.00	100.00

ghb15m7: 12/13 - M - CASI H8.2+P2K 22 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.11	0.26	10.11	0.26
-9	-9	254.43	6.43	264.54	6.69
Yes	1	599.36	15.15	863.90	21.84
No	2	3092.10	78.16	3956.00	100.00

ghb15m8: 12/13 - M - CASI H8.3+P2K 22/23 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.31	0.29	11.31	0.29
-9	-9	3345.33	84.56	3356.64	84.85
1 to 5 per day	2	97.48	2.46	3454.12	87.31
6 to 10 per day	3	188.16	4.76	3642.28	92.07
11 to 20 per day	4	246.09	6.22	3888.37	98.29
More than 20 per day	5	67.63	1.71	3956.00	100.00

ghb16m2: 12/13 - M - CASI H9.1+P2K 24 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.42	0.29	11.42	0.29
-9	-9	246.50	6.23	257.92	6.52
-3	-3	7.12	0.18	265.04	6.70
Never	0	618.77	15.64	883.81	22.34
Not in the last year	1	171.18	4.33	1054.99	26.67
Monthly or less	2	911.18	23.03	1966.17	49.70
2 to 3 times a month	3	425.35	10.75	2391.52	60.45
Once a week	4	429.87	10.87	2821.39	71.32
2 to 3 times a week	5	696.51	17.61	3517.91	88.93
4 to 6 times a week	6	333.68	8.43	3851.58	97.36
Everyday	7	104.42	2.64	3956.00	100.00

ghb16m3: 12/13 - M - CASI H9.2+P2K 25 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.64	0.32	12.64	0.32
-9	-9	866.45	21.90	879.09	22.22
-3	-3	8.92	0.23	888.00	22.45
1 or 2	1	2155.56	54.49	3043.56	76.94
3 or 4	2	699.53	17.68	3743.09	94.62
5 or 6	3	168.75	4.27	3911.84	98.88
7 to 10	4	38.08	0.96	3949.92	99.85
11 or more	5	6.08	0.15	3956.00	100.00

ghb16m7: 12/13 - M - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.64	0.32	12.64	0.32
-9	-9	875.37	22.13	888.00	22.45
Everyday	1	17.47	0.44	905.47	22.89
4-6 times a week	2	13.15	0.33	918.63	23.22
2-3 times a week	3	55.15	1.39	973.78	24.62

ghb16m7: 12/13 - M - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	4	190.10	4.81	1163.88	29.42
2-3 times a month	5	159.13	4.02	1323.01	33.44
Monthly or less	6	1021.32	25.82	2344.32	59.26
Never	7	1611.68	40.74	3956.00	100.00

ghb16m8: 12/13 - M - CASI H9.4+P2K 27 - Freq binge drinking (v4) >6 std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.34	0.34	13.34	0.34
-9	-9	875.56	22.13	888.90	22.47
-3	-3	5.97	0.15	894.87	22.62
Everyday	1	5.84	0.15	900.71	22.77
4-6 times a week	2	3.82	0.10	904.53	22.86
2-3 times a week	3	19.23	0.49	923.76	23.35
Once a week	4	72.72	1.84	996.48	25.19
2-3 times a month	5	92.04	2.33	1088.52	27.52
Monthly or less	6	636.14	16.08	1724.66	43.60
Never	7	2231.34	56.40	3956.00	100.00

ghb16m5a: 12/13 - M - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	175.39	4.43	175.39	4.43
-9	-9	712.62	18.01	888.00	22.45
-3	-3	5.97	0.15	893.97	22.60
Everyday	1	17.47	0.44	911.44	23.04
4-6 times a week	2	13.15	0.33	924.59	23.37
2-3 times a week	3	55.15	1.39	979.75	24.77
Once a week	4	188.41	4.76	1168.16	29.53
2-3 times a month	5	159.13	4.02	1327.29	33.55
Monthly or less	6	1017.03	25.71	2344.32	59.26
Never	7	1611.68	40.74	3956.00	100.00

ghb16m5: 12/13 - M - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.13	1.04	41.13	1.04
-9	-9	2458.56	62.15	2499.68	63.19
Everyday	1	17.47	0.44	2517.15	63.63
4-6 times a week	2	13.15	0.33	2530.30	63.96
2-3 times a week	3	55.15	1.39	2585.46	65.36
Once a week	4	190.10	4.81	2775.55	70.16
2-3 times a month	5	159.13	4.02	2934.68	74.18
Monthly or less	6	1021.32	25.82	3956.00	100.00

gmavdac: 12/13 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	145.45	3.68	145.45	3.68
-9	122.33	3.09	267.79	6.77
0	2244.18	56.73	2511.97	63.50
0.5	713.78	18.04	3225.75	81.54
1	295.31	7.46	3521.05	89.01
1.5	258.84	6.54	3779.89	95.55
2	29.70	0.75	3809.59	96.30
2.5	79.50	2.01	3889.09	98.31
3	2.90	0.07	3891.99	98.38
3.5	35.86	0.91	3927.85	99.29
4	16.61	0.42	3944.46	99.71
5.5	7.17	0.18	3951.62	99.89
8.5	3.30	0.08	3954.93	99.97
12	1.07	0.03	3956.00	100.00

gmalcgp: 12/13 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	143.51	3.63	143.51	3.63
-9	-9	122.33	3.09	265.85	6.72
Abstain not in the last year	1	789.95	19.97	1055.80	26.69
Occasional less than monthly	2	911.18	23.03	1966.98	49.72
Light <2 drinks/day men, <1 women	3	1306.06	33.01	3273.04	82.74
Moderate >=2 to <4 men, >=1 to <2 women	4	506.85	12.81	3779.89	95.55
Hazardous >=4 to <6 men, >=2 and <4 women	5	147.96	3.74	3927.85	99.29
Harmful >=6 men, >=4 women	6	28.15	0.71	3956.00	100.00

gmhvdac: 12/13 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.18	0.31	12.18	0.31
-9	-9	255.61	6.46	267.79	6.77
Yes	1	176.11	4.45	443.90	11.22
No	2	3512.10	88.78	3956.00	100.00

gmbinge: 12/13 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.87	0.27	10.87	0.27
-9	-9	255.61	6.46	266.48	6.74
Yes	1	432.06	10.92	698.55	17.66
No	2	3257.45	82.34	3956.00	100.00

gmalcp: 12/13 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	12.18	0.31	12.18	0.31
-9	-9	255.61	6.46	267.79	6.77
Yes	1	473.77	11.98	741.56	18.75
No	2	3214.44	81.25	3956.00	100.00

ghb13f2b: 12/13 - F - CASI H7.1+P2K 15 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	66.40	1.68	66.40	1.68
-9	1616.49	40.86	1682.89	42.54
-3	0.86	0.02	1683.75	42.56
0	212.75	5.38	1896.50	47.94
1	1121.04	28.34	3017.54	76.28
2	601.15	15.20	3618.69	91.47
3	236.42	5.98	3855.10	97.45
4	63.33	1.60	3918.44	99.05
5	26.46	0.67	3944.89	99.72
6	2.36	0.06	3947.25	99.78
7	5.69	0.14	3952.94	99.92
8	2.30	0.06	3955.23	99.98
9	0.77	0.02	3956.00	100.00

ghb13f2a: 12/13 - F - CASI H7.1+P2K 15 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	66.40	1.68	66.40	1.68
-9	-9	1616.49	40.86	1682.89	42.54
-3	-3	0.86	0.02	1683.75	42.56
Less than 1	0	212.75	5.38	1896.50	47.94
1	1	1121.04	28.34	3017.54	76.28
2	2	601.15	15.20	3618.69	91.47
3	3	236.42	5.98	3855.10	97.45
4	4	63.33	1.60	3918.44	99.05
5	5	26.46	0.67	3944.89	99.72
6 or more	6	11.11	0.28	3956.00	100.00

ghb13f1b: 12/13 - F - CASI H7.2+P2K 16 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	49.13	1.24	49.13	1.24
-9	1616.49	40.86	1665.62	42.10
0	30.81	0.78	1696.43	42.88
1	864.35	21.85	2560.78	64.73
2	805.44	20.36	3366.22	85.09
3	387.85	9.80	3754.07	94.90
4	138.45	3.50	3892.52	98.40
5	51.42	1.30	3943.93	99.69
6	6.66	0.17	3950.59	99.86

ghb13f1b: 12/13 - F - CASI H7.2+P2K 16 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7	4.42	0.11	3955.01	99.98
8	0.99	0.02	3956.00	100.00

ghb13f1a: 12/13 - F - CASI H7.2+P2K 16 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.13	1.24	49.13	1.24
-9	-9	1616.49	40.86	1665.62	42.10
Less than 1	0	30.81	0.78	1696.43	42.88
1	1	864.35	21.85	2560.78	64.73
2	2	805.44	20.36	3366.22	85.09
3	3	387.85	9.80	3754.07	94.90
4	4	138.45	3.50	3892.52	98.40
5	5	51.42	1.30	3943.93	99.69
6 or more	6	12.07	0.31	3956.00	100.00

ghb14f2: 12/13 - F - CASI H7.3+P2K 17 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	63.91	1.62	63.91	1.62
-9	1616.49	40.86	1680.40	42.48
0	209.46	5.29	1889.85	47.77
1	296.37	7.49	2186.22	55.26
2	399.77	10.11	2585.99	65.37
3	401.22	10.14	2987.21	75.51
4	253.31	6.40	3240.52	81.91
5	355.02	8.97	3595.54	90.89
6	137.46	3.47	3733.00	94.36
7	223.00	5.64	3956.00	100.00

ghb15f1: 12/13 - F - CASI H8.1/H8.2+P2K 21/22 - Current cigarette smoking --Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.93	1.44	56.93	1.44
-9	-9	1616.49	40.86	1673.42	42.30
Do not smoke at all	1	1952.37	49.35	3625.79	91.65
Less than once a day	2	27.80	0.70	3653.59	92.36
At least once a day	3	302.41	7.64	3956.00	100.00

ghb15f5: 12/13 - F - CASI H8.1+P2K 21 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.86	1.08	42.86	1.08
-9	-9	1616.49	40.86	1659.35	41.95
Yes	1	344.28	8.70	2003.63	50.65
No	2	1952.37	49.35	3956.00	100.00

ghb15f7: 12/13 - F - CASI H8.2+P2K 22 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	50.38	1.27	50.38	1.27
-9	-9	1616.49	40.86	1666.87	42.14
Yes	1	303.01	7.66	1969.88	49.79
No	2	1986.12	50.21	3956.00	100.00

ghb15f8: 12/13 - F - CASI H8.3+P2K 22/23 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	88.17	2.23	88.17	2.23
-9	-9	3579.68	90.49	3667.84	92.72
1 to 5 per day	2	44.45	1.12	3712.29	93.84
6 to 10 per day	3	66.99	1.69	3779.29	95.53
11 to 20 per day	4	120.19	3.04	3899.48	98.57
More than 20 per day	5	56.52	1.43	3956.00	100.00

ghb16f2: 12/13 - F - CASI H9.1+P2K 24 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.10	1.04	41.10	1.04
-9	-9	1616.49	40.86	1657.58	41.90
Never	0	224.88	5.68	1882.47	47.59
Not in the last year	1	42.80	1.08	1925.26	48.67
Monthly or less	2	336.87	8.52	2262.13	57.18
2 to 3 times a month	3	267.57	6.76	2529.70	63.95
Once a week	4	281.57	7.12	2811.27	71.06
2 to 3 times a week	5	576.61	14.58	3387.88	85.64
4 to 6 times a week	6	376.69	9.52	3764.57	95.16
Everyday	7	191.43	4.84	3956.00	100.00

ghb16f3: 12/13 - F - CASI H9.2+P2K 25 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	53.92	1.36	53.92	1.36
-9	-9	1841.37	46.55	1895.29	47.91
1 or 2	1	1068.30	27.00	2963.59	74.91
3 or 4	2	668.94	16.91	3632.52	91.82
5 or 6	3	259.62	6.56	3892.14	98.39
7 to 10	4	54.05	1.37	3946.19	99.75
11 or more	5	9.81	0.25	3956.00	100.00

ghb16f7: 12/13 - F - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.92	1.41	55.92	1.41
-9	-9	1841.37	46.55	1897.29	47.96
Everyday	1	35.05	0.89	1932.34	48.85
4-6 times a week	2	43.80	1.11	1976.13	49.95
2-3 times a week	3	145.36	3.67	2121.49	53.63
Once a week	4	263.22	6.65	2384.71	60.28
2-3 times a month	5	185.94	4.70	2570.65	64.98

ghb16f7: 12/13 - F - CASI H9.3+P2K 25 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	6	812.67	20.54	3383.32	85.52
Never	7	572.68	14.48	3956.00	100.00

ghb16f8: 12/13 - F - CASI H9.4+P2K 27 - Freq binge drinking (v4) - >6 std drinks at once

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	107.77	2.72	107.77	2.72
-9	-9	1841.37	46.55	1949.15	49.27
-3	-3	1.62	0.04	1950.77	49.31
Everyday	1	10.27	0.26	1961.03	49.57
4-6 times a week	2	10.80	0.27	1971.84	49.84
2-3 times a week	3	61.62	1.56	2033.45	51.40
Once a week	4	140.60	3.55	2174.05	54.96
2-3 times a month	5	112.63	2.85	2286.68	57.80
Monthly or less	6	684.74	17.31	2971.42	75.11
Never	7	984.58	24.89	3956.00	100.00

ghb16f5a: 12/13 - F - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	319.26	8.07	319.26	8.07
-9	-9	1629.89	41.20	1949.15	49.27
-3	-3	1.62	0.04	1950.77	49.31
Everyday	1	10.27	0.26	1961.03	49.57
4-6 times a week	2	10.80	0.27	1971.84	49.84
2-3 times a week	3	61.62	1.56	2033.45	51.40
Once a week	4	140.60	3.55	2174.05	54.96
2-3 times a month	5	112.63	2.85	2286.68	57.80
Monthly or less	6	684.74	17.31	2971.42	75.11
Never	7	984.58	24.89	3956.00	100.00

ghb16f5: 12/13 - F - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	307.26	7.77	307.26	7.77
-9	-9	2628.08	66.43	2935.34	74.20
Everyday	1	10.27	0.26	2945.61	74.46
4-6 times a week	2	10.80	0.27	2956.41	74.73
2-3 times a week	3	61.62	1.56	3018.03	76.29
Once a week	4	140.60	3.55	3158.63	79.84
2-3 times a month	5	112.63	2.85	3271.26	82.69
Monthly or less	6	684.74	17.31	3956.00	100.00

gfavdac: 12/13 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.09	1.54	61.09	1.54
-9	1604.49	40.56	1665.58	42.10
0	892.07	22.55	2557.66	64.65
0.5	450.31	11.38	3007.97	76.04

gfavdac: 12/13 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	228.88	5.79	3236.85	81.82
1.5	297.59	7.52	3534.44	89.34
2	78.52	1.98	3612.96	91.33
2.5	143.65	3.63	3756.60	94.96
3	16.54	0.42	3773.14	95.38
3.5	62.41	1.58	3835.56	96.96
4	45.38	1.15	3880.94	98.10
4.5	2.53	0.06	3883.46	98.17
5.5	47.81	1.21	3931.27	99.37
6.5	10.31	0.26	3941.58	99.64
8.5	10.69	0.27	3952.27	99.91
12	3.73	0.09	3956.00	100.00

gfalcgp: 12/13 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	54.44	1.38	54.44	1.38
-9	-9	1604.49	40.56	1658.94	41.93
Abstain not in the last year	1	267.68	6.77	1926.61	48.70
Occasional less than monthly	2	336.87	8.52	2263.48	57.22
Light <2 drinks/day men, <1 women	3	1270.96	32.13	3534.44	89.34
Moderate >=2 to <4 men, >=1 to <2 women	4	301.12	7.61	3835.56	96.96
Hazardous >=4 to <6 men, >=2 and <4 women	5	95.71	2.42	3931.27	99.37
Harmful >=6 men, >=4 women	6	24.73	0.63	3956.00	100.00

gfhvdac: 12/13 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.09	1.24	49.09	1.24
-9	-9	1616.49	40.86	1665.58	42.10
Yes	1	120.44	3.04	1786.02	45.15
No	2	2169.98	54.85	3956.00	100.00

gfbinge: 12/13 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.65	1.13	44.65	1.13
-9	-9	1616.49	40.86	1661.14	41.99
Yes	1	395.98	10.01	2057.12	52.00
No	2	1898.88	48.00	3956.00	100.00

gfalcp: 12/13 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	49.94	1.26	49.94	1.26
-9	-9	1616.49	40.86	1666.42	42.12
Yes	1	407.60	10.30	2074.03	52.43
No	2	1881.97	47.57	3956.00	100.00