

04 Health behaviour and risk factors

fhb13a2b: 10/11 - P1 - CASI H5.2 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.48	3.39	127.48	3.39
0	205.48	5.46	332.95	8.85
1	1590.63	42.26	1923.59	51.10
2	1235.36	32.82	3158.94	83.93
3	443.69	11.79	3602.64	95.71
4	106.71	2.84	3709.35	98.55
5	42.05	1.12	3751.40	99.67
6	9.99	0.27	3761.40	99.93
8	2.22	0.06	3763.62	99.99
10	0.38	0.01	3764.00	100.00

fhb13a2a: 10/11 - P1 - CASI H5.2 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.48	3.39	127.48	3.39
Less than 1	0	205.48	5.46	332.95	8.85
1	1	1590.63	42.26	1923.59	51.10
2	2	1235.36	32.82	3158.94	83.93
3	3	443.69	11.79	3602.64	95.71
4	4	106.71	2.84	3709.35	98.55
5	5	42.05	1.12	3751.40	99.67
6 or more	6	12.60	0.33	3764.00	100.00

fhb13a1b: 10/11 - P1 - CASI H5.3 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.48	3.39	127.48	3.39
-3	2.10	0.06	129.58	3.44
0	30.74	0.82	160.32	4.26
1	897.94	23.86	1058.26	28.12
2	1104.76	29.35	2163.01	57.47
3	872.15	23.17	3035.17	80.64
4	437.72	11.63	3472.89	92.27
5	209.97	5.58	3682.85	97.84
6	57.60	1.53	3740.46	99.37
7	8.97	0.24	3749.43	99.61
8	10.10	0.27	3759.53	99.88
9	0.87	0.02	3760.41	99.90
10	1.44	0.04	3761.84	99.94
11	0.87	0.02	3762.71	99.97
12	0.63	0.02	3763.35	99.98
15	0.65	0.02	3764.00	100.00

fhb13a1a: 10/11 - P1 - CASI H5.3 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.48	3.39	127.48	3.39
-3	-3	2.10	0.06	129.58	3.44
Less than 1	0	30.74	0.82	160.32	4.26
1	1	897.94	23.86	1058.26	28.12
2	2	1104.76	29.35	2163.01	57.47
3	3	872.15	23.17	3035.17	80.64
4	4	437.72	11.63	3472.89	92.27
5	5	209.97	5.58	3682.85	97.84
6 or more	6	81.15	2.16	3764.00	100.00

fhb14a2: 10/11 - P1 - CASI H5.4 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.48	3.39	127.48	3.39
-3	4.28	0.11	131.76	3.50
0	353.72	9.40	485.48	12.90
1	528.53	14.04	1014.01	26.94
2	666.66	17.71	1680.67	44.65
3	705.99	18.76	2386.66	63.41
4	482.27	12.81	2868.93	76.22
5	496.63	13.19	3365.56	89.41
6	179.34	4.76	3544.90	94.18
7	219.10	5.82	3764.00	100.00

fhb15a1: 10/11 - P1 - CASI H6.1/H6.2 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	128.34	3.41	128.34	3.41
Do not smoke at all	1	3024.33	80.35	3152.67	83.76
Less than once a day	2	70.30	1.87	3222.97	85.63
At least once a day	3	541.03	14.37	3764.00	100.00

fhb15a5: 10/11 - P1 - CASI H6.1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	128.34	3.41	128.34	3.41
Yes	1	611.33	16.24	739.67	19.65
No	2	3024.33	80.35	3764.00	100.00

fhb15a7: 10/11 - P1 - CASI H6.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	128.34	3.41	128.34	3.41
Yes	1	541.03	14.37	669.37	17.78
No	2	3094.63	82.22	3764.00	100.00

fhb15a8: 10/11 - P1 - CASI H6.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3222.97	85.63	3222.97	85.63
1 to 5 per day	2	100.54	2.67	3323.52	88.30
6 to 10 per day	3	210.11	5.58	3533.63	93.88
11 to 20 per day	4	189.11	5.02	3722.73	98.90
More than 20 per day	5	41.27	1.10	3764.00	100.00

fhb15a4b: 10/11 - P1 - CASI H6.4 - No. residents smoke inside

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	276.29	7.34	276.29	7.34
-3	4.86	0.13	281.15	7.47
0	3158.25	83.91	3439.40	91.38
1	204.15	5.42	3643.55	96.80
2	109.07	2.90	3752.62	99.70
3	6.74	0.18	3759.36	99.88
4	1.49	0.04	3760.85	99.92
6	3.15	0.08	3764.00	100.00

fhb15a4a: 10/11 - P1 - CASI H6.4 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	276.29	7.34	276.29	7.34
-3	-3	4.86	0.13	281.15	7.47
None	0	3158.25	83.91	3439.40	91.38
1	1	204.15	5.42	3643.55	96.80
2	2	109.07	2.90	3752.62	99.70
3	3	6.74	0.18	3759.36	99.88
4	4	1.49	0.04	3760.85	99.92
5 or more	5	3.15	0.08	3764.00	100.00

fhb16a2: 10/11 - P1 - CASI H6.5 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	128.34	3.41	128.34	3.41
-3	-3	2.36	0.06	130.70	3.47
Never	0	560.38	14.89	691.08	18.36
Not in the last year	1	205.87	5.47	896.95	23.83
Monthly or less	2	906.85	24.09	1803.80	47.92
2 to 3 times a month	3	434.31	11.54	2238.11	59.46
Once a week	4	455.94	12.11	2694.05	71.57
2 to 3 times a week	5	678.87	18.04	3372.92	89.61
4 to 6 times a week	6	315.56	8.38	3688.48	97.99
Everyday	7	75.52	2.01	3764.00	100.00

fhb16a3: 10/11 - P1 - CASI H6.6 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	688.72	18.30	688.72	18.30
-3	-3	10.15	0.27	698.87	18.57
1 or 2	1	2080.98	55.29	2779.85	73.85
3 or 4	2	746.35	19.83	3526.20	93.68
5 or 6	3	193.67	5.15	3719.87	98.83
7 to 10	4	34.39	0.91	3754.26	99.74
11 or more	5	9.74	0.26	3764.00	100.00

fhb16a7: 10/11 - P1 - CASI H6.7 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	698.87	18.57	698.87	18.57
Everyday	1	10.80	0.29	709.68	18.85
4-6 times a week	2	16.02	0.43	725.69	19.28
2-3 times a week	3	54.53	1.45	780.22	20.73
Once a week	4	180.01	4.78	960.23	25.51
2-3 times a month	5	200.60	5.33	1160.83	30.84
Monthly or less	6	1098.07	29.17	2258.90	60.01
Never	7	1505.10	39.99	3764.00	100.00

fhb16a8: 10/11 - P1 - CASI H6.8 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.21	19.11	719.21	19.11
Everyday	1	3.91	0.10	723.12	19.21
4-6 times a week	2	3.32	0.09	726.44	19.30
2-3 times a week	3	21.86	0.58	748.30	19.88
Once a week	4	79.22	2.10	827.52	21.99
2-3 times a month	5	72.86	1.94	900.38	23.92
Monthly or less	6	660.81	17.56	1561.19	41.48
Never	7	2202.81	58.52	3764.00	100.00

fhb16a5a: 10/11 - P1 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	699.01	18.57	699.01	18.57
-3	-3	2.36	0.06	701.37	18.63
Everyday	1	9.90	0.26	711.27	18.90
4-6 times a week	2	16.02	0.43	727.29	19.32
2-3 times a week	3	53.88	1.43	781.17	20.75
Once a week	4	171.99	4.57	953.16	25.32
2-3 times a month	5	194.56	5.17	1147.72	30.49
Monthly or less	6	1080.25	28.70	2227.97	59.19
Never	7	1536.03	40.81	3764.00	100.00

fhb16a5: 10/11 - P1 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2235.05	59.38	2235.05	59.38
-3	-3	2.36	0.06	2237.41	59.44
Everyday	1	9.90	0.26	2247.31	59.71
4-6 times a week	2	16.02	0.43	2263.33	60.13
2-3 times a week	3	53.88	1.43	2317.20	61.56
Once a week	4	171.99	4.57	2489.19	66.13
2-3 times a month	5	194.56	5.17	2683.75	71.30
Monthly or less	6	1080.25	28.70	3764.00	100.00

faavdac: 10/11 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	133.20	3.54	133.20	3.54
0	2209.79	58.71	2343.00	62.25
0.5	730.39	19.40	3073.39	81.65
1	275.68	7.32	3349.07	88.98
1.5	238.99	6.35	3588.06	95.33
2	37.10	0.99	3625.16	96.31
2.5	81.37	2.16	3706.52	98.47
3	4.49	0.12	3711.02	98.59
3.5	18.36	0.49	3729.38	99.08
4	16.90	0.45	3746.28	99.53
4.5	3.10	0.08	3749.38	99.61
5.5	6.18	0.16	3755.57	99.78
6.5	1.96	0.05	3757.53	99.83
8.5	6.47	0.17	3764.00	100.00

faalcgp: 10/11 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	128.34	3.41	128.34	3.41
-3	-3	2.36	0.06	130.70	3.47
Abstain not in the last year	1	766.25	20.36	896.95	23.83
Occasional less than monthly	2	906.85	24.09	1803.80	47.92
Light <2 drinks/day men, <1 women	3	1348.37	35.82	3152.17	83.75
Moderate >=2 to <4 men, >=1 to <2 women	4	447.21	11.88	3599.38	95.63
Hazardous >=4 to <6 men, >=2 and <4 women	5	132.95	3.53	3732.33	99.16
Harmful >=6 men, >=4 women	6	31.67	0.84	3764.00	100.00

fahvdac: 10/11 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.20	3.54	133.20	3.54
Yes	1	164.62	4.37	297.83	7.91
No	2	3466.17	92.09	3764.00	100.00

fabinge: 10/11 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	133.34	3.54	133.34	3.54
-3	-3	2.36	0.06	135.70	3.61
Yes	1	445.48	11.84	581.18	15.44
No	2	3182.82	84.56	3764.00	100.00

faalcp: 10/11 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	135.70	3.61	135.70	3.61
Yes	1	472.02	12.54	607.72	16.15
No	2	3156.28	83.85	3764.00	100.00

fhb23c: 10/11 - F2F J13.1+W2-5 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4.68	0.12	4.68	0.12
Yes	1	2372.82	63.04	2377.50	63.16
No	2	1386.50	36.84	3764.00	100.00

fhb23c1: 10/11 - F2F J13.1.1+W2-5 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4.68	0.12	4.68	0.12
No	0	1907.33	50.67	1912.01	50.80
Yes	1	1851.99	49.20	3764.00	100.00

fhb23c4: 10/11 - F2F J13.1.2+W2-5 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4.68	0.12	4.68	0.12
No	0	3115.29	82.77	3119.97	82.89
Yes	1	644.03	17.11	3764.00	100.00

fhb23c5: 10/11 - F2F J13.1.3/4+W5 - Had braces or other dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	14.82	0.39	14.82	0.39
No	0	3243.10	86.16	3257.93	86.55
Yes	1	506.07	13.45	3764.00	100.00

fhb23c2: 10/11 - F2F J13.2.1+W2-5 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4.68	0.12	4.68	0.12
No	0	2137.49	56.79	2142.17	56.91
Yes	1	1621.83	43.09	3764.00	100.00

fhb23c3: 10/11 - F2F J13.2.2+W2-5 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	4.68	0.12	4.68	0.12
No	0	3292.62	87.48	3297.30	87.60
Yes	1	466.70	12.40	3764.00	100.00

fhb23c7: 10/11 - F2F J13.2.3+W5 - No treatment as a result of cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	42.36	1.13	42.36	1.13
No	0	3547.74	94.25	3590.09	95.38
Yes	1	173.91	4.62	3764.00	100.00

fhb23d1: 10/11 - F2F J13.1.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
No	0	2697.95	71.68	2782.70	73.93
Yes	1	981.30	26.07	3764.00	100.00

fhb23d4: 10/11 - F2F J13.1.2 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
No	0	3565.78	94.73	3650.52	96.99
Yes	1	113.48	3.01	3764.00	100.00

fhb23d5a: 10/11 - F2F J13.1.3 - Last 2 yrs - Braces

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
No	0	3520.15	93.52	3604.89	95.77
Yes	1	159.11	4.23	3764.00	100.00

fhb23d5b: 10/11 - F2F J13.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
No	0	3439.04	91.37	3523.79	93.62
Yes	1	240.21	6.38	3764.00	100.00

fhb23d6: 10/11 - F2F J13.1.5 - Last 2 yrs - No problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
No	0	1387.55	36.86	1472.30	39.12
Yes	1	2291.70	60.88	3764.00	100.00

fhb23d8: 10/11 - F2F J13.1.6 - Last 2 yrs - Don't know had any problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
No	0	3663.52	97.33	3748.27	99.58
Yes	1	15.73	0.42	3764.00	100.00

fhb23d2: 10/11 - F2F J13.2.1 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
-2	-2	15.73	0.42	100.48	2.67
No	0	2867.50	76.18	2967.98	78.85
Yes	1	796.02	21.15	3764.00	100.00

fhb23d3: 10/11 - F2F J13.2.2 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
-2	-2	15.73	0.42	100.48	2.67
No	0	3448.84	91.63	3549.32	94.30
Yes	1	214.68	5.70	3764.00	100.00

fhb23d7: 10/11 - F2F J13.2.3 - Last 2 yrs - No treatment - result of cavity/dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
-2	-2	15.73	0.42	100.48	2.67
No	0	3569.80	94.84	3670.28	97.51
Yes	1	93.72	2.49	3764.00	100.00

fhb20a: 10/11 - F2F J15.1 - Frequency of sun protection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	84.75	2.25	84.75	2.25
-2	-2	1.75	0.05	86.49	2.30
Every day	1	1938.16	51.49	2024.65	53.79
Most days	2	1384.01	36.77	3408.67	90.56
Some days	3	282.10	7.49	3690.77	98.05
Never or hardly ever	4	73.23	1.95	3764.00	100.00

fhb14c4: 10/11 - SC- F2F M8.9 - SC's choice to spend free time

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	89.04	2.37	89.04	2.37
-2	-2	3.92	0.10	92.96	2.47
Usually chooses inactive pastimes	1	1314.61	34.93	1407.57	37.40
Usually chooses active pastimes	2	1465.98	38.95	2873.55	76.34
Just as likely to choose active as inactive pastimes	3	890.45	23.66	3764.00	100.00

fhb21c1a1: 10/11 - SC - ACASB 2.1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
Not at all	0	475.28	12.63	649.84	17.26
Once	1	1080.41	28.70	1730.24	45.97
Twice	2	1128.14	29.97	2858.38	75.94
More than twice	3	905.62	24.06	3764.00	100.00

fhb21c1a2: 10/11 - SC - ACASB 2.1.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
Not at all	0	475.28	12.63	649.84	17.26
Once	1	1080.41	28.70	1730.24	45.97
Twice or more	2	2033.76	54.03	3764.00	100.00

fhb21c2a1: 10/11 - SC - ACASB 2.1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
-3	-3	2.83	0.08	177.39	4.71
Not at all	0	1748.29	46.45	1925.68	51.16
Once	1	1191.40	31.65	3117.09	82.81
Twice	2	446.37	11.86	3563.45	94.67
More than twice	3	200.55	5.33	3764.00	100.00

fhb21c2a2: 10/11 - SC - ACASB 2.1.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
-3	-3	2.83	0.08	177.39	4.71
Not at all	0	1748.29	46.45	1925.68	51.16
Once	1	1191.40	31.65	3117.09	82.81
Twice or more	2	646.91	17.19	3764.00	100.00

fhb21c1b1: 10/11 - SC - ACASB 2.1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
-3	-3	2.70	0.07	177.26	4.71
Not at all	0	1172.96	31.16	1350.22	35.87
Once	1	1432.10	38.05	2782.32	73.92
Twice	2	468.93	12.46	3251.25	86.38
More than twice	3	512.75	13.62	3764.00	100.00

fhb21c1b2: 10/11 - SC - ACASB 2.1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
-3	-3	2.70	0.07	177.26	4.71
Not at all	0	1172.96	31.16	1350.22	35.87

fhb21c1b2: 10/11 - SC - ACASB 2.1.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1	1432.10	38.05	2782.32	73.92
Twice or more	2	981.68	26.08	3764.00	100.00

fhb21c1c1: 10/11 - SC - ACASB 2.1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.06	4.73	178.06	4.73
-3	-3	2.70	0.07	180.77	4.80
Not at all	0	1755.54	46.64	1936.31	51.44
Once	1	1193.72	31.71	3130.03	83.16
Twice	2	403.30	10.71	3533.33	93.87
More than twice	3	230.67	6.13	3764.00	100.00

fhb21c1c2: 10/11 - SC - ACASB 2.1.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.06	4.73	178.06	4.73
-3	-3	2.70	0.07	180.77	4.80
Not at all	0	1755.54	46.64	1936.31	51.44
Once	1	1193.72	31.71	3130.03	83.16
Twice or more	2	633.97	16.84	3764.00	100.00

fhb21c3a1: 10/11 - SC - ACASB 2.1.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
Not at all	0	2235.99	59.40	2410.55	64.04
Once	1	982.13	26.09	3392.68	90.13
Twice	2	225.08	5.98	3617.76	96.11
More than twice	3	146.24	3.89	3764.00	100.00

fhb21c3a2: 10/11 - SC - ACASB 2.1.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	174.56	4.64	174.56	4.64
Not at all	0	2235.99	59.40	2410.55	64.04
Once	1	982.13	26.09	3392.68	90.13
Twice or more	2	371.32	9.87	3764.00	100.00

fhb21c3b1: 10/11 - SC - ACASB 2.1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	179.41	4.77	179.41	4.77
Not at all	0	2478.64	65.85	2658.05	70.62
Once	1	838.25	22.27	3496.31	92.89
Twice	2	141.40	3.76	3637.70	96.64
More than twice	3	126.30	3.36	3764.00	100.00

fhb21c3b2: 10/11 - SC - ACASB 2.1.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	179.41	4.77	179.41	4.77
Not at all	0	2478.64	65.85	2658.05	70.62
Once	1	838.25	22.27	3496.31	92.89
Twice or more	2	267.69	7.11	3764.00	100.00

fhb21c3c1: 10/11 - SC - ACASB 2.1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.07	4.73	178.07	4.73
-3	-3	2.50	0.07	180.57	4.80
Not at all	0	1658.48	44.06	1839.05	48.86
Once	1	1352.14	35.92	3191.18	84.78
Twice	2	392.16	10.42	3583.34	95.20
More than twice	3	180.66	4.80	3764.00	100.00

fhb21c3c2: 10/11 - SC - ACASB 2.1.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.07	4.73	178.07	4.73
-3	-3	2.50	0.07	180.57	4.80
Not at all	0	1658.48	44.06	1839.05	48.86
Once	1	1352.14	35.92	3191.18	84.78
Twice or more	2	572.82	15.22	3764.00	100.00

fhb21c3d1: 10/11 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.07	4.73	178.07	4.73
Not at all	0	1042.76	27.70	1220.83	32.43
Once	1	1701.53	45.21	2922.36	77.64
Twice	2	556.23	14.78	3478.59	92.42
More than twice	3	285.41	7.58	3764.00	100.00

fhb21c3d2: 10/11 - SC - ACASB 2.1.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.07	4.73	178.07	4.73
Not at all	0	1042.76	27.70	1220.83	32.43
Once	1	1701.53	45.21	2922.36	77.64
Twice or more	2	841.64	22.36	3764.00	100.00

fhb21c8a1: 10/11 - SC - ACASB 2.1.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.25	4.71	177.25	4.71
Not at all	0	712.63	18.93	889.88	23.64
Once	1	1641.02	43.60	2530.90	67.24
Twice	2	885.31	23.52	3416.21	90.76
More than twice	3	347.79	9.24	3764.00	100.00

fhb21c8a2: 10/11 - SC - ACASB 2.1.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.25	4.71	177.25	4.71
Not at all	0	712.63	18.93	889.88	23.64
Once	1	1641.02	43.60	2530.90	67.24
Twice or more	2	1233.10	32.76	3764.00	100.00

fhb21c3e1: 10/11 - SC - ACASB 2.1.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
Not at all	0	927.18	24.63	1103.08	29.31
Once	1	1533.78	40.75	2636.87	70.05
Twice	2	758.40	20.15	3395.27	90.20
More than twice	3	368.73	9.80	3764.00	100.00

fhb21c3e2: 10/11 - SC - ACASB 2.1.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
Not at all	0	927.18	24.63	1103.08	29.31
Once	1	1533.78	40.75	2636.87	70.05
Twice or more	2	1127.13	29.95	3764.00	100.00

fhb21c4a1: 10/11 - SC - ACASB 2.1.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
-3	-3	5.33	0.14	181.24	4.81
Not at all	0	1372.78	36.47	1554.02	41.29
Once	1	1493.61	39.68	3047.62	80.97
Twice	2	510.72	13.57	3558.34	94.54
More than twice	3	205.66	5.46	3764.00	100.00

fhb21c4a2: 10/11 - SC - ACASB 2.1.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
-3	-3	5.33	0.14	181.24	4.81
Not at all	0	1372.78	36.47	1554.02	41.29
Once	1	1493.61	39.68	3047.62	80.97
Twice or more	2	716.38	19.03	3764.00	100.00

fhb21c5a1: 10/11 - SC - ACASB 2.1.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
Not at all	0	59.90	1.59	235.80	6.26
Once	1	244.25	6.49	480.05	12.75
Twice	2	415.69	11.04	895.74	23.80
More than twice	3	2868.26	76.20	3764.00	100.00

fhb21c5a2: 10/11 - SC - ACASB 2.1.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
Not at all	0	59.90	1.59	235.80	6.26
Once	1	244.25	6.49	480.05	12.75
Twice or more	2	3283.95	87.25	3764.00	100.00

fhb21c2b1: 10/11 - SC - ACASB 2.1.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
-3	-3	1.45	0.04	177.36	4.71
Not at all	0	1910.68	50.76	2088.04	55.47
Once	1	1135.60	30.17	3223.64	85.64
Twice	2	354.67	9.42	3578.31	95.07
More than twice	3	185.69	4.93	3764.00	100.00

fhb21c2b2: 10/11 - SC - ACASB 2.1.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
-3	-3	1.45	0.04	177.36	4.71
Not at all	0	1910.68	50.76	2088.04	55.47
Once	1	1135.60	30.17	3223.64	85.64
Twice or more	2	540.36	14.36	3764.00	100.00

fhb21c6a1: 10/11 - SC - ACASB 2.1.14 -SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
-3	-3	4.78	0.13	180.69	4.80
Not at all	0	2663.89	70.77	2844.58	75.57
Once	1	641.99	17.06	3486.56	92.63
Twice	2	184.48	4.90	3671.05	97.53
More than twice	3	92.95	2.47	3764.00	100.00

fhb21c6a2: 10/11 - SC - ACASB 2.1.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	175.91	4.67	175.91	4.67
-3	-3	4.78	0.13	180.69	4.80
Not at all	0	2663.89	70.77	2844.58	75.57
Once	1	641.99	17.06	3486.56	92.63
Twice or more	2	277.44	7.37	3764.00	100.00

fhb21c7a1: 10/11 - SC - ACASB 2.1.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.25	4.71	177.25	4.71
-3	-3	6.34	0.17	183.59	4.88
Not at all	0	3434.73	91.25	3618.31	96.13
Once	1	107.80	2.86	3726.12	98.99

fhb21c7a1: 10/11 - SC - ACASB 2.1.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Twice	2	24.36	0.65	3750.48	99.64
More than twice	3	13.52	0.36	3764.00	100.00

fhb21c7a2: 10/11 - SC - ACASB 2.1.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.25	4.71	177.25	4.71
-3	-3	6.34	0.17	183.59	4.88
Not at all	0	3434.73	91.25	3618.31	96.13
Once	1	107.80	2.86	3726.12	98.99
Twice or more	2	37.88	1.01	3764.00	100.00

fhb21c7b1: 10/11 - SC - ACASB 2.1.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.25	4.71	177.25	4.71
-3	-3	4.59	0.12	181.84	4.83
Not at all	0	3441.41	91.43	3623.25	96.26
Once	1	105.90	2.81	3729.15	99.07
Twice	2	17.76	0.47	3746.91	99.55
More than twice	3	17.09	0.45	3764.00	100.00

fhb21c7b2: 10/11 - SC - ACASB 2.1.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.25	4.71	177.25	4.71
-3	-3	4.59	0.12	181.84	4.83
Not at all	0	3441.41	91.43	3623.25	96.26
Once	1	105.90	2.81	3729.15	99.07
Twice or more	2	34.85	0.93	3764.00	100.00

fcfandvb: 10/11 - SC - Frequency ate fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	196.72	5.23	371.28	9.86
1	451.96	12.01	823.25	21.87
2	590.86	15.70	1414.10	37.57
3	663.41	17.63	2077.51	55.19
4	592.94	15.75	2670.46	70.95
5	465.55	12.37	3136.00	83.32
6	303.35	8.06	3439.36	91.38
7	151.41	4.02	3590.76	95.40
8	108.44	2.88	3699.20	98.28
9	64.80	1.72	3764.00	100.00

fchfatb: 10/11 - SC - Frequency ate high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	337.50	8.97	512.06	13.60
1	839.42	22.30	1351.48	35.91
2	874.77	23.24	2226.25	59.15
3	609.75	16.20	2836.00	75.35
4	356.08	9.46	3192.08	84.81
5	221.00	5.87	3413.07	90.68
6	133.24	3.54	3546.31	94.22
7	65.47	1.74	3611.78	95.96
8	32.32	0.86	3644.10	96.81
9	38.48	1.02	3682.57	97.84
10	26.63	0.71	3709.21	98.54
11	14.30	0.38	3723.50	98.92
12	40.50	1.08	3764.00	100.00

fchfwmb: 10/11 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	122.38	3.25	296.94	7.89
1	354.34	9.41	651.28	17.30
2	688.79	18.30	1340.07	35.60
3	774.14	20.57	2114.22	56.17
4	559.31	14.86	2673.53	71.03
5	380.28	10.10	3053.81	81.13
6	238.13	6.33	3291.94	87.46
7	165.84	4.41	3457.77	91.86
8	107.89	2.87	3565.66	94.73
9	42.41	1.13	3608.07	95.86
10	40.43	1.07	3648.50	96.93
11	37.53	1.00	3686.04	97.93
12	29.94	0.80	3715.98	98.72
13	16.99	0.45	3732.97	99.18
14	13.88	0.37	3746.84	99.54
15	17.16	0.46	3764.00	100.00

fchsdrrkb: 10/11 - SC - Frequency drank high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	1102.35	29.29	1276.91	33.92
1	1069.89	28.42	2346.80	62.35
2	715.05	19.00	3061.85	81.35
3	396.08	10.52	3457.93	91.87
4	180.97	4.81	3638.90	96.68
5	74.92	1.99	3713.82	98.67
6	50.18	1.33	3764.00	100.00

fcfandv: 10/11 - SC - Frequency ate fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	196.72	5.23	371.28	9.86
1	451.96	12.01	823.25	21.87
2	674.13	17.91	1497.38	39.78
3	842.09	22.37	2339.46	62.15
4	722.91	19.21	3062.37	81.36
5	422.86	11.23	3485.23	92.59
6	278.77	7.41	3764.00	100.00

fchfat: 10/11 - SC - Frequency ate high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	337.50	8.97	512.06	13.60
1	839.42	22.30	1351.48	35.91
2	935.70	24.86	2287.19	60.76
3	613.92	16.31	2901.11	77.08
4	384.55	10.22	3285.66	87.29
5	220.90	5.87	3506.56	93.16
6	105.47	2.80	3612.04	95.96
7	62.88	1.67	3674.91	97.63
8	89.09	2.37	3764.00	100.00

fchfwm: 10/11 - SC - Frequency ate high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	122.38	3.25	296.94	7.89
1	354.34	9.41	651.28	17.30
2	720.47	19.14	1371.75	36.44
3	837.14	22.24	2208.90	58.68
4	610.78	16.23	2819.68	74.91
5	362.07	9.62	3181.75	84.53
6	238.25	6.33	3420.00	90.86
7	144.22	3.83	3564.22	94.69
8	79.86	2.12	3644.08	96.81
9	68.28	1.81	3712.36	98.63
10	51.64	1.37	3764.00	100.00

fchsdrrk: 10/11 - SC - Frequency drank high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	174.56	4.64	174.56	4.64
0	1102.35	29.29	1276.91	33.92
1	1069.89	28.42	2346.80	62.35
2	838.06	22.27	3184.86	84.61
3	361.02	9.59	3545.88	94.21
4	218.12	5.79	3764.00	100.00

fhb22c: 10/11 - SC - ACASB 2.2 - Eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	199.69	5.31	199.69	5.31
Yes	1	3313.20	88.02	3512.88	93.33
No	2	251.12	6.67	3764.00	100.00

fhb25c1: 10/11 - SC - ACASB 3.1 - Body Shape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	177.86	4.73	177.86	4.73
-3	-3	11.93	0.32	189.79	5.04
Picture 1	1	23.08	0.61	212.87	5.66
Picture 2	2	144.24	3.83	357.10	9.49
Picture 3	3	774.58	20.58	1131.68	30.07
Picture 4	4	1780.23	47.30	2911.91	77.36
Picture 5	5	723.96	19.23	3635.87	96.60
Picture 6	6	108.15	2.87	3744.02	99.47
Picture 7	7	19.98	0.53	3764.00	100.00

fhb25c2: 10/11 - SC - ACASB 3.2 - Body Shape SC wants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	178.55	4.74	178.55	4.74
-3	-3	11.65	0.31	190.19	5.05
Picture 1	1	48.00	1.28	238.20	6.33
Picture 2	2	238.70	6.34	476.90	12.67
Picture 3	3	1188.72	31.58	1665.62	44.25
Picture 4	4	1896.98	50.40	3562.61	94.65
Picture 5	5	184.70	4.91	3747.30	99.56
Picture 6	6	11.36	0.30	3758.67	99.86
Picture 7	7	5.33	0.14	3764.00	100.00

fhb14c5: 10/11 - SC - ACASB 9 - Enjoy being physically active

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	189.70	5.04	189.70	5.04
-3	-3	1.00	0.03	190.69	5.07
A lot	1	2368.50	62.92	2559.19	67.99
Quite a lot	2	932.77	24.78	3491.96	92.77
Not very much	3	260.69	6.93	3752.65	99.70
Not at all	4	11.35	0.30	3764.00	100.00

fhb23b1: 10/11 - ACASB 12 - How often teeth cleaned per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	188.50	5.01	188.50	5.01
-3	-3	5.46	0.14	193.95	5.15
Not at all	1	297.53	7.90	491.48	13.06
Once	2	1011.11	26.86	1502.60	39.92
Twice	3	2027.85	53.87	3530.45	93.80
More than twice	4	233.55	6.20	3764.00	100.00

fhb15p5: 10/11 - PLE - PLE 21.4 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3351.91	89.05	3351.91	89.05
Yes	1	123.38	3.28	3475.29	92.33
No	2	288.71	7.67	3764.00	100.00

fhb15p1: 10/11 - PLE - PLE 21.5/6 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3351.04	89.03	3351.04	89.03
-3	-3	0.87	0.02	3351.91	89.05
Do not smoke at all	1	276.38	7.34	3628.29	96.39
Less than once a day	2	12.33	0.33	3640.62	96.72
At least once a day	3	123.38	3.28	3764.00	100.00

fhb15p7: 10/11 - PLE - PLE 21.5 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3628.29	96.39	3628.29	96.39
Yes	1	123.38	3.28	3751.67	99.67
No	2	12.33	0.33	3764.00	100.00

fhb15p8: 10/11 - PLE - PLE 21.6 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3640.62	96.72	3640.62	96.72
1 to 5 per day	2	10.13	0.27	3650.74	96.99
6 to 10 per day	3	48.11	1.28	3698.85	98.27
11 to 20 per day	4	47.75	1.27	3746.60	99.54
More than 20 per day	5	17.40	0.46	3764.00	100.00

fhb16p2: 10/11 - PLE - PLE 22.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3351.04	89.03	3351.04	89.03
-3	-3	1.11	0.03	3352.15	89.06
Never	0	31.74	0.84	3383.88	89.90
Not in the last year	1	8.41	0.22	3392.29	90.12
Monthly or less	2	72.98	1.94	3465.27	92.06
2 to 3 times a month	3	41.75	1.11	3507.02	93.17
Once a week	4	83.71	2.22	3590.73	95.40
2 to 3 times a week	5	91.94	2.44	3682.67	97.84
4 to 6 times a week	6	49.51	1.32	3732.18	99.15
Everyday	7	31.82	0.85	3764.00	100.00

fhb16p3: 10/11 - PLE - PLE 22.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3392.29	90.12	3392.29	90.12
-2	-2	1.41	0.04	3393.71	90.16
1 or 2	1	142.41	3.78	3536.12	93.95
3 or 4	2	138.17	3.67	3674.29	97.62

fhb16p3: 10/11 - PLE - PLE 22.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5 or 6	3	61.02	1.62	3735.31	99.24
7 to 10	4	21.78	0.58	3757.09	99.82
11 or more	5	6.91	0.18	3764.00	100.00

fhb16p7: 10/11 - PLE - PLE 22.3 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3382.78	89.87	3382.78	89.87
-3	-3	1.11	0.03	3383.88	89.90
-2	-2	0.75	0.02	3384.64	89.92
Everyday	1	5.27	0.14	3389.90	90.06
4-6 times a week	2	6.91	0.18	3396.81	90.24
2-3 times a week	3	32.79	0.87	3429.60	91.12
Once a week	4	51.54	1.37	3481.15	92.49
2-3 times a month	5	44.68	1.19	3525.83	93.67
Monthly or less	6	145.06	3.85	3670.89	97.53
Never	7	93.11	2.47	3764.00	100.00

fhb16p8: 10/11 - PLE - PLE 22.4 - Freq binge drinking (v4) -7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3382.78	89.87	3382.78	89.87
-3	-3	1.11	0.03	3383.88	89.90
-2	-2	1.62	0.04	3385.51	89.94
4-6 times a week	2	1.08	0.03	3386.59	89.97
2-3 times a week	3	16.19	0.43	3402.78	90.40
Once a week	4	27.64	0.73	3430.42	91.14
2-3 times a month	5	24.94	0.66	3455.36	91.80
Monthly or less	6	148.24	3.94	3603.60	95.74
Never	7	160.40	4.26	3764.00	100.00

fhb16p5a: 10/11 - PLE - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3391.19	90.10	3391.19	90.10
-3	-3	1.11	0.03	3392.29	90.12
-2	-2	1.62	0.04	3393.92	90.17
4-6 times a week	2	1.08	0.03	3395.00	90.20
2-3 times a week	3	16.19	0.43	3411.19	90.63
Once a week	4	32.13	0.85	3443.32	91.48
2-3 times a month	5	24.94	0.66	3468.26	92.14
Monthly or less	6	150.13	3.99	3618.39	96.13
Never	7	145.61	3.87	3764.00	100.00

fhb16p5: 10/11 - PLE - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3536.80	93.96	3536.80	93.96
-3	-3	1.11	0.03	3537.90	93.99
-2	-2	1.62	0.04	3539.53	94.04
4-6 times a week	2	1.08	0.03	3540.61	94.07
2-3 times a week	3	16.19	0.43	3556.80	94.50
Once a week	4	32.13	0.85	3588.94	95.35
2-3 times a month	5	24.94	0.66	3613.87	96.01
Monthly or less	6	150.13	3.99	3764.00	100.00

fpavdac: 10/11 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3353.56	89.10	3353.56	89.10
0	151.61	4.03	3505.17	93.12
0.5	92.03	2.44	3597.20	95.57
1	38.72	1.03	3635.92	96.60
1.5	49.92	1.33	3685.84	97.92
2	13.10	0.35	3698.94	98.27
2.5	21.93	0.58	3720.87	98.85
3	3.18	0.08	3724.05	98.94
3.5	13.41	0.36	3737.46	99.29
4	12.80	0.34	3750.26	99.64
4.5	4.10	0.11	3754.36	99.74
5.5	5.87	0.16	3760.23	99.90
6.5	0.76	0.02	3760.99	99.92
8.5	3.01	0.08	3764.00	100.00

fpalcgp: 10/11 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3351.04	89.03	3351.04	89.03
-3	-3	1.11	0.03	3352.15	89.06
-2	-2	0.75	0.02	3352.90	89.08
Abstain not in the last year	1	40.15	1.07	3393.05	90.14
Occasional less than monthly	2	72.98	1.94	3466.03	92.08
Light <2 drinks/day men, <1 women	3	213.29	5.67	3679.31	97.75
Moderate >=2 to <4 men, >=1 to <2 women	4	57.27	1.52	3736.58	99.27
Hazardous >=4 to <6 men, >=2 and <4 women	5	23.65	0.63	3760.23	99.90
Harmful >=6 men, >=4 women	6	3.77	0.10	3764.00	100.00

fphvdac: 10/11 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3353.56	89.10	3353.56	89.10
Yes	1	27.42	0.73	3380.98	89.82
No	2	383.02	10.18	3764.00	100.00

fpbinge: 10/11 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3351.04	89.03	3351.04	89.03
-3	-3	1.11	0.03	3352.15	89.06
-2	-2	1.62	0.04	3353.77	89.10
Yes	1	74.35	1.98	3428.12	91.08
No	2	335.88	8.92	3764.00	100.00

fpalcp: 10/11 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3354.43	89.12	3354.43	89.12
Yes	1	79.73	2.12	3434.16	91.24
No	2	329.84	8.76	3764.00	100.00

fhn13b2b: 10/11 - P2 - P2B 13 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.46	1.50	56.46	1.50
-9	1633.49	43.40	1689.95	44.90
0	183.92	4.89	1873.87	49.78
1	1052.82	27.97	2926.69	77.75
2	541.56	14.39	3468.25	92.14
3	209.89	5.58	3678.15	97.72
4	53.84	1.43	3731.99	99.15
5	18.63	0.49	3750.61	99.64
6	11.60	0.31	3762.21	99.95
7	1.17	0.03	3763.38	99.98
8	0.62	0.02	3764.00	100.00

fhn13b2a: 10/11 - P2 - P2B 13 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.46	1.50	56.46	1.50
-9	-9	1633.49	43.40	1689.95	44.90
Less than 1	0	183.92	4.89	1873.87	49.78
1	1	1052.82	27.97	2926.69	77.75
2	2	541.56	14.39	3468.25	92.14
3	3	209.89	5.58	3678.15	97.72
4	4	53.84	1.43	3731.99	99.15
5	5	18.63	0.49	3750.61	99.64
6 or more	6	13.39	0.36	3764.00	100.00

fhn13b1b: 10/11 - P2 - P2B 14 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	57.59	1.53	57.59	1.53
-9	1633.49	43.40	1691.08	44.93
0	18.74	0.50	1709.82	45.43
1	803.95	21.36	2513.77	66.78
2	718.73	19.09	3232.50	85.88
3	341.68	9.08	3574.18	94.96

fhb13b1b: 10/11 - P2 - P2B 14 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	105.45	2.80	3679.63	97.76
5	47.72	1.27	3727.35	99.03
6	25.34	0.67	3752.69	99.70
7	7.81	0.21	3760.50	99.91
8	3.50	0.09	3764.00	100.00

fhb13b1a: 10/11 - P2 - P2B 14 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.59	1.53	57.59	1.53
-9	-9	1633.49	43.40	1691.08	44.93
Less than 1	0	18.74	0.50	1709.82	45.43
1	1	803.95	21.36	2513.77	66.78
2	2	718.73	19.09	3232.50	85.88
3	3	341.68	9.08	3574.18	94.96
4	4	105.45	2.80	3679.63	97.76
5	5	47.72	1.27	3727.35	99.03
6 or more	6	36.65	0.97	3764.00	100.00

fhb14b2: 10/11 - P2 - P2B 15 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.17	0.80	30.17	0.80
-9	1633.49	43.40	1663.67	44.20
0	160.70	4.27	1824.37	48.47
1	270.67	7.19	2095.05	55.66
2	370.83	9.85	2465.87	65.51
3	364.32	9.68	2830.20	75.19
4	259.24	6.89	3089.43	82.08
5	318.42	8.46	3407.86	90.54
6	157.70	4.19	3565.56	94.73
7	198.44	5.27	3764.00	100.00

fhb15b5: 10/11 - P2 - P2B 17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.26	0.25	9.26	0.25
-9	-9	1633.49	43.40	1642.76	43.64
Yes	1	313.43	8.33	1956.19	51.97
No	2	1807.81	48.03	3764.00	100.00

fhb15b1: 10/11 - P2 - P2B 17/18 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.26	0.25	9.26	0.25
-9	-9	1633.49	43.40	1642.76	43.64
Do not smoke at all	1	1823.58	48.45	3466.34	92.09
Less than once a day	2	18.55	0.49	3484.89	92.58
At least once a day	3	279.11	7.42	3764.00	100.00

fhb15b7: 10/11 - P2 - P2B 18 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	25.04	0.67	25.04	0.67
-9	-9	1633.49	43.40	1658.53	44.06
Yes	1	279.11	7.42	1937.64	51.48
No	2	1826.36	48.52	3764.00	100.00

fhb15b8: 10/11 - P2 - P2B 19 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.15	0.43	16.15	0.43
-9	-9	3460.78	91.94	3476.93	92.37
1 to 5 per day	2	59.89	1.59	3536.82	93.96
6 to 10 per day	3	82.27	2.19	3619.08	96.15
11 to 20 per day	4	116.11	3.08	3735.19	99.23
More than 20 per day	5	28.81	0.77	3764.00	100.00

fhb16b2: 10/11 - P2 - P2B 20 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.93	0.24	8.93	0.24
-9	-9	1633.49	43.40	1642.43	43.64
Never	0	179.59	4.77	1822.02	48.41
Not in the last year	1	45.89	1.22	1867.91	49.63
Monthly or less	2	343.71	9.13	2211.62	58.76
2 to 3 times a month	3	243.65	6.47	2455.27	65.23
Once a week	4	277.36	7.37	2732.64	72.60
2 to 3 times a week	5	578.31	15.36	3310.94	87.96
4 to 6 times a week	6	331.32	8.80	3642.26	96.77
Everyday	7	121.74	3.23	3764.00	100.00

fhb16b3: 10/11 - P2 - P2B 21 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	24.22	0.64	24.22	0.64
-9	-9	1813.09	48.17	1837.31	48.81
1 or 2	1	1025.43	27.24	2862.74	76.06
3 or 4	2	620.28	16.48	3483.02	92.54
5 or 6	3	218.70	5.81	3701.72	98.35
7 to 10	4	49.35	1.31	3751.07	99.66
11 or more	5	12.93	0.34	3764.00	100.00

fhb16b7: 10/11 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.61	0.63	23.61	0.63
-9	-9	1813.09	48.17	1836.70	48.80
Everyday	1	12.60	0.33	1849.30	49.13
4-6 times a week	2	31.57	0.84	1880.87	49.97
2-3 times a week	3	114.16	3.03	1995.03	53.00
Once a week	4	264.33	7.02	2259.36	60.03
2-3 times a month	5	189.60	5.04	2448.96	65.06

fhb16b7: 10/11 - P2 - P2B 22 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	6	764.03	20.30	3212.99	85.36
Never	7	551.01	14.64	3764.00	100.00

fhb16b8: 10/11 - P2 - P2B 23 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.39	1.90	71.39	1.90
-9	-9	1813.09	48.17	1884.48	50.07
Everyday	1	1.47	0.04	1885.94	50.10
4-6 times a week	2	8.46	0.22	1894.40	50.33
2-3 times a week	3	49.06	1.30	1943.46	51.63
Once a week	4	131.45	3.49	2074.91	55.13
2-3 times a month	5	111.73	2.97	2186.63	58.09
Monthly or less	6	652.01	17.32	2838.65	75.42
Never	7	925.35	24.58	3764.00	100.00

fhb16b5a: 10/11 - P2 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	249.65	6.63	249.65	6.63
-9	-9	1633.49	43.40	1883.15	50.03
Everyday	1	1.47	0.04	1884.61	50.07
4-6 times a week	2	9.45	0.25	1894.06	50.32
2-3 times a week	3	51.00	1.35	1945.06	51.68
Once a week	4	132.93	3.53	2077.99	55.21
2-3 times a month	5	114.03	3.03	2192.02	58.24
Monthly or less	6	664.20	17.65	2856.22	75.88
Never	7	907.78	24.12	3764.00	100.00

fhb16b5: 10/11 - P2 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	781.75	20.77	781.75	20.77
-9	-9	2009.18	53.38	2790.93	74.15
Everyday	1	1.47	0.04	2792.40	74.19
4-6 times a week	2	9.45	0.25	2801.84	74.44
2-3 times a week	3	51.00	1.35	2852.84	75.79
Once a week	4	132.93	3.53	2985.77	79.32
2-3 times a month	5	114.03	3.03	3099.80	82.35
Monthly or less	6	664.20	17.65	3764.00	100.00

fbavdac: 10/11 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	21.45	0.57	21.45	0.57
-9	1633.49	43.40	1654.95	43.97
0	836.72	22.23	2491.67	66.20
0.5	466.28	12.39	2957.94	78.59
1	193.26	5.13	3151.20	83.72
1.5	253.00	6.72	3404.21	90.44

fbavdac: 10/11 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	87.09	2.31	3491.30	92.76
2.5	136.64	3.63	3627.94	96.39
3	14.41	0.38	3642.35	96.77
3.5	42.91	1.14	3685.26	97.91
4	34.56	0.92	3719.82	98.83
4.5	2.31	0.06	3722.13	98.89
5.5	26.80	0.71	3748.93	99.60
6.5	7.30	0.19	3756.24	99.79
8.5	7.19	0.19	3763.43	99.98
12	0.57	0.02	3764.00	100.00

fbalcp: 10/11 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.23	0.35	13.23	0.35
-9	-9	1633.49	43.40	1646.73	43.75
Abstain not in the last year	1	225.48	5.99	1872.21	49.74
Occasional less than monthly	2	343.71	9.13	2215.92	58.87
Light <2 drinks/day men, <1 women	3	1180.11	31.35	3396.03	90.22
Moderate >=2 to <4 men, >=1 to <2 women	4	283.77	7.54	3679.79	97.76
Hazardous >=4 to <6 men, >=2 and <4 women	5	68.15	1.81	3747.94	99.57
Harmful >=6 men, >=4 women	6	16.06	0.43	3764.00	100.00

fbhvdac: 10/11 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.45	0.57	21.45	0.57
-9	-9	1633.49	43.40	1654.95	43.97
Yes	1	84.21	2.24	1739.15	46.20
No	2	2024.85	53.80	3764.00	100.00

fbbinge: 10/11 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.55	0.49	18.55	0.49
-9	-9	1633.49	43.40	1652.05	43.89
Yes	1	308.23	8.19	1960.27	52.08
No	2	1803.73	47.92	3764.00	100.00

fbalcp: 10/11 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.47	0.60	22.47	0.60
-9	-9	1633.49	43.40	1655.96	43.99
Yes	1	320.01	8.50	1975.97	52.50
No	2	1788.03	47.50	3764.00	100.00

fhb24a: 10/11 - Teach 16 - Activity during organised activities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.74	0.29	10.74	0.29
-9	-9	702.17	18.65	712.91	18.94
I have not observed this child in such activities	-2	41.63	1.11	754.55	20.05
A lot less active than most	1	126.02	3.35	880.57	23.39
A little less active than most	2	372.26	9.89	1252.83	33.28
About the same as most	3	1424.37	37.84	2677.20	71.13
A little more active than most	4	587.06	15.60	3264.26	86.72
A lot more active than most	5	499.74	13.28	3764.00	100.00

fhb24b: 10/11 - Teach 17 - Activity during play

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.07	0.35	13.07	0.35
-9	-9	702.17	18.65	715.24	19.00
I have not observed this child in such activities	-2	47.87	1.27	763.11	20.27
A lot less active than most	1	119.37	3.17	882.48	23.45
A little less active than most	2	360.69	9.58	1243.17	33.03
About the same as most	3	1661.27	44.14	2904.44	77.16
A little more active than most	4	512.64	13.62	3417.08	90.78
A lot more active than most	5	346.92	9.22	3764.00	100.00

fhb13m2b: 10/11 - M - CASI H5.2+P2B 13 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.91	0.02	0.91	0.02
-9	184.67	4.91	185.58	4.93
0	194.43	5.17	380.01	10.10
1	1559.17	41.42	1939.18	51.52
2	1227.91	32.62	3167.08	84.14
3	442.51	11.76	3609.59	95.90
4	97.84	2.60	3707.44	98.50
5	42.19	1.12	3749.63	99.62
6	11.77	0.31	3761.40	99.93
8	2.22	0.06	3763.62	99.99
10	0.38	0.01	3764.00	100.00

fhb13m2a: 10/11 - M - CASI H5.2+P2B 13 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.91	0.02	0.91	0.02
-9	-9	184.67	4.91	185.58	4.93
Less than 1	0	194.43	5.17	380.01	10.10
1	1	1559.17	41.42	1939.18	51.52
2	2	1227.91	32.62	3167.08	84.14
3	3	442.51	11.76	3609.59	95.90
4	4	97.84	2.60	3707.44	98.50
5	5	42.19	1.12	3749.63	99.62
6 or more	6	14.37	0.38	3764.00	100.00

fhb13m1b: 10/11 - M - CASI H5.3+P2B 14 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.51	0.04	1.51	0.04
-9	184.67	4.91	186.19	4.95
-3	2.10	0.06	188.29	5.00
0	31.81	0.85	220.10	5.85
1	855.52	22.73	1075.62	28.58
2	1091.45	29.00	2167.07	57.57
3	866.02	23.01	3033.09	80.58
4	436.82	11.61	3469.91	92.19
5	212.30	5.64	3682.21	97.83
6	58.00	1.54	3740.21	99.37
7	9.86	0.26	3750.07	99.63
8	10.10	0.27	3760.16	99.90
9	0.87	0.02	3761.04	99.92
10	1.44	0.04	3762.48	99.96
11	0.87	0.02	3763.35	99.98
15	0.65	0.02	3764.00	100.00

fhb13m1a: 10/11 - M - CASI H5.3+P2B 14 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.51	0.04	1.51	0.04
-9	-9	184.67	4.91	186.19	4.95
-3	-3	2.10	0.06	188.29	5.00
Less than 1	0	31.81	0.85	220.10	5.85
1	1	855.52	22.73	1075.62	28.58
2	2	1091.45	29.00	2167.07	57.57
3	3	866.02	23.01	3033.09	80.58
4	4	436.82	11.61	3469.91	92.19
5	5	212.30	5.64	3682.21	97.83
6 or more	6	81.79	2.17	3764.00	100.00

fhb14m2: 10/11 - M - CASI H5.4+P2B 15 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.91	0.02	0.91	0.02
-9	184.67	4.91	185.58	4.93
-3	4.28	0.11	189.86	5.04
0	354.15	9.41	544.02	14.45
1	518.10	13.76	1062.12	28.22
2	656.15	17.43	1718.27	45.65
3	703.62	18.69	2421.89	64.34
4	473.91	12.59	2895.79	76.93
5	481.27	12.79	3377.06	89.72
6	174.30	4.63	3551.36	94.35
7	212.64	5.65	3764.00	100.00

fhb15m5: 10/11 - M - CASI H6.1+P2B 17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	185.54	4.93	185.54	4.93
Yes	1	592.49	15.74	778.03	20.67
No	2	2985.97	79.33	3764.00	100.00

fhb15m1: 10/11 - M - CASI H6.1/H6.2+P2B 17/18 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	185.54	4.93	185.54	4.93
Do not smoke at all	1	2987.21	79.36	3172.75	84.29
Less than once a day	2	71.24	1.89	3243.99	86.18
At least once a day	3	520.01	13.82	3764.00	100.00

fhb15m7: 10/11 - M - CASI H6.2+P2B 18 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.24	0.03	1.24	0.03
-9	-9	185.54	4.93	186.78	4.96
Yes	1	520.01	13.82	706.79	18.78
No	2	3057.21	81.22	3764.00	100.00

fhb15m8: 10/11 - M - CASI H6.3+P2B 19 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.24	0.03	1.24	0.03
-9	-9	3242.75	86.15	3243.99	86.18
1 to 5 per day	2	96.12	2.55	3340.11	88.74
6 to 10 per day	3	200.70	5.33	3540.82	94.07
11 to 20 per day	4	183.83	4.88	3724.64	98.95
More than 20 per day	5	39.36	1.05	3764.00	100.00

fhb16m2: 10/11 - M - CASI H6.5+P2B 20 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.46	0.04	1.46	0.04
-9	-9	185.54	4.93	187.01	4.97
-3	-3	2.36	0.06	189.37	5.03
Never	0	555.59	14.76	744.96	19.79
Not in the last year	1	201.00	5.34	945.96	25.13
Monthly or less	2	888.23	23.60	1834.18	48.73
2 to 3 times a month	3	432.63	11.49	2266.81	60.22
Once a week	4	450.45	11.97	2717.27	72.19
2 to 3 times a week	5	674.78	17.93	3392.05	90.12
4 to 6 times a week	6	301.89	8.02	3693.94	98.14
Everyday	7	70.06	1.86	3764.00	100.00

fhb16m3: 10/11 - M - CASI H6.6+P2B 21 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.96	0.08	2.96	0.08
-9	-9	741.13	19.69	744.10	19.77
-3	-3	7.65	0.20	751.75	19.97
1 or 2	1	2067.89	54.94	2819.64	74.91
3 or 4	2	712.29	18.92	3531.93	93.83
5 or 6	3	187.94	4.99	3719.87	98.83
7 to 10	4	34.39	0.91	3754.26	99.74
11 or more	5	9.74	0.26	3764.00	100.00

fhb16m7: 10/11 - M - CASI H6.7+P2B 22 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.96	0.08	2.96	0.08
-9	-9	748.78	19.89	751.75	19.97
Everyday	1	9.90	0.26	761.65	20.24
4-6 times a week	2	17.01	0.45	778.66	20.69
2-3 times a week	3	53.94	1.43	832.60	22.12
Once a week	4	172.22	4.58	1004.82	26.70
2-3 times a month	5	193.14	5.13	1197.96	31.83
Monthly or less	6	1072.27	28.49	2270.23	60.31
Never	7	1493.77	39.69	3764.00	100.00

fhb16m8: 10/11 - M - CASI H6.8+P2B 23 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.29	0.11	4.29	0.11
-9	-9	766.62	20.37	770.91	20.48
Everyday	1	3.91	0.10	774.82	20.59
4-6 times a week	2	3.32	0.09	778.14	20.67
2-3 times a week	3	19.98	0.53	798.13	21.20
Once a week	4	78.70	2.09	876.83	23.30
2-3 times a month	5	70.05	1.86	946.88	25.16
Monthly or less	6	641.50	17.04	1588.39	42.20
Never	7	2175.61	57.80	3764.00	100.00

fhb16m5a: 10/11 - M - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.48	0.41	15.48	0.41
-9	-9	733.91	19.50	749.39	19.91
-3	-3	2.36	0.06	751.75	19.97
Everyday	1	9.90	0.26	761.65	20.24
4-6 times a week	2	17.01	0.45	778.66	20.69
2-3 times a week	3	53.94	1.43	832.60	22.12
Once a week	4	172.22	4.58	1004.82	26.70
2-3 times a month	5	193.14	5.13	1197.96	31.83
Monthly or less	6	1072.27	28.49	2270.23	60.31
Never	7	1493.77	39.69	3764.00	100.00

fhb16m5: 10/11 - M - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.48	0.41	15.48	0.41
-9	-9	2227.67	59.18	2243.15	59.59
-3	-3	2.36	0.06	2245.51	59.66
Everyday	1	9.90	0.26	2255.41	59.92
4-6 times a week	2	17.01	0.45	2272.42	60.37
2-3 times a week	3	53.94	1.43	2326.36	61.81
Once a week	4	172.22	4.58	2498.58	66.38
2-3 times a month	5	193.14	5.13	2691.73	71.51
Monthly or less	6	1072.27	28.49	3764.00	100.00

fmavdac: 10/11 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.97	0.05	1.97	0.05
-9	187.90	4.99	189.87	5.04
0	2187.72	58.12	2377.60	63.17
0.5	727.05	19.32	3104.65	82.48
1	264.84	7.04	3369.49	89.52
1.5	227.10	6.03	3596.59	95.55
2	37.14	0.99	3633.72	96.54
2.5	77.51	2.06	3711.23	98.60
3	4.49	0.12	3715.73	98.72
3.5	15.61	0.41	3731.34	99.13
4	14.95	0.40	3746.28	99.53
4.5	3.10	0.08	3749.38	99.61
5.5	6.18	0.16	3755.57	99.78
6.5	1.96	0.05	3757.53	99.83
8.5	6.47	0.17	3764.00	100.00

fmalcgp: 10/11 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.46	0.04	1.46	0.04
-9	-9	185.54	4.93	187.01	4.97
-3	-3	2.36	0.06	189.37	5.03
Abstain not in the last year	1	756.59	20.10	945.96	25.13
Occasional less than monthly	2	888.23	23.60	1834.18	48.73
Light <2 drinks/day men, <1 women	3	1319.93	35.07	3154.11	83.80
Moderate >=2 to <4 men, >=1 to <2 women	4	442.47	11.76	3596.59	95.55
Hazardous >=4 to <6 men, >=2 and <4 women	5	134.75	3.58	3731.34	99.13
Harmful >=6 men, >=4 women	6	32.66	0.87	3764.00	100.00

fmhvdac: 10/11 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.05	1.97	0.05
-9	-9	187.90	4.99	189.87	5.04
Yes	1	167.41	4.45	357.29	9.49
No	2	3406.71	90.51	3764.00	100.00

fmbinge: 10/11 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.05	1.97	0.05
-9	-9	185.54	4.93	187.52	4.98
-3	-3	2.36	0.06	189.87	5.04
Yes	1	445.35	11.83	635.22	16.88
No	2	3128.78	83.12	3764.00	100.00

fmalcp: 10/11 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.05	1.97	0.05
-9	-9	187.90	4.99	189.87	5.04
Yes	1	473.58	12.58	663.46	17.63
No	2	3100.54	82.37	3764.00	100.00

fhb13f2b: 10/11 - F - CASI H5.2+P2B 13 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	55.55	1.48	55.55	1.48
-9	1576.30	41.88	1631.85	43.35
0	194.97	5.18	1826.82	48.53
1	1084.28	28.81	2911.10	77.34
2	549.01	14.59	3460.12	91.93
3	211.07	5.61	3671.19	97.53
4	62.71	1.67	3733.90	99.20
5	18.49	0.49	3752.39	99.69
6	9.82	0.26	3762.21	99.95
7	1.17	0.03	3763.38	99.98
8	0.62	0.02	3764.00	100.00

fhb13f2a: 10/11 - F - CASI H5.2+P2B 13 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.55	1.48	55.55	1.48
-9	-9	1576.30	41.88	1631.85	43.35
Less than 1	0	194.97	5.18	1826.82	48.53
1	1	1084.28	28.81	2911.10	77.34
2	2	549.01	14.59	3460.12	91.93
3	3	211.07	5.61	3671.19	97.53
4	4	62.71	1.67	3733.90	99.20
5	5	18.49	0.49	3752.39	99.69
6 or more	6	11.61	0.31	3764.00	100.00

fhb13f1b: 10/11 - F - CASI H5.3+P2B 14 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	56.08	1.49	56.08	1.49
-9	1576.30	41.88	1632.37	43.37
0	17.67	0.47	1650.04	43.84
1	846.36	22.49	2496.40	66.32
2	732.04	19.45	3228.44	85.77
3	347.81	9.24	3576.25	95.01
4	106.35	2.83	3682.60	97.84
5	45.39	1.21	3727.99	99.04
6	24.94	0.66	3752.93	99.71
7	6.93	0.18	3759.86	99.89
8	3.50	0.09	3763.37	99.98
12	0.63	0.02	3764.00	100.00

fhb13f1a: 10/11 - F - CASI H5.3+P2B 14 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.08	1.49	56.08	1.49
-9	-9	1576.30	41.88	1632.37	43.37
Less than 1	0	17.67	0.47	1650.04	43.84
1	1	846.36	22.49	2496.40	66.32
2	2	732.04	19.45	3228.44	85.77
3	3	347.81	9.24	3576.25	95.01
4	4	106.35	2.83	3682.60	97.84
5	5	45.39	1.21	3727.99	99.04
6 or more	6	36.01	0.96	3764.00	100.00

fhb14f2: 10/11 - F - CASI H5.4+P2B 15 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	29.27	0.78	29.27	0.78
-9	1576.30	41.88	1605.56	42.66
0	160.27	4.26	1765.83	46.91
1	281.10	7.47	2046.93	54.38
2	381.34	10.13	2428.27	64.51
3	366.70	9.74	2794.97	74.26
4	267.60	7.11	3062.57	81.36
5	333.78	8.87	3396.35	90.23
6	162.74	4.32	3559.09	94.56
7	204.91	5.44	3764.00	100.00

fhb15f5: 10/11 - F - CASI H6.1+P2B 17 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.26	0.25	9.26	0.25
-9	-9	1576.30	41.88	1585.56	42.12
Yes	1	332.27	8.83	1917.83	50.95
No	2	1846.17	49.05	3764.00	100.00

fhb15f1: 10/11 - F - CASI H6.1/H6.2+P2B 17/18 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.26	0.25	9.26	0.25
-9	-9	1576.30	41.88	1585.56	42.12
Do not smoke at all	1	1860.70	49.43	3446.26	91.56
Less than once a day	2	17.61	0.47	3463.87	92.03
At least once a day	3	300.13	7.97	3764.00	100.00

fhb15f7: 10/11 - F - CASI H6.2+P2B 18 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	23.80	0.63	23.80	0.63
-9	-9	1576.30	41.88	1600.09	42.51
Yes	1	300.13	7.97	1900.22	50.48
No	2	1863.78	49.52	3764.00	100.00

fhb15f8: 10/11 - F - CASI H6.3+P2B 19 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.91	0.40	14.91	0.40
-9	-9	3441.00	91.42	3455.91	91.81
1 to 5 per day	2	64.31	1.71	3520.22	93.52
6 to 10 per day	3	91.67	2.44	3611.89	95.96
11 to 20 per day	4	121.39	3.22	3733.28	99.18
More than 20 per day	5	30.72	0.82	3764.00	100.00

fhb16f2: 10/11 - F - CASI H6.5+P2B 20 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.47	0.20	7.47	0.20
-9	-9	1576.30	41.88	1583.76	42.08
Never	0	184.38	4.90	1768.15	46.98
Not in the last year	1	50.76	1.35	1818.90	48.32
Monthly or less	2	362.33	9.63	2181.24	57.95
2 to 3 times a month	3	245.34	6.52	2426.57	64.47
Once a week	4	282.84	7.51	2709.42	71.98
2 to 3 times a week	5	582.40	15.47	3291.81	87.46
4 to 6 times a week	6	344.99	9.17	3636.80	96.62
Everyday	7	127.20	3.38	3764.00	100.00

fhb16f3: 10/11 - F - CASI H6.6+P2B 21 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.26	0.56	21.26	0.56
-9	-9	1760.68	46.78	1781.93	47.34
-3	-3	2.50	0.07	1784.43	47.41
1 or 2	1	1038.51	27.59	2822.95	75.00
3 or 4	2	654.34	17.38	3477.29	92.38
5 or 6	3	224.43	5.96	3701.72	98.35
7 to 10	4	49.35	1.31	3751.07	99.66
11 or more	5	12.93	0.34	3764.00	100.00

fhb16f7: 10/11 - F - CASI H6.7+P2B 22 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.65	0.55	20.65	0.55
-9	-9	1763.18	46.84	1783.82	47.39
Everyday	1	13.50	0.36	1797.33	47.75
4-6 times a week	2	30.58	0.81	1827.91	48.56
2-3 times a week	3	114.75	3.05	1942.65	51.61
Once a week	4	272.12	7.23	2214.77	58.84
2-3 times a month	5	197.06	5.24	2411.83	64.08
Monthly or less	6	789.82	20.98	3201.65	85.06
Never	7	562.35	14.94	3764.00	100.00

fhb16f8: 10/11 - F - CASI H6.8+P2B 23 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	67.10	1.78	67.10	1.78
-9	-9	1765.68	46.91	1832.77	48.69
Everyday	1	1.47	0.04	1834.24	48.73
4-6 times a week	2	8.46	0.22	1842.70	48.96
2-3 times a week	3	50.93	1.35	1893.63	50.31
Once a week	4	131.97	3.51	2025.60	53.82
2-3 times a month	5	114.53	3.04	2140.13	56.86
Monthly or less	6	671.31	17.84	2811.45	74.69
Never	7	952.55	25.31	3764.00	100.00

fhb16f5a: 10/11 - F - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	234.17	6.22	234.17	6.22
-9	-9	1598.60	42.47	1832.77	48.69
Everyday	1	1.47	0.04	1834.24	48.73
4-6 times a week	2	8.46	0.22	1842.70	48.96
2-3 times a week	3	50.93	1.35	1893.63	50.31
Once a week	4	132.70	3.53	2026.33	53.83
2-3 times a month	5	115.45	3.07	2141.78	56.90
Monthly or less	6	672.17	17.86	2813.95	74.76
Never	7	950.05	25.24	3764.00	100.00

fhb16f5: 10/11 - F - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	766.27	20.36	766.27	20.36
-9	-9	2016.56	53.57	2782.83	73.93
Everyday	1	1.47	0.04	2784.29	73.97
4-6 times a week	2	8.46	0.22	2792.75	74.20
2-3 times a week	3	50.93	1.35	2843.68	75.55
Once a week	4	132.70	3.53	2976.38	79.07
2-3 times a month	5	115.45	3.07	3091.83	82.14
Monthly or less	6	672.17	17.86	3764.00	100.00

ffavdac: 10/11 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.48	0.52	19.48	0.52
-9	1578.80	41.94	1598.27	42.46
0	858.79	22.82	2457.06	65.28
0.5	469.62	12.48	2926.69	77.75
1	204.10	5.42	3130.78	83.18
1.5	264.89	7.04	3395.67	90.21
2	87.06	2.31	3482.73	92.53
2.5	140.50	3.73	3623.24	96.26
3	14.41	0.38	3637.65	96.64
3.5	45.66	1.21	3683.31	97.86
4	36.51	0.97	3719.82	98.83
4.5	2.31	0.06	3722.13	98.89
5.5	26.80	0.71	3748.93	99.60
6.5	7.30	0.19	3756.24	99.79
8.5	7.19	0.19	3763.43	99.98
12	0.57	0.02	3764.00	100.00

ffalcgp: 10/11 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	11.77	0.31	11.77	0.31
-9	-9	1576.30	41.88	1588.06	42.19
Abstain not in the last year	1	235.14	6.25	1823.20	48.44
Occasional less than monthly	2	362.33	9.63	2185.54	58.06
Light <2 drinks/day men, <1 women	3	1208.54	32.11	3394.08	90.17
Moderate >=2 to <4 men, >=1 to <2 women	4	288.50	7.66	3682.58	97.84
Hazardous >=4 to <6 men, >=2 and <4 women	5	66.35	1.76	3748.93	99.60
Harmful >=6 men, >=4 women	6	15.07	0.40	3764.00	100.00

ffhvdac: 10/11 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	19.48	0.52	19.48	0.52
-9	-9	1578.80	41.94	1598.27	42.46
Yes	1	81.42	2.16	1679.69	44.63
No	2	2084.31	55.37	3764.00	100.00

ffbinge: 10/11 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.58	0.44	16.58	0.44
-9	-9	1581.30	42.01	1597.87	42.45
Yes	1	308.36	8.19	1906.23	50.64
No	2	1857.77	49.36	3764.00	100.00

ffalcp: 10/11 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	20.49	0.54	20.49	0.54
-9	-9	1581.30	42.01	1601.79	42.56
Yes	1	318.45	8.46	1920.24	51.02
No	2	1843.76	48.98	3764.00	100.00