

04 Health behaviour and risk factors

hbb15a1: 14/15 - P1 - CASI H6.1/H6.2 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	216.84	6.13	216.84	6.13
Do not smoke at all	1	2738.91	77.44	2955.75	83.57
Less than once a day	2	45.17	1.28	3000.92	84.84
At least once a day	3	536.08	15.16	3537.00	100.00

hbb15a5: 14/15 - P1 - CASI H6.1- Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	216.84	6.13	216.84	6.13
Yes	1	581.25	16.43	798.09	22.56
No	2	2738.91	77.44	3537.00	100.00

hbb15a7: 14/15 - P1 - CASI H6.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	216.84	6.13	216.84	6.13
Yes	1	536.08	15.16	752.93	21.29
No	2	2784.07	78.71	3537.00	100.00

hbb15a8: 14/15 - P1 - CASI H6.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.92	84.84	3000.92	84.84
1 to 5 per day	2	99.21	2.80	3100.13	87.65
6 to 10 per day	3	176.28	4.98	3276.41	92.63
11 to 20 per day	4	210.98	5.96	3487.39	98.60
More than 20 per day	5	49.61	1.40	3537.00	100.00

hbb15a4b: 14/15 - P1 - CASI H6.4 - No. residents smoke inside

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.16	0.09	3.16	0.09
-9	313.52	8.86	316.68	8.95
-3	3.67	0.10	320.34	9.06
0	2873.04	81.23	3193.39	90.29
1	206.84	5.85	3400.23	96.13
2	116.57	3.30	3516.80	99.43
3	11.31	0.32	3528.10	99.75
4	6.03	0.17	3534.13	99.92
5	1.90	0.05	3536.03	99.97
6	0.97	0.03	3537.00	100.00

hbb15a4a: 14/15 - P1 - CASI H6.4 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.16	0.09	3.16	0.09
-9	-9	313.52	8.86	316.68	8.95
-3	-3	3.67	0.10	320.34	9.06
None	0	2873.04	81.23	3193.39	90.29
1	1	206.84	5.85	3400.23	96.13
2	2	116.57	3.30	3516.80	99.43
3	3	11.31	0.32	3528.10	99.75
4	4	6.03	0.17	3534.13	99.92
5 or more	5	2.87	0.08	3537.00	100.00

hbb16a2: 14/15 - P1 - CASI H6.5 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	218.32	6.17	218.32	6.17
Never	0	503.37	14.23	721.68	20.40
Not in the last year	1	160.95	4.55	882.63	24.95
Monthly or less	2	839.74	23.74	1722.36	48.70
2 to 3 times a month	3	376.73	10.65	2099.10	59.35
Once a week	4	397.60	11.24	2496.70	70.59
2 to 3 times a week	5	643.57	18.20	3140.27	88.78
4 to 6 times a week	6	312.55	8.84	3452.83	97.62
Everyday	7	84.17	2.38	3537.00	100.00

hbb16a3: 14/15 - P1 - CASI H6.6 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	721.68	20.40	721.68	20.40
-3	-3	8.29	0.23	729.97	20.64
1 or 2	1	1944.55	54.98	2674.53	75.62
3 or 4	2	654.04	18.49	3328.56	94.11
5 or 6	3	154.30	4.36	3482.86	98.47
7 to 10	4	45.03	1.27	3527.89	99.74
11 or more	5	9.11	0.26	3537.00	100.00

hbb16a7: 14/15 - P1 - CASI H6.7 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	729.97	20.64	729.97	20.64
Everyday	1	20.86	0.59	750.84	21.23
4-6 times a week	2	19.91	0.56	770.75	21.79
2-3 times a week	3	59.34	1.68	830.09	23.47
Once a week	4	175.67	4.97	1005.77	28.44
2-3 times a month	5	157.06	4.44	1162.83	32.88
Monthly or less	6	906.20	25.62	2069.03	58.50
Never	7	1467.97	41.50	3537.00	100.00

hbb16a8: 14/15 - P1 - CASI H6.8 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	732.60	20.71	732.60	20.71
Everyday	1	6.58	0.19	739.19	20.90
4-6 times a week	2	11.23	0.32	750.41	21.22
2-3 times a week	3	13.18	0.37	763.59	21.59
Once a week	4	81.96	2.32	845.56	23.91
2-3 times a month	5	79.19	2.24	924.74	26.14
Monthly or less	6	625.89	17.70	1550.64	43.84
Never	7	1986.36	56.16	3537.00	100.00

hbb16a5a: 14/15 - P1 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	729.97	20.64	729.97	20.64
Everyday	1	19.38	0.55	749.36	21.19
4-6 times a week	2	17.67	0.50	767.02	21.69
2-3 times a week	3	49.84	1.41	816.86	23.09
Once a week	4	162.95	4.61	979.81	27.70
2-3 times a month	5	155.24	4.39	1135.05	32.09
Monthly or less	6	910.03	25.73	2045.08	57.82
Never	7	1491.92	42.18	3537.00	100.00

hbb16a5: 14/15 - P1 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2221.89	62.82	2221.89	62.82
Everyday	1	19.38	0.55	2241.27	63.37
4-6 times a week	2	17.67	0.50	2258.94	63.87
2-3 times a week	3	49.84	1.41	2308.78	65.27
Once a week	4	162.95	4.61	2471.73	69.88
2-3 times a month	5	155.24	4.39	2626.97	74.27
Monthly or less	6	910.03	25.73	3537.00	100.00

haavdac: 14/15 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	219.99	6.22	219.99	6.22
0	1989.29	56.24	2209.27	62.46
0.5	661.55	18.70	2870.82	81.17
1	253.80	7.18	3124.63	88.34
1.5	215.51	6.09	3340.14	94.43
2	39.88	1.13	3380.01	95.56
2.5	96.60	2.73	3476.61	98.29
3	3.80	0.11	3480.41	98.40
3.5	26.59	0.75	3507.00	99.15
4	9.52	0.27	3516.52	99.42
5.5	10.38	0.29	3526.91	99.71
6.5	2.07	0.06	3528.98	99.77
8.5	7.28	0.21	3536.26	99.98
12	0.74	0.02	3537.00	100.00

haalcgp: 14/15 - P1- Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	218.32	6.17	218.32	6.17
-3	-3	1.03	0.03	219.35	6.20
Abstain not in the last year	1	664.31	18.78	883.66	24.98
Occasional less than monthly	2	839.74	23.74	1723.39	48.72
Light <2 drinks/day men, <1 women	3	1213.99	34.32	2937.38	83.05
Moderate >=2 to <4 men, >=1 to <2 women	4	437.84	12.38	3375.23	95.43
Hazardous >=4 to <6 men, >=2 and <4 women	5	137.92	3.90	3513.15	99.33
Harmful >=6 men, >=4 women	6	23.85	0.67	3537.00	100.00

hahvdac: 14/15 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	219.99	6.22	219.99	6.22
Yes	1	161.77	4.57	381.76	10.79
No	2	3155.24	89.21	3537.00	100.00

habinge: 14/15 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	219.99	6.22	219.99	6.22
Yes	1	402.16	11.37	622.15	17.59
No	2	2914.85	82.41	3537.00	100.00

haalcp: 14/15 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	219.99	6.22	219.99	6.22
Yes	1	437.26	12.36	657.25	18.58
No	2	2879.75	81.42	3537.00	100.00

hhb23c: 14/15 - F2F J13.1+W2-5 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	12.84	0.36	12.84	0.36
Yes	1	2697.36	76.26	2710.20	76.62
No	2	826.80	23.38	3537.00	100.00

hhb23c1: 14/15 - F2F J13.1.1+W2-5 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	12.84	0.36	12.84	0.36
No	0	1618.52	45.76	1631.36	46.12
Yes	1	1905.64	53.88	3537.00	100.00

hhb23c4: 14/15 - F2F J13.1.2+W2-5 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	15.34	0.43	15.34	0.43
No	0	2921.29	82.59	2936.63	83.03
Yes	1	600.37	16.97	3537.00	100.00

hhb23c5: 14/15 - F2F J13.1.3/4+W5 - Had braces or other dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.40	0.77	27.40	0.77
No	0	2366.01	66.89	2393.42	67.67
Yes	1	1143.58	32.33	3537.00	100.00

hhb23c2: 14/15 - F2F J13.2.1+W2-5 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	12.84	0.36	12.84	0.36
No	0	1738.51	49.15	1751.35	49.52
Yes	1	1785.65	50.48	3537.00	100.00

hhb23c3: 14/15 - F2F J13.2.2+W2-5 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	15.34	0.43	15.34	0.43
No	0	3029.65	85.66	3044.99	86.09
Yes	1	492.01	13.91	3537.00	100.00

hhb23c7: 14/15 - F2F J13.2.3+W5 - No treatment as a result of cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	48.04	1.36	48.04	1.36
No	0	3375.75	95.44	3423.80	96.80
Yes	1	113.20	3.20	3537.00	100.00

hhb23d1: 14/15 - F2F J13.1.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
No	0	2908.53	82.23	3005.64	84.98
Yes	1	531.36	15.02	3537.00	100.00

hhb23d4: 14/15 - F2F J13.1.2 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
No	0	3365.72	95.16	3462.83	97.90
Yes	1	74.17	2.10	3537.00	100.00

hhb23d5a: 14/15 - F2F J13.1.3 - Last 2 yrs - Braces

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
No	0	2641.37	74.68	2738.48	77.42
Yes	1	798.52	22.58	3537.00	100.00

hhb23d5b: 14/15 - F2F J13.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
No	0	3255.95	92.05	3353.06	94.80
Yes	1	183.94	5.20	3537.00	100.00

hhb23d6: 14/15 - F2F J13.1.5 - Last 2 yrs - No problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
No	0	1442.77	40.79	1539.89	43.54
Yes	1	1997.11	56.46	3537.00	100.00

hhb23d8: 14/15 - F2F J13.1.6 - Last 2 yrs - Don't know had any problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
No	0	3417.54	96.62	3514.66	99.37
Yes	1	22.34	0.63	3537.00	100.00

hhb23d2: 14/15 - F2F J13.2.1 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	22.34	0.63	119.46	3.38
No	0	2976.70	84.16	3096.16	87.54
Yes	1	440.84	12.46	3537.00	100.00

hhb23d3: 14/15 - F2F J13.2.2 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	22.34	0.63	119.46	3.38
No	0	3363.83	95.10	3483.28	98.48
Yes	1	53.72	1.52	3537.00	100.00

hhb23d7: 14/15 - F2F J13.2.3 - Last 2 yrs - No treatment - result of cavity/dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	22.34	0.63	119.46	3.38
No	0	3356.05	94.88	3475.51	98.26
Yes	1	61.49	1.74	3537.00	100.00

hhb20a1: 14/15 - F2F J15.2 - Frequency of sun protection - sunscreen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	27.00	0.76	124.11	3.51
Every day	1	484.52	13.70	608.63	17.21
Most days	2	1024.44	28.96	1633.07	46.17
Some days	3	1159.20	32.77	2792.28	78.94
Never or hardly ever	4	744.72	21.06	3537.00	100.00

hhb20a2: 14/15 - F2F J15.3 - Frequency of sun protection - hat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	24.42	0.69	121.53	3.44
Every day	1	524.65	14.83	646.18	18.27
Most days	2	887.49	25.09	1533.68	43.36
Some days	3	977.56	27.64	2511.24	71.00
Never or hardly ever	4	1025.76	29.00	3537.00	100.00

hhb20a3: 14/15 - F2F J15.4 - Frequency of sun protection - shirt with sleeves

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	15.61	0.44	112.72	3.19
Every day	1	1141.93	32.29	1254.65	35.47
Most days	2	1209.90	34.21	2464.55	69.68
Some days	3	644.48	18.22	3109.03	87.90
Never or hardly ever	4	427.97	12.10	3537.00	100.00

hhb20a4: 14/15 - F2F J15.5 - Frequency of sun protection - sunglasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	9.09	0.26	106.20	3.00
Every day	1	146.30	4.14	252.50	7.14
Most days	2	364.82	10.31	617.32	17.45
Some days	3	987.32	27.91	1604.63	45.37
Never or hardly ever	4	1932.37	54.63	3537.00	100.00

hhb20a5: 14/15 - F2F J15.6 - Frequency of sun protection - seek shade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	97.11	2.75	97.11	2.75
-2	-2	123.74	3.50	220.85	6.24
Every day	1	231.45	6.54	452.30	12.79
Most days	2	1080.42	30.55	1532.72	43.33
Some days	3	1308.87	37.01	2841.59	80.34
Never or hardly ever	4	695.41	19.66	3537.00	100.00

hhb29a1: 14/15 - ACASK 9.4.1 - Method used to prevent pregnancy - None

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
-3	-3	0.88	0.02	3382.66	95.64
No	0	139.50	3.94	3522.16	99.58
Yes	1	14.84	0.42	3537.00	100.00

hhb29a2: 14/15 - ACASK 9.4.2 - Method used to prevent pregnancy - Birth control pills

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
-3	-3	0.88	0.02	3382.66	95.64
No	0	123.82	3.50	3506.48	99.14
Yes	1	30.52	0.86	3537.00	100.00

hhb29a3: 14/15 - ACASK 9.4.3 - Method used to prevent pregnancy - Condoms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
-3	-3	0.88	0.02	3382.66	95.64
No	0	39.28	1.11	3421.94	96.75
Yes	1	115.06	3.25	3537.00	100.00

hhb29a4: 14/15 - ACASK 9.4.4 - Method used to prevent pregnancy - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
-3	-3	0.88	0.02	3382.66	95.64
No	0	145.02	4.10	3527.68	99.74
Yes	1	9.32	0.26	3537.00	100.00

hhb29a5: 14/15 - ACASK 9.4.5 - Method used to prevent pregnancy - Not sure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
-3	-3	0.88	0.02	3382.66	95.64
No	0	144.43	4.08	3527.09	99.72
Yes	1	9.91	0.28	3537.00	100.00

hhb29b1: 14/15 - ACASK 9.6.1 - Method used to prevent STI - None

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
No	0	125.68	3.55	3507.47	99.17
Yes	1	29.53	0.83	3537.00	100.00

hhb29b2: 14/15 - ACASK 9.6.2 - Method used to prevent STI - Condom

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
No	0	36.70	1.04	3418.48	96.65
Yes	1	118.52	3.35	3537.00	100.00

hhb29b3: 14/15 - ACASK 9.6.3 - Method used to prevent STI - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
No	0	153.58	4.34	3535.37	99.95
Yes	1	1.63	0.05	3537.00	100.00

hhb29b4: 14/15 - ACASK 9.6.4 - Method used to prevent STI - Not sure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3381.78	95.61	3381.78	95.61
No	0	148.13	4.19	3529.91	99.80
Yes	1	7.09	0.20	3537.00	100.00

hhb22c: 14/15 - SC - ACASK 19.1 - Eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
Yes	1	2646.37	74.82	2848.95	80.55
No	2	688.05	19.45	3537.00	100.00

hhb21c1a1: 14/15 - SC - ACASK 19.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	691.71	19.56	894.74	25.30
Once	1	1177.17	33.28	2071.91	58.58
Twice	2	938.23	26.53	3010.14	85.10
More than twice	3	526.86	14.90	3537.00	100.00

hhb21c1a2: 14/15 - SC - ACASK 19.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	691.71	19.56	894.74	25.30
Once	1	1177.17	33.28	2071.91	58.58
Twice or more	2	1465.09	41.42	3537.00	100.00

hhb21c2a1: 14/15 - SC - ACASK 19.2.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1537.78	43.48	1740.80	49.22
Once	1	1145.95	32.40	2886.75	81.62
Twice	2	437.74	12.38	3324.50	93.99
More than twice	3	212.50	6.01	3537.00	100.00

hbb21c2a2: 14/15 - SC - ACASK 19.2.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1537.78	43.48	1740.80	49.22
Once	1	1145.95	32.40	2886.75	81.62
Twice or more	2	650.25	18.38	3537.00	100.00

hbb21c1b1: 14/15 - SC - ACASK 19.2.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	845.10	23.89	1048.12	29.63
Once	1	1404.86	39.72	2452.98	69.35
Twice	2	631.19	17.85	3084.17	87.20
More than twice	3	452.83	12.80	3537.00	100.00

hbb21c1b2: 14/15 - SC - ACASK 19.2.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	845.10	23.89	1048.12	29.63
Once	1	1404.86	39.72	2452.98	69.35
Twice or more	2	1084.02	30.65	3537.00	100.00

hbb21c1c1: 14/15 - SC - ACASK 19.2.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1417.62	40.08	1620.64	45.82
Once	1	1186.44	33.54	2807.08	79.36
Twice	2	463.35	13.10	3270.43	92.46
More than twice	3	266.57	7.54	3537.00	100.00

hbb21c1c2: 14/15 - SC - ACASK 19.2.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1417.62	40.08	1620.64	45.82
Once	1	1186.44	33.54	2807.08	79.36
Twice or more	2	729.92	20.64	3537.00	100.00

hbb21c3a1: 14/15 - SC - ACASK 19.2.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2177.59	61.57	2380.62	67.31
Once	1	850.84	24.06	3231.46	91.36
Twice	2	229.83	6.50	3461.29	97.86
More than twice	3	75.71	2.14	3537.00	100.00

hbb21c3a2: 14/15 - SC - ACASK 19.2.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2177.59	61.57	2380.62	67.31
Once	1	850.84	24.06	3231.46	91.36
Twice or more	2	305.54	8.64	3537.00	100.00

hbb21c3b1: 14/15 - SC - ACASK 19.2.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2368.39	66.96	2571.42	72.70
Once	1	810.38	22.91	3381.80	95.61
Twice	2	101.20	2.86	3483.00	98.47
More than twice	3	54.00	1.53	3537.00	100.00

hbb21c3b2: 14/15 - SC - ACASK 19.2.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2368.39	66.96	2571.42	72.70
Once	1	810.38	22.91	3381.80	95.61
Twice or more	2	155.20	4.39	3537.00	100.00

hbb21c3c1: 14/15 - SC - ACASK 19.2.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1799.75	50.88	2002.77	56.62
Once	1	1209.26	34.19	3212.03	90.81
Twice	2	252.76	7.15	3464.79	97.96
More than twice	3	72.21	2.04	3537.00	100.00

hbb21c3c2: 14/15 - SC - ACASK 19.2.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1799.75	50.88	2002.77	56.62
Once	1	1209.26	34.19	3212.03	90.81
Twice or more	2	324.97	9.19	3537.00	100.00

hbb21c3d1: 14/15 - SC - ACASK 19.2.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1383.42	39.11	1586.44	44.85
Once	1	1487.03	42.04	3073.47	86.89
Twice	2	352.84	9.98	3426.32	96.87
More than twice	3	110.68	3.13	3537.00	100.00

hbb21c3d2: 14/15 - SC - ACASK 19.2.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1383.42	39.11	1586.44	44.85
Once	1	1487.03	42.04	3073.47	86.89
Twice or more	2	463.53	13.11	3537.00	100.00

hbb21c8a1: 14/15 - SC - ACASK 19.2.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	761.44	21.53	964.47	27.27
Once	1	1572.11	44.45	2536.58	71.72
Twice	2	741.40	20.96	3277.97	92.68
More than twice	3	259.03	7.32	3537.00	100.00

hbb21c8a2: 14/15 - SC - ACASK 19.2.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	761.44	21.53	964.47	27.27
Once	1	1572.11	44.45	2536.58	71.72
Twice or more	2	1000.42	28.28	3537.00	100.00

hhb21c3e1: 14/15 - SC - ACASK 19.2.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	979.32	27.69	1182.35	33.43
Once	1	1266.10	35.80	2448.45	69.22
Twice	2	699.88	19.79	3148.33	89.01
More than twice	3	388.67	10.99	3537.00	100.00

hhb21c3e2: 14/15 - SC - ACASK 19.2.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	979.32	27.69	1182.35	33.43
Once	1	1266.10	35.80	2448.45	69.22
Twice or more	2	1088.55	30.78	3537.00	100.00

hhb21c4a1: 14/15 - SC - ACASK 19.2.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.45	0.04	204.04	5.77
Not at all	0	1785.61	50.48	1989.65	56.25
Once	1	979.61	27.70	2969.26	83.95
Twice	2	362.78	10.26	3332.04	94.21
More than twice	3	204.96	5.79	3537.00	100.00

hhb21c4a2: 14/15 - SC - ACASK 19.2.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.45	0.04	204.04	5.77
Not at all	0	1785.61	50.48	1989.65	56.25
Once	1	979.61	27.70	2969.26	83.95
Twice or more	2	567.74	16.05	3537.00	100.00

hhb21c5a1: 14/15 - SC - ACASK 19.2.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	97.16	2.75	300.18	8.49
Once	1	247.53	7.00	547.71	15.49
Twice	2	440.05	12.44	987.76	27.93
More than twice	3	2549.24	72.07	3537.00	100.00

hbb21c5a2: 14/15 - SC - ACASK 19.2.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	97.16	2.75	300.18	8.49
Once	1	247.53	7.00	547.71	15.49
Twice or more	2	2989.29	84.51	3537.00	100.00

hbb21c2b1: 14/15 - SC - ACASK 19.2.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1816.38	51.35	2019.40	57.09
Once	1	989.06	27.96	3008.46	85.06
Twice	2	367.16	10.38	3375.62	95.44
More than twice	3	161.38	4.56	3537.00	100.00

hbb21c2b2: 14/15 - SC - ACASK 19.2.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	1816.38	51.35	2019.40	57.09
Once	1	989.06	27.96	3008.46	85.06
Twice or more	2	528.54	14.94	3537.00	100.00

hbb21c6a1: 14/15 - SC - ACASK 19.2.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2747.31	77.67	2950.34	83.41
Once	1	426.55	12.06	3376.89	95.47
Twice	2	101.83	2.88	3478.72	98.35
More than twice	3	58.28	1.65	3537.00	100.00

hbb21c6a2: 14/15 - SC - ACASK 19.2.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2747.31	77.67	2950.34	83.41
Once	1	426.55	12.06	3376.89	95.47
Twice or more	2	160.11	4.53	3537.00	100.00

hhb21c7a1: 14/15 - SC - ACASK 19.2.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.20	0.03	203.79	5.76
Not at all	0	3056.34	86.41	3260.12	92.17
Once	1	181.40	5.13	3441.52	97.30
Twice	2	55.21	1.56	3496.73	98.86
More than twice	3	40.27	1.14	3537.00	100.00

hhb21c7a2: 14/15 - SC - ACASK 19.2.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.20	0.03	203.79	5.76
Not at all	0	3056.34	86.41	3260.12	92.17
Once	1	181.40	5.13	3441.52	97.30
Twice or more	2	95.48	2.70	3537.00	100.00

hhb21c7b1: 14/15 - SC - ACASK 19.2.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2777.49	78.53	2980.51	84.27
Once	1	409.66	11.58	3390.17	95.85
Twice	2	95.18	2.69	3485.36	98.54
More than twice	3	51.64	1.46	3537.00	100.00

hhb21c7b2: 14/15 - SC - ACASK 19.2.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.44	0.01	203.03	5.74
Not at all	0	2777.49	78.53	2980.51	84.27
Once	1	409.66	11.58	3390.17	95.85
Twice or more	2	146.83	4.15	3537.00	100.00

hcfandvb: 14/15 - SC - Frequency ate fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	235.39	6.66	438.42	12.40
1	379.34	10.73	817.76	23.12
2	572.80	16.19	1390.56	39.31
3	688.45	19.46	2079.01	58.78
4	496.35	14.03	2575.37	72.81
5	359.53	10.16	2934.90	82.98
6	280.95	7.94	3215.85	90.92
7	146.32	4.14	3362.17	95.06
8	83.99	2.37	3446.16	97.43
9	90.84	2.57	3537.00	100.00

hchfatb: 14/15 - SC - Frequency ate high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	497.39	14.06	700.41	19.80
1	891.78	25.21	1592.19	45.02
2	869.08	24.57	2461.27	69.59
3	514.51	14.55	2975.78	84.13
4	263.66	7.45	3239.44	91.59
5	123.15	3.48	3362.59	95.07
6	62.68	1.77	3425.27	96.84
7	47.11	1.33	3472.39	98.17
8	27.29	0.77	3499.67	98.94
9	9.64	0.27	3509.31	99.22
10	7.43	0.21	3516.75	99.43
11	3.59	0.10	3520.34	99.53
12	16.66	0.47	3537.00	100.00

hchfwmb: 14/15 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	165.06	4.67	368.08	10.41
1	464.92	13.14	833.00	23.55
2	734.03	20.75	1567.03	44.30
3	680.58	19.24	2247.61	63.55
4	538.29	15.22	2785.90	78.76
5	330.36	9.34	3116.26	88.10
6	163.05	4.61	3279.31	92.71
7	98.44	2.78	3377.75	95.50
8	50.50	1.43	3428.24	96.93
9	48.27	1.36	3476.51	98.29
10	26.74	0.76	3503.25	99.05
11	9.45	0.27	3512.70	99.31
12	2.21	0.06	3514.91	99.38
13	6.06	0.17	3520.96	99.55
14	2.05	0.06	3523.01	99.60
15	13.99	0.40	3537.00	100.00

hchsdrnkb: 14/15 - SC - Frequency drank high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	954.92	27.00	1157.94	32.74
1	965.25	27.29	2123.19	60.03
2	724.24	20.48	2847.43	80.50
3	417.96	11.82	3265.39	92.32
4	184.81	5.23	3450.20	97.55
5	61.20	1.73	3511.39	99.28
6	25.61	0.72	3537.00	100.00

hcfandv: 14/15 - SC - Frequency ate fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	235.39	6.66	438.42	12.40
1	379.34	10.73	817.76	23.12
2	622.16	17.59	1439.92	40.71
3	755.79	21.37	2195.71	62.08
4	604.08	17.08	2799.79	79.16
5	404.09	11.42	3203.87	90.58
6	333.13	9.42	3537.00	100.00

hchfat: 14/15 - SC - Frequency ate high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	497.39	14.06	700.41	19.80
1	891.78	25.21	1592.19	45.02
2	904.51	25.57	2496.70	70.59
3	511.29	14.46	3007.99	85.04
4	271.13	7.67	3279.12	92.71
5	116.13	3.28	3395.25	95.99
6	75.40	2.13	3470.65	98.12
7	27.04	0.76	3497.70	98.89
8	39.30	1.11	3537.00	100.00

hchfwm: 14/15 - SC - Frequency ate high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	165.06	4.67	368.08	10.41
1	464.92	13.14	833.00	23.55
2	789.48	22.32	1622.48	45.87
3	732.31	20.70	2354.79	66.58
4	544.38	15.39	2899.17	81.97
5	311.36	8.80	3210.52	90.77
6	143.06	4.04	3353.58	94.81
7	79.21	2.24	3432.79	97.05
8	50.62	1.43	3483.41	98.48
9	29.57	0.84	3512.98	99.32
10	24.02	0.68	3537.00	100.00

hchsdrrnk: 14/15 - SC - Frequency drank high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.03	5.74	203.03	5.74
0	954.92	27.00	1157.94	32.74
1	965.25	27.29	2123.19	60.03
2	867.14	24.52	2990.33	84.54
3	393.62	11.13	3383.95	95.67
4	153.05	4.33	3537.00	100.00

hbb30a1: 14/15 - ACASK 19.3.1 - Leave food at meal times - to avoid putting on weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	2.59	0.07	205.92	5.82
Seldom/never	1	2445.84	69.15	2651.76	74.97
Sometimes	2	667.80	18.88	3319.56	93.85
Often	3	166.21	4.70	3485.77	98.55
Almost always/always	4	51.23	1.45	3537.00	100.00

hbb30a2: 14/15 - ACASK 19.3.2 - Have eaten too much - eat less than usual on the next day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	3.26	0.09	206.60	5.84
Seldom/never	1	2003.69	56.65	2210.29	62.49
Sometimes	2	977.13	27.63	3187.42	90.12
Often	3	251.35	7.11	3438.78	97.22
Almost always/always	4	98.22	2.78	3537.00	100.00

hbb30a3: 14/15 - ACASK 19.3.3 - Take small helpings - to keep weight under control

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	2.59	0.07	205.92	5.82
Seldom/never	1	2364.78	66.86	2570.71	72.68
Sometimes	2	704.92	19.93	3275.63	92.61
Often	3	183.58	5.19	3459.21	97.80
Almost always/always	4	77.79	2.20	3537.00	100.00

hbb30a4: 14/15 - ACASK 19.3.4 - Skip meals other than breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	2.59	0.07	205.92	5.82
Seldom/never	1	2798.55	79.12	3004.48	84.94
Sometimes	2	329.19	9.31	3333.67	94.25
Often	3	135.45	3.83	3469.13	98.08
Almost always/always	4	67.87	1.92	3537.00	100.00

hbb30b1: 14/15 - ACASK 19.4 - How would you feel if you gained one to two kilograms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	6.13	0.17	209.47	5.92
It would please me	1	330.07	9.33	539.54	15.25
It wouldn't bother me	2	1407.33	39.79	1946.87	55.04
I'd be a little concerned	3	918.49	25.97	2865.36	81.01
It would worry me	4	404.76	11.44	3270.11	92.45
It would really upset me	5	266.89	7.55	3537.00	100.00

hhb30b2: 14/15 - ACASK 19.5 - Last 4 weeks - Have you been afraid you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	7.66	0.22	211.00	5.97
Yes	1	1181.10	33.39	1392.10	39.36
No	2	2144.90	60.64	3537.00	100.00

hhb30b3: 14/15 - ACASK 19.6 - Last 4 week - Freq you feel afraid you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2355.90	66.61	2355.90	66.61
Less than one day a week	1	357.83	10.12	2713.73	76.72
One day a week	2	228.03	6.45	2941.75	83.17
Two or three days a week	3	297.13	8.40	3238.89	91.57
Four or five days a week	4	139.47	3.94	3378.36	95.51
Six or seven days a week	5	158.64	4.49	3537.00	100.00

hhb30b4: 14/15 - ACASK 19.7 - How concerned were you that you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2355.90	66.61	2355.90	66.61
Only a little	1	320.59	9.06	2676.49	75.67
Moderately	2	451.10	12.75	3127.59	88.43
Very	3	271.45	7.67	3399.04	96.10
Extremely	4	137.96	3.90	3537.00	100.00

hhb30b5: 14/15 - ACASK 19.8 - How important is weight in how you feel about yourself

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	3.84	0.11	207.18	5.86
Not important	1	568.95	16.09	776.13	21.94
A bit important	2	1113.13	31.47	1889.25	53.41
Moderately important	3	1059.13	29.94	2948.38	83.36
Very important	4	588.62	16.64	3537.00	100.00

hhb30b6: 14/15 - ACASK 19.9 - How do you feel about your weight at the moment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	6.17	0.17	209.51	5.92
Very underweight	1	41.04	1.16	250.55	7.08
Somewhat underweight	2	361.67	10.23	612.23	17.31
About the right weight	3	1973.36	55.79	2585.59	73.10
Somewhat overweight	4	855.54	24.19	3441.14	97.29
Very overweight	5	95.86	2.71	3537.00	100.00

hbb30b7: 14/15 - ACASK 20.1 - Last 4 weeks - Gone all day no eating to control weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	4.15	0.12	207.49	5.87
Yes	1	272.16	7.69	479.65	13.56
No	2	3057.35	86.44	3537.00	100.00

hbb30b8: 14/15 - ACASK 20.2 - Last 4 weeks - Freq you have gone all day without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3264.84	92.31	3264.84	92.31
Less than one day a week	1	165.64	4.68	3430.49	96.99
One day a week	2	35.43	1.00	3465.91	97.99
Two or three days a week	3	54.62	1.54	3520.53	99.53
Four or five days a week	4	13.10	0.37	3533.63	99.90
Six or seven days a week	5	3.37	0.10	3537.00	100.00

hbb30b9: 14/15 - ACASK 20.3 - How long have you been having days without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3264.84	92.31	3264.84	92.31
Less than 4 weeks	1	138.57	3.92	3403.41	96.22
Between 4 weeks and 3 months	2	30.66	0.87	3434.07	97.09
Between 3 months and 6 months	3	21.71	0.61	3455.78	97.70
Between 6 months and a year	4	31.99	0.90	3487.77	98.61
Longer than a year	5	49.23	1.39	3537.00	100.00

hbb30b10: 14/15 - ACASK 21.1 - Last 4 weeks - Felt that you lost control of your eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	5.50	0.16	208.84	5.90
Yes	1	1036.52	29.30	1245.36	35.21
No	2	2291.64	64.79	3537.00	100.00

hbb30b11: 14/15 - ACASK 21.2 - How often during the last 4 weeks have you felt like this

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2500.48	70.70	2500.48	70.70
Less than one day a week	1	400.32	11.32	2900.80	82.01
One day a week	2	272.55	7.71	3173.35	89.72
Two or three days a week	3	239.72	6.78	3413.07	96.50
Four or five days a week	4	75.14	2.12	3488.22	98.62
Six or seven days a week	5	48.78	1.38	3537.00	100.00

hbb30b12: 14/15 - ACASK 21.3 - Duration of feelings - You have lost control of your eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2500.48	70.70	2500.48	70.70
Less than 4 weeks	1	515.77	14.58	3016.26	85.28
Between 4 weeks and 3 months	2	133.52	3.77	3149.78	89.05
Between 3 months and 6 months	3	97.40	2.75	3247.18	91.81

hhb30b12: 14/15 - ACASK 21.3 - Duration of feelings - You have lost control of your eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Between 6 months and a year	4	120.24	3.40	3367.41	95.21
Longer than a year	5	169.59	4.79	3537.00	100.00

hhb30b13: 14/15 - ACASK 21.4 - When you lose control of eating, how hard is it to stop

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2500.48	70.70	2500.48	70.70
Fairly easy	1	564.75	15.97	3065.23	86.66
Fairly difficult	2	318.33	9.00	3383.56	95.66
Very difficult	3	117.93	3.33	3501.49	99.00
Impossible	4	35.51	1.00	3537.00	100.00

hhb30b14: 14/15 - ACASK 21.5 - Amount of food you would eat in less than 2 hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2500.48	70.70	2500.48	70.70
2 pieces of bread and 4 scoops of ice-cream and 2 biscuits	1	457.67	12.94	2958.15	83.63
8 pieces of bread and half a litre of ice-cream and 5 biscuits	2	130.40	3.69	3088.55	87.32
12 pieces of bread and 1 litre of ice-cream and 10 biscuits	3	20.59	0.58	3109.14	87.90
1 loaf of bread and 2 litres of ice-cream and 1 packet of biscuits	4	22.26	0.63	3131.40	88.53
Less than any of these amounts	5	405.60	11.47	3537.00	100.00

hhb30c: 14/15 - ACASK 22.1 - Last 4 week - Tablet/medicine/drug to weight control

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	4.15	0.12	207.49	5.87
Yes	1	62.49	1.77	269.98	7.63
No	2	3267.02	92.37	3537.00	100.00

hhb30c1: 14/15 - ACASK 22.2.1 - Laxatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3474.51	98.23	3474.51	98.23
No	0	51.36	1.45	3525.87	99.69
Yes	1	11.13	0.31	3537.00	100.00

hhb30c2: 14/15 - ACASK 22.2.2 - Diuretics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3474.51	98.23	3474.51	98.23
No	0	58.20	1.65	3532.71	99.88
Yes	1	4.29	0.12	3537.00	100.00

hhb30c3: 14/15 - ACASK 22.2.3 - Appetite suppressants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3474.51	98.23	3474.51	98.23
No	0	49.96	1.41	3524.47	99.65
Yes	1	12.53	0.35	3537.00	100.00

hhb30c4: 14/15 - ACASK 22.2.4 - Other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3474.51	98.23	3474.51	98.23
No	0	25.10	0.71	3499.61	98.94
Yes	1	37.39	1.06	3537.00	100.00

hhb30c1a: 14/15 - ACASK 22.4.1 - How often have you taken ? Laxatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3525.87	99.69	3525.87	99.69
Less than one day a week	1	6.09	0.17	3531.96	99.86
One day a week	2	2.39	0.07	3534.36	99.93
Two or three days a week	3	1.88	0.05	3536.23	99.98
Six or seven days a week	5	0.77	0.02	3537.00	100.00

hhb30c2a: 14/15 - ACASK 22.4.2 - How often have you taken ? Diuretics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3532.71	99.88	3532.71	99.88
One day a week	2	2.50	0.07	3535.21	99.95
Two or three days a week	3	1.79	0.05	3537.00	100.00

hhb30c3a: 14/15 - ACASK 22.4.3 - How often have you taken ? Appetite suppressants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3524.47	99.65	3524.47	99.65
Less than one day a week	1	2.37	0.07	3526.84	99.71
One day a week	2	1.03	0.03	3527.87	99.74
Two or three days a week	3	1.51	0.04	3529.38	99.78
Four or five days a week	4	4.41	0.12	3533.80	99.91
Six or seven days a week	5	3.20	0.09	3537.00	100.00

hhb30c5a: 14/15 - ACASK 22.4.4 - How often have you taken ? Other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3491.35	98.71	3491.35	98.71
Less than one day a week	1	31.56	0.89	3522.91	99.60
One day a week	2	4.50	0.13	3527.41	99.73
Two or three days a week	3	3.54	0.10	3530.95	99.83
Four or five days a week	4	2.51	0.07	3533.46	99.90
Six or seven days a week	5	3.54	0.10	3537.00	100.00

hhb30c1b: 14/15 - ACASK 22.5.1 - How long have you been taking Laxatives?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3525.87	99.69	3525.87	99.69
Less than 4 weeks	1	7.30	0.21	3533.17	99.89
Between 4 weeks and 3 months	2	1.38	0.04	3534.55	99.93
Between 3 months and 6 months	3	1.78	0.05	3536.33	99.98
Between 6 months and a year	4	0.67	0.02	3537.00	100.00

hhb30c2b: 14/15 - ACASK 22.5.2 - How long have you been taking Diuretics?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3532.71	99.88	3532.71	99.88
Less than 4 weeks	1	1.79	0.05	3534.50	99.93
Between 3 months and 6 months	3	2.50	0.07	3537.00	100.00

hhb30c3b: 14/15 - ACASK 22.5.3 - How long have you been taking Appetite suppressants?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3524.47	99.65	3524.47	99.65
Less than 4 weeks	1	4.64	0.13	3529.11	99.78
Between 4 weeks and 3 months	2	1.51	0.04	3530.62	99.82
Between 3 months and 6 months	3	2.50	0.07	3533.12	99.89
Between 6 months and a year	4	1.38	0.04	3534.50	99.93
Longer than a year	5	2.50	0.07	3537.00	100.00

hhb30c5b: 14/15 - ACASK 22.5.4 - How long have you been taking Other drugs ?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3491.35	98.71	3491.35	98.71
Less than 4 weeks	1	37.79	1.07	3529.14	99.78
Between 4 weeks and 3 months	2	2.47	0.07	3531.62	99.85
Between 3 months and 6 months	3	1.06	0.03	3532.68	99.88
Longer than a year	5	4.32	0.12	3537.00	100.00

hhb30c1c: 14/15 - ACASK 22.6.1 - How many laxatives would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3525.87	99.69	3525.87	99.69
One	1	7.30	0.21	3533.17	99.89
Between 2 and 5	2	2.05	0.06	3535.22	99.95
Between 6 and 10	3	1.78	0.05	3537.00	100.00

hhb30c2c: 14/15 - ACASK 22.6.2 - How many diuretics would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3532.71	99.88	3532.71	99.88
Between 2 and 5	2	1.79	0.05	3534.50	99.93
Between 6 and 10	3	2.50	0.07	3537.00	100.00

hhb30c3c: 14/15 - ACASK 22.6.3 - How many appetite suppressants you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3524.47	99.65	3524.47	99.65
One	1	4.86	0.14	3529.32	99.78
Between 2 and 5	2	7.68	0.22	3537.00	100.00

hhb30c5c: 14/15 - ACASK 22.6.4 - How many other drugs would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3491.35	98.71	3491.35	98.71
One	1	37.06	1.05	3528.41	99.76
Between 2 and 5	2	8.59	0.24	3537.00	100.00

hhb30d: 14/15 - ACASK 23.1 - Vomit as a means of controlling your shape or weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	3.27	0.09	206.61	5.84
Yes	1	57.33	1.62	263.94	7.46
No	2	3273.06	92.54	3537.00	100.00

hhb30d1: 14/15 - ACASK 23.2 - How often have you made yourself vomit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3479.67	98.38	3479.67	98.38
Less than one day a week	1	31.58	0.89	3511.26	99.27
One day a week	2	10.39	0.29	3521.64	99.57
Two or three days a week	3	12.11	0.34	3533.75	99.91
Four or five days a week	4	1.43	0.04	3535.18	99.95
Six or seven days a week	5	1.82	0.05	3537.00	100.00

hhb30d2: 14/15 - ACASK 23.3 - How long have you been making yourself vomit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3479.67	98.38	3479.67	98.38
Less than 4 weeks	1	24.92	0.70	3504.59	99.08
Between 4 weeks and 3 months	2	12.98	0.37	3517.57	99.45
Between 3 months and 6 months	3	4.27	0.12	3521.84	99.57
Between 6 months and a year	4	5.95	0.17	3527.79	99.74
Longer than a year	5	9.21	0.26	3537.00	100.00

hhb30e: 14/15 - ACASK 24.1 - Last 4 week - Exercise in order to control weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	203.34	5.75	203.34	5.75
-3	-3	3.27	0.09	206.61	5.84
Yes	1	1646.63	46.55	1853.24	52.40
No	2	1683.76	47.60	3537.00	100.00

hbb30e1: 14/15 - ACASK 24.2 - Frequency exercised in order to control your weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1890.37	53.45	1890.37	53.45
Less than one day a week	1	160.54	4.54	2050.91	57.98
One day a week	2	269.72	7.63	2320.63	65.61
Two or three days a week	3	718.23	20.31	3038.86	85.92
Four or five days a week	4	314.40	8.89	3353.26	94.81
Six or seven days a week	5	183.74	5.19	3537.00	100.00

hbb30e2: 14/15 - ACASK 24.3 - Time spent exercising per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1890.37	53.45	1890.37	53.45
Less than an hour per day	0	350.16	9.90	2240.54	63.35
About an hour per day	1	749.19	21.18	2989.73	84.53
About 2 hours per day	2	353.88	10.01	3343.60	94.53
About 3 hours per day	3	122.50	3.46	3466.10	98.00
About 4 hours per day	4	29.18	0.82	3495.28	98.82
More than 4 hours per day	5	41.72	1.18	3537.00	100.00

hbb30e3: 14/15 - ACASK 24.4 - How long have you been exercising

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1890.37	53.45	1890.37	53.45
Less than 4 weeks	1	471.38	13.33	2361.76	66.77
Between 4 weeks and 3 months	2	332.13	9.39	2693.89	76.16
Between 3 months and 6 months	3	176.08	4.98	2869.97	81.14
Between 6 months and a year	4	190.69	5.39	3060.66	86.53
Longer than a year	5	476.34	13.47	3537.00	100.00

hbulimia: 14/15 - Partial Syndromal Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3462.78	97.90	3462.78	97.90
Yes	1	74.22	2.10	3537.00	100.00

hanorexia: 14/15 - Partial Syndromal Anorexia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	284.05	8.03	284.05	8.03
No	0	3244.69	91.74	3528.74	99.77
Yes	1	82.26	2.33	3537.00	100.00

heatingdis: 14/15 - Partial Syndromal Anorexia and/or Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3454.52	97.67	3454.52	97.67
Yes	1	82.48	2.33	3537.00	100.00

hbb23e1: 14/15 - ACASK 25.1.1 - Have tooth pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.24	0.04	203.83	5.76
Never	0	1779.91	50.32	1983.74	56.09
Almost never	1	928.47	26.25	2912.21	82.34
Sometimes	2	504.39	14.26	3416.60	96.60
Often	3	98.69	2.79	3515.29	99.39
Almost always	4	21.71	0.61	3537.00	100.00

hbb23e2: 14/15 - ACASK 25.1.2 - Have tooth pain when I eat/drink hot/cold/sweet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.24	0.04	203.83	5.76
Never	0	1701.28	48.10	1905.11	53.86
Almost never	1	838.36	23.70	2743.47	77.56
Sometimes	2	537.39	15.19	3280.86	92.76
Often	3	186.54	5.27	3467.40	98.03
Almost always	4	69.60	1.97	3537.00	100.00

hbb23e3: 14/15 - ACASK 25.1.3 - Have teeth that are dark in colour

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	3.55	0.10	206.14	5.83
Never	0	2691.13	76.09	2897.27	81.91
Almost never	1	447.21	12.64	3344.48	94.56
Sometimes	2	154.59	4.37	3499.07	98.93
Often	3	21.44	0.61	3520.51	99.53
Almost always	4	16.49	0.47	3537.00	100.00

hbb23e4: 14/15 - ACASK 25.1.4 - Have gum pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.24	0.04	203.83	5.76
Never	0	2572.72	72.74	2776.55	78.50
Almost never	1	521.25	14.74	3297.81	93.24
Sometimes	2	193.47	5.47	3491.28	98.71
Often	3	34.69	0.98	3525.97	99.69
Almost always	4	11.03	0.31	3537.00	100.00

hbb23e5: 14/15 - ACASK 25.1.5 - Have blood on my toothbrush after brushing teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	1.24	0.04	203.83	5.76
Never	0	1685.08	47.64	1888.91	53.40
Almost never	1	920.89	26.04	2809.80	79.44
Sometimes	2	515.65	14.58	3325.45	94.02

hhb23e5: 14/15 - ACASK 25.1.5 - Have blood on my toothbrush after brushing teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	3	154.65	4.37	3480.10	98.39
Almost always	4	56.90	1.61	3537.00	100.00

horal: 14/15 - Oral Health

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	203.83	5.76	203.83	5.76
20	1.36	0.04	205.19	5.80
28	3.55	0.10	208.74	5.90
36	1.33	0.04	210.07	5.94
40	2.38	0.07	212.45	6.01
44	13.08	0.37	225.53	6.38
48	2.67	0.08	228.20	6.45
52	11.93	0.34	240.13	6.79
56	25.54	0.72	265.66	7.51
60	30.82	0.87	296.49	8.38
64	49.18	1.39	345.66	9.77
68	78.68	2.22	424.35	12.00
72	152.86	4.32	577.21	16.32
76	202.74	5.73	779.94	22.05
80	260.08	7.35	1040.02	29.40
84	296.46	8.38	1336.48	37.79
88	384.88	10.88	1721.36	48.67
92	539.67	15.26	2261.03	63.92
96	492.82	13.93	2753.85	77.86
100	783.15	22.14	3537.00	100.00

hhb23b1: 14/15 - ACASK 25.2 - How often teeth cleaned per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	202.59	5.73	202.59	5.73
-3	-3	0.69	0.02	203.27	5.75
Not at all	1	150.27	4.25	353.54	10.00
Once	2	953.66	26.96	1307.20	36.96
Twice	3	2068.44	58.48	3375.65	95.44
More than twice	4	161.35	4.56	3537.00	100.00

hhb15c9: 14/15 - SC - ACASK 26.1 - Ever smoked part of a cigarette

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	289.37	8.18	289.37	8.18
-3	-3	4.05	0.11	293.42	8.30
No	1	2879.75	81.42	3173.17	89.71
Yes, just a few puffs	2	222.72	6.30	3395.89	96.01
Yes, I have smoked fewer than 10 cigarettes in my life	3	62.86	1.78	3458.75	97.79
Yes, I have smoked 10 to 100 cigarettes in my life	4	47.68	1.35	3506.43	99.14
Yes, I have smoked more than 100 cigarettes in my life	5	30.57	0.86	3537.00	100.00

hbb15c10: 14/15 - SC - ACASK 26.2 First cigarette - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.84	0.05	1.84	0.05
-9	3091.01	87.39	3092.84	87.44
-3	0.37	0.01	3093.21	87.45
4	2.43	0.07	3095.64	87.52
5	2.64	0.07	3098.28	87.60
6	6.74	0.19	3105.02	87.79
7	0.83	0.02	3105.85	87.81
8	6.00	0.17	3111.85	87.98
9	9.61	0.27	3121.46	88.25
10	14.01	0.40	3135.47	88.65
11	28.54	0.81	3164.01	89.45
12	63.62	1.80	3227.62	91.25
13	78.43	2.22	3306.05	93.47
14	185.56	5.25	3491.61	98.72
15	45.39	1.28	3537.00	100.00

hbb15c11: 14/15 - SC - ACASK 26.3 Smoked in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.41	87.26	3086.41	87.26
-3	-3	4.60	0.13	3091.01	87.39
Yes	1	282.69	7.99	3373.70	95.38
No	2	163.30	4.62	3537.00	100.00

hbb15c12: 14/15 - SC - ACASK 26.4 Smoked in last 4 weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3254.31	92.01	3254.31	92.01
Yes	1	129.62	3.66	3383.93	95.67
No	2	153.07	4.33	3537.00	100.00

hbb15c13: 14/15 - SC - ACASK 26.5 No. cigarettes smoked per week

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3407.38	96.34	3407.38	96.34
-3	0.78	0.02	3408.16	96.36
0	63.79	1.80	3471.95	98.16
5	24.51	0.69	3496.47	98.85
10	13.17	0.37	3509.64	99.23
15	2.16	0.06	3511.80	99.29
20	5.88	0.17	3517.68	99.45
25	1.45	0.04	3519.13	99.49
30	3.93	0.11	3523.06	99.61
35	0.97	0.03	3524.03	99.63
40	1.23	0.03	3525.26	99.67
45	2.22	0.06	3527.48	99.73
50	0.86	0.02	3528.35	99.76
65	4.31	0.12	3532.65	99.88
70	1.03	0.03	3533.68	99.91
75	0.94	0.03	3534.62	99.93

hbb15c13: 14/15 - SC - ACASK 26.5 No. cigarettes smoked per week

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
80	0.94	0.03	3535.56	99.96
90	0.67	0.02	3536.23	99.98
155	0.77	0.02	3537.00	100.00

hbb16c11: 14/15 - SC - ACASK 27.1 Ever had alcoholic drink

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	257.12	7.27	257.12	7.27
-3	-3	5.38	0.15	262.50	7.42
No	1	1575.00	44.53	1837.50	51.95
Yes, just a few sips	2	1221.95	34.55	3059.45	86.50
Yes, I have had fewer than 10 alcoholic drinks in my life	3	322.25	9.11	3381.70	95.61
Yes, I have had 10 or more alcoholic drinks in my life	4	155.30	4.39	3537.00	100.00

hbb16c12: 14/15 - SC - ACASK 27.2 First alcoholic drink - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3006.48	85.00	3006.48	85.00
-3	3.18	0.09	3009.65	85.09
2	1.24	0.03	3010.89	85.13
4	0.65	0.02	3011.54	85.14
5	2.51	0.07	3014.05	85.21
6	1.56	0.04	3015.60	85.26
7	1.78	0.05	3017.38	85.31
8	2.79	0.08	3020.17	85.39
9	4.39	0.12	3024.56	85.51
10	23.34	0.66	3047.90	86.17
11	16.99	0.48	3064.90	86.65
12	60.33	1.71	3125.23	88.36
13	129.98	3.67	3255.20	92.03
14	220.20	6.23	3475.40	98.26
15	61.60	1.74	3537.00	100.00

hbb16c13: 14/15 - SC - ACASK 27.3 Alcohol consumption - In last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3009.65	85.09	3009.65	85.09
Yes	1	490.95	13.88	3500.60	98.97
No	2	36.40	1.03	3537.00	100.00

hbb16c9: 14/15 - SC - ACASK 27.4 Alcohol consumption - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3046.05	86.12	3046.05	86.12
Yes	1	244.01	6.90	3290.06	93.02
No	2	246.94	6.98	3537.00	100.00

hhb16c10: 14/15 - SC - ACASK 27.5 Previous week's alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3296.01	93.19	3296.01	93.19
-3	0.37	0.01	3296.37	93.20
0	181.02	5.12	3477.39	98.31
5	46.09	1.30	3523.49	99.62
10	4.95	0.14	3528.44	99.76
15	2.49	0.07	3530.94	99.83
20	1.12	0.03	3532.06	99.86
30	0.94	0.03	3532.99	99.89
50	0.97	0.03	3533.97	99.91
80	1.67	0.05	3535.64	99.96
95	1.36	0.04	3537.00	100.00

hhb16c14a: 14/15 - SC - ACASK 27.6.1 - Alcohol caused - Have trouble at school the next day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3292.99	93.10	3292.99	93.10
Never	1	225.98	6.39	3518.97	99.49
Sometimes	2	17.10	0.48	3536.07	99.97
Often	3	0.93	0.03	3537.00	100.00

hhb16c14b: 14/15 - SC - ACASK 27.6.2 - Alcohol caused - Get into arguments with your family

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3292.99	93.10	3292.99	93.10
Never	1	221.31	6.26	3514.30	99.36
Sometimes	2	18.57	0.53	3532.87	99.88
Often	3	4.13	0.12	3537.00	100.00

hhb16c14c: 14/15 - SC - ACASK 27.6.3 - Alcohol caused Get injured or have an accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3292.99	93.10	3292.99	93.10
Never	1	228.11	6.45	3521.10	99.55
Sometimes	2	11.64	0.33	3532.74	99.88
Often	3	4.26	0.12	3537.00	100.00

hhb16c14d: 14/15 - SC - ACASK 27.6.4 - Alcohol caused Become violent and get into a fight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3292.99	93.10	3292.99	93.10
Never	1	224.06	6.33	3517.05	99.44
Sometimes	2	18.07	0.51	3535.12	99.95
Often	3	1.88	0.05	3537.00	100.00

hhb16c14e: 14/15 - SC - ACASK 27.6.5 - Alcohol caused - Have sex which you later regretted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3292.99	93.10	3292.99	93.10
Never	1	223.00	6.30	3516.00	99.41
Sometimes	2	19.33	0.55	3535.33	99.95
Often	3	1.67	0.05	3537.00	100.00

hcalcharm: 14/15 - SC - Alcohol-related harm

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3292.99	93.10	3292.99	93.10
5	194.74	5.51	3487.73	98.61
6	23.47	0.66	3511.21	99.27
7	9.64	0.27	3520.85	99.54
8	4.18	0.12	3525.03	99.66
9	7.31	0.21	3532.34	99.87
10	2.05	0.06	3534.39	99.93
11	2.61	0.07	3537.00	100.00

hhb26c1: 14/15 - ACASK 28.1 - Ever used marijuana

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	211.24	5.97	211.24	5.97
-3	-3	6.09	0.17	217.33	6.14
Yes	1	250.71	7.09	468.04	13.23
No	2	3068.96	86.77	3537.00	100.00

hhb26c2: 14/15 - ACASK 28.2 - First marijuana - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	23.35	0.66	23.35	0.66
-9	3279.19	92.71	3302.54	93.37
-3	15.11	0.43	3317.64	93.80
10	0.68	0.02	3318.33	93.82
11	6.89	0.19	3325.21	94.01
12	15.32	0.43	3340.54	94.45
13	48.78	1.38	3389.31	95.82
14	102.28	2.89	3491.60	98.72
15	45.40	1.28	3537.00	100.00

hhb26c3: 14/15 - ACASK 28.3 - Marijuana - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3279.19	92.71	3279.19	92.71
Yes	1	181.06	5.12	3460.26	97.83
No	2	76.74	2.17	3537.00	100.00

hhb26c4: 14/15 - ACASK 28.4 - Marijuana - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3355.94	94.88	3355.94	94.88
Yes	1	79.28	2.24	3435.22	97.12
No	2	101.78	2.88	3537.00	100.00

hhb27c1: 14/15 - ACASK 29.1 - Ever tried sniffing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	225.53	6.38	225.53	6.38
-3	-3	7.46	0.21	232.99	6.59
Yes	1	49.74	1.41	282.73	7.99
No	2	3254.27	92.01	3537.00	100.00

hhb27c2: 14/15 - ACASK 29.2 - First sniffing - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3465.88	97.99	3465.88	97.99
5	0.65	0.02	3466.53	98.01
7	2.24	0.06	3468.77	98.07
10	1.66	0.05	3470.43	98.12
11	3.52	0.10	3473.95	98.22
12	15.21	0.43	3489.16	98.65
13	18.58	0.53	3507.75	99.17
14	22.44	0.63	3530.19	99.81
15	6.81	0.19	3537.00	100.00

hhb27c3: 14/15 - ACASK 29.3 - Sniffing - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3465.88	97.99	3465.88	97.99
Yes	1	37.05	1.05	3502.92	99.04
No	2	34.08	0.96	3537.00	100.00

hhb27c4: 14/15 - ACASK 29.4 -Last 4 wks inhalants (chroming/sniffing/solvents)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3499.95	98.95	3499.95	98.95
Yes	1	9.25	0.26	3509.20	99.21
No	2	27.80	0.79	3537.00	100.00

hhb28c1: 14/15 - ACASK 30.1 - Ever used other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	225.53	6.38	225.53	6.38
-3	-3	6.53	0.18	232.06	6.56
Yes	1	23.13	0.65	255.19	7.21
No	2	3281.81	92.79	3537.00	100.00

hbb28c3: 14/15 - ACASK 30.3 - First other drugs - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.24	0.04	1.24	0.04
-9	3512.63	99.31	3513.87	99.35
13	2.45	0.07	3516.32	99.42
14	11.57	0.33	3527.89	99.74
15	9.11	0.26	3537.00	100.00

hbb28c2a: 14/15 - ACASK 30.4 - Other drugs - In last two years

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3512.63	99.31	3512.63	99.31
Yes	1	17.49	0.49	3530.12	99.81
No	2	6.88	0.19	3537.00	100.00

hbb28c4: 14/15 - ACASK 30.6 - Other drugs - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3519.51	99.51	3519.51	99.51
Yes	1	11.24	0.32	3530.75	99.82
No	2	6.25	0.18	3537.00	100.00

hbb28c5: 14/15 - ACASK 30.7 - Other drugs - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3525.76	99.68	3525.76	99.68
Yes	1	5.05	0.14	3530.81	99.82
No	2	6.19	0.18	3537.00	100.00

hbb14c5: 14/15 - CSRK 6 - Enjoy being physically active

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	235.76	6.67	235.76	6.67
A lot	1	1641.47	46.41	1877.23	53.07
Quite a lot	2	1130.44	31.96	3007.68	85.03
Not very much	3	466.55	13.19	3474.23	98.23
Not at all	4	62.77	1.77	3537.00	100.00

hbb15p5: 14/15 - PLE - PLE 21.4 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Yes	1	145.18	4.10	3235.39	91.47
No	2	301.61	8.53	3537.00	100.00

hbb15p1: 14/15 - PLE - PLE 21.5/6 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Do not smoke at all	1	293.33	8.29	3383.55	95.66
Less than once a day	2	8.27	0.23	3391.82	95.90
At least once a day	3	145.18	4.10	3537.00	100.00

hbb15p7: 14/15 - PLE - PLE 21.5 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3383.55	95.66	3383.55	95.66
Yes	1	145.18	4.10	3528.73	99.77
No	2	8.27	0.23	3537.00	100.00

hbb15p8: 14/15 - PLE - PLE 21.6 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3391.82	95.90	3391.82	95.90
1 to 5 per day	2	19.49	0.55	3411.32	96.45
6 to 10 per day	3	21.98	0.62	3433.30	97.07
11 to 20 per day	4	66.44	1.88	3499.74	98.95
More than 20 per day	5	37.26	1.05	3537.00	100.00

hbb16p2: 14/15 - PLE - PLE 22.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Never	0	49.74	1.41	3139.96	88.77
Not in the last year	1	6.87	0.19	3146.83	88.97
Monthly or less	2	69.20	1.96	3216.03	90.93
2 to 3 times a month	3	37.51	1.06	3253.54	91.99
Once a week	4	69.43	1.96	3322.98	93.95
2 to 3 times a week	5	111.86	3.16	3434.84	97.11
4 to 6 times a week	6	51.40	1.45	3486.24	98.56
Everyday	7	50.76	1.44	3537.00	100.00

hbb16p3: 14/15 - PLE - PLE 22.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3146.83	88.97	3146.83	88.97
1 or 2	1	176.00	4.98	3322.83	93.94
3 or 4	2	134.21	3.79	3457.04	97.74
5 or 6	3	55.90	1.58	3512.93	99.32
7 to 10	4	19.64	0.56	3532.58	99.87
11 or more	5	4.42	0.13	3537.00	100.00

hbb16p7: 14/15 - PLE - PLE 22.3 - Freq binge drinking (v4) -5 or more standard drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3139.96	88.77	3139.96	88.77
Everyday	1	8.36	0.24	3148.32	89.01
4-6 times a week	2	8.30	0.23	3156.62	89.25
2-3 times a week	3	30.26	0.86	3186.88	90.10
Once a week	4	56.72	1.60	3243.61	91.71
2-3 times a month	5	32.46	0.92	3276.07	92.62
Monthly or less	6	159.18	4.50	3435.26	97.12
Never	7	101.74	2.88	3537.00	100.00

hbb16p8: 14/15 - PLE - PLE 22.4 - Freq binge drinking (v4) -7 or more standard drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3139.96	88.77	3139.96	88.77
Everyday	1	1.58	0.04	3141.54	88.82
4-6 times a week	2	4.10	0.12	3145.64	88.94
2-3 times a week	3	13.51	0.38	3159.15	89.32
Once a week	4	25.98	0.73	3185.13	90.05
2-3 times a month	5	11.90	0.34	3197.03	90.39
Monthly or less	6	158.57	4.48	3355.60	94.87
Never	7	181.40	5.13	3537.00	100.00

hbb16p5a: 14/15 - PLE - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3146.83	88.97	3146.83	88.97
Everyday	1	1.58	0.04	3148.41	89.01
4-6 times a week	2	4.10	0.12	3152.51	89.13
2-3 times a week	3	16.82	0.48	3169.33	89.61
Once a week	4	26.72	0.76	3196.05	90.36
2-3 times a month	5	13.11	0.37	3209.16	90.73
Monthly or less	6	167.95	4.75	3377.11	95.48
Never	7	159.89	4.52	3537.00	100.00

hbb16p5: 14/15 - PLE - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3306.72	93.49	3306.72	93.49
Everyday	1	1.58	0.04	3308.30	93.53
4-6 times a week	2	4.10	0.12	3312.40	93.65
2-3 times a week	3	16.82	0.48	3329.22	94.13
Once a week	4	26.72	0.76	3355.94	94.88
2-3 times a month	5	13.11	0.37	3369.05	95.25
Monthly or less	6	167.95	4.75	3537.00	100.00

hpavdac: 14/15 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3090.22	87.37	3090.22	87.37
0	163.60	4.63	3253.82	91.99
0.5	91.60	2.59	3345.41	94.58
1	49.80	1.41	3395.21	95.99
1.5	62.49	1.77	3457.70	97.76
2	14.99	0.42	3472.69	98.18
2.5	20.47	0.58	3493.16	98.76
3	6.10	0.17	3499.26	98.93
3.5	19.10	0.54	3518.36	99.47
4	2.77	0.08	3521.14	99.55
4.5	0.51	0.01	3521.65	99.57
5.5	10.18	0.29	3531.83	99.85
6.5	0.74	0.02	3532.58	99.87
8.5	4.42	0.13	3537.00	100.00

hpalcgp: 14/15 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Abstain not in the last year	1	56.61	1.60	3146.83	88.97
Occasional less than monthly	2	69.20	1.96	3216.03	90.93
Light <2 drinks/day men, <1 women	3	232.20	6.56	3448.23	97.49
Moderate >=2 to <4 men, >=1 to <2 women	4	65.07	1.84	3513.30	99.33
Hazardous >=4 to <6 men, >=2 and <4 women	5	18.53	0.52	3531.83	99.85
Harmful >=6 men, >=4 women	6	5.17	0.15	3537.00	100.00

hphvdac: 14/15 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Yes	1	23.70	0.67	3113.92	88.04
No	2	423.08	11.96	3537.00	100.00

hpbinge: 14/15 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Yes	1	62.33	1.76	3152.55	89.13
No	2	384.45	10.87	3537.00	100.00

hpalcp: 14/15 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3090.22	87.37	3090.22	87.37
Yes	1	70.10	1.98	3160.32	89.35
No	2	376.68	10.65	3537.00	100.00

hhb15b5: 14/15 - P2 - P2K 33 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.35	0.21	7.35	0.21
-9	-9	1492.34	42.19	1499.69	42.40
Yes	1	264.14	7.47	1763.83	49.87
No	2	1773.17	50.13	3537.00	100.00

hhb15b1: 14/15 - P2 - P2K 33/34 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.44	0.61	21.44	0.61
-9	-9	1492.34	42.19	1513.78	42.80
Do not smoke at all	1	1773.17	50.13	3286.95	92.93
Less than once a day	2	13.27	0.38	3300.22	93.31
At least once a day	3	236.78	6.69	3537.00	100.00

hbb15b7: 14/15 - P2 - P2K 34 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.44	0.61	21.44	0.61
-9	-9	1492.34	42.19	1513.78	42.80
Yes	1	236.78	6.69	1750.56	49.49
No	2	1786.44	50.51	3537.00	100.00

hbb15b8: 14/15 - P2 - P2K 35 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	22.94	0.65	22.94	0.65
-9	-9	3278.78	92.70	3301.72	93.35
1 to 5 per day	2	40.20	1.14	3341.92	94.48
6 to 10 per day	3	63.11	1.78	3405.03	96.27
11 to 20 per day	4	98.54	2.79	3503.57	99.05
More than 20 per day	5	33.43	0.95	3537.00	100.00

hbb16b2: 14/15 - P2 - P2K 36 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.51	0.24	8.51	0.24
-9	-9	1492.34	42.19	1500.85	42.43
Never	0	183.95	5.20	1684.80	47.63
Not in the last year	1	46.46	1.31	1731.26	48.95
Monthly or less	2	314.97	8.90	2046.23	57.85
2 to 3 times a month	3	237.11	6.70	2283.33	64.56
Once a week	4	260.55	7.37	2543.88	71.92
2 to 3 times a week	5	558.49	15.79	3102.37	87.71
4 to 6 times a week	6	300.02	8.48	3402.39	96.19
Everyday	7	134.61	3.81	3537.00	100.00

hbb16b3: 14/15 - P2 - P2K 37 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.03	1.78	63.03	1.78
-9	-9	1676.29	47.39	1739.32	49.18
1 or 2	1	955.76	27.02	2695.09	76.20
3 or 4	2	599.03	16.94	3294.12	93.13
5 or 6	3	199.21	5.63	3493.33	98.77
7 to 10	4	40.51	1.15	3533.85	99.91
11 or more	5	3.15	0.09	3537.00	100.00

hbb16b7: 14/15 - P2 - P2K 38 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.73	1.77	62.73	1.77
-9	-9	1676.29	47.39	1739.02	49.17
Everyday	1	15.70	0.44	1754.72	49.61
4-6 times a week	2	30.86	0.87	1785.58	50.48
2-3 times a week	3	122.19	3.45	1907.77	53.94
Once a week	4	187.88	5.31	2095.65	59.25
2-3 times a month	5	174.77	4.94	2270.42	64.19

hhb16b7: 14/15 - P2 - P2K 38 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Monthly or less	6	688.84	19.48	2959.26	83.67
Never	7	577.74	16.33	3537.00	100.00

hhb16b8: 14/15 - P2 - P2K 39 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	105.64	2.99	105.64	2.99
-9	-9	1676.29	47.39	1781.93	50.38
Everyday	1	3.64	0.10	1785.57	50.48
4-6 times a week	2	6.05	0.17	1791.62	50.65
2-3 times a week	3	44.39	1.25	1836.00	51.91
Once a week	4	116.11	3.28	1952.12	55.19
2-3 times a month	5	91.25	2.58	2043.37	57.77
Monthly or less	6	569.95	16.11	2613.32	73.89
Never	7	923.68	26.11	3537.00	100.00

hhb16b5a: 14/15 - P2 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	288.62	8.16	288.62	8.16
-9	-9	1492.34	42.19	1780.96	50.35
Everyday	1	3.64	0.10	1784.60	50.46
4-6 times a week	2	6.05	0.17	1790.65	50.63
2-3 times a week	3	44.39	1.25	1835.03	51.88
Once a week	4	124.49	3.52	1959.52	55.40
2-3 times a month	5	94.41	2.67	2053.93	58.07
Monthly or less	6	575.25	16.26	2629.18	74.33
Never	7	907.82	25.67	3537.00	100.00

hhb16b5: 14/15 - P2 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	810.72	22.92	810.72	22.92
-9	-9	1878.07	53.10	2688.78	76.02
Everyday	1	3.64	0.10	2692.42	76.12
4-6 times a week	2	6.05	0.17	2698.46	76.29
2-3 times a week	3	44.39	1.25	2742.85	77.55
Once a week	4	124.49	3.52	2867.34	81.07
2-3 times a month	5	94.41	2.67	2961.75	83.74
Monthly or less	6	575.25	16.26	3537.00	100.00

hbavdac: 14/15 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.56	1.51	53.56	1.51
-9	1492.34	42.19	1545.90	43.71
0	799.38	22.60	2345.27	66.31
0.5	425.96	12.04	2771.24	78.35
1	170.64	4.82	2941.88	83.17
1.5	264.59	7.48	3206.47	90.65

hbavdac: 14/15 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2	55.70	1.57	3262.17	92.23
2.5	127.59	3.61	3389.76	95.84
3	15.95	0.45	3405.71	96.29
3.5	57.15	1.62	3462.85	97.90
4	35.92	1.02	3498.78	98.92
4.5	0.80	0.02	3499.57	98.94
5.5	21.84	0.62	3521.41	99.56
6.5	4.35	0.12	3525.76	99.68
8.5	9.70	0.27	3535.47	99.96
12	1.53	0.04	3537.00	100.00

hbalcgp: 14/15 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.57	0.95	33.57	0.95
-9	-9	1492.34	42.19	1525.91	43.14
Abstain not in the last year	1	230.40	6.51	1756.31	49.66
Occasional less than monthly	2	314.97	8.90	2071.28	58.56
Light <2 drinks/day men, <1 women	3	1118.77	31.63	3190.05	90.19
Moderate >=2 to <4 men, >=1 to <2 women	4	267.34	7.56	3457.39	97.75
Hazardous >=4 to <6 men, >=2 and <4 women	5	64.02	1.81	3521.41	99.56
Harmful >=6 men, >=4 women	6	15.59	0.44	3537.00	100.00

hbhvdac: 14/15 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.37	1.57	55.37	1.57
-9	-9	1492.34	42.19	1547.71	43.76
Yes	1	79.61	2.25	1627.32	46.01
No	2	1909.68	53.99	3537.00	100.00

hbbinge: 14/15 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	52.69	1.49	52.69	1.49
-9	-9	1492.34	42.19	1545.03	43.68
Yes	1	272.22	7.70	1817.25	51.38
No	2	1719.75	48.62	3537.00	100.00

hbalcp: 14/15 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	56.43	1.60	56.43	1.60
-9	-9	1492.34	42.19	1548.77	43.79
Yes	1	281.72	7.96	1830.48	51.75
No	2	1706.52	48.25	3537.00	100.00

hhb15m5: 14/15 - M - CASI H6.1+P2K 33 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	314.98	8.91	314.98	8.91
Yes	1	552.78	15.63	867.76	24.53
No	2	2669.24	75.47	3537.00	100.00

hhb15m1: 14/15 - M - CASI H6.1/H6.2+P2K 33/34 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	314.98	8.91	314.98	8.91
Do not smoke at all	1	2669.24	75.47	2984.22	84.37
Less than once a day	2	43.27	1.22	3027.49	85.59
At least once a day	3	509.51	14.41	3537.00	100.00

hhb15m7: 14/15 - M - CASI H6.2+P2K 34 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	314.98	8.91	314.98	8.91
Yes	1	509.51	14.41	824.49	23.31
No	2	2712.51	76.69	3537.00	100.00

hhb15m8: 14/15 - M - CASI H6.3+P2K 35 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.59	0.04	1.59	0.04
-9	-9	3027.49	85.59	3029.08	85.64
1 to 5 per day	2	100.37	2.84	3129.45	88.48
6 to 10 per day	3	162.92	4.61	3292.37	93.08
11 to 20 per day	4	204.70	5.79	3497.07	98.87
More than 20 per day	5	39.93	1.13	3537.00	100.00

hhb16m2: 14/15 - M - CASI H6.5+P2K 36 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	316.45	8.95	316.45	8.95
Never	0	495.87	14.02	812.32	22.97
Not in the last year	1	157.08	4.44	969.40	27.41
Monthly or less	2	817.81	23.12	1787.21	50.53
2 to 3 times a month	3	381.65	10.79	2168.87	61.32
Once a week	4	385.83	10.91	2554.70	72.23
2 to 3 times a week	5	618.83	17.50	3173.53	89.72
4 to 6 times a week	6	295.58	8.36	3469.12	98.08
Everyday	7	67.88	1.92	3537.00	100.00

hhb16m3: 14/15 - M - CASI H6.6+P2K 37 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.29	0.04	1.29	0.04
-9	-9	812.32	22.97	813.61	23.00
-3	-3	8.29	0.23	821.90	23.24
1 or 2	1	1924.64	54.41	2746.54	77.65
3 or 4	2	609.96	17.25	3356.50	94.90

hhb16m3: 14/15 - M - CASI H6.6+P2K 37 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5 or 6	3	134.49	3.80	3490.99	98.70
7 to 10	4	37.67	1.06	3528.66	99.76
11 or more	5	8.34	0.24	3537.00	100.00

hhb16m7: 14/15 - M - CASI H6.7+P2K 38 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.29	0.04	1.29	0.04
-9	-9	820.61	23.20	821.90	23.24
Everyday	1	16.65	0.47	838.55	23.71
4-6 times a week	2	13.56	0.38	852.11	24.09
2-3 times a week	3	46.03	1.30	898.14	25.39
Once a week	4	157.88	4.46	1056.02	29.86
2-3 times a month	5	151.46	4.28	1207.48	34.14
Monthly or less	6	861.70	24.36	2069.17	58.50
Never	7	1467.83	41.50	3537.00	100.00

hhb16m8: 14/15 - M - CASI H6.8+P2K 39 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.26	0.06	2.26	0.06
-9	-9	823.24	23.28	825.50	23.34
Everyday	1	3.85	0.11	829.35	23.45
4-6 times a week	2	7.12	0.20	836.47	23.65
2-3 times a week	3	9.37	0.26	845.85	23.91
Once a week	4	68.51	1.94	914.36	25.85
2-3 times a month	5	73.00	2.06	987.35	27.91
Monthly or less	6	569.07	16.09	1556.42	44.00
Never	7	1980.58	56.00	3537.00	100.00

hhb16m5a: 14/15 - M - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.34	0.52	18.34	0.52
-9	-9	803.56	22.72	821.90	23.24
Everyday	1	16.65	0.47	838.55	23.71
4-6 times a week	2	13.56	0.38	852.11	24.09
2-3 times a week	3	46.03	1.30	898.14	25.39
Once a week	4	157.88	4.46	1056.02	29.86
2-3 times a month	5	151.46	4.28	1207.48	34.14
Monthly or less	6	859.25	24.29	2066.73	58.43
Never	7	1470.27	41.57	3537.00	100.00

hhb16m5: 14/15 - M - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.34	0.52	18.34	0.52
-9	-9	2273.83	64.29	2292.17	64.81
Everyday	1	16.65	0.47	2308.82	65.28
4-6 times a week	2	13.56	0.38	2322.38	65.66

hhb16m5: 14/15 - M - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a week	3	46.03	1.30	2368.41	66.96
Once a week	4	157.88	4.46	2526.29	71.42
2-3 times a month	5	151.46	4.28	2677.75	75.71
Monthly or less	6	859.25	24.29	3537.00	100.00

hmadvac: 14/15 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	0.47	0.01	0.47	0.01
-9	318.12	8.99	318.59	9.01
0	1963.14	55.50	2281.73	64.51
0.5	644.74	18.23	2926.48	82.74
1	247.76	7.00	3174.24	89.74
1.5	205.78	5.82	3380.02	95.56
2	36.14	1.02	3416.16	96.58
2.5	81.80	2.31	3497.95	98.90
3	2.07	0.06	3500.02	98.95
3.5	17.23	0.49	3517.25	99.44
4	7.12	0.20	3524.37	99.64
5.5	6.63	0.19	3531.00	99.83
6.5	2.07	0.06	3533.07	99.89
8.5	3.18	0.09	3536.26	99.98
12	0.74	0.02	3537.00	100.00

hmalcgp: 14/15 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.47	0.01	0.47	0.01
-9	-9	316.45	8.95	316.92	8.96
-3	-3	1.03	0.03	317.95	8.99
Abstain not in the last year	1	652.95	18.46	970.90	27.45
Occasional less than monthly	2	817.81	23.12	1788.71	50.57
Light <2 drinks/day men, <1 women	3	1172.14	33.14	2960.85	83.71
Moderate >=2 to <4 men, >=1 to <2 women	4	419.17	11.85	3380.02	95.56
Hazardous >=4 to <6 men, >=2 and <4 women	5	137.23	3.88	3517.25	99.44
Harmful >=6 men, >=4 women	6	19.75	0.56	3537.00	100.00

hmvhdac: 14/15 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.47	0.01	0.47	0.01
-9	-9	318.12	8.99	318.59	9.01
Yes	1	156.98	4.44	475.57	13.45
No	2	3061.43	86.55	3537.00	100.00

hmbinge: 14/15 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.47	0.01	0.47	0.01
-9	-9	318.12	8.99	318.59	9.01
Yes	1	382.65	10.82	701.24	19.83
No	2	2835.76	80.17	3537.00	100.00

hmalcp: 14/15 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.47	0.01	0.47	0.01
-9	-9	318.12	8.99	318.59	9.01
Yes	1	419.25	11.85	737.84	20.86
No	2	2799.16	79.14	3537.00	100.00

hhb15f1: 14/15 - F - CASI H6.1/H6.2+P2K 33/34 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.44	0.61	21.44	0.61
-9	-9	1396.02	39.47	1417.46	40.08
Do not smoke at all	1	1841.02	52.05	3258.49	92.13
Less than once a day	2	15.16	0.43	3273.65	92.55
At least once a day	3	263.35	7.45	3537.00	100.00

hhb15f5: 14/15 - F - CASI H6.1+P2K 33 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.35	0.21	7.35	0.21
-9	-9	1396.02	39.47	1403.37	39.68
Yes	1	292.61	8.27	1695.98	47.95
No	2	1841.02	52.05	3537.00	100.00

hhb15f7: 14/15 - F - CASI H6.2+P2K 34 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.44	0.61	21.44	0.61
-9	-9	1396.02	39.47	1417.46	40.08
Yes	1	263.35	7.45	1680.82	47.52
No	2	1856.18	52.48	3537.00	100.00

hhb15f8: 14/15 - F - CASI H6.3+P2K 35 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	21.35	0.60	21.35	0.60
-9	-9	3252.21	91.95	3273.56	92.55
1 to 5 per day	2	39.03	1.10	3312.59	93.66
6 to 10 per day	3	76.48	2.16	3389.07	95.82
11 to 20 per day	4	104.83	2.96	3493.89	98.78
More than 20 per day	5	43.11	1.22	3537.00	100.00

hbb16f2: 14/15 - F - CASI H6.5+P2K 36 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.51	0.24	8.51	0.24
-9	-9	1396.02	39.47	1404.54	39.71
Never	0	189.63	5.36	1594.16	45.07
Not in the last year	1	50.33	1.42	1644.49	46.49
Monthly or less	2	336.89	9.52	1981.38	56.02
2 to 3 times a month	3	232.19	6.56	2213.56	62.58
Once a week	4	272.32	7.70	2485.88	70.28
2 to 3 times a week	5	583.23	16.49	3069.11	86.77
4 to 6 times a week	6	316.99	8.96	3386.10	95.73
Everyday	7	150.90	4.27	3537.00	100.00

hbb16f3: 14/15 - F - CASI H6.6+P2K 37 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.74	1.75	61.74	1.75
-9	-9	1585.65	44.83	1647.39	46.58
1 or 2	1	975.68	27.59	2623.07	74.16
3 or 4	2	643.11	18.18	3266.18	92.34
5 or 6	3	219.02	6.19	3485.20	98.54
7 to 10	4	47.88	1.35	3533.08	99.89
11 or more	5	3.92	0.11	3537.00	100.00

hbb16f7: 14/15 - F - CASI H6.7+P2K 38 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	61.44	1.74	61.44	1.74
-9	-9	1585.65	44.83	1647.09	46.57
Everyday	1	19.92	0.56	1667.01	47.13
4-6 times a week	2	37.22	1.05	1704.22	48.18
2-3 times a week	3	135.50	3.83	1839.72	52.01
Once a week	4	205.68	5.81	2045.40	57.83
2-3 times a month	5	180.37	5.10	2225.77	62.93
Monthly or less	6	733.34	20.73	2959.11	83.66
Never	7	577.89	16.34	3537.00	100.00

hbb16f8: 14/15 - F - CASI H6.8+P2K 39 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	103.38	2.92	103.38	2.92
-9	-9	1585.65	44.83	1689.03	47.75
Everyday	1	6.37	0.18	1695.40	47.93
4-6 times a week	2	10.15	0.29	1705.56	48.22
2-3 times a week	3	48.20	1.36	1753.75	49.58
Once a week	4	129.57	3.66	1883.32	53.25
2-3 times a month	5	97.44	2.75	1980.76	56.00
Monthly or less	6	626.77	17.72	2607.53	73.72
Never	7	929.47	26.28	3537.00	100.00

hbb16f5a: 14/15 - F - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	268.46	7.59	268.46	7.59
-9	-9	1420.57	40.16	1689.03	47.75
Everyday	1	6.37	0.18	1695.40	47.93
4-6 times a week	2	10.15	0.29	1705.56	48.22
2-3 times a week	3	48.20	1.36	1753.75	49.58
Once a week	4	129.57	3.66	1883.32	53.25
2-3 times a month	5	98.19	2.78	1981.51	56.02
Monthly or less	6	626.02	17.70	2607.53	73.72
Never	7	929.47	26.28	3537.00	100.00

hbb16f5: 14/15 - F - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	790.56	22.35	790.56	22.35
-9	-9	1827.94	51.68	2618.50	74.03
Everyday	1	6.37	0.18	2624.87	74.21
4-6 times a week	2	10.15	0.29	2635.02	74.50
2-3 times a week	3	48.20	1.36	2683.22	75.86
Once a week	4	129.57	3.66	2812.78	79.52
2-3 times a month	5	98.19	2.78	2910.98	82.30
Monthly or less	6	626.02	17.70	3537.00	100.00

hfavdac: 14/15 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	53.09	1.50	53.09	1.50
-9	1396.02	39.47	1449.11	40.97
0	823.70	23.29	2272.81	64.26
0.5	442.77	12.52	2715.59	76.78
1	176.68	5.00	2892.27	81.77
1.5	274.32	7.76	3166.59	89.53
2	59.44	1.68	3226.02	91.21
2.5	142.39	4.03	3368.41	95.23
3	17.69	0.50	3386.10	95.73
3.5	66.51	1.88	3452.60	97.61
4	38.32	1.08	3490.93	98.70
4.5	0.80	0.02	3491.73	98.72
5.5	25.59	0.72	3517.32	99.44
6.5	4.35	0.12	3521.67	99.57
8.5	13.80	0.39	3535.47	99.96
12	1.53	0.04	3537.00	100.00

hfalcp: 14/15 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.10	0.94	33.10	0.94
-9	-9	1396.02	39.47	1429.12	40.40
Abstain not in the last year	1	239.95	6.78	1669.07	47.19
Occasional less than monthly	2	336.89	9.52	2005.96	56.71
Light <2 drinks/day men, <1 women	3	1160.62	32.81	3166.59	89.53

hfalcp: 14/15 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Moderate ≥ 2 to < 4 men, ≥ 1 to < 2 women	4	286.02	8.09	3452.60	97.61
Hazardous ≥ 4 to < 6 men, ≥ 2 and < 4 women	5	64.71	1.83	3517.32	99.44
Harmful ≥ 6 men, ≥ 4 women	6	19.68	0.56	3537.00	100.00

hfhvdac: 14/15 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	53.09	1.50	53.09	1.50
-9	-9	1396.02	39.47	1449.11	40.97
Yes	1	84.40	2.39	1533.51	43.36
No	2	2003.49	56.64	3537.00	100.00

hfbinge: 14/15 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	52.22	1.48	52.22	1.48
-9	-9	1396.02	39.47	1448.24	40.95
Yes	1	291.72	8.25	1739.97	49.19
No	2	1797.03	50.81	3537.00	100.00

hfalcp: 14/15 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	54.14	1.53	54.14	1.53
-9	-9	1396.02	39.47	1450.17	41.00
Yes	1	299.73	8.47	1749.89	49.47
No	2	1787.11	50.53	3537.00	100.00