

05 Health status

ghs08a: 12/13 - Condition difficulties?

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| Yes | 1 | 151.61 | 4.48 | 3319.15 | 98.17 |
| No | 2 | 61.85 | 1.83 | 3381.00 | 100.00 |

ghs08a1: 12/13 - Condition difficulties? Communication

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 137.87 | 4.08 | 3305.41 | 97.76 |
| Yes | 1 | 75.59 | 2.24 | 3381.00 | 100.00 |

ghs08a2: 12/13 - Condition difficulties? Mobility

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 196.48 | 5.81 | 3364.01 | 99.50 |
| Yes | 1 | 16.99 | 0.50 | 3381.00 | 100.00 |

ghs08a3: 12/13 - Condition difficulties? Self-care

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 173.31 | 5.13 | 3340.85 | 98.81 |
| Yes | 1 | 40.15 | 1.19 | 3381.00 | 100.00 |

ghs08a4: 12/13 - Condition difficulties? Relating

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 149.88 | 4.43 | 3317.41 | 98.12 |
| Yes | 1 | 63.59 | 1.88 | 3381.00 | 100.00 |

ghs08a7: 12/13 - Condition difficulties? Coping

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 119.29 | 3.53 | 3286.83 | 97.21 |
| Yes | 1 | 94.17 | 2.79 | 3381.00 | 100.00 |

ghs08a8: 12/13 - Condition difficulties? Behaving

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 143.76 | 4.25 | 3311.30 | 97.94 |
| Yes | 1 | 69.70 | 2.06 | 3381.00 | 100.00 |

ghs08a5: 12/13 - Condition difficulties? Learning

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 102.45 | 3.03 | 3269.98 | 96.72 |
| Yes | 1 | 111.02 | 3.28 | 3381.00 | 100.00 |

ghs08a6: 12/13 - Condition difficulties? Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3167.54 | 93.69 | 3167.54 | 93.69 |
| No | 0 | 197.77 | 5.85 | 3365.30 | 99.54 |
| Yes | 1 | 15.70 | 0.46 | 3381.00 | 100.00 |

ghs08b: 12/13 - Need more help?

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3229.39 | 95.52 | 3229.39 | 95.52 |
| Yes | 1 | 139.47 | 4.12 | 3368.86 | 99.64 |
| No | 2 | 12.14 | 0.36 | 3381.00 | 100.00 |

ghs08b1: 12/13 - Need more help? Communication

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.41 | 97.76 | 3305.41 | 97.76 |
| Yes | 1 | 72.74 | 2.15 | 3378.15 | 99.92 |
| No | 2 | 2.85 | 0.08 | 3381.00 | 100.00 |

ghs08b2: 12/13 - Need more help? Mobility

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3364.01 | 99.50 | 3364.01 | 99.50 |
| Yes | 1 | 10.92 | 0.32 | 3374.93 | 99.82 |
| No | 2 | 6.07 | 0.18 | 3381.00 | 100.00 |

ghs08b3: 12/13 - Need more help? Self-care

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3340.85 | 98.81 | 3340.85 | 98.81 |
| Yes | 1 | 35.51 | 1.05 | 3376.36 | 99.86 |
| No | 2 | 4.64 | 0.14 | 3381.00 | 100.00 |

ghs08b4: 12/13 - Need more help? Relating

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3317.41 | 98.12 | 3317.41 | 98.12 |
| Yes | 1 | 54.67 | 1.62 | 3372.08 | 99.74 |
| No | 2 | 8.92 | 0.26 | 3381.00 | 100.00 |

ghs08b7: 12/13 - Need more help? Coping

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.83 | 97.21 | 3286.83 | 97.21 |
| Yes | 1 | 85.91 | 2.54 | 3372.74 | 99.76 |
| No | 2 | 8.26 | 0.24 | 3381.00 | 100.00 |

ghs08b8: 12/13 - Need more help? Behaving

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3311.30 | 97.94 | 3311.30 | 97.94 |
| Yes | 1 | 63.59 | 1.88 | 3374.89 | 99.82 |
| No | 2 | 6.11 | 0.18 | 3381.00 | 100.00 |

ghs08b5: 12/13 - Need more help? Learning

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3269.98 | 96.72 | 3269.98 | 96.72 |
| Yes | 1 | 109.06 | 3.23 | 3379.05 | 99.94 |
| No | 2 | 1.95 | 0.06 | 3381.00 | 100.00 |

ghs12a: 12/13 - CASI A4.1 - Concern about SC's weight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 6.78 | 0.20 | 125.31 | 3.71 |
| Not at all | 1 | 2409.08 | 71.25 | 2534.39 | 74.96 |
| A little | 2 | 585.68 | 17.32 | 3120.07 | 92.28 |
| Moderately | 3 | 170.03 | 5.03 | 3290.09 | 97.31 |
| Very | 4 | 90.91 | 2.69 | 3381.00 | 100.00 |

ghs12b: 12/13 - CASI A4.2 - Judgment about SC's weight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 6.78 | 0.20 | 125.31 | 3.71 |
| Underweight | 1 | 240.58 | 7.12 | 365.90 | 10.82 |
| Normal weight | 2 | 2532.43 | 74.90 | 2898.32 | 85.72 |
| Somewhat overweight | 3 | 440.85 | 13.04 | 3339.18 | 98.76 |
| Very overweight | 4 | 41.82 | 1.24 | 3381.00 | 100.00 |

ghs36e: 12/13 - CASI A5.1 - Growth Spurt

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 54.92 | 1.62 | 54.92 | 1.62 |
| -3 | -3 | 9.60 | 0.28 | 64.52 | 1.91 |
| Has not yet started | 1 | 267.46 | 7.91 | 331.98 | 9.82 |
| Has barely started | 2 | 747.71 | 22.12 | 1079.70 | 31.93 |
| Has definitely started | 3 | 2179.56 | 64.47 | 3259.26 | 96.40 |
| Seems complete | 4 | 121.74 | 3.60 | 3381.00 | 100.00 |

ghs36c: 12/13 - CASI A5.2 - Body hair

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 54.92 | 1.62 | 54.92 | 1.62 |
| -3 | -3 | 25.69 | 0.76 | 80.62 | 2.38 |
| -2 | -2 | 4.48 | 0.13 | 85.09 | 2.52 |
| Has not started yet | 1 | 545.88 | 16.15 | 630.97 | 18.66 |
| Has barely started | 2 | 827.39 | 24.47 | 1458.37 | 43.13 |
| Has definitely started | 3 | 1658.25 | 49.05 | 3116.62 | 92.18 |
| Seems complete | 4 | 264.38 | 7.82 | 3381.00 | 100.00 |

ghs36a: 12/13 - CASI A5.3 - Skin changes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 54.92 | 1.62 | 54.92 | 1.62 |
| -3 | -3 | 12.47 | 0.37 | 67.39 | 1.99 |
| Has not started yet | 1 | 744.96 | 22.03 | 812.35 | 24.03 |
| Has barely started | 2 | 1053.32 | 31.15 | 1865.67 | 55.18 |
| Has definitely started | 3 | 1445.82 | 42.76 | 3311.49 | 97.94 |
| Seems complete | 4 | 69.51 | 2.06 | 3381.00 | 100.00 |

ghs36f: 12/13 - CASI A5.4 - Deepening Voice

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 1671.95 | 49.45 | 1671.95 | 49.45 |
| -3 | -3 | 14.31 | 0.42 | 1686.26 | 49.87 |
| Has not yet started | 1 | 813.93 | 24.07 | 2500.19 | 73.95 |
| Has barely started | 2 | 397.01 | 11.74 | 2897.21 | 85.69 |
| Has definitely started | 3 | 462.21 | 13.67 | 3359.41 | 99.36 |
| Seems complete | 4 | 21.59 | 0.64 | 3381.00 | 100.00 |

ghs36g: 12/13 - CASI A5.5 - Grow facial hair

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 1671.95 | 49.45 | 1671.95 | 49.45 |
| -3 | -3 | 14.31 | 0.42 | 1686.26 | 49.87 |
| Has not yet started | 1 | 1110.10 | 32.83 | 2796.36 | 82.71 |
| Has barely started | 2 | 331.15 | 9.79 | 3127.52 | 92.50 |
| Has definitely started | 3 | 251.40 | 7.44 | 3378.92 | 99.94 |
| Seems complete | 4 | 2.08 | 0.06 | 3381.00 | 100.00 |

ghs36d: 12/13 - CASI A5.6 - Breast growth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 1763.97 | 52.17 | 1763.97 | 52.17 |
| -3 | -3 | 6.05 | 0.18 | 1770.02 | 52.35 |
| -2 | -2 | 5.41 | 0.16 | 1775.43 | 52.51 |
| Has not started yet | 1 | 53.53 | 1.58 | 1828.96 | 54.10 |
| Has barely started | 2 | 255.85 | 7.57 | 2084.80 | 61.66 |
| Has definitely started | 3 | 1209.30 | 35.77 | 3294.10 | 97.43 |
| Seems complete | 4 | 86.90 | 2.57 | 3381.00 | 100.00 |

ghs36h: 12/13 - CASI A5.7+W6 - Menstruate

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 1741.57 | 51.51 | 1741.57 | 51.51 |
| -3 | -3 | 4.51 | 0.13 | 1746.08 | 51.64 |
| -2 | -2 | 5.41 | 0.16 | 1751.49 | 51.80 |
| Yes | 1 | 841.60 | 24.89 | 2593.09 | 76.70 |
| No | 2 | 787.91 | 23.30 | 3381.00 | 100.00 |

gpubrtyb: 12/13 - Puberty scale

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|-----------|---------|----------------------|--------------------|
| . | 64.52 | 1.91 | 64.52 | 1.91 |
| 1 | 473.48 | 14.00 | 538.00 | 15.91 |
| 2 | 1110.22 | 32.84 | 1648.22 | 48.75 |
| 3 | 1618.61 | 47.87 | 3266.83 | 96.62 |
| 4 | 114.17 | 3.38 | 3381.00 | 100.00 |

ghs49a2: 12/13 - P1 - CASI A6+W6 - Age periods started

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 58.27 | 1.72 | 58.27 | 1.72 |
| -9 | 153.39 | 4.54 | 211.66 | 6.26 |
| -3 | 4.91 | 0.15 | 216.56 | 6.41 |
| -2 | 9.30 | 0.28 | 225.86 | 6.68 |
| 5 | 1.83 | 0.05 | 227.69 | 6.73 |
| 10 | 1198.89 | 35.46 | 1426.58 | 42.19 |
| 15 | 1950.37 | 57.69 | 3376.95 | 99.88 |
| 20 | 4.05 | 0.12 | 3381.00 | 100.00 |

ghs13a: 12/13 - P1 - P1 CASI E5.1 - Global Health measure

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 54.92 | 1.62 | 54.92 | 1.62 |
| -3 | -3 | 13.10 | 0.39 | 68.02 | 2.01 |
| Excellent | 1 | 479.56 | 14.18 | 547.58 | 16.20 |
| Very good | 2 | 1374.98 | 40.67 | 1922.56 | 56.86 |
| Good | 3 | 1039.84 | 30.76 | 2962.40 | 87.62 |
| Fair | 4 | 347.01 | 10.26 | 3309.41 | 97.88 |
| Poor | 5 | 71.59 | 2.12 | 3381.00 | 100.00 |

ghs48a1: 12/13 - P1 - P1 CASI E6.1.1 - Ever had Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 15.26 | 0.45 | 146.89 | 4.34 |
| No, never | 1 | 2308.82 | 68.29 | 2455.70 | 72.63 |
| Yes, as a child only | 2 | 280.02 | 8.28 | 2735.73 | 80.91 |
| Yes, as an adult only | 3 | 312.71 | 9.25 | 3048.44 | 90.16 |
| Yes, as a child and as an adult | 4 | 332.56 | 9.84 | 3381.00 | 100.00 |

ghs48a2: 12/13 - P1 - P1 CASI E6.1.2 - Ever had Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 33.64 | 0.99 | 165.27 | 4.89 |
| No, never | 1 | 1644.49 | 48.64 | 1809.76 | 53.53 |
| Yes, as a child only | 2 | 96.30 | 2.85 | 1906.06 | 56.38 |
| Yes, as an adult only | 3 | 867.21 | 25.65 | 2773.27 | 82.03 |
| Yes, as a child and as an adult | 4 | 607.73 | 17.97 | 3381.00 | 100.00 |

ghs48a3: 12/13 - P1 - P1 CASI E6.1.3 - Ever had Eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 16.60 | 0.49 | 135.13 | 4.00 |
| -2 | -2 | 29.66 | 0.88 | 164.80 | 4.87 |
| No, never | 1 | 2487.61 | 73.58 | 2652.41 | 78.45 |
| Yes, as a child only | 2 | 223.29 | 6.60 | 2875.70 | 85.05 |
| Yes, as an adult only | 3 | 266.25 | 7.87 | 3141.95 | 92.93 |
| Yes, as a child and as an adult | 4 | 239.05 | 7.07 | 3381.00 | 100.00 |

ghs48a4: 12/13 - P1 - P1 CASI E6.1.4 - Ever had Psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 20.10 | 0.59 | 138.63 | 4.10 |
| -2 | -2 | 36.98 | 1.09 | 175.62 | 5.19 |
| No, never | 1 | 2923.73 | 86.48 | 3099.35 | 91.67 |
| Yes, as a child only | 2 | 27.31 | 0.81 | 3126.66 | 92.48 |
| Yes, as an adult only | 3 | 190.30 | 5.63 | 3316.96 | 98.11 |
| Yes, as a child and as an adult | 4 | 64.04 | 1.89 | 3381.00 | 100.00 |

ghs48a5: 12/13 - P1 - P1 CASI E6.1.5 - Ever been obese/overweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 36.65 | 1.08 | 168.28 | 4.98 |
| No, never | 1 | 2112.28 | 62.48 | 2280.56 | 67.45 |
| Yes, as a child only | 2 | 47.06 | 1.39 | 2327.62 | 68.84 |
| Yes, as an adult only | 3 | 812.50 | 24.03 | 3140.12 | 92.88 |
| Yes, as a child and as an adult | 4 | 240.88 | 7.12 | 3381.00 | 100.00 |

ghs48a6: 12/13 - P1 - P1 CASI E6.1.6 - Ever been very thin/underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 19.67 | 0.58 | 151.30 | 4.48 |
| No, never | 1 | 2737.14 | 80.96 | 2888.44 | 85.43 |
| Yes, as a child only | 2 | 242.13 | 7.16 | 3130.58 | 92.59 |

ghs48a6: 12/13 - P1 - P1 CASI E6.1.6 - Ever been very thin/underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| Yes, as an adult only | 3 | 165.00 | 4.88 | 3295.58 | 97.47 |
| Yes, as a child and as an adult | 4 | 85.42 | 2.53 | 3381.00 | 100.00 |

ghs48a7: 12/13 - P1 - P1 CASI E6.1.7 - Ever had Bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 16.60 | 0.49 | 135.13 | 4.00 |
| -2 | -2 | 14.35 | 0.42 | 149.48 | 4.42 |
| No, never | 1 | 3134.08 | 92.70 | 3283.57 | 97.12 |
| Yes, as a child only | 2 | 44.68 | 1.32 | 3328.25 | 98.44 |
| Yes, as an adult only | 3 | 40.37 | 1.19 | 3368.62 | 99.63 |
| Yes, as a child and as an adult | 4 | 12.38 | 0.37 | 3381.00 | 100.00 |

ghs48a8: 12/13 - P1 - P1 CASI E6.1.8 - Ever had Diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 1.97 | 0.06 | 133.61 | 3.95 |
| No, never | 1 | 3180.38 | 94.07 | 3313.98 | 98.02 |
| Yes, as a child only | 2 | 2.79 | 0.08 | 3316.77 | 98.10 |
| Yes, as an adult only | 3 | 56.77 | 1.68 | 3373.54 | 99.78 |
| Yes, as a child and as an adult | 4 | 7.46 | 0.22 | 3381.00 | 100.00 |

ghs48a9: 12/13 - P1 - P1 CASI E6.1.9 - Ever had Other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 11.98 | 0.35 | 143.61 | 4.25 |
| No, never | 1 | 3033.44 | 89.72 | 3177.06 | 93.97 |
| Yes, as a child only | 2 | 3.53 | 0.10 | 3180.59 | 94.07 |
| Yes, as an adult only | 3 | 192.29 | 5.69 | 3372.88 | 99.76 |
| Yes, as a child and as an adult | 4 | 8.12 | 0.24 | 3381.00 | 100.00 |

ghs48a10: 12/13 - P1 - P1 CASI E6.1.10 - Ever had Heart Disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 28.44 | 0.84 | 160.07 | 4.73 |
| No, never | 1 | 3176.07 | 93.94 | 3336.14 | 98.67 |
| Yes, as a child only | 2 | 4.62 | 0.14 | 3340.76 | 98.81 |
| Yes, as an adult only | 3 | 31.53 | 0.93 | 3372.28 | 99.74 |
| Yes, as a child and as an adult | 4 | 8.72 | 0.26 | 3381.00 | 100.00 |

ghs48a11: 12/13 - P1 - P1 CASI E6.1.11 - Ever had Hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 11.85 | 0.35 | 143.49 | 4.24 |
| No, never | 1 | 2918.58 | 86.32 | 3062.07 | 90.57 |
| Yes, as an adult only | 3 | 300.77 | 8.90 | 3362.83 | 99.46 |
| Yes, as a child and as an adult | 4 | 18.17 | 0.54 | 3381.00 | 100.00 |

ghs48a12: 12/13 - P1 - P1 CASI E6.1.12 - Ever had Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 12.08 | 0.36 | 143.72 | 4.25 |
| No, never | 1 | 1916.46 | 56.68 | 2060.17 | 60.93 |
| Yes, as a child only | 2 | 49.26 | 1.46 | 2109.44 | 62.39 |
| Yes, as an adult only | 3 | 929.86 | 27.50 | 3039.30 | 89.89 |
| Yes, as a child and as an adult | 4 | 341.70 | 10.11 | 3381.00 | 100.00 |

ghs48a13: 12/13 - P1 - P1 CASI E6.1.13 - Ever had Chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 14.53 | 0.43 | 146.16 | 4.32 |
| No, never | 1 | 2338.16 | 69.16 | 2484.32 | 73.48 |
| Yes, as a child only | 2 | 6.72 | 0.20 | 2491.04 | 73.68 |
| Yes, as an adult only | 3 | 811.55 | 24.00 | 3302.59 | 97.68 |
| Yes, as a child and as an adult | 4 | 78.41 | 2.32 | 3381.00 | 100.00 |

ghs48a14: 12/13 - P1 - P1 CASI E6.1.14 - Ever had Pelvic inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 26.08 | 0.77 | 157.72 | 4.66 |
| No, never | 1 | 3154.12 | 93.29 | 3311.84 | 97.95 |
| Yes, as a child only | 2 | 1.35 | 0.04 | 3313.19 | 97.99 |
| Yes, as an adult only | 3 | 63.82 | 1.89 | 3377.01 | 99.88 |
| Yes, as a child and as an adult | 4 | 3.99 | 0.12 | 3381.00 | 100.00 |

ghs48a15: 12/13 - P1 - P1 CASI E6.1.15 - Ever had Stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 24.05 | 0.71 | 155.68 | 4.60 |
| No, never | 1 | 3087.38 | 91.32 | 3243.06 | 95.92 |
| Yes, as a child only | 2 | 15.18 | 0.45 | 3258.24 | 96.37 |
| Yes, as an adult only | 3 | 110.06 | 3.26 | 3368.30 | 99.62 |
| Yes, as a child and as an adult | 4 | 12.70 | 0.38 | 3381.00 | 100.00 |

ghs48a16: 12/13 - P1 - P1 CASI E6.1.16 - Ever had Other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 13.39 | 0.40 | 145.02 | 4.29 |
| No, never | 1 | 2797.01 | 82.73 | 2942.03 | 87.02 |
| Yes, as a child only | 2 | 0.82 | 0.02 | 2942.85 | 87.04 |
| Yes, as an adult only | 3 | 391.40 | 11.58 | 3334.25 | 98.62 |
| Yes, as a child and as an adult | 4 | 46.75 | 1.38 | 3381.00 | 100.00 |

ghs48a17: 12/13 - P1 - P1 CASI E6.1.17 - Ever had Stroke

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 6.56 | 0.19 | 138.19 | 4.09 |
| No, never | 1 | 3208.15 | 94.89 | 3346.34 | 98.97 |
| Yes, as a child only | 2 | 0.59 | 0.02 | 3346.93 | 98.99 |
| Yes, as an adult only | 3 | 30.29 | 0.90 | 3377.22 | 99.89 |
| Yes, as a child and as an adult | 4 | 3.78 | 0.11 | 3381.00 | 100.00 |

ghs48a18: 12/13 - P1 - P1 CASI E6.1.18 - Ever had Rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 33.68 | 1.00 | 165.32 | 4.89 |
| No, never | 1 | 3136.03 | 92.75 | 3301.34 | 97.64 |
| Yes, as a child only | 2 | 7.42 | 0.22 | 3308.76 | 97.86 |
| Yes, as an adult only | 3 | 64.34 | 1.90 | 3373.10 | 99.77 |
| Yes, as a child and as an adult | 4 | 7.90 | 0.23 | 3381.00 | 100.00 |

ghs48a19: 12/13 - P1 - P1 CASI E6.1.19 - Ever had Arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 31.17 | 0.92 | 162.80 | 4.82 |
| No, never | 1 | 2732.86 | 80.83 | 2895.67 | 85.65 |
| Yes, as a child only | 2 | 7.79 | 0.23 | 2903.46 | 85.88 |
| Yes, as an adult only | 3 | 439.93 | 13.01 | 3343.39 | 98.89 |
| Yes, as a child and as an adult | 4 | 37.61 | 1.11 | 3381.00 | 100.00 |

ghs48a20: 12/13 - P1 - P1 CASI E6.1.20 - Ever had Chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 14.52 | 0.43 | 146.15 | 4.32 |
| No, never | 1 | 2900.83 | 85.80 | 3046.98 | 90.12 |
| Yes, as a child only | 2 | 97.51 | 2.88 | 3144.49 | 93.00 |

ghs48a20: 12/13 - P1 - P1 CASI E6.1.20 - Ever had Chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| Yes, as an adult only | 3 | 156.90 | 4.64 | 3301.39 | 97.65 |
| Yes, as a child and as an adult | 4 | 79.61 | 2.35 | 3381.00 | 100.00 |

ghs48a43: 12/13 - P1 - P1 CASI E6.1.21 - Ever had Cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 15.24 | 0.45 | 146.87 | 4.34 |
| No, never | 1 | 3085.34 | 91.26 | 3232.21 | 95.60 |
| Yes, as a child only | 2 | 2.12 | 0.06 | 3234.33 | 95.66 |
| Yes, as an adult only | 3 | 146.67 | 4.34 | 3381.00 | 100.00 |

ghs48a30: 12/13 - P1 - P1 CASI E6.1.22 - Ever had Alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 15.80 | 0.47 | 147.43 | 4.36 |
| No, never | 1 | 3163.00 | 93.55 | 3310.44 | 97.91 |
| Yes, as a child only | 2 | 1.63 | 0.05 | 3312.07 | 97.96 |
| Yes, as an adult only | 3 | 63.11 | 1.87 | 3375.17 | 99.83 |
| Yes, as a child and as an adult | 4 | 5.83 | 0.17 | 3381.00 | 100.00 |

ghs48a31: 12/13 - P1 - P1 CASI E6.1.23 - Ever had Drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 4.53 | 0.13 | 136.16 | 4.03 |
| No, never | 1 | 3198.41 | 94.60 | 3334.58 | 98.63 |
| Yes, as a child only | 2 | 0.80 | 0.02 | 3335.38 | 98.65 |
| Yes, as an adult only | 3 | 38.06 | 1.13 | 3373.44 | 99.78 |
| Yes, as a child and as an adult | 4 | 7.56 | 0.22 | 3381.00 | 100.00 |

ghs48a32: 12/13 - P1 - P1 CASI E6.1.24 - Ever had Depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 28.22 | 0.83 | 159.86 | 4.73 |
| No, never | 1 | 1933.88 | 57.20 | 2093.73 | 61.93 |
| Yes, as a child only | 2 | 15.93 | 0.47 | 2109.66 | 62.40 |
| Yes, as an adult only | 3 | 1047.78 | 30.99 | 3157.45 | 93.39 |
| Yes, as a child and as an adult | 4 | 223.55 | 6.61 | 3381.00 | 100.00 |

ghs48a33: 12/13 - P1 - P1 CASI E6.1.25 - Ever had Schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 10.00 | 0.30 | 141.63 | 4.19 |
| No, never | 1 | 3233.67 | 95.64 | 3375.31 | 99.83 |
| Yes, as an adult only | 3 | 3.70 | 0.11 | 3379.00 | 99.94 |
| Yes, as a child and as an adult | 4 | 2.00 | 0.06 | 3381.00 | 100.00 |

ghs48a34: 12/13 - P1 - P1 CASI E6.1.26 - Ever had Bipolar disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 15.67 | 0.46 | 147.30 | 4.36 |
| No, never | 1 | 3182.20 | 94.12 | 3329.50 | 98.48 |
| Yes, as an adult only | 3 | 42.66 | 1.26 | 3372.16 | 99.74 |
| Yes, as a child and as an adult | 4 | 8.84 | 0.26 | 3381.00 | 100.00 |

ghs48a35: 12/13 - P1 - P1 CASI E6.1.27 - Ever had Postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 47.76 | 1.41 | 179.40 | 5.31 |
| No, never | 1 | 2495.63 | 73.81 | 2675.02 | 79.12 |
| Yes, as a child only | 2 | 1.01 | 0.03 | 2676.03 | 79.15 |
| Yes, as an adult only | 3 | 699.94 | 20.70 | 3375.97 | 99.85 |
| Yes, as a child and as an adult | 4 | 5.03 | 0.15 | 3381.00 | 100.00 |

ghs48a36: 12/13 - P1 - P1 CASI E6.1.28 - Ever had Other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 30.17 | 0.89 | 161.81 | 4.79 |
| No, never | 1 | 2991.49 | 88.48 | 3153.29 | 93.27 |
| Yes, as a child only | 2 | 2.14 | 0.06 | 3155.43 | 93.33 |
| Yes, as an adult only | 3 | 195.17 | 5.77 | 3350.60 | 99.10 |
| Yes, as a child and as an adult | 4 | 30.40 | 0.90 | 3381.00 | 100.00 |

ghs48a37: 12/13 - P1 - P1 CASI E6.1.29 - Ever had Epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 4.91 | 0.15 | 136.54 | 4.04 |
| No, never | 1 | 3178.39 | 94.01 | 3314.94 | 98.05 |
| Yes, as a child only | 2 | 34.01 | 1.01 | 3348.95 | 99.05 |
| Yes, as an adult only | 3 | 22.17 | 0.66 | 3371.13 | 99.71 |
| Yes, as a child and as an adult | 4 | 9.87 | 0.29 | 3381.00 | 100.00 |

ghs48a38: 12/13 - P1 - P1 CASI E6.1.30 - Condition as child and/or adult - reading issues

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 10.56 | 0.31 | 142.19 | 4.21 |
| No, never | 1 | 3073.20 | 90.90 | 3215.40 | 95.10 |
| Yes, as a child only | 2 | 68.69 | 2.03 | 3284.09 | 97.13 |
| Yes, as an adult only | 3 | 15.63 | 0.46 | 3299.72 | 97.60 |
| Yes, as a child and as an adult | 4 | 81.28 | 2.40 | 3381.00 | 100.00 |

ghs48a39: 12/13 - P1 - P1 CASI E6.1.31 - Condition as child and/or adult- learning issues

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 13.50 | 0.40 | 145.14 | 4.29 |
| No, never | 1 | 3035.97 | 89.79 | 3181.10 | 94.09 |
| Yes, as a child only | 2 | 113.79 | 3.37 | 3294.89 | 97.45 |
| Yes, as an adult only | 3 | 20.99 | 0.62 | 3315.88 | 98.07 |
| Yes, as a child and as an adult | 4 | 65.12 | 1.93 | 3381.00 | 100.00 |

ghs48a40: 12/13 - P1 - P1 CASI E6.1.32 - Condition as child and/or adult - maths problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 21.71 | 0.64 | 153.34 | 4.54 |
| No, never | 1 | 2873.52 | 84.99 | 3026.86 | 89.53 |
| Yes, as a child only | 2 | 177.02 | 5.24 | 3203.89 | 94.76 |
| Yes, as an adult only | 3 | 18.95 | 0.56 | 3222.84 | 95.32 |
| Yes, as a child and as an adult | 4 | 158.16 | 4.68 | 3381.00 | 100.00 |

ghs48a41: 12/13 - P1 - P1 CASI E6.1.33 - Condition as child and/or adult -repeating grade

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 9.60 | 0.28 | 141.24 | 4.18 |
| No, never | 1 | 2994.06 | 88.56 | 3135.29 | 92.73 |
| Yes, as a child only | 2 | 235.31 | 6.96 | 3370.60 | 99.69 |
| Yes, as an adult only | 3 | 4.54 | 0.13 | 3375.14 | 99.83 |
| Yes, as a child and as an adult | 4 | 5.86 | 0.17 | 3381.00 | 100.00 |

ghs48a42: 12/13 - P1 - P1 CASI E6.1.34 - Ever had Language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| -2 | -2 | 12.35 | 0.37 | 143.99 | 4.26 |
| No, never | 1 | 3118.18 | 92.23 | 3262.17 | 96.49 |
| Yes, as a child only | 2 | 71.39 | 2.11 | 3333.56 | 98.60 |

ghs48a42: 12/13 - P1 - P1 CASI E6.1.34 - Ever had Language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| Yes, as an adult only | 3 | 27.50 | 0.81 | 3361.06 | 99.41 |
| Yes, as a child and as an adult | 4 | 19.94 | 0.59 | 3381.00 | 100.00 |

ghs48a44: 12/13 - P1 - P1 CASI E6.1 - Ever had any of listed conditions

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 131.63 | 3.89 | 131.63 | 3.89 |
| -2 | -2 | 11.91 | 0.35 | 143.54 | 4.25 |
| Yes | 1 | 2965.77 | 87.72 | 3109.32 | 91.96 |
| No | 2 | 271.68 | 8.04 | 3381.00 | 100.00 |

ghs48a21a: 12/13 - P1 - P1 CASI E6.2.1 - Ever had prostate cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 147.40 | 4.36 | 3379.61 | 99.96 |
| Yes | 1 | 1.39 | 0.04 | 3381.00 | 100.00 |

ghs48a22a: 12/13 - P1 - P1 CASI E6.2.2 - Ever had bowel cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 141.39 | 4.18 | 3373.61 | 99.78 |
| Yes | 1 | 7.39 | 0.22 | 3381.00 | 100.00 |

ghs48a23a: 12/13 - P1 - P1 CASI E6.2.3 - Ever had breast cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 105.08 | 3.11 | 3337.29 | 98.71 |
| Yes | 1 | 43.71 | 1.29 | 3381.00 | 100.00 |

ghs48a24a: 12/13 - P1 - P1 CASI E6.2.4 - Ever had melanoma of skin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 117.02 | 3.46 | 3349.23 | 99.06 |
| Yes | 1 | 31.77 | 0.94 | 3381.00 | 100.00 |

ghs48a25a: 12/13 - P1 - P1 CASI E6.2.5 - Ever had lung cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 148.79 | 4.40 | 3381.00 | 100.00 |

ghs48a26a: 12/13 - P1 - P1 CASI E6.2.6 - Ever had lymphoma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 145.73 | 4.31 | 3377.94 | 99.91 |
| Yes | 1 | 3.06 | 0.09 | 3381.00 | 100.00 |

ghs48a27a: 12/13 - P1 - P1 CASI E6.2.7 - Ever had cancer of Uterus

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 140.20 | 4.15 | 3372.41 | 99.75 |
| Yes | 1 | 8.59 | 0.25 | 3381.00 | 100.00 |

ghs48a28a: 12/13 - P1 - P1 CASI E6.2.8 - Ever had cervical cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 115.07 | 3.40 | 3347.28 | 99.00 |
| Yes | 1 | 33.72 | 1.00 | 3381.00 | 100.00 |

ghs48a29a: 12/13 - P1 - P1 CASI E6.2.9 - Ever had other cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3232.21 | 95.60 | 3232.21 | 95.60 |
| No | 0 | 114.81 | 3.40 | 3347.02 | 98.99 |
| Yes | 1 | 33.98 | 1.01 | 3381.00 | 100.00 |

ghs44a1: 12/13 - P1 - P1 CASI E6.4.1 - Currently has asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2735.73 | 80.91 | 2735.73 | 80.91 |
| -2 | -2 | 40.30 | 1.19 | 2776.03 | 82.11 |
| Yes | 1 | 446.21 | 13.20 | 3222.23 | 95.30 |
| No | 2 | 158.77 | 4.70 | 3381.00 | 100.00 |

ghs44a2: 12/13 - P1 - P1 CASI E6.4.2 - Currently has hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 1906.06 | 56.38 | 1906.06 | 56.38 |
| -2 | -2 | 59.52 | 1.76 | 1965.58 | 58.14 |
| Yes | 1 | 1067.44 | 31.57 | 3033.02 | 89.71 |
| No | 2 | 347.98 | 10.29 | 3381.00 | 100.00 |

ghs44a3: 12/13 - P1 - P1 CASI E6.4.3 - Currently has eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2875.70 | 85.05 | 2875.70 | 85.05 |
| -2 | -2 | 8.60 | 0.25 | 2884.30 | 85.31 |
| Yes | 1 | 319.55 | 9.45 | 3203.85 | 94.76 |
| No | 2 | 177.15 | 5.24 | 3381.00 | 100.00 |

ghs44a4: 12/13 - P1 - P1 CASI E6.4.4 - Currently has psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3126.66 | 92.48 | 3126.66 | 92.48 |
| -2 | -2 | 0.59 | 0.02 | 3127.24 | 92.49 |
| Yes | 1 | 166.81 | 4.93 | 3294.06 | 97.43 |
| No | 2 | 86.94 | 2.57 | 3381.00 | 100.00 |

ghs44a5: 12/13 - P1 - P1 CASI E6.4.5 - Currently been obese/very overweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2327.62 | 68.84 | 2327.62 | 68.84 |
| -2 | -2 | 45.66 | 1.35 | 2373.28 | 70.19 |
| Yes | 1 | 783.47 | 23.17 | 3156.75 | 93.37 |
| No | 2 | 224.25 | 6.63 | 3381.00 | 100.00 |

ghs44a6: 12/13 - P1 - P1 CASI E6.4.6 - Currently been very thin/underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3130.58 | 92.59 | 3130.58 | 92.59 |
| -2 | -2 | 6.89 | 0.20 | 3137.46 | 92.80 |
| Yes | 1 | 37.26 | 1.10 | 3174.72 | 93.90 |
| No | 2 | 206.28 | 6.10 | 3381.00 | 100.00 |

ghs44a7: 12/13 - P1 - P1 CASI E6.4.7 - Currently has bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3328.25 | 98.44 | 3328.25 | 98.44 |
| -2 | -2 | 0.63 | 0.02 | 3328.88 | 98.46 |
| Yes | 1 | 4.20 | 0.12 | 3333.08 | 98.58 |
| No | 2 | 47.92 | 1.42 | 3381.00 | 100.00 |

ghs44a8: 12/13 - P1 - P1 CASI E6.4.8 - Currently has diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3358.70 | 99.34 | 3358.70 | 99.34 |
| Yes | 1 | 20.10 | 0.59 | 3378.80 | 99.93 |
| No | 2 | 2.20 | 0.07 | 3381.00 | 100.00 |

ghs44a9: 12/13 - P1 - P1 CASI E6.4.9 - Currently has other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3180.59 | 94.07 | 3180.59 | 94.07 |
| -2 | -2 | 9.86 | 0.29 | 3190.45 | 94.36 |
| Yes | 1 | 53.47 | 1.58 | 3243.92 | 95.95 |
| No | 2 | 137.08 | 4.05 | 3381.00 | 100.00 |

ghs44a10: 12/13 - P1 - P1 CASI E6.4.10 - Currently has heart disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3340.76 | 98.81 | 3340.76 | 98.81 |
| -2 | -2 | 6.13 | 0.18 | 3346.89 | 98.99 |
| Yes | 1 | 25.27 | 0.75 | 3372.16 | 99.74 |
| No | 2 | 8.84 | 0.26 | 3381.00 | 100.00 |

ghs44a11: 12/13 - P1 - P1 CASI E6.4.11 - Currently has hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3155.68 | 93.34 | 3155.68 | 93.34 |
| -2 | -2 | 5.08 | 0.15 | 3160.76 | 93.49 |
| Yes | 1 | 185.67 | 5.49 | 3346.43 | 98.98 |
| No | 2 | 34.57 | 1.02 | 3381.00 | 100.00 |

ghs44a12: 12/13 - P1 - P1 CASI E6.4.12 - Currently has migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2109.44 | 62.39 | 2109.44 | 62.39 |
| -2 | -2 | 34.80 | 1.03 | 2144.24 | 63.42 |
| Yes | 1 | 877.48 | 25.95 | 3021.72 | 89.37 |
| No | 2 | 359.28 | 10.63 | 3381.00 | 100.00 |

ghs44a13: 12/13 - P1 - P1 CASI E6.4.13 - Currently has chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2491.04 | 73.68 | 2491.04 | 73.68 |
| -2 | -2 | 8.58 | 0.25 | 2499.61 | 73.93 |
| Yes | 1 | 546.68 | 16.17 | 3046.29 | 90.10 |
| No | 2 | 334.71 | 9.90 | 3381.00 | 100.00 |

ghs44a14: 12/13 - P1 - P1 CASI E6.4.14 - Currently has pelvic Inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3313.19 | 97.99 | 3313.19 | 97.99 |
| -2 | -2 | 5.66 | 0.17 | 3318.85 | 98.16 |
| Yes | 1 | 14.27 | 0.42 | 3333.12 | 98.58 |
| No | 2 | 47.88 | 1.42 | 3381.00 | 100.00 |

ghs44a15: 12/13 - P1 - P1 CASI E6.4.15 - Currently has stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3258.24 | 96.37 | 3258.24 | 96.37 |
| -2 | -2 | 10.43 | 0.31 | 3268.67 | 96.68 |
| Yes | 1 | 36.65 | 1.08 | 3305.32 | 97.76 |
| No | 2 | 75.68 | 2.24 | 3381.00 | 100.00 |

ghs44a16: 12/13 - P1 - P1 CASI E6.4.16 - Currently has other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2942.85 | 87.04 | 2942.85 | 87.04 |
| -2 | -2 | 11.66 | 0.34 | 2954.51 | 87.39 |
| Yes | 1 | 293.99 | 8.70 | 3248.50 | 96.08 |
| No | 2 | 132.50 | 3.92 | 3381.00 | 100.00 |

ghs44a18: 12/13 - P1 - P1 CASI E6.4.18 - Currently has rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3308.76 | 97.86 | 3308.76 | 97.86 |
| -2 | -2 | 4.02 | 0.12 | 3312.79 | 97.98 |
| Yes | 1 | 57.85 | 1.71 | 3370.64 | 99.69 |
| No | 2 | 10.36 | 0.31 | 3381.00 | 100.00 |

ghs44a19: 12/13 - P1 - P1 CASI E6.4.19 - Currently has arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2903.46 | 85.88 | 2903.46 | 85.88 |
| -2 | -2 | 17.27 | 0.51 | 2920.73 | 86.39 |
| Yes | 1 | 434.31 | 12.85 | 3355.04 | 99.23 |
| No | 2 | 25.96 | 0.77 | 3381.00 | 100.00 |

ghs44a20: 12/13 - P1 - P1 CASI E6.4.20 - Currently has chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3144.49 | 93.00 | 3144.49 | 93.00 |
| -2 | -2 | 5.54 | 0.16 | 3150.03 | 93.17 |
| Yes | 1 | 91.64 | 2.71 | 3241.67 | 95.88 |
| No | 2 | 139.33 | 4.12 | 3381.00 | 100.00 |

ghs44a21: 12/13 - P1 - P1 CASI E6.4.21 -Currently has prostate cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.61 | 99.96 | 3379.61 | 99.96 |
| No | 2 | 1.39 | 0.04 | 3381.00 | 100.00 |

ghs44a22: 12/13 - P1 - P1 CASI E6.4.22 -Currently has bowel cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.61 | 99.78 | 3373.61 | 99.78 |
| Yes | 1 | 1.64 | 0.05 | 3375.25 | 99.83 |
| No | 2 | 5.75 | 0.17 | 3381.00 | 100.00 |

ghs44a23: 12/13 - P1 - P1 CASI E6.4.23 -Currently has breast cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3337.29 | 98.71 | 3337.29 | 98.71 |
| -2 | -2 | 6.38 | 0.19 | 3343.68 | 98.90 |
| Yes | 1 | 3.17 | 0.09 | 3346.84 | 98.99 |
| No | 2 | 34.16 | 1.01 | 3381.00 | 100.00 |

ghs44a24: 12/13 - P1 - P1 CASI E6.4.24 -Currently has melanoma of skin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3349.23 | 99.06 | 3349.23 | 99.06 |
| Yes | 1 | 1.23 | 0.04 | 3350.46 | 99.10 |
| No | 2 | 30.54 | 0.90 | 3381.00 | 100.00 |

ghs44a25: 12/13 - P1 - P1 CASI E6.4.25 -Currently has lung cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44a26: 12/13 - P1 - P1 CASI E6.4.26 -Currently has lymphoma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.94 | 99.91 | 3377.94 | 99.91 |
| No | 2 | 3.06 | 0.09 | 3381.00 | 100.00 |

ghs44a27: 12/13 - P1 - P1 CASI E6.4.27 - Currently has uterine cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.41 | 99.75 | 3372.41 | 99.75 |
| No | 2 | 8.59 | 0.25 | 3381.00 | 100.00 |

ghs44a28: 12/13 - P1 - P1 CASI E6.4.28 - Currently has cervical cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3347.28 | 99.00 | 3347.28 | 99.00 |
| Yes | 1 | 0.74 | 0.02 | 3348.02 | 99.02 |
| No | 2 | 32.98 | 0.98 | 3381.00 | 100.00 |

ghs44a29: 12/13 - P1 - P1 CASI E6.4.29 - Currently has other cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3349.14 | 99.06 | 3349.14 | 99.06 |
| -2 | -2 | 0.77 | 0.02 | 3349.91 | 99.08 |
| Yes | 1 | 7.65 | 0.23 | 3357.55 | 99.31 |
| No | 2 | 23.45 | 0.69 | 3381.00 | 100.00 |

ghs44a30: 12/13 - P1 - P1 CASI E6.4.30 - Currently has alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3312.07 | 97.96 | 3312.07 | 97.96 |
| -2 | -2 | 1.79 | 0.05 | 3313.85 | 98.01 |
| Yes | 1 | 22.68 | 0.67 | 3336.53 | 98.68 |
| No | 2 | 44.47 | 1.32 | 3381.00 | 100.00 |

ghs44a31: 12/13 - P1 - P1 CASI E6.4.31 - Currently has drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3335.38 | 98.65 | 3335.38 | 98.65 |
| Yes | 1 | 3.57 | 0.11 | 3338.95 | 98.76 |
| No | 2 | 42.05 | 1.24 | 3381.00 | 100.00 |

ghs44a32: 12/13 - P1 - P1 CASI E6.4.32 - Currently has depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2109.66 | 62.40 | 2109.66 | 62.40 |
| -2 | -2 | 68.10 | 2.01 | 2177.76 | 64.41 |
| Yes | 1 | 662.90 | 19.61 | 2840.66 | 84.02 |
| No | 2 | 540.34 | 15.98 | 3381.00 | 100.00 |

ghs44a33: 12/13 - P1 - P1 CASI E6.4.33 - Currently has schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3375.31 | 99.83 | 3375.31 | 99.83 |
| Yes | 1 | 2.79 | 0.08 | 3378.09 | 99.91 |
| No | 2 | 2.91 | 0.09 | 3381.00 | 100.00 |

ghs44a34: 12/13 - P1 - P1 CASI E6.4.34 - Currently has bipolar disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3329.50 | 98.48 | 3329.50 | 98.48 |
| -2 | -2 | 0.62 | 0.02 | 3330.11 | 98.49 |
| Yes | 1 | 36.94 | 1.09 | 3367.05 | 99.59 |
| No | 2 | 13.95 | 0.41 | 3381.00 | 100.00 |

ghs44a35: 12/13 - P1 - P1 CASI E6.4.35 - Currently has postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2676.03 | 79.15 | 2676.03 | 79.15 |
| -2 | -2 | 14.29 | 0.42 | 2690.33 | 79.57 |
| Yes | 1 | 22.94 | 0.68 | 2713.27 | 80.25 |
| No | 2 | 667.73 | 19.75 | 3381.00 | 100.00 |

ghs44a36: 12/13 - P1 - P1 CASI E6.4.36 - Currently has other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3155.43 | 93.33 | 3155.43 | 93.33 |
| -2 | -2 | 14.55 | 0.43 | 3169.98 | 93.76 |
| Yes | 1 | 68.38 | 2.02 | 3238.36 | 95.78 |
| No | 2 | 142.64 | 4.22 | 3381.00 | 100.00 |

ghs44a37: 12/13 - P1 - P1 CASI E6.4.37 - Currently has epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3348.95 | 99.05 | 3348.95 | 99.05 |
| -2 | -2 | 2.97 | 0.09 | 3351.92 | 99.14 |
| Yes | 1 | 14.24 | 0.42 | 3366.16 | 99.56 |
| No | 2 | 14.84 | 0.44 | 3381.00 | 100.00 |

ghs44a38: 12/13 - P1 - P1 CASI E6.4.38 - Currently has reading problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3284.09 | 97.13 | 3284.09 | 97.13 |
| -2 | -2 | 9.48 | 0.28 | 3293.56 | 97.41 |
| Yes | 1 | 75.97 | 2.25 | 3369.53 | 99.66 |
| No | 2 | 11.47 | 0.34 | 3381.00 | 100.00 |

ghs44a39: 12/13 - P1 - P1 CASI E6.4.39 - Currently has learning problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3294.89 | 97.45 | 3294.89 | 97.45 |
| -2 | -2 | 6.21 | 0.18 | 3301.11 | 97.64 |
| Yes | 1 | 57.08 | 1.69 | 3358.19 | 99.33 |
| No | 2 | 22.81 | 0.67 | 3381.00 | 100.00 |

ghs44a40: 12/13 - P1 - P1 CASI E6.4.40 - Currently has problems with maths

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3203.89 | 94.76 | 3203.89 | 94.76 |
| -2 | -2 | 7.48 | 0.22 | 3211.36 | 94.98 |
| Yes | 1 | 131.21 | 3.88 | 3342.58 | 98.86 |
| No | 2 | 38.42 | 1.14 | 3381.00 | 100.00 |

ghs44a42: 12/13 - P1 - P1 CASI E6.4.42 - Currently has Language or speech problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3333.56 | 98.60 | 3333.56 | 98.60 |
| -2 | -2 | 0.87 | 0.03 | 3334.43 | 98.62 |
| Yes | 1 | 41.21 | 1.22 | 3375.63 | 99.84 |
| No | 2 | 5.37 | 0.16 | 3381.00 | 100.00 |

ghs45a1: 12/13 - P1 - P1 CASI E6.5.1 - Severity of Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2934.79 | 86.80 | 2934.79 | 86.80 |
| -2 | -2 | 10.06 | 0.30 | 2944.85 | 87.10 |
| Mild | 1 | 309.62 | 9.16 | 3254.47 | 96.26 |
| Moderate | 2 | 110.76 | 3.28 | 3365.23 | 99.53 |
| Severe | 3 | 15.77 | 0.47 | 3381.00 | 100.00 |

ghs45a2: 12/13 - P1 - P1 CASI E6.5.2 - Severity of Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2313.56 | 68.43 | 2313.56 | 68.43 |
| -2 | -2 | 6.81 | 0.20 | 2320.37 | 68.63 |
| Mild | 1 | 617.71 | 18.27 | 2938.08 | 86.90 |
| Moderate | 2 | 347.75 | 10.29 | 3285.83 | 97.19 |
| Severe | 3 | 95.17 | 2.81 | 3381.00 | 100.00 |

ghs45a3: 12/13 - P1 - P1 CASI E6.5.3 - Severity of Eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3061.45 | 90.55 | 3061.45 | 90.55 |
| -2 | -2 | 1.80 | 0.05 | 3063.25 | 90.60 |
| Mild | 1 | 230.79 | 6.83 | 3294.04 | 97.43 |
| Moderate | 2 | 73.46 | 2.17 | 3367.50 | 99.60 |
| Severe | 3 | 13.50 | 0.40 | 3381.00 | 100.00 |

ghs45a4: 12/13 - P1 - P1 CASI E6.5.4 - Severity of Psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3214.19 | 95.07 | 3214.19 | 95.07 |
| Mild | 1 | 109.52 | 3.24 | 3323.70 | 98.31 |
| Moderate | 2 | 49.93 | 1.48 | 3373.64 | 99.78 |
| Severe | 3 | 7.36 | 0.22 | 3381.00 | 100.00 |

ghs45a5: 12/13 - P1 - P1 CASI E6.5.5 - Severity of Obesity

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2597.53 | 76.83 | 2597.53 | 76.83 |
| -2 | -2 | 11.77 | 0.35 | 2609.31 | 77.18 |
| Mild | 1 | 159.27 | 4.71 | 2768.58 | 81.89 |
| Moderate | 2 | 423.02 | 12.51 | 3191.59 | 94.40 |
| Severe | 3 | 189.41 | 5.60 | 3381.00 | 100.00 |

ghs45a6: 12/13 - P1 - P1 CASI E6.5.6 - Severity of Underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3343.74 | 98.90 | 3343.74 | 98.90 |
| -2 | -2 | 1.02 | 0.03 | 3344.77 | 98.93 |
| Mild | 1 | 29.74 | 0.88 | 3374.51 | 99.81 |
| Moderate | 2 | 6.49 | 0.19 | 3381.00 | 100.00 |

ghs45a7: 12/13 - P1 - P1 CASI E6.5.7 - Severity of Bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3376.80 | 99.88 | 3376.80 | 99.88 |
| Mild | 1 | 2.07 | 0.06 | 3378.87 | 99.94 |
| Moderate | 2 | 2.13 | 0.06 | 3381.00 | 100.00 |

ghs45a8: 12/13 - P1 - P1 CASI E6.5.8 - Severity of Diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.90 | 99.41 | 3360.90 | 99.41 |
| -2 | -2 | 2.10 | 0.06 | 3363.00 | 99.47 |
| Mild | 1 | 5.18 | 0.15 | 3368.18 | 99.62 |
| Moderate | 2 | 7.63 | 0.23 | 3375.81 | 99.85 |
| Severe | 3 | 5.19 | 0.15 | 3381.00 | 100.00 |

ghs45a9: 12/13 - P1 - P1 CASI E6.5.9 - Severity of Other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3327.53 | 98.42 | 3327.53 | 98.42 |
| -2 | -2 | 1.18 | 0.03 | 3328.71 | 98.45 |
| Mild | 1 | 30.56 | 0.90 | 3359.27 | 99.36 |
| Moderate | 2 | 17.35 | 0.51 | 3376.63 | 99.87 |
| Severe | 3 | 4.37 | 0.13 | 3381.00 | 100.00 |

ghs45a10: 12/13 - P1 - P1 CASI E6.5.10 - Severity of heart disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3355.73 | 99.25 | 3355.73 | 99.25 |
| Mild | 1 | 16.76 | 0.50 | 3372.49 | 99.75 |
| Moderate | 2 | 8.51 | 0.25 | 3381.00 | 100.00 |

ghs45a11: 12/13 - P1 - P1 CASI E6.5.11 - Severity of Hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3195.33 | 94.51 | 3195.33 | 94.51 |
| -2 | -2 | 3.45 | 0.10 | 3198.79 | 94.61 |
| Mild | 1 | 86.38 | 2.56 | 3285.17 | 97.17 |
| Moderate | 2 | 91.08 | 2.69 | 3376.25 | 99.86 |
| Severe | 3 | 4.75 | 0.14 | 3381.00 | 100.00 |

ghs45a12: 12/13 - P1 - P1 CASI E6.5.12 - Severity of Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2503.52 | 74.05 | 2503.52 | 74.05 |
| -2 | -2 | 0.85 | 0.03 | 2504.37 | 74.07 |
| Mild | 1 | 291.32 | 8.62 | 2795.70 | 82.69 |
| Moderate | 2 | 402.00 | 11.89 | 3197.70 | 94.58 |
| Severe | 3 | 183.30 | 5.42 | 3381.00 | 100.00 |

ghs45a13: 12/13 - P1 - P1 CASI E6.5.13 - Severity of Chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2834.32 | 83.83 | 2834.32 | 83.83 |
| -2 | -2 | 9.75 | 0.29 | 2844.07 | 84.12 |
| Mild | 1 | 129.85 | 3.84 | 2973.92 | 87.96 |
| Moderate | 2 | 297.93 | 8.81 | 3271.85 | 96.77 |
| Severe | 3 | 109.15 | 3.23 | 3381.00 | 100.00 |

ghs45a14: 12/13 - P1 - P1 CASI E6.5.14 - Severity of Pelvic inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.73 | 99.58 | 3366.73 | 99.58 |
| Mild | 1 | 4.81 | 0.14 | 3371.53 | 99.72 |
| Moderate | 2 | 8.84 | 0.26 | 3380.38 | 99.98 |
| Severe | 3 | 0.62 | 0.02 | 3381.00 | 100.00 |

ghs45a15: 12/13 - P1 - P1 CASI E6.5.15 - Severity of Stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3344.35 | 98.92 | 3344.35 | 98.92 |
| -2 | -2 | 2.07 | 0.06 | 3346.42 | 98.98 |
| Mild | 1 | 8.80 | 0.26 | 3355.22 | 99.24 |
| Moderate | 2 | 20.37 | 0.60 | 3375.59 | 99.84 |
| Severe | 3 | 5.41 | 0.16 | 3381.00 | 100.00 |

ghs45a16: 12/13 - P1 - P1 CASI E6.5.16 - Severity of Other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3087.01 | 91.30 | 3087.01 | 91.30 |
| Mild | 1 | 63.50 | 1.88 | 3150.51 | 93.18 |
| Moderate | 2 | 140.75 | 4.16 | 3291.25 | 97.35 |
| Severe | 3 | 89.75 | 2.65 | 3381.00 | 100.00 |

ghs45a18: 12/13 - P1 - P1 CASI E6.5.18 - Severity of Rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3323.15 | 98.29 | 3323.15 | 98.29 |
| Mild | 1 | 19.95 | 0.59 | 3343.10 | 98.88 |
| Moderate | 2 | 27.17 | 0.80 | 3370.27 | 99.68 |
| Severe | 3 | 10.73 | 0.32 | 3381.00 | 100.00 |

ghs45a19: 12/13 - P1 - P1 CASI E6.5.19 - Severity of Arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2946.69 | 87.15 | 2946.69 | 87.15 |
| Mild | 1 | 244.03 | 7.22 | 3190.72 | 94.37 |
| Moderate | 2 | 163.26 | 4.83 | 3353.98 | 99.20 |
| Severe | 3 | 27.02 | 0.80 | 3381.00 | 100.00 |

ghs45a20: 12/13 - P1 - P1 CASI E6.5.20 - Severity of Chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3289.36 | 97.29 | 3289.36 | 97.29 |
| Mild | 1 | 49.44 | 1.46 | 3338.80 | 98.75 |
| Moderate | 2 | 35.29 | 1.04 | 3374.09 | 99.80 |
| Severe | 3 | 6.91 | 0.20 | 3381.00 | 100.00 |

ghs45a30: 12/13 - P1 - P1 CASI E6.5.30 - Severity of Alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3358.32 | 99.33 | 3358.32 | 99.33 |
| Mild | 1 | 11.86 | 0.35 | 3370.19 | 99.68 |
| Moderate | 2 | 7.62 | 0.23 | 3377.81 | 99.91 |
| Severe | 3 | 3.19 | 0.09 | 3381.00 | 100.00 |

ghs45a31: 12/13 - P1 - P1 CASI E6.5.31 - Severity of Drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.43 | 99.89 | 3377.43 | 99.89 |
| Mild | 1 | 1.15 | 0.03 | 3378.58 | 99.93 |
| Moderate | 2 | 2.42 | 0.07 | 3381.00 | 100.00 |

ghs45a32: 12/13 - P1 - P1 CASI E6.5.32 - Severity of Depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2718.10 | 80.39 | 2718.10 | 80.39 |
| -2 | -2 | 3.75 | 0.11 | 2721.84 | 80.50 |
| Mild | 1 | 269.85 | 7.98 | 2991.69 | 88.49 |
| Moderate | 2 | 312.51 | 9.24 | 3304.21 | 97.73 |
| Severe | 3 | 76.79 | 2.27 | 3381.00 | 100.00 |

ghs45a33: 12/13 - P1 - P1 CASI E6.5.33 - Severity of Schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.21 | 99.92 | 3378.21 | 99.92 |
| Mild | 1 | 2.00 | 0.06 | 3380.21 | 99.98 |
| Moderate | 2 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs45a34: 12/13 - P1 - P1 CASI E6.5.34 - Severity of bipolar disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3344.06 | 98.91 | 3344.06 | 98.91 |
| Mild | 1 | 6.09 | 0.18 | 3350.15 | 99.09 |
| Moderate | 2 | 17.76 | 0.53 | 3367.91 | 99.61 |
| Severe | 3 | 13.09 | 0.39 | 3381.00 | 100.00 |

ghs45a36: 12/13 - P1 - P1 CASI E6.5.35 - Severity of postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3358.06 | 99.32 | 3358.06 | 99.32 |
| -2 | -2 | 2.88 | 0.09 | 3360.94 | 99.41 |
| Mild | 1 | 8.14 | 0.24 | 3369.08 | 99.65 |
| Moderate | 2 | 9.55 | 0.28 | 3378.63 | 99.93 |
| Severe | 3 | 2.37 | 0.07 | 3381.00 | 100.00 |

ghs45a35: 12/13 - P1 - P1 CASI E6.5.36 - Severity of other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3312.62 | 97.98 | 3312.62 | 97.98 |
| Mild | 1 | 17.77 | 0.53 | 3330.39 | 98.50 |
| Moderate | 2 | 38.92 | 1.15 | 3369.31 | 99.65 |
| Severe | 3 | 11.69 | 0.35 | 3381.00 | 100.00 |

ghs45a37: 12/13 - P1 - P1 CASI E6.5.37 - Severity of epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.76 | 99.58 | 3366.76 | 99.58 |
| Mild | 1 | 8.32 | 0.25 | 3375.08 | 99.82 |
| Moderate | 2 | 1.76 | 0.05 | 3376.84 | 99.88 |
| Severe | 3 | 4.16 | 0.12 | 3381.00 | 100.00 |

ghs45a38: 12/13 - P1 - P1 CASI E6.5.38 - Severity of reading problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.03 | 97.75 | 3305.03 | 97.75 |
| -2 | -2 | 1.05 | 0.03 | 3306.09 | 97.78 |
| Mild | 1 | 55.51 | 1.64 | 3361.59 | 99.43 |
| Moderate | 2 | 14.08 | 0.42 | 3375.67 | 99.84 |
| Severe | 3 | 5.33 | 0.16 | 3381.00 | 100.00 |

ghs45a39: 12/13 - P1 - P1 CASI E6.5.39 - Severity of learning problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3323.92 | 98.31 | 3323.92 | 98.31 |
| -2 | -2 | 1.59 | 0.05 | 3325.51 | 98.36 |
| Mild | 1 | 28.17 | 0.83 | 3353.68 | 99.19 |
| Moderate | 2 | 21.35 | 0.63 | 3375.04 | 99.82 |
| Severe | 3 | 5.96 | 0.18 | 3381.00 | 100.00 |

ghs45a40: 12/13 - P1 - P1 CASI E6.5.40 - Severity of problems with maths

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3249.79 | 96.12 | 3249.79 | 96.12 |
| -2 | -2 | 1.02 | 0.03 | 3250.81 | 96.15 |
| Mild | 1 | 61.21 | 1.81 | 3312.02 | 97.96 |
| Moderate | 2 | 54.45 | 1.61 | 3366.46 | 99.57 |
| Severe | 3 | 14.54 | 0.43 | 3381.00 | 100.00 |

ghs45a42: 12/13 - P1 - P1 CASI E6.5.42 - Severity of language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3339.79 | 98.78 | 3339.79 | 98.78 |
| -2 | -2 | 2.78 | 0.08 | 3342.57 | 98.86 |
| Mild | 1 | 21.07 | 0.62 | 3363.64 | 99.49 |
| Moderate | 2 | 13.88 | 0.41 | 3377.52 | 99.90 |
| Severe | 3 | 3.48 | 0.10 | 3381.00 | 100.00 |

ghs46a: 12/13 - P1 - P1 CASI E6.6 - Epilepsy as a child with fevers

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3346.99 | 98.99 | 3346.99 | 98.99 |
| -2 | -2 | 9.17 | 0.27 | 3356.15 | 99.27 |
| Yes | 1 | 4.95 | 0.15 | 3361.10 | 99.41 |
| No | 2 | 19.90 | 0.59 | 3381.00 | 100.00 |

ghs47a1: 12/13 - P1 - P1 CASI E6.7 - Age started insulin

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3313.98 | 98.02 | 3313.98 | 98.02 |
| 0 | 1.42 | 0.04 | 3315.41 | 98.06 |
| 5 | 4.56 | 0.13 | 3319.97 | 98.19 |
| 10 | 0.69 | 0.02 | 3320.66 | 98.22 |
| 15 | 1.95 | 0.06 | 3322.62 | 98.27 |
| 20 | 3.11 | 0.09 | 3325.73 | 98.37 |
| 25 | 3.67 | 0.11 | 3329.40 | 98.47 |
| 30 | 15.17 | 0.45 | 3344.57 | 98.92 |
| 35 | 20.70 | 0.61 | 3365.27 | 99.53 |
| 40 | 11.83 | 0.35 | 3377.11 | 99.88 |
| 45 | 2.09 | 0.06 | 3379.20 | 99.95 |
| 50 | 1.80 | 0.05 | 3381.00 | 100.00 |

ghs47a2: 12/13 - P1 - P1 CASI E6.8 - Only used insulin when pregnant

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3318.62 | 98.16 | 3318.62 | 98.16 |
| Yes | 1 | 41.93 | 1.24 | 3360.55 | 99.40 |
| No | 2 | 20.45 | 0.60 | 3381.00 | 100.00 |

ghs47a3: 12/13 - P1 - P1 CASI E6.9 - Hypertension only when pregnant

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3084.29 | 91.22 | 3084.29 | 91.22 |
| -3 | -3 | 0.85 | 0.03 | 3085.14 | 91.25 |
| -2 | -2 | 3.66 | 0.11 | 3088.80 | 91.36 |
| Yes | 1 | 93.61 | 2.77 | 3182.41 | 94.13 |
| No | 2 | 197.20 | 5.83 | 3379.61 | 99.96 |
| Never been pregnant | 7 | 1.39 | 0.04 | 3381.00 | 100.00 |

ghs51a: 12/13 - P1 - P1 CASI E7.1 - Have you given birth since the last interview

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3358.24 | 99.33 | 3358.24 | 99.33 |
| Yes | 1 | 4.48 | 0.13 | 3362.71 | 99.46 |
| No | 2 | 18.29 | 0.54 | 3381.00 | 100.00 |

ghs07a1: 12/13 - P1 - P1 CASI E7.2+W5+W6 - Date of birth of first biological child

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------|-----------|---------|----------------------|--------------------|
| . | 455.78 | 13.48 | 455.78 | 13.48 |
| JAN1962 | 0.66 | 0.02 | 456.44 | 13.50 |
| JAN1963 | 1.90 | 0.06 | 458.34 | 13.56 |
| JAN1966 | 2.95 | 0.09 | 461.29 | 13.64 |
| JAN1968 | 1.49 | 0.04 | 462.78 | 13.69 |
| JAN1970 | 3.09 | 0.09 | 465.87 | 13.78 |
| JAN1971 | 1.95 | 0.06 | 467.82 | 13.84 |
| JAN1972 | 3.79 | 0.11 | 471.61 | 13.95 |
| JAN1974 | 1.23 | 0.04 | 472.84 | 13.99 |
| JAN1975 | 7.13 | 0.21 | 479.97 | 14.20 |
| JAN1976 | 2.16 | 0.06 | 482.12 | 14.26 |
| JAN1977 | 4.43 | 0.13 | 486.55 | 14.39 |
| JAN1978 | 7.00 | 0.21 | 493.55 | 14.60 |
| JAN1979 | 1.44 | 0.04 | 494.99 | 14.64 |
| JAN1980 | 11.89 | 0.35 | 506.88 | 14.99 |
| JAN1981 | 2.35 | 0.07 | 509.23 | 15.06 |
| JAN1982 | 2.93 | 0.09 | 512.16 | 15.15 |
| JAN1983 | 13.24 | 0.39 | 525.40 | 15.54 |
| JAN1984 | 3.82 | 0.11 | 529.21 | 15.65 |
| JAN1985 | 7.58 | 0.22 | 536.80 | 15.88 |
| JAN1986 | 8.20 | 0.24 | 545.00 | 16.12 |
| JAN1987 | 13.38 | 0.40 | 558.38 | 16.52 |
| JAN1988 | 7.57 | 0.22 | 565.95 | 16.74 |
| JAN1989 | 25.28 | 0.75 | 591.23 | 17.49 |
| JAN1990 | 19.70 | 0.58 | 610.93 | 18.07 |
| JAN1991 | 29.34 | 0.87 | 640.27 | 18.94 |
| JAN1992 | 21.53 | 0.64 | 661.80 | 19.57 |
| JAN1993 | 51.74 | 1.53 | 713.54 | 21.10 |
| JAN1994 | 54.30 | 1.61 | 767.84 | 22.71 |
| JAN1995 | 76.03 | 2.25 | 843.86 | 24.96 |
| JAN1996 | 84.34 | 2.49 | 928.20 | 27.45 |
| JAN1997 | 95.21 | 2.82 | 1023.41 | 30.27 |

ghs07a1: 12/13 - P1 - P1 CASI E7.2+W5+W6 - Date of birth of first biological child

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------|-----------|---------|----------------------|--------------------|
| JAN1998 | 156.00 | 4.61 | 1179.41 | 34.88 |
| JAN1999 | 193.24 | 5.72 | 1372.64 | 40.60 |
| JAN2000 | 254.46 | 7.53 | 1627.11 | 48.12 |
| JAN2001 | 360.82 | 10.67 | 1987.93 | 58.80 |
| JAN2002 | 177.93 | 5.26 | 2165.86 | 64.06 |
| JAN2003 | 1042.94 | 30.85 | 3208.79 | 94.91 |
| JAN2004 | 172.21 | 5.09 | 3381.00 | 100.00 |

ghs07a2: 12/13 - P1 - P1 CASI E7.3+W5+W6 - First child live or still birth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 273.48 | 8.09 | 273.48 | 8.09 |
| -3 | -3 | 0.98 | 0.03 | 274.46 | 8.12 |
| Live birth | 1 | 3090.73 | 91.41 | 3365.18 | 99.53 |
| Still birth | 2 | 15.82 | 0.47 | 3381.00 | 100.00 |

ghs07a3: 12/13 - P1 - P1 CASI E7.4+W5+W6 - Date of birth of first live born child

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------|-----------|---------|----------------------|--------------------|
| . | 455.78 | 13.48 | 455.78 | 13.48 |
| JAN1962 | 0.66 | 0.02 | 456.44 | 13.50 |
| JAN1963 | 1.90 | 0.06 | 458.34 | 13.56 |
| JAN1966 | 2.95 | 0.09 | 461.29 | 13.64 |
| JAN1968 | 1.49 | 0.04 | 462.78 | 13.69 |
| JAN1970 | 3.09 | 0.09 | 465.87 | 13.78 |
| JAN1971 | 1.95 | 0.06 | 467.82 | 13.84 |
| JAN1972 | 3.79 | 0.11 | 471.61 | 13.95 |
| JAN1974 | 1.23 | 0.04 | 472.84 | 13.99 |
| JAN1975 | 7.13 | 0.21 | 479.97 | 14.20 |
| JAN1976 | 2.16 | 0.06 | 482.12 | 14.26 |
| JAN1977 | 4.43 | 0.13 | 486.55 | 14.39 |
| JAN1978 | 7.00 | 0.21 | 493.55 | 14.60 |
| JAN1979 | 1.44 | 0.04 | 494.99 | 14.64 |
| JAN1980 | 11.89 | 0.35 | 506.88 | 14.99 |
| JAN1981 | 2.35 | 0.07 | 509.23 | 15.06 |
| JAN1982 | 2.93 | 0.09 | 512.16 | 15.15 |
| JAN1983 | 13.24 | 0.39 | 525.40 | 15.54 |
| JAN1984 | 3.82 | 0.11 | 529.21 | 15.65 |
| JAN1985 | 7.58 | 0.22 | 536.80 | 15.88 |
| JAN1986 | 8.20 | 0.24 | 545.00 | 16.12 |
| JAN1987 | 13.38 | 0.40 | 558.38 | 16.52 |
| JAN1988 | 7.57 | 0.22 | 565.95 | 16.74 |
| JAN1989 | 25.28 | 0.75 | 591.23 | 17.49 |
| JAN1990 | 19.70 | 0.58 | 610.93 | 18.07 |
| JAN1991 | 29.34 | 0.87 | 640.27 | 18.94 |
| JAN1992 | 21.53 | 0.64 | 661.80 | 19.57 |
| JAN1993 | 51.74 | 1.53 | 713.54 | 21.10 |
| JAN1994 | 54.30 | 1.61 | 767.84 | 22.71 |
| JAN1995 | 73.58 | 2.18 | 841.41 | 24.89 |

ghs07a3: 12/13 - P1 - P1 CASI E7.4+W5+W6 - Date of birth of first live born child

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------|-----------|---------|----------------------|--------------------|
| JAN1996 | 84.34 | 2.49 | 925.75 | 27.38 |
| JAN1997 | 94.41 | 2.79 | 1020.16 | 30.17 |
| JAN1998 | 152.19 | 4.50 | 1172.35 | 34.67 |
| JAN1999 | 197.29 | 5.84 | 1369.64 | 40.51 |
| JAN2000 | 253.34 | 7.49 | 1622.97 | 48.00 |
| JAN2001 | 359.95 | 10.65 | 1982.93 | 58.65 |
| JAN2002 | 178.72 | 5.29 | 2161.65 | 63.94 |
| JAN2003 | 1046.56 | 30.95 | 3208.21 | 94.89 |
| JAN2004 | 172.79 | 5.11 | 3381.00 | 100.00 |

ghs07a4: 12/13 - P1 - P1 CASI E7.5+W5+W6 - Permission to ask about fertility treatment

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3193.25 | 94.45 | 3193.25 | 94.45 |
| Yes | 1 | 158.04 | 4.67 | 3351.29 | 99.12 |
| No | 2 | 29.71 | 0.88 | 3381.00 | 100.00 |

ghs07a5: 12/13 - P1 - P1 CASI E7.6+W5+W6 - Time to fall pregnant

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3222.96 | 95.33 | 3222.96 | 95.33 |
| -2 | -2 | 3.24 | 0.10 | 3226.19 | 95.42 |
| One year or more | 1 | 113.81 | 3.37 | 3340.00 | 98.79 |
| Less than one year | 2 | 41.00 | 1.21 | 3381.00 | 100.00 |

ghs07a6: 12/13 - P1 - P1 CASI E7.7.1+W5+W6 - Time to fall pregnant years

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3263.96 | 96.54 | 3263.96 | 96.54 |
| -2 | 3.24 | 0.10 | 3267.19 | 96.63 |
| 0 | 54.24 | 1.60 | 3321.44 | 98.24 |
| 5 | 45.33 | 1.34 | 3366.76 | 99.58 |
| 10 | 6.02 | 0.18 | 3372.79 | 99.76 |
| 15 | 2.24 | 0.07 | 3375.02 | 99.82 |
| 20 | 3.57 | 0.11 | 3378.60 | 99.93 |
| 25 | 1.56 | 0.05 | 3380.16 | 99.98 |
| 40 | 0.84 | 0.02 | 3381.00 | 100.00 |

ghs07a7: 12/13 - P1 - P1 CASI E7.7.2+W5+W6 - Time to fall pregnant months

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3336.76 | 98.69 | 3336.76 | 98.69 |
| -2 | 3.24 | 0.10 | 3340.00 | 98.79 |
| 0 | 10.59 | 0.31 | 3350.60 | 99.10 |
| 5 | 17.67 | 0.52 | 3368.26 | 99.62 |
| 10 | 12.04 | 0.36 | 3380.30 | 99.98 |
| 25 | 0.70 | 0.02 | 3381.00 | 100.00 |

ghs07a8: 12/13 - P1 - P1 CASI E7.8+W5+W6 - Whether infertility cause found

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3222.96 | 95.33 | 3222.96 | 95.33 |
| -2 | -2 | 10.78 | 0.32 | 3233.73 | 95.64 |
| Yes | 1 | 94.65 | 2.80 | 3328.39 | 98.44 |
| No | 2 | 52.61 | 1.56 | 3381.00 | 100.00 |

ghs07a9a: 12/13 - P1 - P1 CASI E7.9.1+W5+W6 - Cause of infertility - Tubal disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 1.84 | 0.05 | 3289.72 | 97.30 |
| No | 2 | 91.28 | 2.70 | 3381.00 | 100.00 |

ghs07a9b: 12/13 - P1 - P1 CASI E7.9.2+W5+W6 - Cause of infertility - Endometriosis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 6.11 | 0.18 | 3294.00 | 97.43 |
| No | 2 | 87.00 | 2.57 | 3381.00 | 100.00 |

ghs07a9c: 12/13 - P1 - P1 CASI E7.9.3+W5+W6 - Cause of infertility - Polycystic ovary synd

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 18.18 | 0.54 | 3306.07 | 97.78 |
| No | 2 | 74.93 | 2.22 | 3381.00 | 100.00 |

ghs07a9d: 12/13 - P1 - P1 CASI E7.9.4+W5+W6 - Cause of infertility - Tubal ligation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 7.90 | 0.23 | 3295.79 | 97.48 |
| No | 2 | 85.21 | 2.52 | 3381.00 | 100.00 |

ghs07a9e: 12/13 - P1 - P1 CASI E7.9.5+W5+W6 - Cause of infertility - Other female factor

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 20.91 | 0.62 | 3308.79 | 97.86 |
| No | 2 | 72.21 | 2.14 | 3381.00 | 100.00 |

ghs07a9f: 12/13 - P1 - P1 CASI E7.9.6+W5+W6 - Cause of infertility - Vasectomy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 1.84 | 0.05 | 3289.72 | 97.30 |
| No | 2 | 91.28 | 2.70 | 3381.00 | 100.00 |

ghs07a9g: 12/13 - P1 - P1 CASI E7.9.7+W5+W6 - Cause of infertility - Other male factor

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| -2 | -2 | 1.54 | 0.05 | 3287.88 | 97.25 |
| Yes | 1 | 36.33 | 1.07 | 3324.22 | 98.32 |
| No | 2 | 56.78 | 1.68 | 3381.00 | 100.00 |

ghs07a9h: 12/13 - P1 - P1 CASI E7.9.8+W5+W6 - Cause of infertility - Don't know

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3286.35 | 97.20 | 3286.35 | 97.20 |
| Yes | 1 | 1.54 | 0.05 | 3287.88 | 97.25 |
| No | 2 | 93.12 | 2.75 | 3381.00 | 100.00 |

ghs07a10: 12/13 - P1 - P1 CASI E7.10+W5+W6 - Treatment received

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3222.96 | 95.33 | 3222.96 | 95.33 |
| -2 | -2 | 14.01 | 0.41 | 3236.97 | 95.74 |
| Ovulation induction alone e.g. with clomid | 1 | 46.69 | 1.38 | 3283.65 | 97.12 |
| Artificial insemination | 2 | 7.33 | 0.22 | 3290.99 | 97.34 |
| IVF in vitro fertilisation | 3 | 56.56 | 1.67 | 3347.55 | 99.01 |
| ICSI intracytoplasmic sperm injection | 4 | 23.01 | 0.68 | 3370.56 | 99.69 |
| GIFT gamete intrafallopian transfer | 5 | 0.63 | 0.02 | 3371.20 | 99.71 |
| Other | 6 | 9.80 | 0.29 | 3381.00 | 100.00 |

ghs07a11: 12/13 - P1 - P1 CASI E7.12+W5+W6 - Fresh or frozen embryo

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3300.79 | 97.63 | 3300.79 | 97.63 |
| Fresh | 1 | 53.92 | 1.59 | 3354.71 | 99.22 |
| Frozen and thawed | 2 | 26.29 | 0.78 | 3381.00 | 100.00 |

ghs13am: 12/13 - P1 - P1 CASI E8.1+W5+W6 - Mother's general Health

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| . | . | 34.62 | 1.02 | 34.62 | 1.02 |
| -9 | -9 | 86.15 | 2.55 | 120.78 | 3.57 |
| -3 | -3 | 1.40 | 0.04 | 122.18 | 3.61 |
| -2 | -2 | 30.20 | 0.89 | 152.38 | 4.51 |
| Excellent | 1 | 747.54 | 22.11 | 899.92 | 26.62 |
| Very good | 2 | 1244.95 | 36.82 | 2144.87 | 63.44 |
| Good | 3 | 847.61 | 25.07 | 2992.48 | 88.51 |

ghs13am: 12/13 - P1 - P1 CASI E8.1+W5+W6 - Mother's general Health

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------|-------|-----------|---------|----------------------|--------------------|
| Fair | 4 | 257.28 | 7.61 | 3249.76 | 96.12 |
| Poor | 5 | 131.24 | 3.88 | 3381.00 | 100.00 |

ghs13af: 12/13 - P1 - P1 CASI E8.2+W5+W6 - Father's general Health

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| . | . | 34.62 | 1.02 | 34.62 | 1.02 |
| -9 | -9 | 86.15 | 2.55 | 120.78 | 3.57 |
| -3 | -3 | 1.40 | 0.04 | 122.18 | 3.61 |
| -2 | -2 | 149.80 | 4.43 | 271.98 | 8.04 |
| Excellent | 1 | 726.27 | 21.48 | 998.25 | 29.53 |
| Very good | 2 | 1187.51 | 35.12 | 2185.76 | 64.65 |
| Good | 3 | 833.44 | 24.65 | 3019.19 | 89.30 |
| Fair | 4 | 269.45 | 7.97 | 3288.64 | 97.27 |
| Poor | 5 | 92.36 | 2.73 | 3381.00 | 100.00 |

ghs50a1: 12/13 - P1 CASI E9.3 - P1 sleep quality

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 118.54 | 3.51 | 118.54 | 3.51 |
| -3 | -3 | 13.10 | 0.39 | 131.63 | 3.89 |
| Very good | 1 | 526.00 | 15.56 | 657.63 | 19.45 |
| Fairly good | 2 | 989.80 | 29.28 | 1647.43 | 48.73 |
| OK/adequate | 3 | 1184.21 | 35.03 | 2831.64 | 83.75 |
| Fairly bad | 4 | 459.26 | 13.58 | 3290.90 | 97.34 |
| Very bad | 5 | 90.10 | 2.66 | 3381.00 | 100.00 |

ghs23a2: 12/13 - P1 - P1 CASI E11 - Weight (kg)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 57.17 | 1.69 | 57.17 | 1.69 |
| -9 | 119.31 | 3.53 | 176.48 | 5.22 |
| 40 | 16.36 | 0.48 | 192.84 | 5.70 |
| 50 | 259.62 | 7.68 | 452.46 | 13.38 |
| 60 | 721.81 | 21.35 | 1174.27 | 34.73 |
| 70 | 764.80 | 22.62 | 1939.07 | 57.35 |
| 80 | 541.82 | 16.03 | 2480.89 | 73.38 |
| 90 | 371.68 | 10.99 | 2852.56 | 84.37 |
| 100 | 229.53 | 6.79 | 3082.09 | 91.16 |
| 110 | 130.16 | 3.85 | 3212.26 | 95.01 |
| 120 | 66.93 | 1.98 | 3279.19 | 96.99 |
| 130 | 50.58 | 1.50 | 3329.77 | 98.48 |
| 140 | 23.76 | 0.70 | 3353.53 | 99.19 |
| 150 | 27.47 | 0.81 | 3381.00 | 100.00 |

ghs23a1: 12/13 - P1 - CASI Height (cm) (W1-5)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 6.09 | 0.18 | 6.09 | 0.18 |
| -9 | 32.40 | 0.96 | 38.49 | 1.14 |
| 60 | 0.72 | 0.02 | 39.20 | 1.16 |
| 70 | 3.50 | 0.10 | 42.70 | 1.26 |
| 80 | 0.56 | 0.02 | 43.26 | 1.28 |
| 130 | 2.43 | 0.07 | 45.69 | 1.35 |
| 140 | 15.07 | 0.45 | 60.77 | 1.80 |
| 150 | 305.38 | 9.03 | 366.15 | 10.83 |
| 160 | 1211.55 | 35.83 | 1577.70 | 46.66 |
| 170 | 1380.13 | 40.82 | 2957.83 | 87.48 |
| 180 | 378.06 | 11.18 | 3335.89 | 98.67 |
| 190 | 35.56 | 1.05 | 3371.45 | 99.72 |
| 200 | 7.33 | 0.22 | 3378.78 | 99.93 |
| 210 | 2.22 | 0.07 | 3381.00 | 100.00 |

gabmi: 12/13 - P1 - Body Mass Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 205.36 | 6.07 | 205.36 | 6.07 |
| 15 | 21.52 | 0.64 | 226.87 | 6.71 |
| 20 | 679.13 | 20.09 | 906.01 | 26.80 |
| 25 | 1094.77 | 32.38 | 2000.78 | 59.18 |
| 30 | 718.78 | 21.26 | 2719.56 | 80.44 |
| 35 | 363.13 | 10.74 | 3082.70 | 91.18 |
| 40 | 166.64 | 4.93 | 3249.33 | 96.11 |
| 45 | 78.42 | 2.32 | 3327.76 | 98.43 |
| 50 | 30.19 | 0.89 | 3357.95 | 99.32 |
| 55 | 13.57 | 0.40 | 3371.52 | 99.72 |
| 60 | 4.78 | 0.14 | 3376.31 | 99.86 |
| 65 | 4.69 | 0.14 | 3381.00 | 100.00 |

ghs27: 12/13 - P1 CASI E15.1 - Any stressful life events

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 18.01 | 0.53 | 76.53 | 2.26 |
| Yes | 1 | 2658.14 | 78.62 | 2734.67 | 80.88 |
| No | 2 | 646.33 | 19.12 | 3381.00 | 100.00 |

ghs27p: 12/13 - P1 CASI E15.1.1 - Events - Pregnant/had a baby

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 3213.80 | 95.05 | 3283.62 | 97.12 |
| Yes | 1 | 97.38 | 2.88 | 3381.00 | 100.00 |

ghs27a: 12/13 - P1 CASI E15.1.2 - Events - illness, injury or assault

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 15.53 | 0.46 | 74.04 | 2.19 |
| No | 0 | 2929.14 | 86.64 | 3003.18 | 88.83 |
| Yes | 1 | 377.82 | 11.17 | 3381.00 | 100.00 |

ghs27b: 12/13 - P1 CASI E15.1.3 - Events - illness etc to close relative

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 12.03 | 0.36 | 70.54 | 2.09 |
| No | 0 | 2719.03 | 80.42 | 2789.57 | 82.51 |
| Yes | 1 | 591.43 | 17.49 | 3381.00 | 100.00 |

ghs27c: 12/13 - P1 CASI E15.1.4 - Events - parent, partner or child died

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 3086.66 | 91.29 | 3156.48 | 93.36 |
| Yes | 1 | 224.52 | 6.64 | 3381.00 | 100.00 |

ghs27d: 12/13 - P1 CASI E15.1.5 - Events - Close friend or other rel. died

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 2508.56 | 74.20 | 2578.39 | 76.26 |
| Yes | 1 | 802.61 | 23.74 | 3381.00 | 100.00 |

ghs27e: 12/13 - P1 CASI E15.1.6 - Events - relationship separation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 3182.60 | 94.13 | 3252.42 | 96.20 |
| Yes | 1 | 128.58 | 3.80 | 3381.00 | 100.00 |

ghs27f: 12/13 - P1 CASI E15.1.7 - Events - broke off a steady relationship

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 3204.10 | 94.77 | 3273.92 | 96.83 |
| Yes | 1 | 107.08 | 3.17 | 3381.00 | 100.00 |

ghs27r: 12/13 - P1 CASI E15.1.8 - Events - Living with new partner

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 3250.76 | 96.15 | 3320.58 | 98.21 |
| Yes | 1 | 60.42 | 1.79 | 3381.00 | 100.00 |

ghs27q: 12/13 - P1 CASI E15.1.9 - Events - Had new house member

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 3102.53 | 91.76 | 3172.36 | 93.83 |
| Yes | 1 | 208.64 | 6.17 | 3381.00 | 100.00 |

ghs27f: 12/13 - P1 CASI E15.1.10 - Events - problem with friend/relative

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 13.47 | 0.40 | 71.98 | 2.13 |
| No | 0 | 2940.32 | 86.97 | 3012.30 | 89.09 |
| Yes | 1 | 368.70 | 10.91 | 3381.00 | 100.00 |

ghs27k: 12/13 - P1 CASI E15.1.11 - Events - had a major financial crisis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 2970.54 | 87.86 | 3040.36 | 89.92 |
| Yes | 1 | 340.64 | 10.08 | 3381.00 | 100.00 |

ghs27g: 12/13 - P1 CASI E15.1.12 - Events - work disappointment

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 2808.53 | 83.07 | 2878.35 | 85.13 |
| Yes | 1 | 502.65 | 14.87 | 3381.00 | 100.00 |

ghs27h: 12/13 - P1 CASI E15.1.13 - Events - thought would soon lose job

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| No | 0 | 2821.57 | 83.45 | 2891.40 | 85.52 |
| Yes | 1 | 489.60 | 14.48 | 3381.00 | 100.00 |

ghs27i: 12/13 - P1 CASI E15.1.14 - Events - Lost your job

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.64 | 0.34 | 70.15 | 2.07 |
| No | 0 | 3003.15 | 88.82 | 3073.30 | 90.90 |
| Yes | 1 | 307.70 | 9.10 | 3381.00 | 100.00 |

ghs27j: 12/13 - P1 CASI E15.1.15 - Events - sought work unsuccessfully

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.64 | 0.34 | 70.15 | 2.07 |
| No | 0 | 2946.27 | 87.14 | 3016.43 | 89.22 |
| Yes | 1 | 364.57 | 10.78 | 3381.00 | 100.00 |

ghs27l: 12/13 - P1 CASI E15.1.16 - Events - legal problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 3223.95 | 95.36 | 3291.97 | 97.37 |
| Yes | 1 | 89.03 | 2.63 | 3381.00 | 100.00 |

ghs27m: 12/13 - P1 CASI E15.1.17 - Events - Valuable lost or stolen

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 3121.73 | 92.33 | 3189.75 | 94.34 |
| Yes | 1 | 191.25 | 5.66 | 3381.00 | 100.00 |

ghs27n: 12/13 - P1 CASI E15.1.18 - Events - household D+A problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 3191.38 | 94.39 | 3259.40 | 96.40 |
| Yes | 1 | 121.60 | 3.60 | 3381.00 | 100.00 |

ghs27s: 12/13 - P1 CASI E15.1.19 - Events - Changed jobs/returned to work

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 2593.05 | 76.69 | 2661.07 | 78.71 |
| Yes | 1 | 719.93 | 21.29 | 3381.00 | 100.00 |

ghs27t: 12/13 - P1 CASI E15.1.20 - Events - Increased work hours

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 2384.81 | 70.54 | 2452.83 | 72.55 |
| Yes | 1 | 928.17 | 27.45 | 3381.00 | 100.00 |

ghs27u: 12/13 - P1 CASI E15.1.21 - Events - Decreased work hours

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 122.13 | 3.61 | 122.13 | 3.61 |
| -3 | -3 | 11.31 | 0.33 | 133.44 | 3.95 |
| No | 0 | 2810.96 | 83.14 | 2944.40 | 87.09 |
| Yes | 1 | 436.60 | 12.91 | 3381.00 | 100.00 |

ghs27v: 12/13 - P1 CASI E15.1.22 - Events - Moved house

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 2875.01 | 85.03 | 2943.03 | 87.05 |
| Yes | 1 | 437.97 | 12.95 | 3381.00 | 100.00 |

ghs27w: 12/13 - P1 CASI E15.1.23 - Events - Been away from home a lot

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 3084.15 | 91.22 | 3152.17 | 93.23 |
| Yes | 1 | 228.83 | 6.77 | 3381.00 | 100.00 |

ghs27x: 12/13 - P1 CASI E15.1.24 - Events - Lived in drought-affected area

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 3190.07 | 94.35 | 3258.09 | 96.36 |
| Yes | 1 | 122.91 | 3.64 | 3381.00 | 100.00 |

ghs27y: 12/13 - P1 CASI E15.1.25 - Events - local home affected by natural disaster

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 9.50 | 0.28 | 68.02 | 2.01 |
| No | 0 | 3144.65 | 93.01 | 3212.67 | 95.02 |
| Yes | 1 | 168.33 | 4.98 | 3381.00 | 100.00 |

gsle: 12/13 - Stressful Life Events Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 68.02 | 2.01 | 68.02 | 2.01 |
| 0 | 651.63 | 19.27 | 719.65 | 21.29 |
| 1 | 704.64 | 20.84 | 1424.29 | 42.13 |
| 2 | 651.10 | 19.26 | 2075.39 | 61.38 |
| 3 | 428.40 | 12.67 | 2503.79 | 74.05 |
| 4 | 323.32 | 9.56 | 2827.11 | 83.62 |
| 5 | 197.25 | 5.83 | 3024.35 | 89.45 |
| 6 | 129.86 | 3.84 | 3154.21 | 93.29 |
| 7 | 69.41 | 2.05 | 3223.62 | 95.35 |
| 8 | 61.02 | 1.80 | 3284.64 | 97.15 |
| 9 | 32.19 | 0.95 | 3316.84 | 98.10 |
| 10 | 36.37 | 1.08 | 3353.21 | 99.18 |
| 11 | 6.08 | 0.18 | 3359.29 | 99.36 |
| 12 | 4.78 | 0.14 | 3364.07 | 99.50 |
| 13 | 6.17 | 0.18 | 3370.23 | 99.68 |
| 14 | 1.47 | 0.04 | 3371.71 | 99.73 |
| 15 | 0.73 | 0.02 | 3372.44 | 99.75 |
| 19 | 0.87 | 0.03 | 3373.31 | 99.77 |
| 23 | 1.65 | 0.05 | 3374.96 | 99.82 |
| 24 | 2.67 | 0.08 | 3377.63 | 99.90 |
| 25 | 3.37 | 0.10 | 3381.00 | 100.00 |

ghs26a1: 12/13 - P1 - P1 CASI E15.2 - Difficulty of life at present

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 122.13 | 3.61 | 122.13 | 3.61 |
| -3 | -3 | 13.00 | 0.38 | 135.13 | 4.00 |
| No problems or stress | 1 | 320.06 | 9.47 | 455.19 | 13.46 |
| Few problems or stresses | 2 | 1450.30 | 42.90 | 1905.49 | 56.36 |
| Some problems and stresses | 3 | 1186.48 | 35.09 | 3091.98 | 91.45 |
| Many problems and stresses | 4 | 246.69 | 7.30 | 3338.67 | 98.75 |
| Very many problems and stresses | 5 | 42.33 | 1.25 | 3381.00 | 100.00 |

ghs26a2: 12/13 - P1 - P1 CASI E15.3 - Level of coping

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 122.13 | 3.61 | 122.13 | 3.61 |
| -3 | -3 | 14.81 | 0.44 | 136.94 | 4.05 |
| Not at all | 1 | 19.13 | 0.57 | 156.07 | 4.62 |
| A little | 2 | 214.08 | 6.33 | 370.15 | 10.95 |
| Fairly well | 3 | 1472.08 | 43.54 | 1842.23 | 54.49 |
| Very well | 4 | 1207.08 | 35.70 | 3049.32 | 90.19 |
| Extremely well | 5 | 331.68 | 9.81 | 3381.00 | 100.00 |

ghs25a1: 12/13 - P1 - P1 CASI E15.4 - Depression 2 weeks in past year

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 58.51 | 1.73 | 58.51 | 1.73 |
| -3 | -3 | 11.31 | 0.33 | 69.82 | 2.07 |
| Yes | 1 | 1010.01 | 29.87 | 1079.83 | 31.94 |
| No | 2 | 2301.17 | 68.06 | 3381.00 | 100.00 |

ghs26a3: 12/13 - P1 - P1 CASI E15.5 - Frequency of feeling rushed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 122.13 | 3.61 | 122.13 | 3.61 |
| -3 | -3 | 13.00 | 0.38 | 135.13 | 4.00 |
| Always | 1 | 442.20 | 13.08 | 577.34 | 17.08 |
| Often | 2 | 1318.62 | 39.00 | 1895.96 | 56.08 |
| Sometimes | 3 | 1162.15 | 34.37 | 3058.11 | 90.45 |
| Rarely | 4 | 283.33 | 8.38 | 3341.45 | 98.83 |
| Never | 5 | 39.55 | 1.17 | 3381.00 | 100.00 |

ghs24a1: 12/13 - P1 - P1 CASI E17.5.1 - Felt nervous

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 123.03 | 3.64 | 123.03 | 3.64 |
| -3 | -3 | 15.53 | 0.46 | 138.56 | 4.10 |
| All of the time | 1 | 14.45 | 0.43 | 153.00 | 4.53 |
| Most of the time | 2 | 100.24 | 2.96 | 253.24 | 7.49 |
| Some of the time | 3 | 527.86 | 15.61 | 781.10 | 23.10 |
| A little of the time | 4 | 1167.88 | 34.54 | 1948.98 | 57.65 |
| None of the time | 5 | 1432.02 | 42.35 | 3381.00 | 100.00 |

ghs24a2: 12/13 - P1 - P1 CASI E17.5.2 - Felt hopeless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 123.03 | 3.64 | 123.03 | 3.64 |
| -3 | -3 | 19.03 | 0.56 | 142.06 | 4.20 |
| All of the time | 1 | 15.37 | 0.45 | 157.43 | 4.66 |
| Most of the time | 2 | 54.67 | 1.62 | 212.09 | 6.27 |
| Some of the time | 3 | 244.37 | 7.23 | 456.46 | 13.50 |
| A little of the time | 4 | 543.68 | 16.08 | 1000.14 | 29.58 |
| None of the time | 5 | 2380.86 | 70.42 | 3381.00 | 100.00 |

ghs24a3: 12/13 - P1 - P1 CASI E17.5.3 - Felt restless or fidgety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 123.03 | 3.64 | 123.03 | 3.64 |
| -3 | -3 | 19.03 | 0.56 | 142.06 | 4.20 |
| All of the time | 1 | 16.61 | 0.49 | 158.67 | 4.69 |
| Most of the time | 2 | 62.19 | 1.84 | 220.86 | 6.53 |
| Some of the time | 3 | 340.09 | 10.06 | 560.95 | 16.59 |
| A little of the time | 4 | 872.04 | 25.79 | 1433.00 | 42.38 |
| None of the time | 5 | 1948.00 | 57.62 | 3381.00 | 100.00 |

ghs24a4: 12/13 - P1 - P1 CASI E17.5.4 - Felt everything was an effort

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 123.03 | 3.64 | 123.03 | 3.64 |
| -3 | -3 | 19.03 | 0.56 | 142.06 | 4.20 |
| All of the time | 1 | 39.10 | 1.16 | 181.16 | 5.36 |
| Most of the time | 2 | 144.28 | 4.27 | 325.44 | 9.63 |
| Some of the time | 3 | 550.64 | 16.29 | 876.08 | 25.91 |
| A little of the time | 4 | 1208.27 | 35.74 | 2084.35 | 61.65 |
| None of the time | 5 | 1296.65 | 38.35 | 3381.00 | 100.00 |

ghs24a5: 12/13 - P1 - P1 CASI E17.5.5 - Felt so sad couldn't cheer up

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 123.03 | 3.64 | 123.03 | 3.64 |
| -3 | -3 | 19.03 | 0.56 | 142.06 | 4.20 |
| All of the time | 1 | 19.22 | 0.57 | 161.28 | 4.77 |
| Most of the time | 2 | 58.72 | 1.74 | 220.00 | 6.51 |
| Some of the time | 3 | 260.54 | 7.71 | 480.54 | 14.21 |
| A little of the time | 4 | 531.73 | 15.73 | 1012.27 | 29.94 |
| None of the time | 5 | 2368.73 | 70.06 | 3381.00 | 100.00 |

ghs24a6: 12/13 - P1 - P1 CASI E17.5.6 - Felt worthless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 123.03 | 3.64 | 123.03 | 3.64 |
| -3 | -3 | 19.03 | 0.56 | 142.06 | 4.20 |
| All of the time | 1 | 21.36 | 0.63 | 163.42 | 4.83 |
| Most of the time | 2 | 66.39 | 1.96 | 229.81 | 6.80 |
| Some of the time | 3 | 196.15 | 5.80 | 425.96 | 12.60 |
| A little of the time | 4 | 425.11 | 12.57 | 851.06 | 25.17 |
| None of the time | 5 | 2529.94 | 74.83 | 3381.00 | 100.00 |

gak6g: 12/13 - P1 - K-6 Depression scale group

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 142.06 | 4.20 | 142.06 | 4.20 |
| No probable serious mental illness | 0 | 3124.77 | 92.42 | 3266.82 | 96.62 |
| Probable serious mental illness | 1 | 114.18 | 3.38 | 3381.00 | 100.00 |

gak6s: 12/13 - P1 - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 142.06 | 4.20 | 142.06 | 4.20 |
| 6 | 744.00 | 22.01 | 886.06 | 26.21 |
| 7 | 554.74 | 16.41 | 1440.79 | 42.61 |
| 8 | 499.31 | 14.77 | 1940.11 | 57.38 |
| 9 | 329.03 | 9.73 | 2269.14 | 67.11 |
| 10 | 235.23 | 6.96 | 2504.36 | 74.07 |
| 11 | 171.37 | 5.07 | 2675.73 | 79.14 |
| 12 | 171.14 | 5.06 | 2846.87 | 84.20 |
| 13 | 118.41 | 3.50 | 2965.28 | 87.70 |
| 14 | 84.12 | 2.49 | 3049.40 | 90.19 |

gak6s: 12/13 - P1 - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 15 | 66.82 | 1.98 | 3116.22 | 92.17 |
| 16 | 62.96 | 1.86 | 3179.18 | 94.03 |
| 17 | 37.46 | 1.11 | 3216.64 | 95.14 |
| 18 | 50.18 | 1.48 | 3266.82 | 96.62 |
| 19 | 23.84 | 0.71 | 3290.67 | 97.33 |
| 20 | 17.80 | 0.53 | 3308.47 | 97.85 |
| 21 | 14.68 | 0.43 | 3323.15 | 98.29 |
| 22 | 20.91 | 0.62 | 3344.06 | 98.91 |
| 23 | 13.55 | 0.40 | 3357.61 | 99.31 |
| 24 | 7.68 | 0.23 | 3365.29 | 99.54 |
| 25 | 3.21 | 0.10 | 3368.50 | 99.63 |
| 26 | 0.87 | 0.03 | 3369.37 | 99.66 |
| 27 | 1.93 | 0.06 | 3371.30 | 99.71 |
| 29 | 1.41 | 0.04 | 3372.71 | 99.75 |
| 30 | 8.29 | 0.25 | 3381.00 | 100.00 |

ghs13c: 12/13 - SC - P1 CAI D1.1 - Global health measure

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 33.75 | 1.00 | 33.75 | 1.00 |
| Excellent | 1 | 1521.20 | 44.99 | 1554.96 | 45.99 |
| Very good | 2 | 1310.71 | 38.77 | 2865.67 | 84.76 |
| Good | 3 | 437.08 | 12.93 | 3302.74 | 97.69 |
| Fair | 4 | 72.92 | 2.16 | 3375.67 | 99.84 |
| Poor | 5 | 5.33 | 0.16 | 3381.00 | 100.00 |

ghs14a: 12/13 - P1 CAI D1.2 - Uses prescribed medicine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 2.49 | 0.07 | 99.86 | 2.95 |
| Yes | 1 | 542.33 | 16.04 | 642.19 | 18.99 |
| No | 2 | 2738.81 | 81.01 | 3381.00 | 100.00 |

ghs14b: 12/13 - P1 CAI D1.3 - Uses medicine because of condition

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 2.49 | 0.07 | 99.86 | 2.95 |
| Yes | 1 | 503.09 | 14.88 | 602.95 | 17.83 |
| No | 2 | 2778.05 | 82.17 | 3381.00 | 100.00 |

ghs14c: 12/13 - P1 CAI D1.4 - Medicated condition for 12 months

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 14.99 | 0.44 | 112.36 | 3.32 |
| Yes | 1 | 446.80 | 13.22 | 559.16 | 16.54 |
| No | 2 | 2821.84 | 83.46 | 3381.00 | 100.00 |

ghs14d: 12/13 - P1 CAI D1.5 - Extra medical care

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 36.39 | 1.08 | 133.76 | 3.96 |
| Yes | 1 | 388.57 | 11.49 | 522.32 | 15.45 |
| No | 2 | 2858.68 | 84.55 | 3381.00 | 100.00 |

ghs14e: 12/13 - P1 CAI D1.6 - Extra medical care is due to condition

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 36.39 | 1.08 | 133.76 | 3.96 |
| Yes | 1 | 363.23 | 10.74 | 496.98 | 14.70 |
| No | 2 | 2884.02 | 85.30 | 3381.00 | 100.00 |

ghs14f: 12/13 - P1 CAI D1.7- Extra care condition for year

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 53.92 | 1.59 | 151.29 | 4.47 |
| Yes | 1 | 325.75 | 9.63 | 477.04 | 14.11 |
| No | 2 | 2903.96 | 85.89 | 3381.00 | 100.00 |

gshcn: 12/13 - Special health care needs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 98.24 | 2.91 | 98.24 | 2.91 |
| Yes | 1 | 587.85 | 17.39 | 686.09 | 20.29 |
| No | 2 | 2694.91 | 79.71 | 3381.00 | 100.00 |

ghs15b: 12/13 - P1 CAI D2.1- SC had illness with wheezing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| -2 | -2 | 1.59 | 0.05 | 98.96 | 2.93 |
| Yes | 1 | 314.94 | 9.31 | 413.90 | 12.24 |
| No | 2 | 2967.10 | 87.76 | 3381.00 | 100.00 |

ghs15c: 12/13 - P1 CAI D2.2 - Frequency of wheezing in last 12 months

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3066.06 | 90.69 | 3066.06 | 90.69 |
| 0 | 250.80 | 7.42 | 3316.86 | 98.10 |
| 5 | 54.92 | 1.62 | 3371.79 | 99.73 |
| 10 | 9.21 | 0.27 | 3381.00 | 100.00 |

ghs29a: 12/13 - P1 CAI D2.3+W1-6 - SC diagnosed with asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 10.72 | 0.32 | 10.72 | 0.32 |
| Yes | 1 | 1064.11 | 31.47 | 1074.83 | 31.79 |
| No | 2 | 2306.17 | 68.21 | 3381.00 | 100.00 |

ghs29b: 12/13 - P1 CAI D2.4 - Medication for asthma in last 12 months

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2347.99 | 69.45 | 2347.99 | 69.45 |
| -2 | -2 | 3.64 | 0.11 | 2351.63 | 69.55 |
| Never had asthma | -1 | 1.39 | 0.04 | 2353.02 | 69.60 |
| Yes | 1 | 479.50 | 14.18 | 2832.52 | 83.78 |
| No | 2 | 548.48 | 16.22 | 3381.00 | 100.00 |

ghs17: 12/13 - P1 CAI D3.1 - Has ongoing condition

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| Yes | 1 | 1779.96 | 52.65 | 1877.33 | 55.53 |
| No | 2 | 1503.67 | 44.47 | 3381.00 | 100.00 |

ghs17d: 12/13 - P1 CAI D3.1.1 - SC has ongoing - Eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 2962.77 | 87.63 | 3060.14 | 90.51 |
| Yes | 1 | 320.86 | 9.49 | 3381.00 | 100.00 |

ghs17za: 12/13 - P1 CAI D3.1.2 - SC has ongoing - Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 2836.42 | 83.89 | 2933.79 | 86.77 |
| Yes | 1 | 447.21 | 13.23 | 3381.00 | 100.00 |

ghs17zb: 12/13 - P1 CAI D3.1.3 - SC has ongoing - Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 2796.97 | 82.73 | 2894.34 | 85.61 |
| Yes | 1 | 486.66 | 14.39 | 3381.00 | 100.00 |

ghs17b: 12/13 - P1 CAI D3.1.4 - SC has ongoing - Vision problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 2882.40 | 85.25 | 2979.77 | 88.13 |
| Yes | 1 | 401.23 | 11.87 | 3381.00 | 100.00 |

ghs17g: 12/13 - P1 CAI D3.1.5 - SC has ongoing - Ear infections

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3206.95 | 94.85 | 3304.32 | 97.73 |
| Yes | 1 | 76.68 | 2.27 | 3381.00 | 100.00 |

ghs17a: 12/13 - P1 CAI D3.1.6 - SC has ongoing - Hearing problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3235.48 | 95.70 | 3332.84 | 98.58 |
| Yes | 1 | 48.16 | 1.42 | 3381.00 | 100.00 |

ghs17q: 12/13 - P1 CAI D3.1.7 - SC has ongoing - Tonsillitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3212.78 | 95.02 | 3310.15 | 97.90 |
| Yes | 1 | 70.85 | 2.10 | 3381.00 | 100.00 |

ghs17e: 12/13 - P1 CAI D3.1.8 - SC has ongoing - Diarrhoea/colitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3262.93 | 96.51 | 3360.30 | 99.39 |
| Yes | 1 | 20.70 | 0.61 | 3381.00 | 100.00 |

ghs17o: 12/13 - P1 CAI D3.1.9 - SC has ongoing - Constipation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3195.78 | 94.52 | 3293.15 | 97.40 |
| Yes | 1 | 87.85 | 2.60 | 3381.00 | 100.00 |

ghs17p: 12/13 - P1 CAI D3.1.10 - SC has ongoing - Soiling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3265.17 | 96.57 | 3362.54 | 99.45 |
| Yes | 1 | 18.46 | 0.55 | 3381.00 | 100.00 |

ghs17s: 12/13 - P1 CAI D3.1.11 - SC has ongoing - Wetting self during the day

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3269.92 | 96.71 | 3367.29 | 99.59 |
| Yes | 1 | 13.71 | 0.41 | 3381.00 | 100.00 |

ghs17m: 12/13 - P1 CAI D3.1.12 - SC has ongoing - Frequent headaches

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3074.06 | 90.92 | 3171.43 | 93.80 |
| Yes | 1 | 209.57 | 6.20 | 3381.00 | 100.00 |

ghs17n: 12/13 - P1 CAI D3.1.13 - SC has ongoing - Recurrent abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3132.11 | 92.64 | 3229.48 | 95.52 |
| Yes | 1 | 151.52 | 4.48 | 3381.00 | 100.00 |

ghs17t: 12/13 - P1 CAI D3.1.14 - SC has ongoing - Recurrent pain in other parts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3155.08 | 93.32 | 3252.45 | 96.20 |
| Yes | 1 | 128.55 | 3.80 | 3381.00 | 100.00 |

ghs17u: 12/13 - P1 CAI D3.1.15 - SC has ongoing - Bone/joint/muscle problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3005.18 | 88.88 | 3102.55 | 91.76 |
| Yes | 1 | 278.45 | 8.24 | 3381.00 | 100.00 |

ghs17l: 12/13 - P1 CAI D3.1.16 - SC has ongoing - ADD/ADHD

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3148.22 | 93.12 | 3245.59 | 95.99 |
| Yes | 1 | 135.41 | 4.01 | 3381.00 | 100.00 |

ghs17v: 12/13 - P1 CAI D3.1.17-3.1.18 - Anxiety disorder/Depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3039.55 | 89.90 | 3136.92 | 92.78 |
| Yes | 1 | 244.08 | 7.22 | 3381.00 | 100.00 |

ghs17v1: 12/13 - P1 CAI D3.1.17 - SC has ongoing - Anxiety disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3064.14 | 90.63 | 3161.51 | 93.51 |
| Yes | 1 | 219.49 | 6.49 | 3381.00 | 100.00 |

ghs17v2: 12/13 - P1 CAI D3.1.18 - SC has ongoing - Depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3214.98 | 95.09 | 3312.35 | 97.97 |
| Yes | 1 | 68.65 | 2.03 | 3381.00 | 100.00 |

ghs17w: 12/13 - P1 CAI D3.1.19 - SC has ongoing - Autism/Aspergers/autism spectrum

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3140.62 | 92.89 | 3237.99 | 95.77 |
| Yes | 1 | 143.01 | 4.23 | 3381.00 | 100.00 |

ghs17x: 12/13 - P1 CAI D3.1.20 - SC has ongoing - Diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3269.52 | 96.70 | 3366.89 | 99.58 |
| Yes | 1 | 14.11 | 0.42 | 3381.00 | 100.00 |

ghs17y: 12/13 - P1 CAI D3.1.21 - SC has ongoing - Epilepsy or seizure disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3262.83 | 96.50 | 3360.20 | 99.38 |
| Yes | 1 | 20.80 | 0.62 | 3381.00 | 100.00 |

ghs17z: 12/13 - P1 CAI D3.1.22 - SC has ongoing - Chronic fatigue

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3277.07 | 96.93 | 3374.44 | 99.81 |
| Yes | 1 | 6.56 | 0.19 | 3381.00 | 100.00 |

ghs17h: 12/13 - P1 CAI D3.1.23 - SC has ongoing - Other infections

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3262.08 | 96.48 | 3359.45 | 99.36 |
| Yes | 1 | 21.55 | 0.64 | 3381.00 | 100.00 |

ghs17j: 12/13 - P1 CAI D3.1.24 - SC has ongoing - Other illnesses

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| No | 0 | 3139.79 | 92.87 | 3237.16 | 95.75 |
| Yes | 1 | 143.84 | 4.25 | 3381.00 | 100.00 |

gnumcond: 12/13 - No. ongoing conditions

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 97.37 | 2.88 | 97.37 | 2.88 |
| 0 | 1503.67 | 44.47 | 1601.04 | 47.35 |
| 2 | 1367.07 | 40.43 | 2968.10 | 87.79 |
| 4 | 304.11 | 8.99 | 3272.22 | 96.78 |
| 6 | 74.40 | 2.20 | 3346.62 | 98.98 |
| 8 | 25.40 | 0.75 | 3372.02 | 99.73 |
| 10 | 6.03 | 0.18 | 3378.05 | 99.91 |
| 12 | 0.82 | 0.02 | 3378.87 | 99.94 |
| 14 | 2.13 | 0.06 | 3381.00 | 100.00 |

ghs52d: 12/13 - P1 CAI D3.6.1 - Number days missed school - Eczema

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| 0 | 305.66 | 9.04 | 3365.80 | 99.55 |
| 1 | 7.44 | 0.22 | 3373.24 | 99.77 |
| 2 | 2.65 | 0.08 | 3375.89 | 99.85 |
| 5 | 1.96 | 0.06 | 3377.85 | 99.91 |
| 6 | 1.01 | 0.03 | 3378.86 | 99.94 |
| 7 | 1.36 | 0.04 | 3380.22 | 99.98 |
| 20 | 0.78 | 0.02 | 3381.00 | 100.00 |

ghs52za: 12/13 - P1 CAI D3.6.2 - Number days missed school - Asthma

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2933.79 | 86.77 | 2933.79 | 86.77 |
| 0 | 307.46 | 9.09 | 3241.25 | 95.87 |
| 1 | 25.05 | 0.74 | 3266.30 | 96.61 |
| 2 | 36.74 | 1.09 | 3303.04 | 97.69 |
| 3 | 18.23 | 0.54 | 3321.27 | 98.23 |
| 4 | 11.00 | 0.33 | 3332.27 | 98.56 |
| 5 | 19.25 | 0.57 | 3351.51 | 99.13 |
| 6 | 3.69 | 0.11 | 3355.20 | 99.24 |
| 7 | 4.83 | 0.14 | 3360.03 | 99.38 |
| 8 | 1.00 | 0.03 | 3361.03 | 99.41 |
| 10 | 12.75 | 0.38 | 3373.78 | 99.79 |
| 12 | 2.58 | 0.08 | 3376.36 | 99.86 |
| 14 | 1.30 | 0.04 | 3377.66 | 99.90 |
| 15 | 0.79 | 0.02 | 3378.45 | 99.92 |
| 20 | 0.86 | 0.03 | 3379.30 | 99.95 |
| 26 | 0.79 | 0.02 | 3380.09 | 99.97 |
| 50 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs52zb: 12/13 - P1 CAI D3.6.3 - Number days missed school - Hay fever

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2894.34 | 85.61 | 2894.34 | 85.61 |
| 0 | 408.55 | 12.08 | 3302.89 | 97.69 |
| 1 | 13.09 | 0.39 | 3315.98 | 98.08 |
| 2 | 23.63 | 0.70 | 3339.61 | 98.78 |
| 3 | 9.57 | 0.28 | 3349.18 | 99.06 |
| 4 | 8.73 | 0.26 | 3357.91 | 99.32 |
| 5 | 9.46 | 0.28 | 3367.37 | 99.60 |
| 6 | 3.19 | 0.09 | 3370.56 | 99.69 |
| 9 | 0.48 | 0.01 | 3371.04 | 99.71 |
| 10 | 6.55 | 0.19 | 3377.59 | 99.90 |
| 14 | 1.61 | 0.05 | 3379.21 | 99.95 |
| 16 | 0.84 | 0.02 | 3380.05 | 99.97 |
| 30 | 0.95 | 0.03 | 3381.00 | 100.00 |

ghs52b: 12/13 - P1 CAI D3.6.4 - Number days missed school - Problems with eyes

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2979.77 | 88.13 | 2979.77 | 88.13 |
| 0 | 374.08 | 11.06 | 3353.85 | 99.20 |
| 1 | 12.61 | 0.37 | 3366.46 | 99.57 |
| 2 | 5.32 | 0.16 | 3371.78 | 99.73 |
| 3 | 0.66 | 0.02 | 3372.44 | 99.75 |
| 5 | 4.57 | 0.14 | 3377.01 | 99.88 |
| 6 | 3.50 | 0.10 | 3380.51 | 99.99 |
| 10 | 0.49 | 0.01 | 3381.00 | 100.00 |

ghs52g: 12/13 - P1 CAI D3.6.5 - Number days missed school - Ear infections

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3304.32 | 97.73 | 3304.32 | 97.73 |
| 0 | 30.40 | 0.90 | 3334.72 | 98.63 |
| 1 | 4.28 | 0.13 | 3339.00 | 98.76 |
| 2 | 16.13 | 0.48 | 3355.13 | 99.23 |
| 3 | 3.78 | 0.11 | 3358.91 | 99.35 |
| 4 | 2.91 | 0.09 | 3361.83 | 99.43 |
| 5 | 5.31 | 0.16 | 3367.14 | 99.59 |
| 6 | 0.58 | 0.02 | 3367.71 | 99.61 |
| 7 | 0.88 | 0.03 | 3368.59 | 99.63 |
| 8 | 1.76 | 0.05 | 3370.35 | 99.69 |
| 9 | 1.79 | 0.05 | 3372.15 | 99.74 |
| 10 | 5.77 | 0.17 | 3377.92 | 99.91 |
| 12 | 0.75 | 0.02 | 3378.67 | 99.93 |
| 14 | 2.33 | 0.07 | 3381.00 | 100.00 |

ghs52a: 12/13 - P1 CAI D3.6.6 - Number days missed school - Hearing problems

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| 0 | 36.92 | 1.09 | 3369.76 | 99.67 |
| 1 | 2.26 | 0.07 | 3372.02 | 99.73 |
| 2 | 3.85 | 0.11 | 3375.87 | 99.85 |
| 3 | 1.78 | 0.05 | 3377.65 | 99.90 |
| 5 | 3.35 | 0.10 | 3381.00 | 100.00 |

ghs52q: 12/13 - P1 CAI D3.6.7 - Number days missed school - Tonsillitis

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3310.15 | 97.90 | 3310.15 | 97.90 |
| 0 | 9.01 | 0.27 | 3319.16 | 98.17 |
| 1 | 9.30 | 0.27 | 3328.46 | 98.45 |
| 2 | 6.06 | 0.18 | 3334.52 | 98.63 |
| 3 | 5.90 | 0.17 | 3340.42 | 98.80 |
| 4 | 8.99 | 0.27 | 3349.41 | 99.07 |
| 5 | 10.92 | 0.32 | 3360.33 | 99.39 |
| 6 | 8.58 | 0.25 | 3368.91 | 99.64 |
| 7 | 2.59 | 0.08 | 3371.50 | 99.72 |
| 8 | 1.51 | 0.04 | 3373.02 | 99.76 |

ghs52q: 12/13 - P1 CAI D3.6.7 - Number days missed school - Tonsillitis

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 10 | 4.55 | 0.13 | 3377.57 | 99.90 |
| 12 | 2.68 | 0.08 | 3380.25 | 99.98 |
| 20 | 0.75 | 0.02 | 3381.00 | 100.00 |

ghs52e: 12/13 - P1 CAI D3.6.8 - Number days missed school - Diarrhoea or colitis

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3360.30 | 99.39 | 3360.30 | 99.39 |
| 0 | 5.71 | 0.17 | 3366.02 | 99.56 |
| 1 | 2.54 | 0.08 | 3368.55 | 99.63 |
| 2 | 3.30 | 0.10 | 3371.85 | 99.73 |
| 4 | 1.53 | 0.05 | 3373.38 | 99.77 |
| 5 | 3.05 | 0.09 | 3376.43 | 99.86 |
| 7 | 1.48 | 0.04 | 3377.91 | 99.91 |
| 9 | 0.47 | 0.01 | 3378.38 | 99.92 |
| 10 | 0.91 | 0.03 | 3379.29 | 99.95 |
| 14 | 0.89 | 0.03 | 3380.18 | 99.98 |
| 15 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs52o: 12/13 - P1 CAI D3.6.9 - Number days missed school - Constipation

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3293.15 | 97.40 | 3293.15 | 97.40 |
| 0 | 63.97 | 1.89 | 3357.12 | 99.29 |
| 1 | 2.65 | 0.08 | 3359.76 | 99.37 |
| 2 | 9.09 | 0.27 | 3368.85 | 99.64 |
| 3 | 3.11 | 0.09 | 3371.97 | 99.73 |
| 4 | 1.53 | 0.05 | 3373.49 | 99.78 |
| 5 | 5.02 | 0.15 | 3378.51 | 99.93 |
| 7 | 0.85 | 0.03 | 3379.36 | 99.95 |
| 10 | 0.72 | 0.02 | 3380.09 | 99.97 |
| 50 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs52p: 12/13 - P1 CAI D3.6.10 - Number days missed school - Soiling

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3362.54 | 99.45 | 3362.54 | 99.45 |
| 0 | 17.64 | 0.52 | 3380.18 | 99.98 |
| 3 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs52s: 12/13 - P1 CAI D3.6.11 - Number days missed school - Wetting self during the day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3367.29 | 99.59 | 3367.29 | 99.59 |
| 0 | 13.71 | 0.41 | 3381.00 | 100.00 |

ghs52m: 12/13 - P1 CAI D3.6.12 - Number days missed school - Frequent headaches

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3171.43 | 93.80 | 3171.43 | 93.80 |
| 0 | 77.86 | 2.30 | 3249.28 | 96.10 |
| 1 | 14.76 | 0.44 | 3264.04 | 96.54 |
| 2 | 28.89 | 0.85 | 3292.93 | 97.40 |
| 3 | 12.79 | 0.38 | 3305.72 | 97.77 |
| 4 | 14.33 | 0.42 | 3320.06 | 98.20 |
| 5 | 11.76 | 0.35 | 3331.81 | 98.55 |
| 6 | 10.71 | 0.32 | 3342.52 | 98.86 |
| 7 | 6.57 | 0.19 | 3349.09 | 99.06 |
| 10 | 9.03 | 0.27 | 3358.13 | 99.32 |
| 12 | 2.25 | 0.07 | 3360.37 | 99.39 |
| 14 | 2.98 | 0.09 | 3363.35 | 99.48 |
| 15 | 1.43 | 0.04 | 3364.78 | 99.52 |
| 20 | 3.25 | 0.10 | 3368.03 | 99.62 |
| 24 | 3.34 | 0.10 | 3371.37 | 99.72 |
| 25 | 0.64 | 0.02 | 3372.01 | 99.73 |
| 29 | 0.58 | 0.02 | 3372.58 | 99.75 |
| 30 | 4.40 | 0.13 | 3376.99 | 99.88 |
| 52 | 2.51 | 0.07 | 3379.50 | 99.96 |
| 60 | 1.50 | 0.04 | 3381.00 | 100.00 |

ghs52n: 12/13 - P1 CAI D3.6.13 - Number days missed school - Recurrent abdominal pain

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3229.48 | 95.52 | 3229.48 | 95.52 |
| 0 | 31.30 | 0.93 | 3260.78 | 96.44 |
| 1 | 7.50 | 0.22 | 3268.29 | 96.67 |
| 2 | 24.97 | 0.74 | 3293.26 | 97.40 |
| 3 | 8.40 | 0.25 | 3301.66 | 97.65 |
| 4 | 9.93 | 0.29 | 3311.59 | 97.95 |
| 5 | 20.60 | 0.61 | 3332.19 | 98.56 |
| 6 | 11.66 | 0.34 | 3343.84 | 98.90 |
| 7 | 5.07 | 0.15 | 3348.92 | 99.05 |
| 8 | 1.60 | 0.05 | 3350.52 | 99.10 |
| 10 | 13.11 | 0.39 | 3363.63 | 99.49 |
| 12 | 4.97 | 0.15 | 3368.60 | 99.63 |
| 15 | 3.20 | 0.09 | 3371.81 | 99.73 |
| 20 | 2.84 | 0.08 | 3374.65 | 99.81 |
| 24 | 0.60 | 0.02 | 3375.25 | 99.83 |
| 25 | 1.82 | 0.05 | 3377.08 | 99.88 |
| 29 | 0.58 | 0.02 | 3377.65 | 99.90 |
| 30 | 1.72 | 0.05 | 3379.37 | 99.95 |
| 36 | 0.92 | 0.03 | 3380.29 | 99.98 |
| 40 | 0.71 | 0.02 | 3381.00 | 100.00 |

ghs52t: 12/13 - P1 CAI D3.6.14 - No. days missed school - Recurrent pain in other parts

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3252.45 | 96.20 | 3252.45 | 96.20 |
| 0 | 71.76 | 2.12 | 3324.21 | 98.32 |
| 1 | 3.81 | 0.11 | 3328.02 | 98.43 |
| 2 | 17.09 | 0.51 | 3345.12 | 98.94 |
| 3 | 7.35 | 0.22 | 3352.47 | 99.16 |
| 4 | 5.60 | 0.17 | 3358.06 | 99.32 |
| 5 | 7.40 | 0.22 | 3365.46 | 99.54 |
| 6 | 1.80 | 0.05 | 3367.26 | 99.59 |
| 7 | 0.57 | 0.02 | 3367.83 | 99.61 |
| 10 | 5.37 | 0.16 | 3373.20 | 99.77 |
| 14 | 2.00 | 0.06 | 3375.20 | 99.83 |
| 15 | 0.82 | 0.02 | 3376.02 | 99.85 |
| 20 | 2.65 | 0.08 | 3378.67 | 99.93 |
| 22 | 0.44 | 0.01 | 3379.11 | 99.94 |
| 30 | 0.91 | 0.03 | 3380.02 | 99.97 |
| 40 | 0.98 | 0.03 | 3381.00 | 100.00 |

ghs52u: 12/13 - P1 CAI D3.6.15 - No. days missed school - Bone, joint or muscle problems

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3102.55 | 91.76 | 3102.55 | 91.76 |
| 0 | 179.50 | 5.31 | 3282.05 | 97.07 |
| 1 | 21.26 | 0.63 | 3303.30 | 97.70 |
| 2 | 18.15 | 0.54 | 3321.45 | 98.24 |
| 3 | 20.32 | 0.60 | 3341.77 | 98.84 |
| 4 | 12.54 | 0.37 | 3354.32 | 99.21 |
| 5 | 12.13 | 0.36 | 3366.45 | 99.57 |
| 6 | 2.66 | 0.08 | 3369.11 | 99.65 |
| 7 | 3.62 | 0.11 | 3372.74 | 99.76 |
| 8 | 1.31 | 0.04 | 3374.05 | 99.79 |
| 9 | 1.01 | 0.03 | 3375.06 | 99.82 |
| 10 | 1.92 | 0.06 | 3376.98 | 99.88 |
| 14 | 0.65 | 0.02 | 3377.63 | 99.90 |
| 20 | 1.27 | 0.04 | 3378.90 | 99.94 |
| 40 | 0.98 | 0.03 | 3379.88 | 99.97 |
| 90 | 1.12 | 0.03 | 3381.00 | 100.00 |

ghs52v: 12/13 - P1 CAI D3.6.16 - Number days missed school - ADD/ADHD

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3245.59 | 95.99 | 3245.59 | 95.99 |
| 0 | 98.42 | 2.91 | 3344.01 | 98.91 |
| 1 | 4.55 | 0.13 | 3348.56 | 99.04 |
| 2 | 5.54 | 0.16 | 3354.10 | 99.20 |
| 3 | 2.56 | 0.08 | 3356.66 | 99.28 |
| 4 | 1.61 | 0.05 | 3358.27 | 99.33 |
| 5 | 3.70 | 0.11 | 3361.96 | 99.44 |
| 6 | 0.76 | 0.02 | 3362.72 | 99.46 |
| 7 | 0.78 | 0.02 | 3363.50 | 99.48 |

ghs52v: 12/13 - P1 CAI D3.6.16 - Number days missed school - ADD/ADHD

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 10 | 6.31 | 0.19 | 3369.81 | 99.67 |
| 12 | 2.47 | 0.07 | 3372.27 | 99.74 |
| 14 | 1.57 | 0.05 | 3373.85 | 99.79 |
| 20 | 2.24 | 0.07 | 3376.09 | 99.85 |
| 24 | 0.92 | 0.03 | 3377.00 | 99.88 |
| 40 | 0.93 | 0.03 | 3377.94 | 99.91 |
| 50 | 0.55 | 0.02 | 3378.49 | 99.93 |
| 130 | 2.51 | 0.07 | 3381.00 | 100.00 |

ghs52v2: 12/13 - P1 CAI D3.6.17 - Number days missed school - Anxiety disorder

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 3161.51 | 93.51 | 3161.51 | 93.51 |
| 0 | 101.15 | 2.99 | 3262.66 | 96.50 |
| 1 | 7.20 | 0.21 | 3269.85 | 96.71 |
| 2 | 23.13 | 0.68 | 3292.99 | 97.40 |
| 3 | 13.74 | 0.41 | 3306.73 | 97.80 |
| 4 | 5.37 | 0.16 | 3312.10 | 97.96 |
| 5 | 11.07 | 0.33 | 3323.18 | 98.29 |
| 6 | 1.91 | 0.06 | 3325.09 | 98.35 |
| 7 | 5.57 | 0.16 | 3330.66 | 98.51 |
| 9 | 0.64 | 0.02 | 3331.30 | 98.53 |
| 10 | 7.72 | 0.23 | 3339.03 | 98.76 |
| 12 | 2.01 | 0.06 | 3341.04 | 98.82 |
| 14 | 1.57 | 0.05 | 3342.61 | 98.86 |
| 15 | 4.86 | 0.14 | 3347.47 | 99.01 |
| 20 | 12.04 | 0.36 | 3359.51 | 99.36 |
| 22 | 0.55 | 0.02 | 3360.07 | 99.38 |
| 24 | 3.20 | 0.09 | 3363.27 | 99.48 |
| 25 | 1.80 | 0.05 | 3365.07 | 99.53 |
| 30 | 2.56 | 0.08 | 3367.63 | 99.60 |
| 40 | 0.70 | 0.02 | 3368.33 | 99.63 |
| 50 | 2.31 | 0.07 | 3370.64 | 99.69 |
| 90 | 5.13 | 0.15 | 3375.77 | 99.85 |
| 100 | 5.23 | 0.15 | 3381.00 | 100.00 |

ghs52v3: 12/13 - P1 CAI D3.6.18 - Number days missed school - Depression

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3312.35 | 97.97 | 3312.35 | 97.97 |
| 0 | 33.42 | 0.99 | 3345.77 | 98.96 |
| 1 | 4.83 | 0.14 | 3350.60 | 99.10 |
| 2 | 3.96 | 0.12 | 3354.55 | 99.22 |
| 3 | 3.05 | 0.09 | 3357.60 | 99.31 |
| 4 | 0.80 | 0.02 | 3358.41 | 99.33 |
| 5 | 1.59 | 0.05 | 3360.00 | 99.38 |
| 6 | 0.55 | 0.02 | 3360.55 | 99.40 |
| 10 | 2.88 | 0.09 | 3363.43 | 99.48 |
| 12 | 0.76 | 0.02 | 3364.19 | 99.50 |

ghs52v3: 12/13 - P1 CAI D3.6.18 - Number days missed school - Depression

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 14 | 3.57 | 0.11 | 3367.76 | 99.61 |
| 15 | 0.78 | 0.02 | 3368.54 | 99.63 |
| 20 | 4.37 | 0.13 | 3372.91 | 99.76 |
| 22 | 0.55 | 0.02 | 3373.46 | 99.78 |
| 25 | 0.81 | 0.02 | 3374.27 | 99.80 |
| 40 | 0.70 | 0.02 | 3374.97 | 99.82 |
| 50 | 2.31 | 0.07 | 3377.28 | 99.89 |
| 90 | 2.13 | 0.06 | 3379.42 | 99.95 |
| 100 | 1.58 | 0.05 | 3381.00 | 100.00 |

ghs52w: 12/13 - P1 CAI D3.6.19 - Number days missed school - Autism or Aspergers

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 3237.99 | 95.77 | 3237.99 | 95.77 |
| 0 | 99.29 | 2.94 | 3337.28 | 98.71 |
| 1 | 4.13 | 0.12 | 3341.42 | 98.83 |
| 2 | 6.78 | 0.20 | 3348.20 | 99.03 |
| 3 | 4.80 | 0.14 | 3353.00 | 99.17 |
| 4 | 0.41 | 0.01 | 3353.40 | 99.18 |
| 5 | 6.29 | 0.19 | 3359.69 | 99.37 |
| 6 | 2.00 | 0.06 | 3361.69 | 99.43 |
| 8 | 0.63 | 0.02 | 3362.32 | 99.45 |
| 10 | 5.40 | 0.16 | 3367.72 | 99.61 |
| 12 | 0.67 | 0.02 | 3368.39 | 99.63 |
| 14 | 2.51 | 0.07 | 3370.90 | 99.70 |
| 20 | 3.06 | 0.09 | 3373.97 | 99.79 |
| 25 | 0.80 | 0.02 | 3374.76 | 99.82 |
| 30 | 2.56 | 0.08 | 3377.33 | 99.89 |
| 50 | 1.16 | 0.03 | 3378.49 | 99.93 |
| 130 | 2.51 | 0.07 | 3381.00 | 100.00 |

ghs52x: 12/13 - P1 CAI D3.6.20 - Number days missed school - Diabetes

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3366.89 | 99.58 | 3366.89 | 99.58 |
| 0 | 1.78 | 0.05 | 3368.67 | 99.64 |
| 2 | 3.05 | 0.09 | 3371.72 | 99.73 |
| 3 | 0.99 | 0.03 | 3372.71 | 99.75 |
| 4 | 2.57 | 0.08 | 3375.27 | 99.83 |
| 5 | 0.68 | 0.02 | 3375.95 | 99.85 |
| 10 | 0.77 | 0.02 | 3376.72 | 99.87 |
| 11 | 0.53 | 0.02 | 3377.24 | 99.89 |
| 14 | 2.28 | 0.07 | 3379.52 | 99.96 |
| 20 | 1.48 | 0.04 | 3381.00 | 100.00 |

ghs52y: 12/13 - P1 CAI D3.6.21 - Number days missed school - Epilepsy or seizure

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| 0 | 8.98 | 0.27 | 3369.17 | 99.65 |
| 1 | 0.83 | 0.02 | 3370.01 | 99.67 |
| 2 | 1.61 | 0.05 | 3371.61 | 99.72 |
| 4 | 1.83 | 0.05 | 3373.44 | 99.78 |
| 5 | 3.45 | 0.10 | 3376.89 | 99.88 |
| 6 | 0.63 | 0.02 | 3377.52 | 99.90 |
| 10 | 0.91 | 0.03 | 3378.43 | 99.92 |
| 20 | 0.60 | 0.02 | 3379.03 | 99.94 |
| 30 | 1.06 | 0.03 | 3380.09 | 99.97 |
| 50 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs52z: 12/13 - P1 CAI D3.6.22 - Number days missed school - Chronic fatigue

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3374.44 | 99.81 | 3374.44 | 99.81 |
| 0 | 0.70 | 0.02 | 3375.14 | 99.83 |
| 1 | 1.25 | 0.04 | 3376.39 | 99.86 |
| 2 | 0.55 | 0.02 | 3376.94 | 99.88 |
| 6 | 1.39 | 0.04 | 3378.33 | 99.92 |
| 20 | 1.76 | 0.05 | 3380.09 | 99.97 |
| 50 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs52h: 12/13 - P1 CAI D3.6.23 - Number days missed school - Other infections

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3362.57 | 99.46 | 3362.57 | 99.46 |
| 0 | 5.51 | 0.16 | 3368.09 | 99.62 |
| 1 | 0.60 | 0.02 | 3368.68 | 99.64 |
| 2 | 4.59 | 0.14 | 3373.27 | 99.77 |
| 3 | 0.83 | 0.02 | 3374.10 | 99.80 |
| 6 | 0.93 | 0.03 | 3375.03 | 99.82 |
| 7 | 1.51 | 0.04 | 3376.54 | 99.87 |
| 10 | 1.51 | 0.04 | 3378.05 | 99.91 |
| 12 | 1.34 | 0.04 | 3379.39 | 99.95 |
| 15 | 0.82 | 0.02 | 3380.21 | 99.98 |
| 26 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs52j: 12/13 - P1 CAI D3.6.24 - Number days missed school - Other illnesses

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3234.04 | 95.65 | 3234.04 | 95.65 |
| 0 | 93.52 | 2.77 | 3327.55 | 98.42 |
| 1 | 7.34 | 0.22 | 3334.90 | 98.64 |
| 2 | 6.87 | 0.20 | 3341.76 | 98.84 |
| 3 | 4.97 | 0.15 | 3346.74 | 98.99 |
| 4 | 0.97 | 0.03 | 3347.70 | 99.02 |
| 5 | 0.92 | 0.03 | 3348.62 | 99.04 |
| 6 | 8.35 | 0.25 | 3356.98 | 99.29 |
| 7 | 0.43 | 0.01 | 3357.41 | 99.30 |

ghs52j: 12/13 - P1 CAI D3.6.24 - Number days missed school - Other illnesses

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 10 | 4.14 | 0.12 | 3361.55 | 99.42 |
| 12 | 6.08 | 0.18 | 3367.62 | 99.60 |
| 13 | 0.82 | 0.02 | 3368.44 | 99.63 |
| 14 | 1.44 | 0.04 | 3369.88 | 99.67 |
| 15 | 0.81 | 0.02 | 3370.69 | 99.70 |
| 20 | 3.06 | 0.09 | 3373.75 | 99.79 |
| 21 | 0.78 | 0.02 | 3374.53 | 99.81 |
| 30 | 1.89 | 0.06 | 3376.42 | 99.86 |
| 40 | 0.98 | 0.03 | 3377.40 | 99.89 |
| 90 | 3.60 | 0.11 | 3381.00 | 100.00 |

ghs37d: 12/13 - P1 CAI D3.7.1 - Severity of SC ongoing - Eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| Mild | 1 | 262.47 | 7.76 | 3322.60 | 98.27 |
| Moderate | 2 | 54.21 | 1.60 | 3376.81 | 99.88 |
| Severe | 3 | 4.19 | 0.12 | 3381.00 | 100.00 |

ghs37za: 12/13 - P1 CAI D3.7.2 - Severity of SC ongoing - Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2933.79 | 86.77 | 2933.79 | 86.77 |
| Mild | 1 | 361.41 | 10.69 | 3295.20 | 97.46 |
| Moderate | 2 | 73.42 | 2.17 | 3368.63 | 99.63 |
| Severe | 3 | 12.37 | 0.37 | 3381.00 | 100.00 |

ghs37zb: 12/13 - P1 CAI D3.7.3 - Severity of SC ongoing - Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2894.34 | 85.61 | 2894.34 | 85.61 |
| Mild | 1 | 299.15 | 8.85 | 3193.49 | 94.45 |
| Moderate | 2 | 148.91 | 4.40 | 3342.40 | 98.86 |
| Severe | 3 | 38.60 | 1.14 | 3381.00 | 100.00 |

ghs37b: 12/13 - P1 CAI D3.7.4 - Severity of SC ongoing - Vision problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2979.77 | 88.13 | 2979.77 | 88.13 |
| Mild | 1 | 284.30 | 8.41 | 3264.07 | 96.54 |
| Moderate | 2 | 101.61 | 3.01 | 3365.68 | 99.55 |
| Severe | 3 | 15.32 | 0.45 | 3381.00 | 100.00 |

ghs37g: 12/13 - P1 CAI D3.7.5 - Severity of SC ongoing - Ear infections

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3304.32 | 97.73 | 3304.32 | 97.73 |
| Mild | 1 | 41.52 | 1.23 | 3345.84 | 98.96 |
| Moderate | 2 | 19.92 | 0.59 | 3365.77 | 99.55 |
| Severe | 3 | 15.23 | 0.45 | 3381.00 | 100.00 |

ghs37a: 12/13 - P1 CAI D3.7.6 - Severity of SC ongoing - Hearing problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| Mild | 1 | 28.98 | 0.86 | 3361.82 | 99.43 |
| Moderate | 2 | 16.58 | 0.49 | 3378.40 | 99.92 |
| Severe | 3 | 2.60 | 0.08 | 3381.00 | 100.00 |

ghs37q: 12/13 - P1 CAI D3.7.7 - Severity of SC ongoing - Tonsillitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3310.15 | 97.90 | 3310.15 | 97.90 |
| Mild | 1 | 18.82 | 0.56 | 3328.97 | 98.46 |
| Moderate | 2 | 36.41 | 1.08 | 3365.39 | 99.54 |
| Severe | 3 | 15.61 | 0.46 | 3381.00 | 100.00 |

ghs37e: 12/13 - P1 CAI D3.7.8 - Severity of SC ongoing - Diarrhoea/colitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.30 | 99.39 | 3360.30 | 99.39 |
| Mild | 1 | 11.66 | 0.34 | 3371.97 | 99.73 |
| Moderate | 2 | 8.21 | 0.24 | 3380.18 | 99.98 |
| Severe | 3 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs37o: 12/13 - P1 CAI D3.7.9 - Severity of SC ongoing - Constipation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3293.15 | 97.40 | 3293.15 | 97.40 |
| Mild | 1 | 58.22 | 1.72 | 3351.37 | 99.12 |
| Moderate | 2 | 18.87 | 0.56 | 3370.24 | 99.68 |
| Severe | 3 | 10.76 | 0.32 | 3381.00 | 100.00 |

ghs37p: 12/13 - P1 CAI D3.7.10 - Severity of SC ongoing - Soiling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3362.54 | 99.45 | 3362.54 | 99.45 |
| Mild | 1 | 8.95 | 0.26 | 3371.49 | 99.72 |
| Moderate | 2 | 6.63 | 0.20 | 3378.12 | 99.91 |
| Severe | 3 | 2.88 | 0.09 | 3381.00 | 100.00 |

ghs37s: 12/13 - P1 CAI D3.7.11 - Severity of SC ongoing - Wetting self during the day

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.29 | 99.59 | 3367.29 | 99.59 |
| Mild | 1 | 6.98 | 0.21 | 3374.27 | 99.80 |
| Moderate | 2 | 1.11 | 0.03 | 3375.38 | 99.83 |
| Severe | 3 | 5.62 | 0.17 | 3381.00 | 100.00 |

ghs37m: 12/13 - P1 CAI D3.7.12 - Severity of SC ongoing - Frequent headaches

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3171.43 | 93.80 | 3171.43 | 93.80 |
| Mild | 1 | 100.10 | 2.96 | 3271.52 | 96.76 |
| Moderate | 2 | 79.66 | 2.36 | 3351.18 | 99.12 |
| Severe | 3 | 29.82 | 0.88 | 3381.00 | 100.00 |

ghs37n: 12/13 - P1 CAI D3.7.13 - Severity of SC ongoing - Recurrent abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3229.48 | 95.52 | 3229.48 | 95.52 |
| Mild | 1 | 71.85 | 2.13 | 3301.33 | 97.64 |
| Moderate | 2 | 53.94 | 1.60 | 3355.27 | 99.24 |
| Severe | 3 | 25.73 | 0.76 | 3381.00 | 100.00 |

ghs37t: 12/13 - P1 CAI D3.7.14 - Severity of SC ongoing - Recurrent pain in other parts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3252.45 | 96.20 | 3252.45 | 96.20 |
| Mild | 1 | 81.38 | 2.41 | 3333.84 | 98.61 |
| Moderate | 2 | 38.61 | 1.14 | 3372.45 | 99.75 |
| Severe | 3 | 8.55 | 0.25 | 3381.00 | 100.00 |

ghs37u: 12/13 - P1 CAI D3.7.15 - Severity of SC ongoing - Bone/joint/muscle problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3102.55 | 91.76 | 3102.55 | 91.76 |
| Mild | 1 | 184.38 | 5.45 | 3286.93 | 97.22 |
| Moderate | 2 | 72.31 | 2.14 | 3359.24 | 99.36 |
| Severe | 3 | 21.76 | 0.64 | 3381.00 | 100.00 |

ghs37l: 12/13 - P1 CAI D3.7.16 - Severity of SC ongoing - Attention Deficit Disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3245.59 | 95.99 | 3245.59 | 95.99 |
| Mild | 1 | 54.58 | 1.61 | 3300.17 | 97.61 |
| Moderate | 2 | 53.00 | 1.57 | 3353.17 | 99.18 |
| Severe | 3 | 27.83 | 0.82 | 3381.00 | 100.00 |

ghs37v2: 12/13 - P1 CAI D3.7.17 - Severity of SC ongoing - Anxiety disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3161.51 | 93.51 | 3161.51 | 93.51 |
| Mild | 1 | 86.93 | 2.57 | 3248.44 | 96.08 |
| Moderate | 2 | 90.32 | 2.67 | 3338.76 | 98.75 |
| Severe | 3 | 42.24 | 1.25 | 3381.00 | 100.00 |

ghs37v3: 12/13 - P1 CAI D3.7.18 - Severity of SC ongoing - Depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3312.35 | 97.97 | 3312.35 | 97.97 |
| Mild | 1 | 27.82 | 0.82 | 3340.16 | 98.79 |
| Moderate | 2 | 29.20 | 0.86 | 3369.37 | 99.66 |
| Severe | 3 | 11.63 | 0.34 | 3381.00 | 100.00 |

ghs37w: 12/13 - P1 CAI D3.7.19 - Autism, Aspergers, or other autism spectrum

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3237.99 | 95.77 | 3237.99 | 95.77 |
| Mild | 1 | 94.39 | 2.79 | 3332.39 | 98.56 |
| Moderate | 2 | 39.68 | 1.17 | 3372.06 | 99.74 |
| Severe | 3 | 8.94 | 0.26 | 3381.00 | 100.00 |

ghs37x: 12/13 - P1 CAI D3.7.20 - Severity of SC ongoing - Diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.89 | 99.58 | 3366.89 | 99.58 |
| Mild | 1 | 2.78 | 0.08 | 3369.68 | 99.67 |
| Moderate | 2 | 4.57 | 0.14 | 3374.24 | 99.80 |
| Severe | 3 | 6.76 | 0.20 | 3381.00 | 100.00 |

ghs37y: 12/13 - P1 CAI D3.7.21 - Severity of SC ongoing - Epilepsy or seizure disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| Mild | 1 | 9.67 | 0.29 | 3369.86 | 99.67 |
| Moderate | 2 | 9.44 | 0.28 | 3379.30 | 99.95 |
| Severe | 3 | 1.70 | 0.05 | 3381.00 | 100.00 |

ghs37z: 12/13 - P1 CAI D3.7.22 - Severity of SC ongoing - Chronic fatigue

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.44 | 99.81 | 3374.44 | 99.81 |
| Mild | 1 | 1.25 | 0.04 | 3375.69 | 99.84 |
| Moderate | 2 | 3.85 | 0.11 | 3379.54 | 99.96 |
| Severe | 3 | 1.46 | 0.04 | 3381.00 | 100.00 |

ghs37h: 12/13 - P1 CAI D3.7.23 - Severity of SC ongoing - Other infections

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3362.57 | 99.46 | 3362.57 | 99.46 |
| Mild | 1 | 6.30 | 0.19 | 3368.88 | 99.64 |
| Moderate | 2 | 8.76 | 0.26 | 3377.64 | 99.90 |
| Severe | 3 | 3.36 | 0.10 | 3381.00 | 100.00 |

ghs37j: 12/13 - P1 CAI D3.7.24 - Severity of SC ongoing - Other illnesses

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3234.04 | 95.65 | 3234.04 | 95.65 |
| Mild | 1 | 55.17 | 1.63 | 3289.21 | 97.29 |
| Moderate | 2 | 48.05 | 1.42 | 3337.26 | 98.71 |
| Severe | 3 | 43.74 | 1.29 | 3381.00 | 100.00 |

ghs17d1: 12/13 - P1 CAI D3.8.1 - Eczema on elbows

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| No | 0 | 154.47 | 4.57 | 3214.61 | 95.08 |
| Yes | 1 | 166.39 | 4.92 | 3381.00 | 100.00 |

ghs17d2: 12/13 - P1 CAI D3.8.2 - Eczema behind knees

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| No | 0 | 175.36 | 5.19 | 3235.49 | 95.70 |
| Yes | 1 | 145.51 | 4.30 | 3381.00 | 100.00 |

ghs17d3: 12/13 - P1 CAI D3.8.3 - Eczema under buttocks

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| No | 0 | 286.11 | 8.46 | 3346.25 | 98.97 |
| Yes | 1 | 34.75 | 1.03 | 3381.00 | 100.00 |

ghs17d4: 12/13 - P1 CAI D3.8.4 - Eczema around neck ears and eyes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| No | 0 | 248.61 | 7.35 | 3308.75 | 97.86 |
| Yes | 1 | 72.25 | 2.14 | 3381.00 | 100.00 |

ghs17d5: 12/13 - P1 CAI D3.8.5 - Eczema other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| No | 0 | 209.32 | 6.19 | 3269.46 | 96.70 |
| Yes | 1 | 111.54 | 3.30 | 3381.00 | 100.00 |

ghs31a: 12/13 - P1 CAI D4.1 - Does child wear glasses or contact lenses

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2979.77 | 88.13 | 2979.77 | 88.13 |
| Yes | 1 | 366.28 | 10.83 | 3346.05 | 98.97 |
| No | 2 | 34.95 | 1.03 | 3381.00 | 100.00 |

zhs31b1: 12/13 - P1 CAI D4.2+W2-6 - Age start wear glass/contact lens - unit

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2849.04 | 84.27 | 2849.04 | 84.27 |
| Age in months | 1 | 61.54 | 1.82 | 2910.58 | 86.09 |
| Age in years | 2 | 470.42 | 13.91 | 3381.00 | 100.00 |

zhs31b2: 12/13 - P1 CAI D4.3+W2-6 - Age start wear glass/contact lens - amount

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2861.90 | 84.65 | 2861.90 | 84.65 |
| 0 | 24.03 | 0.71 | 2885.93 | 85.36 |
| 5 | 212.07 | 6.27 | 3098.00 | 91.63 |
| 10 | 232.99 | 6.89 | 3330.99 | 98.52 |
| 15 | 12.73 | 0.38 | 3343.72 | 98.90 |
| 20 | 5.79 | 0.17 | 3349.51 | 99.07 |
| 30 | 2.57 | 0.08 | 3352.08 | 99.14 |
| 35 | 0.65 | 0.02 | 3352.73 | 99.16 |
| 40 | 9.35 | 0.28 | 3362.08 | 99.44 |
| 55 | 4.66 | 0.14 | 3366.74 | 99.58 |
| 60 | 9.53 | 0.28 | 3376.27 | 99.86 |
| 65 | 4.73 | 0.14 | 3381.00 | 100.00 |

zhs31b: 12/13 - P1 CAI D4.2/4.3+W2-6 - Age start wear glass/contact lens - total months

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 2861.90 | 84.65 | 2861.90 | 84.65 |
| 0 | 8.73 | 0.26 | 2870.62 | 84.90 |
| 10 | 20.69 | 0.61 | 2891.31 | 85.52 |
| 20 | 17.27 | 0.51 | 2908.59 | 86.03 |
| 30 | 3.22 | 0.10 | 2911.80 | 86.12 |
| 40 | 19.05 | 0.56 | 2930.86 | 86.69 |
| 50 | 30.17 | 0.89 | 2961.03 | 87.58 |
| 60 | 48.45 | 1.43 | 3009.48 | 89.01 |
| 70 | 74.01 | 2.19 | 3083.49 | 91.20 |
| 80 | 63.65 | 1.88 | 3147.14 | 93.08 |
| 100 | 74.96 | 2.22 | 3222.10 | 95.30 |
| 110 | 32.26 | 0.95 | 3254.36 | 96.25 |
| 120 | 22.60 | 0.67 | 3276.96 | 96.92 |
| 130 | 38.95 | 1.15 | 3315.91 | 98.07 |
| 140 | 54.39 | 1.61 | 3370.30 | 99.68 |
| 160 | 10.70 | 0.32 | 3381.00 | 100.00 |

ghs31c: 12/13 - P1 CAI D4.4 - Why does child wear glasses or contact lenses

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| Short sighted myopia | 1 | 156.38 | 4.63 | 3171.10 | 93.79 |
| Long sighted | 2 | 120.83 | 3.57 | 3291.93 | 97.37 |
| Turned eyes squint | 3 | 9.41 | 0.28 | 3301.34 | 97.64 |
| Astigmatism | 4 | 35.43 | 1.05 | 3336.77 | 98.69 |

ghs31c: 12/13 - P1 CAI D4.4 - Why does child wear glasses or contact lenses

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------------|-------|-----------|---------|----------------------|--------------------|
| Amblyopia lazy eye | 5 | 11.50 | 0.34 | 3348.27 | 99.03 |
| Other reason | 6 | 32.73 | 0.97 | 3381.00 | 100.00 |

ghs31d: 12/13 - P1 CAI D4.6 - Other eye conditions

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| Yes | 1 | 81.02 | 2.40 | 3095.75 | 91.56 |
| No | 2 | 285.25 | 8.44 | 3381.00 | 100.00 |

ghs31d1: 12/13 - P1 CAI D4.6.1 - Other eye conditions - Short sighted

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| No | 0 | 347.22 | 10.27 | 3361.94 | 99.44 |
| Yes | 1 | 19.06 | 0.56 | 3381.00 | 100.00 |

ghs31d2: 12/13 - P1 CAI D4.6.2 - Other eye conditions - Long sighted

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| No | 0 | 348.12 | 10.30 | 3362.85 | 99.46 |
| Yes | 1 | 18.15 | 0.54 | 3381.00 | 100.00 |

ghs31d3: 12/13 - P1 CAI D4.6.3 - Other eye conditions - Turned eye(s)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| No | 0 | 356.76 | 10.55 | 3371.48 | 99.72 |
| Yes | 1 | 9.52 | 0.28 | 3381.00 | 100.00 |

ghs31d4: 12/13 - P1 CAI D4.6.4 - Other eye conditions - Astigmatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| No | 0 | 334.85 | 9.90 | 3349.58 | 99.07 |
| Yes | 1 | 31.42 | 0.93 | 3381.00 | 100.00 |

ghs31d5: 12/13 - P1 CAI D4.6.5 - Other eye conditions - Amblyopia (lazy eye)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3014.72 | 89.17 | 3014.72 | 89.17 |
| No | 0 | 349.37 | 10.33 | 3364.09 | 99.50 |
| Yes | 1 | 16.91 | 0.50 | 3381.00 | 100.00 |

ghs38: 12/13 - P1 CAI D4.7 - Uses any hearing aids

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| Yes | 1 | 13.49 | 0.40 | 3346.33 | 98.97 |
| No | 2 | 34.67 | 1.03 | 3381.00 | 100.00 |

ghs38a: 12/13 - P1 CAI D4.7.1 - Hearing aids

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| No | 0 | 37.80 | 1.12 | 3370.64 | 99.69 |
| Yes | 1 | 10.36 | 0.31 | 3381.00 | 100.00 |

ghs38b: 12/13 - P1 CAI D4.7.2 - Cochlear implant

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| No | 0 | 48.16 | 1.42 | 3381.00 | 100.00 |

ghs38c: 12/13 - P1 CAI D4.7.3 - Adaptations in mainstream classroom

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| No | 0 | 45.98 | 1.36 | 3378.82 | 99.94 |
| Yes | 1 | 2.18 | 0.06 | 3381.00 | 100.00 |

ghs38d: 12/13 - P1 CAI D4.7.4 - Special visiting teacher

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| No | 0 | 45.59 | 1.35 | 3378.44 | 99.92 |
| Yes | 1 | 2.56 | 0.08 | 3381.00 | 100.00 |

ghs38e: 12/13 - P1 CAI D4.7.5 - Special school

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.84 | 98.58 | 3332.84 | 98.58 |
| No | 0 | 47.20 | 1.40 | 3380.05 | 99.97 |
| Yes | 1 | 0.95 | 0.03 | 3381.00 | 100.00 |

ghs37d1a: 12/13 - P1 CAI D5.1.1 - Frequency of eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.14 | 90.51 | 3060.14 | 90.51 |
| Daily | 1 | 36.96 | 1.09 | 3097.10 | 91.60 |
| Most days 4-6 times a week | 2 | 21.56 | 0.64 | 3118.66 | 92.24 |
| Some days 1-3 times a week | 3 | 22.75 | 0.67 | 3141.41 | 92.91 |
| A few times a month | 4 | 72.82 | 2.15 | 3214.23 | 95.07 |
| Rarely | 5 | 29.98 | 0.89 | 3244.21 | 95.95 |
| A few times a year | 6 | 136.79 | 4.05 | 3381.00 | 100.00 |

ghs37za1a: 12/13 - P1 CAI D5.1.2 - Frequency of Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2933.79 | 86.77 | 2933.79 | 86.77 |
| Daily | 1 | 4.77 | 0.14 | 2938.56 | 86.91 |
| Most days 4-6 times a week | 2 | 9.72 | 0.29 | 2948.28 | 87.20 |
| Some days 1-3 times a week | 3 | 39.00 | 1.15 | 2987.28 | 88.35 |
| A few times a month | 4 | 73.22 | 2.17 | 3060.50 | 90.52 |

ghs37za1a: 12/13 - P1 CAI D5.1.2 - Frequency of Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------------|-------|-----------|---------|----------------------|--------------------|
| Rarely | 5 | 89.44 | 2.65 | 3149.93 | 93.17 |
| A few times a year | 6 | 231.07 | 6.83 | 3381.00 | 100.00 |

ghs37zb1a: 12/13 - P1 CAI D5.1.3 - Frequency of Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2894.34 | 85.61 | 2894.34 | 85.61 |
| Daily | 1 | 45.36 | 1.34 | 2939.70 | 86.95 |
| Most days 4-6 times a week | 2 | 34.76 | 1.03 | 2974.46 | 87.98 |
| Some days 1-3 times a week | 3 | 58.21 | 1.72 | 3032.67 | 89.70 |
| A few times a month | 4 | 86.86 | 2.57 | 3119.53 | 92.27 |
| Rarely | 5 | 23.57 | 0.70 | 3143.09 | 92.96 |
| A few times a year | 6 | 237.91 | 7.04 | 3381.00 | 100.00 |

ghs37g1a: 12/13 - P1 CAI D5.1.4 - Frequency of ear infections

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3304.32 | 97.73 | 3304.32 | 97.73 |
| A few times a month | 4 | 3.17 | 0.09 | 3307.49 | 97.83 |
| Rarely | 5 | 21.29 | 0.63 | 3328.78 | 98.46 |
| A few times a year | 6 | 52.22 | 1.54 | 3381.00 | 100.00 |

ghs37q1a: 12/13 - P1 CAI D5.1.5 - Frequency of tonsillitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3310.15 | 97.90 | 3310.15 | 97.90 |
| Most days 4-6 times a week | 2 | 2.73 | 0.08 | 3312.88 | 97.99 |
| Some days 1-3 times a week | 3 | 0.50 | 0.01 | 3313.38 | 98.00 |
| A few times a month | 4 | 14.00 | 0.41 | 3327.37 | 98.41 |
| Rarely | 5 | 5.23 | 0.15 | 3332.61 | 98.57 |
| A few times a year | 6 | 48.39 | 1.43 | 3381.00 | 100.00 |

ghs37e1a: 12/13 - P1 CAI D5.1.6 - Frequency of diarrhoea or colitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.30 | 99.39 | 3360.30 | 99.39 |
| Some days 1-3 times a week | 3 | 4.34 | 0.13 | 3364.64 | 99.52 |
| A few times a month | 4 | 5.84 | 0.17 | 3370.48 | 99.69 |
| Rarely | 5 | 3.60 | 0.11 | 3374.07 | 99.80 |
| A few times a year | 6 | 6.93 | 0.20 | 3381.00 | 100.00 |

ghs37o1a: 12/13 - P1 CAI D5.1.7 - Frequency of constipation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3293.15 | 97.40 | 3293.15 | 97.40 |
| Daily | 1 | 4.56 | 0.13 | 3297.71 | 97.54 |
| Most days 4-6 times a week | 2 | 4.59 | 0.14 | 3302.30 | 97.67 |
| Some days 1-3 times a week | 3 | 11.37 | 0.34 | 3313.66 | 98.01 |
| A few times a month | 4 | 29.95 | 0.89 | 3343.62 | 98.89 |

ghs37o1a: 12/13 - P1 CAI D5.1.7 - Frequency of constipation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------------|-------|-----------|---------|----------------------|--------------------|
| Rarely | 5 | 6.27 | 0.19 | 3349.89 | 99.08 |
| A few times a year | 6 | 31.11 | 0.92 | 3381.00 | 100.00 |

ghs37p1a: 12/13 - P1 CAI D5.1.8 - Frequency of soiling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3362.54 | 99.45 | 3362.54 | 99.45 |
| Daily | 1 | 2.06 | 0.06 | 3364.60 | 99.51 |
| Most days 4-6 times a week | 2 | 2.26 | 0.07 | 3366.86 | 99.58 |
| Some days 1-3 times a week | 3 | 3.31 | 0.10 | 3370.17 | 99.68 |
| A few times a month | 4 | 8.76 | 0.26 | 3378.93 | 99.94 |
| Rarely | 5 | 1.25 | 0.04 | 3380.18 | 99.98 |
| A few times a year | 6 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs37s1a: 12/13 - P1 CAI D5.1.9 - Frequency of wetting self during the day

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.29 | 99.59 | 3367.29 | 99.59 |
| Daily | 1 | 5.62 | 0.17 | 3372.91 | 99.76 |
| Some days 1-3 times a week | 3 | 4.32 | 0.13 | 3377.23 | 99.89 |
| Rarely | 5 | 2.16 | 0.06 | 3379.39 | 99.95 |
| A few times a year | 6 | 1.61 | 0.05 | 3381.00 | 100.00 |

ghs37m1a: 12/13 - P1 CAI D5.1.10 - Frequency of frequent headaches

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3171.43 | 93.80 | 3171.43 | 93.80 |
| Daily | 1 | 1.77 | 0.05 | 3173.20 | 93.85 |
| Most days 4-6 times a week | 2 | 12.64 | 0.37 | 3185.84 | 94.23 |
| Some days 1-3 times a week | 3 | 43.28 | 1.28 | 3229.11 | 95.51 |
| A few times a month | 4 | 90.33 | 2.67 | 3319.44 | 98.18 |
| Rarely | 5 | 5.06 | 0.15 | 3324.50 | 98.33 |
| A few times a year | 6 | 56.50 | 1.67 | 3381.00 | 100.00 |

ghs37n1a: 12/13 - P1 CAI D5.1.11 - Frequency of recurrent abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3229.48 | 95.52 | 3229.48 | 95.52 |
| Daily | 1 | 3.05 | 0.09 | 3232.53 | 95.61 |
| Most days 4-6 times a week | 2 | 2.77 | 0.08 | 3235.30 | 95.69 |
| Some days 1-3 times a week | 3 | 23.26 | 0.69 | 3258.56 | 96.38 |
| A few times a month | 4 | 72.83 | 2.15 | 3331.39 | 98.53 |
| Rarely | 5 | 3.53 | 0.10 | 3334.92 | 98.64 |
| A few times a year | 6 | 46.08 | 1.36 | 3381.00 | 100.00 |

ghs37t1a: 12/13 - P1 CAI D5.1.12 - Frequency of recurrent pain in other parts of the body

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3252.45 | 96.20 | 3252.45 | 96.20 |
| Daily | 1 | 3.57 | 0.11 | 3256.02 | 96.30 |
| Most days 4-6 times a week | 2 | 8.93 | 0.26 | 3264.95 | 96.57 |
| Some days 1-3 times a week | 3 | 22.45 | 0.66 | 3287.40 | 97.23 |
| A few times a month | 4 | 59.17 | 1.75 | 3346.57 | 98.98 |
| Rarely | 5 | 3.13 | 0.09 | 3349.71 | 99.07 |
| A few times a year | 6 | 31.29 | 0.93 | 3381.00 | 100.00 |

ghs37u1a: 12/13 - P1 CAI D5.1.13 - Frequency of bone, joint or muscle problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3102.55 | 91.76 | 3102.55 | 91.76 |
| Daily | 1 | 34.40 | 1.02 | 3136.94 | 92.78 |
| Most days 4-6 times a week | 2 | 18.44 | 0.55 | 3155.38 | 93.33 |
| Some days 1-3 times a week | 3 | 59.58 | 1.76 | 3214.96 | 95.09 |
| A few times a month | 4 | 80.87 | 2.39 | 3295.83 | 97.48 |
| Rarely | 5 | 18.77 | 0.56 | 3314.60 | 98.04 |
| A few times a year | 6 | 66.40 | 1.96 | 3381.00 | 100.00 |

ghs37v2a: 12/13 - P1 CAI D5.1.14 - Frequency of anxiety disorders

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3161.51 | 93.51 | 3161.51 | 93.51 |
| Daily | 1 | 32.19 | 0.95 | 3193.70 | 94.46 |
| Most days 4-6 times a week | 2 | 28.92 | 0.86 | 3222.62 | 95.32 |
| Some days 1-3 times a week | 3 | 58.30 | 1.72 | 3280.92 | 97.04 |
| A few times a month | 4 | 55.85 | 1.65 | 3336.77 | 98.69 |
| Rarely | 5 | 10.01 | 0.30 | 3346.79 | 98.99 |
| A few times a year | 6 | 34.21 | 1.01 | 3381.00 | 100.00 |

ghs37v3a: 12/13 - P1 CAI D5.1.15 - Frequency of depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3312.35 | 97.97 | 3312.35 | 97.97 |
| Daily | 1 | 13.47 | 0.40 | 3325.82 | 98.37 |
| Most days 4-6 times a week | 2 | 9.16 | 0.27 | 3334.98 | 98.64 |
| Some days 1-3 times a week | 3 | 15.99 | 0.47 | 3350.97 | 99.11 |
| A few times a month | 4 | 21.11 | 0.62 | 3372.08 | 99.74 |
| Rarely | 5 | 0.69 | 0.02 | 3372.77 | 99.76 |
| A few times a year | 6 | 8.23 | 0.24 | 3381.00 | 100.00 |

ghs37y1a: 12/13 - P1 CAI D5.1.16 - Frequency of epilepsy or seizures

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| Daily | 1 | 3.05 | 0.09 | 3363.24 | 99.47 |
| Some days 1-3 times a week | 3 | 0.78 | 0.02 | 3364.02 | 99.50 |
| A few times a month | 4 | 3.73 | 0.11 | 3367.76 | 99.61 |
| Rarely | 5 | 5.43 | 0.16 | 3373.18 | 99.77 |
| A few times a year | 6 | 7.82 | 0.23 | 3381.00 | 100.00 |

ghs37z1a: 12/13 - P1 CAI D5.1.17 - Frequency of chronic fatigue

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.44 | 99.81 | 3374.44 | 99.81 |
| Daily | 1 | 0.91 | 0.03 | 3375.36 | 99.83 |
| Most days 4-6 times a week | 2 | 1.25 | 0.04 | 3376.61 | 99.87 |
| A few times a month | 4 | 2.63 | 0.08 | 3379.24 | 99.95 |
| A few times a year | 6 | 1.76 | 0.05 | 3381.00 | 100.00 |

ghs1711: 12/13 - P1 CAI D6.1+W3-6 - Had ADD or ADHD medicine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3265.17 | 96.57 | 3265.17 | 96.57 |
| Yes | 1 | 70.92 | 2.10 | 3336.09 | 98.67 |
| No | 2 | 44.91 | 1.33 | 3381.00 | 100.00 |

ghs1713: 12/13 - P1 CAI D6.2 - Taking ADD or ADHD medication?

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3270.27 | 96.72 | 3270.27 | 96.72 |
| Yes | 1 | 88.21 | 2.61 | 3358.48 | 99.33 |
| No | 2 | 22.52 | 0.67 | 3381.00 | 100.00 |

ghs1713c1: 12/13 - P1 CAI D6.3 - Name of ADD/ADHD medication

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3292.79 | 97.39 | 3292.79 | 97.39 |
| Ritalin 10 tablets, Ritalin LA capsules or Concerta tablets | 1 | 55.65 | 1.65 | 3348.44 | 99.04 |
| Dexamphetamine | 2 | 12.69 | 0.38 | 3361.13 | 99.41 |
| Strattera | 3 | 3.22 | 0.10 | 3364.35 | 99.51 |
| Catapres | 4 | 2.66 | 0.08 | 3367.01 | 99.59 |
| Risperdal | 5 | 3.02 | 0.09 | 3370.02 | 99.68 |
| Melatonin | 6 | 3.34 | 0.10 | 3373.36 | 99.77 |
| Other specify | 7 | 7.64 | 0.23 | 3381.00 | 100.00 |

ghs17w2: 12/13 - P1 CAI D7.1.1/7.2.1 - Age autism/Aspergers diagnosed - Months

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 3237.99 | 95.77 | 3237.99 | 95.77 |
| 0 | 0.54 | 0.02 | 3238.53 | 95.79 |
| 10 | 2.24 | 0.07 | 3240.78 | 95.85 |
| 20 | 16.41 | 0.49 | 3257.18 | 96.34 |
| 40 | 14.78 | 0.44 | 3271.96 | 96.77 |
| 50 | 14.75 | 0.44 | 3286.71 | 97.21 |
| 60 | 7.85 | 0.23 | 3294.56 | 97.44 |
| 70 | 11.66 | 0.34 | 3306.22 | 97.79 |
| 80 | 13.18 | 0.39 | 3319.40 | 98.18 |
| 100 | 12.24 | 0.36 | 3331.65 | 98.54 |
| 110 | 16.25 | 0.48 | 3347.89 | 99.02 |
| 120 | 12.29 | 0.36 | 3360.18 | 99.38 |
| 130 | 6.89 | 0.20 | 3367.08 | 99.59 |

ghs17w2: 12/13 - P1 CAI D7.1.1/7.2.1 - Age autism/Aspergers diagnosed - Months

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 140 | 12.67 | 0.37 | 3379.75 | 99.96 |
| 160 | 1.25 | 0.04 | 3381.00 | 100.00 |

ghs17x2: 12/13 - P1 CAI D7.1.2/7.2.2 - Diabetes diagnosed

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 3366.89 | 99.58 | 3366.89 | 99.58 |
| 35 | 2.56 | 0.08 | 3369.45 | 99.66 |
| 50 | 0.81 | 0.02 | 3370.26 | 99.68 |
| 60 | 3.58 | 0.11 | 3373.84 | 99.79 |
| 85 | 1.87 | 0.06 | 3375.71 | 99.84 |
| 110 | 1.49 | 0.04 | 3377.20 | 99.89 |
| 120 | 1.43 | 0.04 | 3378.63 | 99.93 |
| 130 | 0.68 | 0.02 | 3379.31 | 99.95 |
| 145 | 1.69 | 0.05 | 3381.00 | 100.00 |

ghs17y2: 12/13 - P1 CAI D7.1.3/7.2.3 - Epilepsy or seizures diagnosed

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| 5 | 0.91 | 0.03 | 3361.10 | 99.41 |
| 20 | 0.72 | 0.02 | 3361.83 | 99.43 |
| 35 | 1.84 | 0.05 | 3363.67 | 99.49 |
| 60 | 1.54 | 0.05 | 3365.21 | 99.53 |
| 70 | 1.83 | 0.05 | 3367.04 | 99.59 |
| 85 | 2.66 | 0.08 | 3369.70 | 99.67 |
| 95 | 0.60 | 0.02 | 3370.30 | 99.68 |
| 110 | 0.88 | 0.03 | 3371.18 | 99.71 |
| 120 | 4.78 | 0.14 | 3375.96 | 99.85 |
| 130 | 2.37 | 0.07 | 3378.33 | 99.92 |
| 145 | 2.67 | 0.08 | 3381.00 | 100.00 |

ghs17w3: 12/13 - P1 CAI D7.1.1 - Age autism/Aspergers diagnosed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3237.99 | 95.77 | 3237.99 | 95.77 |
| Age in months | 1 | 5.09 | 0.15 | 3243.08 | 95.92 |
| Age in years | 2 | 137.92 | 4.08 | 3381.00 | 100.00 |

ghs17x3: 12/13 - P1 CAI D7.1.2 - Diabetes diagnosed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.89 | 99.58 | 3366.89 | 99.58 |
| Age in years | 2 | 14.11 | 0.42 | 3381.00 | 100.00 |

ghs17y3: 12/13 - P1 CAI D7.1.3 - Epilepsy or seizures diagnosed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| Age in months | 1 | 1.63 | 0.05 | 3361.83 | 99.43 |
| Age in years | 2 | 19.17 | 0.57 | 3381.00 | 100.00 |

ghs17w4: 12/13 - P1 CAI D7.2.1 - Age autism/Aspergers diagnosed

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3237.99 | 95.77 | 3237.99 | 95.77 |
| 0 | 14.10 | 0.42 | 3252.10 | 96.19 |
| 5 | 63.31 | 1.87 | 3315.41 | 98.06 |
| 10 | 61.51 | 1.82 | 3376.92 | 99.88 |
| 15 | 1.25 | 0.04 | 3378.17 | 99.92 |
| 20 | 2.83 | 0.08 | 3381.00 | 100.00 |

ghs17x4: 12/13 - P1 CAI D7.2.2 - Diabetes diagnosed

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3366.89 | 99.58 | 3366.89 | 99.58 |
| 0 | 3.37 | 0.10 | 3370.26 | 99.68 |
| 10 | 10.74 | 0.32 | 3381.00 | 100.00 |

ghs17y4: 12/13 - P1 CAI D7.2.3 - Epilepsy or seizures diagnosed

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| 0 | 1.84 | 0.05 | 3362.04 | 99.44 |
| 10 | 18.24 | 0.54 | 3380.28 | 99.98 |
| 20 | 0.72 | 0.02 | 3381.00 | 100.00 |

ghs43a1: 12/13 - P1 CAI D8.1.1 - Recent reaction to peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3325.03 | 98.34 | 3325.03 | 98.34 |
| -2 | -2 | 1.58 | 0.05 | 3326.62 | 98.39 |
| No more reactions | 1 | 2.87 | 0.08 | 3329.49 | 98.48 |
| Eliminated food from diet | 2 | 42.66 | 1.26 | 3372.15 | 99.74 |
| Yes | 3 | 8.85 | 0.26 | 3381.00 | 100.00 |

ghs43a2: 12/13 - P1 CAI D8.1.2 - Recent reaction to other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3345.10 | 98.94 | 3365.87 | 99.55 |
| No more reactions | 1 | 1.41 | 0.04 | 3367.28 | 99.59 |
| Eliminated food from diet | 2 | 12.36 | 0.37 | 3379.63 | 99.96 |
| Yes | 3 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs43a3: 12/13 - P1 CAI D8.1.3 - Recent reaction to hen's eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3354.26 | 99.21 | 3354.26 | 99.21 |
| -2 | -2 | 0.70 | 0.02 | 3354.96 | 99.23 |
| No more reactions | 1 | 9.16 | 0.27 | 3364.12 | 99.50 |
| Eliminated food from diet | 2 | 15.16 | 0.45 | 3379.28 | 99.95 |
| Yes | 3 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs43a4: 12/13 - P1 CAI D8.1.4 - Recent reaction to cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3331.99 | 98.55 | 3352.82 | 99.17 |
| No more reactions | 1 | 10.77 | 0.32 | 3363.59 | 99.49 |
| Eliminated food from diet | 2 | 13.02 | 0.39 | 3376.62 | 99.87 |
| Yes | 3 | 4.38 | 0.13 | 3381.00 | 100.00 |

ghs43a5: 12/13 - P1 CAI D8.1.5 - Recent reaction to soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.20 | 99.80 | 3374.20 | 99.80 |
| No more reactions | 1 | 1.19 | 0.04 | 3375.39 | 99.83 |
| Eliminated food from diet | 2 | 5.61 | 0.17 | 3381.00 | 100.00 |

ghs43a6: 12/13 - P1 CAI D8.1.6 - Recent reaction to sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.47 | 99.93 | 3378.47 | 99.93 |
| Eliminated food from diet | 2 | 2.53 | 0.07 | 3381.00 | 100.00 |

ghs43a7: 12/13 - P1 CAI D8.1.7 - Recent reaction to wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3353.05 | 99.17 | 3362.98 | 99.47 |
| -2 | -2 | 2.13 | 0.06 | 3365.11 | 99.53 |
| No more reactions | 1 | 6.05 | 0.18 | 3371.16 | 99.71 |
| Eliminated food from diet | 2 | 6.07 | 0.18 | 3377.23 | 99.89 |
| Yes | 3 | 3.77 | 0.11 | 3381.00 | 100.00 |

ghs43a11: 12/13 - P1 CAI D8.1.8 - Recent reaction to Fruit (1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3343.48 | 98.89 | 3356.99 | 99.29 |
| -2 | -2 | 3.50 | 0.10 | 3360.49 | 99.39 |
| No more reactions | 1 | 3.65 | 0.11 | 3364.14 | 99.50 |
| Eliminated food from diet | 2 | 14.96 | 0.44 | 3379.10 | 99.94 |
| Yes | 3 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs43a12: 12/13 - P1 CAI D8.1.9 - Recent reaction to Fruit (2)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3372.88 | 99.76 | 3374.50 | 99.81 |
| No more reactions | 1 | 5.24 | 0.15 | 3379.74 | 99.96 |
| Eliminated food from diet | 2 | 1.26 | 0.04 | 3381.00 | 100.00 |

ghs43a13: 12/13 - P1 CAI D8.1.10 - Recent reaction to Fruit (3)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3377.75 | 99.90 | 3378.54 | 99.93 |
| No more reactions | 1 | 1.74 | 0.05 | 3380.27 | 99.98 |
| Yes | 3 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs43a14: 12/13 - P1 CAI D8.1.11 - Recent reaction to preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3331.45 | 98.53 | 3347.49 | 99.01 |
| -2 | -2 | 3.50 | 0.10 | 3350.99 | 99.11 |
| No more reactions | 1 | 17.94 | 0.53 | 3368.93 | 99.64 |
| Eliminated food from diet | 2 | 7.98 | 0.24 | 3376.90 | 99.88 |
| Yes | 3 | 4.10 | 0.12 | 3381.00 | 100.00 |

ghs43a15: 12/13 - P1 CAI D8.1.12 - Recent reaction to additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3317.62 | 98.13 | 3339.70 | 98.78 |
| -2 | -2 | 4.82 | 0.14 | 3344.52 | 98.92 |
| No more reactions | 1 | 19.85 | 0.59 | 3364.37 | 99.51 |
| Eliminated food from diet | 2 | 13.31 | 0.39 | 3377.69 | 99.90 |
| Yes | 3 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs43a16: 12/13 - P1 CAI D8.1.13 - Recent reaction to seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3352.27 | 99.15 | 3358.77 | 99.34 |
| No more reactions | 1 | 4.47 | 0.13 | 3363.23 | 99.47 |
| Eliminated food from diet | 2 | 13.34 | 0.39 | 3376.58 | 99.87 |
| Yes | 3 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs43a8: 12/13 - P1 CAI D8.1.14 - Recent reaction to other food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3229.55 | 95.52 | 3330.77 | 98.51 |
| No more reactions | 1 | 19.78 | 0.58 | 3350.55 | 99.10 |
| Eliminated food from diet | 2 | 24.03 | 0.71 | 3374.58 | 99.81 |
| Yes | 3 | 6.42 | 0.19 | 3381.00 | 100.00 |

ghs43a9: 12/13 - P1 CAI D8.1.15 - Recent reaction to other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3366.77 | 99.58 | 3379.33 | 99.95 |
| Eliminated food from diet | 2 | 1.67 | 0.05 | 3381.00 | 100.00 |

ghs43a10: 12/13 - P1 CAI D8.1.16 - Recent reaction to other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41a1: 12/13 - P1 CAI D8.2.1.1 - reaction to peanuts - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 7.53 | 0.22 | 3379.68 | 99.96 |
| Yes | 1 | 1.32 | 0.04 | 3381.00 | 100.00 |

ghs41a2: 12/13 - P1 CAI D8.2.1.2 - reaction to peanuts - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 7.09 | 0.21 | 3379.24 | 99.95 |
| Yes | 1 | 1.76 | 0.05 | 3381.00 | 100.00 |

ghs41a3: 12/13 - P1 CAI D8.2.1.3 - reaction to peanuts - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 8.85 | 0.26 | 3381.00 | 100.00 |

ghs41a4: 12/13 - P1 CAI D8.2.1.4 - reaction to peanuts - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 8.85 | 0.26 | 3381.00 | 100.00 |

ghs41a5: 12/13 - P1 CAI D8.2.1.5 - reaction to peanuts - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 8.13 | 0.24 | 3380.28 | 99.98 |
| Yes | 1 | 0.72 | 0.02 | 3381.00 | 100.00 |

ghs41a6: 12/13 - P1 CAI D8.2.1.6 - reaction to peanuts - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 4.50 | 0.13 | 3376.65 | 99.87 |
| Yes | 1 | 4.35 | 0.13 | 3381.00 | 100.00 |

ghs41a7: 12/13 - P1 CAI D8.2.1.7 - reaction to peanuts - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 6.01 | 0.18 | 3378.15 | 99.92 |
| Yes | 1 | 2.85 | 0.08 | 3381.00 | 100.00 |

ghs41a8: 12/13 - P1 CAI D8.2.1.8 - reaction to peanuts - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.15 | 99.74 | 3372.15 | 99.74 |
| No | 0 | 7.34 | 0.22 | 3379.49 | 99.96 |
| Yes | 1 | 1.51 | 0.04 | 3381.00 | 100.00 |

ghs41b1: 12/13 - P1 CAI D8.2.2.1 - reaction to other nuts - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| No | 0 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41b2: 12/13 - P1 CAI D8.2.2.2 - reaction to other nuts - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| No | 0 | 0.85 | 0.03 | 3380.48 | 99.98 |
| Yes | 1 | 0.52 | 0.02 | 3381.00 | 100.00 |

ghs41b3: 12/13 - P1 CAI D8.2.2.3 - reaction to other nuts - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| No | 0 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41b4: 12/13 - P1 CAI D8.2.2.4 - reaction to other nuts - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| No | 0 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41b5: 12/13 - P1 CAI D8.2.2.5 - reaction to other nuts - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| No | 0 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41b6: 12/13 - P1 CAI D8.2.2.6 - reaction to other nuts - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| Yes | 1 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41b7: 12/13 - P1 CAI D8.2.2.7 - reaction to other nuts - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| Yes | 1 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41b8: 12/13 - P1 CAI D8.2.2.8 - reaction to other nuts - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3358.87 | 99.35 | 3379.63 | 99.96 |
| No | 0 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41c1: 12/13 - P1 CAI D8.2.3.1 - reaction to hen's eggs - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs41c2: 12/13 - P1 CAI D8.2.3.2 - reaction to hen's eggs - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs41c3: 12/13 - P1 CAI D8.2.3.3 - reaction to hen's eggs - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs41c4: 12/13 - P1 CAI D8.2.3.4 - reaction to hen's eggs - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs41c5: 12/13 - P1 CAI D8.2.3.5 - reaction to hen's eggs - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs41c6: 12/13 - P1 CAI D8.2.3.6 - reaction to hen's eggs - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 1.72 | 0.05 | 3381.00 | 100.00 |

ghs41c7: 12/13 - P1 CAI D8.2.3.7 - reaction to hen's eggs - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 0.91 | 0.03 | 3380.18 | 99.98 |
| Yes | 1 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs41c8: 12/13 - P1 CAI D8.2.3.8 - reaction to hen's eggs - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.28 | 99.95 | 3379.28 | 99.95 |
| No | 0 | 0.82 | 0.02 | 3380.09 | 99.97 |
| Yes | 1 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs41d1: 12/13 - P1 CAI D8.2.4.1 - reaction to cow's milk - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 2.82 | 0.08 | 3379.43 | 99.95 |
| Yes | 1 | 1.57 | 0.05 | 3381.00 | 100.00 |

ghs41d2: 12/13 - P1 CAI D8.2.4.2 - reaction to cow's milk - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 3.59 | 0.11 | 3380.21 | 99.98 |
| Yes | 1 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs41d3: 12/13 - P1 CAI D8.2.4.3 - reaction to cow's milk - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 4.38 | 0.13 | 3381.00 | 100.00 |

ghs41d4: 12/13 - P1 CAI D8.2.4.4 - reaction to cow's milk - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 3.65 | 0.11 | 3380.27 | 99.98 |
| Yes | 1 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41d5: 12/13 - P1 CAI D8.2.4.5 - reaction to cow's milk - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 4.38 | 0.13 | 3381.00 | 100.00 |

ghs41d6: 12/13 - P1 CAI D8.2.4.6 - reaction to cow's milk - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 3.59 | 0.11 | 3380.21 | 99.98 |
| Yes | 1 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs41d7: 12/13 - P1 CAI D8.2.4.7 - reaction to cow's milk - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 3.61 | 0.11 | 3380.22 | 99.98 |
| Yes | 1 | 0.78 | 0.02 | 3381.00 | 100.00 |

ghs41d8: 12/13 - P1 CAI D8.2.4.8 - reaction to cow's milk - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3355.79 | 99.25 | 3376.62 | 99.87 |
| No | 0 | 3.10 | 0.09 | 3379.71 | 99.96 |
| Yes | 1 | 1.29 | 0.04 | 3381.00 | 100.00 |

ghs41e1: 12/13 - P1 CAI D8.2.5.1 - reaction to soy - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e2: 12/13 - P1 CAI D8.2.5.2 - reaction to soy - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e3: 12/13 - P1 CAI D8.2.5.3 - reaction to soy - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e4: 12/13 - P1 CAI D8.2.5.4 - reaction to soy - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e5: 12/13 - P1 CAI D8.2.5.5 - reaction to soy - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e6: 12/13 - P1 CAI D8.2.5.6 - reaction to soy - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e7: 12/13 - P1 CAI D8.2.5.7 - reaction to soy - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41e8: 12/13 - P1 CAI D8.2.5.8 - reaction to soy - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f1: 12/13 - P1 CAI D8.2.6.1 - reaction to sesame - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f2: 12/13 - P1 CAI D8.2.6.2 - reaction to sesame - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f3: 12/13 - P1 CAI D8.2.6.3 - reaction to sesame -diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f4: 12/13 - P1 CAI D8.2.6.4 - reaction to sesame - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f5: 12/13 - P1 CAI D8.2.6.5 - reaction to sesame - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f6: 12/13 - P1 CAI D8.2.6.6 - reaction to sesame - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f7: 12/13 - P1 CAI D8.2.6.7 - reaction to sesame - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41f8: 12/13 - P1 CAI D8.2.6.8 - reaction to sesame - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs41g1: 12/13 - P1 CAI D8.2.7.1 - reaction to wheat - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 2.40 | 0.07 | 3379.63 | 99.96 |
| Yes | 1 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs41g2: 12/13 - P1 CAI D8.2.7.2 - reaction to wheat - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 3.77 | 0.11 | 3381.00 | 100.00 |

ghs41g3: 12/13 - P1 CAI D8.2.7.3 - reaction to wheat - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 1.48 | 0.04 | 3378.71 | 99.93 |
| Yes | 1 | 2.29 | 0.07 | 3381.00 | 100.00 |

ghs41g4: 12/13 - P1 CAI D8.2.7.4 - reaction to wheat - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 2.12 | 0.06 | 3379.35 | 99.95 |
| Yes | 1 | 1.65 | 0.05 | 3381.00 | 100.00 |

ghs41g5: 12/13 - P1 CAI D8.2.7.5 - reaction to wheat - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 3.77 | 0.11 | 3381.00 | 100.00 |

ghs41g6: 12/13 - P1 CAI D8.2.7.6 - reaction to wheat - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 3.77 | 0.11 | 3381.00 | 100.00 |

ghs41g7: 12/13 - P1 CAI D8.2.7.7 - reaction to wheat - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 3.77 | 0.11 | 3381.00 | 100.00 |

ghs41g8: 12/13 - P1 CAI D8.2.7.8 - reaction to wheat - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3367.30 | 99.59 | 3377.23 | 99.89 |
| No | 0 | 2.29 | 0.07 | 3379.52 | 99.96 |
| Yes | 1 | 1.48 | 0.04 | 3381.00 | 100.00 |

ghs41k1: 12/13 - P1 CAI D8.2.8.1 - reaction to fruit(1) - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| Yes | 1 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k2: 12/13 - P1 CAI D8.2.8.2 - reaction to fruit(1) - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k3: 12/13 - P1 CAI D8.2.8.3 - reaction to fruit(1) - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k4: 12/13 - P1 CAI D8.2.8.4 - reaction to fruit(1) - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k5: 12/13 - P1 CAI D8.2.8.5 - reaction to fruit(1) - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k6: 12/13 - P1 CAI D8.2.8.6 - reaction to fruit(1) - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k7: 12/13 - P1 CAI D8.2.8.7 - reaction to fruit(1) - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41k8: 12/13 - P1 CAI D8.2.8.8 - reaction to fruit(1) - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 0 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs41l1: 12/13 - P1 CAI D8.2.9.1 - reaction to fruit(2) - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l2: 12/13 - P1 CAI D8.2.9.2 - reaction to fruit(2) - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l3: 12/13 - P1 CAI D8.2.9.3 - reaction to fruit(2) - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l4: 12/13 - P1 CAI D8.2.9.4 - reaction to fruit(2) - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l5: 12/13 - P1 CAI D8.2.9.5 - reaction to fruit(2) - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l6: 12/13 - P1 CAI D8.2.9.6 - reaction to fruit(2) - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l7: 12/13 - P1 CAI D8.2.9.7 - reaction to fruit(2) - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41l8: 12/13 - P1 CAI D8.2.9.8 - reaction to fruit(2) - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs41m1: 12/13 - P1 CAI D8.2.10.1 - reaction to fruit(3) - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| No | 0 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m2: 12/13 - P1 CAI D8.2.10.2 - reaction to fruit(3) - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| No | 0 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m3: 12/13 - P1 CAI D8.2.10.3 - reaction to fruit(3) - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| No | 0 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m4: 12/13 - P1 CAI D8.2.10.4 - reaction to fruit(3) - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| Yes | 1 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m5: 12/13 - P1 CAI D8.2.10.5 - reaction to fruit(3) - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| No | 0 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m6: 12/13 - P1 CAI D8.2.10.6 - reaction to fruit(3) - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| No | 0 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m7: 12/13 - P1 CAI D8.2.10.7 - reaction to fruit(3) - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| No | 0 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41m8: 12/13 - P1 CAI D8.2.10.8 - reaction to fruit(3) - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3379.48 | 99.96 | 3380.27 | 99.98 |
| Yes | 1 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41n1: 12/13 - P1 CAI D8.2.11.1 - reaction to preservatives - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 2.14 | 0.06 | 3379.04 | 99.94 |
| Yes | 1 | 1.96 | 0.06 | 3381.00 | 100.00 |

ghs41n2: 12/13 - P1 CAI D8.2.11.2 - reaction to preservatives - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 4.10 | 0.12 | 3381.00 | 100.00 |

ghs41n3: 12/13 - P1 CAI D8.2.11.3 - reaction to preservatives - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 4.10 | 0.12 | 3381.00 | 100.00 |

ghs41n4: 12/13 - P1 CAI D8.2.11.4 - reaction to preservatives - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 3.36 | 0.10 | 3380.27 | 99.98 |
| Yes | 1 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs41n5: 12/13 - P1 CAI D8.2.11.5 - reaction to preservatives - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 4.10 | 0.12 | 3381.00 | 100.00 |

ghs41n6: 12/13 - P1 CAI D8.2.11.6 - reaction to preservatives - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 4.10 | 0.12 | 3381.00 | 100.00 |

ghs41n7: 12/13 - P1 CAI D8.2.11.7 - reaction to preservatives - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 3.31 | 0.10 | 3380.21 | 99.98 |
| Yes | 1 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs41n8: 12/13 - P1 CAI D8.2.11.8 - reaction to preservatives - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3360.87 | 99.40 | 3376.90 | 99.88 |
| No | 0 | 2.70 | 0.08 | 3379.60 | 99.96 |
| Yes | 1 | 1.40 | 0.04 | 3381.00 | 100.00 |

ghs41o1: 12/13 - P1 CAI D8.2.12.1 - reaction to additives - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 1.84 | 0.05 | 3379.53 | 99.96 |
| Yes | 1 | 1.47 | 0.04 | 3381.00 | 100.00 |

ghs41o2: 12/13 - P1 CAI D8.2.12.2 - reaction to additives - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs41o3: 12/13 - P1 CAI D8.2.12.3 - reaction to additives - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs41o4: 12/13 - P1 CAI D8.2.12.4 - reaction to additives - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs41o5: 12/13 - P1 CAI D8.2.12.5 - reaction to additives - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs41o6: 12/13 - P1 CAI D8.2.12.6 - reaction to additives - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs41o7: 12/13 - P1 CAI D8.2.12.7 - reaction to additives - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 3.31 | 0.10 | 3381.00 | 100.00 |

ghs41o8: 12/13 - P1 CAI D8.2.12.8 - reaction to additives - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3355.60 | 99.25 | 3377.69 | 99.90 |
| No | 0 | 1.47 | 0.04 | 3379.16 | 99.95 |
| Yes | 1 | 1.84 | 0.05 | 3381.00 | 100.00 |

ghs41p1: 12/13 - P1 CAI D8.2.13.1 - reaction to seafood - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs41p2: 12/13 - P1 CAI D8.2.13.2 - reaction to seafood - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| Yes | 1 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs41p3: 12/13 - P1 CAI D8.2.13.3 - reaction to seafood - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs41p4: 12/13 - P1 CAI D8.2.13.4 - reaction to seafood - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 3.50 | 0.10 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs41p5: 12/13 - P1 CAI D8.2.13.5 - reaction to seafood - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs41p6: 12/13 - P1 CAI D8.2.13.6 - reaction to seafood - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs41p7: 12/13 - P1 CAI D8.2.13.7 - reaction to seafood - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 3.50 | 0.10 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs41p8: 12/13 - P1 CAI D8.2.13.8 - reaction to seafood - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3370.07 | 99.68 | 3376.58 | 99.87 |
| No | 0 | 4.42 | 0.13 | 3381.00 | 100.00 |

ghs41h1: 12/13 - P1 CAI D8.2.14.1 - reaction to other food 1 - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 3.95 | 0.12 | 3378.52 | 99.93 |
| Yes | 1 | 2.48 | 0.07 | 3381.00 | 100.00 |

ghs41h2: 12/13 - P1 CAI D8.2.14.2 - reaction to other food 1 - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 6.42 | 0.19 | 3381.00 | 100.00 |

ghs41h3: 12/13 - P1 CAI D8.2.14.3 - reaction to other food 1 - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 5.61 | 0.17 | 3380.19 | 99.98 |
| Yes | 1 | 0.81 | 0.02 | 3381.00 | 100.00 |

ghs41h4: 12/13 - P1 CAI D8.2.14.4 - reaction to other food 1 - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 4.17 | 0.12 | 3378.75 | 99.93 |
| Yes | 1 | 2.25 | 0.07 | 3381.00 | 100.00 |

ghs41h5: 12/13 - P1 CAI D8.2.14.5 - reaction to other food 1 - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 5.61 | 0.17 | 3380.19 | 99.98 |
| Yes | 1 | 0.81 | 0.02 | 3381.00 | 100.00 |

ghs41h6: 12/13 - P1 CAI D8.2.14.6 - reaction to other food 1 - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 4.99 | 0.15 | 3379.57 | 99.96 |
| Yes | 1 | 1.43 | 0.04 | 3381.00 | 100.00 |

ghs41h7: 12/13 - P1 CAI D8.2.14.7 - reaction to other food 1 - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 4.99 | 0.15 | 3379.57 | 99.96 |
| Yes | 1 | 1.43 | 0.04 | 3381.00 | 100.00 |

ghs41h8: 12/13 - P1 CAI D8.2.14.8 - reaction to other food 1 - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3273.35 | 96.82 | 3374.58 | 99.81 |
| No | 0 | 4.73 | 0.14 | 3379.30 | 99.95 |
| Yes | 1 | 1.70 | 0.05 | 3381.00 | 100.00 |

ghs41i1: 12/13 - P1 CAI D8.2.15.1 - reaction to other food 2 - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i2: 12/13 - P1 CAI D8.2.15.2 - reaction to other food 2 - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i3: 12/13 - P1 CAI D8.2.15.3 - reaction to other food 2 - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i4: 12/13 - P1 CAI D8.2.15.4 - reaction to other food 2 - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i5: 12/13 - P1 CAI D8.2.15.5 - reaction to other food 2 - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i6: 12/13 - P1 CAI D8.2.15.6 - reaction to other food 2 - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i7: 12/13 - P1 CAI D8.2.15.7 - reaction to other food 2 - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41i8: 12/13 - P1 CAI D8.2.15.8 - reaction to other food 2 - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs41j1: 12/13 - P1 CAI D8.2.16.1 - reaction to other food 3 - skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j2: 12/13 - P1 CAI D8.2.16.2 - reaction to other food 3 - vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j3: 12/13 - P1 CAI D8.2.16.3 - reaction to other food 3 - diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j4: 12/13 - P1 CAI D8.2.16.4 - reaction to other food 3 - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j5: 12/13 - P1 CAI D8.2.16.5 - reaction to other food 3 - migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j6: 12/13 - P1 CAI D8.2.16.6 - reaction to other food 3 - difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j7: 12/13 - P1 CAI D8.2.16.7 - reaction to other food 3 - mouth swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs41j8: 12/13 - P1 CAI D8.2.16.8 - reaction to other food 3 - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs42a1: 12/13 - P1 CAI D8.4.1.1 - Type of skin rash urticaria - Peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.68 | 99.96 | 3379.68 | 99.96 |
| Yes | 1 | 0.60 | 0.02 | 3380.28 | 99.98 |
| No | 2 | 0.72 | 0.02 | 3381.00 | 100.00 |

ghs42b1: 12/13 - P1 CAI D8.4.1.2 - Type of skin rash eczema flare - Peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.68 | 99.96 | 3379.68 | 99.96 |
| No | 2 | 1.32 | 0.04 | 3381.00 | 100.00 |

ghs42c1: 12/13 - P1 CAI D8.4.1.3 - Type of skin rash other - Peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.68 | 99.96 | 3379.68 | 99.96 |
| Yes | 1 | 0.72 | 0.02 | 3380.40 | 99.98 |
| No | 2 | 0.60 | 0.02 | 3381.00 | 100.00 |

ghs42a2: 12/13 - P1 CAI D8.4.2.1 - Type of skin rash urticaria - Other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3360.24 | 99.39 | 3381.00 | 100.00 |

ghs42b2: 12/13 - P1 CAI D8.4.2.2 - Type of skin rash eczema flare - Other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3360.24 | 99.39 | 3381.00 | 100.00 |

ghs42c2: 12/13 - P1 CAI D8.4.2.3 - Type of skin rash other - Other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.76 | 0.61 | 20.76 | 0.61 |
| -9 | -9 | 3360.24 | 99.39 | 3381.00 | 100.00 |

ghs42a3: 12/13 - P1 CAI D8.4.3.1 - Type of skin rash urticaria - Eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42b3: 12/13 - P1 CAI D8.4.3.2 - Type of skin rash eczema flare - Eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42c3: 12/13 - P1 CAI D8.4.3.3 - Type of skin rash other - Eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42a4: 12/13 - P1 CAI D8.4.4.1 - Type of skin rash urticaria - Cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3358.60 | 99.34 | 3379.43 | 99.95 |
| Yes | 1 | 1.57 | 0.05 | 3381.00 | 100.00 |

ghs42b4: 12/13 - P1 CAI D8.4.4.2 - Type of skin rash eczema flare - Cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3358.60 | 99.34 | 3379.43 | 99.95 |
| No | 2 | 1.57 | 0.05 | 3381.00 | 100.00 |

ghs42c4: 12/13 - P1 CAI D8.4.4.3 - Type of skin rash other - Cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.83 | 0.62 | 20.83 | 0.62 |
| -9 | -9 | 3358.60 | 99.34 | 3379.43 | 99.95 |
| Yes | 1 | 0.79 | 0.02 | 3380.22 | 99.98 |
| No | 2 | 0.78 | 0.02 | 3381.00 | 100.00 |

ghs42a5: 12/13 - P1 CAI D8.4.5.1 - Type of skin rash urticaria - Soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42b5: 12/13 - P1 CAI D8.4.5.2 - Type of skin rash eczema flare - Soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42c5: 12/13 - P1 CAI D8.4.5.3 - Type of skin rash other - Soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42a6: 12/13 - P1 CAI D8.4.6.1 - Type of skin rash urticaria - Sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42b6: 12/13 - P1 CAI D8.4.6.2 - Type of skin rash eczema flare - Sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42c6: 12/13 - P1 CAI D8.4.6.3 - Type of skin rash other - Sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs42a7: 12/13 - P1 CAI D8.4.7.1 - Type of skin rash urticaria - Wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3369.70 | 99.67 | 3379.63 | 99.96 |
| No | 2 | 1.37 | 0.04 | 3381.00 | 100.00 |

ghs42b7: 12/13 - P1 CAI D8.4.7.2 - Type of skin rash eczema flare - Wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3369.70 | 99.67 | 3379.63 | 99.96 |
| Yes | 1 | 0.64 | 0.02 | 3380.27 | 99.98 |
| No | 2 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs42c7: 12/13 - P1 CAI D8.4.7.3 - Type of skin rash other - Wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 9.93 | 0.29 | 9.93 | 0.29 |
| -9 | -9 | 3369.70 | 99.67 | 3379.63 | 99.96 |
| Yes | 1 | 0.73 | 0.02 | 3380.36 | 99.98 |
| No | 2 | 0.64 | 0.02 | 3381.00 | 100.00 |

ghs42a11: 12/13 - P1 CAI D8.4.8.1 - Type of skin rash urticaria - fruit(1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 2 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs42b11: 12/13 - P1 CAI D8.4.8.2 - Type of skin rash eczema flare - fruit(1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| Yes | 1 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs42c11: 12/13 - P1 CAI D8.4.8.3 - Type of skin rash other - fruit(1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 13.51 | 0.40 | 13.51 | 0.40 |
| -9 | -9 | 3365.59 | 99.54 | 3379.10 | 99.94 |
| No | 2 | 1.90 | 0.06 | 3381.00 | 100.00 |

ghs42a12: 12/13 - P1 CAI D8.4.9.1 - Type of skin rash urticaria - fruit(2)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs42b12: 12/13 - P1 CAI D8.4.9.2 - Type of skin rash eczema flare - fruit(2)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs42c12: 12/13 - P1 CAI D8.4.9.3 - Type of skin rash other - fruit(2)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 1.63 | 0.05 | 1.63 | 0.05 |
| -9 | -9 | 3379.37 | 99.95 | 3381.00 | 100.00 |

ghs42a13: 12/13 - P1 CAI D8.4.10.1 - Type of skin rash urticaria - fruit(3)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3380.21 | 99.98 | 3381.00 | 100.00 |

ghs42b13: 12/13 - P1 CAI D8.4.10.2 - Type of skin rash eczema flare - fruit(3)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3380.21 | 99.98 | 3381.00 | 100.00 |

ghs42c13: 12/13 - P1 CAI D8.4.10.3 - Type of skin rash other - fruit(3)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.79 | 0.02 | 0.79 | 0.02 |
| -9 | -9 | 3380.21 | 99.98 | 3381.00 | 100.00 |

ghs42a14: 12/13 - P1 CAI D8.4.11.1 - Type of skin rash urticaria - preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3363.00 | 99.47 | 3379.04 | 99.94 |
| Yes | 1 | 0.79 | 0.02 | 3379.83 | 99.97 |
| No | 2 | 1.17 | 0.03 | 3381.00 | 100.00 |

ghs42b14: 12/13 - P1 CAI D8.4.11.2 - Type of skin rash eczema flare - preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3363.00 | 99.47 | 3379.04 | 99.94 |
| No | 2 | 1.96 | 0.06 | 3381.00 | 100.00 |

ghs42c14: 12/13 - P1 CAI D8.4.11.3 - Type of skin rash other - preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.04 | 0.47 | 16.04 | 0.47 |
| -9 | -9 | 3363.00 | 99.47 | 3379.04 | 99.94 |
| Yes | 1 | 1.17 | 0.03 | 3380.21 | 99.98 |
| No | 2 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs42a15: 12/13 - P1 CAI D8.4.12.1 - Type of skin rash urticaria - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3357.44 | 99.30 | 3379.53 | 99.96 |
| No | 2 | 1.47 | 0.04 | 3381.00 | 100.00 |

ghs42b15: 12/13 - P1 CAI D8.4.12.2 - Type of skin rash eczema flare - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3357.44 | 99.30 | 3379.53 | 99.96 |
| Yes | 1 | 0.88 | 0.03 | 3380.41 | 99.98 |
| No | 2 | 0.59 | 0.02 | 3381.00 | 100.00 |

ghs42c15: 12/13 - P1 CAI D8.4.12.3 - Type of skin rash other - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 22.09 | 0.65 | 22.09 | 0.65 |
| -9 | -9 | 3357.44 | 99.30 | 3379.53 | 99.96 |
| Yes | 1 | 0.59 | 0.02 | 3380.12 | 99.97 |
| No | 2 | 0.88 | 0.03 | 3381.00 | 100.00 |

ghs42a16: 12/13 - P1 CAI D8.4.13.1 - Type of skin rash urticaria - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3374.50 | 99.81 | 3381.00 | 100.00 |

ghs42b16: 12/13 - P1 CAI D8.4.13.2 - Type of skin rash eczema flare - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3374.50 | 99.81 | 3381.00 | 100.00 |

ghs42c16: 12/13 - P1 CAI D8.4.13.3 - Type of skin rash other - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 6.50 | 0.19 | 6.50 | 0.19 |
| -9 | -9 | 3374.50 | 99.81 | 3381.00 | 100.00 |

ghs42a8: 12/13 - P1 CAI D8.4.14.1 - Type of skin rash urticaria - Other food(1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3277.30 | 96.93 | 3378.52 | 99.93 |
| Yes | 1 | 1.41 | 0.04 | 3379.93 | 99.97 |
| No | 2 | 1.07 | 0.03 | 3381.00 | 100.00 |

ghs42b8: 12/13 - P1 CAI D8.4.14.2 - Type of skin rash eczema flare - Other food(1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3277.30 | 96.93 | 3378.52 | 99.93 |
| No | 2 | 2.48 | 0.07 | 3381.00 | 100.00 |

ghs42c8: 12/13 - P1 CAI D8.4.14.3 - Type of skin rash other - Other food(1)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 101.22 | 2.99 | 101.22 | 2.99 |
| -9 | -9 | 3277.30 | 96.93 | 3378.52 | 99.93 |
| Yes | 1 | 1.07 | 0.03 | 3379.59 | 99.96 |
| No | 2 | 1.41 | 0.04 | 3381.00 | 100.00 |

ghs42a9: 12/13 - P1 CAI D8.4.15.1 - Type of skin rash urticaria - Other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs42b9: 12/13 - P1 CAI D8.4.15.2 - Type of skin rash eczema flare - Other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs42c9: 12/13 - P1 CAI D8.4.15.3 - Type of skin rash other - Other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.57 | 0.37 | 12.57 | 0.37 |
| -9 | -9 | 3368.43 | 99.63 | 3381.00 | 100.00 |

ghs42a10: 12/13 - P1 CAI D8.4.16.1 - Type of skin rash urticaria - Other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs42b10: 12/13 - P1 CAI D8.4.16.2 - Type of skin rash eczema flare - Other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs42c10: 12/13 - P1 CAI D8.4.16.3 - Type of skin rash other - Other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 2.82 | 0.08 | 2.82 | 0.08 |
| -9 | -9 | 3378.18 | 99.92 | 3381.00 | 100.00 |

ghs39: 12/13 - P1 CAI D9.1 - Ever had a reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| Yes | 1 | 169.78 | 5.02 | 267.68 | 7.92 |
| No | 2 | 3113.32 | 92.08 | 3381.00 | 100.00 |

ghs39a1: 12/13 - P1 CAI D9.2.1 - Reaction to Peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 163.22 | 4.83 | 3373.75 | 99.79 |
| Yes | 1 | 7.25 | 0.21 | 3381.00 | 100.00 |

ghs39b1: 12/13 - P1 CAI D9.2.2 - Reaction to Other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 160.51 | 4.75 | 3371.04 | 99.71 |
| Yes | 1 | 9.96 | 0.29 | 3381.00 | 100.00 |

ghs39c1: 12/13 - P1 CAI D9.2.3 - Reaction to Eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 167.07 | 4.94 | 3377.60 | 99.90 |
| Yes | 1 | 3.40 | 0.10 | 3381.00 | 100.00 |

ghs39d1: 12/13 - P1 CAI D9.2.4 - Reaction to Cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 157.41 | 4.66 | 3367.93 | 99.61 |
| Yes | 1 | 13.07 | 0.39 | 3381.00 | 100.00 |

ghs39e1: 12/13 - P1 CAI D9.2.5 - Reaction to Soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 170.47 | 5.04 | 3381.00 | 100.00 |

ghs39f1: 12/13 - P1 CAI D9.2.6 - Reaction to Sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 170.47 | 5.04 | 3381.00 | 100.00 |

ghs39g1: 12/13 - P1 CAI D9.2.7 - Reaction to Wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 158.93 | 4.70 | 3369.45 | 99.66 |
| Yes | 1 | 11.55 | 0.34 | 3381.00 | 100.00 |

ghs39k1: 12/13 - P1 CAI D9.2.8 - Reaction to Fruit

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 152.86 | 4.52 | 3363.38 | 99.48 |
| Yes | 1 | 17.62 | 0.52 | 3381.00 | 100.00 |

ghs39n1: 12/13 - P1 CAI D9.2.9 - Reaction to Preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 162.32 | 4.80 | 3372.85 | 99.76 |
| Yes | 1 | 8.15 | 0.24 | 3381.00 | 100.00 |

ghs39o1: 12/13 - P1 CAI D9.2.10 - Reaction to Additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 156.14 | 4.62 | 3366.66 | 99.58 |
| Yes | 1 | 14.34 | 0.42 | 3381.00 | 100.00 |

ghs39p1: 12/13 - P1 CAI D9.2.11 - Reaction to Seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 162.45 | 4.80 | 3372.98 | 99.76 |
| Yes | 1 | 8.02 | 0.24 | 3381.00 | 100.00 |

ghs39h1: 12/13 - P1 CAI D9.2.12 - Reaction to Other food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3218.20 | 95.18 | 3218.20 | 95.18 |
| No | 0 | 140.92 | 4.17 | 3359.12 | 99.35 |
| Yes | 1 | 21.88 | 0.65 | 3381.00 | 100.00 |

ghs39q1: 12/13 - P1 CAI D9.2.13 - Reaction to Unknown food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| No | 0 | 96.14 | 2.84 | 3306.67 | 97.80 |
| Yes | 1 | 74.33 | 2.20 | 3381.00 | 100.00 |

ghs39a5: 12/13 - P1 CAI D9.5.1 - Time taken for Peanut reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| Less than half an hour | 1 | 2.91 | 0.09 | 3376.66 | 99.87 |
| More than 4 hours | 4 | 4.34 | 0.13 | 3381.00 | 100.00 |

ghs39b5: 12/13 - P1 CAI D9.5.2 - Time taken for other nuts reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| Less than half an hour | 1 | 7.91 | 0.23 | 3378.95 | 99.94 |
| 1 - 4 hours | 3 | 1.10 | 0.03 | 3380.05 | 99.97 |
| More than 4 hours | 4 | 0.95 | 0.03 | 3381.00 | 100.00 |

ghs39c5: 12/13 - P1 CAI D9.5.3 - Time taken for eggs reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| Less than half an hour | 1 | 2.68 | 0.08 | 3380.27 | 99.98 |
| More than 4 hours | 4 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs39d5: 12/13 - P1 CAI D9.5.4 - Time taken for cow's milk reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| Less than half an hour | 1 | 5.22 | 0.15 | 3373.15 | 99.77 |
| Half an hour to an hour | 2 | 1.42 | 0.04 | 3374.57 | 99.81 |
| 1 - 4 hours | 3 | 2.42 | 0.07 | 3376.99 | 99.88 |
| More than 4 hours | 4 | 4.01 | 0.12 | 3381.00 | 100.00 |

ghs39e5: 12/13 - P1 CAI D9.5.5 - Time taken for soy reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f5: 12/13 - P1 CAI D9.5.6 - Time taken for sesame reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39g5: 12/13 - P1 CAI D9.5.7 - Time taken for wheat reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| Less than half an hour | 1 | 1.72 | 0.05 | 3371.17 | 99.71 |
| Half an hour to an hour | 2 | 1.51 | 0.04 | 3372.68 | 99.75 |
| 1 - 4 hours | 3 | 4.26 | 0.13 | 3376.94 | 99.88 |
| More than 4 hours | 4 | 4.06 | 0.12 | 3381.00 | 100.00 |

ghs39k5: 12/13 - P1 CAI D9.5.8 - Time taken for fruit reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| Less than half an hour | 1 | 6.77 | 0.20 | 3374.26 | 99.80 |
| 1 - 4 hours | 3 | 2.17 | 0.06 | 3376.43 | 99.86 |
| More than 4 hours | 4 | 4.57 | 0.14 | 3381.00 | 100.00 |

ghs39l5: 12/13 - P1 CAI D9.5.9 - Time taken for fruit 2 reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| Less than half an hour | 1 | 2.00 | 0.06 | 3379.26 | 99.95 |
| 1 - 4 hours | 3 | 0.79 | 0.02 | 3380.05 | 99.97 |
| More than 4 hours | 4 | 0.95 | 0.03 | 3381.00 | 100.00 |

ghs39m5: 12/13 - P1 CAI D9.5.10 - Time taken for fruit 3 reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| 1 - 4 hours | 3 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39n5: 12/13 - P1 CAI D9.5.11 - Time taken for preservatives reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| Less than half an hour | 1 | 3.44 | 0.10 | 3377.41 | 99.89 |
| More than 4 hours | 4 | 3.59 | 0.11 | 3381.00 | 100.00 |

ghs39o5: 12/13 - P1 CAI D9.5.12 - Time taken for additives reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| Less than half an hour | 1 | 7.83 | 0.23 | 3374.49 | 99.81 |
| 1 - 4 hours | 3 | 2.76 | 0.08 | 3377.25 | 99.89 |
| More than 4 hours | 4 | 3.75 | 0.11 | 3381.00 | 100.00 |

ghs39p5: 12/13 - P1 CAI D9.5.13 - Time taken for seafood reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| Less than half an hour | 1 | 5.60 | 0.17 | 3380.34 | 99.98 |
| 1 - 4 hours | 3 | 0.66 | 0.02 | 3381.00 | 100.00 |

ghs39h5: 12/13 - P1 CAI D9.5.14 - Time taken for other food reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| Less than half an hour | 1 | 11.40 | 0.34 | 3363.59 | 99.49 |
| Half an hour to an hour | 2 | 2.26 | 0.07 | 3365.85 | 99.55 |
| 1 - 4 hours | 3 | 5.66 | 0.17 | 3371.51 | 99.72 |
| More than 4 hours | 4 | 9.49 | 0.28 | 3381.00 | 100.00 |

ghs39i5: 12/13 - P1 CAI D9.5.15 - Time taken for other food 2 reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| Less than half an hour | 1 | 0.72 | 0.02 | 3379.52 | 99.96 |
| Half an hour to an hour | 2 | 0.63 | 0.02 | 3380.14 | 99.97 |
| 1 - 4 hours | 3 | 0.86 | 0.03 | 3381.00 | 100.00 |

ghs39j5: 12/13 - P1 CAI D9.5.16 - Time taken for other food 3 reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39q5: 12/13 - P1 CAI D9.5.17 - Time taken for unknown food reaction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| Less than half an hour | 1 | 13.36 | 0.40 | 3318.63 | 98.16 |
| Half an hour to an hour | 2 | 20.12 | 0.60 | 3338.76 | 98.75 |
| 1 - 4 hours | 3 | 20.26 | 0.60 | 3359.02 | 99.35 |
| More than 4 hours | 4 | 21.98 | 0.65 | 3381.00 | 100.00 |

ghs39a6a: 12/13 - P1 CAI D9.6.1.1 - Reaction Peanuts - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 1.29 | 0.04 | 3375.04 | 99.82 |
| Yes | 1 | 5.96 | 0.18 | 3381.00 | 100.00 |

ghs39a6b: 12/13 - P1 CAI D9.6.1.2 - Reaction Peanuts - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 6.47 | 0.19 | 3380.22 | 99.98 |
| Yes | 1 | 0.78 | 0.02 | 3381.00 | 100.00 |

ghs39a6c: 12/13 - P1 CAI D9.6.1.3 - Reaction Peanuts - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 7.25 | 0.21 | 3381.00 | 100.00 |

ghs39a6d: 12/13 - P1 CAI D9.6.1.4 - Reaction Peanuts - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 6.47 | 0.19 | 3380.22 | 99.98 |
| Yes | 1 | 0.78 | 0.02 | 3381.00 | 100.00 |

ghs39a6e: 12/13 - P1 CAI D9.6.1.5 - Reaction Peanuts - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 3.75 | 0.11 | 3377.50 | 99.90 |
| Yes | 1 | 3.50 | 0.10 | 3381.00 | 100.00 |

ghs39a6f: 12/13 - P1 CAI D9.6.1.6 - Reaction Peanuts - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 7.25 | 0.21 | 3381.00 | 100.00 |

ghs39a6g: 12/13 - P1 CAI D9.6.1.7 - Reaction Peanuts - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 1.61 | 0.05 | 3375.37 | 99.83 |
| Yes | 1 | 5.63 | 0.17 | 3381.00 | 100.00 |

ghs39a6h: 12/13 - P1 CAI D9.6.1.8 - Reaction Peanuts - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| No | 0 | 7.25 | 0.21 | 3381.00 | 100.00 |

ghs39b6a: 12/13 - P1 CAI D9.6.2.1 - Reaction Other nuts - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 4.19 | 0.12 | 3375.23 | 99.83 |
| Yes | 1 | 5.77 | 0.17 | 3381.00 | 100.00 |

ghs39b6b: 12/13 - P1 CAI D9.6.2.2 - Reaction Other nuts - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 8.56 | 0.25 | 3379.60 | 99.96 |
| Yes | 1 | 1.40 | 0.04 | 3381.00 | 100.00 |

ghs39b6c: 12/13 - P1 CAI D9.6.2.3 - Reaction Other nuts - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 9.32 | 0.28 | 3380.36 | 99.98 |
| Yes | 1 | 0.64 | 0.02 | 3381.00 | 100.00 |

ghs39b6d: 12/13 - P1 CAI D9.6.2.4 - Reaction Other nuts - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 7.88 | 0.23 | 3378.92 | 99.94 |
| Yes | 1 | 2.08 | 0.06 | 3381.00 | 100.00 |

ghs39b6e: 12/13 - P1 CAI D9.6.2.5 - Reaction Other nuts - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 9.32 | 0.28 | 3380.36 | 99.98 |
| Yes | 1 | 0.64 | 0.02 | 3381.00 | 100.00 |

ghs39b6f: 12/13 - P1 CAI D9.6.2.6 - Reaction Other nuts - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 7.03 | 0.21 | 3378.07 | 99.91 |
| Yes | 1 | 2.93 | 0.09 | 3381.00 | 100.00 |

ghs39b6g: 12/13 - P1 CAI D9.6.2.7 - Reaction Other nuts - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 3.52 | 0.10 | 3374.56 | 99.81 |
| Yes | 1 | 6.44 | 0.19 | 3381.00 | 100.00 |

ghs39b6h: 12/13 - P1 CAI D9.6.2.8 - Reaction Other nuts - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| No | 0 | 9.96 | 0.29 | 3381.00 | 100.00 |

ghs39c6a: 12/13 - P1 CAI D9.6.3.1 - Reaction hen's eggs - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 1.43 | 0.04 | 3379.03 | 99.94 |
| Yes | 1 | 1.97 | 0.06 | 3381.00 | 100.00 |

ghs39c6b: 12/13 - P1 CAI D9.6.3.2 - Reaction hen's eggs - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 3.40 | 0.10 | 3381.00 | 100.00 |

ghs39c6c: 12/13 - P1 CAI D9.6.3.3 - Reaction hen's eggs - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 3.40 | 0.10 | 3381.00 | 100.00 |

ghs39c6d: 12/13 - P1 CAI D9.6.3.4 - Reaction hen's eggs - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 1.97 | 0.06 | 3379.57 | 99.96 |
| Yes | 1 | 1.43 | 0.04 | 3381.00 | 100.00 |

ghs39c6e: 12/13 - P1 CAI D9.6.3.5 - Reaction hen's eggs - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 3.40 | 0.10 | 3381.00 | 100.00 |

ghs39c6f: 12/13 - P1 CAI D9.6.3.6 - Reaction hen's eggs - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 1.97 | 0.06 | 3379.57 | 99.96 |
| Yes | 1 | 1.43 | 0.04 | 3381.00 | 100.00 |

ghs39c6g: 12/13 - P1 CAI D9.6.3.7 - Reaction hen's eggs - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 1.97 | 0.06 | 3379.57 | 99.96 |
| Yes | 1 | 1.43 | 0.04 | 3381.00 | 100.00 |

ghs39c6h: 12/13 - P1 CAI D9.6.3.8 - Reaction hen's eggs - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 0 | 3.40 | 0.10 | 3381.00 | 100.00 |

ghs39d6a: 12/13 - P1 CAI D9.6.4.1 - Reaction cow's milk - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 11.49 | 0.34 | 3379.42 | 99.95 |
| Yes | 1 | 1.58 | 0.05 | 3381.00 | 100.00 |

ghs39d6b: 12/13 - P1 CAI D9.6.4.2 - Reaction cow's milk - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 11.54 | 0.34 | 3379.47 | 99.95 |
| Yes | 1 | 1.53 | 0.05 | 3381.00 | 100.00 |

ghs39d6c: 12/13 - P1 CAI D9.6.4.3 - Reaction cow's milk - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 7.99 | 0.24 | 3375.92 | 99.85 |
| Yes | 1 | 5.08 | 0.15 | 3381.00 | 100.00 |

ghs39d6d: 12/13 - P1 CAI D9.6.4.4 - Reaction cow's milk - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 5.77 | 0.17 | 3373.70 | 99.78 |
| Yes | 1 | 7.30 | 0.22 | 3381.00 | 100.00 |

ghs39d6e: 12/13 - P1 CAI D9.6.4.5 - Reaction cow's milk - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 13.07 | 0.39 | 3381.00 | 100.00 |

ghs39d6f: 12/13 - P1 CAI D9.6.4.6 - Reaction cow's milk - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 13.07 | 0.39 | 3381.00 | 100.00 |

ghs39d6g: 12/13 - P1 CAI D9.6.4.7 - Reaction cow's milk - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 13.07 | 0.39 | 3381.00 | 100.00 |

ghs39d6h: 12/13 - P1 CAI D9.6.4.8 - Reaction cow's milk - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 0 | 10.93 | 0.32 | 3378.86 | 99.94 |
| Yes | 1 | 2.14 | 0.06 | 3381.00 | 100.00 |

ghs39e6a: 12/13 - P1 CAI D9.6.5.1 - Reaction soy - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6b: 12/13 - P1 CAI D9.6.5.2 - Reaction soy - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6c: 12/13 - P1 CAI D9.6.5.3 - Reaction soy - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6d: 12/13 - P1 CAI D9.6.5.4 - Reaction soy - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6e: 12/13 - P1 CAI D9.6.5.5 - Reaction soy - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6f: 12/13 - P1 CAI D9.6.5.6 - Reaction soy - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6g: 12/13 - P1 CAI D9.6.5.7 - Reaction soy - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e6h: 12/13 - P1 CAI D9.6.5.8 - Reaction soy - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6a: 12/13 - P1 CAI D9.6.6.1 - Reaction sesame - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6b: 12/13 - P1 CAI D9.6.6.2 - Reaction sesame - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6c: 12/13 - P1 CAI D9.6.6.3 - Reaction sesame - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6d: 12/13 - P1 CAI D9.6.6.4 - Reaction sesame - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6e: 12/13 - P1 CAI D9.6.6.5 - Reaction sesame - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6f: 12/13 - P1 CAI D9.6.6.6 - Reaction sesame - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6g: 12/13 - P1 CAI D9.6.6.7 - Reaction sesame - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f6h: 12/13 - P1 CAI D9.6.6.8 - Reaction sesame - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39g6a: 12/13 - P1 CAI D9.6.7.1 - Reaction wheat - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 7.31 | 0.22 | 3376.77 | 99.87 |
| Yes | 1 | 4.23 | 0.13 | 3381.00 | 100.00 |

ghs39g6b: 12/13 - P1 CAI D9.6.7.2 - Reaction wheat - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 11.55 | 0.34 | 3381.00 | 100.00 |

ghs39g6c: 12/13 - P1 CAI D9.6.7.3 - Reaction wheat - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 11.55 | 0.34 | 3381.00 | 100.00 |

ghs39g6d: 12/13 - P1 CAI D9.6.7.4 - Reaction wheat - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 2.91 | 0.09 | 3372.36 | 99.74 |
| Yes | 1 | 8.64 | 0.26 | 3381.00 | 100.00 |

ghs39g6e: 12/13 - P1 CAI D9.6.7.5 - Reaction wheat - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 10.63 | 0.31 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs39g6f: 12/13 - P1 CAI D9.6.7.6 - Reaction wheat - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 11.07 | 0.33 | 3380.52 | 99.99 |
| Yes | 1 | 0.48 | 0.01 | 3381.00 | 100.00 |

ghs39g6g: 12/13 - P1 CAI D9.6.7.7 - Reaction wheat - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 10.63 | 0.31 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs39g6h: 12/13 - P1 CAI D9.6.7.8 - Reaction wheat - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 0 | 10.90 | 0.32 | 3380.35 | 99.98 |
| Yes | 1 | 0.65 | 0.02 | 3381.00 | 100.00 |

ghs39k6a: 12/13 - P1 CAI D9.6.8.1 - Reaction fruit- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 7.54 | 0.22 | 3375.02 | 99.82 |
| Yes | 1 | 5.98 | 0.18 | 3381.00 | 100.00 |

ghs39k6b: 12/13 - P1 CAI D9.6.8.2 - Reaction fruit - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 13.16 | 0.39 | 3380.65 | 99.99 |
| Yes | 1 | 0.35 | 0.01 | 3381.00 | 100.00 |

ghs39k6c: 12/13 - P1 CAI D9.6.8.3 - Reaction fruit - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 13.51 | 0.40 | 3381.00 | 100.00 |

ghs39k6d: 12/13 - P1 CAI D9.6.8.4 - Reaction fruit - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 10.26 | 0.30 | 3377.75 | 99.90 |
| Yes | 1 | 3.25 | 0.10 | 3381.00 | 100.00 |

ghs39k6e: 12/13 - P1 CAI D9.6.8.5 - Reaction fruit - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 13.16 | 0.39 | 3380.65 | 99.99 |
| Yes | 1 | 0.35 | 0.01 | 3381.00 | 100.00 |

ghs39k6f: 12/13 - P1 CAI D9.6.8.6 - Reaction fruit - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 13.51 | 0.40 | 3381.00 | 100.00 |

ghs39k6g: 12/13 - P1 CAI D9.6.8.7 - Reaction fruit - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 8.41 | 0.25 | 3375.90 | 99.85 |
| Yes | 1 | 5.10 | 0.15 | 3381.00 | 100.00 |

ghs39k6h: 12/13 - P1 CAI D9.6.8.8 - Reaction fruit - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 0 | 9.42 | 0.28 | 3376.91 | 99.88 |
| Yes | 1 | 4.09 | 0.12 | 3381.00 | 100.00 |

ghs39l6a: 12/13 - P1 CAI D9.6.9.1 - Reaction fruit 2- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 1.15 | 0.03 | 3378.40 | 99.92 |
| Yes | 1 | 2.60 | 0.08 | 3381.00 | 100.00 |

ghs39l6b: 12/13 - P1 CAI D9.6.9.2 - Reaction fruit 2 - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39l6c: 12/13 - P1 CAI D9.6.9.3 - Reaction fruit 2 - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39l6d: 12/13 - P1 CAI D9.6.9.4 - Reaction fruit 2 - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 2.60 | 0.08 | 3379.85 | 99.97 |
| Yes | 1 | 1.15 | 0.03 | 3381.00 | 100.00 |

ghs39l6e: 12/13 - P1 CAI D9.6.9.5 - Reaction fruit 2 - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39l6f: 12/13 - P1 CAI D9.6.9.6 - Reaction fruit 2 - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39l6g: 12/13 - P1 CAI D9.6.9.7 - Reaction fruit 2 - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39l6h: 12/13 - P1 CAI D9.6.9.8 - Reaction fruit 2 - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 0 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39m6a: 12/13 - P1 CAI D9.6.10.1 - Reaction fruit 3- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| Yes | 1 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6b: 12/13 - P1 CAI D9.6.10.2 - Reaction fruit 3 - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6c: 12/13 - P1 CAI D9.6.10.3 - Reaction fruit 3 - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6d: 12/13 - P1 CAI D9.6.10.4 - Reaction fruit 3 - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6e: 12/13 - P1 CAI D9.6.10.5 - Reaction fruit 3 - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6f: 12/13 - P1 CAI D9.6.10.6 - Reaction fruit 3 - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6g: 12/13 - P1 CAI D9.6.10.7 - Reaction fruit 3 - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39m6h: 12/13 - P1 CAI D9.6.10.8 - Reaction fruit 3 - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 0 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39n6a: 12/13 - P1 CAI D9.6.11.1 - Reaction preservatives- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 1.83 | 0.05 | 3375.79 | 99.85 |
| Yes | 1 | 5.21 | 0.15 | 3381.00 | 100.00 |

ghs39n6b: 12/13 - P1 CAI D9.6.11.2 - Reaction preservatives - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 6.46 | 0.19 | 3380.42 | 99.98 |
| Yes | 1 | 0.58 | 0.02 | 3381.00 | 100.00 |

ghs39n6c: 12/13 - P1 CAI D9.6.11.3 - Reaction preservatives - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 6.40 | 0.19 | 3380.36 | 99.98 |
| Yes | 1 | 0.64 | 0.02 | 3381.00 | 100.00 |

ghs39n6d: 12/13 - P1 CAI D9.6.11.4 - Reaction preservatives - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 6.46 | 0.19 | 3380.42 | 99.98 |
| Yes | 1 | 0.58 | 0.02 | 3381.00 | 100.00 |

ghs39n6e: 12/13 - P1 CAI D9.6.11.5 - Reaction preservatives - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 7.04 | 0.21 | 3381.00 | 100.00 |

ghs39n6f: 12/13 - P1 CAI D9.6.11.6 - Reaction preservatives - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 5.82 | 0.17 | 3379.78 | 99.96 |
| Yes | 1 | 1.22 | 0.04 | 3381.00 | 100.00 |

ghs39n6g: 12/13 - P1 CAI D9.6.11.7 - Reaction preservatives - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 6.46 | 0.19 | 3380.42 | 99.98 |
| Yes | 1 | 0.58 | 0.02 | 3381.00 | 100.00 |

ghs39n6h: 12/13 - P1 CAI D9.6.11.8 - Reaction preservatives - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 0 | 5.84 | 0.17 | 3379.81 | 99.96 |
| Yes | 1 | 1.19 | 0.04 | 3381.00 | 100.00 |

ghs39o6a: 12/13 - P1 CAI D9.6.12.1 - Reaction additives- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 4.57 | 0.14 | 3371.24 | 99.71 |
| Yes | 1 | 9.76 | 0.29 | 3381.00 | 100.00 |

ghs39o6b: 12/13 - P1 CAI D9.6.12.2 - Reaction additives - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 14.34 | 0.42 | 3381.00 | 100.00 |

ghs39o6c: 12/13 - P1 CAI D9.6.12.3 - Reaction additives - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 13.42 | 0.40 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs39o6d: 12/13 - P1 CAI D9.6.12.4 - Reaction additives - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 11.18 | 0.33 | 3377.85 | 99.91 |
| Yes | 1 | 3.15 | 0.09 | 3381.00 | 100.00 |

ghs39o6e: 12/13 - P1 CAI D9.6.12.5 - Reaction additives - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 11.99 | 0.35 | 3378.65 | 99.93 |
| Yes | 1 | 2.35 | 0.07 | 3381.00 | 100.00 |

ghs39o6f: 12/13 - P1 CAI D9.6.12.6- Reaction additives - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 14.34 | 0.42 | 3381.00 | 100.00 |

ghs39o6g: 12/13 - P1 CAI D9.6.12.7 - Reaction additives - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 13.42 | 0.40 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs39o6h: 12/13 - P1 CAI D9.6.12.8 - Reaction additives - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 0 | 10.55 | 0.31 | 3377.22 | 99.89 |
| Yes | 1 | 3.78 | 0.11 | 3381.00 | 100.00 |

ghs39p6a: 12/13 - P1 CAI D9.6.13.1 - Reaction seafood- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 4.99 | 0.15 | 3379.73 | 99.96 |
| Yes | 1 | 1.27 | 0.04 | 3381.00 | 100.00 |

ghs39p6b: 12/13 - P1 CAI D9.6.13.2 - Reaction seafood - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 2.73 | 0.08 | 3377.47 | 99.90 |
| Yes | 1 | 3.53 | 0.10 | 3381.00 | 100.00 |

ghs39p6c: 12/13 - P1 CAI D9.6.13.3 - Reaction seafood - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 6.26 | 0.19 | 3381.00 | 100.00 |

ghs39p6d: 12/13 - P1 CAI D9.6.13.4 - Reaction seafood - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 4.83 | 0.14 | 3379.57 | 99.96 |
| Yes | 1 | 1.43 | 0.04 | 3381.00 | 100.00 |

ghs39p6e: 12/13 - P1 CAI D9.6.13.5 - Reaction seafood - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 6.26 | 0.19 | 3381.00 | 100.00 |

ghs39p6f: 12/13 - P1 CAI D9.6.13.6 - Reaction seafood - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 3.37 | 0.10 | 3378.11 | 99.91 |
| Yes | 1 | 2.89 | 0.09 | 3381.00 | 100.00 |

ghs39p6g: 12/13 - P1 CAI D9.6.13.7 - Reaction seafood - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 2.81 | 0.08 | 3377.55 | 99.90 |
| Yes | 1 | 3.45 | 0.10 | 3381.00 | 100.00 |

ghs39p6h: 12/13 - P1 CAI D9.6.13.8 - Reaction seafood - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 0 | 6.26 | 0.19 | 3381.00 | 100.00 |

ghs39h6a: 12/13 - P1 CAI D9.6.14.1 - Reaction other food - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 14.37 | 0.42 | 3366.57 | 99.57 |
| Yes | 1 | 14.43 | 0.43 | 3381.00 | 100.00 |

ghs39h6b: 12/13 - P1 CAI D9.6.14.2 - Reaction other food - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 24.76 | 0.73 | 3376.96 | 99.88 |
| Yes | 1 | 4.04 | 0.12 | 3381.00 | 100.00 |

ghs39h6c: 12/13 - P1 CAI D9.6.14.3 - Reaction other food - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 25.06 | 0.74 | 3377.26 | 99.89 |
| Yes | 1 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39h6d: 12/13 - P1 CAI D9.6.14.4 - Reaction other food - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 27.22 | 0.81 | 3379.42 | 99.95 |
| Yes | 1 | 1.58 | 0.05 | 3381.00 | 100.00 |

ghs39h6e: 12/13 - P1 CAI D9.6.14.5 - Reaction other food - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 28.80 | 0.85 | 3381.00 | 100.00 |

ghs39h6f: 12/13 - P1 CAI D9.6.14.6 - Reaction other food - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 28.80 | 0.85 | 3381.00 | 100.00 |

ghs39h6g: 12/13 - P1 CAI D9.6.14.7 - Reaction other food - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 24.62 | 0.73 | 3376.82 | 99.88 |
| Yes | 1 | 4.18 | 0.12 | 3381.00 | 100.00 |

ghs39h6h: 12/13 - P1 CAI D9.6.14.8 - Reaction other food - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| No | 0 | 21.00 | 0.62 | 3373.19 | 99.77 |
| Yes | 1 | 7.81 | 0.23 | 3381.00 | 100.00 |

ghs39i6a: 12/13 - P1 CAI D9.6.15.1 - Reaction other food 2 - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 1.57 | 0.05 | 3380.37 | 99.98 |
| Yes | 1 | 0.63 | 0.02 | 3381.00 | 100.00 |

ghs39i6b: 12/13 - P1 CAI D9.6.15.2 - Reaction other food 2 - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 2.20 | 0.07 | 3381.00 | 100.00 |

ghs39i6c: 12/13 - P1 CAI D9.6.15.3 - Reaction other food 2 - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 2.20 | 0.07 | 3381.00 | 100.00 |

ghs39i6d: 12/13 - P1 CAI D9.6.15.4 - Reaction other food 2 - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 1.34 | 0.04 | 3380.14 | 99.97 |
| Yes | 1 | 0.86 | 0.03 | 3381.00 | 100.00 |

ghs39i6e: 12/13 - P1 CAI D9.6.15.5- Reaction other food 2 - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 2.20 | 0.07 | 3381.00 | 100.00 |

ghs39i6f: 12/13 - P1 CAI D9.6.15.6 - Reaction other food 2 - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 2.20 | 0.07 | 3381.00 | 100.00 |

ghs39i6g: 12/13 - P1 CAI D9.6.15.7 - Reaction other food 2 - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 1.48 | 0.04 | 3380.28 | 99.98 |
| Yes | 1 | 0.72 | 0.02 | 3381.00 | 100.00 |

ghs39i6i: 12/13 - P1 CAI D9.6.15.8 - Reaction other food 2 - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| No | 0 | 2.20 | 0.07 | 3381.00 | 100.00 |

ghs39j6a: 12/13 - P1 CAI D9.6.16.1 - Reaction other food 3 - Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6b: 12/13 - P1 CAI D9.6.16.2 - Reaction other food 3 - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6c: 12/13 - P1 CAI D9.6.16.3 - Reaction other food 3 - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6d: 12/13 - P1 CAI D9.6.16.4 - Reaction other food 3 - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6e: 12/13 - P1 CAI D9.6.16.5 - Reaction other food 3 - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6f: 12/13 - P1 CAI D9.6.16.6 - Reaction other food 3 - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6g: 12/13 - P1 CAI D9.6.16.7 - Reaction other food 3 - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39j6h: 12/13 - P1 CAI D9.6.16.8 - Reaction other food 3 - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39q6a: 12/13 - P1 CAI D9.6.17.1 - Reaction unknown food- Skin rash

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 19.08 | 0.56 | 3324.35 | 98.32 |
| Yes | 1 | 56.65 | 1.68 | 3381.00 | 100.00 |

ghs39q6b: 12/13 - P1 CAI D9.6.17.2 - Reaction unknown food - Vomiting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 74.17 | 2.19 | 3379.44 | 99.95 |
| Yes | 1 | 1.56 | 0.05 | 3381.00 | 100.00 |

ghs39q6c: 12/13 - P1 CAI D9.6.17.3 - Reaction unknown food - Diarrhoea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 73.76 | 2.18 | 3379.04 | 99.94 |
| Yes | 1 | 1.96 | 0.06 | 3381.00 | 100.00 |

ghs39q6d: 12/13 - P1 CAI D9.6.17.4 - Reaction unknown food - Abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 64.95 | 1.92 | 3370.22 | 99.68 |
| Yes | 1 | 10.78 | 0.32 | 3381.00 | 100.00 |

ghs39q6e: 12/13 - P1 CAI D9.6.17.5 - Reaction unknown food - Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 71.98 | 2.13 | 3377.25 | 99.89 |
| Yes | 1 | 3.75 | 0.11 | 3381.00 | 100.00 |

ghs39q6f: 12/13 - P1 CAI D9.6.17.6 - Reaction unknown food - Difficulty breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 71.83 | 2.12 | 3377.10 | 99.88 |
| Yes | 1 | 3.90 | 0.12 | 3381.00 | 100.00 |

ghs39q6g: 12/13 - P1 CAI D9.6.17.7 - Reaction unknown food - Swelling of mouth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 69.80 | 2.06 | 3375.08 | 99.82 |
| Yes | 1 | 5.92 | 0.18 | 3381.00 | 100.00 |

ghs39q6h: 12/13 - P1 CAI D9.6.17.8 - Reaction unknown food - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.27 | 97.76 | 3305.27 | 97.76 |
| No | 0 | 70.53 | 2.09 | 3375.80 | 99.85 |
| Yes | 1 | 5.20 | 0.15 | 3381.00 | 100.00 |

ghs39a7a: 12/13 - P1 CAI D9.8.1 - Skin prick test - peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| Yes | 1 | 3.75 | 0.11 | 3377.50 | 99.90 |
| No | 2 | 3.50 | 0.10 | 3381.00 | 100.00 |

ghs39b7a: 12/13 - P1 CAI D9.8.2 - Skin prick test - other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| Yes | 1 | 3.21 | 0.10 | 3374.25 | 99.80 |
| No | 2 | 6.75 | 0.20 | 3381.00 | 100.00 |

ghs39c7a: 12/13 - P1 CAI D9.8.3 - Skin prick test - eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| Yes | 1 | 0.73 | 0.02 | 3378.32 | 99.92 |
| No | 2 | 2.68 | 0.08 | 3381.00 | 100.00 |

ghs39d7a: 12/13 - P1 CAI D9.8.4 - Skin prick test - cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| Yes | 1 | 0.82 | 0.02 | 3368.76 | 99.64 |
| No | 2 | 12.24 | 0.36 | 3381.00 | 100.00 |

ghs39e7a: 12/13 - P1 CAI D9.8.5 - Skin prick test - soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f7a: 12/13 - P1 CAI D9.8.6 - Skin prick test - sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39g7a: 12/13 - P1 CAI D9.8.7 - Skin prick test - wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| Yes | 1 | 1.28 | 0.04 | 3370.73 | 99.70 |
| No | 2 | 10.27 | 0.30 | 3381.00 | 100.00 |

ghs39k7a: 12/13 - P1 CAI D9.8.8 - Skin prick test -fruit

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| Yes | 1 | 0.38 | 0.01 | 3367.87 | 99.61 |
| No | 2 | 13.13 | 0.39 | 3381.00 | 100.00 |

ghs39l7a: 12/13 - P1 CAI D9.8.9 - Skin prick test - fruit 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 2 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39m7a: 12/13 - P1 CAI D9.8.10 - Skin prick test - fruit 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 2 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39n7a: 12/13 - P1 CAI D9.8.11 - Skin prick test -preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| Yes | 1 | 0.58 | 0.02 | 3374.54 | 99.81 |
| No | 2 | 6.46 | 0.19 | 3381.00 | 100.00 |

ghs39o7a: 12/13 - P1 CAI D9.8.12 - Skin prick test - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 2 | 14.34 | 0.42 | 3381.00 | 100.00 |

ghs39p7a: 12/13 - P1 CAI D9.8.13 - Skin prick test - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 2 | 6.26 | 0.19 | 3381.00 | 100.00 |

ghs39h7a: 12/13 - P1 CAI D9.8.14 - Skin prick test - other food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| Yes | 1 | 5.57 | 0.16 | 3357.77 | 99.31 |
| No | 2 | 23.23 | 0.69 | 3381.00 | 100.00 |

ghs39i7a: 12/13 - P1 CAI D9.8.15 - Skin prick test - other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| Yes | 1 | 1.34 | 0.04 | 3380.14 | 99.97 |
| No | 2 | 0.86 | 0.03 | 3381.00 | 100.00 |

ghs39j7a: 12/13 - P1 CAI D9.8.16 - Skin prick test - other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39q7a: 12/13 - P1 CAI D9.8.17 - Skin prick test - unknown food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39a7b: 12/13 - P1 CAI D9.9.1 - Skin prick test result - peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.25 | 99.89 | 3377.25 | 99.89 |
| Positive for this food | 1 | 3.75 | 0.11 | 3381.00 | 100.00 |

ghs39b7b: 12/13 - P1 CAI D9.9.2 - Skin prick test result - other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.79 | 99.90 | 3377.79 | 99.90 |
| Positive for this food | 1 | 3.21 | 0.10 | 3381.00 | 100.00 |

ghs39c7b: 12/13 - P1 CAI D9.9.3 - Skin prick test result - eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.27 | 99.98 | 3380.27 | 99.98 |
| Positive for this food | 1 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs39d7b: 12/13 - P1 CAI D9.9.4 - Skin prick test result - cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.18 | 99.98 | 3380.18 | 99.98 |
| Positive for this food | 1 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs39e7b: 12/13 - P1 CAI D9.9.5 - Skin prick test result - soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f7b: 12/13 - P1 CAI D9.9.6 - Skin prick test result - sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39g7b: 12/13 - P1 CAI D9.9.7 - Skin prick test result - wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.72 | 99.96 | 3379.72 | 99.96 |
| Don't know | -2 | 0.80 | 0.02 | 3380.52 | 99.99 |
| Positive for this food | 1 | 0.48 | 0.01 | 3381.00 | 100.00 |

ghs39k7b: 12/13 - P1 CAI D9.9.8 - Skin prick test result - fruit

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.62 | 99.99 | 3380.62 | 99.99 |
| Negative for this food | 2 | 0.38 | 0.01 | 3381.00 | 100.00 |

ghs39l7b: 12/13 - P1 CAI D9.9.9 - Skin prick test result - fruit 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39m7b: 12/13 - P1 CAI D9.9.10 - Skin prick test result - fruit 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39n7b: 12/13 - P1 CAI D9.9.11 - Skin prick test result - preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.42 | 99.98 | 3380.42 | 99.98 |
| Positive for this food | 1 | 0.58 | 0.02 | 3381.00 | 100.00 |

ghs39o7b: 12/13 - P1 CAI D9.9.12 - Skin prick test result - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39p7b: 12/13 - P1 CAI D9.9.13 - Skin prick test result - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39h7b: 12/13 - P1 CAI D9.9.14 - Skin prick test result - other food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3375.43 | 99.84 | 3375.43 | 99.84 |
| Don't know | -2 | 3.50 | 0.10 | 3378.93 | 99.94 |
| Positive for this food | 1 | 0.72 | 0.02 | 3379.65 | 99.96 |
| Negative for this food | 2 | 1.35 | 0.04 | 3381.00 | 100.00 |

ghs39i7b: 12/13 - P1 CAI D9.9.15 - Skin prick test result - other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.66 | 99.96 | 3379.66 | 99.96 |
| Positive for this food | 1 | 1.34 | 0.04 | 3381.00 | 100.00 |

ghs39j7b: 12/13 - P1 CAI D9.9.16 - Skin prick test result - other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39q7b: 12/13 - P1 CAI D9.9.17 - Skin prick test result - unknown food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39a8a: 12/13 - P1 CAI D9.10.1 - Food challenge - peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.75 | 99.79 | 3373.75 | 99.79 |
| Yes | 1 | 0.84 | 0.02 | 3374.60 | 99.81 |
| No | 2 | 6.40 | 0.19 | 3381.00 | 100.00 |

ghs39b8a: 12/13 - P1 CAI D9.10.2 - Food challenge - other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3371.04 | 99.71 | 3371.04 | 99.71 |
| Yes | 1 | 1.94 | 0.06 | 3372.98 | 99.76 |
| No | 2 | 8.02 | 0.24 | 3381.00 | 100.00 |

ghs39c8a: 12/13 - P1 CAI D9.10.3 - Food challenge - eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.60 | 99.90 | 3377.60 | 99.90 |
| No | 2 | 3.40 | 0.10 | 3381.00 | 100.00 |

ghs39d8a: 12/13 - P1 CAI D9.10.4 - Food challenge - cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.93 | 99.61 | 3367.93 | 99.61 |
| No | 2 | 13.07 | 0.39 | 3381.00 | 100.00 |

ghs39e8a: 12/13 - P1 CAI D9.10.5 - Food challenge - soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f8a: 12/13 - P1 CAI D9.10.6 - Food challenge - sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39g8a: 12/13 - P1 CAI D9.10.7 - Food challenge - wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.45 | 99.66 | 3369.45 | 99.66 |
| No | 2 | 11.55 | 0.34 | 3381.00 | 100.00 |

ghs39k8a: 12/13 - P1 CAI D9.10.8 - Food challenge - fruit

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.49 | 99.60 | 3367.49 | 99.60 |
| No | 2 | 13.51 | 0.40 | 3381.00 | 100.00 |

ghs39l8a: 12/13 - P1 CAI D9.10.9 - Food challenge - fruit 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.26 | 99.89 | 3377.26 | 99.89 |
| No | 2 | 3.74 | 0.11 | 3381.00 | 100.00 |

ghs39m8a: 12/13 - P1 CAI D9.10.10 - Food challenge - fruit 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.21 | 99.98 | 3380.21 | 99.98 |
| No | 2 | 0.79 | 0.02 | 3381.00 | 100.00 |

ghs39n8a: 12/13 - P1 CAI D9.10.11 - Food challenge - preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.96 | 99.79 | 3373.96 | 99.79 |
| No | 2 | 7.04 | 0.21 | 3381.00 | 100.00 |

ghs39o8a: 12/13 - P1 CAI D9.10.12 - Food challenge - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3366.66 | 99.58 | 3366.66 | 99.58 |
| No | 2 | 14.34 | 0.42 | 3381.00 | 100.00 |

ghs39p8a: 12/13 - P1 CAI D9.10.13 - Food challenge - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.74 | 99.81 | 3374.74 | 99.81 |
| No | 2 | 6.26 | 0.19 | 3381.00 | 100.00 |

ghs39h8a: 12/13 - P1 CAI D9.10.14 - Food challenge - other food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.20 | 99.15 | 3352.20 | 99.15 |
| Yes | 1 | 4.22 | 0.12 | 3356.42 | 99.27 |
| No | 2 | 24.58 | 0.73 | 3381.00 | 100.00 |

ghs39i8a: 12/13 - P1 CAI D9.10.15 - Food challenge - other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.80 | 99.93 | 3378.80 | 99.93 |
| Yes | 1 | 0.72 | 0.02 | 3379.52 | 99.96 |
| No | 2 | 1.48 | 0.04 | 3381.00 | 100.00 |

ghs39j8a: 12/13 - P1 CAI D9.10.16 - Food challenge - other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39q8a: 12/13 - P1 CAI D9.10.17 - Food challenge - unknown food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39a8b: 12/13 - P1 CAI D9.11.1 - Food challenge result - peanuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.16 | 99.98 | 3380.16 | 99.98 |
| Positive for this food | 1 | 0.84 | 0.02 | 3381.00 | 100.00 |

ghs39b8b: 12/13 - P1 CAI D9.11.2 - Food challenge result - other nuts

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.06 | 99.94 | 3379.06 | 99.94 |
| Positive for this food | 1 | 1.94 | 0.06 | 3381.00 | 100.00 |

ghs39c8b: 12/13 - P1 CAI D9.11.3 - Food challenge result - eggs

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39d8b: 12/13 - P1 CAI D9.11.4 - Food challenge result - cow's milk

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39e8b: 12/13 - P1 CAI D9.11.5 - Food challenge result - soy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39f8b: 12/13 - P1 CAI D9.11.6 - Food challenge result - sesame

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39g8b: 12/13 - P1 CAI D9.11.7 - Food challenge result - wheat

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39k8b: 12/13 - P1 CAI D9.11.8 - Food challenge result - fruit

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39l8b: 12/13 - P1 CAI D9.11.9 - Food challenge result - fruit 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39m8b: 12/13 - P1 CAI D9.11.10 - Food challenge result - fruit 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39n8b: 12/13 - P1 CAI D9.11.11 - Food challenge result - preservatives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39o8b: 12/13 - P1 CAI D9.11.12 - Food challenge result - additives

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39p8b: 12/13 - P1 CAI D9.11.13 - Food challenge result - seafood

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39h8b: 12/13 - P1 CAI D9.11.14- Food challenge result - other food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3376.78 | 99.88 | 3376.78 | 99.88 |
| Don't know | -2 | 3.50 | 0.10 | 3380.28 | 99.98 |
| Positive for this food | 1 | 0.72 | 0.02 | 3381.00 | 100.00 |

ghs39i8b: 12/13 - P1 CAI D9.11.15 - Food challenge result - other food 2

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.28 | 99.98 | 3380.28 | 99.98 |
| Positive for this food | 1 | 0.72 | 0.02 | 3381.00 | 100.00 |

ghs39j8b: 12/13 - P1 CAI D9.11.16 - Food challenge result - other food 3

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39q8b: 12/13 - P1 CAI D9.11.17 - Food challenge result - unknown food

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs39ep: 12/13 - P1 CAI D9.12 - Child carries Epipen

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3210.53 | 94.96 | 3210.53 | 94.96 |
| Yes | 1 | 27.22 | 0.81 | 3237.75 | 95.76 |
| No | 2 | 143.25 | 4.24 | 3381.00 | 100.00 |

ghs18a: 12/13 - P1 CAI D10.1 - No. times SC injured

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| 0 | 3241.49 | 95.87 | 3339.39 | 98.77 |
| 10 | 38.55 | 1.14 | 3377.95 | 99.91 |
| 20 | 3.05 | 0.09 | 3381.00 | 100.00 |

ghs18b1: 12/13 - P1 CAI D10.2.1 - Injury - broken bones

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 590.62 | 17.47 | 3125.38 | 92.44 |
| Yes | 1 | 255.62 | 7.56 | 3381.00 | 100.00 |

ghs18b2: 12/13 - P1 CAI D10.2.2 - Injury - burn or scald

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 831.15 | 24.58 | 3365.91 | 99.55 |
| Yes | 1 | 15.09 | 0.45 | 3381.00 | 100.00 |

ghs18b3: 12/13 - P1 CAI D10.2.3 - Injury - dislocation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 818.26 | 24.20 | 3353.02 | 99.17 |
| Yes | 1 | 27.98 | 0.83 | 3381.00 | 100.00 |

ghs18b4: 12/13 - P1 CAI D10.2.4 - Injury - sprain or strain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 475.32 | 14.06 | 3010.08 | 89.03 |
| Yes | 1 | 370.92 | 10.97 | 3381.00 | 100.00 |

ghs18b5: 12/13 - P1 CAI D10.2.5 - Injury - cut or scrape

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 732.34 | 21.66 | 3267.10 | 96.63 |
| Yes | 1 | 113.90 | 3.37 | 3381.00 | 100.00 |

ghs18b11: 12/13 - P1 CAI D10.2.6 - Injury - Bruises or swelling

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 706.46 | 20.89 | 3241.21 | 95.87 |
| Yes | 1 | 139.79 | 4.13 | 3381.00 | 100.00 |

ghs18b12: 12/13 - P1 CAI D10.2.7 - Injury - Animal bites or bee stings

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 830.70 | 24.57 | 3365.45 | 99.54 |
| Yes | 1 | 15.55 | 0.46 | 3381.00 | 100.00 |

ghs18b6: 12/13 - P1 CAI D10.2.8 - Injury - concussion

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 787.69 | 23.30 | 3322.45 | 98.27 |
| Yes | 1 | 58.55 | 1.73 | 3381.00 | 100.00 |

ghs18b7: 12/13 - P1 CAI D10.2.9 - Injury - internal (not head)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 831.83 | 24.60 | 3366.58 | 99.57 |
| Yes | 1 | 14.42 | 0.43 | 3381.00 | 100.00 |

ghs18b8: 12/13 - P1 CAI D10.2.10 - Injury - dental

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 831.92 | 24.61 | 3366.68 | 99.58 |
| Yes | 1 | 14.32 | 0.42 | 3381.00 | 100.00 |

ghs18b9: 12/13 - P1 CAI D10.2.11 - Injury - accidental poisoning

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 846.24 | 25.03 | 3381.00 | 100.00 |

ghs18b10: 12/13 - P1 CAI D10.2.12 - Injury - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| No | 0 | 783.81 | 23.18 | 3318.57 | 98.15 |
| Yes | 1 | 62.43 | 1.85 | 3381.00 | 100.00 |

ghs18d1: 12/13 - P1 CAI D10.4.1 - No. of times broken bones

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3125.38 | 92.44 | 3125.38 | 92.44 |
| 0 | 247.17 | 7.31 | 3372.55 | 99.75 |
| 5 | 7.81 | 0.23 | 3380.35 | 99.98 |
| 10 | 0.65 | 0.02 | 3381.00 | 100.00 |

ghs18d2: 12/13 - P1 CAI D10.4.2 - No. of times burn or scald

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3365.91 | 99.55 | 3365.91 | 99.55 |
| 1 | 15.09 | 0.45 | 3381.00 | 100.00 |

ghs18d3: 12/13 - P1 CAI D10.4.3 - No. of times dislocation

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3353.02 | 99.17 | 3353.02 | 99.17 |
| 0 | 25.65 | 0.76 | 3378.67 | 99.93 |
| 5 | 2.33 | 0.07 | 3381.00 | 100.00 |

ghs18d4: 12/13 - P1 CAI D10.4.4 - No. of times sprain or strain

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3017.69 | 89.25 | 3017.69 | 89.25 |
| 1 | 247.72 | 7.33 | 3265.41 | 96.58 |
| 2 | 70.81 | 2.09 | 3336.22 | 98.68 |
| 3 | 27.66 | 0.82 | 3363.88 | 99.49 |
| 4 | 8.37 | 0.25 | 3372.25 | 99.74 |
| 5 | 4.63 | 0.14 | 3376.88 | 99.88 |
| 6 | 4.12 | 0.12 | 3381.00 | 100.00 |

ghs18d5: 12/13 - P1 CAI D10.4.5 - No. of times cut or scrape

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3267.10 | 96.63 | 3267.10 | 96.63 |
| 1 | 93.26 | 2.76 | 3360.36 | 99.39 |
| 2 | 11.56 | 0.34 | 3371.92 | 99.73 |
| 3 | 3.91 | 0.12 | 3375.83 | 99.85 |
| 4 | 1.28 | 0.04 | 3377.11 | 99.88 |
| 6 | 2.67 | 0.08 | 3379.77 | 99.96 |
| 10 | 1.23 | 0.04 | 3381.00 | 100.00 |

ghs18d11: 12/13 - P1 CAI D10.4.6 - No. of times Bruises or swelling

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3241.21 | 95.87 | 3241.21 | 95.87 |
| 1 | 85.12 | 2.52 | 3326.33 | 98.38 |
| 2 | 24.20 | 0.72 | 3350.54 | 99.10 |
| 3 | 14.33 | 0.42 | 3364.87 | 99.52 |
| 4 | 1.86 | 0.06 | 3366.73 | 99.58 |
| 5 | 0.56 | 0.02 | 3367.29 | 99.59 |
| 6 | 5.22 | 0.15 | 3372.51 | 99.75 |
| 10 | 2.93 | 0.09 | 3375.44 | 99.84 |
| 12 | 2.67 | 0.08 | 3378.11 | 99.91 |
| 24 | 1.93 | 0.06 | 3380.04 | 99.97 |
| 40 | 0.96 | 0.03 | 3381.00 | 100.00 |

ghs18d12: 12/13 - P1 CAI D10.4.7 - No. of times Animal bites or bee stings

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3365.45 | 99.54 | 3365.45 | 99.54 |
| 1 | 15.55 | 0.46 | 3381.00 | 100.00 |

ghs18d6: 12/13- P1 CAI D10.4.8 - No. of times concussion

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3322.45 | 98.27 | 3322.45 | 98.27 |
| 1 | 50.19 | 1.48 | 3372.64 | 99.75 |
| 2 | 6.07 | 0.18 | 3378.71 | 99.93 |
| 3 | 1.58 | 0.05 | 3380.29 | 99.98 |
| 5 | 0.71 | 0.02 | 3381.00 | 100.00 |

ghs18d7: 12/13 - P1 CAI D10.4.9 - No. of times internal (not head)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3366.58 | 99.57 | 3366.58 | 99.57 |
| 1 | 13.93 | 0.41 | 3380.51 | 99.99 |
| 2 | 0.49 | 0.01 | 3381.00 | 100.00 |

ghs18d8: 12/13 - P1 CAI D10.4.10 - No. of times dental

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3366.68 | 99.58 | 3366.68 | 99.58 |
| 1 | 12.31 | 0.36 | 3378.99 | 99.94 |
| 2 | 1.30 | 0.04 | 3380.29 | 99.98 |
| 3 | 0.71 | 0.02 | 3381.00 | 100.00 |

ghs18d9: 12/13 - P1 CAI D10.4.11 - No. of times accidental poisoning

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs18d10: 12/13 - P1 CAI D10.4.12 - No. of times other

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3308.78 | 97.86 | 3308.78 | 97.86 |
| 1 | 55.10 | 1.63 | 3363.88 | 99.49 |
| 2 | 8.10 | 0.24 | 3371.99 | 99.73 |
| 3 | 2.40 | 0.07 | 3374.38 | 99.80 |
| 4 | 3.05 | 0.09 | 3377.44 | 99.89 |
| 5 | 0.60 | 0.02 | 3378.04 | 99.91 |
| 18 | 2.13 | 0.06 | 3380.18 | 99.98 |
| 20 | 0.82 | 0.02 | 3381.00 | 100.00 |

ghs18c1: 12/13 - P1 CAI D10.5 - Stayed in hospital injured

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| Yes | 1 | 34.26 | 1.01 | 2569.02 | 75.98 |
| No | 2 | 811.98 | 24.02 | 3381.00 | 100.00 |

ghs18c2: 12/13 - P1 CAI D10.6 - No. times in hospital injured

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3346.74 | 98.99 | 3346.74 | 98.99 |
| 1 | 29.32 | 0.87 | 3376.05 | 99.85 |
| 2 | 4.95 | 0.15 | 3381.00 | 100.00 |

ghs18e2: 12/13 - P1 CAI D11.1 - Where most serious injury

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| At home | 1 | 116.84 | 3.46 | 2651.59 | 78.43 |
| School or child care | 2 | 240.07 | 7.10 | 2891.66 | 85.53 |
| Someone else's place e.g. family member/friends/neighbours | 3 | 52.01 | 1.54 | 2943.68 | 87.07 |

ghs18e2: 12/13 - P1 CAI D11.1 - Where most serious injury

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--|-------|-----------|---------|----------------------|--------------------|
| Outside public place other than a road e.g. beach, playground, sports ground | 4 | 300.57 | 8.89 | 3244.25 | 95.96 |
| Inside public place e.g. shopping centre, supermarket | 5 | 93.73 | 2.77 | 3337.97 | 98.73 |
| Public road | 6 | 15.18 | 0.45 | 3353.16 | 99.18 |
| Other | 7 | 27.84 | 0.82 | 3381.00 | 100.00 |

ghs18f: 12/13 - P1 CAI D11.5 - Did injury involve a motor vehicle or bicycle?

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2548.63 | 75.38 | 2548.63 | 75.38 |
| Yes | 1 | 40.11 | 1.19 | 2588.75 | 76.57 |
| No | 2 | 792.25 | 23.43 | 3381.00 | 100.00 |

ghs18g: 12/13 - P1 CAI D11.6 - Type of accident

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3340.89 | 98.81 | 3340.89 | 98.81 |
| Car accident | 1 | 5.54 | 0.16 | 3346.42 | 98.98 |
| Motorbike accident | 2 | 10.82 | 0.32 | 3357.24 | 99.30 |
| Bicycle accident | 4 | 18.47 | 0.55 | 3375.70 | 99.84 |
| None of these | 6 | 5.30 | 0.16 | 3381.00 | 100.00 |

ghs18h: 12/13 - P1 CAI D11.7 - How did injury occur - accident/intended/self-inflicted

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2548.63 | 75.38 | 2548.63 | 75.38 |
| -2 | -2 | 18.54 | 0.55 | 2567.18 | 75.93 |
| It was an accident unintentional | 1 | 792.86 | 23.45 | 3360.03 | 99.38 |
| Someone else did it to him/her deliberately intentional | 2 | 14.21 | 0.42 | 3374.24 | 99.80 |
| He/She did it to himself/herself deliberately self-inflicted | 3 | 6.76 | 0.20 | 3381.00 | 100.00 |

ghs18i: 12/13 - P1 CAI D11.8 - Current disability present as a result of being injured

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2534.76 | 74.97 | 2534.76 | 74.97 |
| Yes | 1 | 42.86 | 1.27 | 2577.62 | 76.24 |
| No | 2 | 803.38 | 23.76 | 3381.00 | 100.00 |

ghs18j: 12/13 - P1 CAI D11.9 - Disability prevents participation in usual activities

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3338.14 | 98.73 | 3338.14 | 98.73 |
| Yes, fully | 1 | 8.19 | 0.24 | 3346.33 | 98.97 |
| Yes, but only partially | 2 | 22.81 | 0.67 | 3369.14 | 99.65 |
| No | 3 | 11.86 | 0.35 | 3381.00 | 100.00 |

ghs19a1: 12/13 - P1 CAI D12.1 - Non-injury hospital stays

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| Yes | 1 | 105.98 | 3.13 | 203.88 | 6.03 |
| No | 2 | 3177.12 | 93.97 | 3381.00 | 100.00 |

ghs19a2: 12/13 - P1 CAI D12.2 - No. non-injury hospital stays

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| 1 | 91.65 | 2.71 | 3366.66 | 99.58 |
| 2 | 8.57 | 0.25 | 3375.24 | 99.83 |
| 3 | 1.79 | 0.05 | 3377.03 | 99.88 |
| 4 | 0.74 | 0.02 | 3377.77 | 99.90 |
| 10 | 0.91 | 0.03 | 3378.68 | 99.93 |
| 15 | 0.91 | 0.03 | 3379.59 | 99.96 |
| 20 | 0.98 | 0.03 | 3380.57 | 99.99 |
| 28 | 0.43 | 0.01 | 3381.00 | 100.00 |

ghs19b1: 12/13 - P1 CAI D12.3.1 - Hospital - fever or viral illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 100.62 | 2.98 | 3375.64 | 99.84 |
| Yes | 1 | 5.36 | 0.16 | 3381.00 | 100.00 |

ghs19b2: 12/13 - P1 CAI D12.3.2 - Hospital - asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 103.43 | 3.06 | 3378.45 | 99.92 |
| Yes | 1 | 2.55 | 0.08 | 3381.00 | 100.00 |

ghs19b3: 12/13 - P1 CAI D12.3.3 - Hospital - gastroenteritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 100.30 | 2.97 | 3375.31 | 99.83 |
| Yes | 1 | 5.69 | 0.17 | 3381.00 | 100.00 |

ghs19b4: 12/13 - P1 CAI D12.3.4 - Hospital - pneumonia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 104.65 | 3.10 | 3379.67 | 99.96 |
| Yes | 1 | 1.33 | 0.04 | 3381.00 | 100.00 |

ghs19b13: 12/13 - P1 CAI D12.3.5 - Hospital - abdominal pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 87.65 | 2.59 | 3362.66 | 99.46 |
| Yes | 1 | 18.34 | 0.54 | 3381.00 | 100.00 |

ghs19b14: 12/13 - P1 CAI D12.3.6 - Hospital - Headache

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 105.08 | 3.11 | 3380.09 | 99.97 |
| Yes | 1 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs19b15: 12/13 - P1 CAI D12.3.7 - Hospital - Constipation

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 105.07 | 3.11 | 3380.09 | 99.97 |
| Yes | 1 | 0.91 | 0.03 | 3381.00 | 100.00 |

ghs19b16: 12/13 - P1 CAI D12.3.8 - Hospital - Convulsion

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 105.06 | 3.11 | 3380.08 | 99.97 |
| Yes | 1 | 0.92 | 0.03 | 3381.00 | 100.00 |

ghs19b17: 12/13 - P1 CAI D12.3.9 - Hospital - Cellulitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 105.98 | 3.13 | 3381.00 | 100.00 |

ghs19b18: 12/13 - P1 CAI D12.3.10 - Hospital - Tonsillitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 98.90 | 2.93 | 3373.92 | 99.79 |
| Yes | 1 | 7.08 | 0.21 | 3381.00 | 100.00 |

ghs19b19: 12/13 - P1 CAI D12.3.11 - Hospital - Torsion of testes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 105.98 | 3.13 | 3381.00 | 100.00 |

ghs19b9: 12/13 - P1 CAI D12.3.12 - Hospital - grommets etc.

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 105.98 | 3.13 | 3381.00 | 100.00 |

ghs19b10: 12/13 - P1 CAI D12.3.13 - Hospital - Tonsillectomy and/or adenoidectomy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 102.26 | 3.02 | 3377.27 | 99.89 |
| Yes | 1 | 3.73 | 0.11 | 3381.00 | 100.00 |

ghs19b12: 12/13 - P1 CAI D12.3.14 - Hospital - other illness, surgery not needed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 81.01 | 2.40 | 3356.02 | 99.26 |
| Yes | 1 | 24.98 | 0.74 | 3381.00 | 100.00 |

ghs19b11: 12/13 - P1 CAI D12.3.15 - Hospital - other illness, surgery needed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.02 | 96.87 | 3275.02 | 96.87 |
| No | 0 | 64.02 | 1.89 | 3339.03 | 98.76 |
| Yes | 1 | 41.97 | 1.24 | 3381.00 | 100.00 |

ghs20a: 12/13 - P1 CAI D13.1- SC's sleeping patterns a problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| -2 | -2 | 2.24 | 0.07 | 100.14 | 2.96 |
| Not a problem at all | 1 | 2341.35 | 69.25 | 2441.49 | 72.21 |
| A small problem | 2 | 674.94 | 19.96 | 3116.43 | 92.17 |
| A moderate problem | 3 | 191.05 | 5.65 | 3307.48 | 97.83 |
| A large problem | 4 | 73.52 | 2.17 | 3381.00 | 100.00 |

ghs21a1: 12/13 - P1- P1 CAI D13.2- Does child go to bed at regular times

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| Always | 1 | 1100.06 | 32.54 | 1197.96 | 35.43 |
| Usually | 2 | 1820.24 | 53.84 | 3018.20 | 89.27 |
| Sometimes | 3 | 227.68 | 6.73 | 3245.88 | 96.00 |
| Rarely | 4 | 92.41 | 2.73 | 3338.29 | 98.74 |
| Never | 5 | 42.71 | 1.26 | 3381.00 | 100.00 |

ghs20b: 12/13 - P1 CAI D13.3- Does child have any sleep problems?

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| Yes | 1 | 1565.02 | 46.29 | 1662.91 | 49.18 |
| No | 2 | 1718.09 | 50.82 | 3381.00 | 100.00 |

ghs20b3: 12/13 - P1 CAI D13.3.1 - Sleep problems - getting to sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 2389.14 | 70.66 | 2487.04 | 73.56 |
| Yes | 1 | 893.96 | 26.44 | 3381.00 | 100.00 |

ghs20b4: 12/13 - P1 CAI D13.3.2 - Sleep problems - Sleeping alone

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3037.39 | 89.84 | 3135.29 | 92.73 |
| Yes | 1 | 245.71 | 7.27 | 3381.00 | 100.00 |

ghs20b5: 12/13 - P1 CAI D13.3.3 - Sleep problems - waking during night

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3058.62 | 90.46 | 3156.51 | 93.36 |
| Yes | 1 | 224.49 | 6.64 | 3381.00 | 100.00 |

ghs20b11: 12/13 - P1 CAI D13.3.4 - Sleep problems - Restless sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3045.01 | 90.06 | 3142.90 | 92.96 |
| Yes | 1 | 238.10 | 7.04 | 3381.00 | 100.00 |

ghs20b8: 12/13 - P1 CAI D13.3.5 - Sleep problems - bed wetting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3230.98 | 95.56 | 3328.88 | 98.46 |
| Yes | 1 | 52.12 | 1.54 | 3381.00 | 100.00 |

ghs20b9: 12/13 - P1 CAI D13.3.6 - Sleep problems - nightmares/terrors

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3177.47 | 93.98 | 3275.37 | 96.88 |
| Yes | 1 | 105.63 | 3.12 | 3381.00 | 100.00 |

ghs20b1b: 12/13 - P1 CAI D13.3.7 - Sleep problems - wheezing or asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3207.10 | 94.86 | 3305.00 | 97.75 |
| Yes | 1 | 76.00 | 2.25 | 3381.00 | 100.00 |

ghs20b2: 12/13 - P1 CAI D13.3.8 - Sleep problems - snoring/breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3084.61 | 91.23 | 3182.51 | 94.13 |
| Yes | 1 | 198.49 | 5.87 | 3381.00 | 100.00 |

ghs20b10: 12/13 - P1 CAI D13.3.9 - Sleep problems - seeming tired

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 2573.45 | 76.11 | 2671.34 | 79.01 |
| Yes | 1 | 709.66 | 20.99 | 3381.00 | 100.00 |

ghs20a2m: 12/13 - P1 CAI D13.3.10 - Sleep problems - disruption of sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3203.02 | 94.74 | 3300.92 | 97.63 |
| Yes | 1 | 80.08 | 2.37 | 3381.00 | 100.00 |

ghs20b7: 12/13 - P1 CAI D13.3.11 - Sleep problems - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| No | 0 | 3218.60 | 95.20 | 3316.49 | 98.09 |
| Yes | 1 | 64.51 | 1.91 | 3381.00 | 100.00 |

ghs20d1: 12/13 - P1 CAI D13.5.1 - Frequency of sleep problems - getting to sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2487.04 | 73.56 | 2487.04 | 73.56 |
| Every night | 1 | 141.03 | 4.17 | 2628.07 | 77.73 |
| 4-6 nights per week | 2 | 170.36 | 5.04 | 2798.43 | 82.77 |
| 1-3 nights per week | 3 | 294.26 | 8.70 | 3092.69 | 91.47 |
| About once a week | 4 | 133.49 | 3.95 | 3226.18 | 95.42 |
| A few nights a month | 5 | 110.10 | 3.26 | 3336.28 | 98.68 |
| Rarely | 6 | 44.72 | 1.32 | 3381.00 | 100.00 |

ghs20d2: 12/13 - P1 CAI D13.5.2 - Frequency of sleep problems - sleeping alone

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3135.29 | 92.73 | 3135.29 | 92.73 |
| Every night | 1 | 67.06 | 1.98 | 3202.35 | 94.72 |
| 4-6 nights per week | 2 | 35.85 | 1.06 | 3238.20 | 95.78 |
| 1-3 nights per week | 3 | 48.82 | 1.44 | 3287.02 | 97.22 |
| About once a week | 4 | 31.51 | 0.93 | 3318.53 | 98.15 |
| A few nights a month | 5 | 36.09 | 1.07 | 3354.62 | 99.22 |
| Rarely | 6 | 26.38 | 0.78 | 3381.00 | 100.00 |

ghs20d3: 12/13 - P1 CAI D13.5.3 - Frequency of sleep problems - waking during night

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3156.51 | 93.36 | 3156.51 | 93.36 |
| Every night | 1 | 35.87 | 1.06 | 3192.39 | 94.42 |
| 4-6 nights per week | 2 | 36.28 | 1.07 | 3228.66 | 95.49 |
| 1-3 nights per week | 3 | 77.39 | 2.29 | 3306.05 | 97.78 |
| About once a week | 4 | 34.29 | 1.01 | 3340.34 | 98.80 |
| A few nights a month | 5 | 34.19 | 1.01 | 3374.53 | 99.81 |
| Rarely | 6 | 6.47 | 0.19 | 3381.00 | 100.00 |

ghs20d4: 12/13 - P1 CAI D13.5.4 - Frequency of sleep problems - Restless sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3143.77 | 92.98 | 3143.77 | 92.98 |
| Every night | 1 | 50.26 | 1.49 | 3194.03 | 94.47 |
| 4-6 nights per week | 2 | 49.53 | 1.46 | 3243.56 | 95.93 |
| 1-3 nights per week | 3 | 84.50 | 2.50 | 3328.06 | 98.43 |
| About once a week | 4 | 29.31 | 0.87 | 3357.37 | 99.30 |
| A few nights a month | 5 | 15.93 | 0.47 | 3373.29 | 99.77 |
| Rarely | 6 | 7.71 | 0.23 | 3381.00 | 100.00 |

ghs20d5: 12/13 - P1 CAI D13.5.5 - Frequency of sleep problems - bed wetting

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3328.88 | 98.46 | 3328.88 | 98.46 |
| Every night | 1 | 3.79 | 0.11 | 3332.66 | 98.57 |
| 4-6 nights per week | 2 | 10.18 | 0.30 | 3342.84 | 98.87 |
| 1-3 nights per week | 3 | 9.04 | 0.27 | 3351.88 | 99.14 |
| About once a week | 4 | 5.74 | 0.17 | 3357.62 | 99.31 |
| A few nights a month | 5 | 11.10 | 0.33 | 3368.73 | 99.64 |
| Rarely | 6 | 12.27 | 0.36 | 3381.00 | 100.00 |

ghs20d6: 12/13 - P1 CAI D13.5.6 - Frequency of sleep problems - nightmares/terrors

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3275.37 | 96.88 | 3275.37 | 96.88 |
| Every night | 1 | 2.56 | 0.08 | 3277.93 | 96.95 |
| 4-6 nights per week | 2 | 4.16 | 0.12 | 3282.10 | 97.07 |
| 1-3 nights per week | 3 | 20.62 | 0.61 | 3302.72 | 97.68 |
| About once a week | 4 | 18.22 | 0.54 | 3320.94 | 98.22 |
| A few nights a month | 5 | 36.14 | 1.07 | 3357.08 | 99.29 |
| Rarely | 6 | 23.92 | 0.71 | 3381.00 | 100.00 |

ghs20d7: 12/13 - P1 CAI D13.5.7 - Frequency of sleep problems - wheezing or asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3305.00 | 97.75 | 3305.00 | 97.75 |
| Every night | 1 | 0.92 | 0.03 | 3305.91 | 97.78 |
| 4-6 nights per week | 2 | 3.47 | 0.10 | 3309.38 | 97.88 |
| 1-3 nights per week | 3 | 10.03 | 0.30 | 3319.41 | 98.18 |
| About once a week | 4 | 10.15 | 0.30 | 3329.56 | 98.48 |
| A few nights a month | 5 | 31.24 | 0.92 | 3360.80 | 99.40 |
| Rarely | 6 | 20.20 | 0.60 | 3381.00 | 100.00 |

ghs20d8: 12/13 - P1 CAI D13.5.8 - Frequency of sleep problems - snoring/breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3182.51 | 94.13 | 3182.51 | 94.13 |
| Every night | 1 | 83.18 | 2.46 | 3265.69 | 96.59 |
| 4-6 nights per week | 2 | 36.12 | 1.07 | 3301.81 | 97.66 |
| 1-3 nights per week | 3 | 43.32 | 1.28 | 3345.13 | 98.94 |
| About once a week | 4 | 6.32 | 0.19 | 3351.45 | 99.13 |

ghs20d8: 12/13 - P1 CAI D13.5.8 - Frequency of sleep problems - snoring/breathing

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| A few nights a month | 5 | 17.95 | 0.53 | 3369.39 | 99.66 |
| Rarely | 6 | 11.61 | 0.34 | 3381.00 | 100.00 |

ghs20d9: 12/13 - P1 CAI D13.5.9 - Frequency of sleep problems - seeming tired

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 2671.34 | 79.01 | 2671.34 | 79.01 |
| Every night | 1 | 132.30 | 3.91 | 2803.64 | 82.92 |
| 4-6 nights per week | 2 | 124.52 | 3.68 | 2928.16 | 86.61 |
| 1-3 nights per week | 3 | 276.96 | 8.19 | 3205.12 | 94.80 |
| About once a week | 4 | 98.38 | 2.91 | 3303.50 | 97.71 |
| A few nights a month | 5 | 63.83 | 1.89 | 3367.33 | 99.60 |
| Rarely | 6 | 13.67 | 0.40 | 3381.00 | 100.00 |

ghs20a4l: 12/13 - P1 CAI D13.5.10 - Freq - disruption of sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3300.92 | 97.63 | 3300.92 | 97.63 |
| Every night | 1 | 5.59 | 0.17 | 3306.51 | 97.80 |
| 4-6 nights per week | 2 | 11.47 | 0.34 | 3317.98 | 98.14 |
| 1-3 nights per week | 3 | 19.85 | 0.59 | 3337.83 | 98.72 |
| About once a week | 4 | 12.47 | 0.37 | 3350.30 | 99.09 |
| A few nights a month | 5 | 19.46 | 0.58 | 3369.76 | 99.67 |
| Rarely | 6 | 11.24 | 0.33 | 3381.00 | 100.00 |

ghs20d10: 12/13 - P1 CAI D13.5.11 - Frequency of sleep problems - other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3315.63 | 98.07 | 3315.63 | 98.07 |
| Every night | 1 | 19.58 | 0.58 | 3335.21 | 98.65 |
| 4-6 nights per week | 2 | 11.58 | 0.34 | 3346.79 | 98.99 |
| 1-3 nights per week | 3 | 12.06 | 0.36 | 3358.85 | 99.34 |
| About once a week | 4 | 4.44 | 0.13 | 3363.29 | 99.48 |
| A few nights a month | 5 | 12.61 | 0.37 | 3375.90 | 99.85 |
| Rarely | 6 | 5.10 | 0.15 | 3381.00 | 100.00 |

ghs32a: 12/13 - P1 CAI D17.1 - Able to run fast

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| -2 | -2 | 19.60 | 0.58 | 117.50 | 3.48 |
| Better than other children | 1 | 960.84 | 28.42 | 1078.34 | 31.89 |
| About the same | 2 | 1870.00 | 55.31 | 2948.34 | 87.20 |
| Not as well as other children | 3 | 432.66 | 12.80 | 3381.00 | 100.00 |

ghs32b: 12/13 - P1 CAI D17.2 - Able to jump high

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| -2 | -2 | 56.28 | 1.66 | 154.18 | 4.56 |
| Better than other children | 1 | 763.89 | 22.59 | 918.07 | 27.15 |
| About the same | 2 | 2072.88 | 61.31 | 2990.95 | 88.46 |
| Not as well as other children | 3 | 390.05 | 11.54 | 3381.00 | 100.00 |

ghs32c: 12/13 - P1 CAI D17.3 - Able to balance on one leg

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 97.90 | 2.90 | 97.90 | 2.90 |
| -2 | -2 | 78.09 | 2.31 | 175.98 | 5.21 |
| Better than other children | 1 | 842.72 | 24.93 | 1018.71 | 30.13 |
| About the same | 2 | 2209.02 | 65.34 | 3227.73 | 95.47 |
| Not as well as other children | 3 | 153.27 | 4.53 | 3381.00 | 100.00 |

ggmc: 12/13 - Gross Motor Coordination

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|-----------|---------|----------------------|--------------------|
| . | 113.36 | 3.35 | 113.36 | 3.35 |
| 1 | 801.49 | 23.71 | 914.85 | 27.06 |
| 2 | 2156.56 | 63.78 | 3071.41 | 90.84 |
| 3 | 309.59 | 9.16 | 3381.00 | 100.00 |

ghs21c2a: 12/13 - SC - CSRB 8.1 - Go to bed (Time) School night

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------|-----------|---------|----------------------|--------------------|
| . | 161.10 | 4.76 | 161.10 | 4.76 |
| 0:00 | 2.16 | 0.06 | 163.26 | 4.83 |
| 1:00 | 4.15 | 0.12 | 167.41 | 4.95 |
| 19:00 | 14.16 | 0.42 | 181.57 | 5.37 |
| 19:15 | 0.97 | 0.03 | 182.54 | 5.40 |
| 19:30 | 65.71 | 1.94 | 248.24 | 7.34 |
| 19:45 | 11.70 | 0.35 | 259.94 | 7.69 |
| 20:00 | 300.67 | 8.89 | 560.61 | 16.58 |
| 20:15 | 56.53 | 1.67 | 617.14 | 18.25 |
| 20:30 | 774.01 | 22.89 | 1391.15 | 41.15 |
| 20:45 | 131.48 | 3.89 | 1522.63 | 45.03 |
| 21:00 | 803.16 | 23.76 | 2325.79 | 68.79 |
| 21:15 | 66.97 | 1.98 | 2392.76 | 70.77 |
| 21:30 | 541.13 | 16.00 | 2933.89 | 86.78 |
| 21:45 | 44.87 | 1.33 | 2978.76 | 88.10 |
| 22:00 | 227.99 | 6.74 | 3206.75 | 94.85 |
| 22:15 | 11.19 | 0.33 | 3217.95 | 95.18 |
| 22:30 | 91.11 | 2.69 | 3309.05 | 97.87 |
| 22:45 | 2.06 | 0.06 | 3311.12 | 97.93 |
| 23:00 | 52.16 | 1.54 | 3363.28 | 99.48 |
| 23:30 | 11.21 | 0.33 | 3374.49 | 99.81 |
| 23:45 | 2.52 | 0.07 | 3377.02 | 99.88 |
| 24:00 | 3.98 | 0.12 | 3381.00 | 100.00 |

ghs21c3a: 12/13 - SC - CSRB 8.2 - Fall asleep (Time) School night

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------|-----------|---------|----------------------|--------------------|
| . | 161.10 | 4.76 | 161.10 | 4.76 |
| 0:00 | 19.67 | 0.58 | 180.77 | 5.35 |
| 0:30 | 2.60 | 0.08 | 183.37 | 5.42 |
| 0:45 | 1.70 | 0.05 | 185.07 | 5.47 |
| 1:00 | 12.34 | 0.36 | 197.41 | 5.84 |
| 1:15 | 0.65 | 0.02 | 198.06 | 5.86 |
| 19:00 | 0.73 | 0.02 | 198.78 | 5.88 |
| 19:15 | 2.11 | 0.06 | 200.90 | 5.94 |
| 19:30 | 7.15 | 0.21 | 208.05 | 6.15 |
| 19:45 | 17.70 | 0.52 | 225.75 | 6.68 |
| 20:00 | 51.96 | 1.54 | 277.71 | 8.21 |
| 20:15 | 95.25 | 2.82 | 372.96 | 11.03 |
| 20:30 | 198.72 | 5.88 | 571.68 | 16.91 |
| 20:45 | 252.45 | 7.47 | 824.13 | 24.38 |
| 21:00 | 466.69 | 13.80 | 1290.81 | 38.18 |
| 21:15 | 299.54 | 8.86 | 1590.35 | 47.04 |
| 21:30 | 510.85 | 15.11 | 2101.20 | 62.15 |
| 21:45 | 269.95 | 7.98 | 2371.15 | 70.13 |
| 22:00 | 430.08 | 12.72 | 2801.23 | 82.85 |
| 22:15 | 98.28 | 2.91 | 2899.52 | 85.76 |
| 22:30 | 202.61 | 5.99 | 3102.13 | 91.75 |
| 22:45 | 47.44 | 1.40 | 3149.57 | 93.15 |
| 23:00 | 124.70 | 3.69 | 3274.27 | 96.84 |
| 23:15 | 10.34 | 0.31 | 3284.62 | 97.15 |
| 23:30 | 67.02 | 1.98 | 3351.64 | 99.13 |
| 23:45 | 20.16 | 0.60 | 3371.80 | 99.73 |
| 24:00 | 9.20 | 0.27 | 3381.00 | 100.00 |

ghs21c4a: 12/13 - SC - CSRB 8.3 - Wake up in the morning (Time) School day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------|-----------|---------|----------------------|--------------------|
| . | 161.10 | 4.76 | 161.10 | 4.76 |
| 0:15 | 1.08 | 0.03 | 162.18 | 4.80 |
| 2:00 | 2.89 | 0.09 | 165.08 | 4.88 |
| 4:30 | 4.32 | 0.13 | 169.40 | 5.01 |
| 4:45 | 0.78 | 0.02 | 170.18 | 5.03 |
| 5:00 | 30.24 | 0.89 | 200.42 | 5.93 |
| 5:15 | 5.64 | 0.17 | 206.05 | 6.09 |
| 5:30 | 36.87 | 1.09 | 242.92 | 7.18 |
| 5:45 | 34.93 | 1.03 | 277.86 | 8.22 |
| 6:00 | 328.46 | 9.71 | 606.32 | 17.93 |
| 6:15 | 102.42 | 3.03 | 708.74 | 20.96 |
| 6:30 | 571.05 | 16.89 | 1279.79 | 37.85 |
| 6:45 | 320.26 | 9.47 | 1600.05 | 47.32 |
| 7:00 | 980.58 | 29.00 | 2580.63 | 76.33 |
| 7:15 | 196.55 | 5.81 | 2777.18 | 82.14 |
| 7:30 | 416.24 | 12.31 | 3193.42 | 94.45 |
| 7:45 | 78.77 | 2.33 | 3272.19 | 96.78 |
| 8:00 | 86.88 | 2.57 | 3359.07 | 99.35 |

ghs21c4a: 12/13 - SC - CSRB 8.3 - Wake up in the morning (Time) School day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------|-----------|---------|----------------------|--------------------|
| 8:15 | 1.83 | 0.05 | 3360.91 | 99.41 |
| 8:30 | 8.08 | 0.24 | 3368.99 | 99.64 |
| 8:45 | 1.71 | 0.05 | 3370.70 | 99.70 |
| 9:00 | 1.99 | 0.06 | 3372.69 | 99.75 |
| 9:30 | 1.76 | 0.05 | 3374.45 | 99.81 |
| 10:00 | 6.55 | 0.19 | 3381.00 | 100.00 |

ghs21c5a: 12/13 - SC - CSRB 8.4 - Go to bed (Time) No school next day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------|-----------|---------|----------------------|--------------------|
| . | 161.10 | 4.76 | 161.10 | 4.76 |
| 0:00 | 97.96 | 2.90 | 259.06 | 7.66 |
| 0:15 | 0.60 | 0.02 | 259.66 | 7.68 |
| 0:30 | 16.36 | 0.48 | 276.02 | 8.16 |
| 1:00 | 64.28 | 1.90 | 340.31 | 10.07 |
| 1:30 | 2.66 | 0.08 | 342.97 | 10.14 |
| 2:00 | 16.68 | 0.49 | 359.65 | 10.64 |
| 2:30 | 2.69 | 0.08 | 362.34 | 10.72 |
| 3:00 | 7.41 | 0.22 | 369.74 | 10.94 |
| 4:00 | 5.23 | 0.15 | 374.97 | 11.09 |
| 5:00 | 3.50 | 0.10 | 378.47 | 11.19 |
| 19:00 | 4.55 | 0.13 | 383.02 | 11.33 |
| 19:30 | 7.24 | 0.21 | 390.26 | 11.54 |
| 19:45 | 0.69 | 0.02 | 390.96 | 11.56 |
| 20:00 | 51.91 | 1.54 | 442.86 | 13.10 |
| 20:15 | 14.74 | 0.44 | 457.61 | 13.53 |
| 20:30 | 142.00 | 4.20 | 599.61 | 17.73 |
| 20:45 | 31.60 | 0.93 | 631.21 | 18.67 |
| 21:00 | 447.05 | 13.22 | 1078.26 | 31.89 |
| 21:15 | 39.54 | 1.17 | 1117.80 | 33.06 |
| 21:30 | 488.22 | 14.44 | 1606.02 | 47.50 |
| 21:45 | 49.13 | 1.45 | 1655.15 | 48.95 |
| 22:00 | 733.39 | 21.69 | 2388.54 | 70.65 |
| 22:15 | 32.71 | 0.97 | 2421.25 | 71.61 |
| 22:30 | 351.38 | 10.39 | 2772.63 | 82.01 |
| 22:45 | 26.94 | 0.80 | 2799.57 | 82.80 |
| 23:00 | 393.61 | 11.64 | 3193.18 | 94.44 |
| 23:15 | 3.31 | 0.10 | 3196.49 | 94.54 |
| 23:30 | 122.85 | 3.63 | 3319.34 | 98.18 |
| 23:45 | 12.99 | 0.38 | 3332.33 | 98.56 |
| 24:00 | 48.67 | 1.44 | 3381.00 | 100.00 |

ghs21c6a: 12/13 - SC - CSRB 8.5 - Fall asleep (Time) No school next day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------|-----------|---------|----------------------|--------------------|
| . | 161.10 | 4.76 | 161.10 | 4.76 |
| 0:00 | 103.25 | 3.05 | 264.35 | 7.82 |
| 0:15 | 43.62 | 1.29 | 307.97 | 9.11 |
| 0:30 | 66.69 | 1.97 | 374.66 | 11.08 |

ghs21c6a: 12/13 - SC - CSRB 8.5 - Fall asleep (Time) No school next day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------|-----------|---------|----------------------|--------------------|
| 0:45 | 9.88 | 0.29 | 384.54 | 11.37 |
| 1:00 | 77.12 | 2.28 | 461.66 | 13.65 |
| 1:15 | 13.17 | 0.39 | 474.82 | 14.04 |
| 1:30 | 22.90 | 0.68 | 497.72 | 14.72 |
| 2:00 | 17.02 | 0.50 | 514.74 | 15.22 |
| 2:15 | 1.77 | 0.05 | 516.51 | 15.28 |
| 2:30 | 10.37 | 0.31 | 526.88 | 15.58 |
| 3:00 | 12.60 | 0.37 | 539.47 | 15.96 |
| 3:30 | 6.99 | 0.21 | 546.46 | 16.16 |
| 4:00 | 5.09 | 0.15 | 551.55 | 16.31 |
| 4:30 | 0.95 | 0.03 | 552.50 | 16.34 |
| 5:00 | 3.50 | 0.10 | 556.00 | 16.44 |
| 13:00 | 1.22 | 0.04 | 557.22 | 16.48 |
| 19:30 | 1.41 | 0.04 | 558.62 | 16.52 |
| 19:45 | 1.80 | 0.05 | 560.42 | 16.58 |
| 20:00 | 8.83 | 0.26 | 569.26 | 16.84 |
| 20:15 | 18.23 | 0.54 | 587.49 | 17.38 |
| 20:30 | 33.32 | 0.99 | 620.81 | 18.36 |
| 20:45 | 54.75 | 1.62 | 675.56 | 19.98 |
| 21:00 | 139.14 | 4.12 | 814.70 | 24.10 |
| 21:15 | 133.96 | 3.96 | 948.66 | 28.06 |
| 21:30 | 285.56 | 8.45 | 1234.23 | 36.50 |
| 21:45 | 196.10 | 5.80 | 1430.33 | 42.30 |
| 22:00 | 355.10 | 10.50 | 1785.42 | 52.81 |
| 22:15 | 248.25 | 7.34 | 2033.67 | 60.15 |
| 22:30 | 383.87 | 11.35 | 2417.54 | 71.50 |
| 22:45 | 155.44 | 4.60 | 2572.98 | 76.10 |
| 23:00 | 326.40 | 9.65 | 2899.37 | 85.75 |
| 23:15 | 110.66 | 3.27 | 3010.04 | 89.03 |
| 23:30 | 225.15 | 6.66 | 3235.18 | 95.69 |
| 23:45 | 74.74 | 2.21 | 3309.93 | 97.90 |
| 24:00 | 71.07 | 2.10 | 3381.00 | 100.00 |

ghs21c7a: 12/13 - SC - CSRB 8.6 - Wake up (Time) Not school day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------|-----------|---------|----------------------|--------------------|
| . | 161.10 | 4.76 | 161.10 | 4.76 |
| 0:00 | 0.53 | 0.02 | 161.64 | 4.78 |
| 1:00 | 1.93 | 0.06 | 163.57 | 4.84 |
| 4:00 | 1.92 | 0.06 | 165.49 | 4.89 |
| 4:30 | 1.15 | 0.03 | 166.63 | 4.93 |
| 5:00 | 21.07 | 0.62 | 187.70 | 5.55 |
| 5:30 | 13.54 | 0.40 | 201.24 | 5.95 |
| 5:45 | 7.17 | 0.21 | 208.41 | 6.16 |
| 6:00 | 133.48 | 3.95 | 341.89 | 10.11 |
| 6:15 | 12.35 | 0.37 | 354.24 | 10.48 |
| 6:30 | 109.05 | 3.23 | 463.29 | 13.70 |
| 6:45 | 29.17 | 0.86 | 492.46 | 14.57 |
| 7:00 | 375.53 | 11.11 | 867.99 | 25.67 |

ghs21c7a: 12/13 - SC - CSRB 8.6 - Wake up (Time) Not school day

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------|-----------|---------|----------------------|--------------------|
| 7:15 | 22.16 | 0.66 | 890.15 | 26.33 |
| 7:30 | 261.12 | 7.72 | 1151.27 | 34.05 |
| 7:45 | 30.49 | 0.90 | 1181.76 | 34.95 |
| 8:00 | 513.75 | 15.20 | 1695.51 | 50.15 |
| 8:15 | 14.77 | 0.44 | 1710.27 | 50.58 |
| 8:30 | 350.01 | 10.35 | 2060.29 | 60.94 |
| 8:45 | 25.34 | 0.75 | 2085.63 | 61.69 |
| 9:00 | 485.22 | 14.35 | 2570.85 | 76.04 |
| 9:15 | 6.19 | 0.18 | 2577.04 | 76.22 |
| 9:30 | 176.42 | 5.22 | 2753.45 | 81.44 |
| 9:45 | 13.29 | 0.39 | 2766.74 | 81.83 |
| 10:00 | 285.55 | 8.45 | 3052.29 | 90.28 |
| 10:15 | 0.99 | 0.03 | 3053.28 | 90.31 |
| 10:30 | 96.49 | 2.85 | 3149.77 | 93.16 |
| 10:45 | 3.84 | 0.11 | 3153.61 | 93.27 |
| 11:00 | 111.84 | 3.31 | 3265.45 | 96.58 |
| 11:15 | 0.77 | 0.02 | 3266.22 | 96.61 |
| 11:30 | 21.68 | 0.64 | 3287.90 | 97.25 |
| 11:45 | 0.81 | 0.02 | 3288.71 | 97.27 |
| 12:00 | 65.02 | 1.92 | 3353.73 | 99.19 |
| 12:30 | 5.20 | 0.15 | 3358.93 | 99.35 |
| 13:00 | 11.78 | 0.35 | 3370.71 | 99.70 |
| 14:00 | 3.04 | 0.09 | 3373.75 | 99.79 |
| 15:00 | 7.25 | 0.21 | 3381.00 | 100.00 |

ghs20c3: 12/13 - CSRB 8.7 - SC enough sleep

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 161.10 | 4.76 | 161.10 | 4.76 |
| Plenty | 1 | 1493.41 | 44.17 | 1654.51 | 48.94 |
| Just enough | 2 | 1359.16 | 40.20 | 3013.67 | 89.14 |
| Not quite enough | 3 | 341.54 | 10.10 | 3355.21 | 99.24 |
| Not nearly enough | 4 | 25.79 | 0.76 | 3381.00 | 100.00 |

ghs20c4: 12/13 - CSRB 8.8 - SC sleep quality

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 161.10 | 4.76 | 161.10 | 4.76 |
| Very well | 1 | 1212.81 | 35.87 | 1373.92 | 40.64 |
| Fairly well | 2 | 1834.05 | 54.25 | 3207.96 | 94.88 |
| Fairly badly | 3 | 159.24 | 4.71 | 3367.21 | 99.59 |
| Very badly | 4 | 13.79 | 0.41 | 3381.00 | 100.00 |

ghs40c1a: 12/13 - SC - BP 3 - 1st systolic measurement

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 33.83 | 1.00 | 33.83 | 1.00 |
| -9 | 263.11 | 7.78 | 296.94 | 8.78 |
| 10 | 1.24 | 0.04 | 298.18 | 8.82 |
| 45 | 0.64 | 0.02 | 298.82 | 8.84 |

ghs40c1a: 12/13 - SC - BP 3 - 1st systolic measurement

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 50 | 0.73 | 0.02 | 299.55 | 8.86 |
| 55 | 1.68 | 0.05 | 301.23 | 8.91 |
| 60 | 4.72 | 0.14 | 305.95 | 9.05 |
| 65 | 1.87 | 0.06 | 307.81 | 9.10 |
| 70 | 14.18 | 0.42 | 321.99 | 9.52 |
| 75 | 20.55 | 0.61 | 342.54 | 10.13 |
| 80 | 70.29 | 2.08 | 412.83 | 12.21 |
| 85 | 132.49 | 3.92 | 545.33 | 16.13 |
| 90 | 398.17 | 11.78 | 943.50 | 27.91 |
| 95 | 391.16 | 11.57 | 1334.66 | 39.48 |
| 100 | 502.63 | 14.87 | 1837.29 | 54.34 |
| 105 | 446.49 | 13.21 | 2283.78 | 67.55 |
| 110 | 453.24 | 13.41 | 2737.02 | 80.95 |
| 115 | 282.90 | 8.37 | 3019.92 | 89.32 |
| 120 | 176.33 | 5.22 | 3196.26 | 94.54 |
| 125 | 101.08 | 2.99 | 3297.34 | 97.53 |
| 130 | 44.33 | 1.31 | 3341.67 | 98.84 |
| 135 | 21.78 | 0.64 | 3363.45 | 99.48 |
| 140 | 17.55 | 0.52 | 3381.00 | 100.00 |

ghs40c1b: 12/13 - SC - BP 4 - 1st diastolic measurement

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 1.39 | 0.04 | 1.39 | 0.04 |
| -9 | 281.73 | 8.33 | 283.12 | 8.37 |
| 30 | 4.13 | 0.12 | 287.25 | 8.50 |
| 35 | 7.19 | 0.21 | 294.44 | 8.71 |
| 40 | 28.45 | 0.84 | 322.89 | 9.55 |
| 45 | 129.20 | 3.82 | 452.08 | 13.37 |
| 50 | 378.01 | 11.18 | 830.10 | 24.55 |
| 55 | 636.20 | 18.82 | 1466.30 | 43.37 |
| 60 | 731.19 | 21.63 | 2197.49 | 65.00 |
| 65 | 595.38 | 17.61 | 2792.87 | 82.60 |
| 70 | 354.49 | 10.48 | 3147.36 | 93.09 |
| 75 | 118.12 | 3.49 | 3265.49 | 96.58 |
| 80 | 47.84 | 1.42 | 3313.33 | 98.00 |
| 85 | 14.52 | 0.43 | 3327.85 | 98.43 |
| 90 | 10.96 | 0.32 | 3338.82 | 98.75 |
| 95 | 6.60 | 0.20 | 3345.42 | 98.95 |
| 100 | 6.58 | 0.19 | 3352.00 | 99.14 |
| 105 | 13.68 | 0.40 | 3365.68 | 99.55 |
| 110 | 15.32 | 0.45 | 3381.00 | 100.00 |

ghs40c2a: 12/13 - SC - BP 5 - 2nd systolic measurement

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 37.59 | 1.11 | 37.59 | 1.11 |
| -9 | 294.16 | 8.70 | 331.75 | 9.81 |
| 10 | 1.39 | 0.04 | 333.14 | 9.85 |
| 40 | 2.51 | 0.07 | 335.65 | 9.93 |
| 50 | 2.23 | 0.07 | 337.88 | 9.99 |
| 60 | 10.37 | 0.31 | 348.25 | 10.30 |
| 70 | 31.02 | 0.92 | 379.27 | 11.22 |
| 80 | 153.06 | 4.53 | 532.33 | 15.74 |
| 90 | 661.11 | 19.55 | 1193.44 | 35.30 |
| 100 | 1035.70 | 30.63 | 2229.14 | 65.93 |
| 110 | 734.74 | 21.73 | 2963.88 | 87.66 |
| 120 | 324.93 | 9.61 | 3288.81 | 97.27 |
| 130 | 71.54 | 2.12 | 3360.34 | 99.39 |
| 140 | 20.66 | 0.61 | 3381.00 | 100.00 |

ghs40c2b: 12/13- SC - BP 6 - 2nd diastolic measurement

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9 | 332.07 | 9.82 | 332.07 | 9.82 |
| 25 | 0.67 | 0.02 | 332.74 | 9.84 |
| 30 | 3.40 | 0.10 | 336.14 | 9.94 |
| 35 | 11.30 | 0.33 | 347.44 | 10.28 |
| 40 | 41.89 | 1.24 | 389.32 | 11.52 |
| 45 | 140.28 | 4.15 | 529.61 | 15.66 |
| 50 | 501.87 | 14.84 | 1031.48 | 30.51 |
| 55 | 712.74 | 21.08 | 1744.22 | 51.59 |
| 60 | 673.48 | 19.92 | 2417.70 | 71.51 |
| 65 | 514.77 | 15.23 | 2932.47 | 86.73 |
| 70 | 270.76 | 8.01 | 3203.23 | 94.74 |
| 75 | 97.59 | 2.89 | 3300.81 | 97.63 |
| 80 | 33.69 | 1.00 | 3334.50 | 98.62 |
| 85 | 10.18 | 0.30 | 3344.69 | 98.93 |
| 90 | 4.41 | 0.13 | 3349.10 | 99.06 |
| 95 | 5.94 | 0.18 | 3355.04 | 99.23 |
| 100 | 9.38 | 0.28 | 3364.42 | 99.51 |
| 105 | 16.58 | 0.49 | 3381.00 | 100.00 |

ghs23c1: 12/13 - SC - MEAS 3 - Height (cm)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 177.16 | 5.24 | 177.16 | 5.24 |
| 130 | 6.16 | 0.18 | 183.32 | 5.42 |
| 140 | 117.72 | 3.48 | 301.04 | 8.90 |
| 150 | 917.58 | 27.14 | 1218.61 | 36.04 |
| 160 | 1458.85 | 43.15 | 2677.46 | 79.19 |
| 170 | 632.52 | 18.71 | 3309.99 | 97.90 |
| 180 | 71.01 | 2.10 | 3381.00 | 100.00 |

ghs23c2: 12/13 - SC - MEAS 6 - Weight (kg)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 217.88 | 6.44 | 217.88 | 6.44 |
| 25 | 4.12 | 0.12 | 222.00 | 6.57 |
| 30 | 52.69 | 1.56 | 274.70 | 8.12 |
| 35 | 211.51 | 6.26 | 486.20 | 14.38 |
| 40 | 414.93 | 12.27 | 901.13 | 26.65 |
| 45 | 597.07 | 17.66 | 1498.20 | 44.31 |
| 50 | 538.07 | 15.91 | 2036.27 | 60.23 |
| 55 | 433.13 | 12.81 | 2469.40 | 73.04 |
| 60 | 338.05 | 10.00 | 2807.45 | 83.04 |
| 65 | 206.77 | 6.12 | 3014.22 | 89.15 |
| 70 | 144.64 | 4.28 | 3158.86 | 93.43 |
| 75 | 80.31 | 2.38 | 3239.17 | 95.81 |
| 80 | 45.09 | 1.33 | 3284.26 | 97.14 |
| 85 | 41.36 | 1.22 | 3325.61 | 98.36 |
| 90 | 16.25 | 0.48 | 3341.86 | 98.84 |
| 95 | 39.14 | 1.16 | 3381.00 | 100.00 |

gcbmi: 12/13 - SC - Body Mass Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 219.72 | 6.50 | 219.72 | 6.50 |
| 10 | 2.70 | 0.08 | 222.41 | 6.58 |
| 15 | 681.93 | 20.17 | 904.34 | 26.75 |
| 20 | 1701.75 | 50.33 | 2606.09 | 77.08 |
| 25 | 579.45 | 17.14 | 3185.55 | 94.22 |
| 30 | 145.23 | 4.30 | 3330.78 | 98.51 |
| 35 | 36.21 | 1.07 | 3367.00 | 99.59 |
| 40 | 14.00 | 0.41 | 3381.00 | 100.00 |

gwaz: 12/13 - Weight for age z-score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 217.88 | 6.44 | 217.88 | 6.44 |
| -4 | 0.62 | 0.02 | 218.50 | 6.46 |
| -3 | 8.91 | 0.26 | 227.42 | 6.73 |
| -2 | 109.67 | 3.24 | 337.09 | 9.97 |
| -1 | 422.82 | 12.51 | 759.91 | 22.48 |
| 0 | 1062.99 | 31.44 | 1822.90 | 53.92 |
| 1 | 1057.66 | 31.28 | 2880.56 | 85.20 |
| 2 | 427.37 | 12.64 | 3307.93 | 97.84 |
| 3 | 72.11 | 2.13 | 3380.05 | 99.97 |
| 4 | 0.95 | 0.03 | 3381.00 | 100.00 |

gwapct: 12/13 - Weight for age percentile

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 217.88 | 6.44 | 217.88 | 6.44 |
| 0 | 37.58 | 1.11 | 255.47 | 7.56 |
| 5 | 89.93 | 2.66 | 345.40 | 10.22 |
| 10 | 80.24 | 2.37 | 425.64 | 12.59 |

gwapct: 12/13 - Weight for age percentile

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 15 | 95.25 | 2.82 | 520.89 | 15.41 |
| 20 | 87.83 | 2.60 | 608.72 | 18.00 |
| 25 | 88.36 | 2.61 | 697.08 | 20.62 |
| 30 | 89.64 | 2.65 | 786.72 | 23.27 |
| 35 | 106.91 | 3.16 | 893.63 | 26.43 |
| 40 | 114.81 | 3.40 | 1008.44 | 29.83 |
| 45 | 140.95 | 4.17 | 1149.38 | 34.00 |
| 50 | 162.81 | 4.82 | 1312.19 | 38.81 |
| 55 | 130.77 | 3.87 | 1442.96 | 42.68 |
| 60 | 134.32 | 3.97 | 1577.27 | 46.65 |
| 65 | 174.36 | 5.16 | 1751.63 | 51.81 |
| 70 | 181.17 | 5.36 | 1932.80 | 57.17 |
| 75 | 187.43 | 5.54 | 2120.24 | 62.71 |
| 80 | 189.63 | 5.61 | 2309.87 | 68.32 |
| 85 | 241.74 | 7.15 | 2551.60 | 75.47 |
| 90 | 282.03 | 8.34 | 2833.64 | 83.81 |
| 95 | 325.42 | 9.63 | 3159.06 | 93.44 |
| 100 | 221.94 | 6.56 | 3381.00 | 100.00 |

gbmiz: 12/13 - BMI z-score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 219.72 | 6.50 | 219.72 | 6.50 |
| -6 | 1.13 | 0.03 | 220.84 | 6.53 |
| -5 | 1.57 | 0.05 | 222.41 | 6.58 |
| -4 | 1.82 | 0.05 | 224.23 | 6.63 |
| -3 | 15.48 | 0.46 | 239.71 | 7.09 |
| -2 | 122.12 | 3.61 | 361.82 | 10.70 |
| -1 | 477.76 | 14.13 | 839.59 | 24.83 |
| 0 | 1061.71 | 31.40 | 1901.30 | 56.23 |
| 1 | 1007.64 | 29.80 | 2908.94 | 86.04 |
| 2 | 451.75 | 13.36 | 3360.69 | 99.40 |
| 3 | 20.31 | 0.60 | 3381.00 | 100.00 |

gbmipct: 12/13 - BMI percentile

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 219.72 | 6.50 | 219.72 | 6.50 |
| 0 | 54.07 | 1.60 | 273.78 | 8.10 |
| 5 | 105.04 | 3.11 | 378.82 | 11.20 |
| 10 | 63.61 | 1.88 | 442.43 | 13.09 |
| 15 | 104.47 | 3.09 | 546.91 | 16.18 |
| 20 | 106.34 | 3.15 | 653.25 | 19.32 |
| 25 | 102.15 | 3.02 | 755.40 | 22.34 |
| 30 | 119.15 | 3.52 | 874.55 | 25.87 |
| 35 | 118.42 | 3.50 | 992.97 | 29.37 |
| 40 | 132.69 | 3.92 | 1125.66 | 33.29 |
| 45 | 122.96 | 3.64 | 1248.62 | 36.93 |
| 50 | 136.17 | 4.03 | 1384.79 | 40.96 |

gbmipct: 12/13 - BMI percentile

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 55 | 154.67 | 4.57 | 1539.47 | 45.53 |
| 60 | 149.75 | 4.43 | 1689.21 | 49.96 |
| 65 | 162.55 | 4.81 | 1851.76 | 54.77 |
| 70 | 167.95 | 4.97 | 2019.70 | 59.74 |
| 75 | 194.29 | 5.75 | 2213.99 | 65.48 |
| 80 | 189.25 | 5.60 | 2403.24 | 71.08 |
| 85 | 235.36 | 6.96 | 2638.60 | 78.04 |
| 90 | 228.73 | 6.77 | 2867.33 | 84.81 |
| 95 | 356.80 | 10.55 | 3224.13 | 95.36 |
| 100 | 156.87 | 4.64 | 3381.00 | 100.00 |

ghaz: 12/13 - Height for age z-score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 177.16 | 5.24 | 177.16 | 5.24 |
| -4 | 2.57 | 0.08 | 179.73 | 5.32 |
| -3 | 10.15 | 0.30 | 189.88 | 5.62 |
| -2 | 87.26 | 2.58 | 277.14 | 8.20 |
| -1 | 514.99 | 15.23 | 792.12 | 23.43 |
| 0 | 1171.05 | 34.64 | 1963.18 | 58.07 |
| 1 | 963.62 | 28.50 | 2926.80 | 86.57 |
| 2 | 399.21 | 11.81 | 3326.01 | 98.37 |
| 3 | 50.25 | 1.49 | 3376.26 | 99.86 |
| 4 | 4.74 | 0.14 | 3381.00 | 100.00 |

ghapct: 12/13 - Height for age percentile

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 177.16 | 5.24 | 177.16 | 5.24 |
| 0 | 38.90 | 1.15 | 216.06 | 6.39 |
| 5 | 76.56 | 2.26 | 292.62 | 8.65 |
| 10 | 101.76 | 3.01 | 394.38 | 11.66 |
| 15 | 114.94 | 3.40 | 509.32 | 15.06 |
| 20 | 126.30 | 3.74 | 635.62 | 18.80 |
| 25 | 100.56 | 2.97 | 736.18 | 21.77 |
| 30 | 105.30 | 3.11 | 841.48 | 24.89 |
| 35 | 143.26 | 4.24 | 984.74 | 29.13 |
| 40 | 139.81 | 4.14 | 1124.55 | 33.26 |
| 45 | 151.07 | 4.47 | 1275.62 | 37.73 |
| 50 | 144.28 | 4.27 | 1419.89 | 42.00 |
| 55 | 128.60 | 3.80 | 1548.49 | 45.80 |
| 60 | 169.23 | 5.01 | 1717.72 | 50.81 |
| 65 | 190.49 | 5.63 | 1908.20 | 56.44 |
| 70 | 161.54 | 4.78 | 2069.74 | 61.22 |
| 75 | 183.41 | 5.42 | 2253.15 | 66.64 |
| 80 | 188.46 | 5.57 | 2441.61 | 72.22 |
| 85 | 251.20 | 7.43 | 2692.80 | 79.65 |
| 90 | 197.11 | 5.83 | 2889.92 | 85.48 |

ghapct: 12/13 - Height for age percentile

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 95 | 275.07 | 8.14 | 3164.99 | 93.61 |
| 100 | 216.01 | 6.39 | 3381.00 | 100.00 |

gbodyfat: 12/13 - MEAS 9 - Body fat Measurement

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 327.72 | 9.69 | 327.72 | 9.69 |
| -3 | 2.32 | 0.07 | 330.04 | 9.76 |
| 5 | 9.88 | 0.29 | 339.92 | 10.05 |
| 10 | 316.93 | 9.37 | 656.85 | 19.43 |
| 15 | 652.35 | 19.29 | 1309.20 | 38.72 |
| 20 | 645.03 | 19.08 | 1954.23 | 57.80 |
| 25 | 620.94 | 18.37 | 2575.17 | 76.17 |
| 30 | 414.68 | 12.27 | 2989.85 | 88.43 |
| 35 | 236.38 | 6.99 | 3226.23 | 95.42 |
| 40 | 96.80 | 2.86 | 3323.03 | 98.29 |
| 45 | 31.91 | 0.94 | 3354.94 | 99.23 |
| 50 | 23.26 | 0.69 | 3378.20 | 99.92 |
| 55 | 2.80 | 0.08 | 3381.00 | 100.00 |

ghs23c3: 12/13 - SC - MEAS 12 - SC's waist measurements (cm)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 221.16 | 6.54 | 221.16 | 6.54 |
| 35 | 1.38 | 0.04 | 222.54 | 6.58 |
| 40 | 1.47 | 0.04 | 224.01 | 6.63 |
| 50 | 6.74 | 0.20 | 230.75 | 6.82 |
| 55 | 91.87 | 2.72 | 322.62 | 9.54 |
| 60 | 433.78 | 12.83 | 756.40 | 22.37 |
| 65 | 753.49 | 22.29 | 1509.90 | 44.66 |
| 70 | 678.20 | 20.06 | 2188.10 | 64.72 |
| 75 | 450.74 | 13.33 | 2638.83 | 78.05 |
| 80 | 309.06 | 9.14 | 2947.89 | 87.19 |
| 85 | 170.86 | 5.05 | 3118.76 | 92.24 |
| 90 | 110.20 | 3.26 | 3228.96 | 95.50 |
| 95 | 68.28 | 2.02 | 3297.24 | 97.52 |
| 100 | 43.06 | 1.27 | 3340.30 | 98.80 |
| 105 | 40.70 | 1.20 | 3381.00 | 100.00 |

ghs12c: 12/13 - ACASB 13.1 - Trying to change weight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 189.02 | 5.59 | 189.02 | 5.59 |
| -3 | -3 | 10.34 | 0.31 | 199.36 | 5.90 |
| Yes | 1 | 1475.39 | 43.64 | 1674.75 | 49.53 |
| No | 2 | 1706.25 | 50.47 | 3381.00 | 100.00 |

ghs12d: 12/13 - ACASB 13.2 - Weight Management

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 189.02 | 5.59 | 189.02 | 5.59 |
| -3 | -3 | 11.24 | 0.33 | 200.25 | 5.92 |
| Lose weight | 1 | 1245.81 | 36.85 | 1446.07 | 42.77 |
| Gain weight | 2 | 200.45 | 5.93 | 1646.51 | 48.70 |
| Stay the same weight | 3 | 946.53 | 28.00 | 2593.04 | 76.69 |
| I am not trying to do anything about my weight | 4 | 787.96 | 23.31 | 3381.00 | 100.00 |

ghs13p: 12/13 - PLE - PLE 21.1 - Global health measure

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| Excellent | 1 | 55.69 | 1.65 | 3116.28 | 92.17 |
| Very good | 2 | 120.74 | 3.57 | 3237.02 | 95.74 |
| Good | 3 | 105.53 | 3.12 | 3342.55 | 98.86 |
| Fair | 4 | 23.71 | 0.70 | 3366.26 | 99.56 |
| Poor | 5 | 14.74 | 0.44 | 3381.00 | 100.00 |

ghs48p44: 12/13 - PLE 21.2 - Any medical conditions

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| Yes | 1 | 210.93 | 6.24 | 3271.53 | 96.76 |
| No | 2 | 109.47 | 3.24 | 3381.00 | 100.00 |

ghs48p1: 12/13 - PLE 21.2.1 - Ever had Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 279.83 | 8.28 | 3340.42 | 98.80 |
| Yes, as a child only | 2 | 15.82 | 0.47 | 3356.25 | 99.27 |
| Yes, as an adult only | 3 | 5.84 | 0.17 | 3362.09 | 99.44 |
| Yes, as a child and as an adult | 4 | 18.91 | 0.56 | 3381.00 | 100.00 |

ghs48p2: 12/13 - PLE 21.2.2 - Ever had Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 279.85 | 8.28 | 3340.44 | 98.80 |
| Yes, as a child only | 2 | 6.30 | 0.19 | 3346.74 | 98.99 |
| Yes, as an adult only | 3 | 12.71 | 0.38 | 3359.45 | 99.36 |
| Yes, as a child and as an adult | 4 | 21.55 | 0.64 | 3381.00 | 100.00 |

ghs48p3: 12/13 - PLE 21.2.3 - Ever had Eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 300.00 | 8.87 | 3360.60 | 99.40 |
| Yes, as a child only | 2 | 5.13 | 0.15 | 3365.73 | 99.55 |
| Yes, as an adult only | 3 | 8.92 | 0.26 | 3374.65 | 99.81 |
| Yes, as a child and as an adult | 4 | 6.35 | 0.19 | 3381.00 | 100.00 |

ghs48p4: 12/13 - PLE 21.2.4 - Ever had Psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 296.16 | 8.76 | 3356.75 | 99.28 |
| Yes, as a child only | 2 | 1.25 | 0.04 | 3358.00 | 99.32 |
| Yes, as an adult only | 3 | 11.58 | 0.34 | 3369.58 | 99.66 |
| Yes, as a child and as an adult | 4 | 11.42 | 0.34 | 3381.00 | 100.00 |

ghs48p5: 12/13 - PLE 21.2.5 - Ever had Obese or very overweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 284.54 | 8.42 | 3345.13 | 98.94 |
| Yes, as a child only | 2 | 5.98 | 0.18 | 3351.11 | 99.12 |
| Yes, as an adult only | 3 | 27.03 | 0.80 | 3378.13 | 99.92 |
| Yes, as a child and as an adult | 4 | 2.87 | 0.08 | 3381.00 | 100.00 |

ghs48p6: 12/13 - PLE 21.2.6 - Ever had Very thin or underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 316.26 | 9.35 | 3376.85 | 99.88 |
| Yes, as a child only | 2 | 0.56 | 0.02 | 3377.41 | 99.89 |
| Yes, as an adult only | 3 | 2.19 | 0.06 | 3379.60 | 99.96 |
| Yes, as a child and as an adult | 4 | 1.40 | 0.04 | 3381.00 | 100.00 |

ghs48p7: 12/13 - PLE 21.2.7 - Ever had Bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p8: 12/13 - PLE 21.2.8 - Ever had Diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 313.57 | 9.27 | 3374.17 | 99.80 |
| Yes, as an adult only | 3 | 6.83 | 0.20 | 3381.00 | 100.00 |

ghs48p9: 12/13 - PLE 21.2.9 - Ever had Other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 315.57 | 9.33 | 3376.16 | 99.86 |
| Yes, as an adult only | 3 | 4.84 | 0.14 | 3381.00 | 100.00 |

ghs48p10: 12/13 - PLE 21.2.10 - Ever had Heart disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 311.82 | 9.22 | 3372.42 | 99.75 |
| Yes, as an adult only | 3 | 8.58 | 0.25 | 3381.00 | 100.00 |

ghs48p11: 12/13 - PLE 21.2.11 - Ever had Hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 298.10 | 8.82 | 3358.70 | 99.34 |
| Yes, as an adult only | 3 | 19.41 | 0.57 | 3378.11 | 99.91 |
| Yes, as a child and as an adult | 4 | 2.89 | 0.09 | 3381.00 | 100.00 |

ghs48p12: 12/13 - PLE 21.2.12 - Ever had Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 284.51 | 8.42 | 3345.11 | 98.94 |
| Yes, as a child only | 2 | 4.13 | 0.12 | 3349.24 | 99.06 |
| Yes, as an adult only | 3 | 21.53 | 0.64 | 3370.77 | 99.70 |
| Yes, as a child and as an adult | 4 | 10.23 | 0.30 | 3381.00 | 100.00 |

ghs48p13: 12/13 - PLE 21.2.13 - Ever had Chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 270.65 | 8.01 | 3331.25 | 98.53 |
| Yes, as a child only | 2 | 1.21 | 0.04 | 3332.46 | 98.56 |
| Yes, as an adult only | 3 | 43.30 | 1.28 | 3375.77 | 99.85 |
| Yes, as a child and as an adult | 4 | 5.23 | 0.15 | 3381.00 | 100.00 |

ghs48p14: 12/13 - PLE 21.2.14 - Ever had Pelvic inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 315.37 | 9.33 | 3375.97 | 99.85 |
| Yes, as an adult only | 3 | 5.03 | 0.15 | 3381.00 | 100.00 |

ghs48p15: 12/13 - PLE 21.2.15 - Ever had Stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 306.60 | 9.07 | 3367.19 | 99.59 |
| Yes, as a child only | 2 | 0.91 | 0.03 | 3368.10 | 99.62 |
| Yes, as an adult only | 3 | 8.54 | 0.25 | 3376.64 | 99.87 |
| Yes, as a child and as an adult | 4 | 4.36 | 0.13 | 3381.00 | 100.00 |

ghs48p16: 12/13 - PLE 21.2.16 - Ever had Other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 304.40 | 9.00 | 3364.99 | 99.53 |
| Yes, as an adult only | 3 | 14.72 | 0.44 | 3379.71 | 99.96 |
| Yes, as a child and as an adult | 4 | 1.29 | 0.04 | 3381.00 | 100.00 |

ghs48p17: 12/13 - PLE 21.2.17 - Ever had A stroke

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 313.93 | 9.29 | 3374.52 | 99.81 |
| Yes, as an adult only | 3 | 6.48 | 0.19 | 3381.00 | 100.00 |

ghs48p18: 12/13 - PLE 21.2.18 - Ever had Rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p19: 12/13 - PLE 21.2.19 - Ever had Arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 291.51 | 8.62 | 3352.10 | 99.15 |
| Yes, as an adult only | 3 | 28.90 | 0.85 | 3381.00 | 100.00 |

ghs48p20: 12/13 - PLE 21.2.20 - Ever had Chronic bronchitis or lung problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 302.45 | 8.95 | 3363.05 | 99.47 |
| Yes, as a child only | 2 | 4.14 | 0.12 | 3367.19 | 99.59 |
| Yes, as an adult only | 3 | 10.66 | 0.32 | 3377.84 | 99.91 |
| Yes, as a child and as an adult | 4 | 3.16 | 0.09 | 3381.00 | 100.00 |

ghs48p21: 12/13 - PLE 21.2.21 - Ever had Prostate

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p22: 12/13 - PLE 21.2.22 - Ever had Colorectal/bowel

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 317.92 | 9.40 | 3378.52 | 99.93 |
| As an adult only | 3 | 2.48 | 0.07 | 3381.00 | 100.00 |

ghs48p23: 12/13 - PLE 21.2.23 - Ever had Breast cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p24: 12/13 - PLE 21.2.24 - Ever had Melanoma of skin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 319.53 | 9.45 | 3380.13 | 99.97 |
| As an adult only | 3 | 0.87 | 0.03 | 3381.00 | 100.00 |

ghs48p25: 12/13 - PLE 21.2.25 - Ever had Lung, bronchus or trachea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 319.72 | 9.46 | 3380.32 | 99.98 |
| As an adult only | 3 | 0.68 | 0.02 | 3381.00 | 100.00 |

ghs48p26: 12/13 - PLE 21.2.26 - Ever had Lymphoma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 319.68 | 9.46 | 3380.27 | 99.98 |
| As an adult only | 3 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs48p27: 12/13 - PLE 21.2.27 - Ever had Uterus

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p28: 12/13 - PLE 21.2.28 - Ever had Cervical

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p29: 12/13 - PLE 21.2.29 - Ever had Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 317.83 | 9.40 | 3378.43 | 99.92 |
| As an adult only | 3 | 2.57 | 0.08 | 3381.00 | 100.00 |

ghs48p30: 12/13 - PLE 21.2.30 - Ever had An alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 305.33 | 9.03 | 3365.92 | 99.55 |
| Yes, as an adult only | 3 | 14.06 | 0.42 | 3379.98 | 99.97 |
| Yes, as a child and as an adult | 4 | 1.02 | 0.03 | 3381.00 | 100.00 |

ghs48p31: 12/13 - PLE 21.2.31 - Ever had Drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 318.59 | 9.42 | 3379.19 | 99.95 |
| Yes, as an adult only | 3 | 1.16 | 0.03 | 3380.35 | 99.98 |
| Yes, as a child and as an adult | 4 | 0.65 | 0.02 | 3381.00 | 100.00 |

ghs48p32: 12/13 - PLE 21.2.32 - Ever had Depression or anxiety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 248.69 | 7.36 | 3309.29 | 97.88 |
| Yes, as a child only | 2 | 0.76 | 0.02 | 3310.05 | 97.90 |
| Yes, as an adult only | 3 | 51.22 | 1.51 | 3361.27 | 99.42 |
| Yes, as a child and as an adult | 4 | 19.73 | 0.58 | 3381.00 | 100.00 |

ghs48p33: 12/13 - PLE 21.2.33 - Ever had Schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p34: 12/13 - PLE 21.2.34 - Ever had Bipolar disorder or manic-depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 317.90 | 9.40 | 3378.49 | 99.93 |
| Yes, as an adult only | 3 | 1.95 | 0.06 | 3380.44 | 99.98 |
| Yes, as a child and as an adult | 4 | 0.56 | 0.02 | 3381.00 | 100.00 |

ghs48p35: 12/13 - PLE 21.2.35 - Ever had Postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 319.09 | 9.44 | 3379.68 | 99.96 |
| Yes, as an adult only | 3 | 1.32 | 0.04 | 3381.00 | 100.00 |

ghs48p36: 12/13 - PLE 21.2.36- Ever had Other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 313.54 | 9.27 | 3374.13 | 99.80 |
| Yes, as an adult only | 3 | 6.87 | 0.20 | 3381.00 | 100.00 |

ghs48p37: 12/13 - PLE 21.2.37 - Ever had Epilepsy or seizures/fits

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 310.07 | 9.17 | 3370.66 | 99.69 |
| Yes, as a child only | 2 | 2.47 | 0.07 | 3373.13 | 99.77 |
| Yes, as an adult only | 3 | 3.50 | 0.10 | 3376.63 | 99.87 |
| Yes, as a child and as an adult | 4 | 4.37 | 0.13 | 3381.00 | 100.00 |

ghs48p38: 12/13 - PLE 21.2.38 - Ever had Reading problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 307.42 | 9.09 | 3368.01 | 99.62 |
| Yes, as a child only | 2 | 0.96 | 0.03 | 3368.97 | 99.64 |
| Yes, as a child and as an adult | 4 | 12.03 | 0.36 | 3381.00 | 100.00 |

ghs48p39: 12/13 - PLE 21.2.39 - Ever had Learning problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 307.78 | 9.10 | 3368.37 | 99.63 |
| Yes, as a child only | 2 | 6.17 | 0.18 | 3374.54 | 99.81 |
| Yes, as a child and as an adult | 4 | 6.46 | 0.19 | 3381.00 | 100.00 |

ghs48p40: 12/13 - PLE 21.2.40- Ever had Problems doing maths or numbers

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 314.68 | 9.31 | 3375.28 | 99.83 |
| Yes, as a child only | 2 | 3.50 | 0.10 | 3378.78 | 99.93 |
| Yes, as a child and as an adult | 4 | 2.22 | 0.07 | 3381.00 | 100.00 |

ghs48p41: 12/13 - PLE 21.2.41 - Ever had Repeating a grade

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 320.40 | 9.48 | 3381.00 | 100.00 |

ghs48p42: 12/13 - PLE 21.2.42 - Ever had a Language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No, never | 1 | 319.87 | 9.46 | 3380.47 | 99.98 |
| Yes, as a child and as an adult | 4 | 0.53 | 0.02 | 3381.00 | 100.00 |

ghs48p21a: 12/13 - PLE 21.3.1 - Type of cancer - Prostate

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 6.66 | 0.20 | 3381.00 | 100.00 |

ghs48p22a: 12/13 - PLE 21.3.2 - Type of cancer - Colorectal/bowel

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 4.18 | 0.12 | 3378.52 | 99.93 |
| Yes | 1 | 2.48 | 0.07 | 3381.00 | 100.00 |

ghs48p23a: 12/13 - PLE 21.3.3 - Type of cancer - Breast

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 6.66 | 0.20 | 3381.00 | 100.00 |

ghs48p24a: 12/13 - PLE 21.3.4 - Type of cancer - Melanoma of skin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 5.78 | 0.17 | 3380.13 | 99.97 |
| Yes | 1 | 0.87 | 0.03 | 3381.00 | 100.00 |

ghs48p25a: 12/13 - PLE 21.3.5 - Type of cancer - Lung, bronchus or trachea

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 5.98 | 0.18 | 3380.32 | 99.98 |
| Yes | 1 | 0.68 | 0.02 | 3381.00 | 100.00 |

ghs48p26a: 12/13 - PLE 21.3.6 - Type of cancer - Lymphoma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 5.93 | 0.18 | 3380.27 | 99.98 |
| Yes | 1 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs48p27a: 12/13 - PLE 21.3.7 - Type of cancer - Uterus

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 6.66 | 0.20 | 3381.00 | 100.00 |

ghs48p28a: 12/13 - PLE 21.3.8 - Type of cancer - Cervical

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 6.66 | 0.20 | 3381.00 | 100.00 |

ghs48p29a: 12/13 - PLE 21.3.9 - Type of cancer - Other

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.34 | 99.80 | 3374.34 | 99.80 |
| No | 0 | 4.08 | 0.12 | 3378.43 | 99.92 |
| Yes | 1 | 2.57 | 0.08 | 3381.00 | 100.00 |

ghs44p1: 12/13 - PLE 21.6.1 - Currently has asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3356.25 | 99.27 | 3356.25 | 99.27 |
| Yes | 1 | 18.95 | 0.56 | 3375.20 | 99.83 |
| No | 2 | 5.80 | 0.17 | 3381.00 | 100.00 |

ghs44p2: 12/13 - PLE 21.6.2 - Currently has hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3346.74 | 98.99 | 3346.74 | 98.99 |
| Yes | 1 | 25.25 | 0.75 | 3371.99 | 99.73 |
| No | 2 | 9.01 | 0.27 | 3381.00 | 100.00 |

ghs44p3: 12/13 - PLE 21.6.3 - Currently has eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3365.73 | 99.55 | 3365.73 | 99.55 |
| Yes | 1 | 11.81 | 0.35 | 3377.54 | 99.90 |
| No | 2 | 3.46 | 0.10 | 3381.00 | 100.00 |

ghs44p4: 12/13 - PLE 21.6.4 - Currently has psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3358.00 | 99.32 | 3358.00 | 99.32 |
| Yes | 1 | 19.18 | 0.57 | 3377.18 | 99.89 |
| No | 2 | 3.82 | 0.11 | 3381.00 | 100.00 |

ghs44p5: 12/13 - PLE 21.6.5 - Currently is obese or very overweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3351.11 | 99.12 | 3351.11 | 99.12 |
| -2 | -2 | 1.13 | 0.03 | 3352.24 | 99.15 |
| Yes | 1 | 21.45 | 0.63 | 3373.69 | 99.78 |
| No | 2 | 7.31 | 0.22 | 3381.00 | 100.00 |

ghs44p6: 12/13 - PLE 21.6.6 - Currently is very thin or underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3377.41 | 99.89 | 3377.41 | 99.89 |
| -2 | -2 | 0.77 | 0.02 | 3378.18 | 99.92 |
| Yes | 1 | 2.82 | 0.08 | 3381.00 | 100.00 |

ghs44p7: 12/13 - PLE 21.6.7 - Currently has bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p8: 12/13 - PLE 21.6.8 - Currently has diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.17 | 99.80 | 3374.17 | 99.80 |
| Yes | 1 | 6.83 | 0.20 | 3381.00 | 100.00 |

ghs44p9: 12/13 - PLE 21.6.9 - Currently has other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3376.16 | 99.86 | 3376.16 | 99.86 |
| Yes | 1 | 4.84 | 0.14 | 3381.00 | 100.00 |

ghs44p10: 12/13 - PLE 21.6.10 - Currently has heart disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.42 | 99.75 | 3372.42 | 99.75 |
| Yes | 1 | 8.02 | 0.24 | 3380.44 | 99.98 |
| No | 2 | 0.56 | 0.02 | 3381.00 | 100.00 |

ghs44p11: 12/13 - PLE 21.6.11 - Currently has hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3358.70 | 99.34 | 3358.70 | 99.34 |
| Yes | 1 | 17.70 | 0.52 | 3376.39 | 99.86 |
| No | 2 | 4.61 | 0.14 | 3381.00 | 100.00 |

ghs44p12: 12/13 - PLE 21.6.12 - Currently has migraines

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3349.24 | 99.06 | 3349.24 | 99.06 |
| -2 | -2 | 0.85 | 0.03 | 3350.10 | 99.09 |
| Yes | 1 | 20.80 | 0.62 | 3370.90 | 99.70 |
| No | 2 | 10.10 | 0.30 | 3381.00 | 100.00 |

ghs44p13: 12/13 - PLE 21.6.13 - Currently has chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3332.46 | 98.56 | 3332.46 | 98.56 |
| Yes | 1 | 31.91 | 0.94 | 3364.37 | 99.51 |
| No | 2 | 16.63 | 0.49 | 3381.00 | 100.00 |

ghs44p14: 12/13 - PLE 21.6.14 - Currently has pelvic inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3375.97 | 99.85 | 3375.97 | 99.85 |
| Yes | 1 | 5.03 | 0.15 | 3381.00 | 100.00 |

ghs44p15: 12/13 - PLE 21.6.15 - Currently has stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3368.10 | 99.62 | 3368.10 | 99.62 |
| Yes | 1 | 8.79 | 0.26 | 3376.88 | 99.88 |
| No | 2 | 4.12 | 0.12 | 3381.00 | 100.00 |

ghs44p16: 12/13 - PLE 21.6.16 - Currently has other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3364.99 | 99.53 | 3364.99 | 99.53 |
| Yes | 1 | 11.95 | 0.35 | 3376.94 | 99.88 |
| No | 2 | 4.06 | 0.12 | 3381.00 | 100.00 |

ghs44p18: 12/13 - PLE 21.6.17 - Currently has rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p19: 12/13 - PLE 21.6.18 - Currently has arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.10 | 99.15 | 3352.10 | 99.15 |
| Yes | 1 | 28.90 | 0.85 | 3381.00 | 100.00 |

ghs44p20: 12/13 - PLE 21.6.19 - Currently has chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3367.19 | 99.59 | 3367.19 | 99.59 |
| Yes | 1 | 8.11 | 0.24 | 3375.30 | 99.83 |
| No | 2 | 5.70 | 0.17 | 3381.00 | 100.00 |

ghs44p21: 12/13 - PLE 21.6.20 - Currently has prostate cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p22: 12/13 - PLE 21.6.21 - Currently has colorectal/bowel cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.52 | 99.93 | 3378.52 | 99.93 |
| No | 2 | 2.48 | 0.07 | 3381.00 | 100.00 |

ghs44p23: 12/13 - PLE 21.6.22 - Currently has breast cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p24: 12/13 - PLE 21.6.23 - Currently has melanoma of skin now

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.13 | 99.97 | 3380.13 | 99.97 |
| No | 2 | 0.87 | 0.03 | 3381.00 | 100.00 |

ghs44p25: 12/13 - PLE 21.6.24 - Currently has lung, bronchus or trachea cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.32 | 99.98 | 3380.32 | 99.98 |
| No | 2 | 0.68 | 0.02 | 3381.00 | 100.00 |

ghs44p26: 12/13 - PLE 21.6.25 - Currently has lymphoma cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.27 | 99.98 | 3380.27 | 99.98 |
| -2 | -2 | 0.73 | 0.02 | 3381.00 | 100.00 |

ghs44p27: 12/13 - PLE 21.6.26 - Currently has uterine cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p28: 12/13 - PLE 21.6.27 - Currently has cervical cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p29: 12/13 - PLE 21.6.28 - Currently has other cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.43 | 99.92 | 3378.43 | 99.92 |
| Yes | 1 | 0.63 | 0.02 | 3379.06 | 99.94 |
| No | 2 | 1.94 | 0.06 | 3381.00 | 100.00 |

ghs44p30: 12/13 - PLE 21.6.29 - Currently has an alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3365.92 | 99.55 | 3365.92 | 99.55 |
| -2 | -2 | 0.59 | 0.02 | 3366.51 | 99.57 |
| Yes | 1 | 6.98 | 0.21 | 3373.50 | 99.78 |
| No | 2 | 7.50 | 0.22 | 3381.00 | 100.00 |

ghs44p31: 12/13 - PLE 21.6.30 - Currently has drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.19 | 99.95 | 3379.19 | 99.95 |
| Yes | 1 | 0.52 | 0.02 | 3379.71 | 99.96 |
| No | 2 | 1.29 | 0.04 | 3381.00 | 100.00 |

ghs44p32: 12/13 - PLE 21.6.31 - Currently has depression or anxiety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3310.05 | 97.90 | 3310.05 | 97.90 |
| -2 | -2 | 1.68 | 0.05 | 3311.74 | 97.95 |
| Yes | 1 | 45.75 | 1.35 | 3357.48 | 99.30 |
| No | 2 | 23.52 | 0.70 | 3381.00 | 100.00 |

ghs44p33: 12/13 - PLE 21.6.32 - Currently has schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs44p34: 12/13 - PLE 21.6.33 - Currently has bipolar disorder or manic depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.49 | 99.93 | 3378.49 | 99.93 |
| Yes | 1 | 2.51 | 0.07 | 3381.00 | 100.00 |

ghs44p35: 12/13 - PLE 21.6.34 - Currently has postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.68 | 99.96 | 3379.68 | 99.96 |
| No | 2 | 1.32 | 0.04 | 3381.00 | 100.00 |

ghs44p36: 12/13 - PLE 21.6.35 - Currently has other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.13 | 99.80 | 3374.13 | 99.80 |
| -2 | -2 | 1.09 | 0.03 | 3375.22 | 99.83 |
| Yes | 1 | 1.01 | 0.03 | 3376.23 | 99.86 |
| No | 2 | 4.77 | 0.14 | 3381.00 | 100.00 |

ghs44p37: 12/13 - PLE 21.6.36 - Currently has epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3373.13 | 99.77 | 3373.13 | 99.77 |
| Yes | 1 | 4.37 | 0.13 | 3377.50 | 99.90 |
| No | 2 | 3.50 | 0.10 | 3381.00 | 100.00 |

ghs44p38: 12/13 - PLE 21.6.37 - Currently has reading problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3368.97 | 99.64 | 3368.97 | 99.64 |
| Yes | 1 | 12.03 | 0.36 | 3381.00 | 100.00 |

ghs44p39: 12/13 - PLE 21.6.38 - Currently has learning problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.54 | 99.81 | 3374.54 | 99.81 |
| Yes | 1 | 5.90 | 0.17 | 3380.44 | 99.98 |
| No | 2 | 0.56 | 0.02 | 3381.00 | 100.00 |

ghs44p40: 12/13 - PLE 21.6.39 - Currently has problems doing maths or numbers

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.78 | 99.93 | 3378.78 | 99.93 |
| Yes | 1 | 1.66 | 0.05 | 3380.44 | 99.98 |
| No | 2 | 0.56 | 0.02 | 3381.00 | 100.00 |

ghs44p42: 12/13 - PLE 21.6.40 - Currently has language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.47 | 99.98 | 3380.47 | 99.98 |
| No | 2 | 0.53 | 0.02 | 3381.00 | 100.00 |

ghs45p1: 12/13 - PLE 21.7.1 - Severity of asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3362.05 | 99.44 | 3362.05 | 99.44 |
| Mild | 1 | 18.27 | 0.54 | 3380.31 | 99.98 |
| Moderate | 2 | 0.69 | 0.02 | 3381.00 | 100.00 |

ghs45p2: 12/13 - PLE 21.7.2 - Severity of hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3355.75 | 99.25 | 3355.75 | 99.25 |
| Mild | 1 | 18.13 | 0.54 | 3373.88 | 99.79 |
| Moderate | 2 | 5.57 | 0.16 | 3379.45 | 99.95 |
| Severe | 3 | 1.55 | 0.05 | 3381.00 | 100.00 |

ghs45p3: 12/13 - PLE 21.7.3 - Severity of eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.19 | 99.65 | 3369.19 | 99.65 |
| Mild | 1 | 10.69 | 0.32 | 3379.88 | 99.97 |
| Moderate | 2 | 1.12 | 0.03 | 3381.00 | 100.00 |

ghs45p4: 12/13 - PLE 21.7.4 - Severity of psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3361.82 | 99.43 | 3361.82 | 99.43 |
| Mild | 1 | 14.00 | 0.41 | 3375.82 | 99.85 |
| Moderate | 2 | 3.23 | 0.10 | 3379.05 | 99.94 |
| Severe | 3 | 1.95 | 0.06 | 3381.00 | 100.00 |

ghs45p5: 12/13 - PLE 21.7.5 - Severity of obesity

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3359.55 | 99.37 | 3359.55 | 99.37 |
| Mild | 1 | 10.39 | 0.31 | 3369.94 | 99.67 |
| Moderate | 2 | 9.16 | 0.27 | 3379.11 | 99.94 |
| Severe | 3 | 1.89 | 0.06 | 3381.00 | 100.00 |

ghs45p6: 12/13 - PLE 21.7.6 - Severity of weight condition (underweight)

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.18 | 99.92 | 3378.18 | 99.92 |
| Mild | 1 | 1.42 | 0.04 | 3379.60 | 99.96 |
| Moderate | 2 | 1.40 | 0.04 | 3381.00 | 100.00 |

ghs45p7: 12/13 - PLE 21.7.7 - Severity of bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs45p8: 12/13 - PLE 21.7.8 - Severity of diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.17 | 99.80 | 3374.17 | 99.80 |
| Mild | 1 | 3.32 | 0.10 | 3377.48 | 99.90 |
| Moderate | 2 | 0.62 | 0.02 | 3378.10 | 99.91 |
| Severe | 3 | 2.90 | 0.09 | 3381.00 | 100.00 |

ghs45p9: 12/13 - PLE 21.7.9 - Severity of other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3376.16 | 99.86 | 3376.16 | 99.86 |
| Mild | 1 | 3.78 | 0.11 | 3379.94 | 99.97 |
| Severe | 3 | 1.06 | 0.03 | 3381.00 | 100.00 |

ghs45p10: 12/13 - PLE 21.7.10 - Severity of heart disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.98 | 99.76 | 3372.98 | 99.76 |
| Mild | 1 | 5.60 | 0.17 | 3378.58 | 99.93 |
| Moderate | 2 | 2.42 | 0.07 | 3381.00 | 100.00 |

ghs45p11: 12/13 - PLE 21.7.11 - Severity of hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3363.30 | 99.48 | 3363.30 | 99.48 |
| Mild | 1 | 12.42 | 0.37 | 3375.73 | 99.84 |
| Moderate | 2 | 5.27 | 0.16 | 3381.00 | 100.00 |

ghs45p12: 12/13 - PLE 21.7.12 - Severity of migraines

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3360.20 | 99.38 | 3360.20 | 99.38 |
| Mild | 1 | 7.86 | 0.23 | 3368.06 | 99.62 |
| Moderate | 2 | 6.64 | 0.20 | 3374.71 | 99.81 |
| Severe | 3 | 6.29 | 0.19 | 3381.00 | 100.00 |

ghs45p13: 12/13 - PLE 21.7.13 - Severity of chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3349.09 | 99.06 | 3349.09 | 99.06 |
| Mild | 1 | 11.87 | 0.35 | 3360.96 | 99.41 |
| Moderate | 2 | 12.19 | 0.36 | 3373.15 | 99.77 |
| Severe | 3 | 7.85 | 0.23 | 3381.00 | 100.00 |

ghs45p14: 12/13 - PLE 21.7.14 - Severity of pelvic inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3375.97 | 99.85 | 3375.97 | 99.85 |
| Mild | 1 | 4.27 | 0.13 | 3380.24 | 99.98 |
| Severe | 3 | 0.76 | 0.02 | 3381.00 | 100.00 |

ghs45p15: 12/13 - PLE 21.7.15 - Severity of stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.21 | 99.74 | 3372.21 | 99.74 |
| Mild | 1 | 3.75 | 0.11 | 3375.97 | 99.85 |
| Moderate | 2 | 3.12 | 0.09 | 3379.09 | 99.94 |
| Severe | 3 | 1.91 | 0.06 | 3381.00 | 100.00 |

ghs45p16: 12/13 - PLE 21.7.16 - Severity of other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3369.05 | 99.65 | 3369.05 | 99.65 |
| Mild | 1 | 3.15 | 0.09 | 3372.20 | 99.74 |
| Moderate | 2 | 3.57 | 0.11 | 3375.76 | 99.85 |
| Severe | 3 | 5.24 | 0.15 | 3381.00 | 100.00 |

ghs45p18: 12/13 - PLE 21.7.17 - Severity of rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs45p19: 12/13 - PLE 21.7.18 - Severity of arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3352.10 | 99.15 | 3352.10 | 99.15 |
| Mild | 1 | 14.33 | 0.42 | 3366.44 | 99.57 |
| Moderate | 2 | 9.23 | 0.27 | 3375.67 | 99.84 |
| Severe | 3 | 5.33 | 0.16 | 3381.00 | 100.00 |

ghs45p20: 12/13 - PLE 21.7.19 - Severity of chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3372.89 | 99.76 | 3372.89 | 99.76 |
| Mild | 1 | 4.96 | 0.15 | 3377.84 | 99.91 |
| Moderate | 2 | 3.16 | 0.09 | 3381.00 | 100.00 |

ghs45p30: 12/13 - PLE 21.7.20 - Severity of alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3374.02 | 99.79 | 3374.02 | 99.79 |
| Mild | 1 | 0.68 | 0.02 | 3374.70 | 99.81 |
| Moderate | 2 | 6.30 | 0.19 | 3381.00 | 100.00 |

ghs45p31: 12/13 - PLE 21.7.21 - Severity of drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3380.48 | 99.98 | 3380.48 | 99.98 |
| Moderate | 2 | 0.52 | 0.02 | 3381.00 | 100.00 |

ghs45p32: 12/13 - PLE 21.7.22 - Severity of depression or anxiety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3335.25 | 98.65 | 3335.25 | 98.65 |
| -2 | -2 | 1.09 | 0.03 | 3336.34 | 98.68 |
| Mild | 1 | 23.13 | 0.68 | 3359.46 | 99.36 |
| Moderate | 2 | 18.02 | 0.53 | 3377.48 | 99.90 |
| Severe | 3 | 3.52 | 0.10 | 3381.00 | 100.00 |

ghs45p33: 12/13 - PLE 21.7.23 - Severity of schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs45p34: 12/13 - PLE 21.7.24 - Severity of bipolar disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.49 | 99.93 | 3378.49 | 99.93 |
| Mild | 1 | 1.09 | 0.03 | 3379.58 | 99.96 |
| Moderate | 2 | 1.42 | 0.04 | 3381.00 | 100.00 |

ghs45p36: 12/13 - PLE 21.7.25 - Severity of postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs45p35: 12/13 - PLE 21.7.26 - Severity of other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.99 | 99.97 | 3379.99 | 99.97 |
| Mild | 1 | 0.33 | 0.01 | 3380.32 | 99.98 |
| Moderate | 2 | 0.68 | 0.02 | 3381.00 | 100.00 |

ghs45p37: 12/13 - PLE 21.7.27 - Severity of epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3376.63 | 99.87 | 3376.63 | 99.87 |
| Mild | 1 | 0.87 | 0.03 | 3377.50 | 99.90 |
| Moderate | 2 | 3.50 | 0.10 | 3381.00 | 100.00 |

ghs45p38: 12/13 - PLE 21.7.28 - Severity of reading problems or dyslexia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3368.97 | 99.64 | 3368.97 | 99.64 |
| Mild | 1 | 6.66 | 0.20 | 3375.63 | 99.84 |
| Moderate | 2 | 3.80 | 0.11 | 3379.43 | 99.95 |
| Severe | 3 | 1.57 | 0.05 | 3381.00 | 100.00 |

ghs45p39: 12/13 - PLE 21.7.29 - Severity of learning problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3375.10 | 99.83 | 3375.10 | 99.83 |
| Mild | 1 | 1.90 | 0.06 | 3377.00 | 99.88 |
| Moderate | 2 | 4.00 | 0.12 | 3381.00 | 100.00 |

ghs45p40: 12/13 - PLE 21.7.30 - Severity of problems doing maths or numbers

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.34 | 99.95 | 3379.34 | 99.95 |
| Mild | 1 | 1.66 | 0.05 | 3381.00 | 100.00 |

ghs45p42: 12/13 - PLE 21.7.31 - Severity of language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs46p: 12/13 - PLE 21.8 - Epilepsy as child with fevers

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3378.53 | 99.93 | 3378.53 | 99.93 |
| -2 | -2 | 0.65 | 0.02 | 3379.18 | 99.95 |
| Yes | 1 | 1.14 | 0.03 | 3380.32 | 99.98 |
| No | 2 | 0.68 | 0.02 | 3381.00 | 100.00 |

ghs47p1: 12/13 - PLE 21.9 - Age started insulin

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 3374.17 | 99.80 | 3374.17 | 99.80 |
| 25 | 0.94 | 0.03 | 3375.10 | 99.83 |
| 30 | 1.28 | 0.04 | 3376.38 | 99.86 |
| 35 | 2.67 | 0.08 | 3379.05 | 99.94 |
| 40 | 0.65 | 0.02 | 3379.70 | 99.96 |
| 45 | 0.68 | 0.02 | 3380.38 | 99.98 |
| 55 | 0.62 | 0.02 | 3381.00 | 100.00 |

ghs47p2: 12/13 - PLE 21.10 - Insulin only when pregnant

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs47p3: 12/13 - PLE 21.11 - Hypertension only when pregnant

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3379.09 | 99.94 | 3379.09 | 99.94 |
| No | 2 | 1.91 | 0.06 | 3381.00 | 100.00 |

ghs51p: 12/13 - PLE - PLE 22.1 - Given birth since last interview

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3381.00 | 100.00 | 3381.00 | 100.00 |

ghs07p1: 12/13 - PLE - PLE 22.2+W6 - Date of birth of first biological child

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------|-----------|---------|----------------------|--------------------|
| . | 3360.49 | 99.39 | 3360.49 | 99.39 |
| JAN1991 | 1.12 | 0.03 | 3361.61 | 99.43 |
| JAN1992 | 1.18 | 0.03 | 3362.79 | 99.46 |
| JAN1995 | 0.64 | 0.02 | 3363.43 | 99.48 |
| JAN1996 | 3.47 | 0.10 | 3366.90 | 99.58 |
| JAN1997 | 0.76 | 0.02 | 3367.67 | 99.61 |
| JAN1998 | 0.79 | 0.02 | 3368.46 | 99.63 |
| JAN1999 | 2.09 | 0.06 | 3370.56 | 99.69 |
| JAN2000 | 1.93 | 0.06 | 3372.49 | 99.75 |
| JAN2001 | 3.83 | 0.11 | 3376.32 | 99.86 |
| JAN2002 | 2.57 | 0.08 | 3378.89 | 99.94 |
| JAN2003 | 2.11 | 0.06 | 3381.00 | 100.00 |

ghs07p2: 12/13 - PLE - PLE 22.3+W6 - Live or still birth

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3361.73 | 99.43 | 3361.73 | 99.43 |
| Live birth | 1 | 19.27 | 0.57 | 3381.00 | 100.00 |

ghs07p3: 12/13 - PLE - PLE 22.4+W6 - Date of birth of first live born child

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------|-----------|---------|----------------------|--------------------|
| . | 3370.79 | 99.70 | 3370.79 | 99.70 |
| JAN1996 | 3.47 | 0.10 | 3374.26 | 99.80 |
| JAN1997 | 0.76 | 0.02 | 3375.03 | 99.82 |
| JAN1999 | 1.27 | 0.04 | 3376.30 | 99.86 |
| JAN2001 | 3.83 | 0.11 | 3380.13 | 99.97 |
| JAN2003 | 0.87 | 0.03 | 3381.00 | 100.00 |

ghs25p1: 12/13 - PLE - PLE 27.1 - Depression 2 weeks in past year

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| Yes | 1 | 106.21 | 3.14 | 3166.81 | 93.66 |
| No | 2 | 214.19 | 6.34 | 3381.00 | 100.00 |

ghs24p1: 12/13 - PLE - PLE 27.2 - Felt nervous

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| All of the time | 1 | 2.11 | 0.06 | 3062.71 | 90.59 |
| Most of the time | 2 | 12.00 | 0.35 | 3074.70 | 90.94 |
| Some of the time | 3 | 36.18 | 1.07 | 3110.88 | 92.01 |
| A little of the time | 4 | 86.27 | 2.55 | 3197.16 | 94.56 |
| None of the time | 5 | 183.84 | 5.44 | 3381.00 | 100.00 |

ghs24p2: 12/13 - PLE - PLE 27.3 - Felt hopeless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| All of the time | 1 | 1.06 | 0.03 | 3061.65 | 90.55 |
| Most of the time | 2 | 3.86 | 0.11 | 3065.51 | 90.67 |
| Some of the time | 3 | 17.65 | 0.52 | 3083.16 | 91.19 |
| A little of the time | 4 | 28.84 | 0.85 | 3112.00 | 92.04 |
| None of the time | 5 | 269.00 | 7.96 | 3381.00 | 100.00 |

ghs24p3: 12/13 - PLE - PLE 27.4 - Felt restless or fidgety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| All of the time | 1 | 7.77 | 0.23 | 3068.37 | 90.75 |
| Most of the time | 2 | 12.50 | 0.37 | 3080.87 | 91.12 |
| Some of the time | 3 | 40.60 | 1.20 | 3121.46 | 92.32 |
| A little of the time | 4 | 99.27 | 2.94 | 3220.74 | 95.26 |
| None of the time | 5 | 160.26 | 4.74 | 3381.00 | 100.00 |

ghs24p4: 12/13 - PLE - PLE 27.5 - Felt everything was an effort

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| All of the time | 1 | 1.26 | 0.04 | 3061.85 | 90.56 |
| Most of the time | 2 | 10.75 | 0.32 | 3072.60 | 90.88 |
| Some of the time | 3 | 45.79 | 1.35 | 3118.40 | 92.23 |
| A little of the time | 4 | 67.47 | 2.00 | 3185.86 | 94.23 |
| None of the time | 5 | 195.14 | 5.77 | 3381.00 | 100.00 |

ghs24p5: 12/13 - PLE - PLE 27.6 - Felt so sad couldn't cheer up

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| Most of the time | 2 | 3.45 | 0.10 | 3064.05 | 90.63 |
| Some of the time | 3 | 6.40 | 0.19 | 3070.45 | 90.81 |
| A little of the time | 4 | 25.66 | 0.76 | 3096.11 | 91.57 |
| None of the time | 5 | 284.89 | 8.43 | 3381.00 | 100.00 |

ghs24p6: 12/13 - PLE - PLE 27.7 - Felt worthless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3060.60 | 90.52 | 3060.60 | 90.52 |
| All of the time | 1 | 1.68 | 0.05 | 3062.28 | 90.57 |
| Most of the time | 2 | 1.22 | 0.04 | 3063.50 | 90.61 |
| Some of the time | 3 | 6.32 | 0.19 | 3069.82 | 90.80 |
| A little of the time | 4 | 24.44 | 0.72 | 3094.26 | 91.52 |
| None of the time | 5 | 286.74 | 8.48 | 3381.00 | 100.00 |

gpk6g: 12/13 - PLE - K-6 Depression scale group

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 3060.60 | 90.52 | 3060.60 | 90.52 |
| No probable serious mental illness | 0 | 313.77 | 9.28 | 3374.36 | 99.80 |
| Probable serious mental illness | 1 | 6.64 | 0.20 | 3381.00 | 100.00 |

gpk6s: 12/13 - PLE - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 3060.60 | 90.52 | 3060.60 | 90.52 |
| 6 | 94.07 | 2.78 | 3154.67 | 93.31 |
| 7 | 61.89 | 1.83 | 3216.56 | 95.14 |
| 8 | 47.37 | 1.40 | 3263.93 | 96.54 |
| 9 | 31.26 | 0.92 | 3295.19 | 97.46 |
| 10 | 29.55 | 0.87 | 3324.74 | 98.34 |
| 11 | 17.67 | 0.52 | 3342.41 | 98.86 |
| 12 | 4.83 | 0.14 | 3347.23 | 99.00 |
| 13 | 3.94 | 0.12 | 3351.17 | 99.12 |
| 14 | 7.72 | 0.23 | 3358.89 | 99.35 |
| 15 | 6.72 | 0.20 | 3365.61 | 99.54 |
| 16 | 5.41 | 0.16 | 3371.02 | 99.70 |
| 17 | 2.02 | 0.06 | 3373.05 | 99.76 |
| 18 | 1.32 | 0.04 | 3374.36 | 99.80 |

gpk6s: 12/13 - PLE - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 19 | 3.52 | 0.10 | 3377.88 | 99.91 |
| 21 | 0.68 | 0.02 | 3378.56 | 99.93 |
| 22 | 1.81 | 0.05 | 3380.37 | 99.98 |
| 25 | 0.63 | 0.02 | 3381.00 | 100.00 |

ghs13pm: 12/13 - PLE - PLE 28.5.1+W6 - Mother's general health

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3136.43 | 92.77 | 3136.43 | 92.77 |
| -2 | -2 | 0.93 | 0.03 | 3137.36 | 92.79 |
| Excellent | 1 | 57.31 | 1.70 | 3194.67 | 94.49 |
| Very good | 2 | 96.66 | 2.86 | 3291.33 | 97.35 |
| Good | 3 | 63.63 | 1.88 | 3354.96 | 99.23 |
| Fair | 4 | 19.72 | 0.58 | 3374.68 | 99.81 |
| Poor | 5 | 6.32 | 0.19 | 3381.00 | 100.00 |

ghs13pf: 12/13 - PLE - PLE 28.5.2+W6 - Father's general health

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 3136.43 | 92.77 | 3136.43 | 92.77 |
| -2 | -2 | 13.47 | 0.40 | 3149.90 | 93.16 |
| Excellent | 1 | 36.02 | 1.07 | 3185.92 | 94.23 |
| Very good | 2 | 89.53 | 2.65 | 3275.45 | 96.88 |
| Good | 3 | 65.05 | 1.92 | 3340.50 | 98.80 |
| Fair | 4 | 29.64 | 0.88 | 3370.14 | 99.68 |
| Poor | 5 | 10.86 | 0.32 | 3381.00 | 100.00 |

ghs13b: 12/13 - P2 - P2LB 12- Global health measure

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.28 | 0.36 | 12.28 | 0.36 |
| -9 | -9 | 1544.90 | 45.69 | 1557.18 | 46.06 |
| Excellent | 1 | 294.10 | 8.70 | 1851.28 | 54.76 |
| Very good | 2 | 754.50 | 22.32 | 2605.79 | 77.07 |
| Good | 3 | 571.50 | 16.90 | 3177.29 | 93.97 |
| Fair | 4 | 172.92 | 5.11 | 3350.21 | 99.09 |
| Poor | 5 | 30.79 | 0.91 | 3381.00 | 100.00 |

ghs48b1c: 12/13 - P2 - P2LB 13.1 - Ever had Asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.52 | 1.11 | 37.52 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.42 | 46.80 |
| -2 | -2 | 19.58 | 0.58 | 1602.00 | 47.38 |
| Never | 1 | 1344.95 | 39.78 | 2946.96 | 87.16 |
| Yes as a child | 2 | 191.64 | 5.67 | 3138.60 | 92.83 |
| Yes as an adult | 3 | 104.10 | 3.08 | 3242.69 | 95.91 |
| Ongoing condition | 4 | 138.31 | 4.09 | 3381.00 | 100.00 |

ghs48b2c: 12/13 - P2 - P2LB 13.2 - Ever had Hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.70 | 1.12 | 37.70 | 1.12 |
| -9 | -9 | 1544.90 | 45.69 | 1582.60 | 46.81 |
| -2 | -2 | 33.90 | 1.00 | 1616.50 | 47.81 |
| Never | 1 | 961.88 | 28.45 | 2578.38 | 76.26 |
| Yes as a child | 2 | 104.82 | 3.10 | 2683.20 | 79.36 |
| Yes as an adult | 3 | 401.66 | 11.88 | 3084.85 | 91.24 |
| Ongoing condition | 4 | 296.15 | 8.76 | 3381.00 | 100.00 |

ghs48b3c: 12/13 - P2 - P2LB 13.3 - Ever had Eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 40.62 | 1.20 | 40.62 | 1.20 |
| -9 | -9 | 1544.90 | 45.69 | 1585.52 | 46.90 |
| -2 | -2 | 31.75 | 0.94 | 1617.27 | 47.83 |
| Never | 1 | 1510.68 | 44.68 | 3127.95 | 92.52 |
| Yes as a child | 2 | 109.20 | 3.23 | 3237.15 | 95.75 |
| Yes as an adult | 3 | 82.15 | 2.43 | 3319.29 | 98.17 |
| Ongoing condition | 4 | 61.71 | 1.83 | 3381.00 | 100.00 |

ghs48b4c: 12/13 - P2 - P2LB 13.4 - Ever had Psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 49.89 | 1.48 | 49.89 | 1.48 |
| -9 | -9 | 1544.90 | 45.69 | 1594.78 | 47.17 |
| -2 | -2 | 32.70 | 0.97 | 1627.49 | 48.14 |
| No, never | 1 | 1631.56 | 48.26 | 3259.05 | 96.39 |
| Yes, as a child only | 2 | 17.14 | 0.51 | 3276.19 | 96.90 |
| Yes, as an adult only | 3 | 64.22 | 1.90 | 3340.41 | 98.80 |
| Yes, as a child and as an adult | 4 | 40.59 | 1.20 | 3381.00 | 100.00 |

ghs48b5c: 12/13 - P2 - P2LB 13.5 - Ever been obese/overweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 43.72 | 1.29 | 43.72 | 1.29 |
| -9 | -9 | 1544.90 | 45.69 | 1588.62 | 46.99 |
| -2 | -2 | 37.80 | 1.12 | 1626.42 | 48.10 |
| No, never | 1 | 1356.57 | 40.12 | 2982.99 | 88.23 |
| Yes, as a child only | 2 | 32.08 | 0.95 | 3015.07 | 89.18 |
| Yes, as an adult only | 3 | 208.17 | 6.16 | 3223.24 | 95.33 |
| Yes, as a child and as an adult | 4 | 157.76 | 4.67 | 3381.00 | 100.00 |

ghs48b6: 12/13 - P2 - P2LB 13.6 - Ever been very thin/underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.42 | 1.25 | 42.42 | 1.25 |
| -9 | -9 | 1544.90 | 45.69 | 1587.31 | 46.95 |
| -2 | -2 | 16.32 | 0.48 | 1603.64 | 47.43 |
| No, never | 1 | 1640.79 | 48.53 | 3244.43 | 95.96 |
| Yes, as a child only | 2 | 103.86 | 3.07 | 3348.29 | 99.03 |

ghs48b6: 12/13 - P2 - P2LB 13.6 - Ever been very thin/underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| Yes, as an adult only | 3 | 22.28 | 0.66 | 3370.56 | 99.69 |
| Yes, as a child and as an adult | 4 | 10.44 | 0.31 | 3381.00 | 100.00 |

ghs48b7c: 12/13 - P2 - P2LB 13.7 - Ever had Bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 44.33 | 1.31 | 44.33 | 1.31 |
| -9 | -9 | 1544.90 | 45.69 | 1589.23 | 47.00 |
| -2 | -2 | 8.83 | 0.26 | 1598.06 | 47.27 |
| Never | 1 | 1775.75 | 52.52 | 3373.80 | 99.79 |
| Yes as a child | 2 | 3.18 | 0.09 | 3376.98 | 99.88 |
| Yes as an adult | 3 | 4.02 | 0.12 | 3381.00 | 100.00 |

ghs48b8c: 12/13 - P2 - P2LB 13.8 - Ever had Diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 39.30 | 1.16 | 39.30 | 1.16 |
| -9 | -9 | 1544.90 | 45.69 | 1584.20 | 46.86 |
| -2 | -2 | 3.12 | 0.09 | 1587.32 | 46.95 |
| Never | 1 | 1771.68 | 52.40 | 3359.01 | 99.35 |
| Yes as an adult | 3 | 5.26 | 0.16 | 3364.26 | 99.50 |
| Ongoing condition | 4 | 16.74 | 0.50 | 3381.00 | 100.00 |

ghs48b9c: 12/13 - P2 - P2LB 13.9 - Ever had Other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.96 | 1.12 | 37.96 | 1.12 |
| -9 | -9 | 1544.90 | 45.69 | 1582.86 | 46.82 |
| -2 | -2 | 8.56 | 0.25 | 1591.43 | 47.07 |
| Never | 1 | 1708.60 | 50.54 | 3300.02 | 97.60 |
| Yes as an adult | 3 | 34.34 | 1.02 | 3334.36 | 98.62 |
| Ongoing condition | 4 | 46.64 | 1.38 | 3381.00 | 100.00 |

ghs48b10c: 12/13 - P2 - P2LB 13.10 - Ever had Heart Disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.65 | 1.26 | 42.65 | 1.26 |
| -9 | -9 | 1544.90 | 45.69 | 1587.54 | 46.95 |
| -2 | -2 | 16.12 | 0.48 | 1603.67 | 47.43 |
| Never | 1 | 1724.22 | 51.00 | 3327.88 | 98.43 |
| Yes as a child | 2 | 2.07 | 0.06 | 3329.95 | 98.49 |
| Yes as an adult | 3 | 21.66 | 0.64 | 3351.61 | 99.13 |
| Ongoing condition | 4 | 29.39 | 0.87 | 3381.00 | 100.00 |

ghs48b11c: 12/13 - P2 - P2LB 13.11 - Ever had Hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 32.28 | 0.95 | 32.28 | 0.95 |
| -9 | -9 | 1544.90 | 45.69 | 1577.18 | 46.65 |
| -2 | -2 | 9.62 | 0.28 | 1586.80 | 46.93 |
| Never | 1 | 1546.82 | 45.75 | 3133.62 | 92.68 |
| Yes as an adult | 3 | 125.89 | 3.72 | 3259.51 | 96.41 |
| Ongoing condition | 4 | 121.49 | 3.59 | 3381.00 | 100.00 |

ghs48b12c: 12/13 - P2 - P2LB 13.12 - Ever had Migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 33.63 | 0.99 | 33.63 | 0.99 |
| -9 | -9 | 1544.90 | 45.69 | 1578.53 | 46.69 |
| -2 | -2 | 27.38 | 0.81 | 1605.91 | 47.50 |
| Never | 1 | 1368.79 | 40.48 | 2974.70 | 87.98 |
| Yes as a child | 2 | 68.99 | 2.04 | 3043.69 | 90.02 |
| Yes as an adult | 3 | 263.59 | 7.80 | 3307.28 | 97.82 |
| Ongoing condition | 4 | 73.72 | 2.18 | 3381.00 | 100.00 |

ghs48b13c: 12/13 - P2 - P2LB 13.13 - Ever had Chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 30.21 | 0.89 | 30.21 | 0.89 |
| -9 | -9 | 1544.90 | 45.69 | 1575.11 | 46.59 |
| -2 | -2 | 16.34 | 0.48 | 1591.45 | 47.07 |
| Never | 1 | 1245.66 | 36.84 | 2837.10 | 83.91 |
| Yes as a child | 2 | 12.23 | 0.36 | 2849.33 | 84.27 |
| Yes as an adult | 3 | 350.70 | 10.37 | 3200.04 | 94.65 |
| Ongoing condition | 4 | 180.96 | 5.35 | 3381.00 | 100.00 |

ghs48b14c: 12/13 - P2 - P2LB 13.14 - Ever had Pelvic inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.42 | 1.25 | 42.42 | 1.25 |
| -9 | -9 | 1544.90 | 45.69 | 1587.32 | 46.95 |
| -2 | -2 | 16.46 | 0.49 | 1603.78 | 47.44 |
| Never | 1 | 1766.42 | 52.25 | 3370.20 | 99.68 |
| Yes as an adult | 3 | 5.47 | 0.16 | 3375.66 | 99.84 |
| Ongoing condition | 4 | 5.34 | 0.16 | 3381.00 | 100.00 |

ghs48b15c: 12/13 - P2 - P2LB 13.15 - Ever had Stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.85 | 1.27 | 42.85 | 1.27 |
| -9 | -9 | 1544.90 | 45.69 | 1587.74 | 46.96 |
| -2 | -2 | 20.22 | 0.60 | 1607.96 | 47.56 |
| Never | 1 | 1666.06 | 49.28 | 3274.02 | 96.84 |
| Yes as a child | 2 | 7.84 | 0.23 | 3281.86 | 97.07 |
| Yes as an adult | 3 | 86.30 | 2.55 | 3368.16 | 99.62 |
| Ongoing condition | 4 | 12.84 | 0.38 | 3381.00 | 100.00 |

ghs48b16c: 12/13 - P2 - P2LB 13.16 - Ever had Other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 34.72 | 1.03 | 34.72 | 1.03 |
| -9 | -9 | 1544.90 | 45.69 | 1579.62 | 46.72 |
| -2 | -2 | 23.15 | 0.68 | 1602.77 | 47.41 |
| Never | 1 | 1575.26 | 46.59 | 3178.03 | 94.00 |
| Yes as an adult | 3 | 109.31 | 3.23 | 3287.34 | 97.23 |
| Ongoing condition | 4 | 93.66 | 2.77 | 3381.00 | 100.00 |

ghs48b17c: 12/13 - P2 - P2LB 13.17 - Ever had Stroke

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 34.08 | 1.01 | 34.08 | 1.01 |
| -9 | -9 | 1544.90 | 45.69 | 1578.98 | 46.70 |
| -2 | -2 | 0.82 | 0.02 | 1579.80 | 46.73 |
| Never | 1 | 1789.24 | 52.92 | 3369.04 | 99.65 |
| Yes as a child | 2 | 2.09 | 0.06 | 3371.13 | 99.71 |
| Yes as an adult | 3 | 9.87 | 0.29 | 3381.00 | 100.00 |

ghs48b18c: 12/13 - P2 - P2LB 13.18 - Ever had Rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 39.60 | 1.17 | 39.60 | 1.17 |
| -9 | -9 | 1544.90 | 45.69 | 1584.50 | 46.86 |
| -2 | -2 | 11.50 | 0.34 | 1596.01 | 47.21 |
| Never | 1 | 1759.26 | 52.03 | 3355.26 | 99.24 |
| Yes as a child | 2 | 3.66 | 0.11 | 3358.92 | 99.35 |
| Yes as an adult | 3 | 7.84 | 0.23 | 3366.76 | 99.58 |
| Ongoing condition | 4 | 14.24 | 0.42 | 3381.00 | 100.00 |

ghs48b19c: 12/13 - P2 - P2LB 13.19 - Ever had Arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 32.80 | 0.97 | 32.80 | 0.97 |
| -9 | -9 | 1544.90 | 45.69 | 1577.70 | 46.66 |
| -2 | -2 | 21.26 | 0.63 | 1598.96 | 47.29 |
| Never | 1 | 1545.21 | 45.70 | 3144.17 | 93.00 |
| Yes as a child | 2 | 2.47 | 0.07 | 3146.63 | 93.07 |
| Yes as an adult | 3 | 121.33 | 3.59 | 3267.96 | 96.66 |
| Ongoing condition | 4 | 113.04 | 3.34 | 3381.00 | 100.00 |

ghs48b20c: 12/13 - P2 - P2LB 13.20 - Ever had Chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.46 | 1.11 | 37.46 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.36 | 46.80 |
| -2 | -2 | 10.02 | 0.30 | 1592.37 | 47.10 |
| Never | 1 | 1650.20 | 48.81 | 3242.57 | 95.91 |
| Yes as a child | 2 | 66.29 | 1.96 | 3308.86 | 97.87 |
| Yes as an adult | 3 | 56.32 | 1.67 | 3365.18 | 99.53 |
| Ongoing condition | 4 | 15.82 | 0.47 | 3381.00 | 100.00 |

ghs48b43c: 12/13 - P2 - P2LB 13.21 - Ever had Cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 44.40 | 1.31 | 44.40 | 1.31 |
| -9 | -9 | 1544.90 | 45.69 | 1589.30 | 47.01 |
| -2 | -2 | 3.42 | 0.10 | 1592.72 | 47.11 |
| Never | 1 | 1717.28 | 50.79 | 3310.00 | 97.90 |
| Yes as an adult | 3 | 59.89 | 1.77 | 3369.88 | 99.67 |
| Ongoing condition | 4 | 11.12 | 0.33 | 3381.00 | 100.00 |

ghs48b30c: 12/13 - P2 - P2LB 13.22 - Ever had Alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 36.91 | 1.09 | 36.91 | 1.09 |
| -9 | -9 | 1544.90 | 45.69 | 1581.81 | 46.79 |
| -2 | -2 | 39.91 | 1.18 | 1621.72 | 47.97 |
| Never | 1 | 1683.15 | 49.78 | 3304.86 | 97.75 |
| Yes as a child | 2 | 3.64 | 0.11 | 3308.50 | 97.86 |
| Yes as an adult | 3 | 63.05 | 1.86 | 3371.55 | 99.72 |
| Ongoing condition | 4 | 9.45 | 0.28 | 3381.00 | 100.00 |

ghs48b31c: 12/13 - P2 - P2LB 13.23 - Ever had Drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 36.49 | 1.08 | 36.49 | 1.08 |
| -9 | -9 | 1544.90 | 45.69 | 1581.39 | 46.77 |
| -2 | -2 | 3.12 | 0.09 | 1584.51 | 46.87 |
| Never | 1 | 1761.37 | 52.10 | 3345.88 | 98.96 |
| Yes as a child | 2 | 3.30 | 0.10 | 3349.19 | 99.06 |
| Yes as an adult | 3 | 27.54 | 0.81 | 3376.73 | 99.87 |
| Ongoing condition | 4 | 4.27 | 0.13 | 3381.00 | 100.00 |

ghs48b32c: 12/13 - P2 - P2LB 13.24 - Ever had Depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 33.65 | 1.00 | 33.65 | 1.00 |
| -9 | -9 | 1544.90 | 45.69 | 1578.54 | 46.69 |
| -2 | -2 | 41.48 | 1.23 | 1620.03 | 47.92 |
| Never | 1 | 1315.53 | 38.91 | 2935.56 | 86.83 |
| Yes as a child | 2 | 12.67 | 0.37 | 2948.23 | 87.20 |
| Yes as an adult | 3 | 319.61 | 9.45 | 3267.84 | 96.65 |
| Ongoing condition | 4 | 113.16 | 3.35 | 3381.00 | 100.00 |

ghs48b33c: 12/13 - P2 - P2LB 13.25 - Ever had Schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.50 | 1.11 | 37.50 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.40 | 46.80 |
| -2 | -2 | 11.67 | 0.35 | 1594.06 | 47.15 |
| Never | 1 | 1781.65 | 52.70 | 3375.71 | 99.84 |
| Yes as an adult | 3 | 2.34 | 0.07 | 3378.05 | 99.91 |
| Ongoing condition | 4 | 2.95 | 0.09 | 3381.00 | 100.00 |

ghs48b34c: 12/13 - P2 - P2LB 13.26 - Ever had Bipolar disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.27 | 1.10 | 37.27 | 1.10 |
| -9 | -9 | 1544.90 | 45.69 | 1582.17 | 46.80 |
| -2 | -2 | 12.94 | 0.38 | 1595.10 | 47.18 |
| Never | 1 | 1766.62 | 52.25 | 3361.72 | 99.43 |
| Yes as a child | 2 | 0.88 | 0.03 | 3362.61 | 99.46 |
| Yes as an adult | 3 | 6.93 | 0.20 | 3369.54 | 99.66 |
| Ongoing condition | 4 | 11.46 | 0.34 | 3381.00 | 100.00 |

ghs48b35c: 12/13 - P2 - P2LB 13.27 - Ever had Postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 40.13 | 1.19 | 40.13 | 1.19 |
| -9 | -9 | 1544.90 | 45.69 | 1585.03 | 46.88 |
| -2 | -2 | 4.39 | 0.13 | 1589.42 | 47.01 |
| Never | 1 | 1772.53 | 52.43 | 3361.95 | 99.44 |
| Yes as an adult | 3 | 18.58 | 0.55 | 3380.52 | 99.99 |
| Ongoing condition | 4 | 0.48 | 0.01 | 3381.00 | 100.00 |

ghs48b36c: 12/13 - P2 - P2LB 13.28 - Ever had Other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 40.35 | 1.19 | 40.35 | 1.19 |
| -9 | -9 | 1544.90 | 45.69 | 1585.25 | 46.89 |
| -2 | -2 | 17.43 | 0.52 | 1602.68 | 47.40 |
| Never | 1 | 1735.24 | 51.32 | 3337.93 | 98.73 |
| Yes as a child | 2 | 2.40 | 0.07 | 3340.33 | 98.80 |
| Yes as an adult | 3 | 23.76 | 0.70 | 3364.09 | 99.50 |
| Ongoing condition | 4 | 16.91 | 0.50 | 3381.00 | 100.00 |

ghs48b37c: 12/13 - P2 - P2LB 13.29 - Ever had Epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 36.35 | 1.08 | 36.35 | 1.08 |
| -9 | -9 | 1544.90 | 45.69 | 1581.25 | 46.77 |
| -2 | -2 | 3.25 | 0.10 | 1584.50 | 46.86 |
| Never | 1 | 1770.01 | 52.35 | 3354.50 | 99.22 |
| Yes as a child | 2 | 9.46 | 0.28 | 3363.96 | 99.50 |
| Yes as an adult | 3 | 8.95 | 0.26 | 3372.91 | 99.76 |
| Ongoing condition | 4 | 8.09 | 0.24 | 3381.00 | 100.00 |

ghs48b42b: 12/13 - P2 - P2LB 13.30 - Ever had Language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.54 | 1.11 | 37.54 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.44 | 46.80 |
| -2 | -2 | 3.08 | 0.09 | 1585.52 | 46.89 |
| No, never | 1 | 1732.09 | 51.23 | 3317.61 | 98.13 |
| Yes, as a child only | 2 | 34.10 | 1.01 | 3351.71 | 99.13 |
| Yes, as an adult only | 3 | 10.32 | 0.31 | 3362.02 | 99.44 |

ghs48b42b: 12/13 - P2 - P2LB 13.30 - Ever had Language or speech problems

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| Yes, as a child and as an adult | 4 | 17.89 | 0.53 | 3379.91 | 99.97 |
| 12 | 12 | 1.09 | 0.03 | 3381.00 | 100.00 |

ghs44b1: 12/13 - P2 - P2LB 13.1 - Currently has asthma

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.52 | 1.11 | 37.52 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.42 | 46.80 |
| -2 | -2 | 19.58 | 0.58 | 1602.00 | 47.38 |
| Yes | 1 | 138.31 | 4.09 | 1740.31 | 51.47 |
| No | 2 | 1640.69 | 48.53 | 3381.00 | 100.00 |

ghs44b2: 12/13 - P2 - P2LB 13.2 - Currently has hay fever

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.70 | 1.12 | 37.70 | 1.12 |
| -9 | -9 | 1544.90 | 45.69 | 1582.60 | 46.81 |
| -2 | -2 | 33.90 | 1.00 | 1616.50 | 47.81 |
| Yes | 1 | 296.15 | 8.76 | 1912.64 | 56.57 |
| No | 2 | 1468.36 | 43.43 | 3381.00 | 100.00 |

ghs44b3: 12/13 - P2 - P2LB 13.3 - Currently has eczema

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 40.62 | 1.20 | 40.62 | 1.20 |
| -9 | -9 | 1544.90 | 45.69 | 1585.52 | 46.90 |
| -2 | -2 | 31.75 | 0.94 | 1617.27 | 47.83 |
| Yes | 1 | 61.71 | 1.83 | 1678.98 | 49.66 |
| No | 2 | 1702.02 | 50.34 | 3381.00 | 100.00 |

ghs44b4: 12/13 - P2 - P2LB 13.4 - Currently has psoriasis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 49.89 | 1.48 | 49.89 | 1.48 |
| -9 | -9 | 1544.90 | 45.69 | 1594.78 | 47.17 |
| -2 | -2 | 32.70 | 0.97 | 1627.49 | 48.14 |
| Yes | 1 | 40.59 | 1.20 | 1668.08 | 49.34 |
| No | 2 | 1712.92 | 50.66 | 3381.00 | 100.00 |

ghs44b5: 12/13 - P2 - P2LB 13.5 - Currently been obese/very overweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 43.72 | 1.29 | 43.72 | 1.29 |
| -9 | -9 | 1544.90 | 45.69 | 1588.62 | 46.99 |
| -2 | -2 | 37.80 | 1.12 | 1626.42 | 48.10 |
| Yes | 1 | 157.76 | 4.67 | 1784.18 | 52.77 |
| No | 2 | 1596.82 | 47.23 | 3381.00 | 100.00 |

ghs44b6: 12/13 - P2 - P2LB 13.6 - Currently been very thin/underweight

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.42 | 1.25 | 42.42 | 1.25 |
| -9 | -9 | 1544.90 | 45.69 | 1587.31 | 46.95 |
| -2 | -2 | 16.32 | 0.48 | 1603.64 | 47.43 |
| Yes | 1 | 10.44 | 0.31 | 1614.07 | 47.74 |
| No | 2 | 1766.93 | 52.26 | 3381.00 | 100.00 |

ghs44b7: 12/13 - P2 - P2LB 13.7 - Currently has bulimia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 44.33 | 1.31 | 44.33 | 1.31 |
| -9 | -9 | 1544.90 | 45.69 | 1589.23 | 47.00 |
| -2 | -2 | 8.83 | 0.26 | 1598.06 | 47.27 |
| No | 2 | 1782.94 | 52.73 | 3381.00 | 100.00 |

ghs44b8: 12/13 - P2 - P2LB 13.8 - Currently has diabetes treated with insulin

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 39.30 | 1.16 | 39.30 | 1.16 |
| -9 | -9 | 1544.90 | 45.69 | 1584.20 | 46.86 |
| -2 | -2 | 3.12 | 0.09 | 1587.32 | 46.95 |
| Yes | 1 | 16.74 | 0.50 | 1604.06 | 47.44 |
| No | 2 | 1776.94 | 52.56 | 3381.00 | 100.00 |

ghs44b9: 12/13 - P2 - P2LB 13.9 - Currently has other diabetes

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.96 | 1.12 | 37.96 | 1.12 |
| -9 | -9 | 1544.90 | 45.69 | 1582.86 | 46.82 |
| -2 | -2 | 8.56 | 0.25 | 1591.43 | 47.07 |
| Yes | 1 | 46.64 | 1.38 | 1638.07 | 48.45 |
| No | 2 | 1742.93 | 51.55 | 3381.00 | 100.00 |

ghs44b10: 12/13 - P2 - P2LB 13.10 - Currently has heart disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.65 | 1.26 | 42.65 | 1.26 |
| -9 | -9 | 1544.90 | 45.69 | 1587.54 | 46.95 |
| -2 | -2 | 16.12 | 0.48 | 1603.67 | 47.43 |
| Yes | 1 | 29.39 | 0.87 | 1633.05 | 48.30 |
| No | 2 | 1747.95 | 51.70 | 3381.00 | 100.00 |

ghs44b11: 12/13 - P2 - P2LB 13.11 - Currently has hypertension

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 32.28 | 0.95 | 32.28 | 0.95 |
| -9 | -9 | 1544.90 | 45.69 | 1577.18 | 46.65 |
| -2 | -2 | 9.62 | 0.28 | 1586.80 | 46.93 |
| Yes | 1 | 121.49 | 3.59 | 1708.29 | 50.53 |
| No | 2 | 1672.71 | 49.47 | 3381.00 | 100.00 |

ghs44b12: 12/13 - P2 - P2LB 13.12 - Currently has migraine

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 33.63 | 0.99 | 33.63 | 0.99 |
| -9 | -9 | 1544.90 | 45.69 | 1578.53 | 46.69 |
| -2 | -2 | 27.38 | 0.81 | 1605.91 | 47.50 |
| Yes | 1 | 73.72 | 2.18 | 1679.63 | 49.68 |
| No | 2 | 1701.37 | 50.32 | 3381.00 | 100.00 |

ghs44b13: 12/13 - P2 - P2LB 13.13 - Currently has chronic back pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 30.21 | 0.89 | 30.21 | 0.89 |
| -9 | -9 | 1544.90 | 45.69 | 1575.11 | 46.59 |
| -2 | -2 | 16.34 | 0.48 | 1591.45 | 47.07 |
| Yes | 1 | 180.96 | 5.35 | 1772.41 | 52.42 |
| No | 2 | 1608.59 | 47.58 | 3381.00 | 100.00 |

ghs44b14: 12/13 - P2 - P2LB 13.14 - Currently has pelvic Inflammatory disease

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.42 | 1.25 | 42.42 | 1.25 |
| -9 | -9 | 1544.90 | 45.69 | 1587.32 | 46.95 |
| -2 | -2 | 16.46 | 0.49 | 1603.78 | 47.44 |
| Yes | 1 | 5.34 | 0.16 | 1609.12 | 47.59 |
| No | 2 | 1771.88 | 52.41 | 3381.00 | 100.00 |

ghs44b15: 12/13 - P2 - P2LB 13.15 - Currently has stomach ulcer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 42.85 | 1.27 | 42.85 | 1.27 |
| -9 | -9 | 1544.90 | 45.69 | 1587.74 | 46.96 |
| -2 | -2 | 20.22 | 0.60 | 1607.96 | 47.56 |
| Yes | 1 | 12.84 | 0.38 | 1620.80 | 47.94 |
| No | 2 | 1760.20 | 52.06 | 3381.00 | 100.00 |

ghs44b16: 12/13 - P2 - P2LB 13.16 - Currently has other chronic pain

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 34.72 | 1.03 | 34.72 | 1.03 |
| -9 | -9 | 1544.90 | 45.69 | 1579.62 | 46.72 |
| -2 | -2 | 23.15 | 0.68 | 1602.77 | 47.41 |
| Yes | 1 | 93.66 | 2.77 | 1696.43 | 50.18 |
| No | 2 | 1684.57 | 49.82 | 3381.00 | 100.00 |

ghs44b17: 12/13 - P2 - P2LB 13.17 - Currently has stroke

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| . | . | 34.08 | 1.01 | 34.08 | 1.01 |
| -9 | -9 | 1544.90 | 45.69 | 1578.98 | 46.70 |
| -2 | -2 | 0.82 | 0.02 | 1579.80 | 46.73 |
| No | 2 | 1801.20 | 53.27 | 3381.00 | 100.00 |

ghs44b18: 12/13 - P2 - P2LB 13.18 - Currently has rheumatism

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 39.60 | 1.17 | 39.60 | 1.17 |
| -9 | -9 | 1544.90 | 45.69 | 1584.50 | 46.86 |
| -2 | -2 | 11.50 | 0.34 | 1596.01 | 47.21 |
| Yes | 1 | 14.24 | 0.42 | 1610.24 | 47.63 |
| No | 2 | 1770.76 | 52.37 | 3381.00 | 100.00 |

ghs44b19: 12/13 - P2 - P2LB 13.19 - Currently has arthritis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 32.80 | 0.97 | 32.80 | 0.97 |
| -9 | -9 | 1544.90 | 45.69 | 1577.70 | 46.66 |
| -2 | -2 | 21.26 | 0.63 | 1598.96 | 47.29 |
| Yes | 1 | 113.04 | 3.34 | 1712.00 | 50.64 |
| No | 2 | 1669.00 | 49.36 | 3381.00 | 100.00 |

ghs44b20: 12/13 - P2 - P2LB 13.20 - Currently has chronic bronchitis

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.46 | 1.11 | 37.46 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.36 | 46.80 |
| -2 | -2 | 10.02 | 0.30 | 1592.37 | 47.10 |
| Yes | 1 | 15.82 | 0.47 | 1608.20 | 47.57 |
| No | 2 | 1772.80 | 52.43 | 3381.00 | 100.00 |

ghs44b43: 12/13 - P2 - P2LB 13.21 - Currently has cancer

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 44.40 | 1.31 | 44.40 | 1.31 |
| -9 | -9 | 1544.90 | 45.69 | 1589.30 | 47.01 |
| -2 | -2 | 3.42 | 0.10 | 1592.72 | 47.11 |
| Yes | 1 | 11.12 | 0.33 | 1603.83 | 47.44 |
| No | 2 | 1777.17 | 52.56 | 3381.00 | 100.00 |

ghs44b30: 12/13 - P2 - P2LB 13.22 - Currently has alcohol problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 36.91 | 1.09 | 36.91 | 1.09 |
| -9 | -9 | 1544.90 | 45.69 | 1581.81 | 46.79 |
| -2 | -2 | 39.91 | 1.18 | 1621.72 | 47.97 |
| Yes | 1 | 9.45 | 0.28 | 1631.17 | 48.25 |
| No | 2 | 1749.83 | 51.75 | 3381.00 | 100.00 |

ghs44b31: 12/13 - P2 - P2LB 13.23 - Currently has drug addiction

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 36.49 | 1.08 | 36.49 | 1.08 |
| -9 | -9 | 1544.90 | 45.69 | 1581.39 | 46.77 |
| -2 | -2 | 3.12 | 0.09 | 1584.51 | 46.87 |
| Yes | 1 | 4.27 | 0.13 | 1588.78 | 46.99 |
| No | 2 | 1792.22 | 53.01 | 3381.00 | 100.00 |

ghs44b32: 12/13 - P2 - P2LB 13.24 - Currently has depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 33.65 | 1.00 | 33.65 | 1.00 |
| -9 | -9 | 1544.90 | 45.69 | 1578.54 | 46.69 |
| -2 | -2 | 41.48 | 1.23 | 1620.03 | 47.92 |
| Yes | 1 | 113.16 | 3.35 | 1733.18 | 51.26 |
| No | 2 | 1647.82 | 48.74 | 3381.00 | 100.00 |

ghs44b33: 12/13 - P2 - P2LB 13.25 - Currently has schizophrenia

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.50 | 1.11 | 37.50 | 1.11 |
| -9 | -9 | 1544.90 | 45.69 | 1582.40 | 46.80 |
| -2 | -2 | 11.67 | 0.35 | 1594.06 | 47.15 |
| Yes | 1 | 2.95 | 0.09 | 1597.01 | 47.23 |
| No | 2 | 1783.99 | 52.77 | 3381.00 | 100.00 |

ghs44b34: 12/13 - P2 - P2LB 13.26 - Currently has bipolar disorder

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 37.27 | 1.10 | 37.27 | 1.10 |
| -9 | -9 | 1544.90 | 45.69 | 1582.17 | 46.80 |
| -2 | -2 | 12.94 | 0.38 | 1595.10 | 47.18 |
| Yes | 1 | 11.46 | 0.34 | 1606.57 | 47.52 |
| No | 2 | 1774.43 | 52.48 | 3381.00 | 100.00 |

ghs44b35: 12/13 - P2 - P2LB 13.27 - Currently has postnatal depression

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 40.13 | 1.19 | 40.13 | 1.19 |
| -9 | -9 | 1544.90 | 45.69 | 1585.03 | 46.88 |
| -2 | -2 | 4.39 | 0.13 | 1589.42 | 47.01 |
| Yes | 1 | 0.48 | 0.01 | 1589.90 | 47.02 |
| No | 2 | 1791.10 | 52.98 | 3381.00 | 100.00 |

ghs44b36: 12/13 - P2 - P2LB 13.28 - Currently has other mental illness

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 40.35 | 1.19 | 40.35 | 1.19 |
| -9 | -9 | 1544.90 | 45.69 | 1585.25 | 46.89 |
| -2 | -2 | 17.43 | 0.52 | 1602.68 | 47.40 |
| Yes | 1 | 16.91 | 0.50 | 1619.60 | 47.90 |
| No | 2 | 1761.40 | 52.10 | 3381.00 | 100.00 |

ghs44b37: 12/13 - P2 - P2LB 13.29 - Currently has epilepsy

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 36.35 | 1.08 | 36.35 | 1.08 |
| -9 | -9 | 1544.90 | 45.69 | 1581.25 | 46.77 |
| -2 | -2 | 3.25 | 0.10 | 1584.50 | 46.86 |
| Yes | 1 | 8.09 | 0.24 | 1592.59 | 47.10 |
| No | 2 | 1788.41 | 52.90 | 3381.00 | 100.00 |

ghs44b42: 12/13 - P2 - P2LB 13.30 - Currently has Language or speech problem

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 38.63 | 1.14 | 38.63 | 1.14 |
| -9 | -9 | 1544.90 | 45.69 | 1583.53 | 46.84 |
| -2 | -2 | 3.08 | 0.09 | 1586.61 | 46.93 |
| Yes | 1 | 17.89 | 0.53 | 1604.49 | 47.46 |
| No | 2 | 1776.51 | 52.54 | 3381.00 | 100.00 |

ghs48b44: 12/13 - P2 - P2LB 13 - Ever had any of listed conditions

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 19.61 | 0.58 | 19.61 | 0.58 |
| -9 | -9 | 1544.90 | 45.69 | 1564.50 | 46.27 |
| -2 | -2 | 17.43 | 0.52 | 1581.93 | 46.79 |
| Yes | 1 | 1553.96 | 45.96 | 3135.90 | 92.75 |
| No | 2 | 245.10 | 7.25 | 3381.00 | 100.00 |

ghs50b1: 12/13 - P2 - P2LB 17 - P2 sleep quality

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 11.87 | 0.35 | 11.87 | 0.35 |
| -9 | -9 | 1544.90 | 45.69 | 1556.77 | 46.04 |
| Very good | 1 | 261.92 | 7.75 | 1818.69 | 53.79 |
| Fairly good | 2 | 624.12 | 18.46 | 2442.81 | 72.25 |
| OK/adequate | 3 | 676.80 | 20.02 | 3119.60 | 92.27 |
| Fairly bad | 4 | 220.83 | 6.53 | 3340.44 | 98.80 |
| Very bad | 5 | 40.56 | 1.20 | 3381.00 | 100.00 |

ghs23b2: 12/13 - P2 - P2LB 25 - Weight (kg)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 40.15 | 1.19 | 40.15 | 1.19 |
| -9 | 1544.90 | 45.69 | 1585.05 | 46.88 |
| 40 | 1.28 | 0.04 | 1586.33 | 46.92 |
| 50 | 10.80 | 0.32 | 1597.13 | 47.24 |
| 60 | 55.05 | 1.63 | 1652.18 | 48.87 |
| 70 | 215.18 | 6.36 | 1867.35 | 55.23 |
| 80 | 423.22 | 12.52 | 2290.57 | 67.75 |
| 90 | 475.21 | 14.06 | 2765.78 | 81.80 |
| 100 | 330.02 | 9.76 | 3095.80 | 91.56 |
| 110 | 148.79 | 4.40 | 3244.59 | 95.97 |
| 120 | 75.76 | 2.24 | 3320.35 | 98.21 |
| 130 | 31.10 | 0.92 | 3351.45 | 99.13 |
| 140 | 9.03 | 0.27 | 3360.48 | 99.39 |
| 150 | 20.52 | 0.61 | 3381.00 | 100.00 |

ghs23b1: 12/13 - P2 - Height (cm)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 2.48 | 0.07 | 2.48 | 0.07 |
| -9 | 1092.80 | 32.32 | 1095.27 | 32.39 |
| 80 | 0.44 | 0.01 | 1095.71 | 32.41 |
| 100 | 2.95 | 0.09 | 1098.65 | 32.49 |
| 110 | 1.28 | 0.04 | 1099.93 | 32.53 |
| 130 | 0.78 | 0.02 | 1100.71 | 32.56 |
| 150 | 23.40 | 0.69 | 1124.11 | 33.25 |
| 160 | 142.58 | 4.22 | 1266.69 | 37.46 |
| 170 | 483.54 | 14.30 | 1750.23 | 51.77 |
| 180 | 1155.79 | 34.18 | 2906.02 | 85.95 |
| 190 | 428.99 | 12.69 | 3335.01 | 98.64 |
| 200 | 40.57 | 1.20 | 3375.58 | 99.84 |
| 210 | 2.80 | 0.08 | 3378.38 | 99.92 |
| 350 | 0.98 | 0.03 | 3379.36 | 99.95 |
| 360 | 0.82 | 0.02 | 3380.19 | 99.98 |
| 380 | 0.81 | 0.02 | 3381.00 | 100.00 |

gbbmi: 12/13 - P2 - Body Mass Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 1760.09 | 52.06 | 1760.09 | 52.06 |
| 5 | 1.64 | 0.05 | 1761.73 | 52.11 |
| 15 | 6.65 | 0.20 | 1768.38 | 52.30 |
| 20 | 122.11 | 3.61 | 1890.48 | 55.91 |
| 25 | 678.27 | 20.06 | 2568.75 | 75.98 |
| 30 | 547.33 | 16.19 | 3116.09 | 92.16 |
| 35 | 194.59 | 5.76 | 3310.68 | 97.92 |
| 40 | 42.24 | 1.25 | 3352.92 | 99.17 |
| 45 | 15.46 | 0.46 | 3368.38 | 99.63 |
| 50 | 3.75 | 0.11 | 3372.14 | 99.74 |
| 55 | 2.33 | 0.07 | 3374.47 | 99.81 |
| 60 | 2.72 | 0.08 | 3377.18 | 99.89 |
| 70 | 0.87 | 0.03 | 3378.05 | 99.91 |
| 85 | 2.95 | 0.09 | 3381.00 | 100.00 |

ghs26b1: 12/13 - P2 - P2LB 29 - Difficulty of life at present

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 7.97 | 0.24 | 7.97 | 0.24 |
| -9 | -9 | 1544.90 | 45.69 | 1552.87 | 45.93 |
| No problems or stress | 1 | 152.60 | 4.51 | 1705.46 | 50.44 |
| Few problems or stresses | 2 | 769.02 | 22.75 | 2474.49 | 73.19 |
| Some problems and stresses | 3 | 720.97 | 21.32 | 3195.46 | 94.51 |
| Many problems and stresses | 4 | 170.10 | 5.03 | 3365.56 | 99.54 |
| Very many problems and stresses | 5 | 15.44 | 0.46 | 3381.00 | 100.00 |

ghs26b2: 12/13 - P2 - P2LB 30 - Level of coping

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 7.67 | 0.23 | 7.67 | 0.23 |
| -9 | -9 | 1544.90 | 45.69 | 1552.57 | 45.92 |
| Not at all | 1 | 7.96 | 0.24 | 1560.53 | 46.16 |
| A little | 2 | 126.70 | 3.75 | 1687.23 | 49.90 |
| Fairly well | 3 | 816.52 | 24.15 | 2503.75 | 74.05 |
| Very well | 4 | 691.79 | 20.46 | 3195.53 | 94.51 |
| Extremely well | 5 | 185.47 | 5.49 | 3381.00 | 100.00 |

ghs25b1: 12/13 - P2 - P2LB 31- Depression 2 weeks in past year

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 14.34 | 0.42 | 14.34 | 0.42 |
| -9 | -9 | 1544.90 | 45.69 | 1559.23 | 46.12 |
| Yes | 1 | 476.70 | 14.10 | 2035.93 | 60.22 |
| No | 2 | 1345.07 | 39.78 | 3381.00 | 100.00 |

ghs26b3: 12/13 - P2 - P2LB 32 - Frequency of feeling rushed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| . | . | 11.83 | 0.35 | 11.83 | 0.35 |
| -9 | -9 | 1544.90 | 45.69 | 1556.73 | 46.04 |
| Always | 1 | 142.81 | 4.22 | 1699.54 | 50.27 |
| Often | 2 | 613.38 | 18.14 | 2312.92 | 68.41 |
| Sometimes | 3 | 739.23 | 21.86 | 3052.15 | 90.27 |
| Rarely | 4 | 282.08 | 8.34 | 3334.22 | 98.62 |
| Never | 5 | 46.78 | 1.38 | 3381.00 | 100.00 |

ghs24b1: 12/13 - P2 - P2LB 34.1- Felt nervous

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.69 | 0.49 | 16.69 | 0.49 |
| -9 | -9 | 1544.90 | 45.69 | 1561.58 | 46.19 |
| All of the time | 1 | 3.87 | 0.11 | 1565.45 | 46.30 |
| Most of the time | 2 | 19.36 | 0.57 | 1584.81 | 46.87 |
| Some of the time | 3 | 194.38 | 5.75 | 1779.20 | 52.62 |
| A little of the time | 4 | 634.43 | 18.76 | 2413.63 | 71.39 |
| None of the time | 5 | 967.37 | 28.61 | 3381.00 | 100.00 |

ghs24b2: 12/13 - P2 - P2LB 34.2- Felt hopeless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 14.83 | 0.44 | 14.83 | 0.44 |
| -9 | -9 | 1544.90 | 45.69 | 1559.73 | 46.13 |
| All of the time | 1 | 2.50 | 0.07 | 1562.24 | 46.21 |
| Most of the time | 2 | 11.25 | 0.33 | 1573.49 | 46.54 |
| Some of the time | 3 | 96.37 | 2.85 | 1669.85 | 49.39 |
| A little of the time | 4 | 244.63 | 7.24 | 1914.49 | 56.62 |
| None of the time | 5 | 1466.51 | 43.38 | 3381.00 | 100.00 |

ghs24b3: 12/13 - P2 - P2LB 34.3- Felt restless or fidgety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 26.66 | 0.79 | 26.66 | 0.79 |
| -9 | -9 | 1544.90 | 45.69 | 1571.55 | 46.48 |
| All of the time | 1 | 6.94 | 0.21 | 1578.49 | 46.69 |
| Most of the time | 2 | 31.50 | 0.93 | 1609.99 | 47.62 |
| Some of the time | 3 | 175.28 | 5.18 | 1785.27 | 52.80 |
| A little of the time | 4 | 478.97 | 14.17 | 2264.24 | 66.97 |
| None of the time | 5 | 1116.76 | 33.03 | 3381.00 | 100.00 |

ghs24b4: 12/13 - P2 - P2LB 34.4- Felt everything was an effort

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 21.83 | 0.65 | 21.83 | 0.65 |
| -9 | -9 | 1544.90 | 45.69 | 1566.73 | 46.34 |
| All of the time | 1 | 12.75 | 0.38 | 1579.48 | 46.72 |
| Most of the time | 2 | 82.67 | 2.45 | 1662.14 | 49.16 |
| Some of the time | 3 | 256.88 | 7.60 | 1919.02 | 56.76 |
| A little of the time | 4 | 620.77 | 18.36 | 2539.80 | 75.12 |
| None of the time | 5 | 841.20 | 24.88 | 3381.00 | 100.00 |

ghs24b5: 12/13 - P2 - P2LB 34.5- Felt so sad couldn't cheer up

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 23.71 | 0.70 | 23.71 | 0.70 |
| -9 | -9 | 1544.90 | 45.69 | 1568.61 | 46.39 |
| All of the time | 1 | 3.47 | 0.10 | 1572.08 | 46.50 |
| Most of the time | 2 | 14.52 | 0.43 | 1586.61 | 46.93 |
| Some of the time | 3 | 75.93 | 2.25 | 1662.54 | 49.17 |
| A little of the time | 4 | 255.89 | 7.57 | 1918.43 | 56.74 |
| None of the time | 5 | 1462.57 | 43.26 | 3381.00 | 100.00 |

ghs24b6: 12/13 - P2 - P2LB 34.6- Felt worthless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 18.38 | 0.54 | 18.38 | 0.54 |
| -9 | -9 | 1544.90 | 45.69 | 1563.27 | 46.24 |
| All of the time | 1 | 6.71 | 0.20 | 1569.98 | 46.44 |
| Most of the time | 2 | 16.82 | 0.50 | 1586.80 | 46.93 |
| Some of the time | 3 | 57.90 | 1.71 | 1644.70 | 48.65 |
| A little of the time | 4 | 194.90 | 5.76 | 1839.60 | 54.41 |
| None of the time | 5 | 1541.40 | 45.59 | 3381.00 | 100.00 |

gbk6g: 12/13 - P2 - K-6 Depression scale group

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 1582.21 | 46.80 | 1582.21 | 46.80 |
| No probable serious mental illness | 0 | 1769.57 | 52.34 | 3351.79 | 99.14 |
| Probable serious mental illness | 1 | 29.21 | 0.86 | 3381.00 | 100.00 |

gbk6s: 12/13 - P2 - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 1582.21 | 46.80 | 1582.21 | 46.80 |
| 6 | 514.18 | 15.21 | 2096.39 | 62.01 |
| 7 | 317.62 | 9.39 | 2414.01 | 71.40 |
| 8 | 271.79 | 8.04 | 2685.81 | 79.44 |
| 9 | 233.41 | 6.90 | 2919.22 | 86.34 |
| 10 | 108.59 | 3.21 | 3027.81 | 89.55 |
| 11 | 90.02 | 2.66 | 3117.83 | 92.22 |
| 12 | 79.73 | 2.36 | 3197.55 | 94.57 |
| 13 | 49.29 | 1.46 | 3246.84 | 96.03 |
| 14 | 31.61 | 0.93 | 3278.45 | 96.97 |
| 15 | 24.31 | 0.72 | 3302.76 | 97.69 |
| 16 | 21.03 | 0.62 | 3323.79 | 98.31 |
| 17 | 14.68 | 0.43 | 3338.47 | 98.74 |
| 18 | 13.31 | 0.39 | 3351.79 | 99.14 |
| 19 | 10.76 | 0.32 | 3362.54 | 99.45 |
| 20 | 4.90 | 0.14 | 3367.44 | 99.60 |
| 21 | 4.74 | 0.14 | 3372.19 | 99.74 |
| 22 | 3.16 | 0.09 | 3375.34 | 99.83 |
| 23 | 4.35 | 0.13 | 3379.69 | 99.96 |
| 24 | 0.57 | 0.02 | 3380.26 | 99.98 |
| 28 | 0.74 | 0.02 | 3381.00 | 100.00 |

ghs13m: 12/13 - M - P1 CASI E5.1+P2B 12 - Global Health measure

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 182.93 | 5.41 | 182.93 | 5.41 |
| -3 | -3 | 11.58 | 0.34 | 194.51 | 5.75 |
| Excellent | 1 | 474.22 | 14.03 | 668.73 | 19.78 |
| Very good | 2 | 1320.01 | 39.04 | 1988.74 | 58.82 |
| Good | 3 | 1002.69 | 29.66 | 2991.43 | 88.48 |
| Fair | 4 | 330.89 | 9.79 | 3322.31 | 98.26 |
| Poor | 5 | 58.69 | 1.74 | 3381.00 | 100.00 |

ghs48m44: 12/13 - M - P1 CASI E6.1+P2B 13 - Ever had any of listed conditions

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 194.51 | 5.75 | 194.51 | 5.75 |
| -2 | -2 | 9.82 | 0.29 | 204.32 | 6.04 |
| Yes | 1 | 2913.27 | 86.17 | 3117.59 | 92.21 |
| No | 2 | 263.41 | 7.79 | 3381.00 | 100.00 |

ghs50m1: 12/13 - M - P1 CASI E9.3+P2B 16 - Mother's sleep quality

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 182.93 | 5.41 | 182.93 | 5.41 |
| -3 | -3 | 11.58 | 0.34 | 194.51 | 5.75 |
| Very good | 1 | 513.78 | 15.20 | 708.29 | 20.95 |
| Fairly good | 2 | 982.38 | 29.06 | 1690.67 | 50.01 |
| OK/adequate | 3 | 1162.16 | 34.37 | 2852.84 | 84.38 |

ghs50m1: 12/13 - M - P1 CASI E9.3+P2B 16 - Mother's sleep quality

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------|-------|-----------|---------|----------------------|--------------------|
| Fairly bad | 4 | 444.06 | 13.13 | 3296.90 | 97.51 |
| Very bad | 5 | 84.10 | 2.49 | 3381.00 | 100.00 |

ghs23m2: 12/13 - M - P1 CASI E11+P2B 25 - Weight (kg)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 59.90 | 1.77 | 59.90 | 1.77 |
| -9 | 183.70 | 5.43 | 243.60 | 7.20 |
| 40 | 16.36 | 0.48 | 259.96 | 7.69 |
| 50 | 263.20 | 7.78 | 523.16 | 15.47 |
| 60 | 730.75 | 21.61 | 1253.91 | 37.09 |
| 70 | 763.65 | 22.59 | 2017.56 | 59.67 |
| 80 | 526.95 | 15.59 | 2544.52 | 75.26 |
| 90 | 359.35 | 10.63 | 2903.87 | 85.89 |
| 100 | 206.98 | 6.12 | 3110.85 | 92.01 |
| 110 | 114.45 | 3.39 | 3225.30 | 95.39 |
| 120 | 63.37 | 1.87 | 3288.66 | 97.27 |
| 130 | 49.51 | 1.46 | 3338.17 | 98.73 |
| 140 | 18.11 | 0.54 | 3356.28 | 99.27 |
| 150 | 24.72 | 0.73 | 3381.00 | 100.00 |

ghs23m1: 12/13 - M - Height (cm) (W1-5)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 6.09 | 0.18 | 6.09 | 0.18 |
| -9 | 141.85 | 4.20 | 147.93 | 4.38 |
| 60 | 0.72 | 0.02 | 148.65 | 4.40 |
| 70 | 3.50 | 0.10 | 152.15 | 4.50 |
| 80 | 0.56 | 0.02 | 152.71 | 4.52 |
| 130 | 1.81 | 0.05 | 154.52 | 4.57 |
| 140 | 15.07 | 0.45 | 169.60 | 5.02 |
| 150 | 308.79 | 9.13 | 478.39 | 14.15 |
| 160 | 1207.38 | 35.71 | 1685.77 | 49.86 |
| 170 | 1352.73 | 40.01 | 3038.49 | 89.87 |
| 180 | 318.16 | 9.41 | 3356.65 | 99.28 |
| 190 | 17.76 | 0.53 | 3374.41 | 99.81 |
| 200 | 4.37 | 0.13 | 3378.78 | 99.93 |
| 210 | 2.22 | 0.07 | 3381.00 | 100.00 |

gmbmi: 12/13 - M - Body Mass Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 200.74 | 5.94 | 200.74 | 5.94 |
| -9 | 74.33 | 2.20 | 275.07 | 8.14 |
| 15 | 19.98 | 0.59 | 295.05 | 8.73 |
| 20 | 679.00 | 20.08 | 974.05 | 28.81 |
| 25 | 1082.20 | 32.01 | 2056.26 | 60.82 |
| 30 | 686.80 | 20.31 | 2743.05 | 81.13 |
| 35 | 347.32 | 10.27 | 3090.38 | 91.40 |
| 40 | 167.03 | 4.94 | 3257.41 | 96.34 |

gmbmi: 12/13 - M - Body Mass Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 45 | 70.98 | 2.10 | 3328.39 | 98.44 |
| 50 | 29.56 | 0.87 | 3357.95 | 99.32 |
| 55 | 13.57 | 0.40 | 3371.52 | 99.72 |
| 60 | 4.78 | 0.14 | 3376.31 | 99.86 |
| 65 | 4.69 | 0.14 | 3381.00 | 100.00 |

ghs26m1: 12/13 - M - P1 CASI E15.2+P2B 29 - Difficulty of life at present

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 186.52 | 5.52 | 186.52 | 5.52 |
| -3 | -3 | 11.49 | 0.34 | 198.01 | 5.86 |
| No problems or stress | 1 | 316.42 | 9.36 | 514.42 | 15.22 |
| Few problems or stresses | 2 | 1417.07 | 41.91 | 1931.50 | 57.13 |
| Some problems and stresses | 3 | 1164.98 | 34.46 | 3096.47 | 91.58 |
| Many problems and stresses | 4 | 242.84 | 7.18 | 3339.31 | 98.77 |
| Very many problems and stresses | 5 | 41.69 | 1.23 | 3381.00 | 100.00 |

ghs26m2: 12/13 - M - P1 CASI E15.3+P2B 30 - Level of coping

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 186.52 | 5.52 | 186.52 | 5.52 |
| -3 | -3 | 13.29 | 0.39 | 199.81 | 5.91 |
| Not at all | 1 | 19.36 | 0.57 | 219.17 | 6.48 |
| A little | 2 | 205.62 | 6.08 | 424.79 | 12.56 |
| Fairly well | 3 | 1440.36 | 42.60 | 1865.15 | 55.17 |
| Very well | 4 | 1193.27 | 35.29 | 3058.42 | 90.46 |
| Extremely well | 5 | 322.58 | 9.54 | 3381.00 | 100.00 |

ghs25m1: 12/13 - M - P1 CASI E15.4+P2B 31 - Depression 2 weeks in past year

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 186.52 | 5.52 | 186.52 | 5.52 |
| -3 | -3 | 9.79 | 0.29 | 196.31 | 5.81 |
| Yes | 1 | 961.39 | 28.44 | 1157.71 | 34.24 |
| No | 2 | 2223.29 | 65.76 | 3381.00 | 100.00 |

ghs26m3: 12/13 - M - P1 CASI E15.5+P2B 32 - Frequency of feeling rushed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 186.52 | 5.52 | 186.52 | 5.52 |
| -3 | -3 | 11.49 | 0.34 | 198.01 | 5.86 |
| Always | 1 | 442.34 | 13.08 | 640.35 | 18.94 |
| Often | 2 | 1303.99 | 38.57 | 1944.33 | 57.51 |
| Sometimes | 3 | 1133.85 | 33.54 | 3078.18 | 91.04 |
| Rarely | 4 | 270.16 | 7.99 | 3348.34 | 99.03 |
| Never | 5 | 32.66 | 0.97 | 3381.00 | 100.00 |

ghs24m1: 12/13 - M - P1 CASI E17.5.1+P2B 34.1 - Felt nervous

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 187.42 | 5.54 | 187.42 | 5.54 |
| -3 | -3 | 12.77 | 0.38 | 200.19 | 5.92 |
| All of the time | 1 | 14.45 | 0.43 | 214.64 | 6.35 |
| Most of the time | 2 | 100.78 | 2.98 | 315.42 | 9.33 |
| Some of the time | 3 | 516.35 | 15.27 | 831.77 | 24.60 |
| A little of the time | 4 | 1155.77 | 34.18 | 1987.54 | 58.79 |
| None of the time | 5 | 1393.46 | 41.21 | 3381.00 | 100.00 |

ghs24m2: 12/13 - M - P1 CASI E17.5.2+P2B 34.2 - Felt hopeless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 187.42 | 5.54 | 187.42 | 5.54 |
| -3 | -3 | 16.27 | 0.48 | 203.69 | 6.02 |
| All of the time | 1 | 14.35 | 0.42 | 218.04 | 6.45 |
| Most of the time | 2 | 54.47 | 1.61 | 272.51 | 8.06 |
| Some of the time | 3 | 232.62 | 6.88 | 505.13 | 14.94 |
| A little of the time | 4 | 536.42 | 15.87 | 1041.55 | 30.81 |
| None of the time | 5 | 2339.45 | 69.19 | 3381.00 | 100.00 |

ghs24m3: 12/13 - M - P1 CASI E17.5.3+P2B 34.3 - Felt restless or fidgety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 0.68 | 0.02 | 0.68 | 0.02 |
| -9 | -9 | 187.42 | 5.54 | 188.09 | 5.56 |
| -3 | -3 | 16.27 | 0.48 | 204.37 | 6.04 |
| All of the time | 1 | 16.61 | 0.49 | 220.98 | 6.54 |
| Most of the time | 2 | 56.71 | 1.68 | 277.69 | 8.21 |
| Some of the time | 3 | 332.09 | 9.82 | 609.78 | 18.04 |
| A little of the time | 4 | 854.64 | 25.28 | 1464.42 | 43.31 |
| None of the time | 5 | 1916.58 | 56.69 | 3381.00 | 100.00 |

ghs24m4: 12/13 - M - P1 CASI E17.5.4+P2B 34.4 - Felt everything was an effort

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 187.42 | 5.54 | 187.42 | 5.54 |
| -3 | -3 | 16.27 | 0.48 | 203.69 | 6.02 |
| All of the time | 1 | 40.32 | 1.19 | 244.01 | 7.22 |
| Most of the time | 2 | 132.72 | 3.93 | 376.73 | 11.14 |
| Some of the time | 3 | 537.92 | 15.91 | 914.65 | 27.05 |
| A little of the time | 4 | 1192.88 | 35.28 | 2107.52 | 62.33 |
| None of the time | 5 | 1273.48 | 37.67 | 3381.00 | 100.00 |

ghs24m5: 12/13 - M - P1 CASI E17.5.5+P2B 34.5 - Felt so sad couldn't cheer up

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 3.50 | 0.10 | 3.50 | 0.10 |
| -9 | -9 | 187.42 | 5.54 | 190.92 | 5.65 |
| -3 | -3 | 16.27 | 0.48 | 207.19 | 6.13 |
| All of the time | 1 | 20.44 | 0.60 | 227.63 | 6.73 |
| Most of the time | 2 | 54.37 | 1.61 | 282.01 | 8.34 |

ghs24m5: 12/13 - M - P1 CASI E17.5.5+P2B 34.5 - Felt so sad couldn't cheer up

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| Some of the time | 3 | 244.30 | 7.23 | 526.31 | 15.57 |
| A little of the time | 4 | 524.49 | 15.51 | 1050.80 | 31.08 |
| None of the time | 5 | 2330.20 | 68.92 | 3381.00 | 100.00 |

ghs24m6: 12/13 - M - P1 CASI E17.5.6+P2B 34.6 - Felt worthless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9 | -9 | 187.42 | 5.54 | 187.42 | 5.54 |
| -3 | -3 | 16.27 | 0.48 | 203.69 | 6.02 |
| All of the time | 1 | 22.59 | 0.67 | 226.28 | 6.69 |
| Most of the time | 2 | 57.76 | 1.71 | 284.04 | 8.40 |
| Some of the time | 3 | 188.28 | 5.57 | 472.32 | 13.97 |
| A little of the time | 4 | 417.15 | 12.34 | 889.47 | 26.31 |
| None of the time | 5 | 2491.53 | 73.69 | 3381.00 | 100.00 |

gmk6g: 12/13 - M - K-6 Depression scale group

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 207.87 | 6.15 | 207.87 | 6.15 |
| No probable serious mental illness | 0 | 3066.94 | 90.71 | 3274.81 | 96.86 |
| Probable serious mental illness | 1 | 106.19 | 3.14 | 3381.00 | 100.00 |

gmk6s: 12/13 - M - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 207.87 | 6.15 | 207.87 | 6.15 |
| 6 | 724.35 | 21.42 | 932.21 | 27.57 |
| 7 | 544.41 | 16.10 | 1476.62 | 43.67 |
| 8 | 495.34 | 14.65 | 1971.96 | 58.32 |
| 9 | 323.02 | 9.55 | 2294.98 | 67.88 |
| 10 | 233.74 | 6.91 | 2528.73 | 74.79 |
| 11 | 171.92 | 5.09 | 2700.65 | 79.88 |
| 12 | 168.09 | 4.97 | 2868.74 | 84.85 |
| 13 | 121.32 | 3.59 | 2990.06 | 88.44 |
| 14 | 77.82 | 2.30 | 3067.88 | 90.74 |
| 15 | 59.47 | 1.76 | 3127.34 | 92.50 |
| 16 | 63.16 | 1.87 | 3190.50 | 94.37 |
| 17 | 37.46 | 1.11 | 3227.96 | 95.47 |
| 18 | 46.84 | 1.39 | 3274.81 | 96.86 |
| 19 | 19.39 | 0.57 | 3294.20 | 97.43 |
| 20 | 17.14 | 0.51 | 3311.34 | 97.94 |
| 21 | 13.66 | 0.40 | 3325.00 | 98.34 |
| 22 | 19.30 | 0.57 | 3344.31 | 98.91 |
| 23 | 13.30 | 0.39 | 3357.61 | 99.31 |
| 24 | 7.68 | 0.23 | 3365.29 | 99.54 |
| 25 | 3.21 | 0.10 | 3368.50 | 99.63 |
| 26 | 0.87 | 0.03 | 3369.37 | 99.66 |
| 27 | 1.93 | 0.06 | 3371.30 | 99.71 |

gmK6s: 12/13 - M - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 29 | 1.41 | 0.04 | 3372.71 | 99.75 |
| 30 | 8.29 | 0.25 | 3381.00 | 100.00 |

ghs13f: 12/13 - F - P1 CASI E5.1+P2B 11 - Global Health measure

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| . | . | 12.28 | 0.36 | 12.28 | 0.36 |
| -9 | -9 | 1480.51 | 43.79 | 1492.79 | 44.15 |
| -3 | -3 | 1.51 | 0.04 | 1494.31 | 44.20 |
| Excellent | 1 | 290.92 | 8.60 | 1785.23 | 52.80 |
| Very good | 2 | 785.18 | 23.22 | 2570.41 | 76.03 |
| Good | 3 | 587.58 | 17.38 | 3157.99 | 93.40 |
| Fair | 4 | 184.74 | 5.46 | 3342.73 | 98.87 |
| Poor | 5 | 38.27 | 1.13 | 3381.00 | 100.00 |

ghs48f44: 12/13 - F - P1 CASI E6.1+P2B 13 - Ever had any of listed conditions

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 19.61 | 0.58 | 19.61 | 0.58 |
| -9 | -9 | 1482.02 | 43.83 | 1501.63 | 44.41 |
| -2 | -2 | 19.52 | 0.58 | 1521.15 | 44.99 |
| Yes | 1 | 1606.47 | 47.51 | 3127.62 | 92.51 |
| No | 2 | 253.38 | 7.49 | 3381.00 | 100.00 |

ghs50f1: 12/13 - F - P1 CASI E9.3+P2B 16 - Father's sleep quality

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 11.87 | 0.35 | 11.87 | 0.35 |
| -9 | -9 | 1480.51 | 43.79 | 1492.38 | 44.14 |
| -3 | -3 | 1.51 | 0.04 | 1493.89 | 44.18 |
| Very good | 1 | 274.14 | 8.11 | 1768.03 | 52.29 |
| Fairly good | 2 | 631.54 | 18.68 | 2399.57 | 70.97 |
| OK/adequate | 3 | 698.84 | 20.67 | 3098.40 | 91.64 |
| Fairly bad | 4 | 236.03 | 6.98 | 3334.44 | 98.62 |
| Very bad | 5 | 46.56 | 1.38 | 3381.00 | 100.00 |

ghs23f2: 12/13 - F - P1 CASI E11.1+P2B 25 - Weight (kg)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 37.42 | 1.11 | 37.42 | 1.11 |
| -9 | 1480.51 | 43.79 | 1517.93 | 44.90 |
| 40 | 1.28 | 0.04 | 1519.21 | 44.93 |
| 50 | 7.22 | 0.21 | 1526.43 | 45.15 |
| 60 | 46.11 | 1.36 | 1572.54 | 46.51 |
| 70 | 216.32 | 6.40 | 1788.86 | 52.91 |
| 80 | 438.09 | 12.96 | 2226.94 | 65.87 |
| 90 | 487.53 | 14.42 | 2714.48 | 80.29 |
| 100 | 352.57 | 10.43 | 3067.05 | 90.71 |
| 110 | 164.51 | 4.87 | 3231.56 | 95.58 |
| 120 | 79.32 | 2.35 | 3310.88 | 97.93 |

ghs23f2: 12/13 - F - P1 CASI E11.1+P2B 25 - Weight (kg)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| 130 | 32.17 | 0.95 | 3343.04 | 98.88 |
| 140 | 14.69 | 0.43 | 3357.73 | 99.31 |
| 150 | 23.27 | 0.69 | 3381.00 | 100.00 |

ghs23f1: 12/13 - F - Height (cm) (W1-5)

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| . | 2.48 | 0.07 | 2.48 | 0.07 |
| -9 | 1046.96 | 30.97 | 1049.44 | 31.04 |
| 80 | 0.44 | 0.01 | 1049.88 | 31.05 |
| 100 | 2.95 | 0.09 | 1052.82 | 31.14 |
| 110 | 1.28 | 0.04 | 1054.10 | 31.18 |
| 130 | 0.78 | 0.02 | 1054.88 | 31.20 |
| 150 | 16.34 | 0.48 | 1071.22 | 31.68 |
| 160 | 128.52 | 3.80 | 1199.74 | 35.48 |
| 170 | 472.34 | 13.97 | 1672.08 | 49.46 |
| 180 | 1213.18 | 35.88 | 2885.26 | 85.34 |
| 190 | 446.79 | 13.21 | 3332.05 | 98.55 |
| 200 | 43.53 | 1.29 | 3375.58 | 99.84 |
| 210 | 2.80 | 0.08 | 3378.38 | 99.92 |
| 350 | 0.98 | 0.03 | 3379.36 | 99.95 |
| 360 | 0.82 | 0.02 | 3380.19 | 99.98 |
| 380 | 0.81 | 0.02 | 3381.00 | 100.00 |

gfbmi: 12/13 - F - Body Mass Index

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 1616.04 | 47.80 | 1616.04 | 47.80 |
| -9 | 74.33 | 2.20 | 1690.37 | 50.00 |
| 5 | 1.64 | 0.05 | 1692.01 | 50.04 |
| 15 | 8.19 | 0.24 | 1700.20 | 50.29 |
| 20 | 122.24 | 3.62 | 1822.44 | 53.90 |
| 25 | 690.84 | 20.43 | 2513.28 | 74.34 |
| 30 | 579.32 | 17.13 | 3092.60 | 91.47 |
| 35 | 210.40 | 6.22 | 3303.00 | 97.69 |
| 40 | 41.85 | 1.24 | 3344.84 | 98.93 |
| 45 | 22.91 | 0.68 | 3367.75 | 99.61 |
| 50 | 4.38 | 0.13 | 3372.14 | 99.74 |
| 55 | 2.33 | 0.07 | 3374.47 | 99.81 |
| 60 | 2.72 | 0.08 | 3377.18 | 99.89 |
| 70 | 0.87 | 0.03 | 3378.05 | 99.91 |
| 85 | 2.95 | 0.09 | 3381.00 | 100.00 |

ghs26f1: 12/13 - F - P1 CASI E15.2+P2B 29 - Difficulty of life at present

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 7.97 | 0.24 | 7.97 | 0.24 |
| -9 | -9 | 1480.51 | 43.79 | 1488.48 | 44.02 |
| -3 | -3 | 1.51 | 0.04 | 1489.99 | 44.07 |
| No problems or stress | 1 | 156.24 | 4.62 | 1646.23 | 48.69 |

ghs26f1: 12/13 - F - P1 CASI E15.2+P2B 29 - Difficulty of life at present

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------|-------|-----------|---------|----------------------|--------------------|
| Few problems or stresses | 2 | 802.25 | 23.73 | 2448.48 | 72.42 |
| Some problems and stresses | 3 | 742.48 | 21.96 | 3190.96 | 94.38 |
| Many problems and stresses | 4 | 173.94 | 5.14 | 3364.91 | 99.52 |
| Very many problems and stresses | 5 | 16.09 | 0.48 | 3381.00 | 100.00 |

ghs26f2: 12/13 - F - P1 CASI E15.3+P2B 30 - Level of coping

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 7.67 | 0.23 | 7.67 | 0.23 |
| -9 | -9 | 1480.51 | 43.79 | 1488.18 | 44.02 |
| -3 | -3 | 1.51 | 0.04 | 1489.69 | 44.06 |
| Not at all | 1 | 7.73 | 0.23 | 1497.43 | 44.29 |
| A little | 2 | 135.16 | 4.00 | 1632.59 | 48.29 |
| Fairly well | 3 | 848.24 | 25.09 | 2480.83 | 73.38 |
| Very well | 4 | 705.60 | 20.87 | 3186.43 | 94.25 |
| Extremely well | 5 | 194.57 | 5.75 | 3381.00 | 100.00 |

ghs25f1: 12/13 - F - P1 CASI E15.4+P2B 31- Depression 2 weeks in past year

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| . | . | 14.34 | 0.42 | 14.34 | 0.42 |
| -9 | -9 | 1480.51 | 43.79 | 1494.85 | 44.21 |
| -3 | -3 | 1.51 | 0.04 | 1496.36 | 44.26 |
| Yes | 1 | 504.16 | 14.91 | 2000.52 | 59.17 |
| No | 2 | 1380.48 | 40.83 | 3381.00 | 100.00 |

ghs26f3: 12/13 - F - P1 CASI E15.5+P2B 32 - Frequency of feeling rushed

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| . | . | 11.83 | 0.35 | 11.83 | 0.35 |
| -9 | -9 | 1480.51 | 43.79 | 1492.34 | 44.14 |
| -3 | -3 | 1.51 | 0.04 | 1493.85 | 44.18 |
| Always | 1 | 142.68 | 4.22 | 1636.53 | 48.40 |
| Often | 2 | 628.02 | 18.57 | 2264.55 | 66.98 |
| Sometimes | 3 | 767.53 | 22.70 | 3032.08 | 89.68 |
| Rarely | 4 | 295.25 | 8.73 | 3327.33 | 98.41 |
| Never | 5 | 53.67 | 1.59 | 3381.00 | 100.00 |

ghs24f1: 12/13 - F - P1 CASI E17.5.1+P2B 34.1 - Felt nervous

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 16.69 | 0.49 | 16.69 | 0.49 |
| -9 | -9 | 1480.51 | 43.79 | 1497.20 | 44.28 |
| -3 | -3 | 2.75 | 0.08 | 1499.95 | 44.36 |
| All of the time | 1 | 3.87 | 0.11 | 1503.82 | 44.48 |
| Most of the time | 2 | 18.82 | 0.56 | 1522.63 | 45.04 |
| Some of the time | 3 | 205.90 | 6.09 | 1728.53 | 51.12 |
| A little of the time | 4 | 646.54 | 19.12 | 2375.07 | 70.25 |
| None of the time | 5 | 1005.93 | 29.75 | 3381.00 | 100.00 |

ghs24f2: 12/13 - F - P1 CASI E17.5.2+P2B 34.2 - Felt hopeless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 14.83 | 0.44 | 14.83 | 0.44 |
| -9 | -9 | 1480.51 | 43.79 | 1495.34 | 44.23 |
| -3 | -3 | 2.75 | 0.08 | 1498.10 | 44.31 |
| All of the time | 1 | 3.52 | 0.10 | 1501.62 | 44.41 |
| Most of the time | 2 | 11.45 | 0.34 | 1513.07 | 44.75 |
| Some of the time | 3 | 108.12 | 3.20 | 1621.18 | 47.95 |
| A little of the time | 4 | 251.89 | 7.45 | 1873.08 | 55.40 |
| None of the time | 5 | 1507.92 | 44.60 | 3381.00 | 100.00 |

ghs24f3: 12/13 - F - P1 CASI E17.5.3+P2B 34.3 - Felt restless or fidgety

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 25.98 | 0.77 | 25.98 | 0.77 |
| -9 | -9 | 1480.51 | 43.79 | 1506.49 | 44.56 |
| -3 | -3 | 2.75 | 0.08 | 1509.24 | 44.64 |
| All of the time | 1 | 6.94 | 0.21 | 1516.18 | 44.84 |
| Most of the time | 2 | 36.98 | 1.09 | 1553.16 | 45.94 |
| Some of the time | 3 | 183.28 | 5.42 | 1736.44 | 51.36 |
| A little of the time | 4 | 496.38 | 14.68 | 2232.82 | 66.04 |
| None of the time | 5 | 1148.18 | 33.96 | 3381.00 | 100.00 |

ghs24f4: 12/13 - F - P1 CASI E17.5.4+P2B 34.4 - Felt everything was an effort

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 21.83 | 0.65 | 21.83 | 0.65 |
| -9 | -9 | 1480.51 | 43.79 | 1502.34 | 44.43 |
| -3 | -3 | 2.75 | 0.08 | 1505.09 | 44.52 |
| All of the time | 1 | 11.53 | 0.34 | 1516.62 | 44.86 |
| Most of the time | 2 | 94.23 | 2.79 | 1610.85 | 47.64 |
| Some of the time | 3 | 269.60 | 7.97 | 1880.46 | 55.62 |
| A little of the time | 4 | 636.16 | 18.82 | 2516.62 | 74.43 |
| None of the time | 5 | 864.38 | 25.57 | 3381.00 | 100.00 |

ghs24f5: 12/13 - F - P1 CASI E17.5.5+P2B 34.5 - Felt so sad couldn't cheer up

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 20.21 | 0.60 | 20.21 | 0.60 |
| -9 | -9 | 1480.51 | 43.79 | 1500.72 | 44.39 |
| -3 | -3 | 2.75 | 0.08 | 1503.47 | 44.47 |
| All of the time | 1 | 2.25 | 0.07 | 1505.73 | 44.53 |
| Most of the time | 2 | 18.87 | 0.56 | 1524.60 | 45.09 |
| Some of the time | 3 | 92.18 | 2.73 | 1616.78 | 47.82 |
| A little of the time | 4 | 263.13 | 7.78 | 1879.91 | 55.60 |
| None of the time | 5 | 1501.09 | 44.40 | 3381.00 | 100.00 |

ghs24f6: 12/13 - F - P1 CASI E17.5.6+P2B 34.6 - Felt worthless

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 18.38 | 0.54 | 18.38 | 0.54 |
| -9 | -9 | 1480.51 | 43.79 | 1498.89 | 44.33 |
| -3 | -3 | 2.75 | 0.08 | 1501.64 | 44.41 |
| All of the time | 1 | 5.48 | 0.16 | 1507.12 | 44.58 |
| Most of the time | 2 | 25.45 | 0.75 | 1532.57 | 45.33 |
| Some of the time | 3 | 65.76 | 1.95 | 1598.34 | 47.27 |
| A little of the time | 4 | 202.85 | 6.00 | 1801.19 | 53.27 |
| None of the time | 5 | 1579.81 | 46.73 | 3381.00 | 100.00 |

gfk6g: 12/13 - F - K-6 Depression scale group

| | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------------------|-------|-----------|---------|----------------------|--------------------|
| . | . | 1516.40 | 44.85 | 1516.40 | 44.85 |
| No probable serious mental illness | 0 | 1827.40 | 54.05 | 3343.80 | 98.90 |
| Probable serious mental illness | 1 | 37.20 | 1.10 | 3381.00 | 100.00 |

gfk6s: 12/13 - F - K-6 Depression scale summed score

| | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| . | 1516.40 | 44.85 | 1516.40 | 44.85 |
| 6 | 533.84 | 15.79 | 2050.24 | 60.64 |
| 7 | 327.94 | 9.70 | 2378.18 | 70.34 |
| 8 | 275.77 | 8.16 | 2653.96 | 78.50 |
| 9 | 239.42 | 7.08 | 2893.37 | 85.58 |
| 10 | 110.07 | 3.26 | 3003.44 | 88.83 |
| 11 | 89.46 | 2.65 | 3092.90 | 91.48 |
| 12 | 82.78 | 2.45 | 3175.68 | 93.93 |
| 13 | 46.39 | 1.37 | 3222.07 | 95.30 |
| 14 | 37.90 | 1.12 | 3259.97 | 96.42 |
| 15 | 31.66 | 0.94 | 3291.63 | 97.36 |
| 16 | 20.83 | 0.62 | 3312.47 | 97.97 |
| 17 | 14.68 | 0.43 | 3327.15 | 98.41 |
| 18 | 16.65 | 0.49 | 3343.80 | 98.90 |
| 19 | 15.21 | 0.45 | 3359.01 | 99.35 |
| 20 | 5.56 | 0.16 | 3364.57 | 99.51 |
| 21 | 5.76 | 0.17 | 3370.33 | 99.68 |
| 22 | 4.76 | 0.14 | 3375.10 | 99.83 |
| 23 | 4.60 | 0.14 | 3379.69 | 99.96 |
| 24 | 0.57 | 0.02 | 3380.26 | 99.98 |
| 28 | 0.74 | 0.02 | 3381.00 | 100.00 |