

04 Health behaviour and risk factors

ihb16c15: 16/17 - P1 - CASI A2.1 - SC allowed alcohol at home

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	4.50	0.15	138.68	4.49
Yes	1	842.56	27.28	981.24	31.77
No	2	2107.76	68.23	3089.00	100.00

ihb16c15a: 16/17 - P1 - CASI A2.2 - Frequency SC drink alcohol at home

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2246.44	72.72	2246.44	72.72
Never	1	98.89	3.20	2345.33	75.93
Not in the last year	2	78.71	2.55	2424.03	78.47
Monthly or less	3	585.81	18.96	3009.84	97.44
2 to 3 times a month	4	60.84	1.97	3070.68	99.41
Once a week	5	15.51	0.50	3086.19	99.91
2 to 3 times a week	6	2.81	0.09	3089.00	100.00

ihb16c15b: 16/17 - P1 - CASI A2.3 - Age SC first allowed alcohol at home

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.38	0.40	12.38	0.40
-9	2246.44	72.72	2258.82	73.12
-3	4.63	0.15	2263.44	73.27
2	0.70	0.02	2264.15	73.30
8	0.57	0.02	2264.71	73.32
12	2.73	0.09	2267.44	73.40
13	6.40	0.21	2273.85	73.61
14	16.86	0.55	2290.71	74.16
15	112.55	3.64	2403.26	77.80
16	475.35	15.39	2878.61	93.19
17	210.39	6.81	3089.00	100.00

ihb16c15c: 16/17 - P1 - CASI A2.4 - SC allowed to take alcohol to parties/social events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	137.37	4.45	137.37	4.45
-3	-3	6.34	0.21	143.71	4.65
-2	-2	71.85	2.33	215.56	6.98
Yes	1	551.39	17.85	766.94	24.83
No	2	2322.06	75.17	3089.00	100.00

ihb16c15d: 16/17 - P1 - CASI A2.5 - Age SC first allowed alcohol at parties/social events

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.80	0.09	2.80	0.09
-9	2537.61	82.15	2540.41	82.24
6	1.33	0.04	2541.75	82.28
8	0.39	0.01	2542.13	82.30
11	1.67	0.05	2543.80	82.35

ihb16c15d: 16/17 - P1 - CASI A2.5 - Age SC first allowed alcohol at parties/social events

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14	0.82	0.03	2544.62	82.38
15	28.73	0.93	2573.35	83.31
16	324.92	10.52	2898.27	93.83
17	189.46	6.13	3087.73	99.96
18	1.27	0.04	3089.00	100.00

ihb14a2a: 16/17 - P1 - P1 CASI E5.2 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	134.18	4.34	134.18	4.34
-3	6.74	0.22	140.93	4.56
0	675.79	21.88	816.72	26.44
1	535.05	17.32	1351.77	43.76
2	464.68	15.04	1816.45	58.80
3	504.83	16.34	2321.28	75.15
4	269.02	8.71	2590.29	83.86
5	292.79	9.48	2883.08	93.33
6	99.28	3.21	2982.36	96.55
7	106.64	3.45	3089.00	100.00

ihb23c: 16/17 - P1 CAI D14.1+W2-6 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.71	1.77	54.71	1.77
Yes	1	2469.84	79.96	2524.55	81.73
No	2	564.45	18.27	3089.00	100.00

ihb23c1: 16/17 - P1 CAI D14.1.1+W2-6 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.71	1.77	54.71	1.77
No	0	1298.91	42.05	1353.62	43.82
Yes	1	1735.38	56.18	3089.00	100.00

ihb23c4: 16/17 - P1 CAI D14.1.2+W2-6 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.71	1.77	54.71	1.77
No	0	2504.61	81.08	2559.32	82.85
Yes	1	529.68	17.15	3089.00	100.00

ihb23c5: 16/17 - P1 CAI D14.1.3/4+W5-6 - Had braces or other dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	59.08	1.91	59.08	1.91
No	0	1956.24	63.33	2015.32	65.24
Yes	1	1073.68	34.76	3089.00	100.00

ihb23c2: 16/17 - P1 CAI D14.2.1+W2-6 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.71	1.77	54.71	1.77
No	0	1396.21	45.20	1450.92	46.97
Yes	1	1638.08	53.03	3089.00	100.00

ihb23c3: 16/17 - P1 CAI D14.2.2+W2-6 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.71	1.77	54.71	1.77
No	0	2620.64	84.84	2675.35	86.61
Yes	1	413.65	13.39	3089.00	100.00

ihb23c7: 16/17 - P1 CAI D14.2.3+W5-6 - No treatment as a result of cavities/dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	74.76	2.42	74.76	2.42
No	0	2920.69	94.55	2995.45	96.97
Yes	1	93.55	3.03	3089.00	100.00

ihb23d1: 16/17 - P1 CAI D14.1.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2575.17	83.37	2650.45	85.80
Yes	1	438.55	14.20	3089.00	100.00

ihb23d4: 16/17 - P1 CAI D14.1.2 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2956.75	95.72	3032.03	98.16
Yes	1	56.97	1.84	3089.00	100.00

ihb23d5a: 16/17 - P1 CAI D14.1.3 - Last 2 yrs - Braces

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2400.84	77.72	2476.12	80.16
Yes	1	612.88	19.84	3089.00	100.00

ihb23d5b: 16/17 - P1 CAI D14.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2812.29	91.04	2887.58	93.48
Yes	1	201.42	6.52	3089.00	100.00

ihb23d6: 16/17 - P1 CAI D14.1.5 - Last 2 yrs - No problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	1204.51	38.99	1279.79	41.43
Yes	1	1809.21	58.57	3089.00	100.00

ihb23d8: 16/17 - P1 CAI D14.1.6 - Last 2 yrs - Don't know had any problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2966.22	96.03	3041.50	98.46
Yes	1	47.50	1.54	3089.00	100.00

ihb23d2: 16/17 - P1 CAI D14.2.1 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	47.50	1.54	122.78	3.97
No	0	2576.60	83.41	2699.39	87.39
Yes	1	389.61	12.61	3089.00	100.00

ihb23d3: 16/17 - P1 CAI D14.2.2 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	47.50	1.54	122.78	3.97
No	0	2928.66	94.81	3051.45	98.78
Yes	1	37.55	1.22	3089.00	100.00

ihb23d7: 16/17 - P1 CAI D14.2.3 - Last 2 yrs - No treatment - result of dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	47.50	1.54	122.78	3.97
No	0	2929.48	94.84	3052.26	98.81
Yes	1	36.74	1.19	3089.00	100.00

ihb32c: 16/17 - SC CAI C3.1 - You thought you should get medical care but didn't

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
-2	-2	53.80	1.74	201.16	6.51
Yes	1	405.69	13.13	606.85	19.65
No	2	2482.15	80.35	3089.00	100.00

ihb32c1: 16/17 - SC CAI C3.2.1 - Reasons no medical care Didn't know who to see

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	379.80	12.30	3063.11	99.16
Yes	1	25.89	0.84	3089.00	100.00

ihb32c2: 16/17 - SC CAI C3.2.2 - Reasons no medical care No transportation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	397.07	12.85	3080.38	99.72
Yes	1	8.62	0.28	3089.00	100.00

ihb32c3: 16/17 - SC CAI C3.2.3 - Reasons no medical care No one to go along with

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	393.02	12.72	3076.33	99.59
Yes	1	12.67	0.41	3089.00	100.00

ihb32c4: 16/17 - SC CAI C3.2.4 - Reasons no medical care - Parent/guardian would not go

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	391.39	12.67	3074.70	99.54
Yes	1	14.30	0.46	3089.00	100.00

ihb32c5: 16/17 - SC CAI C3.2.5 - Reasons no medical care - Didn't want parents to know

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	387.28	12.54	3070.59	99.40
Yes	1	18.41	0.60	3089.00	100.00

ihb32c6: 16/17 - SC CAI C3.2.6 - Reasons no medical care Appointment not easy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	383.46	12.41	3066.77	99.28
Yes	1	22.23	0.72	3089.00	100.00

ihb32c7: 16/17 - SC CAI C3.2.7 - Reasons no medical care Afraid what doctor say

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	369.42	11.96	3052.73	98.83
Yes	1	36.27	1.17	3089.00	100.00

ihb32c8: 16/17 - SC CAI C3.2.8 - Reasons no medical care Thought would go away

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	201.11	6.51	2884.42	93.38
Yes	1	204.58	6.62	3089.00	100.00

ihb32c9: 16/17 - SC CAI C3.2.9 - Reasons not seek medical care - Couldn't pay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	390.42	12.64	3073.72	99.51
Yes	1	15.28	0.49	3089.00	100.00

ihb32c10: 16/17 - SC CAI C3.2.10 - Reasons not seek medical care No more problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	355.71	11.52	3039.02	98.38
Yes	1	49.98	1.62	3089.00	100.00

ihb32c11: 16/17 - SC CAI C3.2.11 - Reasons not seek medical care - Too embarrassed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	387.64	12.55	3070.95	99.42
Yes	1	18.05	0.58	3089.00	100.00

ihb32c12: 16/17 - SC CAI C3.2.12 - Reasons not seek medical care - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2683.31	86.87	2683.31	86.87
No	0	321.70	10.41	3005.01	97.28
Yes	1	83.99	2.72	3089.00	100.00

ihb23e1: 16/17 - SC CAI C4.1 - Have tooth pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Never	0	2041.98	66.10	2189.33	70.88
Almost never	1	481.47	15.59	2670.80	86.46
Sometimes	2	318.90	10.32	2989.70	96.79
Often	3	84.04	2.72	3073.74	99.51
Almost always	4	15.26	0.49	3089.00	100.00

ihb23e2: 16/17 - SC CAI C4.2 - Have tooth pain when I eat/drink hot/cold/sweet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Never	0	1684.45	54.53	1831.80	59.30
Almost never	1	574.00	18.58	2405.80	77.88
Sometimes	2	508.84	16.47	2914.64	94.36
Often	3	126.55	4.10	3041.19	98.45
Almost always	4	47.81	1.55	3089.00	100.00

ihb23e3: 16/17 - SC CAI C4.3 - Have teeth that are dark in colour

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Never	0	2592.37	83.92	2739.72	88.69
Almost never	1	226.10	7.32	2965.82	96.01
Sometimes	2	91.55	2.96	3057.37	98.98
Often	3	16.15	0.52	3073.52	99.50
Almost always	4	15.48	0.50	3089.00	100.00

ihb23e4: 16/17 - SC CAI C4.4 - Have gum pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Never	0	2443.73	79.11	2591.08	83.88
Almost never	1	292.41	9.47	2883.49	93.35
Sometimes	2	185.21	6.00	3068.70	99.34
Often	3	17.90	0.58	3086.60	99.92
Almost always	4	2.40	0.08	3089.00	100.00

ihb23e5: 16/17 - SC CAI C4.5 - Have blood on my toothbrush after brushing teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Never	0	1634.25	52.91	1781.60	57.68
Almost never	1	641.59	20.77	2423.19	78.45
Sometimes	2	528.81	17.12	2952.00	95.56
Often	3	99.79	3.23	3051.79	98.80
Almost always	4	37.21	1.20	3089.00	100.00

ioral: 16/17 - Oral Health

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	147.35	4.77	147.35	4.77
44	4.37	0.14	151.73	4.91
48	2.05	0.07	153.78	4.98
52	9.16	0.30	162.94	5.27
56	9.38	0.30	172.32	5.58
60	22.49	0.73	194.81	6.31
64	35.78	1.16	230.59	7.46
68	36.67	1.19	267.27	8.65
72	83.63	2.71	350.90	11.36
76	170.52	5.52	521.42	16.88
80	159.56	5.17	680.97	22.05
84	250.05	8.09	931.02	30.14
88	346.32	11.21	1277.35	41.35
92	482.70	15.63	1760.05	56.98
96	435.84	14.11	2195.89	71.09
100	893.11	28.91	3089.00	100.00

ihb23b1: 16/17 - SC CAI C4.6 - How often teeth cleaned per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Not at all	1	117.03	3.79	264.39	8.56
Once	2	896.41	29.02	1160.80	37.58
Twice	3	1835.20	59.41	2996.00	96.99
More than twice	4	93.00	3.01	3089.00	100.00

ihb33c: 16/17 - SC CAI C4.7 - Last see a dentist

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Less than 1 year ago	1	2010.49	65.09	2157.84	69.86
1-2 years ago	2	544.62	17.63	2702.46	87.49
More than 2 years ago	3	309.71	10.03	3012.17	97.51
Never	4	24.79	0.80	3036.96	98.32
Unsure	5	52.04	1.68	3089.00	100.00

ihb13c2b: 16/17 - SC - SC CAI C5.1 - No. serves of fruit/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.93	4.79	147.93	4.79
0	447.57	14.49	595.50	19.28
1	993.35	32.16	1588.86	51.44
2	867.19	28.07	2456.05	79.51
3	406.91	13.17	2862.96	92.68
4	125.70	4.07	2988.66	96.75
5	65.71	2.13	3054.37	98.88
6	13.70	0.44	3068.07	99.32
7	6.54	0.21	3074.61	99.53
8	7.62	0.25	3082.23	99.78
9	0.62	0.02	3082.84	99.80
10	4.04	0.13	3086.88	99.93
12	1.36	0.04	3088.24	99.98
20	0.76	0.02	3089.00	100.00

ihb13c2a: 16/17 - SC - SC CAI C5.1 - No. serves of fruit/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.93	4.79	147.93	4.79
Less than 1	0	447.57	14.49	595.50	19.28
1	1	993.35	32.16	1588.86	51.44
2	2	867.19	28.07	2456.05	79.51
3	3	406.91	13.17	2862.96	92.68
4	4	125.70	4.07	2988.66	96.75
5	5	65.71	2.13	3054.37	98.88
6 or more	6	34.63	1.12	3089.00	100.00

ihb13c1b: 16/17 - SC - SC CAI C5.2 - No. serves of vegetables/day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	147.93	4.79	147.93	4.79
0	144.26	4.67	292.20	9.46
1	737.33	23.87	1029.53	33.33
2	828.39	26.82	1857.92	60.15
3	650.18	21.05	2508.10	81.19
4	348.15	11.27	2856.25	92.47
5	195.67	6.33	3051.93	98.80
6	20.41	0.66	3072.33	99.46
7	6.71	0.22	3079.05	99.68
8	6.16	0.20	3085.21	99.88
10	1.40	0.05	3086.61	99.92
14	0.66	0.02	3087.26	99.94
15	1.12	0.04	3088.38	99.98
20	0.62	0.02	3089.00	100.00

ihb13c1a: 16/17 - SC - SC CAI C5.2 - No. serves of vegetables/day (6+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.93	4.79	147.93	4.79
Less than 1	0	144.26	4.67	292.20	9.46
1	1	737.33	23.87	1029.53	33.33
2	2	828.39	26.82	1857.92	60.15
3	3	650.18	21.05	2508.10	81.19
4	4	348.15	11.27	2856.25	92.47
5	5	195.67	6.33	3051.93	98.80
6 or more	6	37.07	1.20	3089.00	100.00

ihb14c2: 16/17 - SC - SC CAI C5.3 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	130.47	4.22	130.47	4.22
0	481.56	15.59	612.03	19.81
1	287.78	9.32	899.81	29.13
2	422.07	13.66	1321.89	42.79
3	486.92	15.76	1808.81	58.56
4	371.11	12.01	2179.92	70.57
5	365.64	11.84	2545.56	82.41
6	143.25	4.64	2688.81	87.04
7	400.19	12.96	3089.00	100.00

ihb14c2a: 16/17 - SC - SC CAI C5.4 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	130.47	4.22	130.47	4.22
0	888.48	28.76	1018.95	32.99
1	413.84	13.40	1432.79	46.38
2	436.41	14.13	1869.20	60.51
3	413.24	13.38	2282.44	73.89
4	287.16	9.30	2569.60	83.19
5	223.69	7.24	2793.29	90.43

ihb14c2a: 16/17 - SC - SC CAI C5.4 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	94.65	3.06	2887.94	93.49
7	201.06	6.51	3089.00	100.00

ihb20c1a: 16/17 - SC CAI C7.1 - Frequency of sun protection - sunscreen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Never	0	520.70	16.86	670.66	21.71
Rarely	1	785.37	25.42	1456.03	47.14
Sometimes	2	783.76	25.37	2239.79	72.51
Often	3	636.56	20.61	2876.35	93.12
Always	4	212.65	6.88	3089.00	100.00

ihb20c1c: 16/17 - SC CAI C7.2 - Frequency of sun protection - shirt with sleeves

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Never	0	93.10	3.01	243.06	7.87
Rarely	1	289.41	9.37	532.47	17.24
Sometimes	2	583.86	18.90	1116.33	36.14
Often	3	1046.45	33.88	2162.79	70.02
Always	4	926.21	29.98	3089.00	100.00

ihb20c1b: 16/17 - SC CAI C7.3 - Frequency of sun protection - hat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Never	0	642.64	20.80	792.60	25.66
Rarely	1	755.91	24.47	1548.51	50.13
Sometimes	2	686.87	22.24	2235.38	72.37
Often	3	575.29	18.62	2810.68	90.99
Always	4	278.32	9.01	3089.00	100.00

ihb20c1d: 16/17 - SC CAI C7.4 - Frequency of sun protection - sunglasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Never	0	718.81	23.27	868.77	28.12
Rarely	1	630.04	20.40	1498.82	48.52
Sometimes	2	669.86	21.69	2168.68	70.21
Often	3	625.91	20.26	2794.59	90.47
Always	4	294.41	9.53	3089.00	100.00

ihb20c1e: 16/17 - SC CAI C7.5 - Frequency of sun protection - seek shade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Never	0	82.17	2.66	232.13	7.51
Rarely	1	347.87	11.26	579.99	18.78
Sometimes	2	1215.11	39.34	1795.11	58.11

ihb20c1e: 16/17 - SC CAI C7.5 - Frequency of sun protection - seek shade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	3	1091.36	35.33	2886.47	93.44
Always	4	202.53	6.56	3089.00	100.00

ihb20c1f: 16/17 - SC CAI C7.6 - Freq- Red/painful sunburn lasted more than a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Not at all	0	1088.80	35.25	1238.77	40.10
Once	1	849.66	27.51	2088.43	67.61
Twice	2	535.77	17.34	2624.19	84.95
Three times	3	247.97	8.03	2872.16	92.98
Four times	4	102.76	3.33	2974.92	96.31
Five or more times	5	114.08	3.69	3089.00	100.00

ihb20c3: 16/17 - SC CAI C7.7 - Colour of untanned skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.96	4.85	149.96	4.85
Very fair	1	352.51	11.41	502.47	16.27
Fair	2	1373.93	44.48	1876.39	60.74
Olive	3	854.90	27.68	2731.29	88.42
Light brown	4	315.81	10.22	3047.10	98.64
Dark brown	5	39.91	1.29	3087.01	99.94
Very dark	6	1.99	0.06	3089.00	100.00

ihb22c: 16/17 - SC - SC CASI A15.1 - Eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	0.65	0.02	160.96	5.21
Yes	1	2209.83	71.54	2370.79	76.75
No	2	718.21	23.25	3089.00	100.00

ihb21c1a1: 16/17 - SC - SC CASI A15.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	656.58	21.26	821.86	26.61
Once	1	1076.01	34.83	1897.87	61.44
Twice	2	770.73	24.95	2668.60	86.39
More than twice	3	420.40	13.61	3089.00	100.00

ihb21c1a2: 16/17 - SC - SC CASI A15.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	656.58	21.26	821.86	26.61

ihb21c1a2: 16/17 - SC - SC CASI A15.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once	1	1076.01	34.83	1897.87	61.44
Twice or more	2	1191.13	38.56	3089.00	100.00

ihb21c2a1: 16/17 - SC - SC CASI A15.2.2 - SC had fruit juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1522.24	49.28	1687.53	54.63
Once	1	906.15	29.33	2593.67	83.96
Twice	2	331.09	10.72	2924.76	94.68
More than twice	3	164.24	5.32	3089.00	100.00

ihb21c2a2: 16/17 - SC - SC CASI A15.2.2 - SC had fruit juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1522.24	49.28	1687.53	54.63
Once	1	906.15	29.33	2593.67	83.96
Twice or more	2	495.33	16.04	3089.00	100.00

ihb21c1b1: 16/17 - SC - SC CASI A15.2.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	601.60	19.48	766.88	24.83
Once	1	1212.83	39.26	1979.71	64.09
Twice	2	688.71	22.30	2668.42	86.38
More than twice	3	420.58	13.62	3089.00	100.00

ihb21c1b2: 16/17 - SC - SC CASI A15.2.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	601.60	19.48	766.88	24.83
Once	1	1212.83	39.26	1979.71	64.09
Twice or more	2	1109.29	35.91	3089.00	100.00

ihb21c1c1: 16/17 - SC - SC CASI A15.2.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1168.80	37.84	1334.08	43.19
Once	1	1112.02	36.00	2446.10	79.19
Twice	2	415.20	13.44	2861.30	92.63
More than twice	3	227.70	7.37	3089.00	100.00

ihb21c1c2: 16/17 - SC - SC CASI A15.2.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1168.80	37.84	1334.08	43.19
Once	1	1112.02	36.00	2446.10	79.19
Twice or more	2	642.90	20.81	3089.00	100.00

ihb21c3a1: 16/17 - SC - SC CASI A15.2.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1839.77	59.56	2005.05	64.91
Once	1	837.66	27.12	2842.71	92.03
Twice	2	173.97	5.63	3016.68	97.66
More than twice	3	72.32	2.34	3089.00	100.00

ihb21c3a2: 16/17 - SC - SC CASI A15.2.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1839.77	59.56	2005.05	64.91
Once	1	837.66	27.12	2842.71	92.03
Twice or more	2	246.29	7.97	3089.00	100.00

ihb21c3b1: 16/17 - SC - SC CASI A15.2.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1931.90	62.54	2097.18	67.89
Once	1	806.80	26.12	2903.98	94.01
Twice	2	134.24	4.35	3038.22	98.36
More than twice	3	50.78	1.64	3089.00	100.00

ihb21c3b2: 16/17 - SC - SC CASI A15.2.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1931.90	62.54	2097.18	67.89
Once	1	806.80	26.12	2903.98	94.01
Twice or more	2	185.02	5.99	3089.00	100.00

ihb21c3c1: 16/17 - SC - SC CASI A15.2.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1722.67	55.77	1887.95	61.12
Once	1	973.37	31.51	2861.32	92.63
Twice	2	172.28	5.58	3033.60	98.21
More than twice	3	55.40	1.79	3089.00	100.00

ihb21c3c2: 16/17 - SC - SC CASI A15.2.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1722.67	55.77	1887.95	61.12
Once	1	973.37	31.51	2861.32	92.63
Twice or more	2	227.68	7.37	3089.00	100.00

ihb21c3d1: 16/17 - SC - SC CASI A15.2.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1357.41	43.94	1522.69	49.29
Once	1	1220.71	39.52	2743.40	88.81
Twice	2	268.38	8.69	3011.78	97.50
More than twice	3	77.22	2.50	3089.00	100.00

ihb21c3d2: 16/17 - SC - SC CASI A15.2.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1357.41	43.94	1522.69	49.29
Once	1	1220.71	39.52	2743.40	88.81
Twice or more	2	345.60	11.19	3089.00	100.00

ihb21c8a1: 16/17 - SC - SC CASI A15.2.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	753.14	24.38	918.42	29.73
Once	1	1421.39	46.01	2339.81	75.75
Twice	2	590.37	19.11	2930.18	94.86
More than twice	3	158.82	5.14	3089.00	100.00

ihb21c8a2: 16/17 - SC - SC CASI A15.2.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	753.14	24.38	918.42	29.73
Once	1	1421.39	46.01	2339.81	75.75
Twice or more	2	749.19	24.25	3089.00	100.00

ihb21c3e1: 16/17 - SC - SC CASI A15.2.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	5.46	0.18	165.78	5.37
Not at all	0	882.85	28.58	1048.63	33.95
Once	1	1201.08	38.88	2249.71	72.83
Twice	2	534.42	17.30	2784.13	90.13
More than twice	3	304.87	9.87	3089.00	100.00

ihb21c3e2: 16/17 - SC - SC CASI A15.2.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	5.46	0.18	165.78	5.37
Not at all	0	882.85	28.58	1048.63	33.95
Once	1	1201.08	38.88	2249.71	72.83
Twice or more	2	839.29	27.17	3089.00	100.00

ihb21c4a1: 16/17 - SC - SC CASI A15.2.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	5.46	0.18	165.78	5.37
Not at all	0	1678.66	54.34	1844.43	59.71
Once	1	768.93	24.89	2613.36	84.60
Twice	2	324.36	10.50	2937.72	95.10
More than twice	3	151.28	4.90	3089.00	100.00

ihb21c4a2: 16/17 - SC - SC CASI A15.2.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	5.46	0.18	165.78	5.37
Not at all	0	1678.66	54.34	1844.43	59.71
Once	1	768.93	24.89	2613.36	84.60
Twice or more	2	475.64	15.40	3089.00	100.00

ihb21c5a1: 16/17 - SC - SC CASI A15.2.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	67.25	2.18	232.53	7.53
Once	1	280.37	9.08	512.91	16.60
Twice	2	349.29	11.31	862.20	27.91
More than twice	3	2226.80	72.09	3089.00	100.00

ihb21c5a2: 16/17 - SC - SC CASI A15.2.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	67.25	2.18	232.53	7.53
Once	1	280.37	9.08	512.91	16.60
Twice or more	2	2576.09	83.40	3089.00	100.00

ihb21c2b1: 16/17 - SC - SC CASI A15.2.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1641.08	53.13	1806.37	58.48
Once	1	886.69	28.70	2693.06	87.18
Twice	2	292.16	9.46	2985.22	96.64
More than twice	3	103.78	3.36	3089.00	100.00

ihb21c2b2: 16/17 - SC - SC CASI A15.2.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	1641.08	53.13	1806.37	58.48
Once	1	886.69	28.70	2693.06	87.18
Twice or more	2	395.94	12.82	3089.00	100.00

ihb21c6a1: 16/17 - SC - SC CASI A15.2.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	2446.45	79.20	2611.73	84.55
Once	1	342.14	11.08	2953.88	95.63
Twice	2	92.06	2.98	3045.94	98.61
More than twice	3	43.06	1.39	3089.00	100.00

ihb21c6a2: 16/17 - SC - SC CASI A15.2.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	2446.45	79.20	2611.73	84.55
Once	1	342.14	11.08	2953.88	95.63
Twice or more	2	135.12	4.37	3089.00	100.00

ihb21c7a1: 16/17 - SC - SC CASI A15.2.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	2617.62	84.74	2782.90	90.09
Once	1	218.83	7.08	3001.73	97.17
Twice	2	57.82	1.87	3059.55	99.05
More than twice	3	29.45	0.95	3089.00	100.00

ihb21c7a2: 16/17 - SC - SC CASI A15.2.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	2617.62	84.74	2782.90	90.09
Once	1	218.83	7.08	3001.73	97.17
Twice or more	2	87.27	2.83	3089.00	100.00

ihb21c7b1: 16/17 - SC - SC CASI A15.2.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	2087.09	67.57	2252.37	72.92
Once	1	559.05	18.10	2811.43	91.01
Twice	2	193.94	6.28	3005.37	97.29
More than twice	3	83.63	2.71	3089.00	100.00

ihb21c7b2: 16/17 - SC - SC CASI A15.2.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.31	5.19	160.31	5.19
-3	-3	4.97	0.16	165.28	5.35
Not at all	0	2087.09	67.57	2252.37	72.92
Once	1	559.05	18.10	2811.43	91.01
Twice or more	2	277.57	8.99	3089.00	100.00

icfandvb: 16/17 - SC - Frequency ate fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.31	5.19	160.31	5.19
-3	4.97	0.16	165.28	5.35
0	220.84	7.15	386.12	12.50
1	331.41	10.73	717.52	23.23
2	461.71	14.95	1179.23	38.18
3	564.62	18.28	1743.86	56.45
4	422.81	13.69	2166.66	70.14
5	360.92	11.68	2527.59	81.83
6	271.77	8.80	2799.36	90.62
7	129.21	4.18	2928.58	94.81
8	67.31	2.18	2995.89	96.99
9	93.11	3.01	3089.00	100.00

ichfatb: 16/17 - SC - Frequency ate high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.31	5.19	160.31	5.19
-3	4.97	0.16	165.28	5.35
0	516.64	16.73	681.92	22.08
1	778.03	25.19	1459.95	47.26
2	740.23	23.96	2200.18	71.23
3	397.33	12.86	2597.51	84.09
4	249.89	8.09	2847.40	92.18
5	82.05	2.66	2929.45	94.83
6	45.62	1.48	2975.06	96.31
7	39.18	1.27	3014.25	97.58
8	30.98	1.00	3045.23	98.58
9	20.01	0.65	3065.24	99.23
10	8.55	0.28	3073.79	99.51
11	0.78	0.03	3074.57	99.53
12	14.43	0.47	3089.00	100.00

ichfwmb: 16/17 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.81	5.21	160.81	5.21
-3	4.97	0.16	165.78	5.37
0	196.17	6.35	361.95	11.72
1	440.88	14.27	802.83	25.99
2	651.14	21.08	1453.97	47.07
3	610.65	19.77	2064.62	66.84
4	398.48	12.90	2463.10	79.74
5	292.48	9.47	2755.58	89.21
6	128.70	4.17	2884.28	93.37
7	60.85	1.97	2945.12	95.34
8	27.15	0.88	2972.27	96.22
9	39.19	1.27	3011.46	97.49
10	36.91	1.19	3048.37	98.68
11	10.67	0.35	3059.04	99.03

ichfwmb: 16/17 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12	14.05	0.45	3073.09	99.49
13	2.06	0.07	3075.15	99.55
14	2.04	0.07	3077.19	99.62
15	11.81	0.38	3089.00	100.00

ichsdrnkb: 16/17 - SC - Frequency drank high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.31	5.19	160.31	5.19
-3	4.97	0.16	165.28	5.35
0	990.92	32.08	1156.20	37.43
1	810.75	26.25	1966.96	63.68
2	593.00	19.20	2559.96	82.87
3	339.32	10.98	2899.28	93.86
4	130.59	4.23	3029.86	98.09
5	48.48	1.57	3078.34	99.65
6	10.66	0.35	3089.00	100.00

icfandv: 16/17 - SC - Frequency ate fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.31	5.19	160.31	5.19
-3	4.97	0.16	165.28	5.35
0	220.84	7.15	386.12	12.50
1	331.41	10.73	717.52	23.23
2	490.29	15.87	1207.82	39.10
3	602.84	19.52	1810.65	58.62
4	556.47	18.01	2367.12	76.63
5	390.12	12.63	2757.25	89.26
6	331.75	10.74	3089.00	100.00

ichfat: 16/17 - SC - Frequency ate high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.31	5.19	160.31	5.19
-3	4.97	0.16	165.28	5.35
0	516.64	16.73	681.92	22.08
1	778.03	25.19	1459.95	47.26
2	760.60	24.62	2220.55	71.89
3	398.29	12.89	2618.84	84.78
4	265.81	8.61	2884.65	93.38
5	68.45	2.22	2953.10	95.60
6	52.07	1.69	3005.18	97.29
7	34.91	1.13	3040.09	98.42
8	48.91	1.58	3089.00	100.00

ichfwm: 16/17 - SC - Frequency ate high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.81	5.21	160.81	5.21
-3	4.97	0.16	165.78	5.37
0	196.17	6.35	361.95	11.72
1	440.88	14.27	802.83	25.99
2	704.26	22.80	1507.09	48.79
3	635.52	20.57	2142.62	69.36
4	405.98	13.14	2548.60	82.51
5	276.78	8.96	2825.38	91.47
6	105.56	3.42	2930.94	94.88
7	49.74	1.61	2980.68	96.49
8	34.75	1.12	3015.43	97.62
9	32.67	1.06	3048.10	98.68
10	40.90	1.32	3089.00	100.00

ichsdrnk: 16/17 - SC - Frequency drank high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	160.31	5.19	160.31	5.19
-3	4.97	0.16	165.28	5.35
0	990.92	32.08	1156.20	37.43
1	810.75	26.25	1966.96	63.68
2	718.59	23.26	2685.55	86.94
3	286.37	9.27	2971.91	96.21
4	117.09	3.79	3089.00	100.00

ihb30a1: 16/17 - SC CASI A15.3.1 - Leave food at meal times - to avoid putting on weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	10.01	0.32	170.96	5.53
Seldom/never	1	2213.21	71.65	2384.17	77.18
Sometimes	2	519.99	16.83	2904.16	94.02
Often	3	139.65	4.52	3043.81	98.54
Almost always/always	4	45.19	1.46	3089.00	100.00

ihb30a2: 16/17 - SC CASI A15.3.2 - Ate too much - less than usual on the next day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	10.59	0.34	171.54	5.55
Seldom/never	1	1812.53	58.68	1984.08	64.23
Sometimes	2	790.78	25.60	2774.86	89.83
Often	3	225.07	7.29	2999.93	97.12
Almost always/always	4	89.07	2.88	3089.00	100.00

ihb30a3: 16/17 - SC CASI A15.3.3 - Take small helpings - to keep weight under control

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	10.59	0.34	171.54	5.55
Seldom/never	1	2053.35	66.47	2224.89	72.03
Sometimes	2	592.72	19.19	2817.62	91.21
Often	3	204.33	6.61	3021.94	97.83
Almost always/always	4	67.06	2.17	3089.00	100.00

ihb30a4: 16/17 - SC CASI A15.3.4 - Skip meals other than breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	10.59	0.34	171.54	5.55
Seldom/never	1	2396.14	77.57	2567.68	83.12
Sometimes	2	351.72	11.39	2919.40	94.51
Often	3	103.82	3.36	3023.22	97.87
Almost always/always	4	65.78	2.13	3089.00	100.00

ihb30b1: 16/17 - SC CASI A15.4 - How would you feel if you gained one to two kilograms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	12.29	0.40	173.24	5.61
It would please me	1	417.97	13.53	591.21	19.14
It wouldn't bother me	2	1024.06	33.15	1615.27	52.29
I'd be a little concerned	3	750.21	24.29	2365.48	76.58
It would worry me	4	439.21	14.22	2804.69	90.80
It would really upset me	5	284.31	9.20	3089.00	100.00

ihb30b2: 16/17 - SC CASI A15.5 - Last 4 weeks - Been afraid of gaining weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	8.44	0.27	169.39	5.48
Yes	1	1170.56	37.89	1339.96	43.38
No	2	1749.04	56.62	3089.00	100.00

ihb30b3: 16/17 - SC CASI A15.6 - Last 4 week - Frequency feel afraid of gaining weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1918.44	62.11	1918.44	62.11
Less than one day a week	1	339.35	10.99	2257.79	73.09
One day a week	2	234.45	7.59	2492.24	80.68
Two or three days a week	3	279.60	9.05	2771.85	89.73
Four or five days a week	4	146.55	4.74	2918.39	94.48
Six or seven days a week	5	170.61	5.52	3089.00	100.00

ihb30b4: 16/17 - SC CASI A15.7 - How concerned were you that you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1918.44	62.11	1918.44	62.11
Only a little	1	327.59	10.61	2246.03	72.71
Moderately	2	417.57	13.52	2663.59	86.23
Very	3	253.59	8.21	2917.18	94.44
Extremely	4	171.82	5.56	3089.00	100.00

ihb30b5: 16/17 - SC CASI A15.8 - Importance of weight in how you feel

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	4.87	0.16	165.82	5.37
Not important	1	532.06	17.22	697.89	22.59
A bit important	2	945.68	30.61	1643.56	53.21
Moderately important	3	914.05	29.59	2557.61	82.80
Very important	4	531.39	17.20	3089.00	100.00

ihb30b6: 16/17 - SC CASI A15.9 - How do you feel about your weight at the moment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	8.66	0.28	169.61	5.49
Very underweight	1	64.14	2.08	233.75	7.57
Somewhat underweight	2	381.34	12.35	615.08	19.91
About the right weight	3	1559.18	50.48	2174.27	70.39
Somewhat overweight	4	796.61	25.79	2970.87	96.18
Very overweight	5	118.13	3.82	3089.00	100.00

ihb30b7: 16/17 - SC CASI A16.1 - Last 4 weeks - Gone all day without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	8.44	0.27	169.39	5.48
Yes	1	264.65	8.57	434.04	14.05
No	2	2654.96	85.95	3089.00	100.00

ihb30b8: 16/17 - SC CASI A16.2 - Last 4 weeks - Frequency - gone all day without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2824.35	91.43	2824.35	91.43
Less than one day a week	1	131.16	4.25	2955.51	95.68
One day a week	2	58.41	1.89	3013.92	97.57
Two or three days a week	3	59.55	1.93	3073.47	99.50
Four or five days a week	4	10.43	0.34	3083.90	99.83
Six or seven days a week	5	5.10	0.17	3089.00	100.00

ihb30b9: 16/17 - SC CASI A16.3 - How long have you been having days without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2824.35	91.43	2824.35	91.43
Less than 4 weeks	1	124.46	4.03	2948.81	95.46
Between 4 weeks and 3 months	2	33.90	1.10	2982.71	96.56
Between 3 months and 6 months	3	18.51	0.60	3001.22	97.16
Between 6 months and a year	4	25.96	0.84	3027.17	98.00
Longer than a year	5	61.83	2.00	3089.00	100.00

ihb30b10: 16/17 - SC CASI A17.1 - Last 4 weeks - Felt that lost control of eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	9.94	0.32	170.90	5.53
Yes	1	1042.31	33.74	1213.21	39.28
No	2	1875.79	60.72	3089.00	100.00

ihb30b11: 16/17 - SC CASI A17.2 - How often have you felt like this

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2046.69	66.26	2046.69	66.26
Less than one day a week	1	393.86	12.75	2440.55	79.01
One day a week	2	260.89	8.45	2701.43	87.45
Two or three days a week	3	261.83	8.48	2963.26	95.93
Four or five days a week	4	88.10	2.85	3051.36	98.78
Six or seven days a week	5	37.64	1.22	3089.00	100.00

ihb30b12: 16/17 - SC CASI A17.3 - Duration of feelings - Lost control of eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2046.69	66.26	2046.69	66.26
Less than 4 weeks	1	412.34	13.35	2459.03	79.61
Between 4 weeks and 3 months	2	152.86	4.95	2611.89	84.55
Between 3 months and 6 months	3	92.17	2.98	2704.06	87.54
Between 6 months and a year	4	127.95	4.14	2832.01	91.68
Longer than a year	5	256.99	8.32	3089.00	100.00

ihb30b13: 16/17 - SC CASI A17.4 - How difficult is it to stop after start eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2046.69	66.26	2046.69	66.26
Fairly easy	1	551.57	17.86	2598.26	84.11
Fairly difficult	2	342.99	11.10	2941.24	95.22
Very difficult	3	118.54	3.84	3059.78	99.05
Impossible	4	29.22	0.95	3089.00	100.00

ihb30b14: 16/17 - SC CASI A17.5 - Amount of food you would eat in less than 2 hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2046.69	66.26	2046.69	66.26
2 pieces of bread and 4 scoops of ice-cream and 2 biscuits	1	488.57	15.82	2535.26	82.07
8 pieces of bread and half a litre of ice-cream and 5 biscuits	2	138.30	4.48	2673.55	86.55
12 pieces of bread and 1 litre of ice-cream and 10 biscuits	3	15.39	0.50	2688.95	87.05
1 loaf of bread and 2 litres of ice-cream and 1 packet of biscuits	4	16.53	0.54	2705.47	87.58
Less than any of these amounts	5	383.53	12.42	3089.00	100.00

ihb30c: 16/17 - SC CASI A18.1 - Last 4 week - Tablet/medicine/drug to weight control

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	9.94	0.32	170.90	5.53
Yes	1	75.38	2.44	246.28	7.97
No	2	2842.72	92.03	3089.00	100.00

ihb30c1: 16/17 - SC CASI A18.2.1 - Laxatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3013.62	97.56	3013.62	97.56
No	0	63.33	2.05	3076.95	99.61
Yes	1	12.05	0.39	3089.00	100.00

ihb30c2: 16/17 - SC CASI A18.2.2 - Diuretics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3013.62	97.56	3013.62	97.56
No	0	71.09	2.30	3084.71	99.86
Yes	1	4.29	0.14	3089.00	100.00

ihb30c3: 16/17 - SC CASI A18.2.3 - Appetite suppressants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3013.62	97.56	3013.62	97.56
No	0	59.48	1.93	3073.10	99.49
Yes	1	15.90	0.51	3089.00	100.00

ihb30c4: 16/17 - SC CASI A18.2.4 - Other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3013.62	97.56	3013.62	97.56
No	0	29.52	0.96	3043.15	98.52
Yes	1	45.85	1.48	3089.00	100.00

ihb30c1a: 16/17 - SC CASI A18.3.1 - How often have you taken ? Laxatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.95	99.61	3076.95	99.61
Less than one day a week	1	10.18	0.33	3087.13	99.94
One day a week	2	0.83	0.03	3087.96	99.97
Two or three days a week	3	1.04	0.03	3089.00	100.00

ihb30c2a: 16/17 - SC CASI A18.3.2 - How often have you taken ? Diuretics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.71	99.86	3084.71	99.86
Less than one day a week	1	3.58	0.12	3088.30	99.98
Four or five days a week	4	0.70	0.02	3089.00	100.00

ihb30c3a: 16/17 - SC CASI A18.3.3 - How often have you taken ? Appetite suppressants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.10	99.49	3073.10	99.49
Less than one day a week	1	2.94	0.10	3076.04	99.58
One day a week	2	5.24	0.17	3081.28	99.75
Two or three days a week	3	3.42	0.11	3084.70	99.86
Four or five days a week	4	2.12	0.07	3086.82	99.93
Six or seven days a week	5	2.18	0.07	3089.00	100.00

ihb30c5a: 16/17 - SC CASI A18.3.4 - How often have you taken ? Other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3043.15	98.52	3043.15	98.52
Less than one day a week	1	21.87	0.71	3065.02	99.22
One day a week	2	6.95	0.22	3071.96	99.45
Two or three days a week	3	4.40	0.14	3076.36	99.59
Four or five days a week	4	2.84	0.09	3079.20	99.68
Six or seven days a week	5	9.80	0.32	3089.00	100.00

ihb30c1b: 16/17 - SC CASI A18.4.1 - How long have you been taking Laxatives?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.95	99.61	3076.95	99.61
Less than 4 weeks	1	10.18	0.33	3087.13	99.94
Between 4 weeks and 3 months	2	1.04	0.03	3088.17	99.97
Between 3 months and 6 months	3	0.83	0.03	3089.00	100.00

ihb30c2b: 16/17 - SC CASI A18.4.2 - How long have you been taking Diuretics?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.71	99.86	3084.71	99.86
Less than 4 weeks	1	3.58	0.12	3088.30	99.98
Between 6 months and a year	4	0.70	0.02	3089.00	100.00

ihb30c3b: 16/17 - SC CASI A18.4.3 - How long have you been taking Appetite suppressants?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.10	99.49	3073.10	99.49
Less than 4 weeks	1	4.60	0.15	3077.71	99.63
Between 4 weeks and 3 months	2	10.27	0.33	3087.97	99.97
Between 3 months and 6 months	3	0.48	0.02	3088.45	99.98
Between 6 months and a year	4	0.55	0.02	3089.00	100.00

ihb30c5b: 16/17 - SC CASI A18.4.4 - How long have you been taking Other drugs ?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3043.15	98.52	3043.15	98.52
Less than 4 weeks	1	30.35	0.98	3073.50	99.50
Between 4 weeks and 3 months	2	2.61	0.08	3076.11	99.58
Between 3 months and 6 months	3	1.22	0.04	3077.33	99.62
Between 6 months and a year	4	2.91	0.09	3080.24	99.72
Longer than a year	5	8.76	0.28	3089.00	100.00

ihb30c1c: 16/17 - SC CASI A18.5.1 - How many laxatives would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.95	99.61	3076.95	99.61
One	1	11.35	0.37	3088.30	99.98
Between 2 and 5	2	0.70	0.02	3089.00	100.00

ihb30c2c: 16/17 - SC CASI A18.5.2 - How many diuretics would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.71	99.86	3084.71	99.86
One	1	0.70	0.02	3085.42	99.88
Between 2 and 5	2	3.58	0.12	3089.00	100.00

ihb30c3c: 16/17 - SC CASI A18.5.3 - How many appetite suppressants you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.10	99.49	3073.10	99.49
One	1	10.86	0.35	3083.96	99.84
Between 2 and 5	2	3.01	0.10	3086.97	99.93
Between 6 and 10	3	2.03	0.07	3089.00	100.00

ihb30c5c: 16/17 - SC CASI A18.5.4 - How many other drugs would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3043.15	98.52	3043.15	98.52
One	1	25.35	0.82	3068.49	99.34
Between 2 and 5	2	15.58	0.50	3084.07	99.84
Between 6 and 10	3	0.66	0.02	3084.73	99.86
Between 11 and 15	4	0.97	0.03	3085.70	99.89
Between 16 and 20	5	3.30	0.11	3089.00	100.00

ihb30d: 16/17 - SC CASI A19.1 - Last 4 weeks - Vomit as means to control shape or weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	9.94	0.32	170.90	5.53
Yes	1	77.41	2.51	248.31	8.04
No	2	2840.69	91.96	3089.00	100.00

ihb30d1: 16/17 - SC CASI A19.2 - Last 4 weeks - How often have you made yourself vomit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3011.59	97.49	3011.59	97.49
Less than one day a week	1	44.28	1.43	3055.87	98.93
One day a week	2	8.82	0.29	3064.69	99.21
Two or three days a week	3	18.72	0.61	3083.41	99.82
Four or five days a week	4	2.46	0.08	3085.87	99.90
Six or seven days a week	5	3.13	0.10	3089.00	100.00

ihb30d2: 16/17 - SC CASI A19.3 - How long have you been making yourself vomit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3011.59	97.49	3011.59	97.49
Less than 4 weeks	1	31.69	1.03	3043.28	98.52
Between 4 weeks and 3 months	2	10.22	0.33	3053.50	98.85
Between 3 months and 6 months	3	15.24	0.49	3068.74	99.34
Between 6 months and a year	4	6.62	0.21	3075.37	99.56
Longer than a year	5	13.63	0.44	3089.00	100.00

ihb30e: 16/17 - SC CASI A20.1 - Last 4 weeks - Exercise in order to control weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	160.95	5.21	160.95	5.21
-3	-3	11.66	0.38	172.61	5.59
Yes	1	1420.12	45.97	1592.73	51.56
No	2	1496.27	48.44	3089.00	100.00

ihb30e1: 16/17 - SC CASI A20.2 - Frequency exercised in order to control your weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1668.88	54.03	1668.88	54.03
Less than one day a week	1	168.03	5.44	1836.91	59.47
One day a week	2	228.57	7.40	2065.48	66.87
Two or three days a week	3	571.96	18.52	2637.44	85.38
Four or five days a week	4	278.59	9.02	2916.03	94.40
Six or seven days a week	5	172.97	5.60	3089.00	100.00

ihb30e2: 16/17 - SC CASI A20.3 - Time spent exercising per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1668.88	54.03	1668.88	54.03
Less than an hour per day	0	356.83	11.55	2025.72	65.58
About an hour per day	1	695.05	22.50	2720.77	88.08
About 2 hours per day	2	232.07	7.51	2952.84	95.59

ihb30e2: 16/17 - SC CASI A20.3 - Time spent exercising per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
About 3 hours per day	3	85.45	2.77	3038.29	98.36
About 4 hours per day	4	26.65	0.86	3064.95	99.22
More than 4 hours per day	5	24.05	0.78	3089.00	100.00

ihb30e3: 16/17 - SC CASI A20.4 - How long have you been exercising

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1668.88	54.03	1668.88	54.03
Less than 4 weeks	1	354.95	11.49	2023.83	65.52
Between 4 weeks and 3 months	2	224.31	7.26	2248.14	72.78
Between 3 months and 6 months	3	150.16	4.86	2398.31	77.64
Between 6 months and a year	4	177.59	5.75	2575.89	83.39
Longer than a year	5	513.11	16.61	3089.00	100.00

ibulimia: 16/17 - Partial Syndromal Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3024.19	97.90	3024.19	97.90
Yes	1	64.81	2.10	3089.00	100.00

ianorexia: 16/17 - Partial Syndromal Anorexia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	252.25	8.17	252.25	8.17
No	0	2828.41	91.56	3080.66	99.73
Yes	1	8.34	0.27	3089.00	100.00

ieatingdis: 16/17 - Partial Syndromal Anorexia and/or Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3015.85	97.63	3015.85	97.63
Yes	1	73.15	2.37	3089.00	100.00

ihb36c: 16/17 - SC CASI A21.1 - Driving a car or other vehicle

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	5.53	0.18	164.59	5.33
I have a learner driver's permit (i.e. L's, L1's, L2's)	1	1973.80	63.90	2138.39	69.23
I have a provisional/probationary driver's license (i.e. P's, P1's, P2's)	2	328.19	10.62	2466.58	79.85
I have a full driver's license	3	4.85	0.16	2471.43	80.01
I do not hold any driver's permit/ license	4	617.57	19.99	3089.00	100.00

ihb36c1: 16/17 - SC CASI A21.2 - Drive under the influence of alcohol / drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	7.25	0.23	166.30	5.38
Yes	1	114.80	3.72	281.10	9.10
No	2	2807.90	90.90	3089.00	100.00

ihb36c2: 16/17 - SC CASI A21.3 - Passenger - when the driver was under alcohol / drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	6.75	0.22	165.81	5.37
Yes	1	297.54	9.63	463.34	15.00
No	2	2625.66	85.00	3089.00	100.00

ihb36c4a: 16/17 - SC CASI A21.4.1 - Driver - A friend about the same age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	165.07	5.34	2956.54	95.71
Yes	1	132.46	4.29	3089.00	100.00

ihb36c4b: 16/17 - SC CASI A21.4.2 - Driver - A brother/sister/relative about the same age

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	277.78	8.99	3069.24	99.36
Yes	1	19.76	0.64	3089.00	100.00

ihb36c4c: 16/17 - SC CASI A21.4.3 - Driver - An older friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	223.61	7.24	3015.08	97.61
Yes	1	73.92	2.39	3089.00	100.00

ihb36c4d: 16/17 - SC CASI A21.4.4 - Driver - An older brother, sister or relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	282.82	9.16	3074.28	99.52
Yes	1	14.72	0.48	3089.00	100.00

ihb36c4e: 16/17 - SC CASI A21.4.5 - Driver - A parent

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	224.11	7.26	3015.58	97.62
Yes	1	73.42	2.38	3089.00	100.00

ihb36c4f: 16/17 - SC CASI A21.4.6 - Driver - Another adult

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	258.16	8.36	3049.62	98.73
Yes	1	39.38	1.27	3089.00	100.00

ihb36c4g: 16/17 - SC CASI A21.4.7 - Driver - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2791.46	90.37	2791.46	90.37
No	0	274.18	8.88	3065.64	99.24
Yes	1	23.36	0.76	3089.00	100.00

ihb36c5a: 16/17 - SC CASI A21.5.1 - Drove up to 10 km/h over the limit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	18.57	0.60	177.62	5.75
0 of 10 times	0	1769.63	57.29	1947.25	63.04
1 of 10 times	1	424.01	13.73	2371.26	76.76
2 of 10 times	2	205.81	6.66	2577.06	83.43
3 of 10 times	3	125.60	4.07	2702.66	87.49
4 of 10 times	4	82.16	2.66	2784.82	90.15
5 of 10 times	5	90.63	2.93	2875.45	93.09
6 of 10 times	6	35.85	1.16	2911.30	94.25
7 of 10 times	7	28.05	0.91	2939.35	95.16
8 of 10 times	8	22.68	0.73	2962.04	95.89
9 of 10 times	9	13.73	0.44	2975.77	96.33
10 of 10 times	10	113.23	3.67	3089.00	100.00

ihb36c5b: 16/17 - SC CASI A21.5.2 - Drove between 10 and 25 km/h over the limit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	18.57	0.60	177.62	5.75
0 of 10 times	0	2472.68	80.05	2650.30	85.80
1 of 10 times	1	185.94	6.02	2836.24	91.82
2 of 10 times	2	85.78	2.78	2922.03	94.59
3 of 10 times	3	39.03	1.26	2961.05	95.86
4 of 10 times	4	33.19	1.07	2994.24	96.93
5 of 10 times	5	27.35	0.89	3021.59	97.82
6 of 10 times	6	9.39	0.30	3030.98	98.12
7 of 10 times	7	3.60	0.12	3034.58	98.24
8 of 10 times	8	3.12	0.10	3037.70	98.34
9 of 10 times	9	3.90	0.13	3041.60	98.47
10 of 10 times	10	47.40	1.53	3089.00	100.00

ihb36c5c: 16/17 - SC CASI A21.5.3 - Drove more than 25 km/h over the limit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	18.57	0.60	177.62	5.75
0 of 10 times	0	2686.45	86.97	2864.07	92.72
1 of 10 times	1	103.10	3.34	2967.17	96.06
2 of 10 times	2	24.50	0.79	2991.67	96.85
3 of 10 times	3	24.90	0.81	3016.57	97.66
4 of 10 times	4	15.47	0.50	3032.04	98.16
5 of 10 times	5	13.40	0.43	3045.45	98.59
6 of 10 times	6	3.92	0.13	3049.37	98.72
7 of 10 times	7	2.21	0.07	3051.58	98.79
8 of 10 times	8	1.96	0.06	3053.54	98.85
10 of 10 times	10	35.46	1.15	3089.00	100.00

ihb36c5d: 16/17 - SC CASI A21.5.4 - Drove when probably affected by alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	19.80	0.64	178.86	5.79
0 of 10 times	0	2809.81	90.96	2988.67	96.75
1 of 10 times	1	55.80	1.81	3044.46	98.56
2 of 10 times	2	12.13	0.39	3056.59	98.95
3 of 10 times	3	7.26	0.23	3063.85	99.19
4 of 10 times	4	1.14	0.04	3064.99	99.22
5 of 10 times	5	10.22	0.33	3075.20	99.55
6 of 10 times	6	1.05	0.03	3076.25	99.59
7 of 10 times	7	0.36	0.01	3076.62	99.60
8 of 10 times	8	0.38	0.01	3076.99	99.61
9 of 10 times	9	1.00	0.03	3077.99	99.64
10 of 10 times	10	11.01	0.36	3089.00	100.00

ihb36c5e: 16/17 - SC CASI A21.5.5 - Did not wear a seat belt/helmet at all

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	22.07	0.71	181.12	5.86
0 of 10 times	0	2703.16	87.51	2884.28	93.37
1 of 10 times	1	91.35	2.96	2975.63	96.33
2 of 10 times	2	22.95	0.74	2998.58	97.07
3 of 10 times	3	23.07	0.75	3021.65	97.82
4 of 10 times	4	6.14	0.20	3027.79	98.02
5 of 10 times	5	11.95	0.39	3039.74	98.41
6 of 10 times	6	2.85	0.09	3042.60	98.50
7 of 10 times	7	5.60	0.18	3048.19	98.68
8 of 10 times	8	2.89	0.09	3051.08	98.77
9 of 10 times	9	2.18	0.07	3053.26	98.84
10 of 10 times	10	35.74	1.16	3089.00	100.00

ihb36c5f: 16/17 - SC CASI A21.5.6 - Did not wear seat belt/helmet for part of the trip

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	22.07	0.71	181.12	5.86
0 of 10 times	0	2684.90	86.92	2866.02	92.78
1 of 10 times	1	108.79	3.52	2974.81	96.30
2 of 10 times	2	29.06	0.94	3003.87	97.24
3 of 10 times	3	25.03	0.81	3028.90	98.05
4 of 10 times	4	11.38	0.37	3040.28	98.42
5 of 10 times	5	12.76	0.41	3053.04	98.84
6 of 10 times	6	4.01	0.13	3057.04	98.97
7 of 10 times	7	1.35	0.04	3058.39	99.01
8 of 10 times	8	3.02	0.10	3061.42	99.11
9 of 10 times	9	5.41	0.18	3066.82	99.28
10 of 10 times	10	22.18	0.72	3089.00	100.00

ihb36c5g: 16/17 - SC CASI A21.5.7 - Drove when very tired

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	18.57	0.60	177.62	5.75
0 of 10 times	0	2210.29	71.55	2387.91	77.30
1 of 10 times	1	375.41	12.15	2763.32	89.46
2 of 10 times	2	159.06	5.15	2922.38	94.61
3 of 10 times	3	65.52	2.12	2987.90	96.73
4 of 10 times	4	32.61	1.06	3020.50	97.78
5 of 10 times	5	24.32	0.79	3044.82	98.57
6 of 10 times	6	17.17	0.56	3061.99	99.13
7 of 10 times	7	7.68	0.25	3069.66	99.37
8 of 10 times	8	4.73	0.15	3074.40	99.53
9 of 10 times	9	2.51	0.08	3076.91	99.61
10 of 10 times	10	12.09	0.39	3089.00	100.00

ihb36c5h: 16/17 - SC CASI A21.5.8 - Drove when probably affected by an illegal drug

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	18.57	0.60	177.62	5.75
0 of 10 times	0	2834.85	91.77	3012.47	97.52
1 of 10 times	1	29.16	0.94	3041.64	98.47
2 of 10 times	2	10.54	0.34	3052.18	98.81
3 of 10 times	3	12.97	0.42	3065.15	99.23
4 of 10 times	4	2.52	0.08	3067.67	99.31
5 of 10 times	5	11.54	0.37	3079.21	99.68
6 of 10 times	6	1.46	0.05	3080.67	99.73
7 of 10 times	7	1.38	0.04	3082.05	99.78
8 of 10 times	8	0.83	0.03	3082.88	99.80
9 of 10 times	9	1.58	0.05	3084.46	99.85
10 of 10 times	10	4.54	0.15	3089.00	100.00

ihb15c9: 16/17 - SC - SC CASI A22.1 - Ever smoked part of a cigarette

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	439.16	14.22	439.16	14.22
-3	-3	10.24	0.33	449.40	14.55
No	1	2030.82	65.74	2480.22	80.29
Yes, just a few puffs	2	284.48	9.21	2764.70	89.50
Yes, I have smoked fewer than 10 cigarettes in my life	3	144.94	4.69	2909.65	94.19
Yes, I have smoked 10 to 100 cigarettes in my life	4	105.70	3.42	3015.35	97.62
Yes, I have smoked more than 100 cigarettes in my life	5	73.65	2.38	3089.00	100.00

ihb15c9a: 16/17 - SC - SC CASI A22.1+W5-6 - Ever smoked part of a cigarette

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	146.67	4.75	146.67	4.75
-3	-3	9.01	0.29	155.68	5.04
Yes	1	918.64	29.74	1074.31	34.78
No	2	2014.69	65.22	3089.00	100.00

ihb15c10: 16/17 - SC - SC CASI A22.2 - First cigarette - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7.10	0.23	7.10	0.23
-9	2480.22	80.29	2487.32	80.52
-3	6.41	0.21	2493.73	80.73
6	2.31	0.07	2496.04	80.80
7	1.69	0.05	2497.73	80.86
8	1.64	0.05	2499.36	80.91
9	5.56	0.18	2504.92	81.09
10	3.76	0.12	2508.69	81.21
11	6.61	0.21	2515.30	81.43
12	28.32	0.92	2543.62	82.34
13	22.47	0.73	2566.09	83.07
14	54.32	1.76	2620.41	84.83
15	129.03	4.18	2749.44	89.01
16	270.27	8.75	3019.71	97.76
17	69.29	2.24	3089.00	100.00

ihb15c10a: 16/17 - SC - SC CASI A22.2+W5-6 - First cigarette - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2174.59	70.40	2174.59	70.40
-3	6.74	0.22	2181.33	70.62
1	2.58	0.08	2183.91	70.70
4	4.56	0.15	2188.47	70.85
5	6.01	0.19	2194.48	71.04
6	8.06	0.26	2202.54	71.30
7	2.49	0.08	2205.04	71.38
8	7.59	0.25	2212.63	71.63
9	13.40	0.43	2226.02	72.06

ihb15c10a: 16/17 - SC - SC CASI A22.2+W5-6 - First cigarette - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10	13.21	0.43	2239.23	72.49
11	34.55	1.12	2273.78	73.61
12	77.20	2.50	2350.98	76.11
13	75.99	2.46	2426.97	78.57
14	181.51	5.88	2608.48	84.44
15	145.14	4.70	2753.62	89.14
16	268.96	8.71	3022.57	97.85
17	66.43	2.15	3089.00	100.00

ihb15c11: 16/17 - SC - SC CASI A22.3 - Smoked in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2189.88	70.89	2189.88	70.89
-3	-3	9.81	0.32	2199.69	71.21
Yes	1	629.68	20.38	2829.37	91.60
No	2	259.63	8.40	3089.00	100.00

ihb15c12: 16/17 - SC - SC CASI A22.4 - Smoked in last 4 weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2459.32	79.62	2459.32	79.62
Yes	1	387.70	12.55	2847.01	92.17
No	2	241.99	7.83	3089.00	100.00

ihb15c13: 16/17 - SC - SC CASI A22.5 - No. cigarettes smoked per week

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	27.94	0.90	27.94	0.90
-9	2701.30	87.45	2729.24	88.35
-3	13.42	0.43	2742.66	88.79
0	170.58	5.52	2913.24	94.31
5	56.78	1.84	2970.01	96.15
10	21.05	0.68	2991.07	96.83
15	11.50	0.37	3002.56	97.20
20	20.02	0.65	3022.58	97.85
25	4.54	0.15	3027.12	98.00
30	15.80	0.51	3042.92	98.51
35	14.68	0.48	3057.59	98.98
40	4.79	0.15	3062.38	99.14
45	8.26	0.27	3070.64	99.41
50	9.56	0.31	3080.20	99.72
55	3.65	0.12	3083.85	99.83
60	0.79	0.03	3084.64	99.86
65	4.36	0.14	3089.00	100.00

ihb16c11: 16/17 - SC - SC CASI A23.1 - Ever had alcoholic drink

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1546.02	50.05	1546.02	50.05
-3	-3	7.18	0.23	1553.21	50.28
No	1	625.29	20.24	2178.50	70.52
Yes, just a few sips	2	334.97	10.84	2513.47	81.37
Yes, I have had fewer than 10 alcoholic drinks in my life	3	215.92	6.99	2729.39	88.36
Yes, I have had 10 or more alcoholic drinks in my life	4	359.61	11.64	3089.00	100.00

ihb16c11a: 16/17 - SC - SC CASI A23.1+W5-6 - Ever had alcoholic drink

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1164.58	37.70	1164.58	37.70
-3	-3	7.18	0.23	1171.76	37.93
Yes	1	966.25	31.28	2138.01	69.21
No	2	950.99	30.79	3089.00	100.00

ihb16c12: 16/17 - SC - SC CASI A23.2 - First alcoholic drink - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2513.47	81.37	2513.47	81.37
-3	3.95	0.13	2517.42	81.50
6	1.74	0.06	2519.16	81.55
7	1.17	0.04	2520.33	81.59
8	6.87	0.22	2527.21	81.81
9	1.94	0.06	2529.14	81.88
10	4.45	0.14	2533.60	82.02
11	5.91	0.19	2539.51	82.21
12	17.19	0.56	2556.70	82.77
13	14.08	0.46	2570.78	83.22
14	71.05	2.30	2641.83	85.52
15	151.92	4.92	2793.75	90.44
16	245.28	7.94	3039.03	98.38
17	49.27	1.59	3088.30	99.98
18	0.70	0.02	3089.00	100.00

ihb16c12a: 16/17 - SC - SC CASI A23.2+W5-6 - First alcoholic drink - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2122.75	68.72	2122.75	68.72
-3	8.41	0.27	2131.16	68.99
2	1.19	0.04	2132.35	69.03
5	1.22	0.04	2133.58	69.07
6	3.09	0.10	2136.67	69.17
7	2.50	0.08	2139.16	69.25
8	7.82	0.25	2146.99	69.50
9	6.47	0.21	2153.46	69.71
10	25.52	0.83	2178.98	70.54
11	20.50	0.66	2199.48	71.20
12	58.21	1.88	2257.68	73.09

ihb16c12a: 16/17 - SC - SC CASI A23.2+W5-6 - First alcoholic drink - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
13	115.87	3.75	2373.55	76.84
14	239.37	7.75	2612.93	84.59
15	190.69	6.17	2803.61	90.76
16	235.83	7.63	3039.44	98.40
17	48.86	1.58	3088.30	99.98
18	0.70	0.02	3089.00	100.00

ihb16c13: 16/17 - SC - SC CASI A23.3 - Alcohol consumption - In last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1130.45	36.60	1130.45	36.60
-3	-3	2.29	0.07	1132.75	36.67
Yes	1	1697.84	54.96	2830.59	91.63
No	2	258.41	8.37	3089.00	100.00

ihb16c9: 16/17 - SC - SC CASI A23.4 - Alcohol consumption - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1391.16	45.04	1391.16	45.04
Yes	1	1210.29	39.18	2601.45	84.22
No	2	487.55	15.78	3089.00	100.00

ihb16c10: 16/17 - SC - SC CASI A23.5 - Previous week's alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	5.13	0.17	5.13	0.17
-9	1878.71	60.82	1883.84	60.99
-3	17.00	0.55	1900.85	61.54
0	716.18	23.18	2617.03	84.72
5	265.28	8.59	2882.31	93.31
10	114.07	3.69	2996.38	97.00
15	41.51	1.34	3037.89	98.35
20	22.25	0.72	3060.14	99.07
25	10.98	0.36	3071.12	99.42
30	12.27	0.40	3083.40	99.82
35	3.91	0.13	3087.31	99.95
40	0.94	0.03	3088.25	99.98
45	0.75	0.02	3089.00	100.00

ihb16c14a1: 16/17 - SC - SC CASI A23.6.1 - Alcohol caused - Trouble at school or work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1391.16	45.04	1391.16	45.04
-3	-3	0.82	0.03	1391.98	45.06
Never	1	1563.87	50.63	2955.85	95.69
Sometimes	2	122.86	3.98	3078.71	99.67
Often	3	10.29	0.33	3089.00	100.00

ihb16c14b: 16/17 - SC - SC CASI A23.6.2 - Alcohol caused - Get into arguments with family

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1391.16	45.04	1391.16	45.04
-3	-3	0.82	0.03	1391.98	45.06
Never	1	1559.53	50.49	2951.51	95.55
Sometimes	2	116.70	3.78	3068.21	99.33
Often	3	20.79	0.67	3089.00	100.00

ihb16c14c: 16/17 - SC - SC CASI A23.6.3 - Alcohol caused Get injured or have an accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1391.16	45.04	1391.16	45.04
Never	1	1573.00	50.92	2964.16	95.96
Sometimes	2	116.46	3.77	3080.62	99.73
Often	3	8.38	0.27	3089.00	100.00

ihb16c14d: 16/17 - SC - SC CASI A23.6.4 - Alcohol caused Become violent/get into a fight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1391.16	45.04	1391.16	45.04
Never	1	1629.43	52.75	3020.59	97.79
Sometimes	2	54.83	1.77	3075.42	99.56
Often	3	13.58	0.44	3089.00	100.00

ihb16c14e: 16/17 - SC - SC CASI A23.6.5 - Alcohol caused - Sex with someone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1391.16	45.04	1391.16	45.04
Never	1	1560.82	50.53	2951.98	95.56
Sometimes	2	114.51	3.71	3066.49	99.27
Often	3	22.51	0.73	3089.00	100.00

icalcharm: 16/17 - SC - Alcohol-related harm

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1391.16	45.04	1391.16	45.04
3	0.82	0.03	1391.98	45.06
5	1342.03	43.45	2734.01	88.51
6	191.93	6.21	2925.94	94.72
7	87.79	2.84	3013.73	97.56
8	44.89	1.45	3058.62	99.02
9	10.38	0.34	3069.01	99.35
10	9.42	0.30	3078.42	99.66
11	4.53	0.15	3082.95	99.80
13	1.00	0.03	3083.95	99.84
15	5.05	0.16	3089.00	100.00

ihb26c1: 16/17 - SC CASI A24. 1- Ever had marijuana

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	479.92	15.54	479.92	15.54
-3	-3	13.65	0.44	493.57	15.98
Yes	1	471.10	15.25	964.66	31.23
No	2	2124.34	68.77	3089.00	100.00

ihb26c1a: 16/17 - SC CASI A24.1+W5-6 - Ever had marijuana

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	279.66	9.05	279.66	9.05
-3	-3	13.65	0.44	293.31	9.50
Yes	1	702.26	22.73	995.57	32.23
No	2	2093.43	67.77	3089.00	100.00

ihb26c2: 16/17 - SC CASI A24.2 - First marijuana - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	11.79	0.38	11.79	0.38
-9	2617.90	84.75	2629.69	85.13
-3	5.71	0.18	2635.40	85.32
10	1.33	0.04	2636.72	85.36
12	7.50	0.24	2644.22	85.60
13	17.24	0.56	2661.46	86.16
14	61.55	1.99	2723.01	88.15
15	120.79	3.91	2843.79	92.06
16	195.65	6.33	3039.45	98.40
17	49.55	1.60	3089.00	100.00

ihb26c2a: 16/17 - SC CASI A24.2+W5-6 - First marijuana - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2440.26	79.00	2440.26	79.00
-3	26.15	0.85	2466.41	79.84
1	4.59	0.15	2470.99	79.99
2	0.80	0.03	2471.79	80.02
3	1.20	0.04	2472.99	80.06
6	0.76	0.02	2473.75	80.08
10	1.33	0.04	2475.08	80.13
11	5.99	0.19	2481.07	80.32
12	19.61	0.63	2500.69	80.95
13	59.73	1.93	2560.42	82.89
14	132.81	4.30	2693.23	87.19
15	150.56	4.87	2843.79	92.06
16	195.65	6.33	3039.45	98.40
17	49.55	1.60	3089.00	100.00

ihb26c3: 16/17 - SC CASI A24.3 - Marijuana - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2435.03	78.83	2435.03	78.83
-3	-3	1.84	0.06	2436.87	78.89
Yes	1	476.29	15.42	2913.16	94.31
No	2	175.84	5.69	3089.00	100.00

ihb26c4: 16/17 - SC CASI A24.4 - Marijuana - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2612.71	84.58	2612.71	84.58
-3	-3	0.58	0.02	2613.29	84.60
Yes	1	240.27	7.78	2853.56	92.38
No	2	235.44	7.62	3089.00	100.00

ihb26c5: 16/17 - SC CASI A24.5 - Marijuana - In last week

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2848.73	92.22	2848.73	92.22
-3	-3	0.69	0.02	2849.42	92.24
Yes	1	140.13	4.54	2989.55	96.78
No	2	99.45	3.22	3089.00	100.00

ihb26c6: 16/17 - SC CASI A24.6 - Frequency - Marijuana - In last week

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2948.87	95.46	2948.87	95.46
1 day	1	63.26	2.05	3012.13	97.51
2 or 3 days	2	33.31	1.08	3045.44	98.59
4 or 5 days	3	11.20	0.36	3056.64	98.95
6 or 7 days	4	32.36	1.05	3089.00	100.00

ihb27c1: 16/17 - SC CASI A25.1 - Ever tried sniffing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	330.26	10.69	330.26	10.69
-3	-3	9.59	0.31	339.85	11.00
Yes	1	47.48	1.54	387.33	12.54
No	2	2701.67	87.46	3089.00	100.00

ihb27c1a: 16/17 - SC CASI A25.1+W5-6 - Ever tried sniffing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	291.18	9.43	291.18	9.43
-3	-3	9.59	0.31	300.77	9.74
Yes	1	104.32	3.38	405.09	13.11
No	2	2683.91	86.89	3089.00	100.00

ihb27c2: 16/17 - SC CASI A25.2 - First sniffing - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3041.52	98.46	3041.52	98.46
-3	1.14	0.04	3042.66	98.50
7	0.98	0.03	3043.64	98.53
10	2.73	0.09	3046.36	98.62
11	4.59	0.15	3050.95	98.77
12	3.74	0.12	3054.69	98.89
13	2.84	0.09	3057.54	98.98
14	7.36	0.24	3064.90	99.22
15	10.96	0.35	3075.86	99.57
16	10.22	0.33	3086.08	99.91
17	2.92	0.09	3089.00	100.00

ihb27c2a: 16/17 - SC CASI A25.2+W5-6 - First sniffing - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2989.30	96.77	2989.30	96.77
-3	1.14	0.04	2990.44	96.81
5	0.66	0.02	2991.11	96.83
7	2.41	0.08	2993.51	96.91
9	2.76	0.09	2996.27	97.00
10	5.78	0.19	3002.05	97.19
11	8.23	0.27	3010.28	97.45
12	15.22	0.49	3025.50	97.94
13	16.63	0.54	3042.13	98.48
14	18.33	0.59	3060.45	99.08
15	15.40	0.50	3075.86	99.57
16	10.22	0.33	3086.08	99.91
17	2.92	0.09	3089.00	100.00

ihb27c3: 16/17 - SC CASI A25.3 - Sniffing - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3006.26	97.32	3006.26	97.32
Yes	1	17.14	0.55	3023.39	97.88
No	2	65.61	2.12	3089.00	100.00

ihb27c4: 16/17 - SC CASI A25.4 - Sniffing - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3071.86	99.45	3071.86	99.45
Yes	1	9.74	0.32	3081.60	99.76
No	2	7.40	0.24	3089.00	100.00

ihb31c1: 16/17 - SC CASI A26.1 - Medicines for non-medical purposes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	161.80	5.24	161.80	5.24
-3	-3	9.10	0.29	170.90	5.53
Yes	1	120.06	3.89	290.96	9.42
No	2	2798.04	90.58	3089.00	100.00

ihb31c2: 16/17 - SC CASI A26.2 - First medicines - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.23	0.10	3.23	0.10
-9	2969.68	96.14	2972.91	96.24
-3	0.53	0.02	2973.43	96.26
8	0.76	0.02	2974.19	96.28
12	1.78	0.06	2975.98	96.34
13	4.00	0.13	2979.98	96.47
14	13.73	0.44	2993.71	96.92
15	22.69	0.73	3016.40	97.65
16	60.86	1.97	3077.26	99.62
17	11.74	0.38	3089.00	100.00

ihb31c5: 16/17 - SC CASI A26.3 - Medicines - In last two years

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2969.68	96.14	2969.68	96.14
Yes	1	90.30	2.92	3059.98	99.06
No	2	29.02	0.94	3089.00	100.00

ihb31c3: 16/17 - SC CASI A26.4 - Medicines - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2998.70	97.08	2998.70	97.08
Yes	1	76.14	2.46	3074.84	99.54
No	2	14.16	0.46	3089.00	100.00

ihb31c4: 16/17 - SC CASI A26.5 - Medicines - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3012.86	97.54	3012.86	97.54
Yes	1	38.06	1.23	3050.92	98.77
No	2	38.08	1.23	3089.00	100.00

ihb28c1: 16/17 - SC CASI A27.1 - Ever had other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	344.80	11.16	344.80	11.16
-3	-3	9.59	0.31	354.39	11.47
Yes	1	116.12	3.76	470.51	15.23
No	2	2618.49	84.77	3089.00	100.00

ihb28c1a: 16/17 - SC CASI A27.1+W5-6 - Ever had other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	326.81	10.58	326.81	10.58
-3	-3	9.59	0.31	336.40	10.89
Yes	1	135.21	4.38	471.61	15.27
No	2	2617.39	84.73	3089.00	100.00

ihb28c7a: 16/17 - SC CASI A27.2 - Ever had (ecstasy or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	55.34	1.79	3028.36	98.04
Yes	1	60.64	1.96	3089.00	100.00

ihb28c7b: 16/17 - SC CASI A27.2 - Ever had (cocaine or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	107.85	3.49	3080.87	99.74
Yes	1	8.13	0.26	3089.00	100.00

ihb28c7c: 16/17 - SC CASI A27.2 - Ever had (Non-Ice methamphetamine/similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	101.65	3.29	3074.67	99.54
Yes	1	14.33	0.46	3089.00	100.00

ihb28c7d: 16/17 - SC CASI A27.2 - Ever had (Hallucinogens or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	85.22	2.76	3058.24	99.00
Yes	1	30.76	1.00	3089.00	100.00

ihb28c7e: 16/17 - SC CASI A27.2 - Ever had (Ice or Crystal meth/similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	108.89	3.52	3081.91	99.77
Yes	1	7.09	0.23	3089.00	100.00

ihb28c7f: 16/17 - SC CASI A27.2 - Ever had (other drugs listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	104.15	3.37	3077.17	99.62
Yes	1	11.83	0.38	3089.00	100.00

ihb28c7g: 16/17 - SC CASI A27.2 - Ever had (No other drug specified)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.02	96.25	2973.02	96.25
No	0	108.64	3.52	3081.66	99.76
Yes	1	7.34	0.24	3089.00	100.00

ihb28c3: 16/17 - SC CASI A27.3 - First other drugs - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2973.02	96.25	2973.02	96.25
1	3.24	0.10	2976.26	96.35
12	2.95	0.10	2979.20	96.45
14	1.50	0.05	2980.70	96.49
15	23.35	0.76	3004.05	97.25
16	66.23	2.14	3070.28	99.39
17	18.72	0.61	3089.00	100.00

ihb28c3a: 16/17 - SC CASI A27.3+W5-6 - First other drugs - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2955.59	95.68	2955.59	95.68
1	3.24	0.10	2958.83	95.79
7	0.52	0.02	2959.35	95.80
12	4.84	0.16	2964.20	95.96
13	0.88	0.03	2965.07	95.99
14	10.55	0.34	2975.62	96.33
15	31.41	1.02	3007.03	97.35
16	63.25	2.05	3070.28	99.39
17	18.72	0.61	3089.00	100.00

ihb28c2a: 16/17 - SC CASI A27.4 - Other drugs - In last two years

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2954.36	95.64	2954.36	95.64
Yes	1	86.01	2.78	3040.37	98.43
No	2	48.63	1.57	3089.00	100.00

ihb28c8a: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (ecstasy or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	48.86	1.58	3057.70	98.99
Yes	1	31.30	1.01	3089.00	100.00

ihb28c8b: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (cocaine or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	73.72	2.39	3082.56	99.79
Yes	1	6.44	0.21	3089.00	100.00

ihb28c8c: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs Non-Ice methamphetamine/similar

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	74.69	2.42	3083.53	99.82
Yes	1	5.47	0.18	3089.00	100.00

ihb28c8d: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs Hallucinogens or similar listed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	56.95	1.84	3065.79	99.25
Yes	1	23.21	0.75	3089.00	100.00

ihb28c8e: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs Ice or Crystal meth/similar

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	77.23	2.50	3086.07	99.91
Yes	1	2.93	0.09	3089.00	100.00

ihb28c8f: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (other drugs listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	76.18	2.47	3085.02	99.87
Yes	1	3.98	0.13	3089.00	100.00

ihb28c8g: 16/17 - SC CASI A27.5 - Other drugs - 1st 2 yrs (No other drug specified)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.84	97.40	3008.84	97.40
No	0	73.84	2.39	3082.68	99.80
Yes	1	6.32	0.20	3089.00	100.00

ihb28c4: 16/17 - SC CASI A27.6 - Other drugs - In last twelve months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.04	0.07	2.04	0.07
-9	-9	3007.17	97.35	3009.21	97.42
Yes	1	64.34	2.08	3073.55	99.50
No	2	15.45	0.50	3089.00	100.00

ihb28c5: 16/17 - SC CASI A27.7 - Other drugs - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3021.94	97.83	3021.94	97.83
Yes	1	35.51	1.15	3057.45	98.98
No	2	31.55	1.02	3089.00	100.00

ihb28c9a: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (ecstasy or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	15.82	0.51	3072.55	99.47
Yes	1	16.45	0.53	3089.00	100.00

ihb28c9b: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (cocaine or similar listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	29.89	0.97	3086.63	99.92
Yes	1	2.37	0.08	3089.00	100.00

ihb28c9c: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks Non-Ice methamphetamine /similar

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	32.27	1.04	3089.00	100.00

ihb28c9d: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks Hallucinogens or similar listed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	22.53	0.73	3079.26	99.68
Yes	1	9.74	0.32	3089.00	100.00

ihb28c9e: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks Ice or Crystal meth/similar

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	31.39	1.02	3088.12	99.97
Yes	1	0.88	0.03	3089.00	100.00

ihb28c9f: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (other drugs listed)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	31.06	1.01	3087.79	99.96
Yes	1	1.21	0.04	3089.00	100.00

ihb28c9g: 16/17 - SC CASI A27.8 - Other drugs - 1st 4 wks (No other drug specified)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.73	98.96	3056.73	98.96
No	0	31.65	1.02	3088.38	99.98
Yes	1	0.62	0.02	3089.00	100.00

ihb29a1: 16/17 - SCCASI B1.3.1 - Method to prevent pregnancy - None

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	845.76	27.38	3013.60	97.56
Yes	1	75.40	2.44	3089.00	100.00

ihb29a2: 16/17 - SCCASI B1.3.2 - Method to prevent pregnancy - Birth control pills

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	590.60	19.12	2758.44	89.30
Yes	1	330.56	10.70	3089.00	100.00

ihb29a3: 16/17 - SCCASI B1.3.3 - Method to prevent pregnancy - Condoms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	235.36	7.62	2403.19	77.80
Yes	1	685.81	22.20	3089.00	100.00

ihb29a7: 16/17 - SCCASI B1.3.4 - Method to prevent pregnancy - Morning after pill

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	856.82	27.74	3024.65	97.92
Yes	1	64.35	2.08	3089.00	100.00

ihb29a8: 16/17 - SCCASI B1.3.5 - Method to prevent pregnancy - Contraceptive implant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	827.64	26.79	2995.48	96.97
Yes	1	93.52	3.03	3089.00	100.00

ihb29a9: 16/17 - SCCASI B1.3.6 - Method to prevent pregnancy - Contraceptive injection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	914.24	29.60	3082.07	99.78
Yes	1	6.93	0.22	3089.00	100.00

ihb29a10: 16/17 - SCCASI B1.3.7 - Method to prevent pregnancy - Intrauterine device (IUD)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	919.85	29.78	3087.68	99.96
Yes	1	1.32	0.04	3089.00	100.00

ihb29a11: 16/17 - SCCASI B1.3.8 - Method to prevent pregnancy - Diaphragm

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	921.17	29.82	3089.00	100.00

ihb29a12: 16/17 - SCCASI B1.3.9 - Method to prevent pregnancy - Vaginal ring

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	920.43	29.80	3088.27	99.98
Yes	1	0.73	0.02	3089.00	100.00

ihb29a4: 16/17 - SCCASI B1.3.10 - Method to prevent pregnancy - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	904.64	29.29	3072.48	99.47
Yes	1	16.52	0.53	3089.00	100.00

ihb29a5: 16/17 - SCCASI B1.3.11 - Method to prevent pregnancy - Not sure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.07	0.20	2167.83	70.18
No	0	902.10	29.20	3069.94	99.38
Yes	1	19.06	0.62	3089.00	100.00

ihb29b1: 16/17 - SCCASI B1.4.1 - Method to prevent STI - None

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.68	0.22	2168.45	70.20
No	0	724.17	23.44	2892.62	93.64
Yes	1	196.38	6.36	3089.00	100.00

ihb29b2: 16/17 - SCCASI B1.4.2 - Method to prevent STI - Condom

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.68	0.22	2168.45	70.20
No	0	224.56	7.27	2393.01	77.47
Yes	1	695.99	22.53	3089.00	100.00

ihb29b3: 16/17 - SCCASI B1.4.3 - Method to prevent STI - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.68	0.22	2168.45	70.20
No	0	897.16	29.04	3065.61	99.24
Yes	1	23.39	0.76	3089.00	100.00

ihb29b4: 16/17 - SCCASI B1.4.4 - Method to prevent STI - Not sure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	6.68	0.22	2168.45	70.20
No	0	899.54	29.12	3067.99	99.32
Yes	1	21.01	0.68	3089.00	100.00

ihb29c: 16/17 - SCCASI B1.5 - Ever had a STI

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2161.77	69.98	2161.77	69.98
-3	-3	0.61	0.02	2162.38	70.00
Yes	1	16.47	0.53	2178.85	70.54
No	2	910.15	29.46	3089.00	100.00

ihb19ya: 16/17 - SCCASI B6.2 - Had a condition during 1st pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19ya1a: 16/17 - SCCASI B6.2.1.1 - Conditions 1st pregnancy - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19ya2a: 16/17 - SCCASI B6.2.1.2 - Conditions 1st pregnancy - Hypertension with treatment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19ya4d: 16/17 - SCCASI B6.2.1.3 - Conditions 1st pregnancy - Anxiety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19ya4c: 16/17 - SCCASI B6.2.1.4 - Conditions 1st pregnancy - Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19ya3a: 16/17 - SCCASI B6.2.1.5 - Conditions 1st pregnancy - Other health condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yb: 16/17 - SCCASI B6.2 - Had a condition during 2nd pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yb1a: 16/17 - SCCASI B6.2.2.1 - Conditions 2nd pregnancy - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yb2a: 16/17 - SCCASI B6.2.2.2 - Conditions 2nd pregnancy - Hypertension with treatment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yb4d: 16/17 - SCCASI B6.2.2.3 - Conditions 2nd pregnancy - Anxiety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yb4c: 16/17 - SCCASI B6.2.2.4 - Conditions 2nd pregnancy - Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yb3a: 16/17 - SCCASI B6.2.2.3 - Conditions 2nd pregnancy - Other health condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yc: 16/17 - SCCASI B6.2 - Had a condition during 3rd pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yc1a: 16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yc2a: 16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Hypertension with treatment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yc4d: 16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Anxiety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yc4c: 16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb19yc3a: 16/17 - SCCASI B6.2.3 - Conditions 3rd pregnancy - Other health condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01ya3a: 16/17 - SCCASI B6.3.1 - 1st pregnancy - Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01yb3a: 16/17 - SCCASI B6.3.2 - 2nd pregnancy - Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01yc3a: 16/17 - SCCASI B6.3.3 - 3rd pregnancy - Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01ya3a1: 16/17 - SCCASI B6.4.1 - 1st pregnancy - Used insulin only

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01yb3a1: 16/17 - SCCASI B6.4.2 - 2nd pregnancy - Used insulin only

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01yc3a1: 16/17 - SCCASI B6.4.3 - 3rd pregnancy - Used insulin only

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01ya11: 16/17 - SCCASI B6.5.1 - 1st pregnancy - Took medicines or tablets

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01yb11: 16/17 - SCCASI B6.5.2 - 2nd pregnancy - Took medicines or tablets

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb01yc11: 16/17 - SCCASI B6.5.3 - 3rd pregnancy - Took medicines or tablets

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17ya1b: 16/17 - SCCASI B7.1.1 - 1st pregnancy - Drank alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yb1b: 16/17 - SCCASI B7.1.2 - 2nd pregnancy - Drank alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yc1b: 16/17 - SCCASI B7.1.3 - 3rd pregnancy - Drank alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17ya2a: 16/17 - SC - SCCASI B7.2.1 - 1st pregnancy - Days drink/week - 1st three months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yb2a: 16/17 - SC - SCCASI B7.2.2 - 2nd pregnancy - Days drink/week - 1st three months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yc2a: 16/17 - SC - SCCASI B7.2.3 - 3rd pregnancy - Days drink/week - 1st three months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17ya2b: 16/17 - SC - SCCASI B7.3.1 - 1st pregnancy - Days drink/week - Middle 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yb2b: 16/17 - SC - SCCASI B7.3.2 - 2nd pregnancy - Days drink/week - Middle 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yc2b: 16/17 - SC - SCCASI B7.3.3 - 3rd pregnancy - Days drink/week - Middle 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17ya2c: 16/17 - SC - SCCASI B7.4.1 - 1st pregnancy - Days drink/week - Last 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yb2c: 16/17 - SC - SCCASI B7.4.2 - 2nd pregnancy - Days drink/week - Last 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb17yc2c: 16/17 - SC - SCCASI B7.4.3 - 3rd pregnancy - Days drink/week - Last 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18ya1b: 16/17 - SC - SCCASI B7.5.1 - 1st pregnancy - Did you smoke cigarettes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yb1b: 16/17 - SC - SCCASI B7.5.2 - 2nd pregnancy - Did you smoke cigarettes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yc1b: 16/17 - SC - SCCASI B7.5.3 - 3rd pregnancy - Did you smoke cigarettes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18ya2a: 16/17 - SC - SCCASI B7.6.1 - 1st pregnancy - Av. cigarettes/day 1st trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yb2a: 16/17 - SC - SCCASI B7.6.2 - 2nd pregnancy - Av. cigarettes/day 1st trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yc2a: 16/17 - SC - SCCASI B7.6.3 - 3rd pregnancy - Av. cigarettes/day 1st trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18ya2b: 16/17 - SC - SCCASI B7.7.1 - 1st pregnancy - Av. cigarettes/day 2nd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yb2b: 16/17 - SC - SCCASI B7.7.2 - 2nd pregnancy - Av. cigarettes/day 2nd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yc2b: 16/17 - SC - SCCASI B7.7.3 - 3rd pregnancy - Av. cigarettes/day 2nd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18ya2c: 16/17 - SC - SCCASI B7.8.1 - 1st pregnancy - Av. cigarettes/day 3rd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yb2c: 16/17 - SC - SCCASI B7.8.2 - 2nd pregnancy - Av. cigarettes/day 3rd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb18yc2c: 16/17 - SC - SCCASI B7.8.3 - 3rd pregnancy - Av. cigarettes/day 3rd trimester

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb34ya: 16/17 - SC - SCCASI B8.1.1 - 1st pregnancy - Weight gain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhb34yb: 16/17 - SC - SCCASI B8.1.2 - 2nd pregnancy - Weight gain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhb34yc: 16/17 - SC - SCCASI B8.1.3 - 3rd pregnancy - Weight gain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhb05ya1: 16/17 - SC - SCCASI B8.4.1 - First offspring ever breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb05yb1: 16/17 - SC - SCCASI B8.4.2 - Second offspring ever breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb05yc1: 16/17 - SC - SCCASI B8.4.3 - Third offspring ever breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb05ya2: 16/17 - SC - SCCASI B8.4.1 - Whether first offspring still breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb05yb2: 16/17 - SC - SCCASI B8.4.2 - Whether second offspring still breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ihb05yc2: 16/17 - SC - SCCASI B8.4.3 - Whether third offspring still breastfed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhb05ya3: 16/17 - SC CASI B8.5.1 - First offspring's age in days - stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhb05yb3: 16/17 - SC CASI B8.5.2 - Second offspring's age in days - stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhb05yc3: 16/17 - SC CASI B8.5.3 - Third offspring's age in days - stopped breastfeeding

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ihb14b2a: 16/17 - P2 - P2LK 21 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	35.15	1.14	35.15	1.14
-9	1473.18	47.69	1508.33	48.83
0	257.35	8.33	1765.68	57.16
1	226.39	7.33	1992.08	64.49
2	325.12	10.53	2317.20	75.01
3	273.44	8.85	2590.64	83.87
4	138.54	4.48	2729.17	88.35
5	206.46	6.68	2935.63	95.03
6	62.41	2.02	2998.04	97.06
7	90.96	2.94	3089.00	100.00

ihb14m2a: 16/17 - M - P1 CASI E5.2+P2K 21 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.68	0.12	3.68	0.12
-9	250.05	8.09	253.73	8.21
-3	4.20	0.14	257.92	8.35
0	654.02	21.17	911.95	29.52
1	522.69	16.92	1434.63	46.44
2	456.70	14.78	1891.33	61.23
3	480.87	15.57	2372.20	76.80
4	248.28	8.04	2620.48	84.83
5	271.43	8.79	2891.91	93.62
6	92.49	2.99	2984.40	96.61
7	104.60	3.39	3089.00	100.00

ihb14f2a: 16/17 - F - P1 CASI E5.2+P2K 21 - Days per week exercise

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	31.47	1.02	31.47	1.02
-9	1377.59	44.60	1409.06	45.62
-3	2.55	0.08	1411.61	45.70
0	273.72	8.86	1685.32	54.56
1	237.59	7.69	1922.91	62.25
2	330.61	10.70	2253.52	72.95
3	290.21	9.39	2543.73	82.35
4	159.27	5.16	2703.01	87.50
5	223.79	7.24	2926.80	94.75
6	69.20	2.24	2996.01	96.99
7	92.99	3.01	3089.00	100.00