

05 Health status

ih08a: 16/17 - Condition difficulties?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
Yes	1	169.99	5.50	3004.80	97.27
No	2	84.20	2.73	3089.00	100.00

ih08a1: 16/17 - Condition difficulties? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	186.13	6.03	3020.94	97.80
Yes	1	68.06	2.20	3089.00	100.00

ih08a2: 16/17 - Condition difficulties? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	228.28	7.39	3063.10	99.16
Yes	1	25.90	0.84	3089.00	100.00

ih08a3: 16/17 - Condition difficulties? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	222.96	7.22	3057.77	98.99
Yes	1	31.23	1.01	3089.00	100.00

ih08a4: 16/17 - Condition difficulties? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	195.68	6.33	3030.50	98.11
Yes	1	58.50	1.89	3089.00	100.00

ih08a7: 16/17 - Condition difficulties? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	143.26	4.64	2978.08	96.41
Yes	1	110.92	3.59	3089.00	100.00

ih08a8: 16/17 - Condition difficulties? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	183.39	5.94	3018.21	97.71
Yes	1	70.79	2.29	3089.00	100.00

ih08a5: 16/17 - Condition difficulties? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	152.13	4.92	2986.94	96.70
Yes	1	102.06	3.30	3089.00	100.00

ih08a6: 16/17 - Condition difficulties? Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2834.81	91.77	2834.81	91.77
No	0	221.12	7.16	3055.94	98.93
Yes	1	33.06	1.07	3089.00	100.00

ih08b: 16/17 - Need more help?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2919.01	94.50	2919.01	94.50
Yes	1	138.97	4.50	3057.98	99.00
No	2	31.02	1.00	3089.00	100.00

ih08b1: 16/17 - Need more help? Communication

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3020.94	97.80	3020.94	97.80
Yes	1	54.53	1.77	3075.47	99.56
No	2	13.53	0.44	3089.00	100.00

ih08b2: 16/17 - Need more help? Mobility

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3063.10	99.16	3063.10	99.16
Yes	1	14.18	0.46	3077.28	99.62
No	2	11.72	0.38	3089.00	100.00

ih08b3: 16/17 - Need more help? Self-care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3057.77	98.99	3057.77	98.99
Yes	1	29.05	0.94	3086.82	99.93
No	2	2.18	0.07	3089.00	100.00

ih08b4: 16/17 - Need more help? Relating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3030.50	98.11	3030.50	98.11
Yes	1	40.67	1.32	3071.17	99.42
No	2	17.83	0.58	3089.00	100.00

ih8b7: 16/17 - Need more help? Coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2978.08	96.41	2978.08	96.41
Yes	1	94.88	3.07	3072.95	99.48
No	2	16.05	0.52	3089.00	100.00

ih8b8: 16/17 - Need more help? Behaving

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3018.21	97.71	3018.21	97.71
Yes	1	66.60	2.16	3084.81	99.86
No	2	4.19	0.14	3089.00	100.00

ih8b5: 16/17 - Need more help? Learning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2986.94	96.70	2986.94	96.70
Yes	1	88.61	2.87	3075.55	99.56
No	2	13.45	0.44	3089.00	100.00

ih12a: 16/17 - CASI A4.1 - Concern about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	5.55	0.18	139.73	4.52
Not at all	1	2170.93	70.28	2310.66	74.80
A little	2	562.05	18.20	2872.71	93.00
Moderately	3	140.54	4.55	3013.25	97.55
Very	4	75.75	2.45	3089.00	100.00

ih12b: 16/17 - CASI A4.2 - Judgment about SC's weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.78	0.25	141.97	4.60
Underweight	1	215.74	6.98	357.71	11.58
Normal weight	2	2283.39	73.92	2641.10	85.50
Somewhat overweight	3	406.67	13.17	3047.77	98.67
Very overweight	4	41.23	1.33	3089.00	100.00

ih13a: 16/17 - P1 - P1 CASI E5.1 - Global Health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
Excellent	1	442.22	14.32	582.45	18.86
Very good	2	1111.00	35.97	1693.45	54.82
Good	3	989.89	32.05	2683.34	86.87
Fair	4	328.57	10.64	3011.91	97.50
Poor	5	77.09	2.50	3089.00	100.00

ih48a1: 16/17 - P1 - P1 CASI E6.1.1 - Ever had Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	14.42	0.47	154.65	5.01
No, never	1	2149.67	69.59	2304.33	74.60
Yes, as a child only	2	218.06	7.06	2522.38	81.66
Yes, as an adult only	3	343.64	11.12	2866.02	92.78
Yes, as a child and as an adult	4	222.98	7.22	3089.00	100.00

ih48a2: 16/17 - P1 - P1 CASI E6.1.2 - Ever had Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	31.51	1.02	171.74	5.56
No, never	1	1519.03	49.18	1690.77	54.74
Yes, as a child only	2	93.71	3.03	1784.47	57.77
Yes, as an adult only	3	806.40	26.11	2590.88	83.87
Yes, as a child and as an adult	4	498.12	16.13	3089.00	100.00

ih48a3: 16/17 - P1 - P1 CASI E6.1.3 - Ever had Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	13.32	0.43	153.54	4.97
No, never	1	2336.70	75.65	2490.24	80.62
Yes, as a child only	2	184.96	5.99	2675.20	86.60
Yes, as an adult only	3	218.50	7.07	2893.70	93.68
Yes, as a child and as an adult	4	195.30	6.32	3089.00	100.00

ih48a4: 16/17 - P1 - P1 CASI E6.1.4 - Ever had Psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	19.76	0.64	159.99	5.18
No, never	1	2689.26	87.06	2849.24	92.24
Yes, as a child only	2	15.26	0.49	2864.50	92.73
Yes, as an adult only	3	157.13	5.09	3021.63	97.82
Yes, as a child and as an adult	4	67.37	2.18	3089.00	100.00

ih48a5: 16/17 - P1 - P1 CASI E6.1.5 - Ever been obese/overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	34.16	1.11	174.38	5.65
No, never	1	1959.65	63.44	2134.03	69.08
Yes, as a child only	2	29.92	0.97	2163.96	70.05

ih48a5: 16/17 - P1 - P1 CASI E6.1.5 - Ever been obese/overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	718.66	23.27	2882.61	93.32
Yes, as a child and as an adult	4	206.39	6.68	3089.00	100.00

ih48a6: 16/17 - P1 - P1 CASI E6.1.6 - Ever been very thin/underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	22.58	0.73	162.81	5.27
No, never	1	2524.69	81.73	2687.50	87.00
Yes, as a child only	2	220.81	7.15	2908.31	94.15
Yes, as an adult only	3	121.26	3.93	3029.57	98.08
Yes, as a child and as an adult	4	59.43	1.92	3089.00	100.00

ih48a7: 16/17 - P1 - P1 CASI E6.1.7 - Ever had Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	17.29	0.56	157.52	5.10
No, never	1	2857.64	92.51	3015.16	97.61
Yes, as a child only	2	30.63	0.99	3045.79	98.60
Yes, as an adult only	3	35.26	1.14	3081.05	99.74
Yes, as a child and as an adult	4	7.95	0.26	3089.00	100.00

ih48a8: 16/17 - P1 - P1 CASI E6.1.8 - Ever had Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	5.59	0.18	145.82	4.72
No, never	1	2891.85	93.62	3037.67	98.34
Yes, as an adult only	3	43.65	1.41	3081.32	99.75
Yes, as a child and as an adult	4	7.68	0.25	3089.00	100.00

ih48a9: 16/17 - P1 - P1 CASI E6.1.9 - Ever had Other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.79	0.22	140.98	4.56
-2	-2	14.60	0.47	155.57	5.04
No, never	1	2741.72	88.76	2897.29	93.79
Yes, as a child only	2	0.97	0.03	2898.26	93.83
Yes, as an adult only	3	182.94	5.92	3081.20	99.75
Yes, as a child and as an adult	4	7.80	0.25	3089.00	100.00

ih48a10: 16/17 - P1 - P1 CASI E6.1.10 - Ever had Heart Disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.79	0.22	140.98	4.56
-2	-2	26.47	0.86	167.45	5.42
No, never	1	2840.57	91.96	3008.02	97.38
Yes, as a child only	2	5.79	0.19	3013.80	97.57
Yes, as an adult only	3	65.09	2.11	3078.89	99.67
Yes, as a child and as an adult	4	10.11	0.33	3089.00	100.00

ih48a11: 16/17 - P1 - P1 CASI E6.1.11 - Ever had Hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	7.16	0.23	147.39	4.77
No, never	1	2547.54	82.47	2694.94	87.24
Yes, as an adult only	3	384.25	12.44	3079.19	99.68
Yes, as a child and as an adult	4	9.81	0.32	3089.00	100.00

ih48a12: 16/17 - P1 - P1 CASI E6.1.12 - Ever had Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	17.76	0.57	157.99	5.11
No, never	1	1766.75	57.19	1924.73	62.31
Yes, as a child only	2	66.39	2.15	1991.12	64.46
Yes, as an adult only	3	831.42	26.92	2822.54	91.37
Yes, as a child and as an adult	4	266.46	8.63	3089.00	100.00

ih48a13: 16/17 - P1 - P1 CASI E6.1.13 - Ever had Chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	12.45	0.40	152.68	4.94
No, never	1	2146.51	69.49	2299.19	74.43
Yes, as a child only	2	7.03	0.23	2306.22	74.66
Yes, as an adult only	3	718.06	23.25	3024.28	97.90
Yes, as a child and as an adult	4	64.72	2.10	3089.00	100.00

ih48a14: 16/17 - P1 - P1 CASI E6.1.14 - Ever had Pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	29.53	0.96	169.76	5.50
No, never	1	2855.54	92.44	3025.30	97.94
Yes, as a child only	2	2.21	0.07	3027.51	98.01
Yes, as an adult only	3	57.88	1.87	3085.40	99.88
Yes, as a child and as an adult	4	3.60	0.12	3089.00	100.00

ih48a15: 16/17 - P1 - P1 CASI E6.1.15 - Ever had Stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	23.07	0.75	163.30	5.29
No, never	1	2786.92	90.22	2950.22	95.51
Yes, as a child only	2	7.46	0.24	2957.68	95.75
Yes, as an adult only	3	123.23	3.99	3080.90	99.74
Yes, as a child and as an adult	4	8.10	0.26	3089.00	100.00

ih48a16: 16/17 - P1 - P1 CASI E6.1.16 - Ever had Other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	22.66	0.73	162.89	5.27
No, never	1	2473.01	80.06	2635.89	85.33
Yes, as an adult only	3	415.29	13.44	3051.18	98.78
Yes, as a child and as an adult	4	37.82	1.22	3089.00	100.00

ih48a17: 16/17 - P1 - P1 CASI E6.1.17 - Ever had Stroke

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	8.13	0.26	148.36	4.80
No, never	1	2900.95	93.91	3049.31	98.72
Yes, as a child only	2	2.56	0.08	3051.86	98.80
Yes, as an adult only	3	37.14	1.20	3089.00	100.00

ih48a18: 16/17 - P1 - P1 CASI E6.1.18 - Ever had Rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	23.74	0.77	163.97	5.31
No, never	1	2821.13	91.33	2985.11	96.64
Yes, as a child only	2	1.46	0.05	2986.57	96.68
Yes, as an adult only	3	91.94	2.98	3078.51	99.66
Yes, as a child and as an adult	4	10.49	0.34	3089.00	100.00

ih48a19: 16/17 - P1 - P1 CASI E6.1.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	38.26	1.24	178.49	5.78
No, never	1	2343.34	75.86	2521.83	81.64
Yes, as a child only	2	5.51	0.18	2527.34	81.82
Yes, as an adult only	3	529.70	17.15	3057.04	98.97
Yes, as a child and as an adult	4	31.96	1.03	3089.00	100.00

ih48a20: 16/17 - P1 - P1 CASI E6.1.20 - Ever had Chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	16.09	0.52	156.32	5.06
No, never	1	2622.40	84.89	2778.72	89.96
Yes, as a child only	2	77.63	2.51	2856.34	92.47
Yes, as an adult only	3	162.01	5.24	3018.35	97.71
Yes, as a child and as an adult	4	70.65	2.29	3089.00	100.00

ih48a43: 16/17 - P1 - P1 CASI E6.1.21 - Ever had Cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	5.36	0.17	145.59	4.71
No, never	1	2732.89	88.47	2878.47	93.18
Yes, as a child only	2	1.72	0.06	2880.20	93.24
Yes, as an adult only	3	206.38	6.68	3086.58	99.92
Yes, as a child and as an adult	4	2.42	0.08	3089.00	100.00

ih48a30: 16/17 - P1 - P1 CASI E6.1.22 - Ever had Alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.68	0.22	140.86	4.56
-2	-2	8.97	0.29	149.83	4.85
No, never	1	2843.06	92.04	2992.89	96.89
Yes, as a child only	2	5.46	0.18	2998.35	97.07
Yes, as an adult only	3	83.93	2.72	3082.28	99.78
Yes, as a child and as an adult	4	6.72	0.22	3089.00	100.00

ih48a31: 16/17 - P1 - P1 CASI E6.1.23 - Ever had Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.38	0.24	141.56	4.58
-2	-2	2.25	0.07	143.81	4.66
No, never	1	2875.81	93.10	3019.62	97.75
Yes, as a child only	2	1.86	0.06	3021.48	97.81
Yes, as an adult only	3	60.18	1.95	3081.66	99.76
Yes, as a child and as an adult	4	7.34	0.24	3089.00	100.00

ih48a32: 16/17 - P1 - P1 CASI E6.1.24 - Ever had Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.68	0.22	140.86	4.56
-2	-2	35.64	1.15	176.51	5.71
No, never	1	1752.41	56.73	1928.91	62.44
Yes, as a child only	2	12.75	0.41	1941.66	62.86

ih48a32: 16/17 - P1 - P1 CASI E6.1.24 - Ever had Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	958.13	31.02	2899.79	93.87
Yes, as a child and as an adult	4	189.21	6.13	3089.00	100.00

ih48a33: 16/17 - P1 - P1 CASI E6.1.25 - Ever had Schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.68	0.22	140.86	4.56
-2	-2	5.75	0.19	146.61	4.75
No, never	1	2937.29	95.09	3083.90	99.83
Yes, as an adult only	3	5.10	0.17	3089.00	100.00

ih48a34: 16/17 - P1 - P1 CASI E6.1.26 - Ever had Bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.68	0.22	140.86	4.56
-2	-2	11.45	0.37	152.31	4.93
No, never	1	2897.26	93.79	3049.57	98.72
Yes, as an adult only	3	33.41	1.08	3082.98	99.80
Yes, as a child and as an adult	4	6.02	0.20	3089.00	100.00

ih48a35: 16/17 - P1 - P1 CASI E6.1.27 - Ever had Postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	48.34	1.56	188.57	6.10
No, never	1	2337.78	75.68	2526.35	81.79
Yes, as a child only	2	1.68	0.05	2528.02	81.84
Yes, as an adult only	3	545.82	17.67	3073.84	99.51
Yes, as a child and as an adult	4	15.16	0.49	3089.00	100.00

ih48a36: 16/17 - P1 - P1 CASI E6.1.28 - Ever had Other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	24.16	0.78	164.39	5.32
No, never	1	2728.92	88.34	2893.31	93.66
Yes, as a child only	2	1.32	0.04	2894.63	93.71
Yes, as an adult only	3	161.37	5.22	3055.99	98.93
Yes, as a child and as an adult	4	33.01	1.07	3089.00	100.00

ih48a37: 16/17 - P1 - P1 CASI E6.1.29 - Ever had Epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	3.13	0.10	143.36	4.64
No, never	1	2881.72	93.29	3025.09	97.93
Yes, as a child only	2	28.87	0.93	3053.96	98.87
Yes, as an adult only	3	24.50	0.79	3078.46	99.66
Yes, as a child and as an adult	4	10.54	0.34	3089.00	100.00

ih48a38: 16/17 - P1 - P1 CASI E6.1.30 - Condition as child and/or adult - reading issues

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	13.21	0.43	153.44	4.97
No, never	1	2785.21	90.17	2938.65	95.13
Yes, as a child only	2	54.29	1.76	2992.94	96.89
Yes, as an adult only	3	23.26	0.75	3016.20	97.64
Yes, as a child and as an adult	4	72.80	2.36	3089.00	100.00

ih48a39: 16/17 - P1 - P1 CASI E6.1.31 - Condition as child and/or adult - learning issues

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	16.40	0.53	156.62	5.07
No, never	1	2766.28	89.55	2922.91	94.62
Yes, as a child only	2	83.30	2.70	3006.21	97.32
Yes, as an adult only	3	20.18	0.65	3026.39	97.97
Yes, as a child and as an adult	4	62.61	2.03	3089.00	100.00

ih48a40: 16/17 - P1 - P1 CASI E6.1.32 - Condition as child and/or adult - maths problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	10.44	0.34	150.67	4.88
No, never	1	2669.80	86.43	2820.47	91.31
Yes, as a child only	2	119.39	3.87	2939.87	95.17
Yes, as an adult only	3	25.98	0.84	2965.85	96.01
Yes, as a child and as an adult	4	123.15	3.99	3089.00	100.00

ih48a41: 16/17 - P1 - P1 CASI E6.1.33 - Condition as child and/or adult - repeat grade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	10.35	0.33	150.58	4.87
No, never	1	2696.71	87.30	2847.28	92.17
Yes, as a child only	2	224.79	7.28	3072.07	99.45

ih48a41: 16/17 - P1 - P1 CASI E6.1.33 - Condition as child and/or adult - repeat grade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	5.18	0.17	3077.25	99.62
Yes, as a child and as an adult	4	11.75	0.38	3089.00	100.00

ih48a42: 16/17 - P1 - P1 CASI E6.1.34 - Ever had Language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	6.05	0.20	140.23	4.54
-2	-2	12.87	0.42	153.10	4.96
No, never	1	2856.01	92.46	3009.11	97.41
Yes, as a child only	2	45.57	1.48	3054.68	98.89
Yes, as an adult only	3	12.17	0.39	3066.86	99.28
Yes, as a child and as an adult	4	22.14	0.72	3089.00	100.00

ih48a44: 16/17 - P1 - P1 CASI E6.1 - Ever had any of listed conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	140.23	4.54	140.23	4.54
-2	-2	10.98	0.36	151.21	4.89
Yes	1	2698.03	87.34	2849.24	92.24
No	2	239.76	7.76	3089.00	100.00

ih48a21a: 16/17 - P1 - P1 CASI E6.2.1 - Ever had prostate cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	206.17	6.67	3085.36	99.88
Yes	1	3.64	0.12	3089.00	100.00

ih48a22a: 16/17 - P1 - P1 CASI E6.2.2 - Ever had bowel cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	201.33	6.52	3080.52	99.73
Yes	1	8.48	0.27	3089.00	100.00

ih48a23a: 16/17 - P1 - P1 CASI E6.2.3 - Ever had breast cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	139.97	4.53	3019.16	97.74
Yes	1	69.84	2.26	3089.00	100.00

ih48a24a: 16/17 - P1 - P1 CASI E6.2.4 - Ever had melanoma of skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	169.03	5.47	3048.21	98.68
Yes	1	40.79	1.32	3089.00	100.00

ih48a25a: 16/17 - P1 - P1 CASI E6.2.5 - Ever had lung cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	206.43	6.68	3085.62	99.89
Yes	1	3.38	0.11	3089.00	100.00

ih48a26a: 16/17 - P1 - P1 CASI E6.2.6 - Ever had lymphoma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	202.66	6.56	3081.84	99.77
Yes	1	7.16	0.23	3089.00	100.00

ih48a27a: 16/17 - P1 - P1 CASI E6.2.7 - Ever had cancer of Uterus

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	203.78	6.60	3082.96	99.80
Yes	1	6.04	0.20	3089.00	100.00

ih48a28a: 16/17 - P1 - P1 CASI E6.2.8 - Ever had cervical cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	182.95	5.92	3062.13	99.13
Yes	1	26.87	0.87	3089.00	100.00

ih48a29a: 16/17 - P1 - P1 CASI E6.2.9 - Ever had other cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.47	93.18	2878.47	93.18
-3	-3	0.71	0.02	2879.19	93.21
No	0	147.95	4.79	3027.14	98.00
Yes	1	61.86	2.00	3089.00	100.00

ih44a1: 16/17 - P1 - P1 CASI E6.4.1 - Currently has asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2522.38	81.66	2522.38	81.66
-2	-2	33.73	1.09	2556.12	82.75
Yes	1	352.97	11.43	2909.09	94.18
No	2	179.91	5.82	3089.00	100.00

ih44a2: 16/17 - P1 - P1 CASI E6.4.2 - Currently has hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1784.47	57.77	1784.47	57.77
-2	-2	62.72	2.03	1847.19	59.80
Yes	1	923.07	29.88	2770.27	89.68
No	2	318.73	10.32	3089.00	100.00

ih44a3: 16/17 - P1 - P1 CASI E6.4.3 - Currently has eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2675.20	86.60	2675.20	86.60
-2	-2	11.63	0.38	2686.83	86.98
Yes	1	238.92	7.73	2925.76	94.72
No	2	163.24	5.28	3089.00	100.00

ih44a4: 16/17 - P1 - P1 CASI E6.4.4 - Currently has psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2864.50	92.73	2864.50	92.73
-2	-2	9.60	0.31	2874.10	93.04
Yes	1	146.49	4.74	3020.58	97.79
No	2	68.42	2.21	3089.00	100.00

ih44a5: 16/17 - P1 - P1 CASI E6.4.5 - Currently been obese/very overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2163.96	70.05	2163.96	70.05
-2	-2	46.78	1.51	2210.74	71.57
Yes	1	706.72	22.88	2917.46	94.45
No	2	171.54	5.55	3089.00	100.00

ih44a6: 16/17 - P1 - P1 CASI E6.4.6 - Currently been very thin/underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2908.31	94.15	2908.31	94.15
-2	-2	1.50	0.05	2909.81	94.20
Yes	1	38.12	1.23	2947.93	95.43
No	2	141.07	4.57	3089.00	100.00

ih44a7: 16/17 - P1 - P1 CASI E6.4.7 - Currently has bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3045.79	98.60	3045.79	98.60
Yes	1	7.30	0.24	3053.09	98.84
No	2	35.91	1.16	3089.00	100.00

ih44a8: 16/17 - P1 - P1 CASI E6.4.8 - Currently has diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3062.35	99.14	3062.35	99.14
Yes	1	23.62	0.76	3085.97	99.90
No	2	3.03	0.10	3089.00	100.00

ih44a9: 16/17 - P1 - P1 CASI E6.4.9 - Currently has other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2898.26	93.83	2898.26	93.83
-2	-2	4.35	0.14	2902.61	93.97
Yes	1	102.62	3.32	3005.23	97.29
No	2	83.77	2.71	3089.00	100.00

ih44a10: 16/17 - P1 - P1 CASI E6.4.10 - Currently has heart disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3013.80	97.57	3013.80	97.57
-2	-2	6.96	0.23	3020.77	97.79
Yes	1	45.97	1.49	3066.74	99.28
No	2	22.26	0.72	3089.00	100.00

ih44a11: 16/17 - P1 - P1 CASI E6.4.11 - Currently has hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2777.46	89.91	2777.46	89.91
-2	-2	11.96	0.39	2789.42	90.30
Yes	1	250.99	8.13	3040.40	98.43
No	2	48.60	1.57	3089.00	100.00

ih44a12: 16/17 - P1 - P1 CASI E6.4.12 - Currently has migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1991.12	64.46	1991.12	64.46
-2	-2	32.42	1.05	2023.54	65.51
Yes	1	732.10	23.70	2755.64	89.21
No	2	333.36	10.79	3089.00	100.00

ih44a13: 16/17 - P1 - P1 CASI E6.4.13 - Currently has chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2306.22	74.66	2306.22	74.66
-2	-2	20.15	0.65	2326.37	75.31
Yes	1	473.54	15.33	2799.91	90.64
No	2	289.09	9.36	3089.00	100.00

ih44a14: 16/17 - P1 - P1 CASI E6.4.14 - Currently has pelvic Inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3027.51	98.01	3027.51	98.01
-2	-2	1.30	0.04	3028.82	98.05
Yes	1	14.20	0.46	3043.02	98.51
No	2	45.98	1.49	3089.00	100.00

ih44a15: 16/17 - P1 - P1 CASI E6.4.15 - Currently has stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2957.68	95.75	2957.68	95.75
-2	-2	5.62	0.18	2963.30	95.93
Yes	1	47.30	1.53	3010.60	97.46
No	2	78.40	2.54	3089.00	100.00

ih44a16: 16/17 - P1 - P1 CASI E6.4.16 - Currently has other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2635.89	85.33	2635.89	85.33
-2	-2	6.95	0.23	2642.84	85.56
Yes	1	316.08	10.23	2958.93	95.79
No	2	130.07	4.21	3089.00	100.00

ih44a18: 16/17 - P1 - P1 CASI E6.4.18 - Currently has rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2986.57	96.68	2986.57	96.68
-2	-2	7.23	0.23	2993.80	96.92
Yes	1	80.98	2.62	3074.78	99.54
No	2	14.22	0.46	3089.00	100.00

ih44a19: 16/17 - P1 - P1 CASI E6.4.19 - Currently has arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2527.34	81.82	2527.34	81.82
-2	-2	10.13	0.33	2537.47	82.15
Yes	1	518.97	16.80	3056.45	98.95
No	2	32.55	1.05	3089.00	100.00

ih44a20: 16/17 - P1 - P1 CASI E6.4.20 - Currently has chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2856.34	92.47	2856.34	92.47
-2	-2	8.29	0.27	2864.63	92.74
Yes	1	82.05	2.66	2946.69	95.39
No	2	142.31	4.61	3089.00	100.00

ih44a21: 16/17 - P1 - P1 CASI E6.4.21 -Currently has prostate cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.36	99.88	3085.36	99.88
-2	-2	1.03	0.03	3086.39	99.92
No	2	2.61	0.08	3089.00	100.00

ih44a22: 16/17 - P1 - P1 CASI E6.4.22 -Currently has bowel cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.52	99.73	3080.52	99.73
Yes	1	0.55	0.02	3081.07	99.74
No	2	7.93	0.26	3089.00	100.00

ih44a23: 16/17 - P1 - P1 CASI E6.4.23 -Currently has breast cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3019.89	97.76	3019.89	97.76
-2	-2	5.49	0.18	3025.38	97.94
Yes	1	6.09	0.20	3031.47	98.14
No	2	57.53	1.86	3089.00	100.00

ih44a24: 16/17 - P1 - P1 CASI E6.4.24 -Currently has melanoma of skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3048.21	98.68	3048.21	98.68
-2	-2	4.96	0.16	3053.17	98.84
Yes	1	5.07	0.16	3058.25	99.00
No	2	30.75	1.00	3089.00	100.00

ih44a25: 16/17 - P1 - P1 CASI E6.4.25 -Currently has lung cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.62	99.89	3085.62	99.89
-2	-2	0.85	0.03	3086.47	99.92
Yes	1	1.72	0.06	3088.19	99.97
No	2	0.81	0.03	3089.00	100.00

ih44a26: 16/17 - P1 - P1 CASI E6.4.26 -Currently has lymphoma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.84	99.77	3081.84	99.77
-2	-2	0.94	0.03	3082.78	99.80
Yes	1	1.36	0.04	3084.15	99.84
No	2	4.85	0.16	3089.00	100.00

ih44a27: 16/17 - P1 - P1 CASI E6.4.27 - Currently has uterine cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.96	99.80	3082.96	99.80
No	2	6.04	0.20	3089.00	100.00

ih44a28: 16/17 - P1 - P1 CASI E6.4.28 - Currently has cervical cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3062.13	99.13	3062.13	99.13
-2	-2	1.29	0.04	3063.43	99.17
No	2	25.57	0.83	3089.00	100.00

ih44a29: 16/17 - P1 - P1 CASI E6.4.29 - Currently has other cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.13	98.03	3028.13	98.03
-2	-2	4.21	0.14	3032.34	98.17
Yes	1	16.72	0.54	3049.06	98.71
No	2	39.94	1.29	3089.00	100.00

ih44a30: 16/17 - P1 - P1 CASI E6.4.30 - Currently has alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2998.35	97.07	2998.35	97.07
-2	-2	9.20	0.30	3007.55	97.36
Yes	1	36.00	1.17	3043.55	98.53
No	2	45.45	1.47	3089.00	100.00

ih44a31: 16/17 - P1 - P1 CASI E6.4.31 - Currently has drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3021.48	97.81	3021.48	97.81
-2	-2	3.21	0.10	3024.70	97.92
Yes	1	8.66	0.28	3033.36	98.20
No	2	55.64	1.80	3089.00	100.00

ih44a32: 16/17 - P1 - P1 CASI E6.4.32 - Currently has depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1941.66	62.86	1941.66	62.86
-3	-3	0.71	0.02	1942.37	62.88
-2	-2	70.84	2.29	2013.21	65.17
Yes	1	619.16	20.04	2632.37	85.22
No	2	456.63	14.78	3089.00	100.00

ih44a33: 16/17 - P1 - P1 CASI E6.4.33 - Currently has schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3083.90	99.83	3083.90	99.83
Yes	1	0.78	0.03	3084.68	99.86
No	2	4.32	0.14	3089.00	100.00

ih44a34: 16/17 - P1 - P1 CASI E6.4.34 - Currently has bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3049.57	98.72	3049.57	98.72
-3	-3	1.02	0.03	3050.59	98.76
Yes	1	21.68	0.70	3072.28	99.46
No	2	16.72	0.54	3089.00	100.00

ih44a35: 16/17 - P1 - P1 CASI E6.4.35 - Currently has postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2528.02	81.84	2528.02	81.84
-2	-2	10.95	0.35	2538.97	82.19
Yes	1	12.61	0.41	2551.58	82.60
No	2	537.42	17.40	3089.00	100.00

ih44a36: 16/17 - P1 - P1 CASI E6.4.36 - Currently has other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2894.63	93.71	2894.63	93.71
-2	-2	3.03	0.10	2897.65	93.81
Yes	1	72.96	2.36	2970.61	96.17
No	2	118.39	3.83	3089.00	100.00

ih44a37: 16/17 - P1 - P1 CASI E6.4.37 - Currently has epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3053.96	98.87	3053.96	98.87
-2	-2	1.72	0.06	3055.68	98.92
Yes	1	14.18	0.46	3069.86	99.38
No	2	19.14	0.62	3089.00	100.00

ih44a38: 16/17 - P1 - P1 CASI E6.4.38 - Currently has reading problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2992.94	96.89	2992.94	96.89
-2	-2	5.43	0.18	2998.37	97.07
Yes	1	72.43	2.34	3070.80	99.41
No	2	18.20	0.59	3089.00	100.00

ih44a39: 16/17 - P1 - P1 CASI E6.4.39 - Currently has learning problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3006.21	97.32	3006.21	97.32
-2	-2	10.21	0.33	3016.42	97.65
Yes	1	51.78	1.68	3068.20	99.33
No	2	20.80	0.67	3089.00	100.00

ih44a40: 16/17 - P1 - P1 CASI E6.4.40 - Currently has problems with maths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2939.87	95.17	2939.87	95.17
-2	-2	11.44	0.37	2951.30	95.54
Yes	1	113.06	3.66	3064.37	99.20
No	2	24.63	0.80	3089.00	100.00

ih44a42: 16/17 - P1 - P1 CASI E6.4.42 - Currently has Language or speech problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3054.68	98.89	3054.68	98.89
Yes	1	23.73	0.77	3078.42	99.66
No	2	10.58	0.34	3089.00	100.00

ih45a1: 16/17 - P1 - P1 CASI E6.5.1 - Severity of Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2736.03	88.57	2736.03	88.57
Mild	1	240.04	7.77	2976.06	96.34
Moderate	2	98.67	3.19	3074.73	99.54
Severe	3	14.27	0.46	3089.00	100.00

ih545a2: 16/17 - P1 - P1 CASI E6.5.2 - Severity of Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2165.93	70.12	2165.93	70.12
-2	-2	5.17	0.17	2171.09	70.28
Mild	1	546.06	17.68	2717.15	87.96
Moderate	2	294.12	9.52	3011.27	97.48
Severe	3	77.73	2.52	3089.00	100.00

ih545a3: 16/17 - P1 - P1 CASI E6.5.3 - Severity of Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2850.08	92.27	2850.08	92.27
Mild	1	182.64	5.91	3032.72	98.18
Moderate	2	43.36	1.40	3076.08	99.58
Severe	3	12.92	0.42	3089.00	100.00

ih545a4: 16/17 - P1 - P1 CASI E6.5.4 - Severity of Psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2942.51	95.26	2942.51	95.26
-2	-2	0.52	0.02	2943.04	95.27
Mild	1	101.27	3.28	3044.31	98.55
Moderate	2	40.79	1.32	3085.10	99.87
Severe	3	3.90	0.13	3089.00	100.00

ih545a5: 16/17 - P1 - P1 CASI E6.5.5 - Severity of Obesity

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2382.28	77.12	2382.28	77.12
-2	-2	6.47	0.21	2388.75	77.33
Mild	1	120.92	3.91	2509.66	81.25
Moderate	2	438.96	14.21	2948.62	95.46
Severe	3	140.38	4.54	3089.00	100.00

ih545a6: 16/17 - P1 - P1 CASI E6.5.6 - Severity of Underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3050.88	98.77	3050.88	98.77
-2	-2	2.77	0.09	3053.65	98.86
Mild	1	20.50	0.66	3074.15	99.52
Moderate	2	10.24	0.33	3084.40	99.85
Severe	3	4.60	0.15	3089.00	100.00

ih545a7: 16/17 - P1 - P1 CASI E6.5.7 - Severity of Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.70	99.76	3081.70	99.76
Mild	1	4.71	0.15	3086.42	99.92
Severe	3	2.58	0.08	3089.00	100.00

ih545a8: 16/17 - P1 - P1 CASI E6.5.8 - Severity of Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3065.38	99.24	3065.38	99.24
-3	-3	3.35	0.11	3068.73	99.34
Mild	1	6.66	0.22	3075.39	99.56
Moderate	2	11.68	0.38	3087.07	99.94
Severe	3	1.93	0.06	3089.00	100.00

ih545a9: 16/17 - P1 - P1 CASI E6.5.9 - Severity of Other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2986.38	96.68	2986.38	96.68
-2	-2	2.72	0.09	2989.10	96.77
Mild	1	57.38	1.86	3046.48	98.62
Moderate	2	39.38	1.27	3085.87	99.90
Severe	3	3.13	0.10	3089.00	100.00

ih545a10: 16/17 - P1 - P1 CASI E6.5.10 - Severity of heart disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3043.03	98.51	3043.03	98.51
-2	-2	2.67	0.09	3045.70	98.60
Mild	1	25.40	0.82	3071.10	99.42
Moderate	2	17.90	0.58	3089.00	100.00

ih545a11: 16/17 - P1 - P1 CASI E6.5.11 - Severity of Hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2838.01	91.87	2838.01	91.87
-2	-2	5.68	0.18	2843.70	92.06
Mild	1	127.34	4.12	2971.04	96.18
Moderate	2	102.01	3.30	3073.05	99.48
Severe	3	15.95	0.52	3089.00	100.00

ih545a12: 16/17 - P1 - P1 CASI E6.5.12 - Severity of Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2356.90	76.30	2356.90	76.30
-2	-2	2.46	0.08	2359.36	76.38
Mild	1	299.14	9.68	2658.51	86.06
Moderate	2	302.36	9.79	2960.87	95.85
Severe	3	128.13	4.15	3089.00	100.00

ih545a13: 16/17 - P1 - P1 CASI E6.5.13 - Severity of Chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2615.46	84.67	2615.46	84.67
-2	-2	2.77	0.09	2618.23	84.76
Mild	1	125.92	4.08	2744.15	88.84
Moderate	2	236.00	7.64	2980.15	96.48
Severe	3	108.85	3.52	3089.00	100.00

ih45a14: 16/17 - P1 - P1 CASI E6.5.14 - Severity of Pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3074.80	99.54	3074.80	99.54
Mild	1	5.33	0.17	3080.13	99.71
Moderate	2	5.34	0.17	3085.47	99.89
Severe	3	3.53	0.11	3089.00	100.00

ih45a15: 16/17 - P1 - P1 CASI E6.5.15 - Severity of Stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3041.70	98.47	3041.70	98.47
Mild	1	28.92	0.94	3070.62	99.40
Moderate	2	15.71	0.51	3086.33	99.91
Severe	3	2.67	0.09	3089.00	100.00

ih45a16: 16/17 - P1 - P1 CASI E6.5.16 - Severity of Other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2772.92	89.77	2772.92	89.77
Mild	1	52.17	1.69	2825.09	91.46
Moderate	2	169.62	5.49	2994.71	96.95
Severe	3	94.29	3.05	3089.00	100.00

ih45a18: 16/17 - P1 - P1 CASI E6.5.18 - Severity of Rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3008.02	97.38	3008.02	97.38
Mild	1	28.42	0.92	3036.43	98.30
Moderate	2	39.98	1.29	3076.41	99.59
Severe	3	12.59	0.41	3089.00	100.00

ih45a19: 16/17 - P1 - P1 CASI E6.5.19 - Severity of Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2570.03	83.20	2570.03	83.20
Mild	1	288.47	9.34	2858.49	92.54
Moderate	2	182.24	5.90	3040.73	98.44
Severe	3	48.27	1.56	3089.00	100.00

ih45a20: 16/17 - P1 - P1 CASI E6.5.20 - Severity of Chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3006.95	97.34	3006.95	97.34
-2	-2	0.42	0.01	3007.37	97.36
Mild	1	35.20	1.14	3042.56	98.50
Moderate	2	38.98	1.26	3081.55	99.76
Severe	3	7.45	0.24	3089.00	100.00

ih545a30: 16/17 - P1 - P1 CASI E6.5.30 - Severity of Alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3053.00	98.83	3053.00	98.83
Mild	1	10.51	0.34	3063.52	99.17
Moderate	2	21.23	0.69	3084.75	99.86
Severe	3	4.25	0.14	3089.00	100.00

ih545a31: 16/17 - P1 - P1 CASI E6.5.31 - Severity of Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.34	99.72	3080.34	99.72
Mild	1	3.06	0.10	3083.40	99.82
Moderate	2	5.60	0.18	3089.00	100.00

ih545a32: 16/17 - P1 - P1 CASI E6.5.32 - Severity of Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2469.84	79.96	2469.84	79.96
-2	-2	10.56	0.34	2480.40	80.30
Mild	1	277.32	8.98	2757.72	89.28
Moderate	2	255.60	8.27	3013.32	97.55
Severe	3	75.68	2.45	3089.00	100.00

ih545a33: 16/17 - P1 - P1 CASI E6.5.33 - Severity of Schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.22	99.97	3088.22	99.97
Severe	3	0.78	0.03	3089.00	100.00

ih545a34: 16/17 - P1 - P1 CASI E6.5.34 - Severity of bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3067.32	99.30	3067.32	99.30
Mild	1	10.14	0.33	3077.46	99.63
Moderate	2	7.52	0.24	3084.98	99.87
Severe	3	4.02	0.13	3089.00	100.00

ih545a36: 16/17 - P1 - P1 CASI E6.5.35 - Severity of condition -postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.39	99.59	3076.39	99.59
Mild	1	4.70	0.15	3081.09	99.74
Moderate	2	3.94	0.13	3085.04	99.87
Severe	3	3.96	0.13	3089.00	100.00

ih545a35: 16/17 - P1 - P1 CASI E6.5.36 - Severity of other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3016.04	97.64	3016.04	97.64
Mild	1	28.46	0.92	3044.51	98.56
Moderate	2	25.12	0.81	3069.63	99.37
Severe	3	19.37	0.63	3089.00	100.00

ih45a37: 16/17 - P1 - P1 CASI E6.5.37 - Severity of epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3074.82	99.54	3074.82	99.54
Mild	1	8.29	0.27	3083.11	99.81
Moderate	2	4.80	0.16	3087.91	99.96
Severe	3	1.09	0.04	3089.00	100.00

ih45a38: 16/17 - P1 - P1 CASI E6.5.38 - Severity of reading problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3016.57	97.66	3016.57	97.66
Mild	1	46.69	1.51	3063.26	99.17
Moderate	2	21.33	0.69	3084.59	99.86
Severe	3	4.41	0.14	3089.00	100.00

ih45a39: 16/17 - P1 - P1 CASI E6.5.39 - Severity of learning problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.22	98.32	3037.22	98.32
Mild	1	25.75	0.83	3062.98	99.16
Moderate	2	21.19	0.69	3084.17	99.84
Severe	3	4.83	0.16	3089.00	100.00

ih45a40: 16/17 - P1 - P1 CASI E6.5.40 - Severity of problems with maths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2975.94	96.34	2975.94	96.34
-2	-2	1.57	0.05	2977.50	96.39
Mild	1	52.29	1.69	3029.80	98.08
Moderate	2	42.61	1.38	3072.41	99.46
Severe	3	16.59	0.54	3089.00	100.00

ih45a42: 16/17 - P1 - P1 CASI E6.5.42 - Severity of language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3065.27	99.23	3065.27	99.23
Mild	1	16.68	0.54	3081.94	99.77
Moderate	2	5.96	0.19	3087.91	99.96
Severe	3	1.09	0.04	3089.00	100.00

ih46a: 16/17 - P1 - P1 CASI E6.6 - Epilepsy as a child with fevers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3060.13	99.07	3060.13	99.07
-2	-2	3.36	0.11	3063.49	99.17
Yes	1	2.98	0.10	3066.47	99.27
No	2	22.53	0.73	3089.00	100.00

ih47a1: 16/17 - P1 - P1 CASI E6.7 - Age started insulin

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.67	98.34	3037.67	98.34
0	0.55	0.02	3038.22	98.36
5	0.60	0.02	3038.82	98.38
10	2.14	0.07	3040.96	98.44
15	1.84	0.06	3042.81	98.50
20	3.17	0.10	3045.98	98.61
30	12.40	0.40	3058.38	99.01
35	9.10	0.29	3067.47	99.30
40	8.47	0.27	3075.94	99.58
45	7.15	0.23	3083.10	99.81
50	5.90	0.19	3089.00	100.00

ih47a2: 16/17 - P1 - P1 CASI E6.8 - Only used insulin when pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3041.90	98.48	3041.90	98.48
-2	-2	0.55	0.02	3042.45	98.49
Yes	1	24.68	0.80	3067.13	99.29
No	2	21.87	0.71	3089.00	100.00

ih47a3: 16/17 - P1 - P1 CASI E6.9 - Hypertension only when pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2725.95	88.25	2725.95	88.25
-2	-2	5.82	0.19	2731.77	88.44
Yes	1	82.52	2.67	2814.30	91.11
No	2	268.51	8.69	3082.80	99.80
Never been pregnant	7	6.20	0.20	3089.00	100.00

ih51a: 16/17 - P1 - P1 CASI E7.1 - Have you given birth since the last interview

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3072.77	99.47	3072.77	99.47
Yes	1	4.84	0.16	3077.62	99.63
No	2	11.38	0.37	3089.00	100.00

ih07a1: 16/17 - P1 - P1 CASI E7.2+W5+W6 - Date of birth of first biological child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	600.95	19.45	600.95	19.45
JAN1959	2.17	0.07	603.12	19.52
JAN1960	0.49	0.02	603.60	19.54
JAN1961	0.68	0.02	604.28	19.56
JAN1962	1.92	0.06	606.20	19.62
JAN1963	3.12	0.10	609.31	19.73
JAN1965	0.51	0.02	609.83	19.74
JAN1966	2.76	0.09	612.59	19.83
JAN1967	2.94	0.10	615.53	19.93
JAN1968	4.18	0.14	619.71	20.06
JAN1969	2.46	0.08	622.17	20.14

ih07a1: 16/17 - P1 - P1 CASI E7.2+W5+W6 - Date of birth of first biological child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
JAN1970	0.87	0.03	623.04	20.17
JAN1971	0.83	0.03	623.88	20.20
JAN1972	0.77	0.02	624.65	20.22
JAN1973	5.65	0.18	630.30	20.40
JAN1974	1.88	0.06	632.18	20.47
JAN1975	1.62	0.05	633.80	20.52
JAN1976	1.17	0.04	634.97	20.56
JAN1977	5.20	0.17	640.17	20.72
JAN1978	5.39	0.17	645.56	20.90
JAN1979	4.67	0.15	650.23	21.05
JAN1980	7.71	0.25	657.94	21.30
JAN1981	8.52	0.28	666.46	21.58
JAN1982	2.66	0.09	669.13	21.66
JAN1983	15.05	0.49	684.17	22.15
JAN1984	10.19	0.33	694.37	22.48
JAN1985	15.66	0.51	710.03	22.99
JAN1986	30.64	0.99	740.67	23.98
JAN1987	22.82	0.74	763.49	24.72
JAN1988	36.40	1.18	799.89	25.89
JAN1989	34.56	1.12	834.45	27.01
JAN1990	65.03	2.11	899.48	29.12
JAN1991	76.65	2.48	976.13	31.60
JAN1992	64.03	2.07	1040.16	33.67
JAN1993	90.18	2.92	1130.34	36.59
JAN1994	130.37	4.22	1260.71	40.81
JAN1995	160.84	5.21	1421.54	46.02
JAN1996	198.92	6.44	1620.47	52.46
JAN1997	262.34	8.49	1882.80	60.95
JAN1998	160.91	5.21	2043.71	66.16
JAN1999	881.66	28.54	2925.37	94.70
JAN2000	163.63	5.30	3089.00	100.00

ih07a2: 16/17 - P1 - P1 CASI E3.3+W5 - First child live or still birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	294.44	9.53	294.44	9.53
Live birth	1	2785.86	90.19	3080.31	99.72
Still birth	2	8.69	0.28	3089.00	100.00

ih07a3: 16/17 - P1 - P1 CASI E3.4+W5 - Date of birth of first live born child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	601.80	19.48	601.80	19.48
JAN1959	2.17	0.07	603.97	19.55
JAN1960	0.49	0.02	604.45	19.57
JAN1961	0.68	0.02	605.13	19.59
JAN1962	1.92	0.06	607.05	19.65
JAN1963	3.12	0.10	610.16	19.75
JAN1965	0.51	0.02	610.68	19.77

ih07a3: 16/17 - P1 - P1 CASI E3.4+W5 - Date of birth of first live born child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
JAN1966	2.07	0.07	612.75	19.84
JAN1967	2.94	0.10	615.70	19.93
JAN1968	4.18	0.14	619.87	20.07
JAN1969	2.46	0.08	622.34	20.15
JAN1970	0.87	0.03	623.21	20.18
JAN1971	0.83	0.03	624.04	20.20
JAN1972	0.77	0.02	624.81	20.23
JAN1973	5.65	0.18	630.46	20.41
JAN1974	1.88	0.06	632.34	20.47
JAN1975	1.62	0.05	633.96	20.52
JAN1976	1.17	0.04	635.14	20.56
JAN1977	5.20	0.17	640.34	20.73
JAN1978	5.39	0.17	645.72	20.90
JAN1979	4.67	0.15	650.40	21.06
JAN1980	7.71	0.25	658.11	21.30
JAN1981	8.52	0.28	666.63	21.58
JAN1982	2.66	0.09	669.29	21.67
JAN1983	15.05	0.49	684.34	22.15
JAN1984	10.19	0.33	694.53	22.48
JAN1985	15.66	0.51	710.19	22.99
JAN1986	30.64	0.99	740.83	23.98
JAN1987	22.82	0.74	763.66	24.72
JAN1988	36.05	1.17	799.70	25.89
JAN1989	34.91	1.13	834.62	27.02
JAN1990	65.03	2.11	899.64	29.12
JAN1991	75.91	2.46	975.55	31.58
JAN1992	63.92	2.07	1039.47	33.65
JAN1993	88.82	2.88	1128.29	36.53
JAN1994	130.70	4.23	1258.98	40.76
JAN1995	160.84	5.21	1419.82	45.96
JAN1996	197.41	6.39	1617.23	52.35
JAN1997	262.34	8.49	1879.57	60.85
JAN1998	159.28	5.16	2038.85	66.00
JAN1999	886.01	28.68	2924.87	94.69
JAN2000	164.13	5.31	3089.00	100.00

ih07a4: 16/17 - P1 - P1 CASI E3.5+W5+W6 - Permission to ask about fertility treatment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2964.27	95.96	2964.27	95.96
Yes	1	108.31	3.51	3072.59	99.47
No	2	16.41	0.53	3089.00	100.00

ih07a5: 16/17 - P1 - P1 CASI E3.6+W5+W6 - Time to fall pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2980.69	96.49	2980.69	96.49
-2	-2	0.80	0.03	2981.48	96.52
One year or more	1	86.69	2.81	3068.17	99.33
Less than one year	2	20.83	0.67	3089.00	100.00

ih07a6: 16/17 - P1 - P1 CASI E3.7.1+W5+W6 - Time to fall pregnant years

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3001.51	97.17	3001.51	97.17
-2	0.80	0.03	3002.31	97.19
0	33.52	1.09	3035.83	98.28
5	47.57	1.54	3083.40	99.82
15	2.66	0.09	3086.06	99.90
20	2.39	0.08	3088.45	99.98
30	0.55	0.02	3089.00	100.00

ih07a7: 16/17 - P1 - P1 CASI E3.7.2+W5+W6 - Time to fall pregnant months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3067.38	99.30	3067.38	99.30
-2	0.80	0.03	3068.17	99.33
0	4.09	0.13	3072.27	99.46
5	5.17	0.17	3077.43	99.63
10	10.12	0.33	3087.55	99.95
20	0.79	0.03	3088.34	99.98
35	0.66	0.02	3089.00	100.00

ih07a8: 16/17 - P1 - P1 CASI E3.8+W5+W6 - Whether infertility cause found

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2980.69	96.49	2980.69	96.49
-2	-2	5.25	0.17	2985.94	96.66
Yes	1	60.95	1.97	3046.89	98.64
No	2	42.11	1.36	3089.00	100.00

ih07a9a: 16/17 - P1 - P1 CASI E3.9.1+W5+W6 - Cause of infertility - Tubal disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
Yes	1	4.10	0.13	3034.45	98.23
No	2	54.55	1.77	3089.00	100.00

ih07a9b: 16/17 - P1 - P1 CASI E3.9.2+W5+W6 - Cause of infertility -Endometriosis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
Yes	1	9.84	0.32	3040.19	98.42
No	2	48.81	1.58	3089.00	100.00

ih07a9c: 16/17 - P1 - P1 CASI E3.9.3+W5+W6 - Cause of infertility - Polycystic ovary synd

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
Yes	1	15.73	0.51	3046.08	98.61
No	2	42.92	1.39	3089.00	100.00

ih07a9d: 16/17 - P1 - P1 CASI E3.9.4+W5+W6 - Cause of infertility - Tubal ligation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
Yes	1	1.35	0.04	3031.70	98.15
No	2	57.30	1.85	3089.00	100.00

ih07a9e: 16/17 - P1 - P1 CASI E3.9.5+W5+W6 - Cause of infertility - Other female factor

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
Yes	1	16.50	0.53	3046.85	98.64
No	2	42.15	1.36	3089.00	100.00

ih07a9f: 16/17 - P1 - P1 CASI E3.9.6+W5+W6 - Cause of infertility - Vasectomy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
No	2	58.65	1.90	3089.00	100.00

ih07a9g: 16/17 - P1 - P1 CASI E3.9.7+W5+W6 - Cause of infertility - Other male factor

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
-2	-2	2.30	0.07	3030.35	98.10
Yes	1	11.13	0.36	3041.48	98.46
No	2	47.52	1.54	3089.00	100.00

ih07a9h: 16/17 - P1 - P1 CASI E3.9.8+W5+W6 - Cause of infertility - Don't know

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.05	98.03	3028.05	98.03
Yes	1	2.30	0.07	3030.35	98.10
No	2	58.65	1.90	3089.00	100.00

ih07a10: 16/17 - P1 - P1 CASI E3.10+W5+W6 - Treatment received

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2980.69	96.49	2980.69	96.49
-2	-2	9.35	0.30	2990.03	96.80
Ovulation induction alone e.g. with clomid	1	38.63	1.25	3028.66	98.05
Artificial insemination	2	7.07	0.23	3035.73	98.28

ih07a10: 16/17 - P1 - P1 CASI E3.10+W5+W6 - Treatment received

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
IVF in vitro fertilisation	3	30.09	0.97	3065.82	99.25
ICSI intracytoplasmic sperm injection	4	5.96	0.19	3071.79	99.44
GIFT gamete intrafallopian transfer	5	4.79	0.16	3076.57	99.60
Other	6	12.43	0.40	3089.00	100.00

ih07a11: 16/17 - P1 - P1 CASI E3.12+W5+W6 - Fresh or frozen embryo

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3049.20	98.71	3049.20	98.71
-2	-2	0.72	0.02	3049.92	98.73
Fresh	1	26.92	0.87	3076.85	99.61
Frozen and thawed	2	12.15	0.39	3089.00	100.00

ih13am: 16/17 - P1 - P1 CASI E4.1+W5+W6 - Mother's general health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.32	1.14	35.32	1.14
-9	-9	149.77	4.85	185.09	5.99
-3	-3	7.11	0.23	192.20	6.22
-2	-2	23.46	0.76	215.67	6.98
Excellent	1	605.19	19.59	820.86	26.57
Very good	2	1083.03	35.06	1903.89	61.63
Good	3	754.15	24.41	2658.04	86.05
Fair	4	292.63	9.47	2950.67	95.52
Poor	5	138.33	4.48	3089.00	100.00

ih13af: 16/17 - P1 - P1 CASI E4.2+W5+W6 - Father's general health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.32	1.14	35.32	1.14
-9	-9	149.77	4.85	185.09	5.99
-3	-3	8.22	0.27	193.31	6.26
-2	-2	114.25	3.70	307.56	9.96
Excellent	1	628.80	20.36	936.36	30.31
Very good	2	1017.53	32.94	1953.89	63.25
Good	3	750.12	24.28	2704.01	87.54
Fair	4	286.45	9.27	2990.46	96.81
Poor	5	98.54	3.19	3089.00	100.00

ih27: 16/17 - P1 CASI E15.1 - Any stressful life events

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	11.35	0.37	145.53	4.71
Yes	1	2413.65	78.14	2559.18	82.85
No	2	529.82	17.15	3089.00	100.00

ih27p: 16/17 - P1 CASI E15.1.1 - Events - Pregnant/had a baby

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2903.97	94.01	3045.78	98.60
Yes	1	43.22	1.40	3089.00	100.00

ih27a: 16/17 - P1 CASI E15.1.2 - Events - illness, injury or assault

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.47	0.27	142.65	4.62
No	0	2605.26	84.34	2747.91	88.96
Yes	1	341.09	11.04	3089.00	100.00

ih27b: 16/17 - P1 CASI E15.1.3- Events - illness etc to close relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2359.33	76.38	2501.14	80.97
Yes	1	587.86	19.03	3089.00	100.00

ih27c: 16/17 - P1 CASI E15.1.4 - Events - parent, partner or child died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2730.91	88.41	2872.73	93.00
Yes	1	216.27	7.00	3089.00	100.00

ih27d: 16/17 - P1 CASI E15.1.5 - Events - Close friend or other rel. died

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2159.20	69.90	2301.01	74.49
Yes	1	787.99	25.51	3089.00	100.00

ih27o: 16/17 - P1 CASI E15.1.6 - Events - relationship separation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2800.55	90.66	2942.36	95.25
Yes	1	146.64	4.75	3089.00	100.00

ih27e: 16/17 - P1 CASI E15.1.7 - Events - broke off a steady relationship

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2849.08	92.23	2992.00	96.86
Yes	1	97.00	3.14	3089.00	100.00

ih27r: 16/17 - P1 CASI E15.1.8 - Events - Living with new partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2911.87	94.27	3053.68	98.86
Yes	1	35.32	1.14	3089.00	100.00

ih27q: 16/17 - P1 CASI E15.1.9 - Events - Had new house member

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2724.95	88.21	2866.76	92.81
Yes	1	222.24	7.19	3089.00	100.00

ih27f: 16/17 - P1 CASI E15.1.10 - Events - problem with friend/relative

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2609.55	84.48	2751.36	89.07
Yes	1	337.64	10.93	3089.00	100.00

ih27k: 16/17 - P1 CASI E15.1.11 - Events - had a major financial crisis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2573.09	83.30	2716.01	87.93
Yes	1	372.99	12.07	3089.00	100.00

ih27g: 16/17 - P1 CASI E15.1.12 - Events - work disappointment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2431.53	78.72	2574.46	83.34
Yes	1	514.54	16.66	3089.00	100.00

ih27h: 16/17 - P1 CASI E15.1.13- Events - thought would soon lose job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2485.58	80.47	2628.50	85.09
Yes	1	460.50	14.91	3089.00	100.00

ih27i: 16/17 - P1 CASI E15.1.14 - Events - Lost your job

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2651.63	85.84	2794.56	90.47
Yes	1	294.44	9.53	3089.00	100.00

ih27j: 16/17 - P1 CASI E15.1.15 - Events - sought work unsuccessfully

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2596.73	84.06	2739.65	88.69
Yes	1	349.35	11.31	3089.00	100.00

ih27l: 16/17 - P1 CASI E15.1.16 - Events - legal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	9.39	0.30	143.58	4.65
No	0	2870.44	92.92	3014.02	97.57
Yes	1	74.98	2.43	3089.00	100.00

ih27m: 16/17 - P1 CASI E15.1.17 - Events - Valuable lost or stolen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2765.29	89.52	2907.10	94.11
Yes	1	181.90	5.89	3089.00	100.00

ih27n: 16/17 - P1 CASI E15.1.18 - Events - household D+A problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2764.28	89.49	2906.09	94.08
Yes	1	182.91	5.92	3089.00	100.00

ih27s: 16/17 - P1 CASI E15.1.19 - Events - Changed jobs/returned to work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2328.83	75.39	2471.75	80.02
Yes	1	617.25	19.98	3089.00	100.00

ih27t: 16/17 - P1 CASI E15.1.20 - Events - Increased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2110.38	68.32	2253.30	72.95
Yes	1	835.70	27.05	3089.00	100.00

ih27u: 16/17 - P1 CASI E15.1.21 - Events - Decreased work hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2534.47	82.05	2677.40	86.68
Yes	1	411.60	13.32	3089.00	100.00

ih27v: 16/17 - P1 CASI E15.1.22 - Events - Moved house

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	7.63	0.25	141.81	4.59
No	0	2624.10	84.95	2765.91	89.54
Yes	1	323.09	10.46	3089.00	100.00

ih27w: 16/17 - P1 CASI E15.1.23 - Events - Been away from home a lot

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2705.94	87.60	2848.87	92.23
Yes	1	240.13	7.77	3089.00	100.00

ih27x: 16/17 - P1 CASI E15.1.24 - Events - Lived in drought-affected area

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2818.99	91.26	2961.91	95.89
Yes	1	127.09	4.11	3089.00	100.00

ih27y: 16/17 - P1 CASI E15.1.25 - Events - local home was affected by natural disaster

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
No	0	2752.31	89.10	2895.23	93.73
Yes	1	193.77	6.27	3089.00	100.00

isle: 16/17 - Stressful Life Events Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	141.81	4.59	141.81	4.59
0	530.66	17.18	672.47	21.77
1	601.80	19.48	1274.26	41.25
2	563.73	18.25	1837.99	59.50
3	411.07	13.31	2249.06	72.81
4	260.71	8.44	2509.77	81.25
5	170.56	5.52	2680.33	86.77
6	132.01	4.27	2812.33	91.04
7	115.62	3.74	2927.95	94.79
8	64.14	2.08	2992.09	96.86
9	36.49	1.18	3028.58	98.04
10	27.19	0.88	3055.77	98.92
11	17.05	0.55	3072.82	99.48
12	5.64	0.18	3078.46	99.66
13	3.01	0.10	3081.47	99.76
14	1.78	0.06	3083.25	99.81
15	1.48	0.05	3084.73	99.86
16	2.75	0.09	3087.48	99.95
23	0.44	0.01	3087.92	99.96
25	1.08	0.04	3089.00	100.00

ih26a1: 16/17 - P1 - P1 CASI E15.2 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	10.97	0.36	145.16	4.70
No problems or stress	1	282.69	9.15	427.84	13.85
Few problems or stresses	2	1204.90	39.01	1632.74	52.86
Some problems and stresses	3	1141.78	36.96	2774.52	89.82
Many problems and stresses	4	239.83	7.76	3014.35	97.58
Very many problems and stresses	5	74.65	2.42	3089.00	100.00

ih26a2: 16/17 - P1 - P1 CASI E15.3 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
Not at all	1	38.69	1.25	181.62	5.88
A little	2	215.61	6.98	397.23	12.86
Fairly well	3	1406.62	45.54	1803.85	58.40

ih26a2: 16/17 - P1 - P1 CASI E15.3 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Very well	4	998.03	32.31	2801.88	90.71
Extremely well	5	287.12	9.29	3089.00	100.00

ih25a1: 16/17 - P1 - P1 CASI E15.4- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	10.97	0.36	145.16	4.70
Yes	1	977.90	31.66	1123.05	36.36
No	2	1965.95	63.64	3089.00	100.00

ih26a3: 16/17 - P1 - P1 CASI E15.5 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
Always	1	378.44	12.25	521.37	16.88
Often	2	1106.50	35.82	1627.87	52.70
Sometimes	3	1075.64	34.82	2703.51	87.52
Rarely	4	330.85	10.71	3034.36	98.23
Never	5	54.64	1.77	3089.00	100.00

ih24a1: 16/17 - P1 - P1 CASI E17.5.1 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
All of the time	1	36.54	1.18	179.47	5.81
Most of the time	2	93.19	3.02	272.65	8.83
Some of the time	3	516.93	16.73	789.59	25.56
A little of the time	4	1070.41	34.65	1860.00	60.21
None of the time	5	1229.00	39.79	3089.00	100.00

ih24a2: 16/17 - P1 - P1 CASI E17.5.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
All of the time	1	39.30	1.27	182.23	5.90
Most of the time	2	65.83	2.13	248.06	8.03
Some of the time	3	293.55	9.50	541.61	17.53
A little of the time	4	475.73	15.40	1017.33	32.93
None of the time	5	2071.67	67.07	3089.00	100.00

ih24a3: 16/17 - P1 - P1 CASI E17.5.3 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
All of the time	1	33.62	1.09	176.54	5.72
Most of the time	2	71.28	2.31	247.82	8.02
Some of the time	3	338.95	10.97	586.78	19.00
A little of the time	4	780.95	25.28	1367.73	44.28
None of the time	5	1721.27	55.72	3089.00	100.00

ih24a4: 16/17 - P1 - P1 CASI E17.5.4 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
All of the time	1	68.27	2.21	211.19	6.84
Most of the time	2	153.52	4.97	364.71	11.81
Some of the time	3	513.08	16.61	877.79	28.42
A little of the time	4	1099.37	35.59	1977.16	64.01
None of the time	5	1111.84	35.99	3089.00	100.00

ih24a5: 16/17 - P1 - P1 CASI E17.5.5 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	8.74	0.28	142.93	4.63
All of the time	1	41.02	1.33	183.95	5.95
Most of the time	2	58.48	1.89	242.43	7.85
Some of the time	3	266.04	8.61	508.47	16.46
A little of the time	4	542.31	17.56	1050.78	34.02
None of the time	5	2038.22	65.98	3089.00	100.00

ih24a6: 16/17 - P1 - P1 CASI E17.5.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	134.18	4.34	134.18	4.34
-3	-3	9.61	0.31	143.79	4.65
All of the time	1	47.50	1.54	191.29	6.19
Most of the time	2	68.72	2.22	260.01	8.42
Some of the time	3	219.05	7.09	479.06	15.51
A little of the time	4	421.31	13.64	900.38	29.15
None of the time	5	2188.62	70.85	3089.00	100.00

ia6g: 16/17 - P1 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	143.79	4.65	143.79	4.65
No probable serious mental illness	0	2807.99	90.90	2951.78	95.56
Probable serious mental illness	1	137.22	4.44	3089.00	100.00

iak6s: 16/17 - P1 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	143.79	4.65	143.79	4.65
6	627.04	20.30	770.83	24.95
7	488.96	15.83	1259.79	40.78
8	375.95	12.17	1635.74	52.95
9	318.79	10.32	1954.52	63.27
10	242.83	7.86	2197.35	71.13
11	176.61	5.72	2373.96	76.85
12	133.26	4.31	2507.22	81.17
13	83.19	2.69	2590.41	83.86
14	91.56	2.96	2681.97	86.82
15	71.45	2.31	2753.41	89.14
16	82.72	2.68	2836.13	91.81
17	46.26	1.50	2882.39	93.31
18	69.39	2.25	2951.78	95.56
19	23.64	0.77	2975.42	96.32
20	23.09	0.75	2998.51	97.07
21	16.61	0.54	3015.13	97.61
22	12.91	0.42	3028.03	98.03
23	10.98	0.36	3039.01	98.38
24	13.82	0.45	3052.83	98.83
25	7.96	0.26	3060.79	99.09
26	5.09	0.16	3065.88	99.25
27	8.39	0.27	3074.27	99.52
28	0.95	0.03	3075.22	99.55
29	2.02	0.07	3077.25	99.62
30	11.75	0.38	3089.00	100.00

ih13c: 16/17 - SC - P1 CAI D1.1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	1.21	0.04	76.49	2.48
Excellent	1	1128.63	36.54	1205.12	39.01
Very good	2	1239.36	40.12	2444.48	79.13
Good	3	509.94	16.51	2954.42	95.64
Fair	4	115.06	3.72	3069.48	99.37
Poor	5	19.52	0.63	3089.00	100.00

ih14a: 16/17 - P1 CAI D1.2- Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	5.86	0.19	81.14	2.63
Yes	1	768.54	24.88	849.68	27.51
No	2	2239.32	72.49	3089.00	100.00

ih14b: 16/17 - P1 CAI D1.3- Uses medicine because of condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	9.39	0.30	84.67	2.74
Yes	1	655.34	21.22	740.01	23.96
No	2	2348.99	76.04	3089.00	100.00

ih14c: 16/17 - P1 CAI D1.4 - Medicated condition for 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	45.60	1.48	120.88	3.91
Yes	1	555.31	17.98	676.19	21.89
No	2	2412.81	78.11	3089.00	100.00

ih14d: 16/17 - P1 CAI D1.5 - Extra medical care

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	52.19	1.69	127.47	4.13
Yes	1	375.07	12.14	502.54	16.27
No	2	2586.46	83.73	3089.00	100.00

ih14e: 16/17 - P1 CAI D1.6 - Extra medical care is due to condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	54.96	1.78	130.24	4.22
Yes	1	347.99	11.27	478.23	15.48
No	2	2610.77	84.52	3089.00	100.00

ih14f: 16/17 - P1 CAI D1.7 - Extra care condition for year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	70.81	2.29	146.09	4.73
Yes	1	313.25	10.14	459.34	14.87
No	2	2629.66	85.13	3089.00	100.00

ishcn: 16/17 - Special health care needs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	76.49	2.48	76.49	2.48
Yes	1	680.59	22.03	757.08	24.51
No	2	2331.92	75.49	3089.00	100.00

ih15b: 16/17 - P1 CAI D2.1- SC had illness with wheezing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
-2	-2	3.49	0.11	78.77	2.55
Yes	1	225.72	7.31	304.49	9.86
No	2	2784.51	90.14	3089.00	100.00

ih15c: 16/17 - P1 CAI D2.2 - Frequency of wheezing in last 12 months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2863.28	92.69	2863.28	92.69
0	177.21	5.74	3040.49	98.43
5	41.60	1.35	3082.09	99.78
10	4.05	0.13	3086.14	99.91
20	0.64	0.02	3086.78	99.93
35	2.22	0.07	3089.00	100.00

ih29a: 16/17 - P1 CAI D2.3+W1-5 - SC diagnosed with asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	54.71	1.77	54.71	1.77
Yes	1	1107.90	35.87	1162.61	37.64
No	2	1926.39	62.36	3089.00	100.00

ih29b: 16/17 - P1 CAI D2.4 - Medication for asthma in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1991.59	64.47	1991.59	64.47
-2	-2	5.56	0.18	1997.16	64.65
Never had asthma	-1	11.27	0.36	2008.43	65.02
Yes	1	373.89	12.10	2382.32	77.12
No	2	706.68	22.88	3089.00	100.00

ih17: 16/17 - P1 CAI D3.4 - Has ongoing condition

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
Yes	1	1888.77	61.14	1964.05	63.58
No	2	1124.95	36.42	3089.00	100.00

ih17d: 16/17 - P1 CAI D3.4.1 - SC has ongoing - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2781.47	90.04	2856.75	92.48
Yes	1	232.25	7.52	3089.00	100.00

ih17za: 16/17 - P1 CAI D3.4.2 - SC has ongoing - Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2660.04	86.11	2735.33	88.55
Yes	1	353.67	11.45	3089.00	100.00

ih17zb: 16/17 - P1 CAI D3.4.3 - SC has ongoing - Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2538.40	82.18	2613.69	84.61
Yes	1	475.31	15.39	3089.00	100.00

ih17zf: 16/17 - P1 CAI D3.4.4 - SC has ongoing - Food allergies

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2836.84	91.84	2912.13	94.27
Yes	1	176.87	5.73	3089.00	100.00

ih17b: 16/17 - P1 CAI D3.4.5 - SC has ongoing - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2650.94	85.82	2726.23	88.26
Yes	1	362.77	11.74	3089.00	100.00

ih17o: 16/17 - P1 CAI D3.4.6 - SC has ongoing - Constipation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2945.17	95.34	3020.46	97.78
Yes	1	68.54	2.22	3089.00	100.00

ih17zg: 16/17 - P1 CAI D3.4.7 - SC has ongoing - Bedwetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	3002.34	97.19	3077.62	99.63
Yes	1	11.38	0.37	3089.00	100.00

ih17s: 16/17 - P1 CAI D3.4.8 - SC has ongoing - Wetting self during the day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	3007.77	97.37	3083.05	99.81
Yes	1	5.95	0.19	3089.00	100.00

ih17n: 16/17 - P1 CAI D3.4.9 - SC has ongoing - Recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2833.85	91.74	2909.13	94.18
Yes	1	179.87	5.82	3089.00	100.00

ih17m: 16/17 - P1 CAI D3.4.10 - SC has ongoing - Recurrent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2718.97	88.02	2794.25	90.46
Yes	1	294.75	9.54	3089.00	100.00

ih17zh: 16/17 - P1 CAI D3.4.11 - SC has ongoing - Recurrent chest pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2967.22	96.06	3042.51	98.49
Yes	1	46.49	1.51	3089.00	100.00

ih17zi: 16/17 - P1 CAI D3.4.12 - SC has ongoing - Recurrent back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2855.65	92.45	2930.94	94.88
Yes	1	158.06	5.12	3089.00	100.00

ih17t: 16/17 - P1 CAI D3.4.13 - SC has ongoing - Recurrent pain in other parts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2877.77	93.16	2953.05	95.60
Yes	1	135.95	4.40	3089.00	100.00

ih17u: 16/17 - P1 CAI D3.4.14 - SC has ongoing - Bone/joint/muscle problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2748.29	88.97	2823.57	91.41
Yes	1	265.43	8.59	3089.00	100.00

ih17zj: 16/17 - P1 CAI D3.4.15 - SC has ongoing - Acne

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2590.54	83.86	2665.83	86.30
Yes	1	423.17	13.70	3089.00	100.00

ih17l: 16/17 - P1 CAI D3.4.16 - SC has ongoing - ADD/ADHD

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2923.48	94.64	2998.77	97.08
Yes	1	90.23	2.92	3089.00	100.00

ih17v: 16/17 - P1 CAI D3.4.17-3.4.18 - SC has ongoing - Anxiety disorder/Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2655.13	85.95	2730.42	88.39
Yes	1	358.58	11.61	3089.00	100.00

ih17v1: 16/17 - P1 CAI D3.4.17 - SC has ongoing - Anxiety disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2710.88	87.76	2786.17	90.20
Yes	1	302.83	9.80	3089.00	100.00

ih17v2: 16/17 - P1 CAI D3.4.18 - SC has ongoing - Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2803.50	90.76	2878.78	93.19
Yes	1	210.22	6.81	3089.00	100.00

ih17w: 16/17 - P1 CAI D3.4.19 - SC has ongoing - Autism/Asperger/autism spectrum

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2907.11	94.11	2982.40	96.55
Yes	1	106.60	3.45	3089.00	100.00

ih17x: 16/17 - P1 CAI D3.4.20 - SC has ongoing - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	3003.97	97.25	3079.26	99.68
Yes	1	9.74	0.32	3089.00	100.00

ih17ze: 16/17 - P1 CAI D3.4.21 - SC has ongoing - Palpitations

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2995.66	96.98	3070.94	99.42
Yes	1	18.06	0.58	3089.00	100.00

ih17y: 16/17 - P1 CAI D3.4.22 - SC has ongoing - Epilepsy or seizure disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2994.73	96.95	3070.02	99.39
Yes	1	18.98	0.61	3089.00	100.00

ih17z: 16/17 - P1 CAI D3.4.23 - SC has ongoing - Chronic fatigue

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	3000.61	97.14	3075.89	99.58
Yes	1	13.11	0.42	3089.00	100.00

ih517j: 16/17 - P1 CAI D3.4.24 - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
No	0	2864.01	92.72	2939.30	95.15
Yes	1	149.70	4.85	3089.00	100.00

inumcond: 16/17 - No. ongoing conditions

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28	2.44	75.28	2.44
0	1124.95	36.42	1200.23	38.86
2	1322.36	42.81	2522.60	81.66
4	410.43	13.29	2933.03	94.95
6	103.94	3.36	3036.96	98.32
8	37.39	1.21	3074.36	99.53
10	14.64	0.47	3089.00	100.00

ih52d: 16/17 - P1 CAI D3.6.1 - Number days missed school - Eczema

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2858.79	92.55	2858.79	92.55
0	203.42	6.59	3062.22	99.13
1	4.23	0.14	3066.44	99.27
2	3.63	0.12	3070.07	99.39
3	5.59	0.18	3075.66	99.57
4	3.38	0.11	3079.05	99.68
7	0.53	0.02	3079.57	99.69
10	2.76	0.09	3082.33	99.78
36	3.50	0.11	3085.83	99.90
40	2.38	0.08	3088.21	99.97
80	0.79	0.03	3089.00	100.00

ih52za: 16/17 - P1 CAI D3.6.2 - Number days missed school - Asthma

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2735.33	88.55	2735.33	88.55
0	246.64	7.98	2981.96	96.53
1	10.12	0.33	2992.09	96.86
2	29.80	0.96	3021.89	97.83
3	7.72	0.25	3029.61	98.08
4	13.19	0.43	3042.80	98.50
5	13.43	0.43	3056.22	98.94
6	6.70	0.22	3062.92	99.16
7	2.68	0.09	3065.60	99.24
8	2.51	0.08	3068.12	99.32
9	0.74	0.02	3068.86	99.35
10	9.82	0.32	3078.68	99.67
14	3.50	0.11	3082.18	99.78
15	2.93	0.09	3085.11	99.87
19	0.38	0.01	3085.48	99.89

ih52za: 16/17 - P1 CAI D3.6.2 - Number days missed school - Asthma

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20	1.29	0.04	3086.78	99.93
30	2.22	0.07	3089.00	100.00

ih52zb: 16/17 - P1 CAI D3.6.3 - Number days missed school - Hay fever

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2613.69	84.61	2613.69	84.61
0	405.29	13.12	3018.97	97.73
1	24.83	0.80	3043.81	98.54
2	18.39	0.60	3062.19	99.13
3	9.50	0.31	3071.69	99.44
4	2.48	0.08	3074.16	99.52
5	7.52	0.24	3081.69	99.76
9	0.62	0.02	3082.30	99.78
10	3.91	0.13	3086.21	99.91
12	2.10	0.07	3088.31	99.98
182	0.69	0.02	3089.00	100.00

ih52zf: 16/17 - P1 CAI D3.6.4 - Number days missed school - Food allergies

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2912.13	94.27	2912.13	94.27
0	153.46	4.97	3065.58	99.24
1	2.82	0.09	3068.41	99.33
2	7.63	0.25	3076.04	99.58
3	5.92	0.19	3081.96	99.77
4	0.81	0.03	3082.77	99.80
5	0.54	0.02	3083.32	99.82
6	1.65	0.05	3084.97	99.87
9	0.74	0.02	3085.71	99.89
10	1.51	0.05	3087.22	99.94
20	0.99	0.03	3088.21	99.97
100	0.79	0.03	3089.00	100.00

ih52b: 16/17 - P1 CAI D3.6.5 - Number days missed school - Problems with eyes

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2726.23	88.26	2726.23	88.26
0	344.71	11.16	3070.94	99.42
1	6.61	0.21	3077.55	99.63
2	5.01	0.16	3082.57	99.79
4	0.77	0.02	3083.33	99.82
5	0.83	0.03	3084.17	99.84
7	0.49	0.02	3084.66	99.86
21	3.36	0.11	3088.02	99.97
28	0.98	0.03	3089.00	100.00

ih52o: 16/17 - P1 CAI D3.6.6 - Number days missed school - Constipation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3020.46	97.78	3020.46	97.78
0	53.78	1.74	3074.24	99.52
1	1.28	0.04	3075.51	99.56
2	2.54	0.08	3078.05	99.65
3	2.39	0.08	3080.44	99.72
4	1.93	0.06	3082.38	99.79
5	0.49	0.02	3082.87	99.80
10	1.43	0.05	3084.30	99.85
14	0.77	0.03	3085.07	99.87
20	1.26	0.04	3086.33	99.91
21	1.27	0.04	3087.61	99.95
40	0.54	0.02	3088.14	99.97
80	0.86	0.03	3089.00	100.00

ih52zg: 16/17 - P1 CAI D3.6.7 - Number days missed school -Bedwetting

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3077.62	99.63	3077.62	99.63
0	11.38	0.37	3089.00	100.00

ih52s: 16/17 - P1 CAI D3.6.8 - Number days missed school - Wetting self during the day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3083.05	99.81	3083.05	99.81
0	5.30	0.17	3088.35	99.98
2	0.65	0.02	3089.00	100.00

ih52n: 16/17 - P1 CAI D3.6.9 - Number days missed school - Recurrent abdominal pain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2909.13	94.18	2909.13	94.18
0	44.95	1.46	2954.08	95.63
1	7.34	0.24	2961.43	95.87
2	23.04	0.75	2984.47	96.62
3	9.18	0.30	2993.64	96.91
4	13.58	0.44	3007.22	97.35
5	15.29	0.50	3022.52	97.85
6	9.79	0.32	3032.30	98.16
7	4.58	0.15	3036.89	98.31
8	3.92	0.13	3040.81	98.44
10	19.63	0.64	3060.44	99.08
12	3.38	0.11	3063.82	99.18
14	2.42	0.08	3066.24	99.26
15	5.41	0.18	3071.65	99.44
16	1.77	0.06	3073.42	99.50
20	5.65	0.18	3079.07	99.68
21	1.00	0.03	3080.07	99.71
24	1.80	0.06	3081.88	99.77
28	0.98	0.03	3082.86	99.80
30	0.91	0.03	3083.76	99.83

ih52n: 16/17 - P1 CAI D3.6.9 - Number days missed school - Recurrent abdominal pain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
50	1.18	0.04	3084.95	99.87
60	0.47	0.02	3085.41	99.88
100	0.79	0.03	3086.21	99.91
120	2.10	0.07	3088.31	99.98
182	0.69	0.02	3089.00	100.00

ih52m: 16/17 - P1 CAI D3.6.10 - Number days missed school - Recurrent headaches

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2794.25	90.46	2794.25	90.46
0	101.92	3.30	2896.17	93.76
1	19.56	0.63	2915.73	94.39
2	37.12	1.20	2952.85	95.59
3	23.09	0.75	2975.94	96.34
4	17.37	0.56	2993.31	96.90
5	22.96	0.74	3016.27	97.65
6	15.72	0.51	3031.99	98.15
7	7.23	0.23	3039.22	98.39
8	4.77	0.15	3043.99	98.54
10	19.05	0.62	3063.03	99.16
12	2.87	0.09	3065.90	99.25
14	2.70	0.09	3068.60	99.34
15	1.49	0.05	3070.10	99.39
16	0.66	0.02	3070.76	99.41
20	2.91	0.09	3073.67	99.50
21	1.00	0.03	3074.67	99.54
22	0.66	0.02	3075.33	99.56
25	0.72	0.02	3076.04	99.58
30	5.35	0.17	3081.40	99.75
35	1.91	0.06	3083.31	99.82
40	4.27	0.14	3087.57	99.95
50	0.72	0.02	3088.30	99.98
200	0.70	0.02	3089.00	100.00

ih52zh: 16/17 - P1 CAI D3.6.11 - Number days missed school - Recurrent chest pain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3042.51	98.49	3042.51	98.49
0	17.41	0.56	3059.92	99.06
1	5.86	0.19	3065.78	99.25
2	4.88	0.16	3070.66	99.41
3	3.43	0.11	3074.09	99.52
4	2.12	0.07	3076.21	99.59
5	1.13	0.04	3077.34	99.62
6	1.10	0.04	3078.44	99.66
10	3.42	0.11	3081.85	99.77
15	3.50	0.11	3085.35	99.88
20	2.17	0.07	3087.53	99.95

ih52zh: 16/17 - P1 CAI D3.6.11 - Number days missed school - Recurrent chest pain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
30	0.77	0.02	3088.30	99.98
200	0.70	0.02	3089.00	100.00

ih52zi: 16/17 - P1 CAI D3.6.12- Number days missed school - Recurrent back pain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2930.94	94.88	2930.94	94.88
0	97.30	3.15	3028.24	98.03
1	8.62	0.28	3036.86	98.31
2	7.02	0.23	3043.88	98.54
3	8.62	0.28	3052.50	98.82
4	1.64	0.05	3054.14	98.87
5	6.14	0.20	3060.28	99.07
6	4.12	0.13	3064.40	99.20
7	0.55	0.02	3064.95	99.22
10	14.46	0.47	3079.40	99.69
11	1.40	0.05	3080.81	99.73
14	1.74	0.06	3082.55	99.79
15	0.99	0.03	3083.54	99.82
20	1.84	0.06	3085.38	99.88
21	1.00	0.03	3086.39	99.92
35	1.91	0.06	3088.30	99.98
200	0.70	0.02	3089.00	100.00

ih52t: 16/17 - P1 CAI D3.6.13 - No. days missed school - Recurrent pain in other parts

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2953.60	95.62	2953.60	95.62
0	84.05	2.72	3037.64	98.34
1	10.01	0.32	3047.65	98.66
2	4.05	0.13	3051.71	98.79
3	7.06	0.23	3058.77	99.02
4	2.67	0.09	3061.43	99.11
5	5.82	0.19	3067.25	99.30
6	0.54	0.02	3067.79	99.31
7	0.47	0.02	3068.26	99.33
8	4.50	0.15	3072.76	99.47
10	5.10	0.17	3077.86	99.64
13	0.41	0.01	3078.26	99.65
20	3.10	0.10	3081.36	99.75
25	0.89	0.03	3082.25	99.78
35	2.55	0.08	3084.80	99.86
40	1.82	0.06	3086.62	99.92
55	1.01	0.03	3087.63	99.96
60	0.67	0.02	3088.30	99.98
200	0.70	0.02	3089.00	100.00

ih52u: 16/17 - P1 CAI D3.6.14 - No. days missed school - Bone, joint or muscle problem

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2823.57	91.41	2823.57	91.41
0	131.13	4.25	2954.70	95.65
1	15.61	0.51	2970.31	96.16
2	26.91	0.87	2997.22	97.03
3	11.31	0.37	3008.53	97.40
4	17.58	0.57	3026.11	97.96
5	22.95	0.74	3049.06	98.71
6	2.18	0.07	3051.24	98.78
7	1.00	0.03	3052.24	98.81
8	1.81	0.06	3054.05	98.87
10	4.72	0.15	3058.77	99.02
12	2.47	0.08	3061.24	99.10
14	0.87	0.03	3062.11	99.13
15	3.35	0.11	3065.45	99.24
20	14.00	0.45	3079.45	99.69
21	0.64	0.02	3080.09	99.71
25	0.66	0.02	3080.75	99.73
30	0.72	0.02	3081.48	99.76
35	2.45	0.08	3083.92	99.84
42	1.89	0.06	3085.81	99.90
60	1.79	0.06	3087.59	99.95
100	0.70	0.02	3088.30	99.98
200	0.70	0.02	3089.00	100.00

ih52zj: 16/17 - P1 CAI D3.6.15 - Number days missed school -Acne

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2665.83	86.30	2665.83	86.30
0	403.64	13.07	3069.46	99.37
1	9.34	0.30	3078.80	99.67
2	3.00	0.10	3081.80	99.77
3	1.38	0.04	3083.18	99.81
4	1.03	0.03	3084.21	99.84
5	3.95	0.13	3088.16	99.97
50	0.84	0.03	3089.00	100.00

ih52v: 16/17 - P1 CAI D3.6.16 - Number days missed school - ADD/ADHD

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2998.77	97.08	2998.77	97.08
0	66.33	2.15	3065.09	99.23
1	1.99	0.06	3067.08	99.29
2	1.54	0.05	3068.62	99.34
3	2.06	0.07	3070.68	99.41
4	0.83	0.03	3071.51	99.43
5	3.36	0.11	3074.87	99.54
9	0.52	0.02	3075.39	99.56
10	2.36	0.08	3077.75	99.64
16	1.91	0.06	3079.66	99.70

ih52v: 16/17 - P1 CAI D3.6.16 - Number days missed school - ADD/ADHD

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20	4.04	0.13	3083.70	99.83
21	3.50	0.11	3087.20	99.94
30	1.80	0.06	3089.00	100.00

ih52v2: 16/17 - P1 CAI D3.6.17 - Number days missed school - Anxiety disorder

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2786.17	90.20	2786.17	90.20
0	97.28	3.15	2883.45	93.35
1	9.63	0.31	2893.08	93.66
2	26.81	0.87	2919.89	94.53
3	13.27	0.43	2933.15	94.95
4	7.14	0.23	2940.29	95.19
5	23.86	0.77	2964.15	95.96
6	7.23	0.23	2971.38	96.19
7	14.64	0.47	2986.02	96.67
8	6.06	0.20	2992.08	96.86
9	2.26	0.07	2994.34	96.94
10	24.43	0.79	3018.78	97.73
12	2.40	0.08	3021.17	97.80
13	1.85	0.06	3023.03	97.86
14	3.84	0.12	3026.87	97.99
15	6.94	0.22	3033.81	98.21
16	0.66	0.02	3034.46	98.23
20	12.31	0.40	3046.78	98.63
22	0.66	0.02	3047.44	98.65
30	8.29	0.27	3055.72	98.92
35	0.54	0.02	3056.26	98.94
40	3.51	0.11	3059.77	99.05
45	0.80	0.03	3060.57	99.08
50	4.36	0.14	3064.93	99.22
60	5.35	0.17	3070.28	99.39
63	0.66	0.02	3070.94	99.42
90	2.60	0.08	3073.54	99.50
100	2.80	0.09	3076.34	99.59
120	1.38	0.04	3077.72	99.63
130	0.68	0.02	3078.40	99.66
150	0.84	0.03	3079.24	99.68
152	1.29	0.04	3080.53	99.73
180	0.70	0.02	3081.23	99.75
200	4.38	0.14	3085.61	99.89
280	0.97	0.03	3086.58	99.92
300	1.47	0.05	3088.05	99.97
350	0.95	0.03	3089.00	100.00

ih52v3: 16/17 - P1 CAI D3.6.18 - Number days missed school - Depression

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2878.78	93.19	2878.78	93.19
0	73.80	2.39	2952.58	95.58
1	3.47	0.11	2956.06	95.70
2	15.38	0.50	2971.44	96.19
3	13.41	0.43	2984.85	96.63
4	9.74	0.32	2994.60	96.94
5	12.98	0.42	3007.58	97.36
6	3.69	0.12	3011.27	97.48
7	6.99	0.23	3018.26	97.71
8	2.65	0.09	3020.91	97.80
9	0.59	0.02	3021.49	97.81
10	9.68	0.31	3031.17	98.13
12	3.90	0.13	3035.07	98.25
13	1.85	0.06	3036.93	98.31
14	1.36	0.04	3038.29	98.36
15	4.63	0.15	3042.92	98.51
18	1.21	0.04	3044.13	98.55
20	10.79	0.35	3054.92	98.90
21	1.02	0.03	3055.94	98.93
30	5.98	0.19	3061.92	99.12
34	0.66	0.02	3062.58	99.14
35	2.45	0.08	3065.03	99.22
40	3.30	0.11	3068.33	99.33
45	0.80	0.03	3069.14	99.36
50	1.82	0.06	3070.95	99.42
60	5.12	0.17	3076.07	99.58
90	0.62	0.02	3076.69	99.60
100	3.77	0.12	3080.46	99.72
120	0.72	0.02	3081.18	99.75
150	0.84	0.03	3082.02	99.77
152	1.29	0.04	3083.31	99.82
180	0.70	0.02	3084.01	99.84
200	2.59	0.08	3086.59	99.92
300	1.46	0.05	3088.05	99.97
350	0.95	0.03	3089.00	100.00

ih52w: 16/17 - P1 CAI D3.6.19 - Number days missed school - Autism or Aspergers

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2982.40	96.55	2982.40	96.55
0	73.41	2.38	3055.81	98.93
1	2.08	0.07	3057.89	98.99
2	5.58	0.18	3063.47	99.17
3	1.24	0.04	3064.71	99.21
4	2.72	0.09	3067.44	99.30
5	2.89	0.09	3070.33	99.40
8	0.86	0.03	3071.19	99.42
10	1.38	0.04	3072.57	99.47
15	0.67	0.02	3073.24	99.49

ih52w: 16/17 - P1 CAI D3.6.19 - Number days missed school - Autism or Aspergers

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
20	8.23	0.27	3081.47	99.76
30	1.24	0.04	3082.72	99.80
50	2.28	0.07	3085.00	99.87
100	1.58	0.05	3086.58	99.92
152	1.29	0.04	3087.86	99.96
200	0.70	0.02	3088.57	99.99
365	0.43	0.01	3089.00	100.00

ih52x: 16/17 - P1 CAI D3.6.20 - Number days missed school - Diabetes

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3079.26	99.68	3079.26	99.68
0	5.74	0.19	3084.99	99.87
4	2.87	0.09	3087.87	99.96
6	0.66	0.02	3088.53	99.98
14	0.47	0.02	3089.00	100.00

ih52ze: 16/17 - P1 CAI D3.6.21 - Number days missed school - Palpitations

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3070.94	99.42	3070.94	99.42
0	12.03	0.39	3082.97	99.80
1	3.27	0.11	3086.23	99.91
3	1.50	0.05	3087.73	99.96
5	1.27	0.04	3089.00	100.00

ih52y: 16/17 - P1 CAI D3.6.22 - Number days missed school - Epilepsy of seizure

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3070.02	99.39	3070.02	99.39
0	7.43	0.24	3077.45	99.63
1	3.91	0.13	3081.36	99.75
3	1.17	0.04	3082.53	99.79
5	2.37	0.08	3084.90	99.87
6	1.85	0.06	3086.76	99.93
10	2.24	0.07	3089.00	100.00

ih52z: 16/17 - P1 CAI D3.6.23 - Number days missed school - Chronic fatigue

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3076.63	99.60	3076.63	99.60
0	2.79	0.09	3079.42	99.69
3	0.67	0.02	3080.09	99.71
4	0.70	0.02	3080.78	99.73
11	0.83	0.03	3081.61	99.76
20	3.05	0.10	3084.67	99.86
30	0.66	0.02	3085.33	99.88
35	1.91	0.06	3087.24	99.94
40	0.96	0.03	3088.19	99.97

ih52z: 16/17 - P1 CAI D3.6.23 - Number days missed school - Chronic fatigue

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
50	0.34	0.01	3088.53	99.98
60	0.47	0.02	3089.00	100.00

ih52j: 16/17 - P1 CAI D3.6.24 - Number days missed school - Other illness

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2935.97	95.05	2935.97	95.05
0	66.84	2.16	3002.81	97.21
1	8.50	0.28	3011.31	97.48
2	12.03	0.39	3023.34	97.87
3	7.52	0.24	3030.86	98.12
4	5.82	0.19	3036.68	98.31
5	8.38	0.27	3045.06	98.58
6	0.64	0.02	3045.70	98.60
7	0.66	0.02	3046.36	98.62
8	0.74	0.02	3047.10	98.64
10	3.73	0.12	3050.83	98.76
12	4.20	0.14	3055.04	98.90
14	2.23	0.07	3057.27	98.97
15	1.40	0.05	3058.67	99.02
18	3.21	0.10	3061.88	99.12
20	4.13	0.13	3066.00	99.26
21	4.54	0.15	3070.54	99.40
24	0.71	0.02	3071.25	99.43
28	0.57	0.02	3071.82	99.44
30	3.43	0.11	3075.25	99.55
35	1.91	0.06	3077.16	99.62
50	0.70	0.02	3077.86	99.64
56	1.11	0.04	3078.97	99.68
60	3.52	0.11	3082.49	99.79
72	0.54	0.02	3083.02	99.81
80	1.27	0.04	3084.29	99.85
100	2.27	0.07	3086.56	99.92
150	0.65	0.02	3087.21	99.94
200	1.79	0.06	3089.00	100.00

ih37d: 16/17 - P1 CAI D3.7.1 - Severity of SC ongoing - Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
Mild	1	175.15	5.67	3033.94	98.22
Moderate	2	41.85	1.35	3075.79	99.57
Severe	3	13.21	0.43	3089.00	100.00

ih37za: 16/17 - P1 CAI D3.7.2 - Severity of SC ongoing - Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2735.33	88.55	2735.33	88.55
Mild	1	291.33	9.43	3026.66	97.98
Moderate	2	53.95	1.75	3080.61	99.73
Severe	3	8.39	0.27	3089.00	100.00

ih37zb: 16/17 - P1 CAI D3.7.3 - Severity of SC ongoing - Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2613.69	84.61	2613.69	84.61
Mild	1	301.71	9.77	2915.40	94.38
Moderate	2	147.08	4.76	3062.47	99.14
Severe	3	26.53	0.86	3089.00	100.00

ih37zf: 16/17 - P1 CAI D3.7.4 - Severity of SC ongoing - Food allergies

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2912.13	94.27	2912.13	94.27
Mild	1	96.03	3.11	3008.16	97.38
Moderate	2	40.20	1.30	3048.36	98.68
Severe	3	40.64	1.32	3089.00	100.00

ih37b: 16/17 - P1 CAI D3.7.5 - Severity of SC ongoing - Vision problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2726.23	88.26	2726.23	88.26
Mild	1	256.31	8.30	2982.54	96.55
Moderate	2	83.88	2.72	3066.42	99.27
Severe	3	22.58	0.73	3089.00	100.00

ih37o: 16/17 - P1 CAI D3.7.6 - Severity of SC ongoing - Constipation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3020.46	97.78	3020.46	97.78
Mild	1	41.30	1.34	3061.75	99.12
Moderate	2	21.10	0.68	3082.85	99.80
Severe	3	6.15	0.20	3089.00	100.00

ih37zg: 16/17 - P1 CAI D3.7.7 - Severity of SC ongoing - Bedwetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3077.62	99.63	3077.62	99.63
Mild	1	4.22	0.14	3081.84	99.77
Moderate	2	4.61	0.15	3086.45	99.92
Severe	3	2.55	0.08	3089.00	100.00

ih37s: 16/17 - P1 CAI D3.7.8 - Severity of SC ongoing - Wetting self during the day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3083.05	99.81	3083.05	99.81
Mild	1	3.51	0.11	3086.57	99.92
Moderate	2	2.00	0.06	3088.57	99.99
Severe	3	0.43	0.01	3089.00	100.00

ih37n: 16/17 - P1 CAI D3.7.9 - Severity of SC ongoing - Recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2909.13	94.18	2909.13	94.18
Mild	1	62.88	2.04	2972.01	96.21
Moderate	2	85.93	2.78	3057.94	98.99
Severe	3	31.06	1.01	3089.00	100.00

ih37m: 16/17 - P1 CAI D3.7.10 - Severity of SC ongoing - Recurrent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2794.25	90.46	2794.25	90.46
Mild	1	129.62	4.20	2923.88	94.65
Moderate	2	111.72	3.62	3035.60	98.27
Severe	3	53.40	1.73	3089.00	100.00

ih37zh: 16/17 - P1 CAI D3.7.11 - Severity of SC ongoing - Recurrent chest pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3042.51	98.49	3042.51	98.49
Mild	1	23.59	0.76	3066.10	99.26
Moderate	2	10.85	0.35	3076.95	99.61
Severe	3	12.05	0.39	3089.00	100.00

ih37zi: 16/17 - P1 CAI D3.7.12- Severity of SC ongoing - Recurrent back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2930.94	94.88	2930.94	94.88
Mild	1	84.56	2.74	3015.49	97.62
Moderate	2	62.54	2.02	3078.04	99.65
Severe	3	10.96	0.35	3089.00	100.00

ih37t: 16/17 - P1 CAI D3.7.13- Recurrent pain in other parts of the body

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2953.60	95.62	2953.60	95.62
Mild	1	72.62	2.35	3026.22	97.97
Moderate	2	51.62	1.67	3077.83	99.64
Severe	3	11.17	0.36	3089.00	100.00

ih37u: 16/17 - P1 CAI D3.7.14 - Severity of SC ongoing - Bone/joint/muscle problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2823.57	91.41	2823.57	91.41
Mild	1	141.44	4.58	2965.01	95.99
Moderate	2	95.35	3.09	3060.36	99.07
Severe	3	28.64	0.93	3089.00	100.00

ih37zj: 16/17 - P1 CAI D3.7.15 - Severity of SC ongoing - Acne

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2665.83	86.30	2665.83	86.30
Mild	1	248.22	8.04	2914.05	94.34
Moderate	2	152.13	4.92	3066.18	99.26
Severe	3	22.82	0.74	3089.00	100.00

ih37l: 16/17 - P1 CAI D3.7.16 - Severity of SC ongoing - Attention Deficit Disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2998.77	97.08	2998.77	97.08
Mild	1	28.67	0.93	3027.44	98.01
Moderate	2	46.86	1.52	3074.30	99.52
Severe	3	14.70	0.48	3089.00	100.00

ih37v2: 16/17 - P1 CAI D3.7.17 - Severity of SC ongoing - Anxiety disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2786.17	90.20	2786.17	90.20
Mild	1	95.10	3.08	2881.26	93.28
Moderate	2	153.58	4.97	3034.84	98.25
Severe	3	54.16	1.75	3089.00	100.00

ih37v3: 16/17 - P1 CAI D3.7.18 - Severity of SC ongoing - Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.78	93.19	2878.78	93.19
Mild	1	68.48	2.22	2947.26	95.41
Moderate	2	104.52	3.38	3051.78	98.80
Severe	3	37.22	1.20	3089.00	100.00

ih37w: 16/17 - P1 CAI D3.7.19 - Autism, Aspergers, or other autism spectrum

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2982.40	96.55	2982.40	96.55
Mild	1	52.23	1.69	3034.63	98.24
Moderate	2	44.11	1.43	3078.74	99.67
Severe	3	10.26	0.33	3089.00	100.00

ih37x: 16/17 - P1 CAI D3.7.20 - Severity of SC ongoing - Diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.26	99.68	3079.26	99.68
Moderate	2	2.66	0.09	3081.92	99.77
Severe	3	7.08	0.23	3089.00	100.00

ih37ze: 16/17 - P1 CAI D3.7.21 - Severity of SC - Palpitations

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3070.94	99.42	3070.94	99.42
Mild	1	13.55	0.44	3084.50	99.85
Moderate	2	3.81	0.12	3088.31	99.98
Severe	3	0.69	0.02	3089.00	100.00

ih37y: 16/17 - P1 CAI D3.7.22 - Severity of SC ongoing - Epilepsy or seizure disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3070.02	99.39	3070.02	99.39
Mild	1	8.60	0.28	3078.62	99.66
Moderate	2	8.14	0.26	3086.76	99.93
Severe	3	2.24	0.07	3089.00	100.00

ih37z: 16/17 - P1 CAI D3.7.23 - Severity of SC ongoing - Chronic fatigue

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.63	99.60	3076.63	99.60
Mild	1	3.25	0.11	3079.88	99.70
Moderate	2	7.65	0.25	3087.53	99.95
Severe	3	1.47	0.05	3089.00	100.00

ih37j: 16/17 - P1 CAI D3.7.24 - Severity of SC ongoing - Other illnesses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2935.97	95.05	2935.97	95.05
Mild	1	49.76	1.61	2985.73	96.66
Moderate	2	46.72	1.51	3032.45	98.17
Severe	3	56.55	1.83	3089.00	100.00

ih37d1: 16/17 - P1 CAI D3.8.1 - Eczema on elbows

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
No	0	122.34	3.96	2981.14	96.51
Yes	1	107.86	3.49	3089.00	100.00

ih37d2: 16/17 - P1 CAI D3.8.2 - Eczema behind knees

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
No	0	140.02	4.53	2998.81	97.08
Yes	1	90.19	2.92	3089.00	100.00

ih37d3: 16/17 - P1 CAI D3.8.3 - Eczema under buttocks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
No	0	194.78	6.31	3053.57	98.85
Yes	1	35.43	1.15	3089.00	100.00

ih17d4: 16/17 - P1 CAI D3.8.4 - Eczema around neck

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
No	0	150.04	4.86	3008.84	97.40
Yes	1	80.16	2.60	3089.00	100.00

ih17d5: 16/17 - P1 CAI D3.8.5 - Eczema other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
No	0	125.67	4.07	2984.46	96.62
Yes	1	104.54	3.38	3089.00	100.00

ih31a: 16/17 - P1 CAI D4.1 - Does child wear glasses or contact lenses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2726.23	88.26	2726.23	88.26
Yes	1	332.23	10.76	3058.46	99.01
No	2	30.54	0.99	3089.00	100.00

zhs31b1: 16/17 - P1 CAI D4.2+W2-6 - Age start wear glass/ contact lens - total months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2528.67	81.86	2528.67	81.86
Age in months	1	73.60	2.38	2602.27	84.24
Age in years	2	486.73	15.76	3089.00	100.00

zhs31b2: 16/17 - P1 CAI D4.3+W2-6 - Age start wear glass/contact lens - amount

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2546.55	82.44	2546.55	82.44
0	11.43	0.37	2557.98	82.81
5	205.84	6.66	2763.82	89.47
10	249.61	8.08	3013.43	97.55
15	17.88	0.58	3031.31	98.13
20	2.42	0.08	3033.73	98.21
25	0.54	0.02	3034.27	98.23
30	3.42	0.11	3037.69	98.34
65	1.57	0.05	3039.26	98.39
80	15.67	0.51	3054.93	98.90
85	13.00	0.42	3067.94	99.32
90	0.48	0.02	3068.42	99.33
95	0.73	0.02	3069.15	99.36
100	0.51	0.02	3069.66	99.37
105	12.64	0.41	3082.30	99.78
110	6.70	0.22	3089.00	100.00

zhs31b: 16/17 - P1 CAI D4.2/4.3+W2-6 -Age start wear glass/ contact lens - total months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2546.55	82.44	2546.55	82.44
0	1.98	0.06	2548.53	82.50
10	13.07	0.42	2561.60	82.93
20	8.21	0.27	2569.81	83.19
30	3.42	0.11	2573.24	83.30
40	13.20	0.43	2586.44	83.73
50	18.31	0.59	2604.75	84.32
60	37.31	1.21	2642.06	85.53
70	72.64	2.35	2714.70	87.88
80	85.04	2.75	2799.74	90.64
90	6.67	0.22	2806.41	90.85
100	81.36	2.63	2887.78	93.49
110	49.84	1.61	2937.62	95.10
120	57.28	1.85	2994.90	96.95
130	38.59	1.25	3033.49	98.20
140	38.21	1.24	3071.70	99.44
160	14.53	0.47	3086.23	99.91
170	2.77	0.09	3089.00	100.00

ih31c: 16/17 - P1 CAI D4.4 - Why does child wear glasses or contact lenses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
Short sighted myopia	1	179.69	5.82	2936.46	95.06
Long sighted	2	73.88	2.39	3010.34	97.45
Turned eyes squint	3	2.49	0.08	3012.83	97.53
Astigmatism	4	34.21	1.11	3047.04	98.64
Amblyopia lazy eye	5	14.67	0.47	3061.71	99.12
Other reason	6	27.29	0.88	3089.00	100.00

ih31d: 16/17 - P1 CAI D4.6 - Other eye conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
Yes	1	87.37	2.83	2844.13	92.07
No	2	244.87	7.93	3089.00	100.00

ih31d1: 16/17 - P1 CAI D4.6.1 - Other eye conditions - Short sighted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
No	0	303.16	9.81	3059.93	99.06
Yes	1	29.07	0.94	3089.00	100.00

ih31d2: 16/17 - P1 CAI D4.6.2 - Other eye conditions - Long sighted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
No	0	309.79	10.03	3066.56	99.27
Yes	1	22.44	0.73	3089.00	100.00

ih31d3: 16/17 - P1 CAI D4.6.3 - Other eye conditions - Turned eye(s)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
No	0	320.19	10.37	3076.96	99.61
Yes	1	12.04	0.39	3089.00	100.00

ih31d4: 16/17 - P1 CAI D4.6.4- Other eye conditions - Astigmatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
No	0	306.04	9.91	3062.81	99.15
Yes	1	26.19	0.85	3089.00	100.00

ih31d5: 16/17 - P1 CAI D4.6.5 - Other eye conditions - Amblyopia (lazy eye)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2756.77	89.24	2756.77	89.24
No	0	321.76	10.42	3078.52	99.66
Yes	1	10.48	0.34	3089.00	100.00

ih37d1a: 16/17 - P1 CAI D5.1 - Frequency of Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.79	92.55	2858.79	92.55
Daily	1	46.44	1.50	2905.23	94.05
Most days 4-6 times a week	2	18.74	0.61	2923.97	94.66
Some days 1-3 times a week	3	11.51	0.37	2935.48	95.03
A few times a month	4	42.07	1.36	2977.55	96.39
Rarely	5	27.18	0.88	3004.73	97.27
A few times a year	6	84.27	2.73	3089.00	100.00

ih37za1a: 16/17 - P1 CAI D5.2 - Frequency of Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2735.33	88.55	2735.33	88.55
Daily	1	0.38	0.01	2735.70	88.56
Most days 4-6 times a week	2	9.17	0.30	2744.87	88.86
Some days 1-3 times a week	3	17.81	0.58	2762.68	89.44
A few times a month	4	64.78	2.10	2827.47	91.53
Rarely	5	66.45	2.15	2893.92	93.68
A few times a year	6	195.08	6.32	3089.00	100.00

ih37zb1a: 16/17 - P1 CAI D5.3 - Frequency of Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2613.69	84.61	2613.69	84.61
Daily	1	39.29	1.27	2652.97	85.88
Most days 4-6 times a week	2	35.70	1.16	2688.67	87.04
Some days 1-3 times a week	3	72.86	2.36	2761.53	89.40
A few times a month	4	95.57	3.09	2857.10	92.49
Rarely	5	20.83	0.67	2877.93	93.17
A few times a year	6	211.07	6.83	3089.00	100.00

ih37zg1a: 16/17 - P1 CAI D5.4 - Frequency of Bedwetting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3077.62	99.63	3077.62	99.63
Daily	1	4.19	0.14	3081.81	99.77
Most days 4-6 times a week	2	2.88	0.09	3084.69	99.86
Some days 1-3 times a week	3	2.38	0.08	3087.07	99.94
A few times a year	6	1.93	0.06	3089.00	100.00

ih37s1a: 16/17 - P1 CAI D5.5 - Frequency of wetting self during the day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3083.05	99.81	3083.05	99.81
Daily	1	3.42	0.11	3086.48	99.92
Most days 4-6 times a week	2	1.30	0.04	3087.78	99.96
A few times a month	4	0.57	0.02	3088.35	99.98
A few times a year	6	0.65	0.02	3089.00	100.00

ih37n1a: 16/17 - P1 CAI D5.6 - Frequency of recurrent abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2909.13	94.18	2909.13	94.18
Daily	1	3.93	0.13	2913.06	94.30
Most days 4-6 times a week	2	10.32	0.33	2923.39	94.64
Some days 1-3 times a week	3	21.43	0.69	2944.82	95.33
A few times a month	4	79.64	2.58	3024.47	97.91
Rarely	5	3.28	0.11	3027.74	98.02
A few times a year	6	61.26	1.98	3089.00	100.00

ih37m1a: 16/17 - P1 CAI D5.7 - Frequency of recurrent headaches

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2794.25	90.46	2794.25	90.46
Daily	1	8.94	0.29	2803.19	90.75
Most days 4-6 times a week	2	18.26	0.59	2821.45	91.34
Some days 1-3 times a week	3	43.15	1.40	2864.60	92.74
A few times a month	4	125.03	4.05	2989.62	96.78
Rarely	5	6.72	0.22	2996.35	97.00
A few times a year	6	92.65	3.00	3089.00	100.00

ih37zh1a: 16/17 - P1 CAI D5.8 - Frequency of Recurrent chest pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3042.51	98.49	3042.51	98.49
Daily	1	0.70	0.02	3043.21	98.52
Most days 4-6 times a week	2	1.29	0.04	3044.50	98.56
Some days 1-3 times a week	3	11.17	0.36	3055.67	98.92
A few times a month	4	12.41	0.40	3068.08	99.32
Rarely	5	4.07	0.13	3072.14	99.45
A few times a year	6	16.86	0.55	3089.00	100.00

ih37zi1a: 16/17 - P1 CAI D5.9- Frequency of Recurrent back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2930.94	94.88	2930.94	94.88
Daily	1	23.71	0.77	2954.65	95.65
Most days 4-6 times a week	2	12.93	0.42	2967.58	96.07
Some days 1-3 times a week	3	36.98	1.20	3004.55	97.27
A few times a month	4	42.97	1.39	3047.52	98.66
Rarely	5	3.99	0.13	3051.51	98.79
A few times a year	6	37.49	1.21	3089.00	100.00

ih37t1a: 16/17 - P1 CAI D5.1.10 - Frequency of recurrent pain in other parts of the body

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2953.60	95.62	2953.60	95.62
Daily	1	14.69	0.48	2968.28	96.09
Most days 4-6 times a week	2	10.53	0.34	2978.81	96.43
Some days 1-3 times a week	3	27.85	0.90	3006.67	97.33
A few times a month	4	46.08	1.49	3052.74	98.83
Rarely	5	9.97	0.32	3062.72	99.15
A few times a year	6	26.28	0.85	3089.00	100.00

ih37zj1a: 16/17 - P1 CAI D5.11 - Frequency of Acne

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2665.83	86.30	2665.83	86.30
Daily	1	209.51	6.78	2875.34	93.08
Most days 4-6 times a week	2	78.43	2.54	2953.77	95.62
Some days 1-3 times a week	3	37.43	1.21	2991.20	96.83
A few times a month	4	53.56	1.73	3044.76	98.57
Rarely	5	18.68	0.60	3063.44	99.17
A few times a year	6	25.56	0.83	3089.00	100.00

ih37v2a: 16/17 - P1 CAI D5.12 - Frequency of anxiety disorders

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2786.17	90.20	2786.17	90.20
Daily	1	40.02	1.30	2826.19	91.49
Most days 4-6 times a week	2	65.06	2.11	2891.25	93.60
Some days 1-3 times a week	3	59.93	1.94	2951.18	95.54
A few times a month	4	94.97	3.07	3046.15	98.61
Rarely	5	6.74	0.22	3052.89	98.83
A few times a year	6	36.11	1.17	3089.00	100.00

ih37v3a: 16/17 - P1 CAI D5.13 - Frequency of depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2878.78	93.19	2878.78	93.19
Daily	1	30.34	0.98	2909.13	94.18
Most days 4-6 times a week	2	33.17	1.07	2942.30	95.25
Some days 1-3 times a week	3	52.78	1.71	2995.08	96.96
A few times a month	4	56.43	1.83	3051.51	98.79

ih37v3a: 16/17 - P1 CAI D5.13 - Frequency of depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Rarely	5	9.70	0.31	3061.21	99.10
A few times a year	6	27.79	0.90	3089.00	100.00

ih37ze1: 16/17 - P1 CAI D5.14 - Frequency palpitations

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3070.94	99.42	3070.94	99.42
Some days 1-3 times a week	3	3.31	0.11	3074.25	99.52
A few times a month	4	4.33	0.14	3078.58	99.66
Rarely	5	4.28	0.14	3082.86	99.80
A few times a year	6	6.14	0.20	3089.00	100.00

ih37y1a: 16/17 - P1 CAI D5.15 - Frequency of epilepsy or seizures

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3070.02	99.39	3070.02	99.39
Daily	1	1.62	0.05	3071.64	99.44
Most days 4-6 times a week	2	1.30	0.04	3072.94	99.48
A few times a month	4	7.18	0.23	3080.12	99.71
Rarely	5	8.18	0.26	3088.30	99.98
A few times a year	6	0.70	0.02	3089.00	100.00

ih37z1a: 16/17 - P1 CAI D5.16 - Frequency of chronic fatigue

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.63	99.60	3076.63	99.60
Daily	1	2.38	0.08	3079.01	99.68
Most days 4-6 times a week	2	1.60	0.05	3080.61	99.73
Some days 1-3 times a week	3	5.41	0.18	3086.02	99.90
A few times a month	4	2.19	0.07	3088.21	99.97
A few times a year	6	0.79	0.03	3089.00	100.00

ih37w2: 16/17 - P1 CAI D7.1.1/7.2.1 - Age autism/Aspergers diagnosed - Months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2982.40	96.55	2982.40	96.55
0	3.77	0.12	2986.16	96.67
10	4.57	0.15	2990.73	96.82
20	10.40	0.34	3001.13	97.16
30	2.40	0.08	3003.54	97.23
40	18.96	0.61	3022.50	97.85
50	8.85	0.29	3031.35	98.13
60	9.07	0.29	3040.42	98.43
70	1.59	0.05	3042.00	98.48
80	8.54	0.28	3050.55	98.76
100	7.11	0.23	3057.66	98.99
110	5.17	0.17	3062.82	99.15
120	3.56	0.12	3066.38	99.27
130	6.43	0.21	3072.81	99.48
160	4.01	0.13	3076.82	99.61

ih17w2: 16/17 - P1 CAI D7.1.1/7.2.1 - Age autism/Aspergers diagnosed - Months

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
170	1.26	0.04	3078.08	99.65
180	3.22	0.10	3081.30	99.75
190	4.96	0.16	3086.26	99.91
200	2.74	0.09	3089.00	100.00

ih17x2: 16/17 - P1 CAI D7.1.2/7.2.2 - Diabetes diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3079.26	99.68	3079.26	99.68
50	4.16	0.13	3083.42	99.82
60	0.47	0.02	3083.89	99.83
85	1.31	0.04	3085.20	99.88
95	1.43	0.05	3086.63	99.92
110	0.47	0.02	3087.10	99.94
120	0.55	0.02	3087.65	99.96
145	1.35	0.04	3089.00	100.00

ih17y2: 16/17 - P1 CAI D7.1.3/7.2.3 - Epilepsy or seizures diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3070.02	99.39	3070.02	99.39
15	2.37	0.08	3072.39	99.46
25	5.83	0.19	3078.23	99.65
85	0.85	0.03	3079.07	99.68
95	1.30	0.04	3080.38	99.72
110	1.60	0.05	3081.98	99.77
120	0.94	0.03	3082.92	99.80
130	3.50	0.11	3086.42	99.92
145	0.41	0.01	3086.83	99.93
155	0.33	0.01	3087.16	99.94
170	1.14	0.04	3088.30	99.98
180	0.70	0.02	3089.00	100.00

ih17w3: 16/17 - P1 CAI D7.1.1 - Age autism/Aspergers diagnosed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2982.40	96.55	2982.40	96.55
Age in months	1	8.72	0.28	2991.12	96.83
Age in years	2	97.88	3.17	3089.00	100.00

ih17x3: 16/17 - P1 CAI D7.1.2 - Diabetes diagnosed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.26	99.68	3079.26	99.68
Age in years	2	9.74	0.32	3089.00	100.00

ih17y3: 16/17 - P1 CAI D7.1.3 - Epilepsy or seizures diagnosed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3070.02	99.39	3070.02	99.39
Age in months	1	2.37	0.08	3072.39	99.46
Age in years	2	16.61	0.54	3089.00	100.00

ih17w4: 16/17 - P1 CAI D7.2.1 - Age autism/Aspergers diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2982.40	96.55	2982.40	96.55
0	16.18	0.52	2998.58	97.07
5	47.45	1.54	3046.03	98.61
10	22.89	0.74	3068.92	99.35
15	16.73	0.54	3085.65	99.89
20	0.94	0.03	3086.60	99.92
25	2.40	0.08	3089.00	100.00

ih17x4: 16/17 - P1 CAI D7.2.2 - Diabetes diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3079.26	99.68	3079.26	99.68
0	4.16	0.13	3083.42	99.82
10	5.58	0.18	3089.00	100.00

ih17y4: 16/17 - P1 CAI D7.2.3 - Epilepsy or seizures diagnosed

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3070.02	99.39	3070.02	99.39
0	5.83	0.19	3075.85	99.57
10	10.08	0.33	3085.93	99.90
20	3.07	0.10	3089.00	100.00

ih17a1: 16/17 - P1 CAI D8.1.1 - Recent reaction to peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3054.47	98.88	3054.47	98.88
-2	-2	0.92	0.03	3055.39	98.91
No more reactions	1	4.74	0.15	3060.13	99.07
Eliminated food from diet	2	21.42	0.69	3081.54	99.76
Yes	3	7.46	0.24	3089.00	100.00

ih17a2: 16/17 - P1 CAI D8.1.2 - Recent reaction to other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3058.68	99.02	3075.62	99.57
No more reactions	1	1.63	0.05	3077.25	99.62
Eliminated food from diet	2	9.99	0.32	3087.23	99.94
Yes	3	1.77	0.06	3089.00	100.00

ih343a3: 16/17 - P1 CAI D8.1.3 - Recent reaction to hen's eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.00	99.55	3075.00	99.55
No more reactions	1	5.44	0.18	3080.44	99.72
Eliminated food from diet	2	6.55	0.21	3086.99	99.93
Yes	3	2.01	0.07	3089.00	100.00

ih343a4: 16/17 - P1 CAI D8.1.4 - Recent reaction to cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3050.30	98.75	3060.71	99.08
No more reactions	1	11.05	0.36	3071.77	99.44
Eliminated food from diet	2	7.28	0.24	3079.05	99.68
Yes	3	9.95	0.32	3089.00	100.00

ih343a5: 16/17 - P1 CAI D8.1.5 - Recent reaction to soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3083.09	99.81	3083.09	99.81
No more reactions	1	2.31	0.07	3085.40	99.88
Eliminated food from diet	2	2.94	0.10	3088.34	99.98
Yes	3	0.66	0.02	3089.00	100.00

ih343a6: 16/17 - P1 CAI D8.1.6 - Recent reaction to sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.45	99.98	3088.45	99.98
Eliminated food from diet	2	0.55	0.02	3089.00	100.00

ih343a7: 16/17 - P1 CAI D8.1.7 - Recent reaction to wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3067.81	99.31	3074.52	99.53
-2	-2	0.82	0.03	3075.34	99.56
No more reactions	1	3.91	0.13	3079.25	99.68
Eliminated food from diet	2	5.92	0.19	3085.17	99.88
Yes	3	3.83	0.12	3089.00	100.00

ih343a11: 16/17 - P1 CAI D8.1.8 - Recent reaction to Fruit (1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3064.51	99.21	3072.89	99.48
No more reactions	1	4.63	0.15	3077.52	99.63
Eliminated food from diet	2	6.44	0.21	3083.96	99.84
Yes	3	5.04	0.16	3089.00	100.00

ih43a12: 16/17 - P1 CAI D8.1.9 - Recent reaction to Fruit (2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3085.05	99.87	3087.02	99.94
No more reactions	1	0.52	0.02	3087.53	99.95
Eliminated food from diet	2	1.47	0.05	3089.00	100.00

ih43a13: 16/17 - P1 CAI D8.1.10 - Recent reaction to Fruit (3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.48	99.98	3088.48	99.98
No more reactions	1	0.52	0.02	3089.00	100.00

ih43a14: 16/17 - P1 CAI D8.1.11 - Recent reaction to preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3069.82	99.38	3078.32	99.65
-2	-2	0.88	0.03	3079.20	99.68
No more reactions	1	2.65	0.09	3081.84	99.77
Eliminated food from diet	2	4.57	0.15	3086.41	99.92
Yes	3	2.59	0.08	3089.00	100.00

ih43a15: 16/17 - P1 CAI D8.1.12 - Recent reaction to additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3059.67	99.05	3068.33	99.33
-2	-2	0.88	0.03	3069.21	99.36
No more reactions	1	5.26	0.17	3074.47	99.53
Eliminated food from diet	2	7.75	0.25	3082.22	99.78
Yes	3	6.78	0.22	3089.00	100.00

ih43a16: 16/17 - P1 CAI D8.1.13 - Recent reaction to seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3077.71	99.63	3083.03	99.81
Eliminated food from diet	2	4.04	0.13	3087.07	99.94
Yes	3	1.93	0.06	3089.00	100.00

ih43a8: 16/17 - P1 CAI D8.1.14 - Recent reaction to other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2954.54	95.65	3043.79	98.54
-2	-2	0.52	0.02	3044.31	98.55
No more reactions	1	16.83	0.54	3061.13	99.10
Eliminated food from diet	2	18.62	0.60	3079.75	99.70
Yes	3	9.25	0.30	3089.00	100.00

ih43a9: 16/17 - P1 CAI D8.1.15 - Recent reaction to other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3070.86	99.41	3088.37	99.98
Eliminated food from diet	2	0.63	0.02	3089.00	100.00

ih43a10: 16/17 - P1 CAI D8.1.16 - Recent reaction to other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41a1: 16/17 - P1 CAI D8.2.1.1 - reaction to peanuts - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	4.74	0.15	3086.28	99.91
Yes	1	2.72	0.09	3089.00	100.00

ih41a2: 16/17 - P1 CAI D8.2.1.2 - reaction to peanuts - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	5.07	0.16	3086.62	99.92
Yes	1	2.38	0.08	3089.00	100.00

ih41a3: 16/17 - P1 CAI D8.2.1.3 - reaction to peanuts - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	6.84	0.22	3088.38	99.98
Yes	1	0.62	0.02	3089.00	100.00

ih41a4: 16/17 - P1 CAI D8.2.1.4 - reaction to peanuts - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	3.31	0.11	3084.85	99.87
Yes	1	4.15	0.13	3089.00	100.00

ih41a5: 16/17 - P1 CAI D8.2.1.5 - reaction to peanuts - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	7.46	0.24	3089.00	100.00

ih41a6: 16/17 - P1 CAI D8.2.1.6 - reaction to peanuts - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	5.97	0.19	3087.52	99.95
Yes	1	1.48	0.05	3089.00	100.00

ih41a7: 16/17 - P1 CAI D8.2.1.7 - reaction to peanuts - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	2.63	0.09	3084.17	99.84
Yes	1	4.83	0.16	3089.00	100.00

ih41a8: 16/17 - P1 CAI D8.2.1.8 - reaction to peanuts - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.54	99.76	3081.54	99.76
No	0	5.83	0.19	3087.37	99.95
Yes	1	1.63	0.05	3089.00	100.00

ih41b1: 16/17 - P1 CAI D8.2.2.1 - reaction to other nuts - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
No	0	1.11	0.04	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih41b2: 16/17 - P1 CAI D8.2.2.2 - reaction to other nuts - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
No	0	1.11	0.04	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih41b3: 16/17 - P1 CAI D8.2.2.3 - reaction to other nuts - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
No	0	1.77	0.06	3089.00	100.00

ih41b4: 16/17 - P1 CAI D8.2.2.4 - reaction to other nuts - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
No	0	1.11	0.04	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih41b5: 16/17 - P1 CAI D8.2.2.5 - reaction to other nuts - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
No	0	1.77	0.06	3089.00	100.00

ih41b6: 16/17 - P1 CAI D8.2.2.6 - reaction to other nuts - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
Yes	1	1.77	0.06	3089.00	100.00

ih41b7: 16/17 - P1 CAI D8.2.2.7 - reaction to other nuts - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
Yes	1	1.77	0.06	3089.00	100.00

ih41b8: 16/17 - P1 CAI D8.2.2.8 - reaction to other nuts - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3070.29	99.39	3087.23	99.94
No	0	1.77	0.06	3089.00	100.00

ih41c1: 16/17 - P1 CAI D8.2.3.1 - reaction to hen's eggs - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	0.69	0.02	3087.68	99.96
Yes	1	1.32	0.04	3089.00	100.00

ih41c2: 16/17 - P1 CAI D8.2.3.2 - reaction to hen's eggs - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	2.01	0.07	3089.00	100.00

ih41c3: 16/17 - P1 CAI D8.2.3.3 - reaction to hen's eggs - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	2.01	0.07	3089.00	100.00

ih41c4: 16/17 - P1 CAI D8.2.3.4 - reaction to hen's eggs - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	1.38	0.04	3088.37	99.98
Yes	1	0.63	0.02	3089.00	100.00

ih41c5: 16/17 - P1 CAI D8.2.3.5 - reaction to hen's eggs - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	2.01	0.07	3089.00	100.00

ih41c6: 16/17 - P1 CAI D8.2.3.6 - reaction to hen's eggs - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	2.01	0.07	3089.00	100.00

ih41c7: 16/17 - P1 CAI D8.2.3.7 - reaction to hen's eggs - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	2.01	0.07	3089.00	100.00

ih41c8: 16/17 - P1 CAI D8.2.3.8 - reaction to hen's eggs - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.99	99.93	3086.99	99.93
No	0	0.70	0.02	3087.69	99.96
Yes	1	1.31	0.04	3089.00	100.00

ih41d1: 16/17 - P1 CAI D8.2.4.1 - reaction to cow's milk - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	7.86	0.25	3086.91	99.93
Yes	1	2.09	0.07	3089.00	100.00

ih41d2: 16/17 - P1 CAI D8.2.4.2 - reaction to cow's milk - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	8.47	0.27	3087.52	99.95
Yes	1	1.48	0.05	3089.00	100.00

ih41d3: 16/17 - P1 CAI D8.2.4.3 - reaction to cow's milk - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	7.76	0.25	3086.82	99.93
Yes	1	2.18	0.07	3089.00	100.00

ih41d4: 16/17 - P1 CAI D8.2.4.4 - reaction to cow's milk - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	3.60	0.12	3082.66	99.79
Yes	1	6.34	0.21	3089.00	100.00

ih41d5: 16/17 - P1 CAI D8.2.4.5 - reaction to cow's milk - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	9.95	0.32	3089.00	100.00

ih41d6: 16/17 - P1 CAI D8.2.4.6 - reaction to cow's milk - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	9.95	0.32	3089.00	100.00

ih41d7: 16/17 - P1 CAI D8.2.4.7 - reaction to cow's milk - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	9.95	0.32	3089.00	100.00

ih41d8: 16/17 - P1 CAI D8.2.4.8 - reaction to cow's milk - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3068.64	99.34	3079.05	99.68
No	0	8.85	0.29	3087.90	99.96
Yes	1	1.10	0.04	3089.00	100.00

ih41e1: 16/17 - P1 CAI D8.2.5.1 - reaction to soy - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih41e2: 16/17 - P1 CAI D8.2.5.2 - reaction to soy - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	0	0.66	0.02	3089.00	100.00

ih41e3: 16/17 - P1 CAI D8.2.5.3 - reaction to soy - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	0	0.66	0.02	3089.00	100.00

ih41e4: 16/17 - P1 CAI D8.2.5.4 - reaction to soy - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	0	0.66	0.02	3089.00	100.00

ih41e5: 16/17 - P1 CAI D8.2.5.5 - reaction to soy - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih41e6: 16/17 - P1 CAI D8.2.5.6 - reaction to soy - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	0	0.66	0.02	3089.00	100.00

ih41e7: 16/17 - P1 CAI D8.2.5.7 - reaction to soy - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	0	0.66	0.02	3089.00	100.00

ih41e8: 16/17 - P1 CAI D8.2.5.8 - reaction to soy - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	0	0.66	0.02	3089.00	100.00

ih41f1: 16/17 - P1 CAI D8.2.6.1 - reaction to sesame - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f2: 16/17 - P1 CAI D8.2.6.2 - reaction to sesame - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f3: 16/17 - P1 CAI D8.2.6.3 - reaction to sesame -diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f4: 16/17 - P1 CAI D8.2.6.4 - reaction to sesame - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f5: 16/17 - P1 CAI D8.2.6.5 - reaction to sesame - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f6: 16/17 - P1 CAI D8.2.6.6 - reaction to sesame - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f7: 16/17 - P1 CAI D8.2.6.7 - reaction to sesame - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41f8: 16/17 - P1 CAI D8.2.6.8 - reaction to sesame - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41g1: 16/17 - P1 CAI D8.2.7.1 - reaction to wheat - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	2.22	0.07	3087.38	99.95
Yes	1	1.62	0.05	3089.00	100.00

ih41g2: 16/17 - P1 CAI D8.2.7.2 - reaction to wheat - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	3.83	0.12	3089.00	100.00

ih41g3: 16/17 - P1 CAI D8.2.7.3 - reaction to wheat - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	3.83	0.12	3089.00	100.00

ih41g4: 16/17 - P1 CAI D8.2.7.4 - reaction to wheat - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	0.99	0.03	3086.16	99.91
Yes	1	2.84	0.09	3089.00	100.00

ih41g5: 16/17 - P1 CAI D8.2.7.5 - reaction to wheat - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	2.47	0.08	3087.64	99.96
Yes	1	1.36	0.04	3089.00	100.00

ih41g6: 16/17 - P1 CAI D8.2.7.6 - reaction to wheat - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	3.83	0.12	3089.00	100.00

ih41g7: 16/17 - P1 CAI D8.2.7.7 - reaction to wheat - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	3.83	0.12	3089.00	100.00

ih41g8: 16/17 - P1 CAI D8.2.7.8 - reaction to wheat - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3078.46	99.66	3085.17	99.88
No	0	3.38	0.11	3088.55	99.99
Yes	1	0.45	0.01	3089.00	100.00

ih41k1: 16/17 - P1 CAI D8.2.8.1 - reaction to fruit(1) - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	2.88	0.09	3086.84	99.93
Yes	1	2.16	0.07	3089.00	100.00

ih41k2: 16/17 - P1 CAI D8.2.8.2 - reaction to fruit(1) - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	5.04	0.16	3089.00	100.00

ih41k3: 16/17 - P1 CAI D8.2.8.3 - reaction to fruit(1) - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	5.04	0.16	3089.00	100.00

ih41k4: 16/17 - P1 CAI D8.2.8.4 - reaction to fruit(1) - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	5.04	0.16	3089.00	100.00

ih41k5: 16/17 - P1 CAI D8.2.8.5 - reaction to fruit(1) - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	5.04	0.16	3089.00	100.00

ih41k6: 16/17 - P1 CAI D8.2.8.6 - reaction to fruit(1) - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	5.04	0.16	3089.00	100.00

ih41k7: 16/17 - P1 CAI D8.2.8.7 - reaction to fruit(1) - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	2.16	0.07	3086.12	99.91
Yes	1	2.88	0.09	3089.00	100.00

ih41k8: 16/17 - P1 CAI D8.2.8.8 - reaction to fruit(1) - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3075.58	99.57	3083.96	99.84
No	0	5.04	0.16	3089.00	100.00

ih41l1: 16/17 - P1 CAI D8.2.9.1 - reaction to fruit(2) - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih41l2: 16/17 - P1 CAI D8.2.9.2 - reaction to fruit(2) - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih41l3: 16/17 - P1 CAI D8.2.9.3 - reaction to fruit(2) - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih41l4: 16/17 - P1 CAI D8.2.9.4 - reaction to fruit(2) - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih41l5: 16/17 - P1 CAI D8.2.9.5 - reaction to fruit(2) - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih4116: 16/17 - P1 CAI D8.2.9.6 - reaction to fruit(2) - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih4117: 16/17 - P1 CAI D8.2.9.7 - reaction to fruit(2) - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih4118: 16/17 - P1 CAI D8.2.9.8 - reaction to fruit(2) - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih41m1: 16/17 - P1 CAI D8.2.10.1 - reaction to fruit(3) - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m2: 16/17 - P1 CAI D8.2.10.2 - reaction to fruit(3) - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m3: 16/17 - P1 CAI D8.2.10.3 - reaction to fruit(3) - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m4: 16/17 - P1 CAI D8.2.10.4 - reaction to fruit(3) - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m5: 16/17 - P1 CAI D8.2.10.5 - reaction to fruit(3) - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m6: 16/17 - P1 CAI D8.2.10.6 - reaction to fruit(3) - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m7: 16/17 - P1 CAI D8.2.10.7 - reaction to fruit(3) - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41m8: 16/17 - P1 CAI D8.2.10.8 - reaction to fruit(3) - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih41n1: 16/17 - P1 CAI D8.2.11.1 - reaction to preservatives - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	0.67	0.02	3087.08	99.94
Yes	1	1.92	0.06	3089.00	100.00

ih41n2: 16/17 - P1 CAI D8.2.11.2 - reaction to preservatives - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	2.59	0.08	3089.00	100.00

ih41n3: 16/17 - P1 CAI D8.2.11.3 - reaction to preservatives - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	2.59	0.08	3089.00	100.00

ih41n4: 16/17 - P1 CAI D8.2.11.4 - reaction to preservatives - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	2.59	0.08	3089.00	100.00

ih41n5: 16/17 - P1 CAI D8.2.11.5 - reaction to preservatives - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	1.92	0.06	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih41n6: 16/17 - P1 CAI D8.2.11.6 - reaction to preservatives - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	2.59	0.08	3089.00	100.00

ih41n7: 16/17 - P1 CAI D8.2.11.7 - reaction to preservatives - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	2.12	0.07	3088.53	99.98
Yes	1	0.47	0.02	3089.00	100.00

ih41n8: 16/17 - P1 CAI D8.2.11.8 - reaction to preservatives - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3077.92	99.64	3086.41	99.92
No	0	2.12	0.07	3088.53	99.98
Yes	1	0.47	0.02	3089.00	100.00

ih41o1: 16/17 - P1 CAI D8.2.12.1 - reaction to additives - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	2.58	0.08	3084.80	99.86
Yes	1	4.20	0.14	3089.00	100.00

ih41o2: 16/17 - P1 CAI D8.2.12.2 - reaction to additives - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	3.69	0.12	3085.91	99.90
Yes	1	3.09	0.10	3089.00	100.00

ih41o3: 16/17 - P1 CAI D8.2.12.3 - reaction to additives - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	3.69	0.12	3085.91	99.90
Yes	1	3.09	0.10	3089.00	100.00

ih41o4: 16/17 - P1 CAI D8.2.12.4 - reaction to additives - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	3.69	0.12	3085.91	99.90
Yes	1	3.09	0.10	3089.00	100.00

ih41o5: 16/17 - P1 CAI D8.2.12.5 - reaction to additives - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	6.11	0.20	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih41o6: 16/17 - P1 CAI D8.2.12.6 - reaction to additives - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	6.78	0.22	3089.00	100.00

ih41o7: 16/17 - P1 CAI D8.2.12.7 - reaction to additives - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	6.31	0.20	3088.53	99.98
Yes	1	0.47	0.02	3089.00	100.00

ih41o8: 16/17 - P1 CAI D8.2.12.8 - reaction to additives - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3073.56	99.50	3082.22	99.78
No	0	4.39	0.14	3086.61	99.92
Yes	1	2.39	0.08	3089.00	100.00

ih41p1: 16/17 - P1 CAI D8.2.13.1 - reaction to seafood - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.93	0.06	3089.00	100.00

ih41p2: 16/17 - P1 CAI D8.2.13.2 - reaction to seafood - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.93	0.06	3089.00	100.00

ih41p3: 16/17 - P1 CAI D8.2.13.3 - reaction to seafood - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.93	0.06	3089.00	100.00

ih41p4: 16/17 - P1 CAI D8.2.13.4 - reaction to seafood - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.93	0.06	3089.00	100.00

ih41p5: 16/17 - P1 CAI D8.2.13.5 - reaction to seafood - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.93	0.06	3089.00	100.00

ih41p6: 16/17 - P1 CAI D8.2.13.6 - reaction to seafood - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.23	0.04	3088.30	99.98
Yes	1	0.70	0.02	3089.00	100.00

ih41p7: 16/17 - P1 CAI D8.2.13.7 - reaction to seafood - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
Yes	1	1.93	0.06	3089.00	100.00

ih41p8: 16/17 - P1 CAI D8.2.13.8 - reaction to seafood - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3081.75	99.77	3087.07	99.94
No	0	1.23	0.04	3088.30	99.98
Yes	1	0.70	0.02	3089.00	100.00

ih41h1: 16/17 - P1 CAI D8.2.14.1 - reaction to other food 1 - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	4.57	0.15	3084.32	99.85
Yes	1	4.68	0.15	3089.00	100.00

ih41h2: 16/17 - P1 CAI D8.2.14.2 - reaction to other food 1- vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	9.25	0.30	3089.00	100.00

ih41h3: 16/17 - P1 CAI D8.2.14.3 - reaction to other food 1 - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	9.25	0.30	3089.00	100.00

ih41h4: 16/17 - P1 CAI D8.2.14.4 - reaction to other food 1 - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	6.92	0.22	3086.67	99.92
Yes	1	2.33	0.08	3089.00	100.00

ih41h5: 16/17 - P1 CAI D8.2.14.5 - reaction to other food 1 - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	9.25	0.30	3089.00	100.00

ih41h6: 16/17 - P1 CAI D8.2.14.6 - reaction to other food 1 - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	9.25	0.30	3089.00	100.00

ih41h7: 16/17 - P1 CAI D8.2.14.7 - reaction to other food 1 - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	6.44	0.21	3086.19	99.91
Yes	1	2.81	0.09	3089.00	100.00

ih41h8: 16/17 - P1 CAI D8.2.14.8 - reaction to other food 1 - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2990.51	96.81	3079.75	99.70
No	0	7.54	0.24	3087.29	99.94
Yes	1	1.71	0.06	3089.00	100.00

ih41i1: 16/17 - P1 CAI D8.2.15.1 - reaction to other food 2 - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i2: 16/17 - P1 CAI D8.2.15.2 - reaction to other food 2 - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i3: 16/17 - P1 CAI D8.2.15.3 - reaction to other food 2 - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i4: 16/17 - P1 CAI D8.2.15.4 - reaction to other food 2 - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i5: 16/17 - P1 CAI D8.2.15.5 - reaction to other food 2 - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i6: 16/17 - P1 CAI D8.2.15.6 - reaction to other food 2 - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i7: 16/17 - P1 CAI D8.2.15.7 - reaction to other food 2 - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41i8: 16/17 - P1 CAI D8.2.15.8 - reaction to other food 2 - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih41j1: 16/17 - P1 CAI D8.2.16.1 - reaction to other food 3 - skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j2: 16/17 - P1 CAI D8.2.16.2 - reaction to other food 3 - vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j3: 16/17 - P1 CAI D8.2.16.3 - reaction to other food 3 - diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j4: 16/17 - P1 CAI D8.2.16.4 - reaction to other food 3 - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j5: 16/17 - P1 CAI D8.2.16.5 - reaction to other food 3 - migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j6: 16/17 - P1 CAI D8.2.16.6 - reaction to other food 3 - difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j7: 16/17 - P1 CAI D8.2.16.7 - reaction to other food 3 - mouth swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih41j8: 16/17 - P1 CAI D8.2.16.8 - reaction to other food 3 - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih42a1: 16/17 - P1 CAI D8.4.1.1 - Type of skin rash urticaria - Peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.28	99.91	3086.28	99.91
Yes	1	2.72	0.09	3089.00	100.00

ih42b1: 16/17 - P1 CAI D8.4.1.2 - Type of skin rash eczema flare - Peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.28	99.91	3086.28	99.91
No	2	2.72	0.09	3089.00	100.00

ih42c1: 16/17 - P1 CAI D8.4.1.3 - Type of skin rash other - Peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.28	99.91	3086.28	99.91
No	2	2.72	0.09	3089.00	100.00

ih42a2: 16/17 - P1 CAI D8.4.2.1 - Type of skin rash urticaria - Other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3071.40	99.43	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih42b2: 16/17 - P1 CAI D8.4.2.2 - Type of skin rash eczema flare - Other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3071.40	99.43	3088.34	99.98
No	2	0.66	0.02	3089.00	100.00

ih42c2: 16/17 - P1 CAI D8.4.2.3 - Type of skin rash other - Other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.94	0.55	16.94	0.55
-9	-9	3071.40	99.43	3088.34	99.98
No	2	0.66	0.02	3089.00	100.00

ih42a3: 16/17 - P1 CAI D8.4.3.1 - Type of skin rash urticaria - Eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.68	99.96	3087.68	99.96
Yes	1	0.63	0.02	3088.30	99.98
No	2	0.70	0.02	3089.00	100.00

ih42b3: 16/17 - P1 CAI D8.4.3.2 - Type of skin rash eczema flare - Eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.68	99.96	3087.68	99.96
Yes	1	0.70	0.02	3088.37	99.98
No	2	0.63	0.02	3089.00	100.00

ih42c3: 16/17 - P1 CAI D8.4.3.3 - Type of skin rash other - Eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.68	99.96	3087.68	99.96
No	2	1.32	0.04	3089.00	100.00

ih42a4: 16/17 - P1 CAI D8.4.4.1 - Type of skin rash urticaria - Cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3076.49	99.60	3086.91	99.93
Yes	1	0.33	0.01	3087.24	99.94
No	2	1.76	0.06	3089.00	100.00

ih42b4: 16/17 - P1 CAI D8.4.4.2 - Type of skin rash eczema flare - Cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3076.49	99.60	3086.91	99.93
Yes	1	1.76	0.06	3088.67	99.99
No	2	0.33	0.01	3089.00	100.00

ih42c4: 16/17 - P1 CAI D8.4.4.3 - Type of skin rash other - Cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.42	0.34	10.42	0.34
-9	-9	3076.49	99.60	3086.91	99.93
No	2	2.09	0.07	3089.00	100.00

ih42a5: 16/17 - P1 CAI D8.4.5.1 - Type of skin rash urticaria - Soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	2	0.66	0.02	3089.00	100.00

ih42b5: 16/17 - P1 CAI D8.4.5.2 - Type of skin rash eczema flare - Soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih42c5: 16/17 - P1 CAI D8.4.5.3 - Type of skin rash other - Soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	2	0.66	0.02	3089.00	100.00

ih42a6: 16/17 - P1 CAI D8.4.6.1 - Type of skin rash urticaria - Sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih42b6: 16/17 - P1 CAI D8.4.6.2 - Type of skin rash eczema flare - Sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih42c6: 16/17 - P1 CAI D8.4.6.3 - Type of skin rash other - Sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih42a7: 16/17 - P1 CAI D8.4.7.1 - Type of skin rash urticaria - Wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3080.68	99.73	3087.38	99.95
Yes	1	0.62	0.02	3088.01	99.97
No	2	0.99	0.03	3089.00	100.00

ih42b7: 16/17 - P1 CAI D8.4.7.2 - Type of skin rash eczema flare - Wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3080.68	99.73	3087.38	99.95
Yes	1	0.99	0.03	3088.38	99.98
No	2	0.62	0.02	3089.00	100.00

ih42c7: 16/17 - P1 CAI D8.4.7.3 - Type of skin rash other - Wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.71	0.22	6.71	0.22
-9	-9	3080.68	99.73	3087.38	99.95
No	2	1.62	0.05	3089.00	100.00

ih42a11: 16/17 - P1 CAI D8.4.8.1 - Type of skin rash urticaria - fruit(1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3078.46	99.66	3086.84	99.93
Yes	1	2.16	0.07	3089.00	100.00

ih42b11: 16/17 - P1 CAI D8.4.8.2 - Type of skin rash eczema flare - fruit(1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3078.46	99.66	3086.84	99.93
No	2	2.16	0.07	3089.00	100.00

ih42c11: 16/17 - P1 CAI D8.4.8.3 - Type of skin rash other - fruit(1)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.38	0.27	8.38	0.27
-9	-9	3078.46	99.66	3086.84	99.93
No	2	2.16	0.07	3089.00	100.00

ih42a12: 16/17 - P1 CAI D8.4.9.1 - Type of skin rash urticaria - fruit(2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih42b12: 16/17 - P1 CAI D8.4.9.2 - Type of skin rash eczema flare - fruit(2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih42c12: 16/17 - P1 CAI D8.4.9.3 - Type of skin rash other - fruit(2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.97	0.06	1.97	0.06
-9	-9	3087.03	99.94	3089.00	100.00

ih42a13: 16/17 - P1 CAI D8.4.10.1 - Type of skin rash urticaria - fruit(3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih42b13: 16/17 - P1 CAI D8.4.10.2 - Type of skin rash eczema flare - fruit(3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih42c13: 16/17 - P1 CAI D8.4.10.3 - Type of skin rash other - fruit(3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih42a14: 16/17 - P1 CAI D8.4.11.1 - Type of skin rash urticaria - preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3078.58	99.66	3087.08	99.94
Yes	1	1.92	0.06	3089.00	100.00

ih42b14: 16/17 - P1 CAI D8.4.11.2 - Type of skin rash eczema flare - preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3078.58	99.66	3087.08	99.94
No	2	1.92	0.06	3089.00	100.00

ih42c14: 16/17 - P1 CAI D8.4.11.3 - Type of skin rash other - preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.50	0.28	8.50	0.28
-9	-9	3078.58	99.66	3087.08	99.94
No	2	1.92	0.06	3089.00	100.00

ih42a15: 16/17 - P1 CAI D8.4.12.1 - Type of skin rash urticaria - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3076.14	99.58	3084.80	99.86
Yes	1	4.20	0.14	3089.00	100.00

ih42b15: 16/17 - P1 CAI D8.4.12.2 - Type of skin rash eczema flare - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3076.14	99.58	3084.80	99.86
No	2	4.20	0.14	3089.00	100.00

ih42c15: 16/17 - P1 CAI D8.4.12.3 - Type of skin rash other - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.66	0.28	8.66	0.28
-9	-9	3076.14	99.58	3084.80	99.86
No	2	4.20	0.14	3089.00	100.00

ih42a16: 16/17 - P1 CAI D8.4.13.1 - Type of skin rash urticaria - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3083.68	99.83	3089.00	100.00

ih42b16: 16/17 - P1 CAI D8.4.13.2 - Type of skin rash eczema flare - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3083.68	99.83	3089.00	100.00

ih42c16: 16/17 - P1 CAI D8.4.13.3 - Type of skin rash other - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.32	0.17	5.32	0.17
-9	-9	3083.68	99.83	3089.00	100.00

ih42a8: 16/17 - P1 CAI D8.4.14.1 - Type of skin rash urticaria - Other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2995.08	96.96	3084.32	99.85
Yes	1	2.92	0.09	3087.23	99.94
No	2	1.77	0.06	3089.00	100.00

ih42b8: 16/17 - P1 CAI D8.4.14.2 - Type of skin rash eczema flare - Other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2995.08	96.96	3084.32	99.85
Yes	1	1.77	0.06	3086.08	99.91
No	2	2.92	0.09	3089.00	100.00

ih42c8: 16/17 - P1 CAI D8.4.14.3 - Type of skin rash other - Other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	89.24	2.89	89.24	2.89
-9	-9	2995.08	96.96	3084.32	99.85
No	2	4.68	0.15	3089.00	100.00

ih42a9: 16/17 - P1 CAI D8.4.15.1 - Type of skin rash urticaria - Other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih42b9: 16/17 - P1 CAI D8.4.15.2 - Type of skin rash eczema flare - Other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih42c9: 16/17 - P1 CAI D8.4.15.3 - Type of skin rash other - Other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.50	0.57	17.50	0.57
-9	-9	3071.50	99.43	3089.00	100.00

ih42a10: 16/17 - P1 CAI D8.4.16.1 - Type of skin rash urticaria - Other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih42b10: 16/17 - P1 CAI D8.4.16.2 - Type of skin rash eczema flare - Other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih42c10: 16/17 - P1 CAI D8.4.16.3 - Type of skin rash other - Other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.01	0.13	4.01	0.13
-9	-9	3084.99	99.87	3089.00	100.00

ih39: 16/17 - P1 CAI D9.1 - Ever had a reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
Yes	1	164.65	5.33	239.94	7.77
No	2	2849.06	92.23	3089.00	100.00

ih39a1: 16/17 - P1 CAI D9.2.1 - Reaction to Peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	152.14	4.93	3076.49	99.60
Yes	1	12.51	0.40	3089.00	100.00

ih39b1: 16/17 - P1 CAI D9.2.2 - Reaction to Other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	154.53	5.00	3078.88	99.67
Yes	1	10.12	0.33	3089.00	100.00

ih39c1: 16/17 - P1 CAI D9.2.3 - Reaction to Eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	158.17	5.12	3082.52	99.79
Yes	1	6.48	0.21	3089.00	100.00

ih39d1: 16/17 - P1 CAI D9.2.4 - Reaction to Cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	136.87	4.43	3061.22	99.10
Yes	1	27.78	0.90	3089.00	100.00

ih39e1: 16/17 - P1 CAI D9.2.5 - Reaction to Soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	162.78	5.27	3087.13	99.94
Yes	1	1.87	0.06	3089.00	100.00

ih39f1: 16/17 - P1 CAI D9.2.6 - Reaction to Sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	163.49	5.29	3087.83	99.96
Yes	1	1.17	0.04	3089.00	100.00

ih39g1: 16/17 - P1 CAI D9.2.7 - Reaction to Wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	154.76	5.01	3079.11	99.68
Yes	1	9.89	0.32	3089.00	100.00

ih39k1: 16/17 - P1 CAI D9.2.8 - Reaction to Fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	147.29	4.77	3071.64	99.44
Yes	1	17.36	0.56	3089.00	100.00

ih39n1: 16/17 - P1 CAI D9.2.9 - Reaction to Preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	155.93	5.05	3080.28	99.72
Yes	1	8.72	0.28	3089.00	100.00

ih39o1: 16/17 - P1 CAI D9.2.10 - Reaction to Additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	149.51	4.84	3073.85	99.51
Yes	1	15.15	0.49	3089.00	100.00

ih39p1: 16/17 - P1 CAI D9.2.11 - Reaction to Seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	155.83	5.04	3080.18	99.71
Yes	1	8.82	0.29	3089.00	100.00

ih39h1: 16/17 - P1 CAI D9.2.12 - Reaction to Other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2928.96	94.82	2928.96	94.82
No	0	139.89	4.53	3068.84	99.35
Yes	1	20.16	0.65	3089.00	100.00

ih39q1: 16/17 - P1 CAI D9.2.13 - Reaction to Unknown food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
No	0	108.49	3.51	3032.84	98.18
Yes	1	56.16	1.82	3089.00	100.00

ih39a5: 16/17 - P1 CAI D9.5.1 - Time taken for Peanut reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
Less than half an hour	1	9.87	0.32	3086.69	99.93
Half an hour to an hour	2	2.31	0.07	3089.00	100.00

ih39b5: 16/17 - P1 CAI D9.5.2 - Time taken for other nuts reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
Less than half an hour	1	7.98	0.26	3088.02	99.97
Half an hour to an hour	2	0.98	0.03	3089.00	100.00

ih39c5: 16/17 - P1 CAI D9.5.3 - Time taken for eggs reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
Less than half an hour	1	1.38	0.04	3083.90	99.84
Half an hour to an hour	2	0.83	0.03	3084.73	99.86
1 - 4 hours	3	4.27	0.14	3089.00	100.00

ih39d5: 16/17 - P1 CAI D9.5.4 - Time taken for cow's milk reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
Less than half an hour	1	14.81	0.48	3076.03	99.58
Half an hour to an hour	2	5.93	0.19	3081.96	99.77
1 - 4 hours	3	3.99	0.13	3085.96	99.90
More than 4 hours	4	3.04	0.10	3089.00	100.00

ih39e5: 16/17 - P1 CAI D9.5.5 - Time taken for soy reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
Less than half an hour	1	1.87	0.06	3089.00	100.00

ih39f5: 16/17 - P1 CAI D9.5.6 - Time taken for sesame reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
1 - 4 hours	3	1.17	0.04	3089.00	100.00

ih39g5: 16/17 - P1 CAI D9.5.7 - Time taken for wheat reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
Less than half an hour	1	2.85	0.09	3081.96	99.77
1 - 4 hours	3	1.02	0.03	3082.98	99.81
More than 4 hours	4	6.02	0.19	3089.00	100.00

ih39k5: 16/17 - P1 CAI D9.5.8 - Time taken for fruit reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
Less than half an hour	1	11.74	0.38	3084.83	99.86
Half an hour to an hour	2	2.19	0.07	3087.02	99.94
1 - 4 hours	3	0.87	0.03	3087.89	99.96
More than 4 hours	4	1.11	0.04	3089.00	100.00

ih39l5: 16/17 - P1 CAI D9.5.9 - Time taken for fruit 2 reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
Less than half an hour	1	2.42	0.08	3087.46	99.95
Half an hour to an hour	2	0.67	0.02	3088.13	99.97
1 - 4 hours	3	0.87	0.03	3089.00	100.00

ih39m5: 16/17 - P1 CAI D9.5.10 - Time taken for fruit 3 reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
Less than half an hour	1	1.89	0.06	3087.46	99.95
Half an hour to an hour	2	0.67	0.02	3088.13	99.97
1 - 4 hours	3	0.87	0.03	3089.00	100.00

ih39n5: 16/17 - P1 CAI D9.5.11 - Time taken for preservatives reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
Less than half an hour	1	1.98	0.06	3082.26	99.78
Half an hour to an hour	2	2.61	0.08	3084.87	99.87
1 - 4 hours	3	1.25	0.04	3086.12	99.91
More than 4 hours	4	2.88	0.09	3089.00	100.00

ih39o5: 16/17 - P1 CAI D9.5.12 - Time taken for additives reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
Less than half an hour	1	4.56	0.15	3080.09	99.71
Half an hour to an hour	2	3.08	0.10	3083.16	99.81
1 - 4 hours	3	5.84	0.19	3089.00	100.00

ih39p5: 16/17 - P1 CAI D9.5.13 - Time taken for seafood reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
Less than half an hour	1	2.59	0.08	3082.77	99.80
Half an hour to an hour	2	1.10	0.04	3083.88	99.83
1 - 4 hours	3	0.66	0.02	3084.53	99.86
More than 4 hours	4	4.47	0.14	3089.00	100.00

ih39h5: 16/17 - P1 CAI D9.5.14 - Time taken for other food reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
Less than half an hour	1	12.13	0.39	3077.03	99.61
Half an hour to an hour	2	3.22	0.10	3080.25	99.72
1 - 4 hours	3	6.39	0.21	3086.63	99.92
More than 4 hours	4	2.37	0.08	3089.00	100.00

ih39i5: 16/17 - P1 CAI D9.5.15 - Time taken for other food 2 reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
Less than half an hour	1	4.17	0.14	3088.41	99.98
1 - 4 hours	3	0.59	0.02	3089.00	100.00

ih39j5: 16/17 - P1 CAI D9.5.16 - Time taken for other food 3 reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
Less than half an hour	1	0.33	0.01	3088.41	99.98
More than 4 hours	4	0.59	0.02	3089.00	100.00

ih39q5: 16/17 - P1 CAI D9.5.17 - Time taken for unknown food reaction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
Less than half an hour	1	13.80	0.45	3046.64	98.63
Half an hour to an hour	2	12.89	0.42	3059.53	99.05
1 - 4 hours	3	15.18	0.49	3074.71	99.54
More than 4 hours	4	14.29	0.46	3089.00	100.00

ih39a6a: 16/17 - P1 CAI D9.6.1.1 - Reaction Peanuts - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	5.74	0.19	3082.56	99.79
Yes	1	6.44	0.21	3089.00	100.00

ih39a6b: 16/17 - P1 CAI D9.6.1.2 - Reaction Peanuts - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	11.39	0.37	3088.21	99.97
Yes	1	0.79	0.03	3089.00	100.00

ih39a6c: 16/17 - P1 CAI D9.6.1.3 - Reaction Peanuts - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	12.18	0.39	3089.00	100.00

ih39a6d: 16/17 - P1 CAI D9.6.1.4 - Reaction Peanuts - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	11.84	0.38	3088.66	99.99
Yes	1	0.34	0.01	3089.00	100.00

ih39a6e: 16/17 - P1 CAI D9.6.1.5 - Reaction Peanuts - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	12.18	0.39	3089.00	100.00

ih39a6f: 16/17 - P1 CAI D9.6.1.6 - Reaction Peanuts - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	9.43	0.31	3086.25	99.91
Yes	1	2.75	0.09	3089.00	100.00

ih39a6g: 16/17 - P1 CAI D9.6.1.7 - Reaction Peanuts - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	6.21	0.20	3083.04	99.81
Yes	1	5.96	0.19	3089.00	100.00

ih39a6h: 16/17 - P1 CAI D9.6.1.8 - Reaction Peanuts - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
No	0	8.40	0.27	3085.22	99.88
Yes	1	3.78	0.12	3089.00	100.00

ih39b6a: 16/17 - P1 CAI D9.6.2.1 - Reaction Other nuts - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	3.83	0.12	3083.87	99.83
Yes	1	5.13	0.17	3089.00	100.00

ih39b6b: 16/17 - P1 CAI D9.6.2.2 - Reaction Other nuts - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	7.76	0.25	3087.79	99.96
Yes	1	1.21	0.04	3089.00	100.00

ih39b6c: 16/17 - P1 CAI D9.6.2.3 - Reaction Other nuts - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	8.96	0.29	3089.00	100.00

ih39b6d: 16/17 - P1 CAI D9.6.2.4 - Reaction Other nuts - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	7.37	0.24	3087.41	99.95
Yes	1	1.59	0.05	3089.00	100.00

ih39b6e: 16/17 - P1 CAI D9.6.2.5 - Reaction Other nuts - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	8.96	0.29	3089.00	100.00

ih39b6f: 16/17 - P1 CAI D9.6.2.6 - Reaction Other nuts - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	6.95	0.22	3086.98	99.93
Yes	1	2.02	0.07	3089.00	100.00

ih39b6g: 16/17 - P1 CAI D9.6.2.7 - Reaction Other nuts - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	3.22	0.10	3083.26	99.81
Yes	1	5.74	0.19	3089.00	100.00

ih39b6h: 16/17 - P1 CAI D9.6.2.8 - Reaction Other nuts - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	0	8.96	0.29	3089.00	100.00

ih39c6a: 16/17 - P1 CAI D9.6.3.1 - Reaction hen's eggs - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	2.43	0.08	3084.95	99.87
Yes	1	4.05	0.13	3089.00	100.00

ih39c6b: 16/17 - P1 CAI D9.6.3.2 - Reaction hen's eggs - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	5.65	0.18	3088.17	99.97
Yes	1	0.83	0.03	3089.00	100.00

ih39c6c: 16/17 - P1 CAI D9.6.3.3 - Reaction hen's eggs - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	6.48	0.21	3089.00	100.00

ih39c6d: 16/17 - P1 CAI D9.6.3.4 - Reaction hen's eggs - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	5.65	0.18	3088.17	99.97
Yes	1	0.83	0.03	3089.00	100.00

ih39c6e: 16/17 - P1 CAI D9.6.3.5 - Reaction hen's eggs - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	6.48	0.21	3089.00	100.00

ih39c6f: 16/17 - P1 CAI D9.6.3.6 - Reaction hen's eggs - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	6.48	0.21	3089.00	100.00

ih39c6g: 16/17 - P1 CAI D9.6.3.7 - Reaction hen's eggs - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	5.72	0.19	3088.23	99.98
Yes	1	0.77	0.02	3089.00	100.00

ih39c6h: 16/17 - P1 CAI D9.6.3.8 - Reaction hen's eggs - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	0	6.48	0.21	3089.00	100.00

ih39d6a: 16/17 - P1 CAI D9.6.4.1 Reaction cow's milk - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	23.75	0.77	3084.97	99.87
Yes	1	4.03	0.13	3089.00	100.00

ih39d6b: 16/17 - P1 CAI D9.6.4.2 - Reaction cow's milk - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	25.05	0.81	3086.27	99.91
Yes	1	2.73	0.09	3089.00	100.00

ih39d6c: 16/17 - P1 CAI D9.6.4.3 - Reaction cow's milk - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	16.88	0.55	3078.10	99.65
Yes	1	10.90	0.35	3089.00	100.00

ih39d6d: 16/17 - P1 CAI D9.6.4.4 - Reaction cow's milk - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	10.31	0.33	3071.53	99.43
Yes	1	17.47	0.57	3089.00	100.00

ih39d6e: 16/17 - P1 CAI D9.6.4.5 - Reaction cow's milk - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	27.23	0.88	3088.45	99.98
Yes	1	0.55	0.02	3089.00	100.00

ih39d6f: 16/17 - P1 CAI D9.6.4.6 - Reaction cow's milk - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	27.78	0.90	3089.00	100.00

ih39d6g: 16/17 - P1 CAI D9.6.4.7 - Reaction cow's milk - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	27.21	0.88	3088.43	99.98
Yes	1	0.57	0.02	3089.00	100.00

ih39d6h: 16/17 - P1 CAI D9.6.4.8 - Reaction cow's milk - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
No	0	23.56	0.76	3084.79	99.86
Yes	1	4.21	0.14	3089.00	100.00

ih39e6a: 16/17 - P1 CAI D9.6.5.1 - Reaction soy - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	0.65	0.02	3087.77	99.96
Yes	1	1.23	0.04	3089.00	100.00

ih39e6b: 16/17 - P1 CAI D9.6.5.2 - Reaction soy - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.87	0.06	3089.00	100.00

ih39e6c: 16/17 - P1 CAI D9.6.5.3 - Reaction soy - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.87	0.06	3089.00	100.00

ih39e6d: 16/17 - P1 CAI D9.6.5.4 - Reaction soy - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.87	0.06	3089.00	100.00

ih39e6e: 16/17 - P1 CAI D9.6.5.5 - Reaction soy - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.87	0.06	3089.00	100.00

ih39e6f: 16/17 - P1 CAI D9.6.5.6 - Reaction soy - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.87	0.06	3089.00	100.00

ih39e6g: 16/17 - P1 CAI D9.6.5.7 - Reaction soy - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.23	0.04	3088.35	99.98
Yes	1	0.65	0.02	3089.00	100.00

ih39e6h: 16/17 - P1 CAI D9.6.5.8 - Reaction soy - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	0	1.87	0.06	3089.00	100.00

ih39f6a: 16/17 - P1 CAI D9.6.6.1 - Reaction sesame - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
Yes	1	1.17	0.04	3089.00	100.00

ih39f6b: 16/17 - P1 CAI D9.6.6.2 - Reaction sesame - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	0	1.17	0.04	3089.00	100.00

ih39f6c: 16/17 - P1 CAI D9.6.6.3 - Reaction sesame - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	0	1.17	0.04	3089.00	100.00

ih39f6d: 16/17 - P1 CAI D9.6.6.4 - Reaction sesame - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	0	1.17	0.04	3089.00	100.00

ih39f6e: 16/17 - P1 CAI D9.6.6.5 - Reaction sesame - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	0	1.17	0.04	3089.00	100.00

ih39f6f: 16/17 - P1 CAI D9.6.6.6 - Reaction sesame - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	0	1.17	0.04	3089.00	100.00

ih39f6g: 16/17 - P1 CAI D9.6.6.7 - Reaction sesame - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	0	1.17	0.04	3089.00	100.00

ih39f6h: 16/17 - P1 CAI D9.6.6.8 - Reaction sesame - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
Yes	1	1.17	0.04	3089.00	100.00

ih39g6a: 16/17 - P1 CAI D9.6.7.1 - Reaction wheat - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	8.96	0.29	3088.07	99.97
Yes	1	0.93	0.03	3089.00	100.00

ih39g6b: 16/17 - P1 CAI D9.6.7.2 - Reaction wheat - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	8.63	0.28	3087.74	99.96
Yes	1	1.26	0.04	3089.00	100.00

ih39g6c: 16/17 - P1 CAI D9.6.7.3 - Reaction wheat - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	5.35	0.17	3084.46	99.85
Yes	1	4.54	0.15	3089.00	100.00

ih39g6d: 16/17 - P1 CAI D9.6.7.4 - Reaction wheat - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	2.38	0.08	3081.49	99.76
Yes	1	7.51	0.24	3089.00	100.00

ih39g6e: 16/17 - P1 CAI D9.6.7.5 - Reaction wheat - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	9.89	0.32	3089.00	100.00

ih39g6f: 16/17 - P1 CAI D9.6.7.6 - Reaction wheat - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	9.89	0.32	3089.00	100.00

ih39g6g: 16/17 - P1 CAI D9.6.7.7 - Reaction wheat - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	9.89	0.32	3089.00	100.00

ih39g6h: 16/17 - P1 CAI D9.6.7.8 - Reaction wheat - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
No	0	9.89	0.32	3089.00	100.00

ih39k6a: 16/17 - P1 CAI D9.6.8.1 - Reaction fruit- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	12.16	0.39	3085.24	99.88
Yes	1	3.76	0.12	3089.00	100.00

ih39k6b: 16/17 - P1 CAI D9.6.8.2 - Reaction fruit - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	15.30	0.50	3088.38	99.98
Yes	1	0.62	0.02	3089.00	100.00

ih39k6c: 16/17 - P1 CAI D9.6.8.3 - Reaction fruit - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	15.25	0.49	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39k6d: 16/17 - P1 CAI D9.6.8.4 - Reaction fruit - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	15.25	0.49	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39k6e: 16/17 - P1 CAI D9.6.8.5 - Reaction fruit - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	15.91	0.52	3089.00	100.00

ih39k6f: 16/17 - P1 CAI D9.6.8.6 - Reaction fruit - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	14.67	0.48	3087.76	99.96
Yes	1	1.24	0.04	3089.00	100.00

ih39k6g: 16/17 - P1 CAI D9.6.8.7 - Reaction fruit - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	6.18	0.20	3079.26	99.68
Yes	1	9.74	0.32	3089.00	100.00

ih39k6h: 16/17 - P1 CAI D9.6.8.8 - Reaction fruit - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	0	14.78	0.48	3087.86	99.96
Yes	1	1.14	0.04	3089.00	100.00

ih39l6a: 16/17 - P1 CAI D9.6.9.1 - Reaction fruit 2- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	3.09	0.10	3088.13	99.97
Yes	1	0.87	0.03	3089.00	100.00

ih39l6b: 16/17 - P1 CAI D9.6.9.2 - Reaction fruit 2 - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	3.96	0.13	3089.00	100.00

ih39l6c: 16/17 - P1 CAI D9.6.9.3 - Reaction fruit 2 - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	3.30	0.11	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39l6d: 16/17 - P1 CAI D9.6.9.4 - Reaction fruit 2 - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	3.30	0.11	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39l6e: 16/17 - P1 CAI D9.6.9.5 - Reaction fruit 2 - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	3.96	0.13	3089.00	100.00

ih39l6f: 16/17 - P1 CAI D9.6.9.6 - Reaction fruit 2 - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	2.72	0.09	3087.76	99.96
Yes	1	1.24	0.04	3089.00	100.00

ih39l6g: 16/17 - P1 CAI D9.6.9.7 - Reaction fruit 2 - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	1.54	0.05	3086.58	99.92
Yes	1	2.42	0.08	3089.00	100.00

ih39l6h: 16/17 - P1 CAI D9.6.9.8 - Reaction fruit 2 - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	0	3.96	0.13	3089.00	100.00

ih39m6a: 16/17 - P1 CAI D9.6.10.1 - Reaction fruit 3- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	2.55	0.08	3088.13	99.97
Yes	1	0.87	0.03	3089.00	100.00

ih39m6b: 16/17 - P1 CAI D9.6.10.2 - Reaction fruit 3 - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	3.42	0.11	3089.00	100.00

ih39m6c: 16/17 - P1 CAI D9.6.10.3 - Reaction fruit 3 - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	2.76	0.09	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39m6d: 16/17 - P1 CAI D9.6.10.4 - Reaction fruit 3 - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	2.76	0.09	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39m6e: 16/17 - P1 CAI D9.6.10.5 - Reaction fruit 3 - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	3.42	0.11	3089.00	100.00

ih39m6f: 16/17 - P1 CAI D9.6.10.6 - Reaction fruit 3 - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	2.18	0.07	3087.76	99.96
Yes	1	1.24	0.04	3089.00	100.00

ih39m6g: 16/17 - P1 CAI D9.6.10.7 - Reaction fruit 3 - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	1.54	0.05	3087.11	99.94
Yes	1	1.89	0.06	3089.00	100.00

ih39m6h: 16/17 - P1 CAI D9.6.10.8 - Reaction fruit 3 - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	0	3.42	0.11	3089.00	100.00

ih39n6a: 16/17 - P1 CAI D9.6.11.1 - Reaction preservatives- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	4.12	0.13	3084.40	99.85
Yes	1	4.60	0.15	3089.00	100.00

ih39n6b: 16/17 - P1 CAI D9.6.11.2 - Reaction preservatives - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	8.72	0.28	3089.00	100.00

ih39n6c: 16/17 - P1 CAI D9.6.11.3 - Reaction preservatives - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	8.38	0.27	3088.66	99.99
Yes	1	0.34	0.01	3089.00	100.00

ih39n6d: 16/17 - P1 CAI D9.6.11.4 - Reaction preservatives - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	5.15	0.17	3085.43	99.88
Yes	1	3.57	0.12	3089.00	100.00

ih39n6e: 16/17 - P1 CAI D9.6.11.5 - Reaction preservatives - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	7.63	0.25	3087.91	99.96
Yes	1	1.09	0.04	3089.00	100.00

ih39n6f: 16/17 - P1 CAI D9.6.11.6 - Reaction preservatives - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	8.72	0.28	3089.00	100.00

ih39n6g: 16/17 - P1 CAI D9.6.11.7 - Reaction preservatives - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	7.77	0.25	3088.05	99.97
Yes	1	0.95	0.03	3089.00	100.00

ih339n6h: 16/17 - P1 CAI D9.6.11.8 - Reaction preservatives - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	0	8.38	0.27	3088.66	99.99
Yes	1	0.34	0.01	3089.00	100.00

ih339o6a: 16/17 - P1 CAI D9.6.12.1 - Reaction additives- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	7.26	0.24	3082.79	99.80
Yes	1	6.21	0.20	3089.00	100.00

ih339o6b: 16/17 - P1 CAI D9.6.12.2 - Reaction additives - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	11.41	0.37	3086.93	99.93
Yes	1	2.07	0.07	3089.00	100.00

ih339o6c: 16/17 - P1 CAI D9.6.12.3 - Reaction additives - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	13.47	0.44	3089.00	100.00

ih339o6d: 16/17 - P1 CAI D9.6.12.4 - Reaction additives - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	7.74	0.25	3083.26	99.81
Yes	1	5.74	0.19	3089.00	100.00

ih339o6e: 16/17 - P1 CAI D9.6.12.5 - Reaction additives - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	12.38	0.40	3087.91	99.96
Yes	1	1.09	0.04	3089.00	100.00

ih339o6f: 16/17 - P1 CAI D9.6.12.6- Reaction additives - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	12.89	0.42	3088.42	99.98
Yes	1	0.58	0.02	3089.00	100.00

ih339o6g: 16/17 - P1 CAI D9.6.12.7 - Reaction additives - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	8.43	0.27	3083.95	99.84
Yes	1	5.05	0.16	3089.00	100.00

ih39o6h: 16/17 - P1 CAI D9.6.12.8 - Reaction additives - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	0	13.47	0.44	3089.00	100.00

ih39p6a: 16/17 - P1 CAI D9.6.13.1 - Reaction seafood- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	1.10	0.04	3081.28	99.75
Yes	1	7.72	0.25	3089.00	100.00

ih39p6b: 16/17 - P1 CAI D9.6.13.2 - Reaction seafood - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	8.82	0.29	3089.00	100.00

ih39p6c: 16/17 - P1 CAI D9.6.13.3 - Reaction seafood - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	8.82	0.29	3089.00	100.00

ih39p6d: 16/17 - P1 CAI D9.6.13.4 - Reaction seafood - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	8.82	0.29	3089.00	100.00

ih39p6e: 16/17 - P1 CAI D9.6.13.5 - Reaction seafood - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	8.82	0.29	3089.00	100.00

ih39p6f: 16/17 - P1 CAI D9.6.13.6 - Reaction seafood - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	8.82	0.29	3089.00	100.00

ih39p6g: 16/17 - P1 CAI D9.6.13.7 - Reaction seafood - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	7.06	0.23	3087.24	99.94
Yes	1	1.76	0.06	3089.00	100.00

ih39p6h: 16/17 - P1 CAI D9.6.13.8 - Reaction seafood - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
No	0	8.16	0.26	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih39h6a: 16/17 - P1 CAI D9.6.14.1 - Reaction other food - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	18.83	0.61	3083.73	99.83
Yes	1	5.27	0.17	3089.00	100.00

ih39h6b: 16/17 - P1 CAI D9.6.14.2 - Reaction other food - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	19.52	0.63	3084.42	99.85
Yes	1	4.58	0.15	3089.00	100.00

ih39h6c: 16/17 - P1 CAI D9.6.14.3 - Reaction other food - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	19.49	0.63	3084.39	99.85
Yes	1	4.61	0.15	3089.00	100.00

ih39h6d: 16/17 - P1 CAI D9.6.14.4 - Reaction other food - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	15.88	0.51	3080.78	99.73
Yes	1	8.22	0.27	3089.00	100.00

ih39h6e: 16/17 - P1 CAI D9.6.14.5 - Reaction other food - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	23.48	0.76	3088.38	99.98
Yes	1	0.62	0.02	3089.00	100.00

ih39h6f: 16/17 - P1 CAI D9.6.14.6 - Reaction other food - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	23.52	0.76	3088.42	99.98
Yes	1	0.58	0.02	3089.00	100.00

ih339h6g: 16/17 - P1 CAI D9.6.14.7 - Reaction other food - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	20.10	0.65	3085.00	99.87
Yes	1	4.00	0.13	3089.00	100.00

ih339h6h: 16/17 - P1 CAI D9.6.14.8 - Reaction other food - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
No	0	20.93	0.68	3085.83	99.90
Yes	1	3.17	0.10	3089.00	100.00

ih339i6a: 16/17 - P1 CAI D9.6.15.1 - Reaction other food 2 - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	4.44	0.14	3088.67	99.99
Yes	1	0.33	0.01	3089.00	100.00

ih339i6b: 16/17 - P1 CAI D9.6.15.2 - Reaction other food 2 - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	4.77	0.15	3089.00	100.00

ih339i6c: 16/17 - P1 CAI D9.6.15.3 - Reaction other food 2 - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	1.80	0.06	3086.03	99.90
Yes	1	2.97	0.10	3089.00	100.00

ih339i6d: 16/17 - P1 CAI D9.6.15.4 - Reaction other food 2 - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	1.47	0.05	3085.70	99.89
Yes	1	3.30	0.11	3089.00	100.00

ih339i6e: 16/17 - P1 CAI D9.6.15.5- Reaction other food 2 - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	4.77	0.15	3089.00	100.00

ih339i6f: 16/17 - P1 CAI D9.6.15.6 - Reaction other food 2 - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	4.77	0.15	3089.00	100.00

ih39i6g: 16/17 - P1 CAI D9.6.15.7 - Reaction other food 2 - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	3.97	0.13	3088.20	99.97
Yes	1	0.80	0.03	3089.00	100.00

ih39i6i: 16/17 - P1 CAI D9.6.15.8 - Reaction other food 2 - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	0	4.10	0.13	3088.33	99.98
Yes	1	0.67	0.02	3089.00	100.00

ih39j6a: 16/17 - P1 CAI D9.6.16.1 - Reaction other food 3 - Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.59	0.02	3088.67	99.99
Yes	1	0.33	0.01	3089.00	100.00

ih39j6b: 16/17 - P1 CAI D9.6.16.2 - Reaction other food 3 - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.92	0.03	3089.00	100.00

ih39j6c: 16/17 - P1 CAI D9.6.16.3 - Reaction other food 3 - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.33	0.01	3088.41	99.98
Yes	1	0.59	0.02	3089.00	100.00

ih39j6d: 16/17 - P1 CAI D9.6.16.4 - Reaction other food 3 - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
Yes	1	0.92	0.03	3089.00	100.00

ih39j6e: 16/17 - P1 CAI D9.6.16.5 - Reaction other food 3 - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.92	0.03	3089.00	100.00

ih39j6f: 16/17 - P1 CAI D9.6.16.6 - Reaction other food 3 - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.92	0.03	3089.00	100.00

ih39j6g: 16/17 - P1 CAI D9.6.16.7 - Reaction other food 3 - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.92	0.03	3089.00	100.00

ih39j6h: 16/17 - P1 CAI D9.6.16.8 - Reaction other food 3 - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	0	0.92	0.03	3089.00	100.00

ih39q6a: 16/17 - P1 CAI D9.6.17.1 - Reaction unknown food- Skin rash

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	14.33	0.46	3047.17	98.65
Yes	1	41.83	1.35	3089.00	100.00

ih39q6b: 16/17 - P1 CAI D9.6.17.2 - Reaction unknown food - Vomiting

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	51.90	1.68	3084.74	99.86
Yes	1	4.26	0.14	3089.00	100.00

ih39q6c: 16/17 - P1 CAI D9.6.17.3 - Reaction unknown food - Diarrhoea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	53.32	1.73	3086.16	99.91
Yes	1	2.84	0.09	3089.00	100.00

ih39q6d: 16/17 - P1 CAI D9.6.17.4 - Reaction unknown food - Abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	52.74	1.71	3085.58	99.89
Yes	1	3.42	0.11	3089.00	100.00

ih39q6e: 16/17 - P1 CAI D9.6.17.5 - Reaction unknown food - Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	56.16	1.82	3089.00	100.00

ih39q6f: 16/17 - P1 CAI D9.6.17.6 - Reaction unknown food - Difficulty breathing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	53.70	1.74	3086.54	99.92
Yes	1	2.46	0.08	3089.00	100.00

ih39q6g: 16/17 - P1 CAI D9.6.17.7 - Reaction unknown food - Swelling of mouth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	47.39	1.53	3080.23	99.72
Yes	1	8.77	0.28	3089.00	100.00

ih39q6h: 16/17 - P1 CAI D9.6.17.8 - Reaction unknown food - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3032.84	98.18	3032.84	98.18
No	0	51.81	1.68	3084.65	99.86
Yes	1	4.35	0.14	3089.00	100.00

ih39a7a: 16/17 - P1 CAI D9.8.1 - Skin prick test - peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
Yes	1	6.93	0.22	3083.75	99.83
No	2	5.25	0.17	3089.00	100.00

ih39b7a: 16/17 - P1 CAI D9.8.2 - Skin prick test - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
Yes	1	4.08	0.13	3084.12	99.84
No	2	4.88	0.16	3089.00	100.00

ih39c7a: 16/17 - P1 CAI D9.8.3 - Skin prick test - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
Yes	1	2.15	0.07	3084.67	99.86
No	2	4.33	0.14	3089.00	100.00

ih39d7a: 16/17 - P1 CAI D9.8.4 - Skin prick test - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
Yes	1	1.47	0.05	3062.69	99.15
No	2	26.31	0.85	3089.00	100.00

ih39e7a: 16/17 - P1 CAI D9.8.5 - Skin prick test - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	2	1.87	0.06	3089.00	100.00

ih39f7a: 16/17 - P1 CAI D9.8.6 - Skin prick test - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
Yes	1	1.17	0.04	3089.00	100.00

ih339g7a: 16/17 - P1 CAI D9.8.7 - Skin prick test - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
Yes	1	2.34	0.08	3081.45	99.76
No	2	7.55	0.24	3089.00	100.00

ih339k7a: 16/17 - P1 CAI D9.8.8 - Skin prick test - fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
-2	-2	1.97	0.06	3075.05	99.55
Yes	1	0.96	0.03	3076.01	99.58
No	2	12.99	0.42	3089.00	100.00

ih339l7a: 16/17 - P1 CAI D9.8.9 - Skin prick test - fruit 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	2	3.96	0.13	3089.00	100.00

ih339m7a: 16/17 - P1 CAI D9.8.10 - Skin prick test - fruit 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	2	3.42	0.11	3089.00	100.00

ih339n7a: 16/17 - P1 CAI D9.8.11 - Skin prick test -preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	2	8.72	0.28	3089.00	100.00

ih339o7a: 16/17 - P1 CAI D9.8.12 - Skin prick test - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
Yes	1	1.69	0.05	3077.21	99.62
No	2	11.79	0.38	3089.00	100.00

ih339p7a: 16/17 - P1 CAI D9.8.13 - Skin prick test - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
Yes	1	0.99	0.03	3081.17	99.75
No	2	7.83	0.25	3089.00	100.00

ih339h7a: 16/17 - P1 CAI D9.8.14 - Skin prick test - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
Yes	1	1.97	0.06	3066.87	99.28
No	2	22.13	0.72	3089.00	100.00

ih39i7a: 16/17 - P1 CAI D9.8.15 - Skin prick test - other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
No	2	4.77	0.15	3089.00	100.00

ih39j7a: 16/17 - P1 CAI D9.8.16 - Skin prick test - other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
No	2	0.92	0.03	3089.00	100.00

ih39q7a: 16/17 - P1 CAI D9.8.17 - Skin prick test - unknown food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39a7b: 16/17 - P1 CAI D9.9.1 - Skin prick test result - peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.07	99.78	3082.07	99.78
Positive for this food	1	6.93	0.22	3089.00	100.00

ih39b7b: 16/17 - P1 CAI D9.9.2 - Skin prick test result - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.92	99.87	3084.92	99.87
Positive for this food	1	4.08	0.13	3089.00	100.00

ih39c7b: 16/17 - P1 CAI D9.9.3 - Skin prick test result - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.85	99.93	3086.85	99.93
Positive for this food	1	2.15	0.07	3089.00	100.00

ih39d7b: 16/17 - P1 CAI D9.9.4 - Skin prick test result - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.53	99.95	3087.53	99.95
Positive for this food	1	1.47	0.05	3089.00	100.00

ih39e7b: 16/17 - P1 CAI D9.9.5 - Skin prick test result - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39f7b: 16/17 - P1 CAI D9.9.6 - Skin prick test result - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
Positive for this food	1	1.17	0.04	3089.00	100.00

ih39g7b: 16/17 - P1 CAI D9.9.7 - Skin prick test result - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.66	99.92	3086.66	99.92
Don't know	-2	0.84	0.03	3087.50	99.95
Positive for this food	1	1.50	0.05	3089.00	100.00

ih39k7b: 16/17 - P1 CAI D9.9.8 - Skin prick test result - fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.04	99.97	3088.04	99.97
Positive for this food	1	0.96	0.03	3089.00	100.00

ih39l7b: 16/17 - P1 CAI D9.9.9 - Skin prick test result - fruit 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39m7b: 16/17 - P1 CAI D9.9.10 - Skin prick test result - fruit 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39n7b: 16/17 - P1 CAI D9.9.11 - Skin prick test result - preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39o7b: 16/17 - P1 CAI D9.9.12 - Skin prick test result - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.31	99.95	3087.31	99.95
-2	-2	1.69	0.05	3089.00	100.00

ih39p7b: 16/17 - P1 CAI D9.9.13 - Skin prick test result - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.01	99.97	3088.01	99.97
Positive for this food	1	0.99	0.03	3089.00	100.00

ih39h7b: 16/17 - P1 CAI D9.9.14 - Skin prick test result - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.03	99.94	3087.03	99.94
Positive for this food	1	1.97	0.06	3089.00	100.00

ih39i7b: 16/17 - P1 CAI D9.9.15 - Skin prick test result - other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39j7b: 16/17 - P1 CAI D9.9.16 - Skin prick test result - other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39q7b: 16/17 - P1 CAI D9.9.17 - Skin prick test result - unknown food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39a8a: 16/17 - P1 CAI D9.10.1 - Food challenge - peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.82	99.61	3076.82	99.61
Yes	1	3.50	0.11	3080.32	99.72
No	2	8.68	0.28	3089.00	100.00

ih39b8a: 16/17 - P1 CAI D9.10.2 - Food challenge - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.04	99.71	3080.04	99.71
No	2	8.96	0.29	3089.00	100.00

ih39c8a: 16/17 - P1 CAI D9.10.3 - Food challenge - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.52	99.79	3082.52	99.79
No	2	6.48	0.21	3089.00	100.00

ih39d8a: 16/17 - P1 CAI D9.10.4 - Food challenge - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3061.22	99.10	3061.22	99.10
Yes	1	1.42	0.05	3062.64	99.15
No	2	26.36	0.85	3089.00	100.00

ih39e8a: 16/17 - P1 CAI D9.10.5 - Food challenge - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.13	99.94	3087.13	99.94
No	2	1.87	0.06	3089.00	100.00

ih39f8a: 16/17 - P1 CAI D9.10.6 - Food challenge - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.83	99.96	3087.83	99.96
No	2	1.17	0.04	3089.00	100.00

ih39g8a: 16/17 - P1 CAI D9.10.7 - Food challenge - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.11	99.68	3079.11	99.68
-2	-2	0.84	0.03	3079.95	99.71
Yes	1	1.38	0.04	3081.33	99.75
No	2	7.67	0.25	3089.00	100.00

ih39k8a: 16/17 - P1 CAI D9.10.8 - Food challenge - fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.09	99.48	3073.09	99.48
No	2	15.91	0.52	3089.00	100.00

ih39l8a: 16/17 - P1 CAI D9.10.9 - Food challenge - fruit 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.04	99.87	3085.04	99.87
No	2	3.96	0.13	3089.00	100.00

ih39m8a: 16/17 - P1 CAI D9.10.10 - Food challenge - fruit 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.58	99.89	3085.58	99.89
No	2	3.42	0.11	3089.00	100.00

ih39n8a: 16/17 - P1 CAI D9.10.11 - Food challenge - preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.28	99.72	3080.28	99.72
No	2	8.72	0.28	3089.00	100.00

ih39o8a: 16/17 - P1 CAI D9.10.12 - Food challenge - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.53	99.56	3075.53	99.56
No	2	13.47	0.44	3089.00	100.00

ih39p8a: 16/17 - P1 CAI D9.10.13 - Food challenge - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.18	99.71	3080.18	99.71
Yes	1	0.66	0.02	3080.84	99.74
No	2	8.16	0.26	3089.00	100.00

ih39h8a: 16/17 - P1 CAI D9.10.14 - Food challenge - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.90	99.22	3064.90	99.22
Yes	1	2.56	0.08	3067.46	99.30
No	2	21.54	0.70	3089.00	100.00

ih39i8a: 16/17 - P1 CAI D9.10.15 - Food challenge - other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.23	99.85	3084.23	99.85
Yes	1	0.59	0.02	3084.83	99.86
No	2	4.17	0.14	3089.00	100.00

ih339j8a: 16/17 - P1 CAI D9.10.16 - Food challenge - other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.08	99.97	3088.08	99.97
Yes	1	0.59	0.02	3088.67	99.99
No	2	0.33	0.01	3089.00	100.00

ih339q8a: 16/17 - P1 CAI D9.10.17 - Food challenge - unknown food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih339a8b: 16/17 - P1 CAI D9.11.1 - Food challenge result - peanuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.50	99.89	3085.50	99.89
Positive for this food	1	3.50	0.11	3089.00	100.00

ih339b8b: 16/17 - P1 CAI D9.11.2 - Food challenge result - other nuts

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih339c8b: 16/17 - P1 CAI D9.11.3 - Food challenge result - eggs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih339d8b: 16/17 - P1 CAI D9.11.4 - Food challenge result - cow's milk

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.58	99.95	3087.58	99.95
Positive for this food	1	0.64	0.02	3088.22	99.97
Negative for this food	2	0.78	0.03	3089.00	100.00

ih339e8b: 16/17 - P1 CAI D9.11.5 - Food challenge result - soy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih339f8b: 16/17 - P1 CAI D9.11.6 - Food challenge result - sesame

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih339g8b: 16/17 - P1 CAI D9.11.7 - Food challenge result - wheat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.62	99.96	3087.62	99.96
Positive for this food	1	0.59	0.02	3088.22	99.97
Negative for this food	2	0.78	0.03	3089.00	100.00

ih39k8b: 16/17 - P1 CAI D9.11.8 - Food challenge result - fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39l8b: 16/17 - P1 CAI D9.11.9 - Food challenge result - fruit 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39m8b: 16/17 - P1 CAI D9.11.10 - Food challenge result - fruit 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39n8b: 16/17 - P1 CAI D9.11.11 - Food challenge result - preservatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39o8b: 16/17 - P1 CAI D9.11.12 - Food challenge result - additives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39p8b: 16/17 - P1 CAI D9.11.13 - Food challenge result - seafood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
Positive for this food	1	0.66	0.02	3089.00	100.00

ih39h8b: 16/17 - P1 CAI D9.11.14- Food challenge result - other food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.44	99.92	3086.44	99.92
Positive for this food	1	2.56	0.08	3089.00	100.00

ih39i8b: 16/17 - P1 CAI D9.11.15- Food challenge result - other food 2

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.41	99.98	3088.41	99.98
Positive for this food	1	0.59	0.02	3089.00	100.00

ih39j8b: 16/17 - P1 CAI D9.11.16- Food challenge result - other food 3

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.41	99.98	3088.41	99.98
Positive for this food	1	0.59	0.02	3089.00	100.00

ih39q8b: 16/17 - P1 CAI D9.11.17 - Food challenge result - unknown food

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih39ep: 16/17 - P1 CAI D9.12 - Child carries Epipen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2924.35	94.67	2924.35	94.67
Yes	1	16.82	0.54	2941.16	95.21
No	2	147.84	4.79	3089.00	100.00

ih318a: 16/17 - P1 CAI D10.1 - No. times SC injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	75.28	2.44	75.28	2.44
0	2962.12	95.89	3037.40	98.33
10	39.75	1.29	3077.15	99.62
20	9.26	0.30	3086.41	99.92
30	0.62	0.02	3087.03	99.94
40	0.58	0.02	3087.61	99.96
50	0.33	0.01	3087.95	99.97
60	1.05	0.03	3089.00	100.00

ih318b1: 16/17 - P1 CAI D10.2.1 - Injury - broken bones

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	589.92	19.10	2905.44	94.06
Yes	1	183.56	5.94	3089.00	100.00

ih318b2: 16/17 - P1 CAI D10.2.2 - Injury - burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	757.07	24.51	3072.58	99.47
Yes	1	16.42	0.53	3089.00	100.00

ih318b3: 16/17 - P1 CAI D10.2.3 - Injury - dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	711.80	23.04	3027.32	98.00
Yes	1	61.68	2.00	3089.00	100.00

ih318b4: 16/17 - P1 CAI D10.2.4 - Injury - sprain or strain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	392.91	12.72	2708.43	87.68
Yes	1	380.57	12.32	3089.00	100.00

ih318b5: 16/17 - P1 CAI D10.2.5 - Injury - cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	681.80	22.07	2997.32	97.03
Yes	1	91.68	2.97	3089.00	100.00

ih18b11: 16/17 - P1 CAI D10.2.6 - Injury - Bruises or swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	645.93	20.91	2961.45	95.87
Yes	1	127.55	4.13	3089.00	100.00

ih18b12: 16/17 - P1 CAI D10.2.7 - Injury - Animal bites or bee stings

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	764.21	24.74	3079.73	99.70
Yes	1	9.27	0.30	3089.00	100.00

ih18b6: 16/17 - P1 CAI D10.2.8 - Injury - concussion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	706.92	22.89	3022.44	97.85
Yes	1	66.56	2.15	3089.00	100.00

ih18b7: 16/17 - P1 CAI D10.2.9 - Injury - internal (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	755.01	24.44	3070.53	99.40
Yes	1	18.47	0.60	3089.00	100.00

ih18b8: 16/17 - P1 CAI D10.2.10 - Injury - dental

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	761.40	24.65	3076.92	99.61
Yes	1	12.08	0.39	3089.00	100.00

ih18b9: 16/17 - P1 CAI D10.2.11 - Injury - accidental poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	767.64	24.85	3083.16	99.81
Yes	1	5.84	0.19	3089.00	100.00

ih18b10: 16/17 - P1 CAI D10.2.12 - Injury - other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
No	0	700.90	22.69	3016.42	97.65
Yes	1	72.58	2.35	3089.00	100.00

ih18d1: 16/17 - P1 CAI D10.4.1 - No. of times broken bones

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2905.44	94.06	2905.44	94.06
0	170.98	5.54	3076.42	99.59
5	12.58	0.41	3089.00	100.00

ih18d2: 16/17 - P1 CAI D10.4.2 - No. of times burn or scald

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3072.58	99.47	3072.58	99.47
1	16.42	0.53	3089.00	100.00

ih18d3: 16/17 - P1 CAI D10.4.3 - No. of times dislocation

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3027.32	98.00	3027.32	98.00
0	56.23	1.82	3083.54	99.82
5	3.97	0.13	3087.51	99.95
15	1.49	0.05	3089.00	100.00

ih18d4: 16/17 - P1 CAI D10.4.4 - No. of times sprain or strain

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2715.48	87.91	2715.48	87.91
1	249.26	8.07	2964.74	95.98
2	81.35	2.63	3046.09	98.61
3	15.40	0.50	3061.49	99.11
4	13.48	0.44	3074.98	99.55
5	6.88	0.22	3081.86	99.77
6	3.96	0.13	3085.82	99.90
7	0.69	0.02	3086.51	99.92
9	1.14	0.04	3087.65	99.96
12	0.82	0.03	3088.47	99.98
20	0.53	0.02	3089.00	100.00

ih18d5: 16/17 - P1 CAI D10.4.5 - No. of times cut or scrape

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2997.32	97.03	2997.32	97.03
1	62.04	2.01	3059.36	99.04
2	17.67	0.57	3077.03	99.61
3	4.06	0.13	3081.09	99.74
4	2.50	0.08	3083.59	99.82
5	1.53	0.05	3085.12	99.87
6	0.67	0.02	3085.80	99.90
10	1.24	0.04	3087.04	99.94
12	0.82	0.03	3087.86	99.96
25	1.14	0.04	3089.00	100.00

ih18d11: 16/17 - P1 CAI D10.4.6 - No. of times Bruises or swelling

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2961.45	95.87	2961.45	95.87
1	62.49	2.02	3023.94	97.89
2	29.47	0.95	3053.41	98.85
3	13.03	0.42	3066.44	99.27
4	8.50	0.28	3074.94	99.54
5	5.89	0.19	3080.82	99.74
6	1.75	0.06	3082.57	99.79
7	0.68	0.02	3083.25	99.81
8	1.07	0.03	3084.31	99.85
10	0.96	0.03	3085.27	99.88
12	0.82	0.03	3086.09	99.91
20	2.91	0.09	3089.00	100.00

ih18d12: 16/17 - P1 CAI D10.4.7 - No. of times Animal bites or bee stings

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3079.73	99.70	3079.73	99.70
1	7.14	0.23	3086.87	99.93
2	0.62	0.02	3087.49	99.95
5	1.51	0.05	3089.00	100.00

ih18d6: 16/17 - P1 CAI D10.4.8 - No. of times concussion

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3023.69	97.89	3023.69	97.89
1	54.09	1.75	3077.78	99.64
2	7.51	0.24	3085.29	99.88
3	3.71	0.12	3089.00	100.00

ih18d7: 16/17 - P1 CAI D10.4.9 - No. of times internal (not head)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3070.53	99.40	3070.53	99.40
1	16.29	0.53	3086.82	99.93
2	2.18	0.07	3089.00	100.00

ih18d8: 16/17 - P1 CAI D10.4.10 - No. of times dental

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3076.92	99.61	3076.92	99.61
1	10.81	0.35	3087.73	99.96
2	1.27	0.04	3089.00	100.00

ih18d9: 16/17 - P1 CAI D10.4.11 - No. of times accidental poisoning

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3083.16	99.81	3083.16	99.81
1	5.84	0.19	3089.00	100.00

ih18d10: 16/17 - P1 CAI D10.4.12 - No. of times other

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3006.49	97.33	3006.49	97.33
1	73.00	2.36	3079.50	99.69
2	3.38	0.11	3082.87	99.80
3	2.15	0.07	3085.02	99.87
4	0.64	0.02	3085.66	99.89
5	1.62	0.05	3087.28	99.94
20	1.11	0.04	3088.40	99.98
52	0.60	0.02	3089.00	100.00

ih18c1: 16/17 - P1 CAI D10.5 - Stayed in hospital injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
Yes	1	69.23	2.24	2384.74	77.20
No	2	704.26	22.80	3089.00	100.00

ih18c2: 16/17 - P1 CAI D10.6 - No. times in hospital injured

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3019.77	97.76	3019.77	97.76
1	58.55	1.90	3078.32	99.65
2	6.16	0.20	3084.49	99.85
3	0.81	0.03	3085.29	99.88
4	0.58	0.02	3085.87	99.90
5	0.81	0.03	3086.68	99.92
7	1.11	0.04	3087.79	99.96
10	1.21	0.04	3089.00	100.00

ih18a15a2: 16/17 - P1 CAI D11.3 - Where most serious injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
At home	1	94.75	3.07	2410.27	78.03
School	2	151.26	4.90	2561.53	82.92
Work	3	27.34	0.89	2588.87	83.81
Someone else's place e.g. family member/friends/neighbours	4	27.88	0.90	2616.76	84.71
Outside public place other than a road e.g. beach, playground, sports ground	5	354.10	11.46	2970.86	96.18
Inside public place e.g. shopping centre, gym, indoor sports centre	6	75.94	2.46	3046.79	98.63
Public road	7	20.20	0.65	3066.99	99.29
Other	8	22.01	0.71	3089.00	100.00

ih18f: 16/17 - P1 CAI D11.5 - Did injury involve a motor vehicle or bicycle?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2321.66	75.16	2321.66	75.16
Yes	1	40.77	1.32	2362.43	76.48
No	2	726.57	23.52	3089.00	100.00

ih18g: 16/17 - P1 CAI D11.6 - Type of accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3048.23	98.68	3048.23	98.68
Car accident	1	3.73	0.12	3051.96	98.80
Motorbike accident	2	15.83	0.51	3067.79	99.31
Bicycle accident	4	13.26	0.43	3081.05	99.74
Pedestrian accident	5	2.00	0.06	3083.05	99.81
None of these	6	5.95	0.19	3089.00	100.00

ih18h: 16/17 - P1 CAI D11.7 - How did injury occur - accident/intention/self-inflicted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2321.66	75.16	2321.66	75.16
-2	-2	22.09	0.72	2343.75	75.87
It was an accident unintentional	1	705.45	22.84	3049.20	98.71
Someone else did it to him/her deliberately intentional	2	25.37	0.82	3074.58	99.53
He/She did it to himself/herself deliberately self-inflicted	3	14.42	0.47	3089.00	100.00

ih18i: 16/17 - P1 CAI D11.8 - Current disability present as a result of being injured

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2315.52	74.96	2315.52	74.96
Yes	1	55.30	1.79	2370.82	76.75
No	2	718.18	23.25	3089.00	100.00

ih18j: 16/17 - P1 CAI D11.9 - Disability prevents participation in usual activities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3033.70	98.21	3033.70	98.21
Yes, fully	1	9.30	0.30	3043.00	98.51
Yes, but only partially	2	23.30	0.75	3066.30	99.27
No	3	22.70	0.73	3089.00	100.00

ih19a1: 16/17 - P1 CAI D12.1 - Non-injury hospital stays

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	75.28	2.44	75.28	2.44
Yes	1	144.32	4.67	219.60	7.11
No	2	2869.40	92.89	3089.00	100.00

ih19a2: 16/17 - P1 CAI D12.2 - No. non-injury hospital stays

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2944.68	95.33	2944.68	95.33
1	111.09	3.60	3055.77	98.92
2	18.70	0.61	3074.47	99.53
3	5.12	0.17	3079.59	99.70
4	8.15	0.26	3087.73	99.96
10	1.27	0.04	3089.00	100.00

ih19b1: 16/17 - P1 CAI D12.4.1 - Hospital - fever or viral illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	136.37	4.41	3081.05	99.74
Yes	1	7.95	0.26	3089.00	100.00

ih19b2: 16/17 - P1 CAI D12.4.2 - Hospital - asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	138.57	4.49	3083.26	99.81
Yes	1	5.74	0.19	3089.00	100.00

ih19b4: 16/17 - P1 CAI D12.4.4 - Hospital - pneumonia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	141.82	4.59	3086.50	99.92
Yes	1	2.50	0.08	3089.00	100.00

ih19b13: 16/17 - P1 CAI D12.4.5 - Hospital - abdominal pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	128.94	4.17	3073.62	99.50
Yes	1	15.38	0.50	3089.00	100.00

ih19b14: 16/17 - P1 CAI D12.4.6 - Hospital - Headache

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	141.16	4.57	3085.84	99.90
Yes	1	3.16	0.10	3089.00	100.00

ih19b15: 16/17 - P1 CAI D12.4.7 - Hospital - Constipation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	142.45	4.61	3087.13	99.94
Yes	1	1.87	0.06	3089.00	100.00

ih19b16: 16/17 - P1 CAI D12.4.8 - Hospital - Convulsion

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	144.32	4.67	3089.00	100.00

ih19b17: 16/17 - P1 CAI D12.4.9 - Hospital - Cellulitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	143.71	4.65	3088.39	99.98
Yes	1	0.61	0.02	3089.00	100.00

ihb19b18: 16/17 - P1 CAI D12.4.10 - Hospital - Tonsillitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	132.26	4.28	3076.94	99.61
Yes	1	12.06	0.39	3089.00	100.00

ihb19b20: 16/17 - P1 CAI D12.4.11 - Hospital - Mental health problem/eating disorders

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	128.10	4.15	3072.78	99.47
Yes	1	16.22	0.53	3089.00	100.00

ihb19b22: 16/17 - P1 CAI D12.4.12 - Hospital - Drug or alcohol related

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	140.20	4.54	3084.88	99.87
Yes	1	4.12	0.13	3089.00	100.00

ihb19b19: 16/17 - P1 CAI D12.4.13 - Hospital - Torsion of testes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	143.54	4.65	3088.23	99.98
Yes	1	0.77	0.02	3089.00	100.00

ihb19b10: 16/17 - P1 CAI D12.4.14 - Hospital - tonsillectomy and/or adenoidectomy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	132.84	4.30	3077.53	99.63
Yes	1	11.47	0.37	3089.00	100.00

ihb19b23: 16/17 - P1 CAI D12.4.15 - Hospital - Other once-off illness, no surgery needed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	125.06	4.05	3069.75	99.38
Yes	1	19.25	0.62	3089.00	100.00

ihb19b24: 16/17 - P1 CAI D12.4.16 - Hospital - Other ongoing illness, no surgery needed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	129.49	4.19	3074.17	99.52
Yes	1	14.83	0.48	3089.00	100.00

ih19b25: 16/17 - P1 CAI D12.4.17 - Hospital - Other once-off illness, surgery needed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	109.01	3.53	3053.69	98.86
Yes	1	35.31	1.14	3089.00	100.00

ih19b26: 16/17 - P1 CAI D12.4.18 - Hospital - Other ongoing illness, surgery needed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2944.68	95.33	2944.68	95.33
No	0	130.64	4.23	3075.32	99.56
Yes	1	13.68	0.44	3089.00	100.00

ih13c1: 16/17 - SC CAI C1.1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	130.47	4.22	130.47	4.22
Excellent	1	716.45	23.19	846.93	27.42
Very good	2	1260.34	40.80	2107.27	68.22
Good	3	786.21	25.45	2893.48	93.67
Fair	4	170.22	5.51	3063.70	99.18
Poor	5	25.30	0.82	3089.00	100.00

ih14c1: 16/17 - SC CAI C1.2 - Uses prescribed medicine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
-2	-2	6.47	0.21	153.82	4.98
Yes	1	694.07	22.47	847.89	27.45
No	2	2241.11	72.55	3089.00	100.00

ih56c: 16/17 - SC CAI C2.1 - Pain or pains, lasted for a whole day or longer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Yes	1	1237.95	40.08	1385.30	44.85
No	2	1703.70	55.15	3089.00	100.00

ih56c1: 16/17 - SC CAI C2.2 - When did the pain start

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
Less than 3 months ago	1	738.81	23.92	2589.86	83.84
More than 3 months ago	2	499.14	16.16	3089.00	100.00

ih56c2a: 16/17 - SC CAI C2.3.1 - Numbers correspond to the pain - Right Shoulder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1097.16	35.52	2948.21	95.44
Yes	1	140.79	4.56	3089.00	100.00

ih56c2b: 16/17 - SC CAI C2.3.2 - Numbers correspond to the pain - Right Elbow

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1201.61	38.90	3052.66	98.82
Yes	1	36.34	1.18	3089.00	100.00

ih56c2c: 16/17 - SC CAI C2.3.3 - Numbers correspond to the pain - Right Forearm

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1213.61	39.29	3064.66	99.21
Yes	1	24.34	0.79	3089.00	100.00

ih56c2d: 16/17 - SC CAI C2.3.4 - Numbers correspond to the pain - Right Hand

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1166.59	37.77	3017.65	97.69
Yes	1	71.35	2.31	3089.00	100.00

ih56c2e: 16/17 - SC CAI C2.3.5 - Numbers correspond to the pain - Left Shoulder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1105.18	35.78	2956.24	95.70
Yes	1	132.76	4.30	3089.00	100.00

ih56c2f: 16/17 - SC CAI C2.3.6 - Numbers correspond to the pain - Left Elbow

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1207.21	39.08	3058.26	99.00
Yes	1	30.74	1.00	3089.00	100.00

ih56c2g: 16/17 - SC CAI C2.3.7 - Numbers correspond to the pain - Left Forearm

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1210.80	39.20	3061.86	99.12
Yes	1	27.14	0.88	3089.00	100.00

ih56c2h: 16/17 - SC CAI C2.3.8 - Numbers correspond to the pain - Left Hand

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1177.91	38.13	3028.96	98.06
Yes	1	60.04	1.94	3089.00	100.00

ih56c2i: 16/17 - SC CAI C2.3.9 - Numbers correspond to the pain - Right Thigh

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1129.24	36.56	2980.29	96.48
Yes	1	108.71	3.52	3089.00	100.00

ih56c2j: 16/17 - SC CAI C2.3.10 - Numbers correspond to the pain - Right Knee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1088.62	35.24	2939.67	95.17
Yes	1	149.33	4.83	3089.00	100.00

ih56c2k: 16/17 - SC CAI C2.3.11 - Numbers correspond to the pain - Right Shin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1158.44	37.50	3009.49	97.43
Yes	1	79.51	2.57	3089.00	100.00

ih56c2l: 16/17 - SC CAI C2.3.12 - Numbers correspond to the pain - Right Foot

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1101.41	35.66	2952.47	95.58
Yes	1	136.53	4.42	3089.00	100.00

ih56c2m: 16/17 - SC CAI C2.3.13 - Numbers correspond to the pain - Left Thigh

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1145.24	37.07	2996.29	97.00
Yes	1	92.71	3.00	3089.00	100.00

ih56c2n: 16/17 - SC CAI C2.3.14 - Numbers correspond to the pain - Left Knee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1083.60	35.08	2934.65	95.00
Yes	1	154.35	5.00	3089.00	100.00

ih56c2o: 16/17 - SC CAI C2.3.15 - Numbers correspond to the pain - Left Shin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1158.18	37.49	3009.23	97.42
Yes	1	79.77	2.58	3089.00	100.00

ih56c2p: 16/17 - SC CAI C2.3.16 - Numbers correspond to the pain - Left Foot

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1149.22	37.20	3000.27	97.13
Yes	1	88.73	2.87	3089.00	100.00

ih56c2q: 16/17 - SC CAI C2.3.17 - Numbers correspond to the pain - Head

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	968.50	31.35	2819.55	91.28
Yes	1	269.45	8.72	3089.00	100.00

ih56c2r: 16/17 - SC CAI C2.3.18 - Numbers correspond to the pain - Neck

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1122.11	36.33	2973.16	96.25
Yes	1	115.84	3.75	3089.00	100.00

ih56c2s: 16/17 - SC CAI C2.3.19 - Numbers correspond to the pain - Sternum

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1200.71	38.87	3051.76	98.79
Yes	1	37.24	1.21	3089.00	100.00

ih56c2t: 16/17 - SC CAI C2.3.20 - Numbers correspond to the pain - Right Breast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1192.09	38.59	3043.14	98.52
Yes	1	45.86	1.48	3089.00	100.00

ih56c2u: 16/17 - SC CAI C2.3.21 - Numbers correspond to the pain - Left Breast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1183.08	38.30	3034.13	98.22
Yes	1	54.87	1.78	3089.00	100.00

ih56c2v: 16/17 - SC CAI C2.3.22 - Numbers correspond to the pain - Right Abdominal

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1152.34	37.30	3003.39	97.23
Yes	1	85.61	2.77	3089.00	100.00

ih56c2w: 16/17 - SC CAI C2.3.23 - Numbers correspond to the pain - Left Abdominal

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1148.38	37.18	2999.43	97.10
Yes	1	89.57	2.90	3089.00	100.00

ih56c2x: 16/17 - SC CAI C2.3.24 - Numbers correspond to the pain - Right Groin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1019.88	33.02	2870.93	92.94
Yes	1	218.07	7.06	3089.00	100.00

ih56c2y: 16/17 - SC CAI C2.3.25 - Numbers correspond to the pain - Left Groin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1028.70	33.30	2879.75	93.23
Yes	1	209.25	6.77	3089.00	100.00

ih56c2z: 16/17 - SC CAI C2.3.26 - Numbers correspond to the pain - Left Upper Back

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1141.40	36.95	2992.45	96.87
Yes	1	96.55	3.13	3089.00	100.00

ih56c2za: 16/17 - SC CAI C2.3.27 - Numbers correspond to the pain - Right Upper Back

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1138.02	36.84	2989.07	96.77
Yes	1	99.93	3.23	3089.00	100.00

ih56c2zb: 16/17 - SC CAI C2.3.28 - Numbers correspond to the pain - Left Lower Back

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1061.16	34.35	2912.21	94.28
Yes	1	176.79	5.72	3089.00	100.00

ih56c2zc: 16/17 - SC CAI C2.3.29 - Numbers correspond to the pain - Right Lower Back

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1070.46	34.65	2921.51	94.58
Yes	1	167.49	5.42	3089.00	100.00

ih56c2zd: 16/17 - SC CAI C2.3.30 - Numbers correspond to the pain - Left Buttock

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1227.65	39.74	3078.70	99.67
Yes	1	10.30	0.33	3089.00	100.00

ih56c2ze: 16/17 - SC CAI C2.3.31 - Numbers correspond to the pain - Right Buttock

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1226.75	39.71	3077.81	99.64
Yes	1	11.19	0.36	3089.00	100.00

ih56c2zf: 16/17 - SC CAI C2.3.32 - Numbers correspond to the pain - Spine, Thoracic

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1118.82	36.22	2969.88	96.14
Yes	1	119.12	3.86	3089.00	100.00

ih56c2zg: 16/17 - SC CAI C2.3.33 - Numbers correspond to the pain - Spine, Lumbar

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
No	0	1070.91	34.67	2921.97	94.59
Yes	1	167.03	5.41	3089.00	100.00

ihswpa: 16/17- SC/RAP - Widespread pain-axial (spine and lowback/buttock)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1851.05	59.92	1851.05	59.92
No	0	870.03	28.17	2721.08	88.09
Yes	1	367.92	11.91	3089.00	100.00

ihswpaw: 16/17- SC/RAP - Widespread pain-above waist

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1851.05	59.92	1851.05	59.92
No	0	535.27	17.33	2386.32	77.25
Yes	1	702.68	22.75	3089.00	100.00

ihswpbw: 16/17- SC/RAP - Widespread pain-below waist

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1851.05	59.92	1851.05	59.92
No	0	530.17	17.16	2381.22	77.09
Yes	1	707.78	22.91	3089.00	100.00

ihswpls: 16/17- SC/RAP - Widespread pain-left side

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1851.05	59.92	1851.05	59.92
No	0	526.66	17.05	2377.71	76.97
Yes	1	711.29	23.03	3089.00	100.00

ihswprs: 16/17- SC/RAP - Widespread pain-right side

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1851.05	59.92	1851.05	59.92
No	0	455.55	14.75	2306.60	74.67
Yes	1	782.40	25.33	3089.00	100.00

ihswpacr: 16/17 - SC/RAP - ACR score of widespread pain (1990, binary)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1851.05	59.92	1851.05	59.92
No	0	1164.39	37.69	3015.45	97.62
Yes	1	73.55	2.38	3089.00	100.00

ih56c3: 16/17 - SC CAI C2.4 - Frequency of the pain during past month

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1851.05	59.92	1851.05	59.92
Not got in the way at all	0	228.93	7.41	2079.98	67.34
1	1	109.39	3.54	2189.37	70.88
2	2	130.57	4.23	2319.94	75.10
3	3	135.72	4.39	2455.66	79.50
4	4	117.27	3.80	2572.93	83.29
5	5	117.37	3.80	2690.30	87.09
6	6	100.79	3.26	2791.09	90.36
7	7	120.27	3.89	2911.35	94.25
8	8	87.09	2.82	2998.44	97.07
9	9	32.93	1.07	3031.37	98.13
Unable to carry out any activities	10	57.63	1.87	3089.00	100.00

ih518c20: 16/17 - SC CAI C3.3 - Missed more than 2 full days due to an injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	147.35	4.77	147.35	4.77
Yes	1	651.41	21.09	798.77	25.86
No	2	2290.23	74.14	3089.00	100.00

ih518c20a: 16/17 - SC CAI C3.4 - Frequency missed school > 2 full days - last 2 years

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2437.59	78.91	2437.59	78.91
0	455.50	14.75	2893.08	93.66
5	148.14	4.80	3041.22	98.45
10	24.48	0.79	3065.70	99.25
15	6.13	0.20	3071.84	99.44
20	4.59	0.15	3076.42	99.59

ih18c20a: 16/17 - SC CAI C3.4 - Frequency missed school > 2 full days - last 2 years

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
25	1.11	0.04	3077.54	99.63
30	2.08	0.07	3079.61	99.70
35	0.95	0.03	3080.56	99.73
40	5.08	0.16	3085.65	99.89
50	3.35	0.11	3089.00	100.00

ih18c20b: 16/17 - SC CAI C3.5 - Number of days off work /school due to most serious injury

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2437.59	78.91	2437.59	78.91
0	195.89	6.34	2633.48	85.25
5	312.37	10.11	2945.84	95.37
10	54.85	1.78	3000.69	97.14
15	37.67	1.22	3038.36	98.36
20	13.83	0.45	3052.20	98.81
25	4.54	0.15	3056.74	98.96
30	8.11	0.26	3064.85	99.22
35	0.64	0.02	3065.49	99.24
40	12.40	0.40	3077.89	99.64
60	4.27	0.14	3082.16	99.78
70	0.90	0.03	3083.07	99.81
90	1.12	0.04	3084.19	99.84
100	4.12	0.13	3088.31	99.98
180	0.69	0.02	3089.00	100.00

ih18c21a: 16/17 - SC CAI C3.6.1 - what caused the injury - Car accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	649.33	21.02	3086.91	99.93
Yes	1	2.09	0.07	3089.00	100.00

ih18c21b: 16/17 - SC CAI C3.6.2 - what caused the injury - Motorbike accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	635.15	20.56	3072.73	99.47
Yes	1	16.27	0.53	3089.00	100.00

ih18c21c: 16/17 - SC CAI C3.6.3 - what caused the injury - Quad bike accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	650.07	21.04	3087.65	99.96
Yes	1	1.35	0.04	3089.00	100.00

ih18c21d: 16/17 - SC CAI C3.6.4 - what caused the injury - Bicycle accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	635.92	20.59	3073.51	99.50
Yes	1	15.49	0.50	3089.00	100.00

ih18c21e: 16/17 - SC CAI C3.6.5 - what caused the injury - Pedestrian accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	649.27	21.02	3086.86	99.93
Yes	1	2.14	0.07	3089.00	100.00

ih18c21f: 16/17 - SC CAI C3.6.6 - what caused the injury - Other transport accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	645.11	20.88	3082.70	99.80
Yes	1	6.30	0.20	3089.00	100.00

ih18c21g: 16/17 - SC CAI C3.6.7 - what caused the injury - Playing sport

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	283.10	9.16	2720.68	88.08
Yes	1	368.32	11.92	3089.00	100.00

ih18c21h: 16/17 - SC CAI C3.6.8 - what caused the injury - Fall

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	574.74	18.61	3012.33	97.52
Yes	1	76.67	2.48	3089.00	100.00

ih18c21i: 16/17 - SC CAI C3.6.9 - what caused the injury - Animal contact

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	637.98	20.65	3075.57	99.57
Yes	1	13.43	0.43	3089.00	100.00

ih18c21j: 16/17 - SC CAI C3.6.10 - what caused the injury - Near drowning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	650.18	21.05	3087.77	99.96
Yes	1	1.23	0.04	3089.00	100.00

ih18c21k: 16/17 - SC CAI C3.6.11 - what caused the injury - Suffocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	650.79	21.07	3088.37	99.98
Yes	1	0.63	0.02	3089.00	100.00

ih18c21l: 16/17 - SC CAI C3.6.12 - what caused the injury - Fire, heat and hot substances

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	645.65	20.90	3083.23	99.81
Yes	1	5.77	0.19	3089.00	100.00

ih18c21m: 16/17 - SC CAI C3.6.13 - what caused injury - Exposure to chemicals and poisons

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	651.41	21.09	3089.00	100.00

ih18c21n: 16/17 - SC CAI C3.6.14 - what caused the injury - Firearm

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	651.41	21.09	3089.00	100.00

ih18c21o: 16/17 - SC CAI C3.6.15 - what caused the injury - Sharp object

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	637.27	20.63	3074.86	99.54
Yes	1	14.14	0.46	3089.00	100.00

ih18c21p: 16/17 - SC CAI C3.6.16 - what caused the injury - Machinery or electricity

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	650.89	21.07	3088.47	99.98
Yes	1	0.53	0.02	3089.00	100.00

ih18c21q: 16/17 - SC CAI C3.6.17 - what caused injury - Struck by/collision with a person

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	633.02	20.49	3070.61	99.40
Yes	1	18.39	0.60	3089.00	100.00

ih18c21r: 16/17 - SC CAI C3.6.18 - what caused injury - Struck by/collision with an object

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	634.57	20.54	3072.15	99.45
Yes	1	16.85	0.55	3089.00	100.00

ih18c21s: 16/17 - SC CAI C3.6.19 - what caused the injury - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	524.45	16.98	2962.04	95.89
Yes	1	126.96	4.11	3089.00	100.00

ih18c15a2: 16/17 - SC CAI C3.7 - Where did this injury occur

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
Home	1	87.98	2.85	2525.57	81.76
School	2	156.32	5.06	2681.88	86.82
Work	3	22.26	0.72	2704.14	87.54
Someone else's place	4	22.94	0.74	2727.08	88.28
Outside public place other than a road	5	255.64	8.28	2982.72	96.56
Inside public place	6	59.60	1.93	3042.32	98.49
Public road	7	18.13	0.59	3060.45	99.08
Other	8	28.55	0.92	3089.00	100.00

ih18c22a: 16/17 - SC CAI C3.8.1 - Who treated - You treated yourself

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	555.16	17.97	2992.74	96.88
Yes	1	96.26	3.12	3089.00	100.00

ih18c22b: 16/17 - SC CAI C3.8.2 - Who treated - Your parent

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	531.17	17.20	2968.76	96.11
Yes	1	120.24	3.89	3089.00	100.00

ih18c22c: 16/17 - SC CAI C3.8.3 - Who treated - Friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	635.36	20.57	3072.94	99.48
Yes	1	16.06	0.52	3089.00	100.00

ih18c22d: 16/17 - SC CAI C3.8.4 - Who treated - Coach or teacher

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	568.34	18.40	3005.93	97.31
Yes	1	83.07	2.69	3089.00	100.00

ih18c22e: 16/17 - SC CAI C3.8.5 - Who treated - Ambulance Paramedic

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	605.35	19.60	3042.94	98.51
Yes	1	46.06	1.49	3089.00	100.00

ihc18c22f: 16/17 - SC CAI C3.8.6 - Who treated - Doctor or nurse at GP clinic

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	448.74	14.53	2886.32	93.44
Yes	1	202.68	6.56	3089.00	100.00

ihc18c22g: 16/17 - SC CAI C3.8.7 - Who treated - Doctor or nurse at hospital

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	431.17	13.96	2868.76	92.87
Yes	1	220.24	7.13	3089.00	100.00

ihc18c22h: 16/17 - SC CAI C3.8.8 - Who treated - Medical specialist

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	477.55	15.46	2915.13	94.37
Yes	1	173.87	5.63	3089.00	100.00

ihc18c22i: 16/17 - SC CAI C3.8.1 - 8.9 - Treated

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
Yes	1	635.90	20.59	3073.48	99.50
No	2	15.52	0.50	3089.00	100.00

ihc18c22j: 16/17 - SC CAI C3.8.10 - Who treated - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	631.16	20.43	3068.74	99.34
Yes	1	20.26	0.66	3089.00	100.00

ihc18c1a1: 16/17 - SC CAI C3.9.1 - Type of injury - Broken or fractured bone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	500.43	16.20	2938.02	95.11
Yes	1	150.98	4.89	3089.00	100.00

ihc18c2a1: 16/17 - SC CAI C3.9.2 - Type of injury - Burn or scald

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	645.65	20.90	3083.23	99.81
Yes	1	5.77	0.19	3089.00	100.00

ih18c3: 16/17 - SC CAI C3.9.3 - Type of injury - Dislocation

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	603.50	19.54	3041.09	98.45
Yes	1	47.91	1.55	3089.00	100.00

ih18c4: 16/17 - SC CAI C3.9.4 - Type of injury - Sprain, strain or tear

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	381.07	12.34	2818.66	91.25
Yes	1	270.34	8.75	3089.00	100.00

ih18c5: 16/17 - SC CAI C3.9.5 - Type of injury - Cut or scrape

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	601.53	19.47	3039.12	98.39
Yes	1	49.88	1.61	3089.00	100.00

ih18c11: 16/17 - SC CAI C3.9.6 - Type of injury - Bruises or swelling

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	562.85	18.22	3000.43	97.13
Yes	1	88.57	2.87	3089.00	100.00

ih18c12: 16/17 - SC CAI C3.9.7 - Type of injury - Animal bites or bee stings

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	650.89	21.07	3088.48	99.98
Yes	1	0.52	0.02	3089.00	100.00

ih18c6: 16/17 - SC CAI C3.9.8 - Type of injury - Concussion or internal head injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	620.57	20.09	3058.16	99.00
Yes	1	30.84	1.00	3089.00	100.00

ih18c7: 16/17 - SC CAI C3.9.9 - Type of injury - Internal injury (not head)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	622.66	20.16	3060.25	99.07
Yes	1	28.75	0.93	3089.00	100.00

ih18c8: 16/17 - SC CAI C3.9.10 - Type of injury - Dental injury

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	646.59	20.93	3084.18	99.84
Yes	1	4.82	0.16	3089.00	100.00

ih18c9: 16/17 - SC CAI C3.9.11 - Type of injury - Poisoning

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	645.59	20.90	3083.18	99.81
Yes	1	5.82	0.19	3089.00	100.00

ih18c10: 16/17 - SC CAI C3.9.12 - Type of injury - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2437.59	78.91	2437.59	78.91
No	0	562.03	18.19	2999.61	97.11
Yes	1	89.39	2.89	3089.00	100.00

ih21c2a: 16/17 - SC CAI C6.1 - Go to bed (Time) School/Work night

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	148.08	4.79	148.08	4.79
0:00	104.86	3.39	252.94	8.19
0:15	1.10	0.04	254.04	8.22
0:30	14.67	0.47	268.71	8.70
1:00	41.49	1.34	310.20	10.04
1:30	5.55	0.18	315.75	10.22
2:00	10.48	0.34	326.23	10.56
2:45	0.53	0.02	326.76	10.58
3:00	4.17	0.14	330.93	10.71
4:00	4.06	0.13	334.99	10.84
18:00	8.06	0.26	343.05	11.11
18:30	0.55	0.02	343.60	11.12
19:00	7.25	0.23	350.86	11.36
19:30	11.27	0.36	362.13	11.72
19:45	0.48	0.02	362.61	11.74
20:00	35.30	1.14	397.91	12.88
20:15	0.78	0.03	398.69	12.91
20:30	93.18	3.02	491.87	15.92
20:45	7.93	0.26	499.80	16.18
21:00	267.54	8.66	767.33	24.84
21:15	10.20	0.33	777.53	25.17
21:30	423.13	13.70	1200.66	38.87
21:45	40.09	1.30	1240.76	40.17
22:00	659.96	21.36	1900.72	61.53
22:15	28.84	0.93	1929.56	62.47
22:30	504.28	16.33	2433.84	78.79
22:45	30.82	1.00	2464.67	79.79
23:00	395.32	12.80	2859.99	92.59
23:15	12.55	0.41	2872.54	92.99

ih21c2a: 16/17 - SC CAI C6.1 - Go to bed (Time) School/Work night

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
23:30	155.32	5.03	3027.86	98.02
23:45	16.01	0.52	3043.87	98.54
24:00	45.13	1.46	3089.00	100.00

ih21c3a: 16/17 - SC CAI C6.2 - Go to bed (Time) School/Work night

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	148.08	4.79	148.08	4.79
0:00	139.44	4.51	287.52	9.31
0:15	41.97	1.36	329.49	10.67
0:30	78.64	2.55	408.13	13.21
0:45	5.91	0.19	414.04	13.40
1:00	77.48	2.51	491.52	15.91
1:15	6.98	0.23	498.50	16.14
1:30	26.98	0.87	525.48	17.01
1:45	1.88	0.06	527.36	17.07
2:00	20.95	0.68	548.31	17.75
2:15	1.58	0.05	549.89	17.80
2:30	8.52	0.28	558.41	18.08
2:45	0.53	0.02	558.93	18.09
3:00	7.22	0.23	566.16	18.33
3:15	0.66	0.02	566.81	18.35
3:30	0.83	0.03	567.65	18.38
3:45	0.40	0.01	568.04	18.39
4:00	3.35	0.11	571.40	18.50
4:30	1.32	0.04	572.72	18.54
18:00	1.56	0.05	574.28	18.59
18:15	3.30	0.11	577.58	18.70
19:00	1.85	0.06	579.42	18.76
19:30	3.27	0.11	582.69	18.86
19:45	1.12	0.04	583.81	18.90
20:00	3.75	0.12	587.56	19.02
20:15	5.06	0.16	592.62	19.18
20:30	23.46	0.76	616.08	19.94
20:45	13.22	0.43	629.30	20.37
21:00	66.66	2.16	695.96	22.53
21:15	48.89	1.58	744.85	24.11
21:30	153.59	4.97	898.44	29.09
21:45	93.73	3.03	992.17	32.12
22:00	319.74	10.35	1311.91	42.47
22:15	136.64	4.42	1448.55	46.89
22:30	452.47	14.65	1901.02	61.54
22:45	166.22	5.38	2067.24	66.92
23:00	451.23	14.61	2518.47	81.53
23:15	121.33	3.93	2639.80	85.46
23:30	290.57	9.41	2930.37	94.86
23:45	85.63	2.77	3016.01	97.64
24:00	72.99	2.36	3089.00	100.00

ih21c4a: 16/17 - SC CAI C6.3 - Wake up in the morning (Time) School/Work day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	148.08	4.79	148.08	4.79
0:00	0.43	0.01	148.51	4.81
1:00	0.96	0.03	149.48	4.84
3:00	1.29	0.04	150.77	4.88
4:00	5.95	0.19	156.72	5.07
4:30	17.62	0.57	174.33	5.64
4:45	3.32	0.11	177.65	5.75
5:00	40.30	1.30	217.95	7.06
5:15	2.38	0.08	220.33	7.13
5:30	66.57	2.16	286.90	9.29
5:45	40.67	1.32	327.57	10.60
6:00	274.15	8.88	601.72	19.48
6:15	65.50	2.12	667.22	21.60
6:30	438.37	14.19	1105.59	35.79
6:45	222.17	7.19	1327.76	42.98
7:00	845.30	27.36	2173.06	70.35
7:15	161.30	5.22	2334.36	75.57
7:30	404.33	13.09	2738.69	88.66
7:45	112.49	3.64	2851.18	92.30
8:00	130.03	4.21	2981.21	96.51
8:15	14.03	0.45	2995.23	96.96
8:30	28.52	0.92	3023.76	97.89
8:45	1.69	0.05	3025.45	97.94
9:00	27.25	0.88	3052.70	98.82
9:30	1.05	0.03	3053.75	98.86
10:00	21.93	0.71	3075.67	99.57
10:15	2.56	0.08	3078.23	99.65
10:30	0.42	0.01	3078.65	99.67
11:00	6.90	0.22	3085.55	99.89
12:00	0.70	0.02	3086.25	99.91
12:30	0.40	0.01	3086.64	99.92
13:00	1.74	0.06	3088.39	99.98
14:00	0.61	0.02	3089.00	100.00

ih21c5a: 16/17 - SC CAI C6.4 - Go to bed (Time) No school/Work next day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	148.08	4.79	148.08	4.79
0:00	397.15	12.86	545.23	17.65
0:15	6.11	0.20	551.35	17.85
0:30	79.75	2.58	631.10	20.43
0:45	2.20	0.07	633.30	20.50
1:00	232.86	7.54	866.16	28.04
1:15	1.71	0.06	867.87	28.10
1:30	34.42	1.11	902.29	29.21
2:00	104.71	3.39	1007.00	32.60
2:15	0.45	0.01	1007.45	32.61
2:30	12.56	0.41	1020.01	33.02
3:00	54.28	1.76	1074.29	34.78

ih21c5a: 16/17 - SC CAI C6.4 - Go to bed (Time) No school/Work next day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3:30	3.65	0.12	1077.94	34.90
4:00	14.37	0.47	1092.31	35.36
5:00	4.35	0.14	1096.66	35.50
16:00	0.47	0.02	1097.13	35.52
18:00	9.03	0.29	1106.16	35.81
18:30	0.57	0.02	1106.73	35.83
19:00	3.24	0.10	1109.97	35.93
19:30	1.80	0.06	1111.76	35.99
19:45	0.71	0.02	1112.47	36.01
20:00	17.92	0.58	1130.39	36.59
20:15	0.78	0.03	1131.17	36.62
20:30	18.38	0.60	1149.55	37.21
20:45	1.46	0.05	1151.02	37.26
21:00	101.20	3.28	1252.22	40.54
21:15	3.11	0.10	1255.33	40.64
21:30	96.68	3.13	1352.01	43.77
21:45	6.67	0.22	1358.68	43.98
22:00	305.21	9.88	1663.89	53.87
22:15	15.29	0.49	1679.18	54.36
22:30	288.92	9.35	1968.10	63.71
22:45	23.24	0.75	1991.34	64.47
23:00	591.37	19.14	2582.71	83.61
23:15	16.11	0.52	2598.82	84.13
23:30	279.28	9.04	2878.10	93.17
23:45	48.91	1.58	2927.01	94.76
24:00	161.99	5.24	3089.00	100.00

ih21c6a: 16/17 - SC CAI C6.5 - Fall asleep (Time) No school/Work next day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	148.08	4.79	148.08	4.79
0:00	277.88	9.00	425.96	13.79
0:15	118.92	3.85	544.88	17.64
0:30	227.29	7.36	772.17	25.00
0:45	39.43	1.28	811.61	26.27
1:00	215.50	6.98	1027.11	33.25
1:15	43.60	1.41	1070.71	34.66
1:30	125.18	4.05	1195.89	38.71
1:45	9.56	0.31	1205.45	39.02
2:00	114.38	3.70	1319.83	42.73
2:15	15.00	0.49	1334.83	43.21
2:30	39.83	1.29	1374.66	44.50
2:45	1.64	0.05	1376.31	44.56
3:00	63.59	2.06	1439.90	46.61
3:15	16.71	0.54	1456.61	47.15
3:30	5.45	0.18	1462.06	47.33
3:45	2.36	0.08	1464.42	47.41
4:00	26.18	0.85	1490.60	48.26
4:15	1.60	0.05	1492.20	48.31

ih21c6a: 16/17 - SC CAI C6.5 - Fall asleep (Time) No school/Work next day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4:30	2.59	0.08	1494.80	48.39
5:00	9.43	0.31	1504.22	48.70
5:15	0.47	0.02	1504.70	48.71
16:30	0.47	0.02	1505.17	48.73
18:00	3.53	0.11	1508.69	48.84
18:15	3.30	0.11	1511.99	48.95
18:30	0.61	0.02	1512.60	48.97
19:00	3.10	0.10	1515.70	49.07
20:00	5.16	0.17	1520.86	49.23
20:15	1.02	0.03	1521.88	49.27
20:30	11.40	0.37	1533.28	49.64
20:45	0.60	0.02	1533.88	49.66
21:00	22.52	0.73	1556.40	50.39
21:15	17.21	0.56	1573.61	50.94
21:30	43.11	1.40	1616.71	52.34
21:45	11.86	0.38	1628.57	52.72
22:00	109.90	3.56	1738.47	56.28
22:15	50.40	1.63	1788.87	57.91
22:30	191.41	6.20	1980.28	64.11
22:45	65.17	2.11	2045.45	66.22
23:00	298.89	9.68	2344.35	75.89
23:15	139.32	4.51	2483.66	80.40
23:30	337.73	10.93	2821.39	91.34
23:45	136.40	4.42	2957.79	95.75
24:00	131.21	4.25	3089.00	100.00

ih21c7a: 16/17 - SC CAI C6.6 - Wake up (Time) Not school/Work day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	148.08	4.79	148.08	4.79
0:00	0.98	0.03	149.06	4.83
1:00	1.00	0.03	150.06	4.86
2:00	1.78	0.06	151.85	4.92
3:00	1.29	0.04	153.14	4.96
4:00	4.09	0.13	157.23	5.09
4:30	6.79	0.22	164.02	5.31
5:00	17.14	0.55	181.16	5.86
5:30	7.73	0.25	188.88	6.11
5:45	0.81	0.03	189.69	6.14
6:00	34.47	1.12	224.16	7.26
6:15	1.87	0.06	226.03	7.32
6:30	42.91	1.39	268.94	8.71
6:45	7.70	0.25	276.64	8.96
7:00	180.82	5.85	457.47	14.81
7:15	6.34	0.21	463.81	15.01
7:30	116.98	3.79	580.79	18.80
7:45	8.06	0.26	588.85	19.06
8:00	390.13	12.63	978.98	31.69
8:15	5.21	0.17	984.18	31.86

ih21c7a: 16/17 - SC CAI C6.6 - Wake up (Time) Not school/Work day

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8:30	216.94	7.02	1201.12	38.88
8:45	15.38	0.50	1216.51	39.38
9:00	551.81	17.86	1768.32	57.25
9:15	4.76	0.15	1773.08	57.40
9:30	238.75	7.73	2011.83	65.13
9:45	4.46	0.14	2016.29	65.27
10:00	499.90	16.18	2516.19	81.46
10:15	4.08	0.13	2520.27	81.59
10:30	153.63	4.97	2673.89	86.56
10:45	2.88	0.09	2676.78	86.66
11:00	192.56	6.23	2869.34	92.89
11:30	41.42	1.34	2910.76	94.23
11:45	3.47	0.11	2914.23	94.34
12:00	112.69	3.65	3026.92	97.99
12:15	1.15	0.04	3028.07	98.03
12:30	16.28	0.53	3044.36	98.55
13:00	28.71	0.93	3073.07	99.48
13:30	3.76	0.12	3076.82	99.61
14:00	10.78	0.35	3087.61	99.95
15:00	1.39	0.05	3089.00	100.00

ih20c3: 16/17 - SC CAI C6.7 - SC enough sleep

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	131.20	4.25	131.20	4.25
Plenty	1	913.21	29.56	1044.42	33.81
Just enough	2	1215.66	39.35	2260.07	73.17
Not quite enough	3	665.97	21.56	2926.04	94.72
Not nearly enough	4	162.96	5.28	3089.00	100.00

ih20c4: 16/17 - SC CAI C6.8 - SC sleep quality

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	131.20	4.25	131.20	4.25
Very well	1	743.87	24.08	875.07	28.33
Fairly well	2	1736.47	56.21	2611.53	84.54
Fairly badly	3	416.31	13.48	3027.85	98.02
Very badly	4	61.15	1.98	3089.00	100.00

ih23c1: 16/17 - SC - MEAS 3 - Height (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	192.80	6.24	192.80	6.24
140	2.38	0.08	195.18	6.32
150	84.53	2.74	279.70	9.05
160	727.46	23.55	1007.16	32.60
170	1075.10	34.80	2082.26	67.41
180	781.25	25.29	2863.51	92.70
190	225.49	7.30	3089.00	100.00

ih23c2: 16/17 - SC - MEAS 6 - Weight (kg)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	247.18	8.00	247.18	8.00
35	3.30	0.11	250.48	8.11
40	13.12	0.42	263.60	8.53
45	77.36	2.50	340.96	11.04
50	202.17	6.54	543.13	17.58
55	360.64	11.67	903.77	29.26
60	407.83	13.20	1311.59	42.46
65	485.27	15.71	1796.86	58.17
70	345.45	11.18	2142.31	69.35
75	280.99	9.10	2423.31	78.45
80	199.39	6.45	2622.70	84.90
85	125.69	4.07	2748.39	88.97
90	117.96	3.82	2866.34	92.79
95	55.32	1.79	2921.67	94.58
100	64.22	2.08	2985.89	96.66
105	24.85	0.80	3010.74	97.47
110	24.94	0.81	3035.68	98.27
115	14.70	0.48	3050.38	98.75
120	8.13	0.26	3058.51	99.01
125	7.22	0.23	3065.74	99.25
130	23.26	0.75	3089.00	100.00

icbmi: 16/17 - SC - Body Mass Index

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	248.83	8.06	248.83	8.06
15	93.27	3.02	342.10	11.07
20	1381.80	44.73	1723.90	55.81
25	898.08	29.07	2621.98	84.88
30	314.21	10.17	2936.19	95.05
35	110.79	3.59	3046.98	98.64
40	30.65	0.99	3077.63	99.63
45	11.37	0.37	3089.00	100.00

iwaz: 16/17 - Weight for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	247.18	8.00	247.18	8.00
-4	3.30	0.11	250.48	8.11
-3	14.12	0.46	264.60	8.57
-2	62.58	2.03	327.18	10.59
-1	341.18	11.04	668.35	21.64
0	919.08	29.75	1587.43	51.39
1	999.58	32.36	2587.01	83.75
2	432.68	14.01	3019.70	97.76
3	69.30	2.24	3089.00	100.00

iwapct: 16/17 - Weight for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	248.83	8.06	248.83	8.06
0	49.44	1.60	298.27	9.66
5	83.47	2.70	381.73	12.36
10	100.62	3.26	482.35	15.62
15	84.84	2.75	567.19	18.36
20	100.65	3.26	667.83	21.62
25	93.92	3.04	761.76	24.66
30	77.15	2.50	838.91	27.16
35	98.87	3.20	937.78	30.36
40	89.53	2.90	1027.31	33.26
45	113.85	3.69	1141.16	36.94
50	130.07	4.21	1271.23	41.15
55	117.11	3.79	1388.34	44.94
60	162.00	5.24	1550.34	50.19
65	163.87	5.31	1714.21	55.49
70	161.99	5.24	1876.20	60.74
75	160.02	5.18	2036.22	65.92
80	149.30	4.83	2185.52	70.75
85	179.12	5.80	2364.65	76.55
90	231.69	7.50	2596.33	84.05
95	306.45	9.92	2902.78	93.97
100	186.22	6.03	3089.00	100.00

ibmiz: 16/17 - BMI z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	248.83	8.06	248.83	8.06
-6	0.91	0.03	249.74	8.08
-4	0.93	0.03	250.66	8.11
-3	20.02	0.65	270.69	8.76
-2	91.92	2.98	362.61	11.74
-1	458.52	14.84	821.13	26.58
0	955.56	30.93	1776.69	57.52
1	871.16	28.20	2647.85	85.72
2	403.42	13.06	3051.27	98.78
3	37.73	1.22	3089.00	100.00

ibmipct: 16/17 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	247.18	8.00	247.18	8.00
0	37.94	1.23	285.12	9.23
5	52.52	1.70	337.64	10.93
10	58.43	1.89	396.07	12.82
15	66.09	2.14	462.16	14.96
20	90.59	2.93	552.75	17.89
25	65.46	2.12	618.21	20.01
30	80.31	2.60	698.52	22.61
35	74.72	2.42	773.25	25.03

ibmipct: 16/17 - BMI percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
40	99.28	3.21	872.52	28.25
45	129.06	4.18	1001.58	32.42
50	134.09	4.34	1135.67	36.77
55	125.35	4.06	1261.02	40.82
60	125.73	4.07	1386.74	44.89
65	150.80	4.88	1537.55	49.77
70	158.87	5.14	1696.41	54.92
75	158.78	5.14	1855.19	60.06
80	210.37	6.81	2065.56	66.87
85	232.88	7.54	2298.43	74.41
90	246.44	7.98	2544.87	82.38
95	309.92	10.03	2854.79	92.42
100	234.21	7.58	3089.00	100.00

ihaz: 16/17 - Height for age z-score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	192.80	6.24	192.80	6.24
-4	2.38	0.08	195.18	6.32
-3	6.24	0.20	201.42	6.52
-2	77.21	2.50	278.63	9.02
-1	518.38	16.78	797.01	25.80
0	1098.44	35.56	1895.45	61.36
1	849.03	27.49	2744.48	88.85
2	292.86	9.48	3037.34	98.33
3	47.40	1.53	3084.74	99.86
4	3.57	0.12	3088.31	99.98
7	0.69	0.02	3089.00	100.00

ihapct: 16/17 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	192.80	6.24	192.80	6.24
0	35.89	1.16	228.69	7.40
5	66.85	2.16	295.53	9.57
10	89.57	2.90	385.10	12.47
15	100.57	3.26	485.68	15.72
20	114.95	3.72	600.63	19.44
25	104.90	3.40	705.52	22.84
30	138.98	4.50	844.50	27.34
35	143.18	4.64	987.69	31.97
40	142.33	4.61	1130.02	36.58
45	146.89	4.76	1276.91	41.34
50	148.13	4.80	1425.03	46.13
55	140.31	4.54	1565.34	50.67
60	138.12	4.47	1703.46	55.15
65	152.97	4.95	1856.42	60.10
70	140.42	4.55	1996.84	64.64
75	164.58	5.33	2161.42	69.97

ihapct: 16/17 - Height for age percentile

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
80	155.66	5.04	2317.09	75.01
85	199.08	6.44	2516.17	81.46
90	192.79	6.24	2708.95	87.70
95	226.25	7.32	2935.20	95.02
100	153.80	4.98	3089.00	100.00

ibodyfat: 16/17 - MEAS 9 - Body fat Measurement

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	391.67	12.68	391.67	12.68
-3	4.17	0.13	395.84	12.81
5	48.58	1.57	444.42	14.39
10	366.58	11.87	811.00	26.25
15	488.38	15.81	1299.38	42.06
20	428.07	13.86	1727.45	55.92
25	511.35	16.55	2238.81	72.48
30	375.90	12.17	2614.71	84.65
35	253.76	8.22	2868.47	92.86
40	131.40	4.25	2999.87	97.11
45	61.59	1.99	3061.46	99.11
50	23.33	0.76	3084.79	99.86
55	3.41	0.11	3088.21	99.97
60	0.79	0.03	3089.00	100.00

ih23c3: 16/17 - SC - MEAS 12 - SC's waist measurements (cm)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	251.11	8.13	251.11	8.13
50	1.40	0.05	252.51	8.17
55	8.71	0.28	261.22	8.46
60	84.14	2.72	345.35	11.18
65	281.61	9.12	626.96	20.30
70	572.45	18.53	1199.42	38.83
75	657.38	21.28	1856.80	60.11
80	427.47	13.84	2284.26	73.95
85	288.08	9.33	2572.34	83.27
90	190.26	6.16	2762.60	89.43
95	116.52	3.77	2879.12	93.21
100	76.32	2.47	2955.44	95.68
105	49.69	1.61	3005.13	97.28
110	38.11	1.23	3043.24	98.52
115	19.70	0.64	3062.94	99.16
120	6.29	0.20	3069.23	99.36
125	19.77	0.64	3089.00	100.00

ih36e: 16/17 - SC CASI A12.1 - Growth Spurt

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	5.23	0.17	164.28	5.32
Has not yet started	1	57.86	1.87	222.14	7.19
Has barely started	2	254.48	8.24	476.62	15.43
Has definitely started	3	1068.77	34.60	1545.39	50.03
Seems complete	4	1543.61	49.97	3089.00	100.00

ih36c: 16/17 - SC CASI A12.2 - Body hair

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	10.19	0.33	169.24	5.48
Has not started yet	1	17.88	0.58	187.12	6.06
Has barely started	2	78.28	2.53	265.40	8.59
Has definitely started	3	1325.61	42.91	1591.02	51.51
Seems complete	4	1497.98	48.49	3089.00	100.00

ih36a: 16/17 - SC CASI A12.3 - Skin changes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	3.33	0.11	162.39	5.26
Has not started yet	1	56.70	1.84	219.09	7.09
Has barely started	2	221.23	7.16	440.32	14.25
Has definitely started	3	1748.38	56.60	2188.70	70.85
Seems complete	4	900.30	29.15	3089.00	100.00

ih36j: 16/17 - SC CASI A12.4 - SC have pimples

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	8.10	0.26	167.15	5.41
-2	-2	66.61	2.16	233.76	7.57
Yes	1	2506.39	81.14	2740.15	88.71
No	2	348.85	11.29	3089.00	100.00

ih36j1: 16/17 - SC CASI A12.4.1 - Pimples on my face

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	8.10	0.26	167.15	5.41
No	0	552.29	17.88	719.44	23.29
Yes	1	2369.56	76.71	3089.00	100.00

ih36j2: 16/17 - SC CASI A12.4.2 - Pimples on my body

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	159.06	5.15	159.06	5.15
-3	-3	8.10	0.26	167.15	5.41
No	0	1876.67	60.75	2043.83	66.16
Yes	1	1045.17	33.84	3089.00	100.00

ih36k: 16/17 - SC CASI A12.5 - Picture - Most like the acne or pimples on face

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	3.92	0.13	723.36	23.42
Clear	1	113.37	3.67	836.73	27.09
Almost clear	2	1268.26	41.06	2104.98	68.14
Mild	3	813.41	26.33	2918.39	94.48
Moderate	4	152.02	4.92	3070.41	99.40
Severe	5	18.59	0.60	3089.00	100.00

ih36n1: 16/17 - SC CASI A12.6.1 - Treatments used - Skin washes or creams

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	873.13	28.27	1597.04	51.70
Yes	1	1491.96	48.30	3089.00	100.00

ih36n2: 16/17 - SC CASI A12.6.2 - Treatments used - Non-prescription cleansers/lotions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	1941.97	62.87	2665.88	86.30
Yes	1	423.12	13.70	3089.00	100.00

ih36n3: 16/17 - SC CASI A12.6.3 - Treatments used - Prescribed topical treatments

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	2170.66	70.27	2894.57	93.71
Yes	1	194.43	6.29	3089.00	100.00

ih36n4: 16/17 - SC CASI A12.6.4 - Treatments used - Oral antibiotics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	2264.40	73.31	2988.31	96.74
Yes	1	100.69	3.26	3089.00	100.00

ih36n5: 16/17 - SC CASI A12.6.5 - Treatments used - Oral isotretinoin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	2346.08	75.95	3069.99	99.38
Yes	1	19.01	0.62	3089.00	100.00

ih36n6: 16/17 - SC CASI A12.6.6 - Treatments used - Oral hormone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	2330.34	75.44	3054.25	98.88
Yes	1	34.75	1.12	3089.00	100.00

ih36n7: 16/17 - SC CASI A12.6.7 - Treatments used - Only soap or water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	1874.52	60.68	2598.43	84.12
Yes	1	490.57	15.88	3089.00	100.00

ih36n8: 16/17 - SC CASI A12.6.8 - Treatments used - No treatments used

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	1937.38	62.72	2661.29	86.15
Yes	1	427.71	13.85	3089.00	100.00

ih36n9: 16/17 - SC CASI A12.6.9 - Treatments used - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	719.44	23.29	719.44	23.29
-3	-3	4.47	0.14	723.91	23.44
No	0	2249.13	72.81	2973.04	96.25
Yes	1	115.96	3.75	3089.00	100.00

ih36f: 16/17 - SC - SC CASI A13.1 - Deepening Voice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1596.96	51.70	1596.96	51.70
-3	-3	5.62	0.18	1602.59	51.88
Has not yet started	1	16.04	0.52	1618.63	52.40
Has barely started	2	132.91	4.30	1751.54	56.70
Has definitely started	3	706.73	22.88	2458.27	79.58
Seems complete	4	630.73	20.42	3089.00	100.00

ih36g: 16/17 - SC - SC CASI A13.2 - Grow facial hair

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1596.96	51.70	1596.96	51.70
-3	-3	5.52	0.18	1602.48	51.88
Has not yet started	1	29.70	0.96	1632.18	52.84
Has barely started	2	321.42	10.41	1953.60	63.24
Has definitely started	3	915.08	29.62	2868.68	92.87
Seems complete	4	220.32	7.13	3089.00	100.00

ih36d: 16/17 - SC - SC CASI A14.1 - Breast growth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1651.09	53.45	1651.09	53.45
-3	-3	7.71	0.25	1658.80	53.70
Has not started yet	1	2.55	0.08	1661.35	53.78
Has barely started	2	89.33	2.89	1750.68	56.67
Has definitely started	3	580.53	18.79	2331.21	75.47
Seems complete	4	757.79	24.53	3089.00	100.00

ih36h: 16/17 - SC - SC CASI A14.2 - Menstruate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2200.97	71.25	2200.97	71.25
-3	-3	7.00	0.23	2207.97	71.48
Yes	1	869.97	28.16	3077.95	99.64
No	2	11.05	0.36	3089.00	100.00

ipubrtbyb: 16/17 - Puberty scale

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	159.70	5.17	159.70	5.17
1	5.04	0.16	164.74	5.33
2	93.53	3.03	258.27	8.36
3	1544.84	50.01	1803.12	58.37
4	1285.88	41.63	3089.00	100.00

ih36c10: 16/17 - SC - SC CASI A14.2 +W6 - Menstruate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1657.06	53.64	1657.06	53.64
Yes	1	1420.89	46.00	3077.95	99.64
No	2	11.05	0.36	3089.00	100.00

ih36i: 16/17 - SC - SC CASI A14.4 - Have you had any periods in the last 3 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1697.59	54.96	1697.59	54.96
-3	-3	4.02	0.13	1701.60	55.09
Yes	1	1314.15	42.54	3015.75	97.63
No	2	73.25	2.37	3089.00	100.00

ih36i1: 16/17 - SC - SC CASI A14.5.1 - How regular were your periods

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
-3	-3	3.59	0.12	1778.44	57.57
Very	1	545.54	17.66	2323.99	75.23
Quite	2	471.73	15.27	2795.72	90.51
A little	3	212.59	6.88	3008.31	97.39
Not at all	4	80.69	2.61	3089.00	100.00

ih36i2: 16/17 - SC - SC CASI A14.5.2 - How heavy were your periods

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
-3	-3	3.03	0.10	1777.89	57.56
Very	1	190.07	6.15	1967.95	63.71
Quite	2	554.40	17.95	2522.35	81.66
A little	3	476.05	15.41	2998.40	97.07
Not at all	4	90.60	2.93	3089.00	100.00

ih36i3: 16/17 - SC - SC CASI A14.5.3 - How painful were your periods

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
-3	-3	0.82	0.03	1775.67	57.48
Very	1	299.98	9.71	2075.65	67.19
Quite	2	361.35	11.70	2437.00	78.89
A little	3	458.57	14.85	2895.57	93.74
Not at all	4	193.43	6.26	3089.00	100.00

ih36i4: 16/17 - SC - SC CASI A14.5.4 - Grumpy or teary before your periods

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
-3	-3	0.82	0.03	1775.67	57.48
Very	1	292.58	9.47	2068.25	66.96
Quite	2	378.81	12.26	2447.06	79.22
A little	3	433.90	14.05	2880.96	93.27
Not at all	4	208.04	6.73	3089.00	100.00

ih36o: 16/17 - SC - SC CASI A14.6.1 - Because of your periods did you miss anything

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
Yes	1	444.60	14.39	2219.45	71.85
No	2	869.55	28.15	3089.00	100.00

ih36o1: 16/17 - SC - SC CASI A14.6.1 - Did you miss any school days

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
No	0	1027.41	33.26	2802.26	90.72
Yes	1	286.74	9.28	3089.00	100.00

ih36o2: 16/17 - SC - SC CASI A14.6.2 - Did you miss any work

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
No	0	1248.71	40.42	3023.56	97.88
Yes	1	65.44	2.12	3089.00	100.00

ih36o3: 16/17 - SC - SC CASI A14.6.3 - Did you miss any Social activities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
No	0	1149.72	37.22	2924.57	94.68
Yes	1	164.43	5.32	3089.00	100.00

ih36o4: 16/17 - SC - SC CASI A14.6.4 - Did you miss any Sports or exercise

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
No	0	1166.73	37.77	2941.58	95.23
Yes	1	147.42	4.77	3089.00	100.00

ih36o5: 16/17 - SC - SC CASI A14.6.5 - None of the above were missed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1774.85	57.46	1774.85	57.46
No	0	444.60	14.39	2219.45	71.85
Yes	1	869.55	28.15	3089.00	100.00

ih26c3: 16/17 - SC - SC CASI A28.1 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	145.59	4.71	145.59	4.71
-3	-3	7.69	0.25	153.28	4.96
Always	1	234.85	7.60	388.13	12.56
Often	2	797.45	25.82	1185.58	38.38
Sometimes	3	1227.94	39.75	2413.52	78.13
Rarely	4	496.96	16.09	2910.48	94.22
Never	5	178.52	5.78	3089.00	100.00

ih26c1: 16/17 - SC - SC CASI A28.2 - Difficulty of life is at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	145.59	4.71	145.59	4.71
-3	-3	13.16	0.43	158.75	5.14
No problems or stress	1	419.35	13.58	578.10	18.71
Few problems or stresses	2	1062.12	34.38	1640.22	53.10
Some problems and stresses	3	977.17	31.63	2617.39	84.73
Many problems and stresses	4	374.02	12.11	2991.41	96.84
Very many problems and stresses	5	97.59	3.16	3089.00	100.00

ih54a: 16/17 - SC CASI A28.5.1 - Have you thought about hurting yourself on purpose

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	163.42	5.29	163.42	5.29
-3	-3	26.34	0.85	189.76	6.14
Yes	1	613.47	19.86	803.23	26.00
No	2	2285.77	74.00	3089.00	100.00

ih54b: 16/17 - SC CASI A28.5.2 - Have you hurt yourself on purpose in any way

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	163.42	5.29	163.42	5.29
-3	-3	27.69	0.90	191.10	6.19
Yes	1	324.15	10.49	515.25	16.68
No	2	2573.75	83.32	3089.00	100.00

ih54c: 16/17 - SC CASI A28.6.1 - Consider attempting suicide

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	163.42	5.29	163.42	5.29
-3	-3	22.24	0.72	185.66	6.01
Yes	1	359.09	11.62	544.75	17.64
No	2	2544.25	82.36	3089.00	100.00

ih54d: 16/17 - SC CASI A28.6.2 - Make a plan about how you would attempt suicide

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	163.42	5.29	163.42	5.29
-3	-3	22.24	0.72	185.66	6.01
Yes	1	271.83	8.80	457.49	14.81
No	2	2631.51	85.19	3089.00	100.00

ih54e: 16/17 - SC CASI A28.7 - Frequency attempting suicide

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	163.42	5.29	163.42	5.29
-3	-3	19.97	0.65	183.39	5.94
0 times	0	2728.14	88.32	2911.53	94.25
1 time	1	123.70	4.00	3035.23	98.26
2 or 3 times	2	40.71	1.32	3075.95	99.58
4 or 5 times	3	6.76	0.22	3082.71	99.80
6 or more times	4	6.29	0.20	3089.00	100.00

ih54f: 16/17 - SC CASI A28.8 - Attempt result in an injury/poisoning/overdose

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2891.56	93.61	2891.56	93.61
-3	-3	19.97	0.65	2911.53	94.25
Yes	1	36.06	1.17	2947.59	95.42
No	2	141.41	4.58	3089.00	100.00

ih55a2: 16/17 - SC CASI A30.1.1 - Sought help from Boyfriend or girlfriend/partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	1965.88	63.64	2173.03	70.35
Yes	1	915.97	29.65	3089.00	100.00

ih55b: 16/17 - SC CASI A30.1.2 - Sought help from Friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	992.40	32.13	1199.55	38.83
Yes	1	1889.45	61.17	3089.00	100.00

ih55c: 16/17 - SC CASI A30.1.3 - Sought help from Parent

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	1186.42	38.41	1393.58	45.11
Yes	1	1695.42	54.89	3089.00	100.00

ih55d: 16/17 - SC CASI A30.1.4 - Sought help from Brother or sister

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	1926.00	62.35	2133.16	69.06
Yes	1	955.84	30.94	3089.00	100.00

ih55e: 16/17 - SC CASI A30.1.5 - Sought help from Other relative/family member

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2356.44	76.28	2563.59	82.99
Yes	1	525.41	17.01	3089.00	100.00

ih55f: 16/17 - SC CASI A30.1.6 - Sought help from Teacher

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2257.37	73.08	2464.52	79.78
Yes	1	624.48	20.22	3089.00	100.00

ih55g: 16/17 - SC CASI A30.1.7 - Sought help from Other school staff

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2533.56	82.02	2740.71	88.72
Yes	1	348.29	11.28	3089.00	100.00

ih55h: 16/17 - SC CASI A30.1.8 - Sought help from Family doctor / GP

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2703.44	87.52	2910.59	94.22
Yes	1	178.41	5.78	3089.00	100.00

ih55i: 16/17 - SC CASI A30.1.9 - Sought help from Mental health professional

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2606.40	84.38	2813.55	91.08
Yes	1	275.45	8.92	3089.00	100.00

ih55r: 16/17 - SC CASI A30.1.10 - Sought help from work colleague

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2747.21	88.94	2954.36	95.64
Yes	1	134.64	4.36	3089.00	100.00

ih55j: 16/17 - SC CASI A30.1.11 - Sought help from Other adult

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2693.77	87.21	2900.92	93.91
Yes	1	188.08	6.09	3089.00	100.00

ih55k: 16/17 - SC CASI A30.1.12 - Sought help from Phone help line

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2800.33	90.65	3007.48	97.36
Yes	1	81.52	2.64	3089.00	100.00

ih55l: 16/17 - SC CASI A30.1.13 - Sought help from Internet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2489.53	80.59	2696.69	87.30
Yes	1	392.31	12.70	3089.00	100.00

ih55m: 16/17 - SC CASI A30.1.14 - Sought help from Someone else not listed above

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2839.95	91.94	3047.10	98.64
Yes	1	41.90	1.36	3089.00	100.00

ih55n: 16/17 - SC CASI A30.1.15 - I have not sought help from anyone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2788.24	90.26	2995.39	96.97
Yes	1	93.61	3.03	3089.00	100.00

ih55o: 16/17 - SC CASI A30.1.16 - I have not had any emotional or personal problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	44.41	1.44	207.15	6.71
No	0	2575.83	83.39	2782.98	90.09
Yes	1	306.02	9.91	3089.00	100.00

ih55a1a: 16/17 - SC CASI A30.2.1 - Seek help next 4 weeks - Boyfriend/girlfriend/partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	43.31	1.40	206.04	6.67
Definitely would	1	893.85	28.94	1099.90	35.61
Probably would	2	539.11	17.45	1639.01	53.06
About a 50-50 chance	3	373.42	12.09	2012.43	65.15
Probably wouldn't	4	182.35	5.90	2194.77	71.05
Definitely wouldn't	5	894.23	28.95	3089.00	100.00

ih55b1: 16/17 - SC CASI A30.2.2 - Seek help next 4 weeks - Friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	25.09	0.81	187.83	6.08
Definitely would	1	1086.17	35.16	1274.00	41.24
Probably would	2	831.13	26.91	2105.13	68.15
About a 50-50 chance	3	554.57	17.95	2659.69	86.10
Probably wouldn't	4	252.89	8.19	2912.58	94.29
Definitely wouldn't	5	176.42	5.71	3089.00	100.00

ih55c1: 16/17 - SC CASI A30.2.3 - Seek help next 4 weeks - Parent

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	25.09	0.81	187.83	6.08
Definitely would	1	1025.59	33.20	1213.42	39.28
Probably would	2	702.67	22.75	1916.09	62.03
About a 50-50 chance	3	573.23	18.56	2489.32	80.59
Probably wouldn't	4	397.22	12.86	2886.54	93.45
Definitely wouldn't	5	202.46	6.55	3089.00	100.00

ih55d1: 16/17 - SC CASI A30.2.4 - Seek help next 4 weeks - Brother or sister

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	27.74	0.90	190.47	6.17
Definitely would	1	624.05	20.20	814.53	26.37
Probably would	2	556.70	18.02	1371.23	44.39
About a 50-50 chance	3	550.70	17.83	1921.93	62.22
Probably wouldn't	4	629.71	20.39	2551.64	82.60
Definitely wouldn't	5	537.36	17.40	3089.00	100.00

ih55e1: 16/17 - SC CASI A30.2.5 - Seek help next 4 weeks - Other relative /family member

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	26.02	0.84	188.76	6.11
Definitely would	1	414.74	13.43	603.49	19.54
Probably would	2	419.99	13.60	1023.48	33.13
About a 50-50 chance	3	591.31	19.14	1614.79	52.28
Probably wouldn't	4	806.93	26.12	2421.72	78.40
Definitely wouldn't	5	667.28	21.60	3089.00	100.00

ih55f1: 16/17 - SC CASI A30.2.6 - Seek help next 4 weeks - Teacher

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	28.89	0.94	191.63	6.20
Definitely would	1	234.97	7.61	426.60	13.81
Probably would	2	355.38	11.50	781.98	25.31
About a 50-50 chance	3	633.03	20.49	1415.01	45.81
Probably wouldn't	4	826.95	26.77	2241.97	72.58
Definitely wouldn't	5	847.03	27.42	3089.00	100.00

ih55g1: 16/17 - SC CASI A30.2.7 - Seek help next 4 weeks - Other school staff

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	28.89	0.94	191.63	6.20
Definitely would	1	225.49	7.30	417.12	13.50
Probably would	2	262.96	8.51	680.08	22.02
About a 50-50 chance	3	507.33	16.42	1187.41	38.44

ih55g1: 16/17 - SC CASI A30.2.7 - Seek help next 4 weeks - Other school staff

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Probably wouldn't	4	825.39	26.72	2012.80	65.16
Definitely wouldn't	5	1076.20	34.84	3089.00	100.00

ih55h1: 16/17 - SC CASI A30.2.8 - Seek help next 4 weeks - Family doctor / GP

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	30.79	1.00	193.53	6.26
Definitely would	1	215.21	6.97	408.73	13.23
Probably would	2	273.46	8.85	682.19	22.08
About a 50-50 chance	3	542.66	17.57	1224.85	39.65
Probably wouldn't	4	892.17	28.88	2117.02	68.53
Definitely wouldn't	5	971.98	31.47	3089.00	100.00

ih55i1: 16/17 - SC CASI A30.2.9 - Seek help next 4 weeks - Mental health professional

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	29.59	0.96	192.33	6.23
Definitely would	1	288.55	9.34	480.89	15.57
Probably would	2	325.05	10.52	805.93	26.09
About a 50-50 chance	3	449.05	14.54	1254.99	40.63
Probably wouldn't	4	859.11	27.81	2114.10	68.44
Definitely wouldn't	5	974.90	31.56	3089.00	100.00

ih55r1: 16/17 - SC CASI A30.2.10 - Seek help next 4 weeks - Work colleague

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	35.94	1.16	198.68	6.43
Definitely would	1	120.52	3.90	319.20	10.33
Probably would	2	166.60	5.39	485.80	15.73
About a 50-50 chance	3	450.16	14.57	935.96	30.30
Probably wouldn't	4	836.66	27.09	1772.62	57.38
Definitely wouldn't	5	1316.38	42.62	3089.00	100.00

ih55j1: 16/17 - SC CASI A30.2.11 - Seek help next 4 weeks - Other adult

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	28.37	0.92	191.11	6.19
Definitely would	1	149.67	4.85	340.78	11.03
Probably would	2	205.94	6.67	546.72	17.70
About a 50-50 chance	3	514.62	16.66	1061.34	34.36
Probably wouldn't	4	857.19	27.75	1918.53	62.11
Definitely wouldn't	5	1170.47	37.89	3089.00	100.00

ih55k1: 16/17 - SC CASI A30.2.12 - Seek help next 4 weeks - Phone help line

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	30.22	0.98	192.96	6.25
Definitely would	1	101.02	3.27	293.98	9.52
Probably would	2	135.73	4.39	429.71	13.91
About a 50-50 chance	3	341.09	11.04	770.80	24.95
Probably wouldn't	4	918.61	29.74	1689.41	54.69
Definitely wouldn't	5	1399.59	45.31	3089.00	100.00

ih55l1: 16/17 - SC CASI A30.2.13 - Seek help next 4 weeks - Internet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	29.30	0.95	192.04	6.22
Definitely would	1	200.19	6.48	392.22	12.70
Probably would	2	304.10	9.84	696.33	22.54
About a 50-50 chance	3	563.59	18.25	1259.92	40.79
Probably wouldn't	4	761.57	24.65	2021.49	65.44
Definitely wouldn't	5	1067.51	34.56	3089.00	100.00

ih55m1: 16/17 - SC CASI A30.2.14 - Seek help next 4 weeks - Someone else not listed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	162.74	5.27	162.74	5.27
-3	-3	35.14	1.14	197.88	6.41
Definitely would	1	123.60	4.00	321.48	10.41
Probably would	2	96.31	3.12	417.79	13.53
About a 50-50 chance	3	400.97	12.98	818.76	26.51
Probably wouldn't	4	721.76	23.37	1540.52	49.87
Definitely wouldn't	5	1548.48	50.13	3089.00	100.00

ih55q: 16/17 - SC CASI A30.3 - Seek help next 4 weeks - from anyone

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3050.42	98.75	3050.42	98.75
Yes	1	9.61	0.31	3060.03	99.06
No	2	28.97	0.94	3089.00	100.00

ih53a2: 16/17 - SCCASI B3.1 - Last interview pregnant/had sex resulted in pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53a: 16/17 - SCCASI B3.1 - Ever pregnant/had sex resulted in pregnancy (not in W6)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53a3: 16/17 - SCCASI B3.1 - Ever been pregnant/had sex that resulted in a pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53a1: 16/17 - SCCASI B3.2 - How many pregnancies between wave 6 and wave 7

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih53a1a: 16/17 - SCCASI B3.2 - How many pregnancies up to wave 7

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih53a1b: 16/17 - SCCASI B3.2+W6 - How many pregnancies have you had up to age 16/17

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih53b1a: 16/17 - SCCASI B3.3.1 - Outcome of first pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53b2a: 16/17 - SCCASI B3.3.2 - Outcome of second pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53b3a: 16/17 - SCCASI B3.3.3 - Outcome of third pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53b1b: 16/17 - SCCASI B3.3.1 + W6 - Outcome of first pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53b2b: 16/17 - SCCASI B3.3.2 + W6 - Outcome of second pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53b3b: 16/17 - SCCASI B3.3.3 + W6 - Outcome of third pregnancy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1a: 16/17 - SCCASI B4.1.1.1 - 1st termination reason - Timing bad for parenthood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1b: 16/17 - SCCASI B4.1.1.2 - 1st termination reason - Not want parenthood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1c: 16/17 - SCCASI B4.1.1.3 - 1st termination reason - Financial reasons

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1d: 16/17 - SCCASI B4.1.1.4 - 1st termination reason - Not mentally prepared

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1e: 16/17 - SCCASI B4.1.1.5 - 1st termination reason - Partner didn't want child

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1f: 16/17 - SCCASI B4.1.1.6 - 1st termination reason - assault/coercion victim

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1g: 16/17 - SCCASI B4.1.1.7 - 1st termination reason - Did not want more children

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1h: 16/17 - SCCASI B4.1.1.8 - 1st termination reason - I was too young

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1i: 16/17 - SCCASI B4.1.1.9 - 1st termination reason - I was too old

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1j: 16/17 - SCCASI B4.1.1.10 - 1st termination reason - Relationship was unstable

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1k: 16/17 - SCCASI B4.1.1.11 - 1st termination reason - Pressure from family

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1l: 16/17 - SCCASI B4.1.1.12 - 1st termination reason - Maternal health issues

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1m: 16/17 - SCCASI B4.1.1.13 - 1st termination reason - Foetal abnormalities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1n: 16/17 - SCCASI B4.1.1.14 - 1st termination reason - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c1o: 16/17 - SCCASI B4.1.1.15 - 1st termination reason - Don't know

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2a: 16/17 - SCCASI B4.1.2.1 - 2nd termination reason - Timing bad for parenthood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2b: 16/17 - SCCASI B4.1.2.2 - 2nd termination reason - Did not want to be a parent

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2c: 16/17 - SCCASI B4.1.2.3 - 2nd termination reason - Financial reasons

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2d: 16/17 - SCCASI B4.1.2.4 - 2nd termination reason - Not mentally prepared

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2e: 16/17 - SCCASI B4.1.2.5 - 2nd termination reason - Partner didn't want child

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2f: 16/17 - SCCASI B4.1.2.6 - 2nd termination reason - assault/coercion victim

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2g: 16/17 - SCCASI B4.1.2.7 - 2nd termination reason - Did not want more children

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2h: 16/17 - SCCASI B4.1.2.8 - 2nd termination reason - I was too young

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2i: 16/17 - SCCASI B4.1.2.9 - 2nd termination reason - I was too old

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2j: 16/17 - SCCASI B4.1.2.10 - 2nd termination reason - Relationship was unstable

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2k: 16/17 - SCCASI B4.1.2.11 - 2nd termination reason - Pressure from family

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2l: 16/17 - SCCASI B4.1.2.12 - 2nd termination reason - Maternal health issues

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2m: 16/17 - SCCASI B4.1.2.15 - 2nd termination reason - Foetal abnormalities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2n: 16/17 - SCCASI B4.1.2.14 - 2nd termination reason - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c2o: 16/17 - SCCASI B4.1.2.15 - 2nd termination reason - Don't know

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3a: 16/17 - SCCASI B4.1.3.1 - 3rd termination reason - Timing bad for parenthood

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3b: 16/17 - SCCASI B4.1.3.2 - 3rd termination reason - Did not want to be a parent

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3c: 16/17 - SCCASI B4.1.3.3 - 3rd termination reason - Financial reasons

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3d: 16/17 - SCCASI B4.1.3.4 - 3rd termination reason - Not mentally prepared

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3e: 16/17 - SCCASI B4.1.3.5 - 3rd termination reason - Partner didn't want child

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3f: 16/17 - SCCASI B4.1.3.6 - 3rd termination reason - assault/coercion victim

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3g: 16/17 - SCCASI B4.1.3.7 - 3rd termination reason - Did not want more children

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3h: 16/17 - SCCASI B4.1.3.8 - 3rd termination reason - I was too young

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3i: 16/17 - SCCASI B4.1.3.9 - 3rd termination reason - I was too old

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3j: 16/17 - SCCASI B4.1.3.10 - 3rd termination reason - Relationship was unstable

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3k: 16/17 - SCCASI B4.1.3.11 - 3rd termination reason - Pressure from family

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3l: 16/17 - SCCASI B4.1.3.12 - 3rd termination reason - Maternal health issues

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3m: 16/17 - SCCASI B4.1.3.13 - 3rd termination reason - Foetal abnormalities

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3n: 16/17 - SCCASI B4.1.3.14 - 3rd termination reason - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53c3o: 16/17 - SCCASI B4.1.3.15 - 3rd termination reason - Don't know

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d1a: 16/17 - SCCASI B4.2.1.1 - Aware termination 1st pregnancy - Partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d1b: 16/17 - SCCASI B4.2.1.2 - Aware termination 1st pregnancy - Parents

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d1c: 16/17 - SCCASI B4.2.1.3 - Aware termination 1st pregnancy - Partner's parents

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d1d: 16/17 - SCCASI B4.2.1.4 - Aware termination 1st pregnancy - Family members

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d1e: 16/17 - SCCASI B4.2.1.5 - Aware termination 1st pregnancy - Close friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d1f: 16/17 - SCCASI B4.2.1.6 - Aware termination 1st pregnancy - Any other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d2a: 16/17 - SCCASI B4.2.2.1 - Aware termination 2nd pregnancy - Partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d2b: 16/17 - SCCASI B4.2.2.2 - Aware termination 2nd pregnancy - Parents

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d2c: 16/17 - SCCASI B4.2.2.3 - Aware termination 2nd pregnancy - Partner's parents

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d2d: 16/17 - SCCASI B4.2.2.4 - Aware termination 2nd pregnancy - Family members

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d2e: 16/17 - SCCASI B4.2.2.5 - Aware termination 2nd pregnancy - Close friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d2f: 16/17 - SCCASI B4.2.2.6 - Aware termination 2nd pregnancy - Any other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d3a: 16/17 - SCCASI B4.2.3.1 - Aware termination 3rd pregnancy - Partner

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d3b: 16/17 - SCCASI B4.2.3.2 - Aware termination 3rd pregnancy - Parents

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d3c: 16/17 - SCCASI B4.2.3.3 - Aware termination 3rd pregnancy - Partner's parents

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d3d: 16/17 - SCCASI B4.2.3.4 - Aware termination 3rd pregnancy - Family members

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d3e: 16/17 - SCCASI B4.2.3.5 - Aware termination 3rd pregnancy - Close friend

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih53d3f: 16/17 - SCCASI B4.2.3.6 - Aware termination 3rd pregnancy - Any other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih58xa: 16/17 - SCCASI B6.1.1 - Was first pregnancy planned

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih58xb: 16/17 - SCCASI B6.1.2 - Was second pregnancy planned

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih58xc: 16/17 - SCCASI B6.1.3 - Was third pregnancy planned

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhs04ya2: 16/17 - SC - SCCASI B8.2.1 - First child born late/on time/early

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhs04yb2: 16/17 - SC - SCCASI B8.2.2 - Second child born late/on time/early

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhs04yc2: 16/17 - SC - SCCASI B8.2.3 - Third child born late/on time/early

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

zhs03ya1: 16/17 - SC - SCCASI B8.3.1 - Birth weight of first child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhs03yb1: 16/17 - SC - SCCASI B8.3.2 - Birth weight of second child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhs03yc1: 16/17 - SC - SCCASI B8.3.3 - Birth weight of third child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih13ya1: 16/17 - SC - SCCASI B9.1.1 - First child's current health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih13yb1: 16/17 - SC - SCCASI B9.1.2 - Second child's current health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih13yc1: 16/17 - SC - SCCASI B9.1.3 - Third child's current health

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih18ya: 16/17 - SC - SCCASI B9.2.1 -No times first child need medical attention

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih18yb: 16/17 - SC - SCCASI B9.2.2 -No times second child need medical attention

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih18yc: 16/17 - SC - SCCASI B9.2.3 -No times third child need medical attention

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhs57c1: 16/17 - SC - SCCASI B12.3.1 - Other parent's age when first child was born

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhs57c2: 16/17 - SC - SCCASI B12.3.2 - Other parent's age when second child was born

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

zhs57c3: 16/17 - SC - SCCASI B12.3.3 - Other parent's age when third child was born

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3089.00	100.00	3089.00	100.00

ih513p: 16/17 - PLE - PLE 21.1 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
Excellent	1	38.08	1.23	2844.84	92.10
Very good	2	88.83	2.88	2933.67	94.97
Good	3	96.24	3.12	3029.91	98.09
Fair	4	38.31	1.24	3068.23	99.33
Poor	5	20.77	0.67	3089.00	100.00

ih548p44: 16/17 - PLE 21.2 - Any medical conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
Yes	1	212.51	6.88	3020.23	97.77
No	2	68.77	2.23	3089.00	100.00

ih548p1: 16/17 - PLE 21.2.1 - Ever had Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	245.32	7.94	3052.08	98.80
Yes, as a child only	2	14.57	0.47	3066.65	99.28
Yes, as an adult only	3	9.73	0.32	3076.38	99.59
Yes, as a child and as an adult	4	12.62	0.41	3089.00	100.00

ih548p2: 16/17 - PLE 21.2.2 - Ever had Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	236.66	7.66	3043.42	98.52
Yes, as a child only	2	5.68	0.18	3049.10	98.71
Yes, as an adult only	3	15.29	0.49	3064.39	99.20
Yes, as a child and as an adult	4	24.61	0.80	3089.00	100.00

ih48p3: 16/17 - PLE 21.2.3 - Ever had Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	266.27	8.62	3073.03	99.48
Yes, as a child only	2	4.03	0.13	3077.05	99.61
Yes, as an adult only	3	7.19	0.23	3084.24	99.85
Yes, as a child and as an adult	4	4.76	0.15	3089.00	100.00

ih48p4: 16/17 - PLE 21.2.4 - Ever had Psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	263.08	8.52	3069.84	99.38
Yes, as an adult only	3	16.92	0.55	3086.75	99.93
Yes, as a child and as an adult	4	2.25	0.07	3089.00	100.00

ih48p5: 16/17 - PLE 21.2.5 - Ever had Obese or very overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	245.79	7.96	3052.55	98.82
Yes, as an adult only	3	31.09	1.01	3083.64	99.83
Yes, as a child and as an adult	4	5.36	0.17	3089.00	100.00

ih48p6: 16/17 - PLE 21.2.6 - Ever been very thin or underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	272.22	8.81	3078.98	99.68
Yes, as a child only	2	2.43	0.08	3081.41	99.75
Yes, as an adult only	3	6.95	0.22	3088.35	99.98
Yes, as a child and as an adult	4	0.65	0.02	3089.00	100.00

ih48p7: 16/17 - PLE 21.2.7 - Ever had Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.66	9.09	3087.42	99.95
Yes, as a child only	2	1.58	0.05	3089.00	100.00

ih48p8: 16/17 - PLE 21.2.8 - Ever had Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.75	9.09	3087.51	99.95
Yes, as an adult only	3	1.49	0.05	3089.00	100.00

ih48p9: 16/17 - PLE 21.2.9 - Ever had Other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	268.67	8.70	3075.42	99.56
Yes, as an adult only	3	13.58	0.44	3089.00	100.00

ih48p10: 16/17 - PLE 21.2.10 - Ever had Heart disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	263.44	8.53	3070.20	99.39
Yes, as a child only	2	0.63	0.02	3070.83	99.41
Yes, as an adult only	3	17.74	0.57	3088.57	99.99
Yes, as a child and as an adult	4	0.43	0.01	3089.00	100.00

ih48p11: 16/17 - PLE 21.2.11 Ever had Hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	235.98	7.64	3042.74	98.50
Yes, as an adult only	3	42.99	1.39	3085.73	99.89
Yes, as a child and as an adult	4	3.27	0.11	3089.00	100.00

ih48p12: 16/17 - PLE 21.2.12 Ever had Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	247.90	8.03	3054.66	98.89
Yes, as a child only	2	0.74	0.02	3055.40	98.91
Yes, as an adult only	3	24.29	0.79	3079.69	99.70
Yes, as a child and as an adult	4	9.31	0.30	3089.00	100.00

ih48p13: 16/17 - PLE 21.2.13 Ever had Chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	222.07	7.19	3028.83	98.05
Yes, as an adult only	3	58.39	1.89	3087.22	99.94
Yes, as a child and as an adult	4	1.78	0.06	3089.00	100.00

ih48p14: 16/17 - PLE 21.2.14 - Ever had Pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	282.24	9.14	3089.00	100.00

ih48p15: 16/17 - PLE 21.2.15 - Ever had Stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	273.34	8.85	3080.10	99.71
Yes, as an adult only	3	8.17	0.26	3088.27	99.98
Yes, as a child and as an adult	4	0.73	0.02	3089.00	100.00

ih48p16: 16/17 - PLE 21.2.16 - Ever had Other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	270.59	8.76	3077.34	99.62
Yes, as an adult only	3	11.66	0.38	3089.00	100.00

ih48p17: 16/17 - PLE 21.2.17 - Ever had A stroke

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.94	9.09	3087.69	99.96
Yes, as an adult only	3	1.31	0.04	3089.00	100.00

ih48p18: 16/17 - PLE 21.2.18 - Ever had Rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	279.89	9.06	3086.65	99.92
Yes, as an adult only	3	2.35	0.08	3089.00	100.00

ih48p19: 16/17 - PLE 21.2.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	249.62	8.08	3056.38	98.94
Yes, as an adult only	3	28.54	0.92	3084.92	99.87
Yes, as a child and as an adult	4	4.08	0.13	3089.00	100.00

ih48p20: 16/17 - PLE 21.2.20 - Ever had Chronic bronchitis or lung problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	274.00	8.87	3080.76	99.73
Yes, as a child only	2	1.88	0.06	3082.64	99.79
Yes, as an adult only	3	3.35	0.11	3085.98	99.90
Yes, as a child and as an adult	4	3.02	0.10	3089.00	100.00

ih48p21: 16/17 - PLE 21.2.21 - Ever had Prostate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.75	9.09	3087.51	99.95
As an adult only	3	1.49	0.05	3089.00	100.00

ih48p22: 16/17 - PLE 21.2.22 - Ever had Colorectal/bowel

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	279.80	9.06	3086.56	99.92
As an adult only	3	2.44	0.08	3089.00	100.00

ih48p23: 16/17 - PLE 21.2.23 - Ever had Breast cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	281.59	9.12	3088.34	99.98
As an adult only	3	0.66	0.02	3089.00	100.00

ih48p24: 16/17 - PLE 21.2.24 - Ever had Melanoma of skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	278.34	9.01	3085.10	99.87
As an adult only	3	3.90	0.13	3089.00	100.00

ih48p25: 16/17 - PLE 21.2.25 - Ever had Lung, bronchus or trachea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	282.24	9.14	3089.00	100.00

ih48p26: 16/17 - PLE 21.2.26 - Ever had Lymphoma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	279.69	9.05	3086.45	99.92
As an adult only	3	2.55	0.08	3089.00	100.00

ih48p27: 16/17 - PLE 21.2.27 - Ever had Uterus

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	282.24	9.14	3089.00	100.00

ih48p28: 16/17 - PLE 21.2.28 - Ever had Cervical

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	282.24	9.14	3089.00	100.00

ih48p29: 16/17 - PLE 21.2.29 - Ever had Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	277.74	8.99	3084.50	99.85
As an adult only	3	4.50	0.15	3089.00	100.00

ih48p30: 16/17 - PLE 21.2.30 - Ever had An alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	269.38	8.72	3076.14	99.58
Yes, as an adult only	3	12.13	0.39	3088.26	99.98
Yes, as a child and as an adult	4	0.74	0.02	3089.00	100.00

ih48p31: 16/17 - PLE 21.2.31 - Ever had Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	276.00	8.93	3082.76	99.80
Yes, as an adult only	3	3.69	0.12	3086.45	99.92
Yes, as a child and as an adult	4	2.55	0.08	3089.00	100.00

ih48p32: 16/17 - PLE 21.2.32 - Ever had Depression or anxiety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	199.25	6.45	3006.01	97.31
Yes, as a child only	2	1.67	0.05	3007.68	97.37
Yes, as an adult only	3	53.38	1.73	3061.06	99.10
Yes, as a child and as an adult	4	27.94	0.90	3089.00	100.00

ih48p33: 16/17 - PLE 21.2.33 - Ever had Schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	279.52	9.05	3086.28	99.91
Yes, as an adult only	3	2.72	0.09	3089.00	100.00

ih48p34: 16/17 - PLE 21.2.34 - Ever had Bipolar disorder or manic-depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.26	9.07	3087.02	99.94
Yes, as an adult only	3	0.70	0.02	3087.72	99.96
Yes, as a child and as an adult	4	1.28	0.04	3089.00	100.00

ih48p35: 16/17 - PLE 21.2.35 - Ever had Postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	279.42	9.05	3086.18	99.91
Yes, as an adult only	3	2.82	0.09	3089.00	100.00

ih48p36: 16/17 - PLE 21.2.36 - Ever had Other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	267.86	8.67	3074.62	99.53
Yes, as an adult only	3	10.14	0.33	3084.75	99.86
Yes, as a child and as an adult	4	4.25	0.14	3089.00	100.00

ih48p37: 16/17 - PLE 21.2.37 - Ever had Epilepsy or seizures/fits

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.11	9.07	3086.87	99.93
Yes, as an adult only	3	1.36	0.04	3088.23	99.98
Yes, as a child and as an adult	4	0.77	0.02	3089.00	100.00

ih48p38: 16/17 - PLE 21.2.38 - Ever had Reading problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	270.48	8.76	3077.24	99.62
Yes, as a child only	2	1.91	0.06	3079.15	99.68
Yes, as a child and as an adult	4	9.85	0.32	3089.00	100.00

ih48p39: 16/17 - PLE 21.2.39 - Ever had Learning problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	279.57	9.05	3086.33	99.91
Yes, as a child only	2	1.28	0.04	3087.61	99.96
Yes, as a child and as an adult	4	1.39	0.04	3089.00	100.00

ih48p40: 16/17 - PLE 21.2.40 - Ever had Problems doing maths or numbers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	275.82	8.93	3082.58	99.79
Yes, as a child only	2	1.94	0.06	3084.52	99.86
Yes, as a child and as an adult	4	4.48	0.14	3089.00	100.00

ih48p41a: 16/17 - PLE 21.2.41 - Ever had Repeating a grade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	282.24	9.14	3089.00	100.00

ih48p42a: 16/17 - PLE 21.2.42 - Ever had Language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2806.76	90.86	2806.76	90.86
No, never	1	280.78	9.09	3087.54	99.95
Yes, as a child and as an adult	4	1.46	0.05	3089.00	100.00

ih48p21a: 16/17 - PLE 21.3.1 - Type of cancer - Prostate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	14.05	0.45	3087.51	99.95
Yes	1	1.49	0.05	3089.00	100.00

ih48p22a: 16/17 - PLE 21.3.2 - Type of cancer - Colorectal/bowel

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	13.10	0.42	3086.56	99.92
Yes	1	2.44	0.08	3089.00	100.00

ih48p23a: 16/17 - PLE 21.3.3 - Type of cancer - Breast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	14.89	0.48	3088.34	99.98
Yes	1	0.66	0.02	3089.00	100.00

ih48p24a: 16/17 - PLE 21.3.4 - Type of cancer - Melanoma of skin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	11.64	0.38	3085.10	99.87
Yes	1	3.90	0.13	3089.00	100.00

ih48p25a: 16/17 - PLE 21.3.5 - Type of cancer - Lung, bronchus or trachea

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	15.54	0.50	3089.00	100.00

ih48p26a: 16/17 - PLE 21.3.6 - Type of cancer - Lymphoma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	12.99	0.42	3086.45	99.92
Yes	1	2.55	0.08	3089.00	100.00

ih48p27a: 16/17 - PLE 21.3.7 - Type of cancer - Uterus

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	15.54	0.50	3089.00	100.00

ih48p28a: 16/17 - PLE 21.3.8 - Type of cancer - Cervical

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	15.54	0.50	3089.00	100.00

ih48p29a: 16/17 - PLE 21.3.9 - Type of cancer - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.46	99.50	3073.46	99.50
No	0	11.04	0.36	3084.50	99.85
Yes	1	4.50	0.15	3089.00	100.00

ih44p1: 16/17 - PLE 21.6.1 - Currently has asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3066.65	99.28	3066.65	99.28
Yes	1	20.27	0.66	3086.91	99.93
No	2	2.09	0.07	3089.00	100.00

ih44p2: 16/17 - PLE 21.6.2 - Currently has hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3049.10	98.71	3049.10	98.71
Yes	1	35.40	1.15	3084.50	99.85
No	2	4.50	0.15	3089.00	100.00

ih44p3: 16/17 - PLE 21.6.3 - Currently has eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3077.05	99.61	3077.05	99.61
Yes	1	11.07	0.36	3088.12	99.97
No	2	0.88	0.03	3089.00	100.00

ih44p4: 16/17 - PLE 21.6.4 - Currently has psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3069.84	99.38	3069.84	99.38
Yes	1	13.91	0.45	3083.75	99.83
No	2	5.25	0.17	3089.00	100.00

ih44p5: 16/17 - PLE 21.6.5 - Currently is obese or very overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3052.55	98.82	3052.55	98.82
-2	-2	0.96	0.03	3053.51	98.85
Yes	1	30.69	0.99	3084.20	99.84
No	2	4.80	0.16	3089.00	100.00

ih44p6: 16/17 - PLE 21.6.6 - Currently is very thin or underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3081.41	99.75	3081.41	99.75
Yes	1	1.99	0.06	3083.40	99.82
No	2	5.60	0.18	3089.00	100.00

ih44p7: 16/17 - PLE 21.6.7 - Currently has bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih44p8: 16/17 - PLE 21.6.8 - Currently has diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.51	99.95	3087.51	99.95
Yes	1	1.49	0.05	3089.00	100.00

ih44p9: 16/17 - PLE 21.6.9 - Currently has other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.42	99.56	3075.42	99.56
Yes	1	10.08	0.33	3085.50	99.89
No	2	3.50	0.11	3089.00	100.00

ih44p10: 16/17 - PLE 21.6.10 - Currently has heart disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3070.83	99.41	3070.83	99.41
-2	-2	1.73	0.06	3072.55	99.47
Yes	1	14.29	0.46	3086.84	99.93
No	2	2.16	0.07	3089.00	100.00

ih44p11: 16/17 - PLE 21.6.11 - Currently has hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3045.57	98.59	3045.57	98.59
-2	-2	1.55	0.05	3047.12	98.64
Yes	1	35.89	1.16	3083.01	99.81
No	2	5.99	0.19	3089.00	100.00

ih44p12: 16/17 - PLE 21.6.12 - Currently has migraines

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3055.40	98.91	3055.40	98.91
Yes	1	21.96	0.71	3077.36	99.62
No	2	11.64	0.38	3089.00	100.00

ih44p13: 16/17 - PLE 21.6.13 - Currently has chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3028.83	98.05	3028.83	98.05
Yes	1	49.53	1.60	3078.36	99.66
No	2	10.64	0.34	3089.00	100.00

ih44p14: 16/17 - PLE 21.6.14 - Currently has pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih44p15: 16/17 - PLE 21.6.15 - Currently has stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.10	99.71	3080.10	99.71
Yes	1	6.17	0.20	3086.27	99.91
No	2	2.73	0.09	3089.00	100.00

ih44p16: 16/17 - PLE 21.6.16 - Currently has other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3077.34	99.62	3077.34	99.62
Yes	1	11.66	0.38	3089.00	100.00

ih44p18: 16/17 - PLE 21.6.17 - Currently has rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.65	99.92	3086.65	99.92
Yes	1	2.35	0.08	3089.00	100.00

ih44p19: 16/17 - PLE 21.6.18 - Currently has arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3056.38	98.94	3056.38	98.94
Yes	1	30.89	1.00	3087.27	99.94
No	2	1.73	0.06	3089.00	100.00

ih44p20: 16/17 - PLE 21.6.19 - Currently has chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.64	99.79	3082.64	99.79
Yes	1	3.36	0.11	3086.00	99.90
No	2	3.00	0.10	3089.00	100.00

ih44p21: 16/17 - PLE 21.6.20 - Currently has prostate cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.51	99.95	3087.51	99.95
Yes	1	1.49	0.05	3089.00	100.00

ih44p22: 16/17 - PLE 21.6.21 - Currently has colorectal/bowel cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.56	99.92	3086.56	99.92
No	2	2.44	0.08	3089.00	100.00

ih44p23: 16/17 - PLE 21.6.22 - Currently has breast cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.34	99.98	3088.34	99.98
No	2	0.66	0.02	3089.00	100.00

ih44p24: 16/17 - PLE 21.6.23 - Currently has melanoma of skin now

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.10	99.87	3085.10	99.87
Yes	1	1.55	0.05	3086.65	99.92
No	2	2.35	0.08	3089.00	100.00

ih44p25: 16/17 - PLE 21.6.24 - Currently has lung, bronchus or trachea cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih44p26: 16/17 - PLE 21.6.25 - Currently has lymphoma cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.45	99.92	3086.45	99.92
No	2	2.55	0.08	3089.00	100.00

ih44p27: 16/17 - PLE 21.6.26 - Currently has uterine cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih44p28: 16/17 - PLE 21.6.27 - Currently has cervical cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih44p29: 16/17 - PLE 21.6.28 - Currently has other cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.50	99.85	3084.50	99.85
Yes	1	1.50	0.05	3086.00	99.90
No	2	3.00	0.10	3089.00	100.00

ih44p30: 16/17 - PLE 21.6.29 - Currently has an alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3076.14	99.58	3076.14	99.58
Yes	1	2.07	0.07	3078.21	99.65
No	2	10.79	0.35	3089.00	100.00

ih44p31: 16/17 - PLE 21.6.30 - Currently has drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.76	99.80	3082.76	99.80
Yes	1	0.88	0.03	3083.64	99.83
No	2	5.36	0.17	3089.00	100.00

ih44p32: 16/17 - PLE 21.6.31 - Currently has depression or anxiety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3007.68	97.37	3007.68	97.37
Yes	1	54.78	1.77	3062.46	99.14
No	2	26.54	0.86	3089.00	100.00

ih44p33: 16/17 - PLE 21.6.32 - Currently has schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.28	99.91	3086.28	99.91
No	2	2.72	0.09	3089.00	100.00

ih44p34: 16/17 - PLE 21.6.33 - Currently has bipolar disorder or manic depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.02	99.94	3087.02	99.94
Yes	1	1.28	0.04	3088.30	99.98
No	2	0.70	0.02	3089.00	100.00

ih44p35: 16/17 - PLE 21.6.34 - Currently has postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.18	99.91	3086.18	99.91
No	2	2.82	0.09	3089.00	100.00

ih44p36: 16/17 - PLE 21.6.35 - Currently has other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3074.62	99.53	3074.62	99.53
Yes	1	8.98	0.29	3083.60	99.83
No	2	5.40	0.17	3089.00	100.00

ih44p37: 16/17 - PLE 21.6.36 - Currently has epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.87	99.93	3086.87	99.93
Yes	1	0.77	0.02	3087.64	99.96
No	2	1.36	0.04	3089.00	100.00

ih44p38: 16/17 - PLE 21.6.37 - Currently has reading problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.15	99.68	3079.15	99.68
Yes	1	9.85	0.32	3089.00	100.00

ih44p39: 16/17 - PLE 21.6.38 - Currently has learning problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.61	99.96	3087.61	99.96
Yes	1	1.39	0.04	3089.00	100.00

ih44p40: 16/17 - PLE 21.6.39 - Currently has problems doing maths or numbers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.52	99.86	3084.52	99.86
Yes	1	4.48	0.14	3089.00	100.00

ih44p42: 16/17 - PLE 21.6.40 - Currently has language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.54	99.95	3087.54	99.95
Yes	1	1.46	0.05	3089.00	100.00

ih45p1: 16/17 - PLE 21.7.1 - Severity of asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3068.73	99.34	3068.73	99.34
Mild	1	17.36	0.56	3086.10	99.91
Moderate	2	2.90	0.09	3089.00	100.00

ih45p2: 16/17 - PLE 21.7.2 - Severity of hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3053.60	98.85	3053.60	98.85
Mild	1	20.74	0.67	3074.34	99.53
Moderate	2	11.66	0.38	3086.00	99.90
Severe	3	3.00	0.10	3089.00	100.00

ih45p3: 16/17 - PLE 21.7.3 - Severity of eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3077.93	99.64	3077.93	99.64
Mild	1	8.58	0.28	3086.51	99.92
Moderate	2	1.02	0.03	3087.52	99.95
Severe	3	1.48	0.05	3089.00	100.00

ih545p4: 16/17 - PLE 21.7.4 - Severity of psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3075.09	99.55	3075.09	99.55
Mild	1	10.10	0.33	3085.18	99.88
Severe	3	3.82	0.12	3089.00	100.00

ih545p5: 16/17 - PLE 21.7.5 - Severity of obesity

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3058.31	99.01	3058.31	99.01
Mild	1	7.69	0.25	3066.00	99.26
Moderate	2	20.52	0.66	3086.52	99.92
Severe	3	2.48	0.08	3089.00	100.00

ih545p6: 16/17 - PLE 21.7.6 - Severity of weight condition (underweight)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.01	99.94	3087.01	99.94
Mild	1	1.99	0.06	3089.00	100.00

ih545p7: 16/17 - PLE 21.7.7 - Severity of bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih545p8: 16/17 - PLE 21.7.8 - Severity of diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.51	99.95	3087.51	99.95
Severe	3	1.49	0.05	3089.00	100.00

ih545p9: 16/17 - PLE 21.7.9 - Severity of other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3078.92	99.67	3078.92	99.67
Mild	1	5.34	0.17	3084.26	99.85
Moderate	2	4.74	0.15	3089.00	100.00

ih545p10: 16/17 - PLE 21.7.10 - Severity of heart disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3074.71	99.54	3074.71	99.54
Mild	1	7.52	0.24	3082.23	99.78
Moderate	2	1.09	0.04	3083.32	99.82
Severe	3	5.68	0.18	3089.00	100.00

ih545p11: 16/17 - PLE 21.7.11 - Severity of hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3053.11	98.84	3053.11	98.84
Mild	1	16.84	0.55	3069.95	99.38
Moderate	2	11.79	0.38	3081.74	99.76
Severe	3	7.26	0.24	3089.00	100.00

ih45p12: 16/17 - PLE 21.7.12 - Severity of migraines

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3067.04	99.29	3067.04	99.29
Mild	1	7.27	0.24	3074.31	99.52
Moderate	2	3.49	0.11	3077.80	99.64
Severe	3	11.20	0.36	3089.00	100.00

ih45p13: 16/17 - PLE 21.7.13 - Severity of chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3039.47	98.40	3039.47	98.40
Mild	1	13.29	0.43	3052.76	98.83
Moderate	2	20.52	0.66	3073.28	99.49
Severe	3	15.72	0.51	3089.00	100.00

ih45p14: 16/17 - PLE 21.7.14 - Severity of pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih45p15: 16/17 - PLE 21.7.15 - Severity of stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3082.83	99.80	3082.83	99.80
Mild	1	1.69	0.05	3084.52	99.85
Moderate	2	1.73	0.06	3086.25	99.91
Severe	3	2.75	0.09	3089.00	100.00

ih45p16: 16/17 - PLE 21.7.16 - Severity of other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3077.34	99.62	3077.34	99.62
Moderate	2	4.49	0.15	3081.83	99.77
Severe	3	7.17	0.23	3089.00	100.00

ih45p18: 16/17 - PLE 21.7.17 - Severity of rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.65	99.92	3086.65	99.92
Mild	1	2.35	0.08	3089.00	100.00

ih45p19: 16/17 - PLE 21.7.18 - Severity of arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3058.11	99.00	3058.11	99.00
Mild	1	12.88	0.42	3070.99	99.42
Moderate	2	9.97	0.32	3080.95	99.74
Severe	3	8.05	0.26	3089.00	100.00

ih45p20: 16/17 - PLE 21.7.19 - Severity of chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3085.64	99.89	3085.64	99.89
Mild	1	2.19	0.07	3087.83	99.96
Moderate	2	1.17	0.04	3089.00	100.00

ih45p30: 16/17 - PLE 21.7.20 - Severity of alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3086.93	99.93	3086.93	99.93
Mild	1	1.34	0.04	3088.26	99.98
Moderate	2	0.74	0.02	3089.00	100.00

ih45p31: 16/17 - PLE 21.7.21 - Severity of drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.12	99.97	3088.12	99.97
Severe	3	0.88	0.03	3089.00	100.00

ih45p32: 16/17 - PLE 21.7.22 - Severity of depression or anxiety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3034.22	98.23	3034.22	98.23
Mild	1	25.05	0.81	3059.27	99.04
Moderate	2	21.01	0.68	3080.28	99.72
Severe	3	8.72	0.28	3089.00	100.00

ih45p33: 16/17 - PLE 21.7.23 - Severity of schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih45p34: 16/17 - PLE 21.7.24 - Severity of bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.72	99.96	3087.72	99.96
Severe	3	1.28	0.04	3089.00	100.00

ih45p36: 16/17 - PLE 21.7.25 - Severity of postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih45p35: 16/17 - PLE 21.7.26 - Severity of other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3080.02	99.71	3080.02	99.71
Mild	1	1.37	0.04	3081.39	99.75
Moderate	2	3.66	0.12	3085.05	99.87
Severe	3	3.95	0.13	3089.00	100.00

ih45p37: 16/17 - PLE 21.7.27 - Severity of epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3088.23	99.98	3088.23	99.98
Severe	3	0.77	0.02	3089.00	100.00

ih45p38: 16/17 - PLE 21.7.28 - Severity of reading problems or dyslexia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3079.15	99.68	3079.15	99.68
Mild	1	4.06	0.13	3083.21	99.81
Moderate	2	5.79	0.19	3089.00	100.00

ih45p39: 16/17 - PLE 21.7.29 - Severity of learning problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.61	99.96	3087.61	99.96
Mild	1	1.39	0.04	3089.00	100.00

ih45p40: 16/17 - PLE 21.7.30 - Severity of problems doing maths or numbers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.52	99.86	3084.52	99.86
Mild	1	3.12	0.10	3087.64	99.96
Moderate	2	1.36	0.04	3089.00	100.00

ih45p42: 16/17 - PLE 21.7.31 - Severity of language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3087.54	99.95	3087.54	99.95
Mild	1	0.72	0.02	3088.25	99.98
Moderate	2	0.75	0.02	3089.00	100.00

ih46p: 16/17 - PLE 21.8 - Epilepsy as child with fevers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih47p1: 16/17 - PLE 21.9 - Age started insulin

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3087.51	99.95	3087.51	99.95
50	1.49	0.05	3089.00	100.00

ih47p2: 16/17 - PLE 21.10 - Insulin only when pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih47p3: 16/17 - PLE 21.11 - Hypertension only when pregnant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3084.99	99.87	3084.99	99.87
Yes	1	2.83	0.09	3087.81	99.96
No	2	1.19	0.04	3089.00	100.00

ih51p: 16/17 - PLE - PLE 22.1 - Given birth since last interview

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.00	100.00	3089.00	100.00

ih57p1: 16/17 - PLE - PLE 22.2+W6 - Date of birth of first biological child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3061.26	99.10	3061.26	99.10
JAN1980	0.66	0.02	3061.92	99.12
JAN1983	1.49	0.05	3063.41	99.17
JAN1987	1.01	0.03	3064.42	99.20
JAN1989	1.62	0.05	3066.04	99.26
JAN1991	4.16	0.13	3070.21	99.39
JAN1992	0.51	0.02	3070.72	99.41
JAN1993	0.73	0.02	3071.45	99.43
JAN1994	4.16	0.13	3075.61	99.57
JAN1996	2.45	0.08	3078.06	99.65
JAN1997	2.07	0.07	3080.13	99.71
JAN1998	1.04	0.03	3081.17	99.75
JAN1999	7.47	0.24	3088.64	99.99
JAN2000	0.36	0.01	3089.00	100.00

ih57p2: 16/17 - PLE - PLE 22.3+W6 - Live or still birth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3064.74	99.21	3064.74	99.21
Live birth	1	24.26	0.79	3089.00	100.00

ih57p3: 16/17 - PLE - PLE 22.4+W6 - Date of birth of first live born child

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3077.39	99.62	3077.39	99.62
JAN1980	0.66	0.02	3078.05	99.65
JAN1983	1.49	0.05	3079.53	99.69
JAN1989	1.62	0.05	3081.16	99.75
JAN1991	2.23	0.07	3083.39	99.82
JAN1992	0.51	0.02	3083.91	99.84
JAN1996	2.45	0.08	3086.35	99.91
JAN1999	2.29	0.07	3088.64	99.99
JAN2000	0.36	0.01	3089.00	100.00

ih525p1: 16/17 - PLE - PLE 27.1 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
-3	-3	3.13	0.10	2810.85	91.00
Yes	1	97.45	3.15	2908.30	94.15
No	2	180.70	5.85	3089.00	100.00

ih24p1: 16/17 - PLE - PLE 27.2 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
-3	-3	3.13	0.10	2810.85	91.00
All of the time	1	4.77	0.15	2815.62	91.15
Most of the time	2	10.15	0.33	2825.77	91.48
Some of the time	3	24.05	0.78	2849.82	92.26
A little of the time	4	96.83	3.13	2946.65	95.39
None of the time	5	142.35	4.61	3089.00	100.00

ih24p2: 16/17 - PLE - PLE 27.3 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
-3	-3	3.13	0.10	2810.85	91.00
All of the time	1	2.76	0.09	2813.61	91.08
Most of the time	2	6.31	0.20	2819.91	91.29
Some of the time	3	20.36	0.66	2840.27	91.95
A little of the time	4	45.19	1.46	2885.46	93.41
None of the time	5	203.54	6.59	3089.00	100.00

ih24p3: 16/17 - PLE - PLE 27.4 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
All of the time	1	2.90	0.09	2810.62	90.99
Most of the time	2	6.03	0.20	2816.65	91.18
Some of the time	3	49.04	1.59	2865.70	92.77
A little of the time	4	79.63	2.58	2945.32	95.35
None of the time	5	143.68	4.65	3089.00	100.00

ih24p4: 16/17 - PLE - PLE 27.5 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
All of the time	1	6.56	0.21	2814.28	91.11
Most of the time	2	10.39	0.34	2824.67	91.44
Some of the time	3	54.12	1.75	2878.79	93.19
A little of the time	4	78.87	2.55	2957.66	95.75
None of the time	5	131.34	4.25	3089.00	100.00

ih24p5: 16/17 - PLE - PLE 27.6 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
-3	-3	4.61	0.15	2812.33	91.04
All of the time	1	2.76	0.09	2815.08	91.13
Most of the time	2	3.34	0.11	2818.43	91.24
Some of the time	3	15.07	0.49	2833.50	91.73
A little of the time	4	41.78	1.35	2875.28	93.08
None of the time	5	213.72	6.92	3089.00	100.00

ih24p6: 16/17 - PLE - PLE 27.7 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2807.72	90.89	2807.72	90.89
-3	-3	3.13	0.10	2810.85	91.00
All of the time	1	3.50	0.11	2814.35	91.11
Most of the time	2	4.97	0.16	2819.32	91.27
Some of the time	3	12.72	0.41	2832.04	91.68
A little of the time	4	36.59	1.18	2868.63	92.87
None of the time	5	220.37	7.13	3089.00	100.00

ipk6g: 16/17 - PLE - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2812.33	91.04	2812.33	91.04
No probable serious mental illness	0	265.90	8.61	3078.23	99.65
Probable serious mental illness	1	10.77	0.35	3089.00	100.00

ipk6s: 16/17 - PLE - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2812.33	91.04	2812.33	91.04
6	69.14	2.24	2881.47	93.28
7	37.09	1.20	2918.56	94.48
8	42.12	1.36	2960.68	95.85
9	36.84	1.19	2997.52	97.04
10	25.94	0.84	3023.46	97.88
11	11.54	0.37	3035.00	98.25
12	8.82	0.29	3043.82	98.54
13	7.21	0.23	3051.03	98.77
14	9.19	0.30	3060.22	99.07
15	2.32	0.07	3062.54	99.14
16	8.87	0.29	3071.41	99.43
17	5.94	0.19	3077.35	99.62
18	0.88	0.03	3078.23	99.65
19	2.79	0.09	3081.02	99.74
20	1.71	0.06	3082.73	99.80
22	1.49	0.05	3084.21	99.85
24	2.03	0.07	3086.24	99.91
27	0.74	0.02	3086.98	99.93
30	2.02	0.07	3089.00	100.00

ih23b: 16/17 - P2 - P2LK 20 - Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.54	0.15	4.54	0.15
-9	-9	1473.18	47.69	1477.72	47.84
Excellent	1	287.85	9.32	1765.57	57.16
Very good	2	699.45	22.64	2465.02	79.80
Good	3	457.35	14.81	2922.37	94.61
Fair	4	139.18	4.51	3061.55	99.11
Poor	5	27.45	0.89	3089.00	100.00

ih26b1: 16/17 - P2 - P2LK 22 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.53	0.18	5.53	0.18
-9	-9	1473.18	47.69	1478.71	47.87
No problems or stress	1	156.15	5.06	1634.87	52.93
Few problems or stresses	2	650.00	21.04	2284.87	73.97
Some problems and stresses	3	640.53	20.74	2925.40	94.70
Many problems and stresses	4	137.07	4.44	3062.47	99.14
Very many problems and stresses	5	26.53	0.86	3089.00	100.00

ih26b2: 16/17 - P2 - P2LK23 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.65	0.25	7.65	0.25
-9	-9	1473.18	47.69	1480.83	47.94
Not at all	1	4.95	0.16	1485.77	48.10
A little	2	96.99	3.14	1582.76	51.24
Fairly well	3	717.02	23.21	2299.79	74.45
Very well	4	615.64	19.93	2915.42	94.38
Extremely well	5	173.58	5.62	3089.00	100.00

ih25b1: 16/17 - P2 - P2LK 24 - Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.41	0.34	10.41	0.34
-9	-9	1473.18	47.69	1483.59	48.03
Yes	1	460.66	14.91	1944.25	62.94
No	2	1144.75	37.06	3089.00	100.00

ih26b3: 16/17 - P2 - P2LK 25 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.53	0.31	9.53	0.31
-9	-9	1473.18	47.69	1482.71	48.00
Always	1	122.76	3.97	1605.47	51.97
Often	2	489.38	15.84	2094.85	67.82
Sometimes	3	660.95	21.40	2755.80	89.21
Rarely	4	296.66	9.60	3052.46	98.82
Never	5	36.54	1.18	3089.00	100.00

ih24b1: 16/17 - P2 - P2LK 27.1 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.54	0.34	10.54	0.34
-9	-9	1473.18	47.69	1483.72	48.03
All of the time	1	8.20	0.27	1491.92	48.30
Most of the time	2	20.88	0.68	1512.80	48.97
Some of the time	3	148.65	4.81	1661.45	53.79
A little of the time	4	569.12	18.42	2230.56	72.21
None of the time	5	858.44	27.79	3089.00	100.00

ih24b2: 16/17 - P2 - P2LK 27.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	16.47	0.53	16.47	0.53
-9	-9	1473.18	47.69	1489.65	48.22
All of the time	1	8.05	0.26	1497.70	48.48
Most of the time	2	10.88	0.35	1508.57	48.84
Some of the time	3	97.38	3.15	1605.96	51.99
A little of the time	4	217.31	7.03	1823.27	59.02
None of the time	5	1265.73	40.98	3089.00	100.00

ih24b3: 16/17 - P2 - P2LK 27.3 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	32.23	1.04	32.23	1.04
-9	-9	1473.18	47.69	1505.41	48.73
All of the time	1	12.66	0.41	1518.07	49.14
Most of the time	2	33.91	1.10	1551.99	50.24
Some of the time	3	159.86	5.18	1711.84	55.42
A little of the time	4	420.01	13.60	2131.85	69.01
None of the time	5	957.15	30.99	3089.00	100.00

ih24b4: 16/17 - P2 - P2LK 27.4 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.07	0.42	13.07	0.42
-9	-9	1473.18	47.69	1486.25	48.11
All of the time	1	16.44	0.53	1502.69	48.65
Most of the time	2	67.08	2.17	1569.77	50.82
Some of the time	3	221.14	7.16	1790.91	57.98
A little of the time	4	563.88	18.25	2354.78	76.23
None of the time	5	734.22	23.77	3089.00	100.00

ih24b5: 16/17 - P2 - P2LK 27.5 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.83	0.51	15.83	0.51
-9	-9	1473.18	47.69	1489.02	48.20
All of the time	1	6.06	0.20	1495.08	48.40
Most of the time	2	12.92	0.42	1508.00	48.82
Some of the time	3	83.82	2.71	1591.81	51.53
A little of the time	4	240.21	7.78	1832.02	59.31
None of the time	5	1256.98	40.69	3089.00	100.00

ih24b6: 16/17 - P2 - P2LK 27.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	14.13	0.46	14.13	0.46
-9	-9	1473.18	47.69	1487.31	48.15
All of the time	1	9.03	0.29	1496.33	48.44
Most of the time	2	14.22	0.46	1510.55	48.90
Some of the time	3	74.60	2.42	1585.16	51.32

ihb24b6: 16/17 - P2 - P2LK 27.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	179.13	5.80	1764.28	57.12
None of the time	5	1324.72	42.88	3089.00	100.00

ibk6g: 16/17 - P2 - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1519.97	49.21	1519.97	49.21
No probable serious mental illness	0	1538.62	49.81	3058.59	99.02
Probable serious mental illness	1	30.41	0.98	3089.00	100.00

ibk6s: 16/17 - P2 - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1519.97	49.21	1519.97	49.21
6	461.44	14.94	1981.41	64.14
7	265.00	8.58	2246.41	72.72
8	233.03	7.54	2479.44	80.27
9	165.00	5.34	2644.44	85.61
10	122.55	3.97	2766.99	89.58
11	66.11	2.14	2833.10	91.72
12	72.83	2.36	2905.93	94.07
13	45.70	1.48	2951.63	95.55
14	24.04	0.78	2975.67	96.33
15	24.43	0.79	3000.10	97.12
16	25.51	0.83	3025.61	97.95
17	17.22	0.56	3042.83	98.51
18	15.77	0.51	3058.59	99.02
19	6.79	0.22	3065.39	99.24
20	9.06	0.29	3074.44	99.53
21	4.07	0.13	3078.52	99.66
22	2.21	0.07	3080.73	99.73
23	1.46	0.05	3082.19	99.78
24	2.27	0.07	3084.46	99.85
26	0.47	0.02	3084.93	99.87
27	0.53	0.02	3085.45	99.89
30	3.55	0.11	3089.00	100.00

ihb48b44: 16/17 - P2 - P2LK 29 - Ever had any of listed conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.57	0.24	7.57	0.24
-9	-9	1473.18	47.69	1480.75	47.94
-2	-2	16.17	0.52	1496.92	48.46
Yes	1	1418.54	45.92	2915.46	94.38
No	2	173.54	5.62	3089.00	100.00

ih48b1: 16/17 - P2 - P2LK 29.1 - Ever had Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	45.84	1.48	45.84	1.48
-9	-9	1473.18	47.69	1519.02	49.18
-2	-2	14.76	0.48	1533.79	49.65
No, never	1	1197.45	38.76	2731.23	88.42
Yes, as a child only	2	161.05	5.21	2892.28	93.63
Yes, as an adult only	3	105.85	3.43	2998.12	97.06
Yes, as a child and as an adult	4	90.88	2.94	3089.00	100.00

ih48b2: 16/17 - P2 - P2LK 29.2 - Ever had Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.73	1.38	42.73	1.38
-9	-9	1473.18	47.69	1515.91	49.07
-2	-2	24.51	0.79	1540.42	49.87
No, never	1	854.68	27.67	2395.10	77.54
Yes, as a child only	2	105.88	3.43	2500.98	80.96
Yes, as an adult only	3	316.01	10.23	2816.99	91.19
Yes, as a child and as an adult	4	272.01	8.81	3089.00	100.00

ih48b3: 16/17 - P2 - P2LK 29.3 - Ever had Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	58.21	1.88	58.21	1.88
-9	-9	1473.18	47.69	1531.40	49.58
-2	-2	20.60	0.67	1552.00	50.24
No, never	1	1311.13	42.44	2863.12	92.69
Yes, as a child only	2	89.12	2.89	2952.24	95.57
Yes, as an adult only	3	78.60	2.54	3030.84	98.12
Yes, as a child and as an adult	4	58.16	1.88	3089.00	100.00

ih48b4: 16/17 - P2 - P2LK 29.4 - Ever had Psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	68.37	2.21	68.37	2.21
-9	-9	1473.18	47.69	1541.56	49.90
-2	-2	30.12	0.98	1571.68	50.88
No, never	1	1411.52	45.70	2983.20	96.58
Yes, as a child only	2	12.27	0.40	2995.48	96.97
Yes, as an adult only	3	53.01	1.72	3048.49	98.69
Yes, as a child and as an adult	4	40.51	1.31	3089.00	100.00

ih48b5: 16/17 - P2 - P2LK 29.5 - Ever been obese/overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	51.90	1.68	51.90	1.68
-9	-9	1473.18	47.69	1525.08	49.37
-2	-2	32.23	1.04	1557.32	50.41
No, never	1	1140.67	36.93	2697.98	87.34
Yes, as a child only	2	22.92	0.74	2720.91	88.08

ih48b5: 16/17 - P2 - P2LK 29.5 - Ever been obese/overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	217.61	7.04	2938.51	95.13
Yes, as a child and as an adult	4	150.49	4.87	3089.00	100.00

ih48b6: 16/17 - P2 - P2LK 29.6 - Ever been very thin/underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	62.12	2.01	62.12	2.01
-9	-9	1473.18	47.69	1535.30	49.70
-2	-2	15.13	0.49	1550.44	50.19
No, never	1	1396.06	45.19	2946.50	95.39
Yes, as a child only	2	102.78	3.33	3049.28	98.71
Yes, as an adult only	3	25.78	0.83	3075.06	99.55
Yes, as a child and as an adult	4	13.94	0.45	3089.00	100.00

ih48b7: 16/17 - P2 - P2LK 29.7 - Ever had Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.39	1.37	42.39	1.37
-9	-9	1473.18	47.69	1515.57	49.06
-2	-2	10.02	0.32	1525.60	49.39
No, never	1	1554.43	50.32	3080.03	99.71
Yes, as a child only	2	3.62	0.12	3083.65	99.83
Yes, as an adult only	3	3.36	0.11	3087.01	99.94
Yes, as a child and as an adult	4	1.99	0.06	3089.00	100.00

ih48b8: 16/17 - P2 - P2LK 29.8 - Ever had Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.72	1.45	44.72	1.45
-9	-9	1473.18	47.69	1517.90	49.14
-2	-2	1.89	0.06	1519.79	49.20
No, never	1	1547.29	50.09	3067.08	99.29
Yes, as an adult only	3	8.83	0.29	3075.91	99.58
Yes, as a child and as an adult	4	13.09	0.42	3089.00	100.00

ih48b9: 16/17 - P2 - P2LK 29.9 - Ever had Other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.15	1.27	39.15	1.27
-9	-9	1473.18	47.69	1512.33	48.96
-2	-2	8.65	0.28	1520.98	49.24
No, never	1	1475.58	47.77	2996.56	97.01
Yes, as a child only	2	1.69	0.05	2998.25	97.06
Yes, as an adult only	3	39.53	1.28	3037.78	98.34
Yes, as a child and as an adult	4	51.22	1.66	3089.00	100.00

ih48b10: 16/17 - P2 - P2LK 29.10 - Ever had Heart Disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.83	1.52	46.83	1.52
-9	-9	1473.18	47.69	1520.01	49.21
-2	-2	18.88	0.61	1538.90	49.82
No, never	1	1474.71	47.74	3013.61	97.56
Yes, as a child only	2	2.73	0.09	3016.34	97.65
Yes, as an adult only	3	31.38	1.02	3047.72	98.66
Yes, as a child and as an adult	4	41.28	1.34	3089.00	100.00

ih48b11: 16/17 - P2 - P2LK 29.11 - Ever had Hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.35	1.27	39.35	1.27
-9	-9	1473.18	47.69	1512.53	48.96
-2	-2	2.47	0.08	1515.00	49.04
No, never	1	1282.12	41.51	2797.12	90.55
Yes, as a child only	2	2.01	0.07	2799.13	90.62
Yes, as an adult only	3	116.09	3.76	2915.22	94.37
Yes, as a child and as an adult	4	173.78	5.63	3089.00	100.00

ih48b12: 16/17 - P2 - P2LK 29.12 - Ever had Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.28	1.37	42.28	1.37
-9	-9	1473.18	47.69	1515.46	49.06
-2	-2	20.33	0.66	1535.79	49.72
No, never	1	1158.06	37.49	2693.85	87.21
Yes, as a child only	2	54.79	1.77	2748.64	88.98
Yes, as an adult only	3	268.96	8.71	3017.60	97.69
Yes, as a child and as an adult	4	71.40	2.31	3089.00	100.00

ih48b13: 16/17 - P2 - P2LK 29.13 - Ever had Chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	34.92	1.13	34.92	1.13
-9	-9	1473.18	47.69	1508.11	48.82
-2	-2	10.06	0.33	1518.17	49.15
No, never	1	1066.91	34.54	2585.08	83.69
Yes, as a child only	2	9.53	0.31	2594.62	84.00
Yes, as an adult only	3	320.87	10.39	2915.48	94.38
Yes, as a child and as an adult	4	173.52	5.62	3089.00	100.00

ih48b14: 16/17 - P2 - P2LK 29.14 - Ever had Pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.65	1.45	44.65	1.45
-9	-9	1473.18	47.69	1517.83	49.14
-2	-2	16.86	0.55	1534.68	49.68
No, never	1	1545.24	50.02	3079.93	99.71
Yes, as an adult only	3	6.47	0.21	3086.39	99.92
Yes, as a child and as an adult	4	2.61	0.08	3089.00	100.00

ih48b15: 16/17 - P2 - P2LK 29.15 - Ever had Stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	43.76	1.42	43.76	1.42
-9	-9	1473.18	47.69	1516.94	49.11
-2	-2	15.40	0.50	1532.34	49.61
No, never	1	1431.05	46.33	2963.40	95.93
Yes, as a child only	2	14.81	0.48	2978.20	96.41
Yes, as an adult only	3	94.80	3.07	3073.00	99.48
Yes, as a child and as an adult	4	16.00	0.52	3089.00	100.00

ih48b16: 16/17 - P2 - P2LK 29.16 - Ever had Other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.04	1.43	44.04	1.43
-9	-9	1473.18	47.69	1517.22	49.12
-2	-2	14.46	0.47	1531.68	49.58
No, never	1	1350.66	43.72	2882.34	93.31
Yes, as a child only	2	1.24	0.04	2883.57	93.35
Yes, as an adult only	3	117.38	3.80	3000.95	97.15
Yes, as a child and as an adult	4	88.05	2.85	3089.00	100.00

ih48b17: 16/17 - P2 - P2LK 29.17 - Ever had Stroke

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.31	1.30	40.31	1.30
-9	-9	1473.18	47.69	1513.49	49.00
-2	-2	5.18	0.17	1518.67	49.16
No, never	1	1548.88	50.14	3067.55	99.31
Yes, as a child only	2	1.17	0.04	3068.72	99.34
Yes, as an adult only	3	19.57	0.63	3088.29	99.98
Yes, as a child and as an adult	4	0.71	0.02	3089.00	100.00

ih48b18: 16/17 - P2 - P2LK 29.18 - Ever had Rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.95	1.46	44.95	1.46
-9	-9	1473.18	47.69	1518.14	49.15
-2	-2	11.75	0.38	1529.89	49.53
No, never	1	1530.01	49.53	3059.90	99.06
Yes, as a child only	2	4.50	0.15	3064.40	99.20
Yes, as an adult only	3	15.03	0.49	3079.43	99.69
Yes, as a child and as an adult	4	9.57	0.31	3089.00	100.00

ih48b19: 16/17 - P2 - P2LK 29.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.34	1.34	41.34	1.34
-9	-9	1473.18	47.69	1514.53	49.03
-2	-2	29.89	0.97	1544.41	50.00
No, never	1	1332.19	43.13	2876.60	93.12
Yes, as a child only	2	1.60	0.05	2878.20	93.18

ih48b19: 16/17 - P2 - P2LK 29.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	113.88	3.69	2992.08	96.86
Yes, as a child and as an adult	4	96.92	3.14	3089.00	100.00

ih48b20: 16/17 - P2 - P2LK 29.20 - Ever had Chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.35	1.37	42.35	1.37
-9	-9	1473.18	47.69	1515.53	49.06
-2	-2	10.56	0.34	1526.10	49.40
No, never	1	1424.02	46.10	2950.12	95.50
Yes, as a child only	2	65.57	2.12	3015.69	97.63
Yes, as an adult only	3	56.79	1.84	3072.48	99.47
Yes, as a child and as an adult	4	16.52	0.53	3089.00	100.00

ih48b43: 16/17 - P2 - P2LK 29.21 - Ever had Cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.39	1.34	41.39	1.34
-9	-9	1473.18	47.69	1514.57	49.03
-2	-2	4.25	0.14	1518.82	49.17
No, never	1	1494.15	48.37	3012.96	97.54
Yes, as a child only	2	0.68	0.02	3013.64	97.56
Yes, as an adult only	3	65.17	2.11	3078.81	99.67
Yes, as a child and as an adult	4	10.19	0.33	3089.00	100.00

ih48b30: 16/17 - P2 - P2LK 29.22 - Ever had Alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.19	1.30	40.19	1.30
-9	-9	1473.18	47.69	1513.38	48.99
-2	-2	22.73	0.74	1536.11	49.73
No, never	1	1424.60	46.12	2960.71	95.85
Yes, as a child only	2	12.86	0.42	2973.57	96.26
Yes, as an adult only	3	89.87	2.91	3063.44	99.17
Yes, as a child and as an adult	4	25.56	0.83	3089.00	100.00

ih48b31: 16/17 - P2 - P2LK 29.23 - Ever had Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.95	1.33	40.95	1.33
-9	-9	1473.18	47.69	1514.13	49.02
-2	-2	6.38	0.21	1520.52	49.22
No, never	1	1522.67	49.29	3043.18	98.52
Yes, as a child only	2	6.45	0.21	3049.64	98.73
Yes, as an adult only	3	34.77	1.13	3084.41	99.85
Yes, as a child and as an adult	4	4.59	0.15	3089.00	100.00

ih48b32: 16/17 - P2 - P2LK 29.24 - Ever had Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	30.42	0.98	30.42	0.98
-9	-9	1473.18	47.69	1503.60	48.68
-2	-2	55.12	1.78	1558.73	50.46
No, never	1	1119.07	36.23	2677.80	86.69
Yes, as a child only	2	9.95	0.32	2687.74	87.01
Yes, as an adult only	3	291.69	9.44	2979.44	96.45
Yes, as a child and as an adult	4	109.56	3.55	3089.00	100.00

ih48b33: 16/17 - P2 - P2LK 29.25 - Ever had Schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.35	1.37	42.35	1.37
-9	-9	1473.18	47.69	1515.53	49.06
-2	-2	6.40	0.21	1521.94	49.27
No, never	1	1563.16	50.60	3085.09	99.87
Yes, as an adult only	3	2.83	0.09	3087.92	99.97
Yes, as a child and as an adult	4	1.08	0.03	3089.00	100.00

ih48b34: 16/17 - P2 - P2LK 29.26 - Ever had Bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.21	1.33	41.21	1.33
-9	-9	1473.18	47.69	1514.39	49.03
-2	-2	6.88	0.22	1521.27	49.25
No, never	1	1545.85	50.04	3067.11	99.29
Yes, as an adult only	3	10.41	0.34	3077.52	99.63
Yes, as a child and as an adult	4	11.48	0.37	3089.00	100.00

ih48b35: 16/17 - P2 - P2LK 29.27 - Ever had Postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	43.88	1.42	43.88	1.42
-9	-9	1473.18	47.69	1517.06	49.11
-2	-2	3.20	0.10	1520.26	49.22
No, never	1	1556.50	50.39	3076.76	99.60
Yes, as an adult only	3	12.24	0.40	3089.00	100.00

ih48b36: 16/17 - P2 - P2LK 29.28 - Ever had Other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.92	1.45	44.92	1.45
-9	-9	1473.18	47.69	1518.10	49.15
-2	-2	11.08	0.36	1529.19	49.50
No, never	1	1513.86	49.01	3043.05	98.51
Yes, as an adult only	3	28.67	0.93	3071.71	99.44
Yes, as a child and as an adult	4	17.29	0.56	3089.00	100.00

ih48b37: 16/17 - P2 - P2LK 29.29 - Ever had Epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.37	1.34	41.37	1.34
-9	-9	1473.18	47.69	1514.55	49.03
-2	-2	5.24	0.17	1519.79	49.20
No, never	1	1539.57	49.84	3059.36	99.04
Yes, as a child only	2	11.65	0.38	3071.01	99.42
Yes, as an adult only	3	10.42	0.34	3081.43	99.75
Yes, as a child and as an adult	4	7.57	0.25	3089.00	100.00

ih48b42: 16/17 - P2 - P2LK 29.30 - Ever had Language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	44.62	1.44	44.62	1.44
-9	-9	1473.18	47.69	1517.80	49.14
-2	-2	5.50	0.18	1523.30	49.31
No, never	1	1513.58	49.00	3036.88	98.31
Yes, as a child only	2	35.57	1.15	3072.45	99.46
Yes, as an adult only	3	9.77	0.32	3082.22	99.78
Yes, as a child and as an adult	4	6.78	0.22	3089.00	100.00

ih13m: 16/17 - M - P1 CASI E5.1+P2K 20- Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.80	0.03	0.80	0.03
-9	-9	250.05	8.09	250.85	8.12
-3	-3	3.50	0.11	254.35	8.23
Excellent	1	440.59	14.26	694.94	22.50
Very good	2	1073.96	34.77	1768.90	57.26
Good	3	930.49	30.12	2699.39	87.39
Fair	4	318.00	10.29	3017.39	97.68
Poor	5	71.61	2.32	3089.00	100.00

ih48m1: 16/17 - M - P1 CASI E6.1.1+P2K 29.1 - Ever had Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.78	0.06	1.78	0.06
-9	-9	250.76	8.12	252.53	8.18
-3	-3	3.50	0.11	256.03	8.29
-2	-2	13.53	0.44	269.56	8.73
No, never	1	2050.03	66.37	2319.60	75.09
Yes, as a child only	2	206.21	6.68	2525.81	81.77
Yes, as an adult only	3	342.18	11.08	2867.99	92.85
Yes, as a child and as an adult	4	221.01	7.15	3089.00	100.00

ih48m2: 16/17 - M - P1 CASI E6.1.2+P2K 29.2 - Ever had Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.78	0.06	1.78	0.06
-9	-9	250.76	8.12	252.53	8.18
-3	-3	3.50	0.11	256.03	8.29
-2	-2	29.33	0.95	285.36	9.24

ih48m2: 16/17 - M - P1 CASI E6.1.2+P2K 29.2 - Ever had Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No, never	1	1445.51	46.80	1730.87	56.03
Yes, as a child only	2	89.67	2.90	1820.55	58.94
Yes, as an adult only	3	789.04	25.54	2609.59	84.48
Yes, as a child and as an adult	4	479.41	15.52	3089.00	100.00

ih48m3: 16/17 - M - P1 CASI E6.1.3+P2K 29.3 - Ever had Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.78	0.06	1.78	0.06
-9	-9	250.76	8.12	252.53	8.18
-3	-3	3.50	0.11	256.03	8.29
-2	-2	15.08	0.49	271.11	8.78
No, never	1	2221.41	71.91	2492.52	80.69
Yes, as a child only	2	189.13	6.12	2681.65	86.81
Yes, as an adult only	3	216.21	7.00	2897.85	93.81
Yes, as a child and as an adult	4	191.15	6.19	3089.00	100.00

ih48m4: 16/17 - M - P1 CASI E6.1.4+P2K 29.4 - Ever had Psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.31	0.11	3.31	0.11
-9	-9	250.76	8.12	254.07	8.22
-3	-3	3.50	0.11	257.57	8.34
-2	-2	18.78	0.61	276.35	8.95
No, never	1	2586.96	83.75	2863.31	92.69
Yes, as a child only	2	16.81	0.54	2880.13	93.24
Yes, as an adult only	3	144.20	4.67	3024.33	97.91
Yes, as a child and as an adult	4	64.67	2.09	3089.00	100.00

ih48m5: 16/17 - M - P1 CASI E6.1.5+P2K 29.5 - Ever been obese/overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.78	0.06	1.78	0.06
-9	-9	250.76	8.12	252.53	8.18
-3	-3	3.50	0.11	256.03	8.29
-2	-2	34.90	1.13	290.94	9.42
No, never	1	1879.07	60.83	2170.00	70.25
Yes, as a child only	2	28.53	0.92	2198.53	71.17
Yes, as an adult only	3	693.38	22.45	2891.91	93.62
Yes, as a child and as an adult	4	197.09	6.38	3089.00	100.00

ih48m6: 16/17 - M - P1 CASI E6.1.6+P2K 29.6 - Ever been very thin/underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.42	0.11	3.42	0.11
-9	-9	250.76	8.12	254.18	8.23
-3	-3	3.50	0.11	257.68	8.34
-2	-2	24.89	0.81	282.57	9.15
No, never	1	2405.78	77.88	2688.35	87.03
Yes, as a child only	2	220.91	7.15	2909.26	94.18

ih48m6: 16/17 - M - P1 CASI E6.1.6+P2K 29.6 - Ever been very thin/underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	120.31	3.89	3029.57	98.08
Yes, as a child and as an adult	4	59.43	1.92	3089.00	100.00

ih48m7: 16/17 - M - P1 CASI E6.1.7+P2K 29.7 - Ever had Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	19.06	0.62	276.11	8.94
No, never	1	2734.26	88.52	3010.37	97.45
Yes, as a child only	2	33.70	1.09	3044.07	98.55
Yes, as an adult only	3	36.32	1.18	3080.39	99.72
Yes, as a child and as an adult	4	8.61	0.28	3089.00	100.00

ih48m8: 16/17 - M - P1 CASI E6.1.8+P2K 29.8 - Ever had Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.21	0.10	3.21	0.10
-9	-9	250.76	8.12	253.96	8.22
-3	-3	3.50	0.11	257.46	8.33
-2	-2	4.69	0.15	262.15	8.49
No, never	1	2781.02	90.03	3043.17	98.52
Yes, as an adult only	3	39.12	1.27	3082.28	99.78
Yes, as a child and as an adult	4	6.72	0.22	3089.00	100.00

ih48m9: 16/17 - M - P1 CASI E6.1.9+P2K 29.9 - Ever had Other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.43	0.05	1.43	0.05
-9	-9	250.76	8.12	252.19	8.16
-3	-3	4.25	0.14	256.44	8.30
-2	-2	12.45	0.40	268.89	8.70
No, never	1	2642.58	85.55	2911.48	94.25
Yes, as a child only	2	0.97	0.03	2912.44	94.28
Yes, as an adult only	3	169.19	5.48	3081.63	99.76
Yes, as a child and as an adult	4	7.37	0.24	3089.00	100.00

ih48m10: 16/17 - M - P1 CASI E6.1.10+P2K 29.10- Ever had Heart Disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.12	0.13	4.12	0.13
-9	-9	250.76	8.12	254.87	8.25
-3	-3	4.25	0.14	259.12	8.39
-2	-2	23.66	0.77	282.78	9.15
No, never	1	2741.72	88.76	3024.50	97.91
Yes, as a child only	2	5.79	0.19	3030.29	98.10
Yes, as an adult only	3	48.03	1.56	3078.32	99.65
Yes, as a child and as an adult	4	10.68	0.35	3089.00	100.00

ih48m11: 16/17 - M - P1 CASI E6.1.11+P2K 29.11 - Ever had Hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.09	0.13	4.09	0.13
-9	-9	250.76	8.12	254.85	8.25
-3	-3	3.50	0.11	258.35	8.36
-2	-2	5.42	0.18	263.77	8.54
No, never	1	2454.53	79.46	2718.29	88.00
Yes, as an adult only	3	355.25	11.50	3073.54	99.50
Yes, as a child and as an adult	4	15.46	0.50	3089.00	100.00

ih48m12: 16/17 - M - P1 CASI E6.1.12+P2K 29.12 - Ever had Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.78	0.15	4.78	0.15
-9	-9	250.76	8.12	255.53	8.27
-3	-3	3.50	0.11	259.03	8.39
-2	-2	16.72	0.54	275.76	8.93
No, never	1	1655.95	53.61	1931.71	62.54
Yes, as a child only	2	62.32	2.02	1994.03	64.55
Yes, as an adult only	3	825.29	26.72	2819.32	91.27
Yes, as a child and as an adult	4	269.68	8.73	3089.00	100.00

ih48m13: 16/17 - M - P1 CASI E6.1.13+P2K 29.13 - Ever had Chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.43	0.05	1.43	0.05
-9	-9	250.76	8.12	252.19	8.16
-3	-3	3.50	0.11	255.69	8.28
-2	-2	13.29	0.43	268.98	8.71
No, never	1	2076.95	67.24	2345.93	75.94
Yes, as a child only	2	7.03	0.23	2352.96	76.17
Yes, as an adult only	3	662.92	21.46	3015.88	97.63
Yes, as a child and as an adult	4	73.12	2.37	3089.00	100.00

ih48m14: 16/17 - M - P1 CASI E6.1.14+P2K 29.14 - Ever had Pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.44	0.14	4.44	0.14
-9	-9	250.76	8.12	255.20	8.26
-3	-3	3.50	0.11	258.70	8.37
-2	-2	31.26	1.01	289.96	9.39
No, never	1	2733.51	88.49	3023.47	97.88
Yes, as a child only	2	2.21	0.07	3025.69	97.95
Yes, as an adult only	3	59.67	1.93	3085.36	99.88
Yes, as a child and as an adult	4	3.64	0.12	3089.00	100.00

ih48m15: 16/17 - M - P1 CASI E6.1.15+P2K 29.15 - Ever had Stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.44	0.14	4.44	0.14
-9	-9	250.76	8.12	255.20	8.26
-3	-3	3.50	0.11	258.70	8.37
-2	-2	24.08	0.78	282.78	9.15
No, never	1	2670.03	86.44	2952.81	95.59
Yes, as a child only	2	6.93	0.22	2959.74	95.82
Yes, as an adult only	3	121.16	3.92	3080.90	99.74
Yes, as a child and as an adult	4	8.10	0.26	3089.00	100.00

ih48m16: 16/17 - M - P1 CASI E6.1.16+P2K 29.16 - Ever had Other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.39	0.08	2.39	0.08
-9	-9	250.76	8.12	253.14	8.19
-3	-3	3.50	0.11	256.64	8.31
-2	-2	25.60	0.83	282.25	9.14
No, never	1	2368.96	76.69	2651.21	85.83
Yes, as an adult only	3	395.73	12.81	3046.94	98.64
Yes, as a child and as an adult	4	42.06	1.36	3089.00	100.00

ih48m17: 16/17 - M - P1 CASI E6.1.17+P2K 29.17 - Ever had Stroke

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	8.02	0.26	265.08	8.58
No, never	1	2785.35	90.17	3050.43	98.75
Yes, as a child only	2	3.72	0.12	3054.16	98.87
Yes, as an adult only	3	34.84	1.13	3089.00	100.00

ih48m18: 16/17 - M - P1 CASI E6.1.18+P2K 29.18 - Ever had Rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	20.22	0.65	277.27	8.98
No, never	1	2713.68	87.85	2990.96	96.83
Yes, as a child only	2	2.42	0.08	2993.38	96.90
Yes, as an adult only	3	84.33	2.73	3077.71	99.63
Yes, as a child and as an adult	4	11.29	0.37	3089.00	100.00

ih48m19: 16/17 - M - P1 CASI E6.1.19+P2K 29.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	32.42	1.05	289.48	9.37

ih48m19: 16/17 - M - P1 CASI E6.1.19+P2K 29.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No, never	1	2250.09	72.84	2539.57	82.21
Yes, as a child only	2	6.47	0.21	2546.04	82.42
Yes, as an adult only	3	500.28	16.20	3046.32	98.62
Yes, as a child and as an adult	4	42.68	1.38	3089.00	100.00

ih48m20: 16/17 - M - P1 CASI E6.1.20+P2K 29.20 - Ever had Chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	13.98	0.45	271.04	8.77
No, never	1	2509.29	81.23	2780.33	90.01
Yes, as a child only	2	76.41	2.47	2856.74	92.48
Yes, as an adult only	3	162.17	5.25	3018.91	97.73
Yes, as a child and as an adult	4	70.09	2.27	3089.00	100.00

ih48m43: 16/17 - M - P1 CASI E6.1.21+P2K 29.21 - Ever had Cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.43	0.05	1.43	0.05
-9	-9	250.76	8.12	252.19	8.16
-3	-3	3.50	0.11	255.69	8.28
-2	-2	4.46	0.14	260.15	8.42
No, never	1	2630.69	85.16	2890.84	93.58
Yes, as a child only	2	1.72	0.06	2892.56	93.64
Yes, as an adult only	3	192.97	6.25	3085.53	99.89
Yes, as a child and as an adult	4	3.47	0.11	3089.00	100.00

ih48m30: 16/17 - M - P1 CASI E6.1.22+P2K 29.22 - Ever had Alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	4.13	0.13	257.69	8.34
-2	-2	5.47	0.18	263.16	8.52
No, never	1	2741.98	88.77	3005.14	97.29
Yes, as a child only	2	5.46	0.18	3010.60	97.46
Yes, as an adult only	3	73.23	2.37	3083.83	99.83
Yes, as a child and as an adult	4	5.17	0.17	3089.00	100.00

ih48m31: 16/17 - M - P1 CASI E6.1.23+P2K 29.23 - Ever had Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	4.83	0.16	258.39	8.36
No, never	1	2762.18	89.42	3020.56	97.78
Yes, as a child only	2	1.86	0.06	3022.43	97.84

ih48m31: 16/17 - M - P1 CASI E6.1.23+P2K 29.23 - Ever had Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	58.26	1.89	3080.69	99.73
Yes, as a child and as an adult	4	8.31	0.27	3089.00	100.00

ih48m32: 16/17 - M - P1 CASI E6.1.24+P2K 29.24 - Ever had Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	4.13	0.13	257.69	8.34
-2	-2	34.11	1.10	291.80	9.45
No, never	1	1669.03	54.03	1960.83	63.48
Yes, as a child only	2	10.71	0.35	1971.53	63.82
Yes, as an adult only	3	923.99	29.91	2895.52	93.74
Yes, as a child and as an adult	4	193.48	6.26	3089.00	100.00

ih48m33: 16/17 - M - P1 CASI E6.1.25+P2K 29.25 - Ever had Schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	4.13	0.13	257.69	8.34
-2	-2	7.84	0.25	265.53	8.60
No, never	1	2818.37	91.24	3083.90	99.83
Yes, as an adult only	3	5.10	0.17	3089.00	100.00

ih48m34: 16/17 - M - P1 CASI E6.1.26+P2K 29.26 - Ever had Bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	4.13	0.13	257.69	8.34
-2	-2	12.03	0.39	269.72	8.73
No, never	1	2777.11	89.90	3046.84	98.64
Yes, as an adult only	3	33.02	1.07	3079.86	99.70
Yes, as a child and as an adult	4	9.14	0.30	3089.00	100.00

ih48m35: 16/17 - M - P1 CASI E6.1.27+P2K 29.27 - Ever had Postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	50.64	1.64	307.70	9.96
No, never	1	2213.90	71.67	2521.60	81.63
Yes, as a child only	2	1.68	0.05	2523.28	81.69
Yes, as an adult only	3	550.56	17.82	3073.84	99.51
Yes, as a child and as an adult	4	15.16	0.49	3089.00	100.00

ih48m36: 16/17 - M - P1 CASI E6.1.28+P2K 29.28 - Ever had Other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.17	0.13	4.17	0.13
-9	-9	250.76	8.12	254.93	8.25
-3	-3	3.50	0.11	258.43	8.37
-2	-2	24.60	0.80	283.03	9.16
No, never	1	2613.96	84.62	2896.98	93.78
Yes, as an adult only	3	156.59	5.07	3053.58	98.85
Yes, as a child and as an adult	4	35.42	1.15	3089.00	100.00

ih48m37: 16/17 - M - P1 CASI E6.1.29+P2K 29.29 - Ever had Epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	2.24	0.07	259.29	8.39
No, never	1	2768.63	89.63	3027.92	98.02
Yes, as a child only	2	26.23	0.85	3054.15	98.87
Yes, as an adult only	3	26.60	0.86	3080.75	99.73
Yes, as a child and as an adult	4	8.25	0.27	3089.00	100.00

ih48m42: 16/17 - M - P1 CASI E6.1.34+P2K 29.34 - Ever had Language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.80	0.09	2.80	0.09
-9	-9	250.76	8.12	253.55	8.21
-3	-3	3.50	0.11	257.05	8.32
-2	-2	9.90	0.32	266.96	8.64
No, never	1	2742.34	88.78	3009.30	97.42
Yes, as a child only	2	43.38	1.40	3052.68	98.82
Yes, as an adult only	3	16.67	0.54	3069.35	99.36
Yes, as a child and as an adult	4	19.65	0.64	3089.00	100.00

ih48m44: 16/17 - M - P1 CASI E6.1+P2K 29 - Ever had any of listed conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	254.26	8.23	254.26	8.23
-2	-2	10.98	0.36	265.23	8.59
Yes	1	2598.59	84.12	2863.82	92.71
No	2	225.18	7.29	3089.00	100.00

ih26m1: 16/17 - M - P1 CASI E15.2 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.05	8.09	250.65	8.11
-3	-3	6.84	0.22	257.50	8.34
No problems or stress	1	256.46	8.30	513.96	16.64
Few problems or stresses	2	1164.40	37.70	1678.36	54.33
Some problems and stresses	3	1112.14	36.00	2790.50	90.34

ih26m1: 16/17 - M - P1 CASI E15.2 - Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Many problems and stresses	4	227.70	7.37	3018.20	97.71
Very many problems and stresses	5	70.80	2.29	3089.00	100.00

ih26m2: 16/17 -M - P1 CASI E15.3+P2K 23 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1.39	0.04	1.39	0.04
-9	-9	250.05	8.09	251.44	8.14
-3	-3	4.61	0.15	256.05	8.29
Not at all	1	37.23	1.21	293.29	9.49
A little	2	209.37	6.78	502.66	16.27
Fairly well	3	1362.76	44.12	1865.42	60.39
Very well	4	956.47	30.96	2821.89	91.35
Extremely well	5	267.11	8.65	3089.00	100.00

ih25m1: 16/17 - M - P1 CASI E15.4+P2K 24- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.05	8.09	250.65	8.11
-3	-3	6.84	0.22	257.50	8.34
Yes	1	938.83	30.39	1196.33	38.73
No	2	1892.67	61.27	3089.00	100.00

ih26m3: 16/17 - M - P1 CASI E15.5+P2K 25 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.05	8.09	250.65	8.11
-3	-3	4.61	0.15	255.27	8.26
Always	1	369.22	11.95	624.49	20.22
Often	2	1081.24	35.00	1705.73	55.22
Sometimes	3	1035.84	33.53	2741.57	88.75
Rarely	4	302.79	9.80	3044.36	98.55
Never	5	44.64	1.45	3089.00	100.00

ih24m1: 16/17 - M - P1 CASI E17.5.1+P2K 27.1 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.76	8.12	251.36	8.14
-3	-3	4.61	0.15	255.98	8.29
All of the time	1	34.04	1.10	290.01	9.39
Most of the time	2	93.32	3.02	383.33	12.41
Some of the time	3	499.10	16.16	882.43	28.57
A little of the time	4	1052.89	34.09	1935.32	62.65
None of the time	5	1153.68	37.35	3089.00	100.00

ih24m2: 16/17 - M - P1 CASI E17.5.2+P2K 27.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.76	8.12	251.36	8.14
-3	-3	4.61	0.15	255.98	8.29
All of the time	1	37.94	1.23	293.91	9.51
Most of the time	2	62.03	2.01	355.94	11.52
Some of the time	3	282.93	9.16	638.87	20.68
A little of the time	4	445.57	14.42	1084.43	35.11
None of the time	5	2004.57	64.89	3089.00	100.00

ih24m3: 16/17 - M - P1 CASI E17.5.3+P2K 27.3 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.76	8.12	251.36	8.14
-3	-3	4.61	0.15	255.98	8.29
All of the time	1	33.30	1.08	289.28	9.36
Most of the time	2	69.13	2.24	358.40	11.60
Some of the time	3	318.63	10.31	677.03	21.92
A little of the time	4	764.41	24.75	1441.45	46.66
None of the time	5	1647.55	53.34	3089.00	100.00

ih24m4: 16/17 - M - P1 CASI E17.5.4+P2K 27.4 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.14	0.07	2.14	0.07
-9	-9	250.76	8.12	252.89	8.19
-3	-3	4.61	0.15	257.51	8.34
All of the time	1	66.70	2.16	324.21	10.50
Most of the time	2	146.98	4.76	471.19	15.25
Some of the time	3	490.36	15.87	961.54	31.13
A little of the time	4	1063.27	34.42	2024.82	65.55
None of the time	5	1064.18	34.45	3089.00	100.00

ih24m5: 16/17 - M - P1 CASI E17.5.5+P2K 27.5 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.76	8.12	251.36	8.14
-3	-3	4.61	0.15	255.98	8.29
All of the time	1	36.88	1.19	292.85	9.48
Most of the time	2	57.69	1.87	350.54	11.35
Some of the time	3	255.39	8.27	605.94	19.62
A little of the time	4	521.89	16.90	1127.83	36.51
None of the time	5	1961.17	63.49	3089.00	100.00

ih24m6: 16/17 - M - P1 CASI E17.5.6+P2K 27.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	0.61	0.02	0.61	0.02
-9	-9	250.76	8.12	251.36	8.14
-3	-3	5.48	0.18	256.84	8.31
All of the time	1	47.38	1.53	304.22	9.85
Most of the time	2	62.97	2.04	367.19	11.89
Some of the time	3	212.51	6.88	579.71	18.77
A little of the time	4	400.76	12.97	980.46	31.74
None of the time	5	2108.54	68.26	3089.00	100.00

imk6g: 16/17 - M - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	258.38	8.36	258.38	8.36
No probable serious mental illness	0	2697.46	87.32	2955.83	95.69
Probable serious mental illness	1	133.17	4.31	3089.00	100.00

imk6s: 16/17 - M - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	258.38	8.36	258.38	8.36
6	592.03	19.17	850.41	27.53
7	462.43	14.97	1312.83	42.50
8	373.49	12.09	1686.33	54.59
9	303.30	9.82	1989.63	64.41
10	244.52	7.92	2234.15	72.33
11	172.91	5.60	2407.06	77.92
12	125.73	4.07	2532.79	81.99
13	84.53	2.74	2617.32	84.73
14	82.32	2.67	2699.64	87.40
15	67.16	2.17	2766.80	89.57
16	76.24	2.47	2843.05	92.04
17	45.51	1.47	2888.56	93.51
18	67.27	2.18	2955.83	95.69
19	23.31	0.75	2979.14	96.44
20	23.09	0.75	3002.24	97.19
21	18.87	0.61	3021.11	97.80
22	10.46	0.34	3031.57	98.14
23	9.50	0.31	3041.07	98.45
24	13.03	0.42	3054.10	98.87
25	7.96	0.26	3062.05	99.13
26	5.09	0.16	3067.14	99.29
27	8.39	0.27	3075.53	99.56
28	0.95	0.03	3076.48	99.59
29	2.02	0.07	3078.51	99.66
30	10.49	0.34	3089.00	100.00

ih13f: 16/17 - F - P1 CASI E5.1+P2K 20- Global health measure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.74	0.12	3.74	0.12
-9	-9	1377.59	44.60	1381.33	44.72
-3	-3	2.55	0.08	1383.88	44.80
Excellent	1	285.79	9.25	1669.67	54.05
Very good	2	726.98	23.53	2396.64	77.59
Good	3	513.09	16.61	2909.73	94.20
Fair	4	147.54	4.78	3057.28	98.97
Poor	5	31.72	1.03	3089.00	100.00

ih48f1: 16/17 - F - P1 CASI E6.1.1+P2K 29.1 - Ever had Asthma

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.89	1.39	42.89	1.39
-9	-9	1377.59	44.60	1420.48	45.99
-3	-3	2.55	0.08	1423.03	46.07
-2	-2	15.66	0.51	1438.69	46.57
No, never	1	1281.27	41.48	2719.96	88.05
Yes, as a child only	2	171.16	5.54	2891.11	93.59
Yes, as an adult only	3	106.21	3.44	2997.33	97.03
Yes, as a child and as an adult	4	91.67	2.97	3089.00	100.00

ih48f2: 16/17 - F - P1 CASI E6.1.2+P2K 29.2 - Ever had Hay fever

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.95	1.33	40.95	1.33
-9	-9	1377.59	44.60	1418.54	45.92
-3	-3	2.55	0.08	1421.09	46.00
-2	-2	26.69	0.86	1447.78	46.87
No, never	1	913.59	29.58	2361.37	76.44
Yes, as a child only	2	108.70	3.52	2470.08	79.96
Yes, as an adult only	3	329.22	10.66	2799.29	90.62
Yes, as a child and as an adult	4	289.71	9.38	3089.00	100.00

ih48f3: 16/17 - F - P1 CASI E6.1.3+P2K 29.3 - Ever had Eczema

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	55.27	1.79	55.27	1.79
-9	-9	1377.59	44.60	1432.86	46.39
-3	-3	2.55	0.08	1435.41	46.47
-2	-2	18.84	0.61	1454.24	47.08
No, never	1	1409.56	45.63	2863.81	92.71
Yes, as a child only	2	84.95	2.75	2948.76	95.46
Yes, as an adult only	3	79.17	2.56	3027.93	98.02
Yes, as a child and as an adult	4	61.07	1.98	3089.00	100.00

ih48f4: 16/17 - F - P1 CASI E6.1.4+P2K 29.4 - Ever had Psoriasis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.90	2.07	63.90	2.07
-9	-9	1377.59	44.60	1441.49	46.67
-3	-3	2.55	0.08	1444.03	46.75
-2	-2	31.10	1.01	1475.13	47.75
No, never	1	1495.25	48.41	2970.38	96.16
Yes, as a child only	2	10.71	0.35	2981.09	96.51
Yes, as an adult only	3	64.70	2.09	3045.79	98.60
Yes, as a child and as an adult	4	43.21	1.40	3089.00	100.00

ih48f5: 16/17 - F - P1 CASI E6.1.5+P2K 29.5 - Ever been obese/overweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	48.96	1.58	48.96	1.58
-9	-9	1377.59	44.60	1426.55	46.18
-3	-3	2.55	0.08	1429.09	46.26
-2	-2	29.77	0.96	1458.86	47.23
No, never	1	1207.85	39.10	2666.71	86.33
Yes, as a child only	2	24.32	0.79	2691.03	87.12
Yes, as an adult only	3	238.67	7.73	2929.70	94.84
Yes, as a child and as an adult	4	159.30	5.16	3089.00	100.00

ih48f6: 16/17 - F - P1 CASI E6.1.6+P2K 29.6 - Ever been very thin/underweight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	57.53	1.86	57.53	1.86
-9	-9	1377.59	44.60	1435.12	46.46
-3	-3	2.55	0.08	1437.67	46.54
-2	-2	12.82	0.42	1450.49	46.96
No, never	1	1504.23	48.70	2954.72	95.65
Yes, as a child only	2	98.47	3.19	3053.19	98.84
Yes, as an adult only	3	21.87	0.71	3075.06	99.55
Yes, as a child and as an adult	4	13.94	0.45	3089.00	100.00

ih48f7: 16/17 - F - P1 CASI E6.1.7+P2K 29.7 - Ever had Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.59	1.28	39.59	1.28
-9	-9	1377.59	44.60	1417.18	45.88
-3	-3	2.55	0.08	1419.73	45.96
-2	-2	8.26	0.27	1427.98	46.23
No, never	1	1656.83	53.64	3084.81	99.86
Yes, as a child only	2	0.55	0.02	3085.37	99.88
Yes, as an adult only	3	2.30	0.07	3087.67	99.96
Yes, as a child and as an adult	4	1.33	0.04	3089.00	100.00

ih48f8: 16/17 - F - P1 CASI E6.1.8+P2K 29.8 - Ever had Diabetes treated with insulin

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.52	1.34	41.52	1.34
-9	-9	1377.59	44.60	1419.10	45.94
-3	-3	2.55	0.08	1421.65	46.02
-2	-2	2.78	0.09	1424.44	46.11
No, never	1	1640.22	53.10	3064.65	99.21
Yes, as an adult only	3	10.28	0.33	3074.94	99.54
Yes, as a child and as an adult	4	14.06	0.46	3089.00	100.00

ih48f9: 16/17 - F - P1 CASI E6.1.9+P2K 29.9 - Ever had Other diabetes

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.71	1.22	37.71	1.22
-9	-9	1377.59	44.60	1415.30	45.82
-3	-3	2.55	0.08	1417.85	45.90
-2	-2	10.79	0.35	1428.64	46.25
No, never	1	1557.42	50.42	2986.06	96.67
Yes, as a child only	2	1.69	0.05	2987.75	96.72
Yes, as an adult only	3	49.60	1.61	3037.35	98.33
Yes, as a child and as an adult	4	51.65	1.67	3089.00	100.00

ih48f10: 16/17 - F - P1 CASI E6.1.10+P2K 29.10- Ever had Heart Disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.72	1.38	42.72	1.38
-9	-9	1377.59	44.60	1420.31	45.98
-3	-3	2.55	0.08	1422.85	46.06
-2	-2	21.70	0.70	1444.55	46.76
No, never	1	1556.38	50.38	3000.93	97.15
Yes, as a child only	2	2.73	0.09	3003.66	97.24
Yes, as an adult only	3	44.64	1.45	3048.30	98.68
Yes, as a child and as an adult	4	40.70	1.32	3089.00	100.00

ih48f11: 16/17 - F - P1 CASI E6.1.11+P2K 29.11 - Ever had Hypertension

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	35.25	1.14	35.25	1.14
-9	-9	1377.59	44.60	1412.84	45.74
-3	-3	2.55	0.08	1415.39	45.82
-2	-2	4.21	0.14	1419.60	45.96
No, never	1	1356.95	43.93	2776.55	89.89
Yes, as a child only	2	2.01	0.07	2778.56	89.95
Yes, as an adult only	3	142.30	4.61	2920.87	94.56
Yes, as a child and as an adult	4	168.13	5.44	3089.00	100.00

ih48f12: 16/17 - F - P1 CASI E6.1.12+P2K 29.12 - Ever had Migraine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.50	1.21	37.50	1.21
-9	-9	1377.59	44.60	1415.09	45.81
-3	-3	2.55	0.08	1417.64	45.89
-2	-2	21.36	0.69	1439.00	46.58
No, never	1	1262.99	40.89	2701.99	87.47
Yes, as a child only	2	57.14	1.85	2759.13	89.32
Yes, as an adult only	3	264.25	8.55	3023.38	97.88
Yes, as a child and as an adult	4	65.62	2.12	3089.00	100.00

ih48f13: 16/17 - F - P1 CASI E6.1.13+P2K 29.13 - Ever had Chronic back pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	33.49	1.08	33.49	1.08
-9	-9	1377.59	44.60	1411.08	45.68
-3	-3	2.55	0.08	1413.63	45.76
-2	-2	9.21	0.30	1422.84	46.06
No, never	1	1125.59	36.44	2548.43	82.50
Yes, as a child only	2	9.53	0.31	2557.96	82.81
Yes, as an adult only	3	365.92	11.85	2923.88	94.65
Yes, as a child and as an adult	4	165.12	5.35	3089.00	100.00

ih48f14: 16/17 - F - P1 CASI E6.1.14+P2K 29.14 - Ever had Pelvic inflammatory disease

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.20	1.30	40.20	1.30
-9	-9	1377.59	44.60	1417.79	45.90
-3	-3	2.55	0.08	1420.34	45.98
-2	-2	15.12	0.49	1435.46	46.47
No, never	1	1646.29	53.30	3081.75	99.77
Yes, as an adult only	3	4.67	0.15	3086.43	99.92
Yes, as a child and as an adult	4	2.57	0.08	3089.00	100.00

ih48f15: 16/17 - F - P1 CASI E6.1.15+P2K 29.15 - Ever had Stomach ulcer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.32	1.27	39.32	1.27
-9	-9	1377.59	44.60	1416.91	45.87
-3	-3	2.55	0.08	1419.45	45.95
-2	-2	14.39	0.47	1433.84	46.42
No, never	1	1527.49	49.45	2961.33	95.87
Yes, as a child only	2	15.34	0.50	2976.67	96.36
Yes, as an adult only	3	96.34	3.12	3073.00	99.48
Yes, as a child and as an adult	4	16.00	0.52	3089.00	100.00

ih48f16: 16/17 - F - P1 CASI E6.1.16+P2K 29.16 - Ever had Other chronic pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.65	1.35	41.65	1.35
-9	-9	1377.59	44.60	1419.24	45.94
-3	-3	2.55	0.08	1421.79	46.03
-2	-2	11.51	0.37	1433.30	46.40
No, never	1	1436.02	46.49	2869.32	92.89
Yes, as a child only	2	1.24	0.04	2870.56	92.93
Yes, as an adult only	3	134.63	4.36	3005.19	97.29
Yes, as a child and as an adult	4	83.81	2.71	3089.00	100.00

ih48f17: 16/17 - F - P1 CASI E6.1.17+P2K 29.17 - Ever had Stroke

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.51	1.21	37.51	1.21
-9	-9	1377.59	44.60	1415.10	45.81
-3	-3	2.55	0.08	1417.65	45.89
-2	-2	5.29	0.17	1422.93	46.06
No, never	1	1643.49	53.20	3066.43	99.27
Yes, as an adult only	3	21.86	0.71	3088.29	99.98
Yes, as a child and as an adult	4	0.71	0.02	3089.00	100.00

ih48f18: 16/17 - F - P1 CASI E6.1.18+P2K 29.18 - Ever had Rheumatism

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	42.15	1.36	42.15	1.36
-9	-9	1377.59	44.60	1419.74	45.96
-3	-3	2.55	0.08	1422.29	46.04
-2	-2	15.28	0.49	1437.57	46.54
No, never	1	1618.78	52.40	3056.35	98.94
Yes, as a child only	2	3.54	0.11	3059.89	99.06
Yes, as an adult only	3	20.34	0.66	3080.23	99.72
Yes, as a child and as an adult	4	8.77	0.28	3089.00	100.00

ih48f19: 16/17 - F - P1 CASI E6.1.19+P2K 29.19 - Ever had Arthritis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.55	1.25	38.55	1.25
-9	-9	1377.59	44.60	1416.13	45.84
-3	-3	2.55	0.08	1418.68	45.93
-2	-2	35.72	1.16	1454.41	47.08
No, never	1	1408.07	45.58	2862.47	92.67
Yes, as a child only	2	0.64	0.02	2863.11	92.69
Yes, as an adult only	3	139.69	4.52	3002.80	97.21
Yes, as a child and as an adult	4	86.20	2.79	3089.00	100.00

ih48f20: 16/17 - F - P1 CASI E6.1.20+P2K 29.20 - Ever had Chronic bronchitis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.55	1.28	39.55	1.28
-9	-9	1377.59	44.60	1417.14	45.88
-3	-3	2.55	0.08	1419.69	45.96
-2	-2	11.46	0.37	1431.15	46.33
No, never	1	1518.45	49.16	2949.60	95.49
Yes, as a child only	2	66.79	2.16	3016.39	97.65
Yes, as an adult only	3	55.53	1.80	3071.92	99.45
Yes, as a child and as an adult	4	17.08	0.55	3089.00	100.00

ih48f43: 16/17 - F - P1 CASI E6.1.21+P2K 29.21 - Ever had Cancer

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.95	1.29	39.95	1.29
-9	-9	1377.59	44.60	1417.54	45.89
-3	-3	2.55	0.08	1420.09	45.97
-2	-2	5.14	0.17	1425.23	46.14
No, never	1	1579.05	51.12	3004.29	97.26
Yes, as a child only	2	0.68	0.02	3004.96	97.28
Yes, as an adult only	3	74.90	2.42	3079.86	99.70
Yes, as a child and as an adult	4	9.14	0.30	3089.00	100.00

ih48f30: 16/17 - F - P1 CASI E6.1.22+P2K 29.22 - Ever had Alcohol problem

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	37.40	1.21	37.40	1.21
-9	-9	1377.59	44.60	1414.98	45.81
-3	-3	2.55	0.08	1417.53	45.89
-2	-2	26.23	0.85	1443.76	46.74
No, never	1	1508.11	48.82	2951.87	95.56
Yes, as a child only	2	12.33	0.40	2964.21	95.96
Yes, as an adult only	3	99.41	3.22	3063.61	99.18
Yes, as a child and as an adult	4	25.39	0.82	3089.00	100.00

ih48f31: 16/17 - F - P1 CASI E6.1.23+P2K 29.23 - Ever had Drug addiction

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.15	1.24	38.15	1.24
-9	-9	1377.59	44.60	1415.74	45.83
-3	-3	2.55	0.08	1418.29	45.91
-2	-2	8.63	0.28	1426.92	46.19
No, never	1	1617.03	52.35	3043.96	98.54
Yes, as a child only	2	6.45	0.21	3050.41	98.75
Yes, as an adult only	3	34.98	1.13	3085.39	99.88
Yes, as a child and as an adult	4	3.61	0.12	3089.00	100.00

ih48f32: 16/17 - F - P1 CASI E6.1.24+P2K 29.24 - Ever had Depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	27.62	0.89	27.62	0.89
-9	-9	1377.59	44.60	1405.21	45.49
-3	-3	2.55	0.08	1407.76	45.57
-2	-2	56.65	1.83	1464.41	47.41
No, never	1	1192.04	38.59	2656.46	86.00
Yes, as a child only	2	11.99	0.39	2668.45	86.39
Yes, as an adult only	3	318.18	10.30	2986.63	96.69
Yes, as a child and as an adult	4	102.37	3.31	3089.00	100.00

ih48f33: 16/17 - F - P1 CASI E6.1.25+P2K 29.25 - Ever had Schizophrenia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	39.55	1.28	39.55	1.28
-9	-9	1377.59	44.60	1417.14	45.88
-3	-3	2.55	0.08	1419.69	45.96
-2	-2	4.31	0.14	1424.00	46.10
No, never	1	1661.10	53.77	3085.09	99.87
Yes, as an adult only	3	2.83	0.09	3087.92	99.97
Yes, as a child and as an adult	4	1.08	0.03	3089.00	100.00

ih48f34: 16/17 - F - P1 CASI E6.1.26+P2K 29.26 - Ever had Bipolar disorder

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.41	1.24	38.41	1.24
-9	-9	1377.59	44.60	1416.00	45.84
-3	-3	2.55	0.08	1418.55	45.92
-2	-2	6.29	0.20	1424.84	46.13
No, never	1	1645.01	53.25	3069.85	99.38
Yes, as an adult only	3	10.80	0.35	3080.64	99.73
Yes, as a child and as an adult	4	8.36	0.27	3089.00	100.00

ih48f35: 16/17 - F - P1 CASI E6.1.27+P2K 29.27 - Ever had Postnatal depression

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.08	1.33	41.08	1.33
-9	-9	1377.59	44.60	1418.67	45.93
-3	-3	2.55	0.08	1421.22	46.01
-2	-2	0.90	0.03	1422.11	46.04
No, never	1	1665.96	53.93	3088.07	99.97
Yes, as an adult only	3	0.93	0.03	3089.00	100.00

ih48f36: 16/17 - F - P1 CASI E6.1.28+P2K 29.28 - Ever had Other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	40.75	1.32	40.75	1.32
-9	-9	1377.59	44.60	1418.34	45.92
-3	-3	2.55	0.08	1420.88	46.00
-2	-2	10.64	0.34	1431.52	46.34
No, never	1	1609.09	52.09	3040.62	98.43
Yes, as a child only	2	1.32	0.04	3041.93	98.48

ih48f36: 16/17 - F - P1 CASI E6.1.28+P2K 29.28 - Ever had Other mental illness

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, as an adult only	3	32.20	1.04	3074.13	99.52
Yes, as a child and as an adult	4	14.87	0.48	3089.00	100.00

ih48f37: 16/17 - F - P1 CASI E6.1.29+P2K 29.29 - Ever had Epilepsy

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	38.57	1.25	38.57	1.25
-9	-9	1377.59	44.60	1416.16	45.85
-3	-3	2.55	0.08	1418.70	45.93
-2	-2	5.04	0.16	1423.75	46.09
No, never	1	1632.78	52.86	3056.53	98.95
Yes, as a child only	2	14.29	0.46	3070.82	99.41
Yes, as an adult only	3	8.32	0.27	3079.13	99.68
Yes, as a child and as an adult	4	9.87	0.32	3089.00	100.00

ih48f42: 16/17 - F - P1 CASI E6.1.34+P2K 29.34 - Ever had Language or speech problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	41.82	1.35	41.82	1.35
-9	-9	1377.59	44.60	1419.41	45.95
-3	-3	2.55	0.08	1421.96	46.03
-2	-2	8.47	0.27	1430.43	46.31
No, never	1	1608.17	52.06	3038.59	98.37
Yes, as a child only	2	37.76	1.22	3076.35	99.59
Yes, as an adult only	3	5.27	0.17	3081.62	99.76
Yes, as a child and as an adult	4	7.38	0.24	3089.00	100.00

ih48f44: 16/17 - F - P1 CASI E6.1+P2K 29 - Ever had any of listed conditions

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	7.57	0.24	7.57	0.24
-9	-9	1380.14	44.68	1387.70	44.92
-2	-2	16.17	0.52	1403.87	45.45
Yes	1	1497.00	48.46	2900.88	93.91
No	2	188.12	6.09	3089.00	100.00

ih26f1: 16/17 - F - P1 CASI E15.2+P2K22 Difficulty of life at present

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.93	0.16	4.93	0.16
-9	-9	1377.59	44.60	1382.51	44.76
-3	-3	4.13	0.13	1386.64	44.89
No problems or stress	1	179.30	5.80	1565.95	50.69
Few problems or stresses	2	686.32	22.22	2252.27	72.91
Some problems and stresses	3	658.36	21.31	2910.63	94.23
Many problems and stresses	4	149.19	4.83	3059.82	99.06
Very many problems and stresses	5	29.18	0.94	3089.00	100.00

ih26f2: 16/17 -F - P1 CASI E15.3+P2K 23 - Level of coping

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.26	0.20	6.26	0.20
-9	-9	1377.59	44.60	1383.85	44.80
-3	-3	4.13	0.13	1387.98	44.93
Not at all	1	6.41	0.21	1394.38	45.14
A little	2	102.02	3.30	1496.40	48.44
Fairly well	3	749.01	24.25	2245.42	72.69
Very well	4	654.31	21.18	2899.72	93.87
Extremely well	5	189.28	6.13	3089.00	100.00

ih25f1: 16/17 - F - P1 CASI E15.4+P2K 24- Depression 2 weeks in past year

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.81	0.32	9.81	0.32
-9	-9	1377.59	44.60	1387.39	44.91
-3	-3	4.13	0.13	1391.52	45.05
Yes	1	493.07	15.96	1884.59	61.01
No	2	1204.41	38.99	3089.00	100.00

ih26f3: 16/17 - F - P1 CASI E15.5+P2K 25 - Frequency of feeling rushed

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	8.92	0.29	8.92	0.29
-9	-9	1377.59	44.60	1386.51	44.89
-3	-3	4.13	0.13	1390.64	45.02
Always	1	131.45	4.26	1522.09	49.27
Often	2	509.73	16.50	2031.82	65.78
Sometimes	3	691.27	22.38	2723.09	88.15
Rarely	4	319.38	10.34	3042.47	98.49
Never	5	46.53	1.51	3089.00	100.00

ih24f1: 16/17 - F - P1 CASI E17.5.1+P2K 27.1 - Felt nervous

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.93	0.32	9.93	0.32
-9	-9	1377.59	44.60	1387.52	44.92
-3	-3	4.13	0.13	1391.65	45.05
All of the time	1	10.71	0.35	1402.35	45.40
Most of the time	2	19.54	0.63	1421.89	46.03
Some of the time	3	161.10	5.22	1583.00	51.25
A little of the time	4	580.82	18.80	2163.82	70.05
None of the time	5	925.18	29.95	3089.00	100.00

ih24f2: 16/17 - F - P1 CASI E17.5.2+P2K 27.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.86	0.51	15.86	0.51
-9	-9	1377.59	44.60	1393.45	45.11
-3	-3	4.13	0.13	1397.58	45.24
All of the time	1	9.41	0.30	1406.99	45.55
Most of the time	2	13.48	0.44	1420.47	45.98

ih24f2: 16/17 - F - P1 CASI E17.5.2+P2K 27.2 - Felt hopeless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Some of the time	3	104.48	3.38	1524.95	49.37
A little of the time	4	242.10	7.84	1767.05	57.20
None of the time	5	1321.95	42.80	3089.00	100.00

ih24f3: 16/17 - F - P1 CASI E17.5.3+P2K 27.3 - Felt restless or fidgety

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	31.63	1.02	31.63	1.02
-9	-9	1377.59	44.60	1409.22	45.62
-3	-3	4.13	0.13	1413.34	45.75
All of the time	1	12.98	0.42	1426.32	46.17
Most of the time	2	34.86	1.13	1461.18	47.30
Some of the time	3	176.56	5.72	1637.75	53.02
A little of the time	4	428.39	13.87	2066.14	66.89
None of the time	5	1022.86	33.11	3089.00	100.00

ih24f4: 16/17 - F - P1 CASI E17.5.4+P2K 27.4 - Felt everything was an effort

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.93	0.35	10.93	0.35
-9	-9	1377.59	44.60	1388.52	44.95
-3	-3	4.13	0.13	1392.65	45.08
All of the time	1	18.00	0.58	1410.65	45.67
Most of the time	2	71.89	2.33	1482.54	47.99
Some of the time	3	241.05	7.80	1723.59	55.80
A little of the time	4	591.19	19.14	2314.78	74.94
None of the time	5	774.22	25.06	3089.00	100.00

ih24f5: 16/17 - F - P1 CASI E17.5.5+P2K 27.5 - Felt so sad couldn't cheer up

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	15.23	0.49	15.23	0.49
-9	-9	1377.59	44.60	1392.82	45.09
-3	-3	4.13	0.13	1396.95	45.22
All of the time	1	10.21	0.33	1407.15	45.55
Most of the time	2	13.71	0.44	1420.86	46.00
Some of the time	3	91.63	2.97	1512.50	48.96
A little of the time	4	257.49	8.34	1769.99	57.30
None of the time	5	1319.01	42.70	3089.00	100.00

ih24f6: 16/17 - F - P1 CASI E17.5.6+P2K 27.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	13.52	0.44	13.52	0.44
-9	-9	1377.59	44.60	1391.11	45.03
-3	-3	4.13	0.13	1395.24	45.17
All of the time	1	9.14	0.30	1404.38	45.46
Most of the time	2	19.97	0.65	1424.35	46.11
Some of the time	3	77.51	2.51	1501.86	48.62

ih24f6: 16/17 - F - P1 CASI E17.5.6+P2K 27.6 - Felt worthless

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A little of the time	4	197.20	6.38	1699.06	55.00
None of the time	5	1389.94	45.00	3089.00	100.00

ifk6g: 16/17 - F - K-6 Depression scale group

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	1426.37	46.18	1426.37	46.18
No probable serious mental illness	0	1629.38	52.75	3055.75	98.92
Probable serious mental illness	1	33.25	1.08	3089.00	100.00

ifk6s: 16/17 - F - K-6 Depression scale summed score

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1426.37	46.18	1426.37	46.18
6	492.20	15.93	1918.56	62.11
7	289.02	9.36	2207.58	71.47
8	232.67	7.53	2440.25	79.00
9	176.77	5.72	2617.02	84.72
10	120.86	3.91	2737.88	88.63
11	69.80	2.26	2807.68	90.89
12	80.36	2.60	2888.04	93.49
13	41.40	1.34	2929.44	94.83
14	32.18	1.04	2961.63	95.88
15	28.72	0.93	2990.35	96.81
16	30.08	0.97	3020.43	97.78
17	17.97	0.58	3038.40	98.36
18	17.35	0.56	3055.75	98.92
19	7.12	0.23	3062.87	99.15
20	9.06	0.29	3071.93	99.45
21	1.82	0.06	3073.74	99.51
22	3.45	0.11	3077.19	99.62
23	2.94	0.10	3080.13	99.71
24	3.07	0.10	3083.20	99.81
26	0.47	0.02	3083.67	99.83
27	0.53	0.02	3084.19	99.84
30	4.81	0.16	3089.00	100.00