

04 Health behaviour and risk factors

hhb14a2: 14/15 - P1 - P1B CASI E4.2 - Days per week exercise- 30 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	61.66	1.97	61.66	1.97
0	397.45	12.71	459.11	14.68
1	378.67	12.11	837.78	26.79
2	570.47	18.24	1408.25	45.04
3	593.26	18.97	2001.52	64.01
4	382.21	12.22	2383.73	76.23
5	408.36	13.06	2792.09	89.29
6	152.01	4.86	2944.10	94.15
7	182.90	5.85	3127.00	100.00

hhb14a2a: 14/15 - P1 - P1B CASI E4.3 - Days per week exercise - 60mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	459.11	14.68	459.11	14.68
-3	1.69	0.05	460.79	14.74
0	669.63	21.41	1130.42	36.15
1	533.19	17.05	1663.61	53.20
2	449.79	14.38	2113.40	67.59
3	377.66	12.08	2491.06	79.66
4	230.08	7.36	2721.14	87.02
5	220.77	7.06	2941.91	94.08
6	80.05	2.56	3021.96	96.64
7	105.04	3.36	3127.00	100.00

hhb15a5: 14/15 - P1 - P1B CASI E5.1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	61.66	1.97	61.66	1.97
Yes	1	490.83	15.70	552.49	17.67
No	2	2574.51	82.33	3127.00	100.00

hhb15a7: 14/15 - P1 - P1B CASI E5.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	61.66	1.97	61.66	1.97
Yes	1	457.53	14.63	519.19	16.60
No	2	2607.81	83.40	3127.00	100.00

hhb15a1: 14/15 - P1 - P1B CASI E5.1/5.2 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	61.66	1.97	61.66	1.97
Do not smoke at all	1	2574.51	82.33	2636.17	84.30
Less than once a day	2	33.30	1.06	2669.47	85.37
At least once a day	3	457.53	14.63	3127.00	100.00

hbb15a8: 14/15 - P1 - P1B CASI E5.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2669.47	85.37	2669.47	85.37
1 to 5 per day	2	72.47	2.32	2741.94	87.69
6 to 10 per day	3	197.14	6.30	2939.08	93.99
11 to 20 per day	4	162.54	5.20	3101.62	99.19
More than 20 per day	5	25.38	0.81	3127.00	100.00

hbb15a4b: 14/15 - P1 - P1B CASI E5.4 - No. residents smoke inside

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	292.65	9.36	292.65	9.36
-3	1.58	0.05	294.24	9.41
0	2559.22	81.84	2853.46	91.25
1	191.70	6.13	3045.16	97.38
2	61.08	1.95	3106.24	99.34
3	12.74	0.41	3118.98	99.74
4	2.29	0.07	3121.27	99.82
5	2.62	0.08	3123.89	99.90
25	2.65	0.08	3126.54	99.99
54	0.46	0.01	3127.00	100.00

hbb15a4a: 14/15 - P1 - P1B CASI E5.4 - No. residents smoke inside (5+)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	292.65	9.36	292.65	9.36
-3	-3	1.58	0.05	294.24	9.41
None	0	2559.22	81.84	2853.46	91.25
1	1	191.70	6.13	3045.16	97.38
2	2	61.08	1.95	3106.24	99.34
3	3	12.74	0.41	3118.98	99.74
4	4	2.29	0.07	3121.27	99.82
5 or more	5	5.73	0.18	3127.00	100.00

hbb16a2: 14/15 - P1 - P1B CASI E5.5 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	61.66	1.97	61.66	1.97
Never	0	472.69	15.12	534.34	17.09
Not in the last year	1	152.17	4.87	686.51	21.95
Monthly or less	2	776.65	24.84	1463.16	46.79
2 to 3 times a month	3	322.06	10.30	1785.22	57.09
Once a week	4	373.99	11.96	2159.21	69.05
2 to 3 times a week	5	571.67	18.28	2730.88	87.33
4 to 6 times a week	6	317.78	10.16	3048.66	97.49
Everyday	7	78.34	2.51	3127.00	100.00

hbb16a3: 14/15 - P1 - P1B CASI E5.6 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	533.22	17.05	533.22	17.05
-3	-3	4.14	0.13	537.36	17.18
1 or 2	1	1729.59	55.31	2266.95	72.50
3 or 4	2	657.37	21.02	2924.32	93.52
5 or 6	3	149.86	4.79	3074.18	98.31
7 to 10	4	41.35	1.32	3115.53	99.63
11 or more	5	11.47	0.37	3127.00	100.00

hbb16a7: 14/15 - P1 - P1B CASI E5.7 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	537.36	17.18	537.36	17.18
Everyday	1	12.94	0.41	550.30	17.60
4-6 times a week	2	14.41	0.46	564.71	18.06
2-3 times a week	3	72.96	2.33	637.68	20.39
Once a week	4	154.07	4.93	791.74	25.32
2-3 times a month	5	153.70	4.92	945.44	30.23
Monthly or less	6	901.06	28.82	1846.50	59.05
Never	7	1280.50	40.95	3127.00	100.00

hbb16a8: 14/15 - P1 - P1B CASI E5.8 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	538.48	17.22	538.48	17.22
Everyday	1	9.50	0.30	547.98	17.52
4-6 times a week	2	6.68	0.21	554.67	17.74
2-3 times a week	3	23.86	0.76	578.53	18.50
Once a week	4	73.87	2.36	652.40	20.86
2-3 times a month	5	74.99	2.40	727.39	23.26
Monthly or less	6	624.38	19.97	1351.76	43.23
Never	7	1775.24	56.77	3127.00	100.00

hbb16a5a: 14/15 - P1 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	541.43	17.31	541.43	17.31
Everyday	1	12.94	0.41	554.37	17.73
4-6 times a week	2	14.41	0.46	568.78	18.19
2-3 times a week	3	71.58	2.29	640.35	20.48
Once a week	4	147.24	4.71	787.59	25.19
2-3 times a month	5	148.99	4.76	936.58	29.95
Monthly or less	6	895.01	28.62	1831.59	58.57
Never	7	1295.41	41.43	3127.00	100.00

hhb16a5: 14/15 - P1 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1836.83	58.74	1836.83	58.74
Everyday	1	12.94	0.41	1849.77	59.15
4-6 times a week	2	14.41	0.46	1864.18	59.62
2-3 times a week	3	71.58	2.29	1935.76	61.90
Once a week	4	147.24	4.71	2083.00	66.61
2-3 times a month	5	148.99	4.76	2231.99	71.38
Monthly or less	6	895.01	28.62	3127.00	100.00

haavdac: 14/15 - P1 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	64.28	2.06	64.28	2.06
0	1842.93	58.94	1907.21	60.99
0.5	564.88	18.06	2472.09	79.06
1	225.20	7.20	2697.29	86.26
1.5	214.49	6.86	2911.78	93.12
2	30.31	0.97	2942.09	94.09
2.5	105.32	3.37	3047.40	97.45
3	8.57	0.27	3055.98	97.73
3.5	28.56	0.91	3084.54	98.64
4	22.88	0.73	3107.42	99.37
4.5	6.61	0.21	3114.02	99.59
5.5	6.34	0.20	3120.36	99.79
6.5	2.63	0.08	3123.00	99.87
8.5	4.00	0.13	3127.00	100.00

haalcgp: 14/15 - P1 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	62.36	1.99	62.36	1.99
Abstain not in the last year	1	624.85	19.98	687.21	21.98
Occasional less than monthly	2	776.65	24.84	1463.86	46.81
Light <2 drinks/day men, <1 women	3	1053.25	33.68	2517.11	80.50
Moderate >=2 to <4 men, >=1 to <2 women	4	403.87	12.92	2920.99	93.41
Hazardous >=4 to <6 men, >=2 and <4 women	5	170.56	5.45	3091.55	98.87
Harmful >=6 men, >=4 women	6	35.45	1.13	3127.00	100.00

hahvdac: 14/15 - P1 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	67.22	2.15	67.22	2.15
Yes	1	206.01	6.59	273.23	8.74
No	2	2853.77	91.26	3127.00	100.00

habinge: 14/15 - P1 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	67.22	2.15	67.22	2.15
Yes	1	392.61	12.56	459.83	14.71
No	2	2667.17	85.29	3127.00	100.00

haalcp: 14/15 - P1 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	67.22	2.15	67.22	2.15
Yes	1	439.01	14.04	506.24	16.19
No	2	2620.76	83.81	3127.00	100.00

hhb23c: 14/15 - P1B CAI B14.1+W2-7 - Had dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3.45	0.11	3.45	0.11
Yes	1	2441.32	78.07	2444.78	78.18
No	2	682.22	21.82	3127.00	100.00

hhb23c1: 14/15 - P1B CAI B14.1.1+W2-7 - Had cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3.45	0.11	3.45	0.11
No	0	1380.86	44.16	1384.31	44.27
Yes	1	1742.69	55.73	3127.00	100.00

hhb23c4: 14/15 - P1B CAI B14.1.2+W2-7 - Had accident causing tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3.45	0.11	3.45	0.11
No	0	2489.32	79.61	2492.77	79.72
Yes	1	634.23	20.28	3127.00	100.00

hhb23c5: 14/15 - P1B CAI B14.1.3/4+W5-7 - Had braces or other dental problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3.45	0.11	3.45	0.11
No	0	1899.33	60.74	1902.79	60.85
Yes	1	1224.21	39.15	3127.00	100.00

hhb23d1: 14/15 - P1B CAI B14.1.1 - Last 2 yrs - cavities or dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	2693.09	86.12	2720.33	86.99
Yes	1	406.67	13.01	3127.00	100.00

hhb23d4: 14/15 - P1B CAI B14.1.2 - Last 2 yrs - accidental tooth damage

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	3047.18	97.45	3074.43	98.32
Yes	1	52.57	1.68	3127.00	100.00

hhb23d5a: 14/15 - P1B CAI B14.1.3 - Last 2 yrs - Braces

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	2379.08	76.08	2406.32	76.95
Yes	1	720.68	23.05	3127.00	100.00

hhb23d5b: 14/15 - P1B CAI B14.1.4 - Last 2 yrs - Other dental problems (e.g. oral surgery)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	2974.48	95.12	3001.72	95.99
Yes	1	125.28	4.01	3127.00	100.00

hhb23a4e3: 14/15 - P1B CAI B14.1.5 - Last 2 yrs - Other teeth problems

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	3017.28	96.49	3044.52	97.36
Yes	1	82.48	2.64	3127.00	100.00

hhb23d6: 14/15 - P1B CAI B14.1.6 - Last 2 yrs - No problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	1268.83	40.58	1296.07	41.45
Yes	1	1830.93	58.55	3127.00	100.00

hhb23d8: 14/15 - P1B CAI B14.1.7 - Last 2 yrs - Don't know had any problems with teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
No	0	3054.85	97.69	3082.09	98.56
Yes	1	44.91	1.44	3127.00	100.00

hhb23c2: 14/15 - P1B CAI B14.2.1+W2-7 - Had teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3.45	0.11	3.45	0.11
No	0	1552.72	49.66	1556.17	49.77
Yes	1	1570.83	50.23	3127.00	100.00

hhb23c3: 14/15 - P1B CAI B14.2.2+W2-7 - Had teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3.45	0.11	3.45	0.11
No	0	2703.74	86.46	2707.19	86.57
Yes	1	419.81	13.43	3127.00	100.00

hhb23c7: 14/15 - P1B CAI B14.2.3+W5-7 - No treatment as result of cavities/dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	11.70	0.37	11.70	0.37
No	0	2948.52	94.29	2960.21	94.67
Yes	1	166.79	5.33	3127.00	100.00

hhb23a4b: 14/15 - P1B CAI B14.3.1 - Last 2 yrs - teeth filled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	28.97	0.93	28.97	0.93
-2	-2	44.91	1.44	73.88	2.36
No	0	2686.52	85.91	2760.40	88.28
Yes	1	366.60	11.72	3127.00	100.00

hhb23d3: 14/15 - P1B CAI B14.3.2 - Last 2 yrs - teeth pulled due to decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	28.97	0.93	28.97	0.93
-2	-2	44.91	1.44	73.88	2.36
No	0	3024.93	96.74	3098.81	99.10
Yes	1	28.19	0.90	3127.00	100.00

hhb23d7: 14/15 - P1B CAI B14.3.3 - Last 2 yrs - No treatment for cavity/dental decay

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	28.97	0.93	28.97	0.93
-2	-2	44.91	1.44	73.88	2.36
No	0	3023.96	96.70	3097.84	99.07
Yes	1	29.16	0.93	3127.00	100.00

hhb20a1: 14/15 - P1B CAI B16.1 - Frequency of sun protection - sunscreen

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
-2	-2	14.70	0.47	41.94	1.34
Every day	1	485.99	15.54	527.94	16.88
Most days	2	1002.93	32.07	1530.86	48.96
Some days	3	953.51	30.49	2484.37	79.45
Never or hardly ever	4	642.63	20.55	3127.00	100.00

hhb20a2: 14/15 - P1B CAI B16.2 - Frequency of sun protection - hat

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
-2	-2	13.45	0.43	40.69	1.30
Every day	1	637.03	20.37	677.73	21.67
Most days	2	853.00	27.28	1530.73	48.95
Some days	3	864.37	27.64	2395.10	76.59
Never or hardly ever	4	731.90	23.41	3127.00	100.00

hhb20a3: 14/15 - P1B CAI B16.3 - Frequency of sun protection - shirt with sleeves

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
-2	-2	3.64	0.12	30.88	0.99
Every day	1	1181.01	37.77	1211.89	38.76
Most days	2	1041.74	33.31	2253.63	72.07
Some days	3	553.97	17.72	2807.59	89.79
Never or hardly ever	4	319.41	10.21	3127.00	100.00

hhb20a4: 14/15 - P1B CAI B16.4 - Frequency of sun protection - sunglasses

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
-2	-2	15.28	0.49	42.52	1.36
Every day	1	128.24	4.10	170.76	5.46
Most days	2	280.11	8.96	450.87	14.42
Some days	3	789.66	25.25	1240.53	39.67
Never or hardly ever	4	1886.47	60.33	3127.00	100.00

hhb20a5: 14/15 - P1B CAI B16.5 - Frequency of sun protection - seek shade

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	27.24	0.87	27.24	0.87
-2	-2	94.26	3.01	121.50	3.89
Every day	1	269.92	8.63	391.42	12.52
Most days	2	889.28	28.44	1280.70	40.96
Some days	3	1275.72	40.80	2556.42	81.75
Never or hardly ever	4	570.58	18.25	3127.00	100.00

hhb14c5: 14/15 - SC - CSRB 5.1 - Enjoy being physically active

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	109.16	3.49	109.16	3.49
A lot	1	1390.62	44.47	1499.78	47.96
Quite a lot	2	1102.77	35.27	2602.55	83.23
Not very much	3	461.77	14.77	3064.32	98.00
Not at all	4	62.68	2.00	3127.00	100.00

hbb14c2: 14/15 - SC - CSRB 5.2 - Days per week exercise - 30 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	109.16	3.49	109.16	3.49
0	144.60	4.62	253.76	8.12
1	185.19	5.92	438.96	14.04
2	431.47	13.80	870.43	27.84
3	505.53	16.17	1375.96	44.00
4	444.50	14.21	1820.46	58.22
5	492.60	15.75	2313.07	73.97
6	310.87	9.94	2623.94	83.91
7	503.06	16.09	3127.00	100.00

hbb14c2a: 14/15 - SC - CSRB 5.3 - Days per week exercise- 60 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	253.76	8.12	253.76	8.12
0	225.26	7.20	479.03	15.32
1	403.01	12.89	882.03	28.21
2	596.76	19.08	1478.80	47.29
3	525.59	16.81	2004.38	64.10
4	354.86	11.35	2359.24	75.45
5	342.20	10.94	2701.44	86.39
6	192.80	6.17	2894.24	92.56
7	232.76	7.44	3127.00	100.00

hbb29a1: 14/15 - ACASB 9.4.1 - Method used to prevent pregnancy - None

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	108.18	3.46	3110.67	99.48
Yes	1	16.33	0.52	3127.00	100.00

hbb29a2: 14/15 - ACASB 9.4.2 - Method used to prevent pregnancy - Birth control pills

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	99.19	3.17	3101.68	99.19
Yes	1	25.32	0.81	3127.00	100.00

hbb29a3: 14/15 - ACASB 9.4.3 - Method used to prevent pregnancy - Condoms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	39.21	1.25	3041.71	97.27
Yes	1	85.29	2.73	3127.00	100.00

hhb29a7: 14/15 - ACASB 9.4.4 - Method used to prevent pregnancy - Morning after pill

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	115.80	3.70	3118.30	99.72
Yes	1	8.70	0.28	3127.00	100.00

hhb29a8: 14/15 - ACASB 9.4.5 - Method used to prevent pregnancy - Contraceptive implant

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	112.77	3.61	3115.27	99.62
Yes	1	11.73	0.38	3127.00	100.00

hhb29a9: 14/15 - ACASB 9.4.6 - Method used to prevent pregnancy - Contraceptive injection

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	121.09	3.87	3123.58	99.89
Yes	1	3.42	0.11	3127.00	100.00

hhb29a10: 14/15 - ACASB 9.4.7 - Method to prevent pregnancy - Intrauterine device (IUD)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	124.50	3.98	3127.00	100.00

hhb29a11: 14/15 - ACASB 9.4.8 - Method used to prevent pregnancy - Diaphragm

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	124.50	3.98	3127.00	100.00

hhb29a12: 14/15 - ACASB 9.4.9 - Method used to prevent pregnancy - Vaginal ring

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	124.50	3.98	3127.00	100.00

hhb29a13: 14/15 - ACASB 9.4.10 - Method used to prevent pregnancy - Female condom

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	123.73	3.96	3126.23	99.98
Yes	1	0.77	0.02	3127.00	100.00

hbb29a14: 14/15 - ACASB 9.4.11 - Method used to prevent pregnancy - Rhythm method

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	123.45	3.95	3125.95	99.97
Yes	1	1.05	0.03	3127.00	100.00

hbb29a15: 14/15 - ACASB 9.4.12 - Method used to prevent pregnancy - Withdrawal

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	121.60	3.89	3124.10	99.91
Yes	1	2.90	0.09	3127.00	100.00

hbb29a16: 14/15 - ACASB 9.4.13 - Method used to prevent pregnancy - Other behaviours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	122.92	3.93	3125.41	99.95
Yes	1	1.59	0.05	3127.00	100.00

hbb29a17: 14/15 - ACASB 9.4.14 - Method used to prevent pregnancy - Not applicable

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	121.65	3.89	3124.15	99.91
Yes	1	2.85	0.09	3127.00	100.00

hbb29a4: 14/15 - ACASB 9.4.15 - Method used to prevent pregnancy - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	121.40	3.88	3123.89	99.90
Yes	1	3.11	0.10	3127.00	100.00

hbb29a5: 14/15 - ACASB 9.4.16 - Method used to prevent pregnancy - Not sure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	120.85	3.86	3123.35	99.88
Yes	1	3.65	0.12	3127.00	100.00

hhb29b1: 14/15 - ACASB 9.5.1 - Method used to prevent STI - None

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	100.60	3.22	3103.09	99.24
Yes	1	23.91	0.76	3127.00	100.00

hhb29b2: 14/15 - ACASB 9.5.2 - Method used to prevent STI - Condom

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	34.73	1.11	3037.22	97.13
Yes	1	89.78	2.87	3127.00	100.00

hhb29b3: 14/15 - ACASB 9.5.3 - Method used to prevent STI - Other

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	119.30	3.82	3121.79	99.83
Yes	1	5.21	0.17	3127.00	100.00

hhb29b4: 14/15 - ACASB 9.5.4 - Method used to prevent STI - Not sure

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3000.20	95.94	3000.20	95.94
-3	-3	2.30	0.07	3002.50	96.02
No	0	118.89	3.80	3121.39	99.82
Yes	1	5.61	0.18	3127.00	100.00

hhb22c: 14/15 - SC - ACASB 19.1 - Eat breakfast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	126.99	4.06	126.99	4.06
-3	-3	3.51	0.11	130.50	4.17
Yes	1	2385.25	76.28	2515.76	80.45
No	2	611.24	19.55	3127.00	100.00

hhb21c1a1: 14/15 - SC - ACASB 19.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	126.99	4.06	126.99	4.06
-3	-3	4.56	0.15	131.55	4.21
Not at all	0	658.43	21.06	789.98	25.26
Once	1	1036.81	33.16	1826.79	58.42
Twice	2	789.71	25.25	2616.49	83.67
More than twice	3	510.51	16.33	3127.00	100.00

hhb21c1a2: 14/15 - SC - ACASB 19.2.1 - SC had fresh fruit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	126.99	4.06	126.99	4.06
-3	-3	4.56	0.15	131.55	4.21
Not at all	0	658.43	21.06	789.98	25.26
Once	1	1036.81	33.16	1826.79	58.42
Twice or more	2	1300.21	41.58	3127.00	100.00

hhb21c2a1: 14/15 - SC - ACASB 19.2.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1706.39	54.57	1838.57	58.80
Once	1	851.24	27.22	2689.82	86.02
Twice	2	288.25	9.22	2978.06	95.24
More than twice	3	148.94	4.76	3127.00	100.00

hhb21c2a2: 14/15 - SC - ACASB 19.2.2 - SC had fresh juice

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1706.39	54.57	1838.57	58.80
Once	1	851.24	27.22	2689.82	86.02
Twice or more	2	437.18	13.98	3127.00	100.00

hhb21c1b1: 14/15 - SC - ACASB 19.2.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	798.47	25.53	930.65	29.76
Once	1	1223.08	39.11	2153.73	68.88
Twice	2	596.00	19.06	2749.73	87.93
More than twice	3	377.27	12.07	3127.00	100.00

hhb21c1b2: 14/15 - SC - ACASB 19.2.3 - SC had cooked vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	798.47	25.53	930.65	29.76
Once	1	1223.08	39.11	2153.73	68.88
Twice or more	2	973.27	31.12	3127.00	100.00

hhb21c1c1: 14/15 - SC - ACASB 19.2.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1290.72	41.28	1422.90	45.50
Once	1	1053.92	33.70	2476.82	79.21
Twice	2	381.10	12.19	2857.92	91.39
More than twice	3	269.08	8.61	3127.00	100.00

hhb21c1c2: 14/15 - SC - ACASB 19.2.4 - SC had raw vegetables

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1290.72	41.28	1422.90	45.50
Once	1	1053.92	33.70	2476.82	79.21
Twice or more	2	650.18	20.79	3127.00	100.00

hhb21c3a1: 14/15 - SC - ACASB 19.2.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1907.17	60.99	2039.35	65.22
Once	1	784.13	25.08	2823.48	90.29
Twice	2	213.21	6.82	3036.69	97.11
More than twice	3	90.31	2.89	3127.00	100.00

hhb21c3a2: 14/15 - SC - ACASB 19.2.5 - SC had pie, hamburger, sausage roll

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1907.17	60.99	2039.35	65.22
Once	1	784.13	25.08	2823.48	90.29
Twice or more	2	303.52	9.71	3127.00	100.00

hhb21c3b1: 14/15 - SC - ACASB 19.2.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2067.64	66.12	2199.82	70.35
Once	1	733.24	23.45	2933.06	93.80
Twice	2	126.91	4.06	3059.97	97.86
More than twice	3	67.03	2.14	3127.00	100.00

hhb21c3b2: 14/15 - SC - ACASB 19.2.6 - SC had hot chips or french fries

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2067.64	66.12	2199.82	70.35
Once	1	733.24	23.45	2933.06	93.80
Twice or more	2	193.94	6.20	3127.00	100.00

hhb21c3c1: 14/15 - SC - ACASB 19.2.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1569.72	50.20	1701.90	54.43
Once	1	1067.07	34.12	2768.97	88.55
Twice	2	286.27	9.15	3055.24	97.71
More than twice	3	71.76	2.29	3127.00	100.00

hhb21c3c2: 14/15 - SC - ACASB 19.2.7 - SC had potato chips or savoury snacks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1569.72	50.20	1701.90	54.43
Once	1	1067.07	34.12	2768.97	88.55
Twice or more	2	358.03	11.45	3127.00	100.00

hhb21c3d1: 14/15 - SC - ACASB 19.2.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1318.61	42.17	1450.80	46.40
Once	1	1275.79	40.80	2726.59	87.20
Twice	2	322.26	10.31	3048.85	97.50
More than twice	3	78.15	2.50	3127.00	100.00

hhb21c3d2: 14/15 - SC - ACASB 19.2.8 - SC had biscuits, donuts, cake or chocolate

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1318.61	42.17	1450.80	46.40
Once	1	1275.79	40.80	2726.59	87.20
Twice or more	2	400.41	12.80	3127.00	100.00

hbb21c6a1b1: 14/15 - SC - ACASB 19.2.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	792.98	25.36	925.16	29.59
Once	1	1420.82	45.44	2345.98	75.02
Twice	2	590.83	18.89	2936.81	93.92
More than twice	3	190.19	6.08	3127.00	100.00

hbb21c6a2b2: 14/15 - SC - ACASB 19.2.9 - SC bread or Toast

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	792.98	25.36	925.16	29.59
Once	1	1420.82	45.44	2345.98	75.02
Twice or more	2	781.02	24.98	3127.00	100.00

hbb21c3e1: 14/15 - SC - ACASB 19.2.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	951.75	30.44	1083.93	34.66
Once	1	1115.15	35.66	2199.08	70.33
Twice	2	628.91	20.11	2827.99	90.44
More than twice	3	299.01	9.56	3127.00	100.00

hbb21c3e2: 14/15 - SC - ACASB 19.2.10 - SC had full cream milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	951.75	30.44	1083.93	34.66
Once	1	1115.15	35.66	2199.08	70.33
Twice or more	2	927.92	29.67	3127.00	100.00

hbb21c4a1: 14/15 - SC - ACASB 19.2.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1816.62	58.09	1948.80	62.32
Once	1	751.28	24.03	2700.08	86.35
Twice	2	283.74	9.07	2983.82	95.42
More than twice	3	143.18	4.58	3127.00	100.00

hbb21c4a2: 14/15 - SC - ACASB 19.2.11 - SC had skim/low/no fat milk or milk products

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1816.62	58.09	1948.80	62.32
Once	1	751.28	24.03	2700.08	86.35
Twice or more	2	426.92	13.65	3127.00	100.00

hbb21c5a1: 14/15 - SC - ACASB 19.2.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	64.61	2.07	196.79	6.29
Once	1	161.86	5.18	358.66	11.47
Twice	2	301.01	9.63	659.67	21.10
More than twice	3	2467.33	78.90	3127.00	100.00

hbb21c5a2: 14/15 - SC - ACASB 19.2.12 - SC had water

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	64.61	2.07	196.79	6.29
Once	1	161.86	5.18	358.66	11.47
Twice or more	2	2768.34	88.53	3127.00	100.00

hbb21c2b1: 14/15 - SC - ACASB 19.2.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1874.30	59.94	2006.48	64.17
Once	1	763.20	24.41	2769.69	88.57
Twice	2	248.30	7.94	3017.99	96.51
More than twice	3	109.01	3.49	3127.00	100.00

hbb21c2b2: 14/15 - SC - ACASB 19.2.13 - SC had soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	1874.30	59.94	2006.48	64.17
Once	1	763.20	24.41	2769.69	88.57
Twice or more	2	357.31	11.43	3127.00	100.00

hbb21c6a1: 14/15 - SC - ACASB 19.2.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2538.18	81.17	2670.36	85.40
Once	1	298.98	9.56	2969.35	94.96
Twice	2	106.53	3.41	3075.88	98.37
More than twice	3	51.12	1.63	3127.00	100.00

hbb21c6a2: 14/15 - SC - ACASB 19.2.14 - SC had diet or sugar free soft drink/cordial

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2538.18	81.17	2670.36	85.40
Once	1	298.98	9.56	2969.35	94.96
Twice or more	2	157.65	5.04	3127.00	100.00

hbb21c7a1: 14/15 - SC - ACASB 19.2.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2799.78	89.54	2931.96	93.76
Once	1	127.02	4.06	3058.99	97.83
Twice	2	47.92	1.53	3106.90	99.36
More than twice	3	20.10	0.64	3127.00	100.00

hbb21c7a2: 14/15 - SC - ACASB 19.2.15 - SC had energy drinks e.g. Redbull, Mother or V

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2799.78	89.54	2931.96	93.76
Once	1	127.02	4.06	3058.99	97.83
Twice or more	2	68.01	2.17	3127.00	100.00

hbb21c7b1: 14/15 - SC - ACASB 19.2.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2475.52	79.17	2607.70	83.39
Once	1	385.97	12.34	2993.67	95.74
Twice	2	85.08	2.72	3078.75	98.46
More than twice	3	48.25	1.54	3127.00	100.00

hhb21c7b2: 14/15 - SC - ACASB 19.2.16 - SC had coffee

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	4.56	0.15	132.18	4.23
Not at all	0	2475.52	79.17	2607.70	83.39
Once	1	385.97	12.34	2993.67	95.74
Twice or more	2	133.33	4.26	3127.00	100.00

hcfandvb: 14/15 - SC - Frequency ate fruit and vegetables (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	242.03	7.74	374.21	11.97
1	415.73	13.29	789.94	25.26
2	461.11	14.75	1251.05	40.01
3	533.87	17.07	1784.92	57.08
4	481.97	15.41	2266.89	72.49
5	300.02	9.59	2566.91	82.09
6	262.02	8.38	2828.93	90.47
7	121.46	3.88	2950.38	94.35
8	62.67	2.00	3013.05	96.36
9	113.95	3.64	3127.00	100.00

hchfatb: 14/15 - SC - Frequency ate high fat food (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	453.10	14.49	585.29	18.72
1	775.28	24.79	1360.57	43.51
2	772.58	24.71	2133.15	68.22
3	439.05	14.04	2572.19	82.26
4	261.92	8.38	2834.11	90.63
5	102.05	3.26	2936.17	93.90
6	64.34	2.06	3000.50	95.95
7	40.30	1.29	3040.80	97.24
8	30.73	0.98	3071.53	98.23
9	23.61	0.76	3095.14	98.98
10	9.32	0.30	3104.46	99.28
11	6.35	0.20	3110.82	99.48
12	16.18	0.52	3127.00	100.00

hchfwmb: 14/15 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	189.17	6.05	321.35	10.28
1	389.35	12.45	710.71	22.73
2	658.36	21.05	1369.07	43.78
3	619.99	19.83	1989.06	63.61

hchfwmb: 14/15 - SC - Frequency ate high fat food (inc. whole milk) (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	454.16	14.52	2443.22	78.13
5	297.63	9.52	2740.86	87.65
6	146.46	4.68	2887.32	92.34
7	70.60	2.26	2957.93	94.59
8	42.25	1.35	3000.17	95.94
9	42.95	1.37	3043.12	97.32
10	30.43	0.97	3073.56	98.29
11	11.23	0.36	3084.79	98.65
12	18.42	0.59	3103.21	99.24
13	8.58	0.27	3111.79	99.51
14	7.80	0.25	3119.59	99.76
15	7.41	0.24	3127.00	100.00

hchsdrrkb: 14/15 - SC - Frequency drank high sugar drinks (v2)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	1179.66	37.73	1311.84	41.95
1	838.31	26.81	2150.16	68.76
2	526.50	16.84	2676.65	85.60
3	289.39	9.25	2966.05	94.85
4	113.86	3.64	3079.91	98.49
5	36.09	1.15	3116.00	99.65
6	11.00	0.35	3127.00	100.00

hcfandv: 14/15 - SC - Frequency ate fruit and vegetables

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	242.03	7.74	374.21	11.97
1	415.73	13.29	789.94	25.26
2	497.59	15.91	1287.53	41.17
3	593.43	18.98	1880.96	60.15
4	571.85	18.29	2452.81	78.44
5	363.86	11.64	2816.67	90.08
6	310.33	9.92	3127.00	100.00

hchfat: 14/15 - SC - Frequency ate high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	453.10	14.49	585.29	18.72
1	775.28	24.79	1360.57	43.51
2	794.69	25.41	2155.25	68.92
3	436.66	13.96	2591.91	82.89
4	275.58	8.81	2867.49	91.70
5	100.50	3.21	2967.99	94.92

hchfat: 14/15 - SC - Frequency ate high fat food (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	72.54	2.32	3040.54	97.23
7	34.40	1.10	3074.93	98.33
8	52.07	1.67	3127.00	100.00

hchfwm: 14/15 - SC - Frequency ate high fat food (inc. whole milk) (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	189.17	6.05	321.35	10.28
1	389.35	12.45	710.71	22.73
2	694.62	22.21	1405.32	44.94
3	655.02	20.95	2060.34	65.89
4	490.93	15.70	2551.27	81.59
5	239.02	7.64	2790.29	89.23
6	148.11	4.74	2938.40	93.97
7	74.16	2.37	3012.55	96.34
8	38.81	1.24	3051.36	97.58
9	34.04	1.09	3085.40	98.67
10	41.60	1.33	3127.00	100.00

hchsdrrnk: 14/15 - SC - Frequency drank high sugar drinks (v1)

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	127.63	4.08	127.63	4.08
-3	4.56	0.15	132.18	4.23
0	1179.66	37.73	1311.84	41.95
1	838.31	26.81	2150.16	68.76
2	655.70	20.97	2805.86	89.73
3	230.83	7.38	3036.70	97.11
4	90.30	2.89	3127.00	100.00

hhb30b1: 14/15 - ACASB 19.3 - How would you feel if you gained one to two kilograms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.15	0.29	136.78	4.37
It would please me	1	263.49	8.43	400.27	12.80
It wouldn't bother me	2	1235.26	39.50	1635.53	52.30
I'd be a little concerned	3	764.13	24.44	2399.66	76.74
It would worry me	4	426.14	13.63	2825.80	90.37
It would really upset me	5	301.20	9.63	3127.00	100.00

hhb30b2: 14/15 - ACASB 19.4 - Last 4 week - Have you been afraid you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	8.53	0.27	136.16	4.35
Yes	1	1143.07	36.55	1279.23	40.91
No	2	1847.77	59.09	3127.00	100.00

hhb30b3: 14/15 - ACASB 19.5 - Last 4 week - Freq you feel afraid you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1983.93	63.45	1983.93	63.45
-3	-3	2.14	0.07	1986.07	63.51
Less than one day a week	1	320.53	10.25	2306.59	73.76
One day a week	2	196.15	6.27	2502.74	80.04
Two or three days a week	3	299.77	9.59	2802.52	89.62
Four or five days a week	4	140.99	4.51	2943.51	94.13
Six or seven days a week	5	183.49	5.87	3127.00	100.00

hhb30b4: 14/15 - ACASB 19.6 - How concerned were you that you might gain weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1983.93	63.45	1983.93	63.45
-3	-3	2.14	0.07	1986.07	63.51
Only a little	1	296.44	9.48	2282.51	72.99
Moderately	2	417.20	13.34	2699.71	86.34
Very	3	242.51	7.76	2942.22	94.09
Extremely	4	184.78	5.91	3127.00	100.00

hhb30b5: 14/15 - ACASB 19.7 - How important is weight in how you feel about yourself

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	8.66	0.28	136.29	4.36
Not important	1	541.74	17.32	678.03	21.68
A bit important	2	994.16	31.79	1672.19	53.48
Moderately important	3	841.08	26.90	2513.28	80.37
Very important	4	613.72	19.63	3127.00	100.00

hhb30b6: 14/15 - ACASB 19.8 - How do you feel about your weight at the moment

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	8.58	0.27	136.20	4.36
Very underweight	1	68.04	2.18	204.25	6.53
Somewhat underweight	2	367.99	11.77	572.23	18.30
About the right weight	3	1708.58	54.64	2280.81	72.94
Somewhat overweight	4	731.62	23.40	3012.43	96.34
Very overweight	5	114.57	3.66	3127.00	100.00

hhb30b7: 14/15 - ACASB 20.1 - Last 4 week - Gone all day no eating to control weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	7.48	0.24	135.11	4.32
Yes	1	327.01	10.46	462.12	14.78
No	2	2664.88	85.22	3127.00	100.00

hhb30b8: 14/15 - ACASB 20.2 - Last 4 week - Freq you have gone all day without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2799.99	89.54	2799.99	89.54
-3	-3	2.39	0.08	2802.37	89.62
Less than one day a week	1	167.72	5.36	2970.09	94.98
One day a week	2	81.21	2.60	3051.30	97.58
Two or three days a week	3	48.32	1.55	3099.62	99.12
Four or five days a week	4	23.48	0.75	3123.10	99.88
Six or seven days a week	5	3.90	0.12	3127.00	100.00

hhb30b9: 14/15 - ACASB 20.3 - How long have you been having days without eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2799.99	89.54	2799.99	89.54
-3	-3	3.30	0.11	2803.29	89.65
Less than 4 weeks	1	167.94	5.37	2971.23	95.02
Between 4 weeks and 3 months	2	47.45	1.52	3018.68	96.54
Between 3 months and 6 months	3	41.95	1.34	3060.63	97.88
Between 6 months and a year	4	29.48	0.94	3090.11	98.82
Longer than a year	5	36.89	1.18	3127.00	100.00

hhb30b10: 14/15 - ACASB 21.1 - Last 4 week - Felt that you lost control of your eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.36	0.30	136.98	4.38
Yes	1	985.33	31.51	1122.32	35.89
No	2	2004.68	64.11	3127.00	100.00

hhb30b11: 14/15 - ACASB 21.2 - How often during the last 4 weeks have you felt like this

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2141.67	68.49	2141.67	68.49
-3	-3	0.81	0.03	2142.48	68.52
Less than one day a week	1	372.79	11.92	2515.26	80.44
One day a week	2	242.44	7.75	2757.71	88.19
Two or three days a week	3	242.93	7.77	3000.64	95.96
Four or five days a week	4	84.59	2.71	3085.23	98.66
Six or seven days a week	5	41.77	1.34	3127.00	100.00

hhb30b12: 14/15 - ACASB 21.3 - Duration of feelings - You have lost control of your eating

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2141.67	68.49	2141.67	68.49
-3	-3	3.00	0.10	2144.67	68.59
Less than 4 weeks	1	451.32	14.43	2595.99	83.02
Between 4 weeks and 3 months	2	147.47	4.72	2743.46	87.73
Between 3 months and 6 months	3	113.12	3.62	2856.59	91.35
Between 6 months and a year	4	99.27	3.17	2955.86	94.53
Longer than a year	5	171.14	5.47	3127.00	100.00

hhb30b13: 14/15 - ACASB 21.4 - When you lose control of eating, how hard is it to stop

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2141.67	68.49	2141.67	68.49
-3	-3	2.71	0.09	2144.38	68.58
Fairly easy	1	538.29	17.21	2682.67	85.79
Fairly difficult	2	311.03	9.95	2993.71	95.74
Very difficult	3	109.93	3.52	3103.63	99.25
Impossible	4	23.37	0.75	3127.00	100.00

hhb30b14: 14/15 - ACASB 21.5 - Amount of food you would eat in less than 2 hours

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2141.67	68.49	2141.67	68.49
-3	-3	6.76	0.22	2148.43	68.71
2 pieces of bread and 4 scoops of ice-cream and 2 biscuits	1	411.97	13.17	2560.40	81.88
8 pieces of bread and half a litre of ice-cream and 5 biscuits	2	123.02	3.93	2683.42	85.81
12 pieces of bread and 1 litre of ice-cream and 10 biscuits	3	26.09	0.83	2709.51	86.65
1 loaf of bread and 2 litres of ice-cream and 1 packet of biscuits	4	22.58	0.72	2732.08	87.37
Less than any of these amounts	5	394.92	12.63	3127.00	100.00

hhb30c: 14/15 - ACASB 22.1 - Last 4 week - Tablet/medicine/drug to weight control

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.96	0.32	137.58	4.40
Yes	1	79.36	2.54	216.94	6.94
No	2	2910.06	93.06	3127.00	100.00

hhb30c1: 14/15 - ACASB 22.2.1 - Laxatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3047.64	97.46	3047.64	97.46
-3	-3	8.35	0.27	3055.99	97.73
No	0	60.10	1.92	3116.09	99.65
Yes	1	10.91	0.35	3127.00	100.00

hhb30c2: 14/15 - ACASB 22.2.2 - Diuretics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3047.64	97.46	3047.64	97.46
-3	-3	8.35	0.27	3055.99	97.73
No	0	71.01	2.27	3127.00	100.00

hhb30c3: 14/15 - ACASB 22.2.3 - Appetite suppressants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3047.64	97.46	3047.64	97.46
-3	-3	8.35	0.27	3055.99	97.73
No	0	62.03	1.98	3118.02	99.71
Yes	1	8.98	0.29	3127.00	100.00

hhb30c4: 14/15 - ACASB 22.2.4 - Other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3047.64	97.46	3047.64	97.46
-3	-3	8.35	0.27	3055.99	97.73
No	0	17.66	0.56	3073.65	98.29
Yes	1	53.35	1.71	3127.00	100.00

hhb30c1a: 14/15 - ACASB 22.3.1 - How often have you taken ? Laxatives

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3116.09	99.65	3116.09	99.65
Less than one day a week	1	5.46	0.17	3121.55	99.83
One day a week	2	2.51	0.08	3124.06	99.91
Two or three days a week	3	1.35	0.04	3125.41	99.95
Six or seven days a week	5	1.59	0.05	3127.00	100.00

hhb30c2a: 14/15 - ACASB 22.3.2 - How often have you taken ? Diuretics

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3127.00	100.00	3127.00	100.00

hhb30c3a: 14/15 - ACASB 22.3.3 - How often have you taken ? Appetite suppressants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3118.02	99.71	3118.02	99.71
Less than one day a week	1	0.73	0.02	3118.75	99.74
One day a week	2	2.03	0.06	3120.78	99.80
Two or three days a week	3	2.77	0.09	3123.55	99.89
Four or five days a week	4	0.92	0.03	3124.47	99.92
Six or seven days a week	5	2.53	0.08	3127.00	100.00

hhb30c5a: 14/15 - ACASB 22.3.4 - How often have you taken ? Other drugs

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.65	98.29	3073.65	98.29
Less than one day a week	1	30.00	0.96	3103.66	99.25
One day a week	2	10.09	0.32	3113.75	99.58
Two or three days a week	3	4.14	0.13	3117.89	99.71
Four or five days a week	4	4.08	0.13	3121.98	99.84
Six or seven days a week	5	5.02	0.16	3127.00	100.00

hhb30c1b: 14/15 - ACASB 22.4.1 - How long have you been taking Laxatives?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3116.09	99.65	3116.09	99.65
Less than 4 weeks	1	4.57	0.15	3120.66	99.80
Between 4 weeks and 3 months	2	1.59	0.05	3122.24	99.85
Between 3 months and 6 months	3	2.71	0.09	3124.96	99.93
Between 6 months and a year	4	0.60	0.02	3125.56	99.95
Longer than a year	5	1.44	0.05	3127.00	100.00

hhb30c2b: 14/15 - ACASB 22.4.2 - How long have you been taking Diuretics?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3127.00	100.00	3127.00	100.00

hhb30c3b: 14/15 - ACASB 22.4.3 - How long have you been taking Appetite suppressants?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3118.02	99.71	3118.02	99.71
Less than 4 weeks	1	5.53	0.18	3123.55	99.89
Between 4 weeks and 3 months	2	3.45	0.11	3127.00	100.00

hhb30c5b: 14/15 - ACASB 22.4.4 - How long have you been taking Other drugs ?

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.65	98.29	3073.65	98.29
Less than 4 weeks	1	37.14	1.19	3110.79	99.48
Between 4 weeks and 3 months	2	5.00	0.16	3115.79	99.64
Between 3 months and 6 months	3	6.09	0.19	3121.88	99.84
Between 6 months and a year	4	1.26	0.04	3123.14	99.88
Longer than a year	5	3.86	0.12	3127.00	100.00

hhb30c1c: 14/15 - ACASB 22.5.1 - How many laxatives would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3116.09	99.65	3116.09	99.65
One	1	7.92	0.25	3124.01	99.90
Between 2 and 5	2	2.39	0.08	3126.40	99.98
Between 16 and 20	5	0.60	0.02	3127.00	100.00

hhb30c2c: 14/15 - ACASB 22.5.2 - How many diuretics would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3127.00	100.00	3127.00	100.00

hhb30c3c: 14/15 - ACASB 22.5.3 - How many appetite suppressants you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3118.02	99.71	3118.02	99.71
One	1	7.33	0.23	3125.35	99.95
Between 2 and 5	2	1.65	0.05	3127.00	100.00

hhb30c5c: 14/15 - ACASB 22.5.4 - How many other drugs would you take in a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3073.65	98.29	3073.65	98.29
One	1	39.10	1.25	3112.75	99.54
Between 2 and 5	2	6.83	0.22	3119.58	99.76
Between 6 and 10	3	7.42	0.24	3127.00	100.00

hhb30d: 14/15 - ACASB 23.1 - Vomit as a means of controlling your shape or weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	10.04	0.32	137.67	4.40
Yes	1	71.24	2.28	208.91	6.68
No	2	2918.09	93.32	3127.00	100.00

hhb30d1: 14/15 - ACASB 23.2 - How often have you made yourself vomit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3055.76	97.72	3055.76	97.72
Less than one day a week	1	29.95	0.96	3085.70	98.68
One day a week	2	19.16	0.61	3104.86	99.29
Two or three days a week	3	12.82	0.41	3117.68	99.70
Four or five days a week	4	3.81	0.12	3121.50	99.82
Six or seven days a week	5	5.50	0.18	3127.00	100.00

hhb30d2: 14/15 - ACASB 23.3 - How long have you been making yourself vomit

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3055.76	97.72	3055.76	97.72
-3	-3	2.38	0.08	3058.13	97.80
Less than 4 weeks	1	33.57	1.07	3091.70	98.87
Between 4 weeks and 3 months	2	11.88	0.38	3103.58	99.25
Between 3 months and 6 months	3	14.02	0.45	3117.60	99.70
Between 6 months and a year	4	3.00	0.10	3120.59	99.80
Longer than a year	5	6.41	0.20	3127.00	100.00

hhb30e: 14/15 - ACASB 24.1 - Last 4 weeks - Exercise in order to control weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	12.18	0.39	139.81	4.47
Yes	1	1455.50	46.55	1595.31	51.02
No	2	1531.69	48.98	3127.00	100.00

hhb30e1: 14/15 - ACASB 24.2 - Frequency exercised in order to control your weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1671.50	53.45	1671.50	53.45
-3	-3	1.34	0.04	1672.84	53.50
Less than one day a week	1	135.76	4.34	1808.60	57.84
One day a week	2	238.39	7.62	2046.99	65.46
Two or three days a week	3	558.87	17.87	2605.86	83.33

hbb30e1: 14/15 - ACASB 24.2 - Frequency exercised in order to control your weight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Four or five days a week	4	315.83	10.10	2921.69	93.43
Six or seven days a week	5	205.31	6.57	3127.00	100.00

hbb30e2: 14/15 - ACASB 24.3 - Time spent exercising per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1671.50	53.45	1671.50	53.45
-3	-3	3.35	0.11	1674.85	53.56
Less than an hour per day	0	291.13	9.31	1965.98	62.87
About an hour per day	1	669.60	21.41	2635.58	84.28
About 2 hours per day	2	304.62	9.74	2940.20	94.03
About 3 hours per day	3	97.33	3.11	3037.53	97.14
About 4 hours per day	4	45.47	1.45	3083.00	98.59
More than 4 hours per day	5	44.00	1.41	3127.00	100.00

hbb30e3: 14/15 - ACASB 24.4 - How long have you been exercising

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1671.50	53.45	1671.50	53.45
-3	-3	3.77	0.12	1675.28	53.57
Less than 4 weeks	1	431.02	13.78	2106.29	67.36
Between 4 weeks and 3 months	2	277.55	8.88	2383.84	76.23
Between 3 months and 6 months	3	160.63	5.14	2544.47	81.37
Between 6 months and a year	4	157.45	5.04	2701.92	86.41
Longer than a year	5	425.08	13.59	3127.00	100.00

hbulimia: 14/15 - Partial Syndromal Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3040.01	97.22	3040.01	97.22
Yes	1	86.99	2.78	3127.00	100.00

hanorexia: 14/15 - Partial Syndromal Anorexia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	200.16	6.40	200.16	6.40
No	0	2916.58	93.27	3116.74	99.67
Yes	1	10.26	0.33	3127.00	100.00

heatingdis: 14/15 - Partial Syndromal Anorexia and/or Bulimia

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	3032.19	96.97	3032.19	96.97
Yes	1	94.81	3.03	3127.00	100.00

hbb23e1: 14/15 - ACASB 25.1.1 - Have tooth pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.33	0.30	136.96	4.38
Never	0	1746.70	55.86	1883.65	60.24
Almost never	1	761.56	24.35	2645.22	84.59
Sometimes	2	359.57	11.50	3004.79	96.09
Often	3	93.01	2.97	3097.80	99.07
Almost always	4	29.20	0.93	3127.00	100.00

hbb23e2: 14/15 - ACASB 25.1.2 - Have tooth pain when I eat/drink hot/cold/sweet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.33	0.30	136.96	4.38
Never	0	1621.50	51.85	1758.46	56.23
Almost never	1	605.45	19.36	2363.91	75.60
Sometimes	2	508.50	16.26	2872.40	91.86
Often	3	182.78	5.85	3055.19	97.70
Almost always	4	71.81	2.30	3127.00	100.00

hbb23e3: 14/15 - ACASB 25.1.3 - Have teeth that are dark in colour

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.33	0.30	136.96	4.38
Never	0	2513.82	80.39	2650.77	84.77
Almost never	1	335.96	10.74	2986.74	95.51
Sometimes	2	111.01	3.55	3097.74	99.06
Often	3	23.93	0.77	3121.67	99.83
Almost always	4	5.33	0.17	3127.00	100.00

hbb23e4: 14/15 - ACASB 25.1.4 - Have gum pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.33	0.30	136.96	4.38
Never	0	2377.61	76.03	2514.57	80.41
Almost never	1	408.28	13.06	2922.85	93.47
Sometimes	2	169.40	5.42	3092.25	98.89
Often	3	31.78	1.02	3124.03	99.90
Almost always	4	2.97	0.10	3127.00	100.00

hbb23e5: 14/15 - ACASB 25.1.5 - Have blood on my toothbrush after brushing teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	9.33	0.30	136.96	4.38
Never	0	1702.17	54.43	1839.12	58.81
Almost never	1	710.47	22.72	2549.59	81.53
Sometimes	2	396.65	12.68	2946.24	94.22

hhb23e5: 14/15 - ACASB 25.1.5 - Have blood on my toothbrush after brushing teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Often	3	122.98	3.93	3069.22	98.15
Almost always	4	57.78	1.85	3127.00	100.00

horal: 14/15 - Oral Health

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	136.96	4.38	136.96	4.38
36	1.10	0.04	138.05	4.41
40	2.05	0.07	140.10	4.48
44	2.38	0.08	142.47	4.56
48	5.01	0.16	147.49	4.72
52	19.18	0.61	166.66	5.33
56	19.39	0.62	186.06	5.95
60	35.14	1.12	221.19	7.07
64	44.87	1.43	266.06	8.51
68	58.42	1.87	324.48	10.38
72	93.31	2.98	417.79	13.36
76	161.11	5.15	578.90	18.51
80	227.54	7.28	806.45	25.79
84	282.23	9.03	1088.67	34.82
88	321.42	10.28	1410.09	45.09
92	416.71	13.33	1826.80	58.42
96	447.05	14.30	2273.85	72.72
100	853.15	27.28	3127.00	100.00

hhb23b1: 14/15 - ACASB 25.2 - How often teeth cleaned per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	127.63	4.08	127.63	4.08
-3	-3	7.38	0.24	135.00	4.32
Not at all	1	163.07	5.21	298.07	9.53
Once	2	960.86	30.73	1258.93	40.26
Twice	3	1752.90	56.06	3011.84	96.32
More than twice	4	115.16	3.68	3127.00	100.00

hhb15c9: 14/15 - SC - ACASB 26.1 - Ever smoked part of a cigarette

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	144.79	4.63	144.79	4.63
-3	-3	9.30	0.30	154.09	4.93
No	1	2699.75	86.34	2853.84	91.26
Yes, just a few puffs	2	167.56	5.36	3021.40	96.62
Yes, I have smoked fewer than 10 cigarettes in my life	3	52.44	1.68	3073.84	98.30
Yes, I have smoked 10 to 100 cigarettes in my life	4	38.76	1.24	3112.60	99.54
Yes, I have smoked more than 100 cigarettes in my life	5	14.40	0.46	3127.00	100.00

hbb15c10: 14/15 - SC - ACASB 26.2 - First cigarette - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.55	0.27	8.55	0.27
-9	2853.84	91.26	2862.39	91.54
-3	2.59	0.08	2864.98	91.62
7	1.35	0.04	2866.34	91.66
8	0.68	0.02	2867.02	91.69
9	8.71	0.28	2875.73	91.96
10	11.58	0.37	2887.31	92.33
11	4.37	0.14	2891.68	92.47
12	15.92	0.51	2907.60	92.98
13	58.86	1.88	2966.47	94.87
14	142.54	4.56	3109.00	99.42
15	18.00	0.58	3127.00	100.00

hbb15c11: 14/15 - SC - ACASB 26.3 - Smoked in last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2827.37	90.42	2827.37	90.42
-3	-3	8.85	0.28	2836.22	90.70
Yes	1	196.98	6.30	3033.20	97.00
No	2	93.80	3.00	3127.00	100.00

hbb15c12: 14/15 - SC - ACASB 26.4 - Smoked in last 4 weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2930.02	93.70	2930.02	93.70
Yes	1	88.09	2.82	3018.11	96.52
No	2	108.89	3.48	3127.00	100.00

hbb15c13: 14/15 - SC - ACASB 26.5 - No. cigarettes smoked per week

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.38	0.08	2.38	0.08
-9	3038.91	97.18	3041.29	97.26
-3	0.57	0.02	3041.86	97.28
0	43.63	1.40	3085.49	98.67
5	13.84	0.44	3099.34	99.12
10	12.30	0.39	3111.64	99.51
15	6.81	0.22	3118.45	99.73
20	0.94	0.03	3119.39	99.76
25	2.38	0.08	3121.77	99.83
35	4.70	0.15	3126.46	99.98
55	0.54	0.02	3127.00	100.00

hbb16c11: 14/15 - SC - ACASB 27.1 - Ever had alcoholic drink

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	180.68	5.78	180.68	5.78
-3	-3	9.98	0.32	190.67	6.10
No	1	1489.06	47.62	1679.72	53.72
Yes, just a few sips	2	1036.11	33.13	2715.84	86.85

hhb16c11: 14/15 - SC - ACASB 27.1 - Ever had alcoholic drink

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, I have had fewer than 10 alcoholic drinks in my life	3	254.32	8.13	2970.16	94.98
Yes, I have had 10 or more alcoholic drinks in my life	4	156.84	5.02	3127.00	100.00

hhb16c12: 14/15 - SC - ACASB 27.2 - First alcoholic drink - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2715.84	86.85	2715.84	86.85
-3	2.64	0.08	2718.48	86.94
5	1.06	0.03	2719.53	86.97
6	0.75	0.02	2720.28	86.99
7	1.36	0.04	2721.64	87.04
8	4.83	0.15	2726.47	87.19
10	4.60	0.15	2731.08	87.34
11	11.10	0.36	2742.18	87.69
12	30.76	0.98	2772.94	88.68
13	93.18	2.98	2866.12	91.66
14	229.78	7.35	3095.90	99.01
15	31.10	0.99	3127.00	100.00

hhb16c13: 14/15 - SC - ACASB 27.3 - Alcohol consumption - In last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2665.42	85.24	2665.42	85.24
Yes	1	434.28	13.89	3099.69	99.13
No	2	27.31	0.87	3127.00	100.00

hhb16c9: 14/15 - SC - ACASB 27.4 - Alcohol consumption - In last four weeks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2692.72	86.11	2692.72	86.11
Yes	1	218.12	6.98	2910.84	93.09
No	2	216.16	6.91	3127.00	100.00

hhb16c10: 14/15 - SC - ACASB 27.5 - Previous week's alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2908.88	93.02	2908.88	93.02
-3	1.44	0.05	2910.33	93.07
0	168.30	5.38	3078.63	98.45
5	41.05	1.31	3119.68	99.77
10	6.13	0.20	3125.80	99.96
15	1.20	0.04	3127.00	100.00

hbb16c14a: 14/15 - SC - ACASB 27.6.1 - Alcohol caused - Have trouble at school the next day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2692.72	86.11	2692.72	86.11
Never	1	414.01	13.24	3106.74	99.35
Sometimes	2	19.65	0.63	3126.38	99.98
Often	3	0.62	0.02	3127.00	100.00

hbb16c14b: 14/15 - SC - ACASB 27.6.2 - Alcohol caused - Get into arguments with your family

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2692.72	86.11	2692.72	86.11
Never	1	403.31	12.90	3096.04	99.01
Sometimes	2	24.14	0.77	3120.17	99.78
Often	3	6.83	0.22	3127.00	100.00

hbb16c14c: 14/15 - SC - ACASB 27.6.3 - Alcohol caused Get injured or have an accident

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2692.72	86.11	2692.72	86.11
Never	1	396.79	12.69	3089.52	98.80
Sometimes	2	27.49	0.88	3117.01	99.68
Often	3	9.99	0.32	3127.00	100.00

hbb16c14d: 14/15 - SC - ACASB 27.6.4 - Alcohol caused Become violent and get into a fight

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2692.72	86.11	2692.72	86.11
Never	1	412.49	13.19	3105.22	99.30
Sometimes	2	19.74	0.63	3124.95	99.93
Often	3	2.05	0.07	3127.00	100.00

hbb16c14e: 14/15 - SC - ACASB 27.6.5 - Alcohol caused - Have sex which you later regretted

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2692.72	86.11	2692.72	86.11
Never	1	417.06	13.34	3109.79	99.45
Sometimes	2	13.26	0.42	3123.05	99.87
Often	3	3.95	0.13	3127.00	100.00

hcalcharm: 14/15 - SC - Alcohol-related harm

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2692.72	86.11	2692.72	86.11
5	362.97	11.61	3055.69	97.72
6	31.67	1.01	3087.36	98.73
7	20.53	0.66	3107.89	99.39
8	6.59	0.21	3114.47	99.60
9	9.35	0.30	3123.82	99.90
10	1.18	0.04	3125.00	99.94
12	0.62	0.02	3125.62	99.96
13	1.38	0.04	3127.00	100.00

hhb26c1: 14/15 - ACASB 28.1.1 - Ever used cannabis - marijuana/pot/grass/weed/joint

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	10.35	0.33	139.43	4.46
Yes	1	188.91	6.04	328.34	10.50
No	2	2798.66	89.50	3127.00	100.00

hhb26c1a: 14/15 - ACASB 28.1.1+W7 - Ever used cannabis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2890.50	92.44	2890.50	92.44
Yes	1	236.50	7.56	3127.00	100.00

hhb26c2: 14/15 - ACASB 28.2.1 - First used cannabis - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2938.09	93.96	2938.09	93.96
-3	5.38	0.17	2943.46	94.13
0	11.17	0.36	2954.63	94.49
1	4.34	0.14	2958.97	94.63
10	1.24	0.04	2960.22	94.67
11	0.64	0.02	2960.85	94.69
12	12.69	0.41	2973.54	95.09
13	23.57	0.75	2997.11	95.85
14	112.13	3.59	3109.23	99.43
15	17.77	0.57	3127.00	100.00

hhb26c2a: 14/15 - ACASB 28.2.1+W7 - First used cannabis - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.34	0.14	4.34	0.14
-9	2926.87	93.60	2931.21	93.74
-3	25.61	0.82	2956.82	94.56
10	1.24	0.04	2958.06	94.60
11	2.39	0.08	2960.45	94.67
12	21.11	0.68	2981.56	95.35
13	31.37	1.00	3012.93	96.35
14	96.31	3.08	3109.23	99.43
15	17.77	0.57	3127.00	100.00

hhb26c4: 14/15 - ACASB 28.4.1 - Last 4 wks cannabis (marijuana/pot/grass/weed/joint)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2973.19	95.08	2973.19	95.08
Yes	1	43.74	1.40	3016.93	96.48
No	2	110.07	3.52	3127.00	100.00

hbb26c6a: 14/15 - ACASB 28.3.1 - Frequency cannabis used - Last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2938.09	93.96	2938.09	93.96
Everyday	1	2.40	0.08	2940.49	94.04
Once a week or more	2	12.60	0.40	2953.09	94.44
2 or 3 times a month	3	20.17	0.65	2973.26	95.08
About once a month	4	18.15	0.58	2991.41	95.66
Every few months	5	22.10	0.71	3013.51	96.37
Once or twice	6	78.38	2.51	3091.90	98.88
Never	7	35.10	1.12	3127.00	100.00

hbb27c1: 14/15 - ACASB 28.1.7 - Ever used sniffing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	9.28	0.30	138.36	4.42
Yes	1	61.52	1.97	199.88	6.39
No	2	2927.12	93.61	3127.00	100.00

hbb27c1a: 14/15 - ACASB 28.1.7+W7 - Ever used sniffing

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3050.48	97.55	3050.48	97.55
Yes	1	76.52	2.45	3127.00	100.00

hbb27c2: 14/15 - ACASB 28.2.7 - First used inhalants - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3065.48	98.03	3065.48	98.03
-3	3.04	0.10	3068.52	98.13
0	15.67	0.50	3084.19	98.63
1	2.89	0.09	3087.08	98.72
7	0.68	0.02	3087.76	98.75
8	0.91	0.03	3088.67	98.77
10	1.09	0.03	3089.76	98.81
12	4.56	0.15	3094.32	98.95
13	8.79	0.28	3103.11	99.24
14	18.45	0.59	3121.56	99.83
15	5.44	0.17	3127.00	100.00

hbb27c2a: 14/15 - ACASB 28.2.7+W7 - First used inhalants - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.89	0.09	2.89	0.09
-9	3072.37	98.25	3075.25	98.35
7	0.68	0.02	3075.93	98.37
8	0.91	0.03	3076.84	98.40
10	2.41	0.08	3079.25	98.47
11	0.87	0.03	3080.12	98.50
12	14.50	0.46	3094.62	98.96
13	10.45	0.33	3105.07	99.30

hbb27c2a: 14/15 - ACASB 28.2.7+W7 - First used inhalants - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14	16.49	0.53	3121.56	99.83
15	5.44	0.17	3127.00	100.00

hbb27c4: 14/15 - ACASB 28.4.7 - Last 4 wks inhalants (chroming/sniffing/solvents)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3095.74	99.00	3095.74	99.00
Yes	1	8.35	0.27	3104.10	99.27
No	2	22.90	0.73	3127.00	100.00

hbb27c9: 14/15 - ACASB 28.3.7 - Frequency inhalants used - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3065.48	98.03	3065.48	98.03
Everyday	1	0.50	0.02	3065.98	98.05
Once a week or more	2	1.46	0.05	3067.44	98.10
2 or 3 times a month	3	0.94	0.03	3068.38	98.13
About once a month	4	4.48	0.14	3072.86	98.27
Every few months	5	3.12	0.10	3075.98	98.37
Once or twice	6	20.75	0.66	3096.74	99.03
Never	7	30.26	0.97	3127.00	100.00

hbb37c2: 14/15 - ACASB 28.2.2 - First used ice - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.57	0.47	14.57	0.47
-9	3106.87	99.36	3121.44	99.82
-3	4.38	0.14	3125.82	99.96
10	0.68	0.02	3126.50	99.98
11	0.50	0.02	3127.00	100.00

hbb37c3: 14/15 - ACASB 28.3.2 - Frequency ice used - Last 12 months

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3106.87	99.36	3106.87	99.36
Everyday	1	1.18	0.04	3108.05	99.39
Once a week or more	2	2.38	0.08	3110.44	99.47
2 or 3 times a month	3	1.72	0.06	3112.16	99.53
Never	7	14.84	0.47	3127.00	100.00

hbb38c2: 14/15 - ACASB 28.2.3 - First used other meth - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.69	0.41	12.69	0.41
-9	3105.36	99.31	3118.05	99.71
-3	3.47	0.11	3121.52	99.82
7	0.94	0.03	3122.47	99.85
14	4.53	0.15	3127.00	100.00

hhb38c3: 14/15 - ACASB 28.3.3 - Frequency other meth used - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3105.36	99.31	3105.36	99.31
Everyday	1	0.50	0.02	3105.86	99.32
Once a week or more	2	0.68	0.02	3106.55	99.35
Once or twice	6	4.81	0.15	3111.36	99.50
Never	7	15.64	0.50	3127.00	100.00

hhb39c1: 14/15 - ACASB 28.1.4 - Ever used cocaine (coke/charlie/blow/snow)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
Yes	1	21.86	0.70	159.51	5.10
No	2	2967.49	94.90	3127.00	100.00

hhb39c2: 14/15 - ACASB 28.2.4 - First used cocaine - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.51	0.46	14.51	0.46
-9	3105.14	99.30	3119.65	99.77
-3	4.83	0.15	3124.49	99.92
14	0.68	0.02	3125.17	99.94
15	1.83	0.06	3127.00	100.00

hhb39c3: 14/15 - ACASB 28.3.4 - Frequency cocaine used - Last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3105.14	99.30	3105.14	99.30
Everyday	1	1.18	0.04	3106.33	99.34
2 or 3 times a month	3	1.72	0.06	3108.05	99.39
Once or twice	6	1.83	0.06	3109.88	99.45
Never	7	17.12	0.55	3127.00	100.00

hhb39c4: 14/15 - ACASB 28.4.4 - Last 4 wks cocaine (coke, charlie, blow, snow)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3122.26	99.85	3122.26	99.85
Yes	1	2.34	0.07	3124.60	99.92
No	2	2.40	0.08	3127.00	100.00

hhb40c1: 14/15 - ACASB 28.1.5 - Ever used ecstasy - XTC/E/Ex/Eccy/MDMA

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
Yes	1	30.95	0.99	168.61	5.39
No	2	2958.39	94.61	3127.00	100.00

hbb40c2: 14/15 - ACASB 28.2.5 - First used ecstasy - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.19	0.52	16.19	0.52
-9	3096.05	99.01	3112.24	99.53
-3	5.38	0.17	3117.62	99.70
13	0.57	0.02	3118.19	99.72
14	7.61	0.24	3125.80	99.96
15	1.20	0.04	3127.00	100.00

hbb40c3: 14/15 - ACASB 28.3.5 - Frequency ecstasy used - Last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3096.05	99.01	3096.05	99.01
Everyday	1	0.50	0.02	3096.55	99.03
About once a month	4	0.68	0.02	3097.23	99.05
Once or twice	6	9.38	0.30	3106.62	99.35
Never	7	20.38	0.65	3127.00	100.00

hbb40c4: 14/15 - ACASB 28.4.5 - Last 4 wks ecstasy (XTC, E, Ex, Eccy, MDMA)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3116.43	99.66	3116.43	99.66
Yes	1	0.50	0.02	3116.94	99.68
No	2	10.06	0.32	3127.00	100.00

hbb41c1: 14/15 - ACASB 28.1.6 - Ever used hallucinogens - LSD/acid/magic mushrooms

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
Yes	1	28.85	0.92	166.51	5.32
No	2	2960.49	94.68	3127.00	100.00

hbb41c2: 14/15 - ACASB 28.2.6 - First used hallucinogens - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	19.89	0.64	19.89	0.64
-9	3097.38	99.05	3117.26	99.69
-3	4.10	0.13	3121.37	99.82
13	0.71	0.02	3122.07	99.84
14	4.93	0.16	3127.00	100.00

hbb41c3: 14/15 - ACASB 28.3.6 - Frequency hallucinogens used - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3097.38	99.05	3097.38	99.05
-3	-3	0.77	0.02	3098.15	99.08
Everyday	1	0.50	0.02	3098.65	99.09
2 or 3 times a month	3	0.81	0.03	3099.45	99.12
About once a month	4	3.06	0.10	3102.51	99.22
Every few months	5	1.53	0.05	3104.04	99.27

hhb41c3: 14/15 - ACASB 28.3.6 - Frequency hallucinogens used - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once or twice	6	4.93	0.16	3108.98	99.42
Never	7	18.02	0.58	3127.00	100.00

hhb41c4: 14/15 - ACASB 28.4.6 - Last 4 wks hallucinogens (LSD/acid, magic mushrooms)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3115.40	99.63	3115.40	99.63
-3	-3	0.77	0.02	3116.17	99.65
Yes	1	3.31	0.11	3119.48	99.76
No	2	7.52	0.24	3127.00	100.00

hhb42c1: 14/15 - ACASB 28.1.8 - Ever used synthetic cannabis

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
Yes	1	29.55	0.95	167.21	5.35
No	2	2959.79	94.65	3127.00	100.00

hhb42c2: 14/15 - ACASB 28.2.8 - First used synthetic cannabis - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	14.41	0.46	14.41	0.46
-9	3097.45	99.05	3111.86	99.52
-3	3.04	0.10	3114.90	99.61
13	0.94	0.03	3115.85	99.64
14	9.17	0.29	3125.02	99.94
15	1.98	0.06	3127.00	100.00

hhb42c3: 14/15 - ACASB 28.3.8 - Frequency synthetic cannabis used - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3097.45	99.05	3097.45	99.05
Everyday	1	0.50	0.02	3097.95	99.07
Once a week or more	2	1.65	0.05	3099.60	99.12
2 or 3 times a month	3	5.87	0.19	3105.47	99.31
Every few months	5	2.02	0.06	3107.49	99.38
Once or twice	6	7.34	0.23	3114.83	99.61
Never	7	12.17	0.39	3127.00	100.00

hhb43c1: 14/15 - ACASB 28.1.9 - Ever used other psychoactive drug

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
Yes	1	22.56	0.72	160.22	5.12
No	2	2966.78	94.88	3127.00	100.00

hnb43c2: 14/15 - ACASB 28.2.9 - First used other psychoactive drug - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.32	0.43	13.32	0.43
-9	3104.44	99.28	3117.76	99.70
-3	3.84	0.12	3121.59	99.83
12	1.24	0.04	3122.84	99.87
14	3.55	0.11	3126.39	99.98
15	0.61	0.02	3127.00	100.00

hnb43c7: 14/15 - ACASB 28.3.9 - Frequency psychoactive drugs - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3104.44	99.28	3104.44	99.28
Everyday	1	0.50	0.02	3104.94	99.29
2 or 3 times a month	3	3.04	0.10	3107.98	99.39
About once a month	4	0.68	0.02	3108.66	99.41
Every few months	5	0.66	0.02	3109.32	99.43
Once or twice	6	2.84	0.09	3112.17	99.53
Never	7	14.83	0.47	3127.00	100.00

hnb44c1: 14/15 - ACASB 29.1.1 - Ever used tranquilisers/Sleeping pills

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	9.34	0.30	138.42	4.43
Yes	1	35.70	1.14	174.12	5.57
No	2	2952.88	94.43	3127.00	100.00

hnb44c2: 14/15 - ACASB 29.2.1 - Age first used tranquilisers

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.15	0.26	8.15	0.26
-9	3089.55	98.80	3097.70	99.06
-3	3.74	0.12	3101.44	99.18
8	2.57	0.08	3104.01	99.26
9	1.30	0.04	3105.31	99.31
11	1.17	0.04	3106.49	99.34
12	4.47	0.14	3110.95	99.49
13	3.99	0.13	3114.94	99.61
14	7.14	0.23	3122.08	99.84
15	4.92	0.16	3127.00	100.00

hnb44c4: 14/15 - ACASB 29.4.1 - Last 4 wks tranquilisers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3097.76	99.06	3097.76	99.06
Yes	1	12.34	0.39	3110.09	99.46
No	2	16.91	0.54	3127.00	100.00

hbb44c7: 14/15 - ACASB 29.3.1 - Frequency tranquilisers used - Last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3089.55	98.80	3089.55	98.80
Everyday	1	6.01	0.19	3095.56	98.99
Once a week or more	2	2.07	0.07	3097.63	99.06
2 or 3 times a month	3	5.21	0.17	3102.84	99.23
About once a month	4	3.13	0.10	3105.98	99.33
Every few months	5	2.84	0.09	3108.81	99.42
Once or twice	6	9.99	0.32	3118.80	99.74
Never	7	8.20	0.26	3127.00	100.00

hbb45c1: 14/15 - ACASB 29.1.2 - Ever used painkillers/Pain-relievers and Opioids

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	9.34	0.30	138.42	4.43
Yes	1	320.50	10.25	458.92	14.68
No	2	2668.08	85.32	3127.00	100.00

hbb45c2: 14/15 - ACASB 29.2.2 - Age first used painkillers

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	30.93	0.99	30.93	0.99
-9	2790.99	89.25	2821.92	90.24
-3	13.91	0.44	2835.83	90.69
0	10.10	0.32	2845.93	91.01
1	30.11	0.96	2876.03	91.97
2	4.00	0.13	2880.03	92.10
3	7.89	0.25	2887.92	92.35
4	8.43	0.27	2896.35	92.62
5	11.04	0.35	2907.39	92.98
6	5.13	0.16	2912.53	93.14
7	9.69	0.31	2922.22	93.45
8	14.09	0.45	2936.30	93.90
9	9.04	0.29	2945.34	94.19
10	32.72	1.05	2978.06	95.24
11	18.15	0.58	2996.22	95.82
12	45.23	1.45	3041.44	97.26
13	38.01	1.22	3079.45	98.48
14	42.53	1.36	3121.98	99.84
15	5.02	0.16	3127.00	100.00

hbb45c4: 14/15 - ACASB 29.4.2 - Last 4 wks painkillers

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2824.91	90.34	2824.91	90.34
Yes	1	163.58	5.23	2988.49	95.57
No	2	138.51	4.43	3127.00	100.00

hhb45c7: 14/15 - ACASB 29.3.2 - Frequency painkillers used - Last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2805.72	89.73	2805.72	89.73
Everyday	1	6.92	0.22	2812.64	89.95
Once a week or more	2	34.11	1.09	2846.76	91.04
2 or 3 times a month	3	59.46	1.90	2906.22	92.94
About once a month	4	50.41	1.61	2956.63	94.55
Every few months	5	61.85	1.98	3018.48	96.53
Once or twice	6	89.34	2.86	3107.81	99.39
Never	7	19.19	0.61	3127.00	100.00

hhb46c1: 14/15 - ACASB 29.1.3 - Ever used stimulants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	9.34	0.30	138.42	4.43
Yes	1	116.08	3.71	254.51	8.14
No	2	2872.49	91.86	3127.00	100.00

hhb46c2: 14/15 - ACASB 29.2.3 - Age first used stimulants

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3009.79	96.25	3009.79	96.25
-3	9.39	0.30	3019.18	96.55
0	11.22	0.36	3030.40	96.91
1	6.14	0.20	3036.54	97.11
2	2.04	0.07	3038.58	97.17
3	4.42	0.14	3043.00	97.31
4	2.12	0.07	3045.12	97.38
5	4.04	0.13	3049.16	97.51
6	0.94	0.03	3050.11	97.54
7	4.20	0.13	3054.31	97.68
8	4.26	0.14	3058.57	97.81
9	2.51	0.08	3061.08	97.89
10	17.39	0.56	3078.47	98.45
11	2.64	0.08	3081.11	98.53
12	14.18	0.45	3095.30	98.99
13	10.18	0.33	3105.48	99.31
14	17.14	0.55	3122.62	99.86
15	4.38	0.14	3127.00	100.00

hhb46c4: 14/15 - ACASB 29.4.3 - Last 4 wks stimulants

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3039.76	97.21	3039.76	97.21
-3	-3	1.91	0.06	3041.67	97.27
Yes	1	34.25	1.10	3075.92	98.37
No	2	51.08	1.63	3127.00	100.00

hhb46c7: 14/15 - ACASB 29.3.3 - Frequency stimulants used - Last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3009.16	96.23	3009.16	96.23
-3	-3	3.08	0.10	3012.24	96.33
Everyday	1	17.16	0.55	3029.40	96.88
Once a week or more	2	9.68	0.31	3039.08	97.19
2 or 3 times a month	3	8.31	0.27	3047.39	97.45
About once a month	4	7.85	0.25	3055.25	97.71
Every few months	5	11.86	0.38	3067.11	98.08
Once or twice	6	29.29	0.94	3096.40	99.02
Never	7	30.60	0.98	3127.00	100.00

hhb48c1: 14/15 - ACASB 28.1.10 - Ever used other illicit drug

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
Yes	1	17.47	0.56	155.12	4.96
No	2	2971.88	95.04	3127.00	100.00

hhb48c2: 14/15 - ACASB 28.2.10 - First used other illicit drug - Age

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	12.01	0.38	12.01	0.38
-9	3109.53	99.44	3121.54	99.83
-3	3.04	0.10	3124.58	99.92
7	0.68	0.02	3125.26	99.94
13	0.43	0.01	3125.69	99.96
14	1.31	0.04	3127.00	100.00

hhb48c4: 14/15 - ACASB 28.4.10 - Last 4 wks illicit drugs (heroin/GHB/Ketamine)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3121.70	99.83	3121.70	99.83
Yes	1	0.50	0.02	3122.20	99.85
No	2	4.80	0.15	3127.00	100.00

hhb48c7: 14/15 - ACASB 28.3.10 - Frequency other illicit drugs used - last 12 mths

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3109.53	99.44	3109.53	99.44
Everyday	1	0.50	0.02	3110.03	99.46
2 or 3 times a month	3	0.43	0.01	3110.46	99.47
About once a month	4	3.07	0.10	3113.52	99.57
Once or twice	6	1.31	0.04	3114.83	99.61
Never	7	12.17	0.39	3127.00	100.00

hhb51c1: 14/15 - SC - Ever used Ice and/or Non-Ice methamphetamine

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	129.08	4.13	129.08	4.13
-3	-3	8.57	0.27	137.65	4.40
0	0	2963.73	94.78	3101.39	99.18
Yes	1	25.61	0.82	3127.00	100.00

hhb51c4: 14/15 - SC - Last 4 wks ice/Non-ice/synthetic cannabis/ psychoactive drug

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3106.06	99.33	3106.06	99.33
0	0	15.64	0.50	3121.70	99.83
Yes	1	5.30	0.17	3127.00	100.00

hhb15p5: 14/15 - PLE - BPLE 21.1 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2793.16	89.32	2793.16	89.32
Yes	1	102.68	3.28	2895.84	92.61
No	2	231.16	7.39	3127.00	100.00

hhb15p7: 14/15 - PLE - BPLE 21.2 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3024.32	96.72	3024.32	96.72
Yes	1	99.53	3.18	3123.84	99.90
No	2	3.16	0.10	3127.00	100.00

hhb15p8: 14/15 - PLE - BPLE 21.3 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3027.47	96.82	3027.47	96.82
1 to 5 per day	2	21.60	0.69	3049.07	97.51
6 to 10 per day	3	25.89	0.83	3074.96	98.34
11 to 20 per day	4	38.09	1.22	3113.05	99.55
More than 20 per day	5	13.95	0.45	3127.00	100.00

hhb16p2: 14/15 - PLE - BPLE 22.1 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2793.16	89.32	2793.16	89.32
Never	0	53.66	1.72	2846.82	91.04
Not in the last year	1	11.44	0.37	2858.26	91.41
Monthly or less	2	36.77	1.18	2895.03	92.58
2 to 3 times a month	3	18.06	0.58	2913.09	93.16
Once a week	4	48.06	1.54	2961.15	94.70
2 to 3 times a week	5	92.52	2.96	3053.67	97.65
4 to 6 times a week	6	40.93	1.31	3094.60	98.96
Everyday	7	32.40	1.04	3127.00	100.00

hbb16p3: 14/15 - PLE - BPLE 22.2 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2846.82	91.04	2846.82	91.04
1 or 2	1	116.26	3.72	2963.08	94.76
3 or 4	2	117.37	3.75	3080.46	98.51
5 or 6	3	28.44	0.91	3108.89	99.42
7 to 10	4	16.06	0.51	3124.95	99.93
11 or more	5	2.05	0.07	3127.00	100.00

hbb16p7: 14/15 - PLE - BPLE 22.3 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2846.82	91.04	2846.82	91.04
Everyday	1	3.62	0.12	2850.44	91.16
4-6 times a week	2	7.17	0.23	2857.61	91.38
2-3 times a week	3	31.11	0.99	2888.72	92.38
Once a week	4	26.83	0.86	2915.55	93.24
2-3 times a month	5	23.93	0.77	2939.48	94.00
Monthly or less	6	115.16	3.68	3054.64	97.69
Never	7	72.36	2.31	3127.00	100.00

hbb16p8: 14/15 - PLE - BPLE 22.4 - Freq binge drinking (v4) -7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2846.82	91.04	2846.82	91.04
Everyday	1	2.99	0.10	2849.81	91.14
4-6 times a week	2	2.38	0.08	2852.19	91.21
2-3 times a week	3	9.02	0.29	2861.20	91.50
Once a week	4	22.60	0.72	2883.80	92.22
2-3 times a month	5	11.57	0.37	2895.37	92.59
Monthly or less	6	100.30	3.21	2995.67	95.80
Never	7	131.33	4.20	3127.00	100.00

hbb16p5a: 14/15 - PLE - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2858.26	91.41	2858.26	91.41
Everyday	1	2.99	0.10	2861.25	91.50
4-6 times a week	2	2.38	0.08	2863.63	91.58
2-3 times a week	3	10.86	0.35	2874.49	91.92
Once a week	4	23.12	0.74	2897.62	92.66
2-3 times a month	5	11.98	0.38	2909.60	93.05
Monthly or less	6	103.26	3.30	3012.86	96.35
Never	7	114.14	3.65	3127.00	100.00

hbb16p5: 14/15 - PLE - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2972.40	95.06	2972.40	95.06
Everyday	1	2.99	0.10	2975.39	95.15
4-6 times a week	2	2.38	0.08	2977.77	95.23
2-3 times a week	3	10.86	0.35	2988.63	95.58

hbb16p5: 14/15 - PLE - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Once a week	4	23.12	0.74	3011.76	96.31
2-3 times a month	5	11.98	0.38	3023.74	96.70
Monthly or less	6	103.26	3.30	3127.00	100.00

hpavdac: 14/15 - PLE - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2793.16	89.32	2793.16	89.32
0	123.14	3.94	2916.31	93.26
0.5	73.68	2.36	2989.99	95.62
1	18.69	0.60	3008.67	96.22
1.5	58.09	1.86	3066.76	98.07
2	9.20	0.29	3075.96	98.37
2.5	14.05	0.45	3090.01	98.82
3	7.72	0.25	3097.72	99.06
3.5	11.34	0.36	3109.07	99.43
4	7.31	0.23	3116.38	99.66
5.5	2.34	0.07	3118.72	99.74
6.5	3.54	0.11	3122.27	99.85
8.5	3.81	0.12	3126.08	99.97
12	0.92	0.03	3127.00	100.00

hpalcgp: 14/15 - PLE - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2793.16	89.32	2793.16	89.32
Abstain not in the last year	1	65.10	2.08	2858.26	91.41
Occasional less than monthly	2	36.77	1.18	2895.03	92.58
Light <2 drinks/day men, <1 women	3	165.29	5.29	3060.33	97.87
Moderate >=2 to <4 men, >=1 to <2 women	4	46.29	1.48	3106.62	99.35
Hazardous >=4 to <6 men, >=2 and <4 women	5	12.10	0.39	3118.72	99.74
Harmful >=6 men, >=4 women	6	8.28	0.26	3127.00	100.00

hphvdac: 14/15 - PLE - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2793.16	89.32	2793.16	89.32
Yes	1	20.38	0.65	2813.54	89.98
No	2	313.46	10.02	3127.00	100.00

hpbng: 14/15 - PLE - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2793.16	89.32	2793.16	89.32
Yes	1	51.34	1.64	2844.50	90.97
No	2	282.50	9.03	3127.00	100.00

hpalcp: 14/15 - PLE - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2793.16	89.32	2793.16	89.32
Yes	1	51.82	1.66	2844.98	90.98
No	2	282.02	9.02	3127.00	100.00

hhb14b2: 14/15 - P2 - P2LB 32 - Days per week exercise- 30 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.40	1.04	32.40	1.04
-9	1434.75	45.88	1467.15	46.92
0	100.79	3.22	1567.94	50.14
1	172.68	5.52	1740.62	55.66
2	253.86	8.12	1994.48	63.78
3	325.40	10.41	2319.88	74.19
4	204.75	6.55	2524.63	80.74
5	261.05	8.35	2785.69	89.09
6	152.74	4.88	2938.43	93.97
7	188.57	6.03	3127.00	100.00

hhb14b2a: 14/15 - P2 - P2LB 33 - Days per week exercise 60 minutes

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	34.54	1.10	34.54	1.10
-9	1434.75	45.88	1469.29	46.99
0	403.70	12.91	1872.99	59.90
1	371.08	11.87	2244.06	71.76
2	251.30	8.04	2495.36	79.80
3	198.80	6.36	2694.16	86.16
4	117.85	3.77	2812.01	89.93
5	141.85	4.54	2953.86	94.46
6	89.44	2.86	3043.30	97.32
7	83.70	2.68	3127.00	100.00

hhb15b5: 14/15 - P2 - P2LB 35 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.50	0.21	6.50	0.21
-9	-9	1434.75	45.88	1441.25	46.09
Yes	1	190.38	6.09	1631.63	52.18
No	2	1495.37	47.82	3127.00	100.00

hhb15b7: 14/15 - P2 - P2LB 36 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.82	0.35	10.82	0.35
-9	-9	1434.75	45.88	1445.57	46.23
Yes	1	173.69	5.55	1619.26	51.78
No	2	1507.74	48.22	3127.00	100.00

hbb15b1: 14/15 - P2 - P2LB 35/36 - Current cigarette smoking-Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.82	0.35	10.82	0.35
-9	-9	1434.75	45.88	1445.57	46.23
Do not smoke at all	1	1495.37	47.82	2940.94	94.05
Less than once a day	2	12.37	0.40	2953.31	94.45
At least once a day	3	173.69	5.55	3127.00	100.00

hbb15b8: 14/15 - P2 - P2LB 36/37 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.07	0.29	9.07	0.29
-9	-9	2943.98	94.15	2953.05	94.44
1 to 5 per day	2	37.44	1.20	2990.49	95.63
6 to 10 per day	3	46.09	1.47	3036.59	97.11
11 to 20 per day	4	72.06	2.30	3108.64	99.41
More than 20 per day	5	18.36	0.59	3127.00	100.00

hbb16b2: 14/15 - P2 - P2LB 38 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.53	0.30	9.53	0.30
-9	-9	1434.75	45.88	1444.28	46.19
Never	0	150.81	4.82	1595.09	51.01
Not in the last year	1	35.64	1.14	1630.73	52.15
Monthly or less	2	252.20	8.07	1882.93	60.22
2 to 3 times a month	3	176.45	5.64	2059.38	65.86
Once a week	4	208.60	6.67	2267.98	72.53
2 to 3 times a week	5	498.98	15.96	2766.96	88.49
4 to 6 times a week	6	265.89	8.50	3032.86	96.99
Everyday	7	94.14	3.01	3127.00	100.00

hbb16b3: 14/15 - P2 - P2LB 39 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	84.91	2.72	84.91	2.72
-9	-9	1585.56	50.71	1670.47	53.42
1 or 2	1	769.98	24.62	2440.46	78.04
3 or 4	2	482.36	15.43	2922.82	93.47
5 or 6	3	162.10	5.18	3084.92	98.65
7 to 10	4	35.26	1.13	3120.18	99.78
11 or more	5	6.82	0.22	3127.00	100.00

hbb16b7: 14/15 - P2 - P2LB 40 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	88.20	2.82	88.20	2.82
-9	-9	1585.56	50.71	1673.77	53.53
Everyday	1	11.23	0.36	1685.00	53.89
4-6 times a week	2	24.48	0.78	1709.48	54.67
2-3 times a week	3	99.24	3.17	1808.72	57.84
Once a week	4	191.40	6.12	2000.12	63.96

hhb16b7: 14/15 - P2 - P2LB 40 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	5	143.99	4.60	2144.11	68.57
Monthly or less	6	560.51	17.92	2704.61	86.49
Never	7	422.39	13.51	3127.00	100.00

hhb16b8: 14/15 - P2 - P2LB 41 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	93.50	2.99	93.50	2.99
-9	-9	1585.56	50.71	1679.06	53.70
Everyday	1	3.77	0.12	1682.83	53.82
4-6 times a week	2	7.30	0.23	1690.13	54.05
2-3 times a week	3	31.78	1.02	1721.92	55.07
Once a week	4	102.30	3.27	1824.21	58.34
2-3 times a month	5	78.92	2.52	1903.14	60.86
Monthly or less	6	486.40	15.55	2389.54	76.42
Never	7	737.46	23.58	3127.00	100.00

hhb16b5a: 14/15 - P2 - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	244.31	7.81	244.31	7.81
-9	-9	1434.75	45.88	1679.06	53.70
Everyday	1	3.77	0.12	1682.83	53.82
4-6 times a week	2	7.30	0.23	1690.13	54.05
2-3 times a week	3	31.78	1.02	1721.92	55.07
Once a week	4	102.30	3.27	1824.21	58.34
2-3 times a month	5	78.92	2.52	1903.14	60.86
Monthly or less	6	486.40	15.55	2389.54	76.42
Never	7	737.46	23.58	3127.00	100.00

hhb16b5: 14/15 - P2 - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	666.70	21.32	666.70	21.32
-9	-9	1749.82	55.96	2416.52	77.28
Everyday	1	3.77	0.12	2420.29	77.40
4-6 times a week	2	7.30	0.23	2427.59	77.63
2-3 times a week	3	31.78	1.02	2459.38	78.65
Once a week	4	102.30	3.27	2561.68	81.92
2-3 times a month	5	78.92	2.52	2640.60	84.45
Monthly or less	6	486.40	15.55	3127.00	100.00

hbavdac: 14/15 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	82.59	2.64	82.59	2.64
-9	1434.75	45.88	1517.34	48.52
0	635.26	20.32	2152.60	68.84
0.5	330.63	10.57	2483.23	79.41
1	143.26	4.58	2626.49	83.99

hbavdac: 14/15 - P2 - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1.5	219.14	7.01	2845.62	91.00
2	60.04	1.92	2905.66	92.92
2.5	105.93	3.39	3011.59	96.31
3	13.05	0.42	3024.64	96.73
3.5	38.27	1.22	3062.92	97.95
4	31.49	1.01	3094.41	98.96
4.5	2.19	0.07	3096.60	99.03
5.5	19.11	0.61	3115.71	99.64
6.5	5.06	0.16	3120.77	99.80
8.5	6.23	0.20	3127.00	100.00

hbalcgp: 14/15 - P2 - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	71.80	2.30	71.80	2.30
-9	-9	1434.75	45.88	1506.55	48.18
Abstain not in the last year	1	186.45	5.96	1693.00	54.14
Occasional less than monthly	2	252.20	8.07	1945.20	62.21
Light <2 drinks/day men, <1 women	3	900.42	28.79	2845.62	91.00
Moderate >=2 to <4 men, >=1 to <2 women	4	217.29	6.95	3062.92	97.95
Hazardous >=4 to <6 men, >=2 and <4 women	5	52.79	1.69	3115.71	99.64
Harmful >=6 men, >=4 women	6	11.29	0.36	3127.00	100.00

hbhvdac: 14/15 - P2 - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.05	0.55	17.05	0.55
-9	-9	1500.29	47.98	1517.34	48.52
Yes	1	64.08	2.05	1581.42	50.57
No	2	1545.58	49.43	3127.00	100.00

hbbinge: 14/15 - P2 - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	63.39	2.03	63.39	2.03
-9	-9	1434.75	45.88	1498.14	47.91
Yes	1	223.28	7.14	1721.42	55.05
No	2	1405.58	44.95	3127.00	100.00

hbalcp: 14/15 - P2 - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	81.53	2.61	81.53	2.61
-9	-9	1434.75	45.88	1516.28	48.49
Yes	1	234.22	7.49	1750.50	55.98
No	2	1376.50	44.02	3127.00	100.00

hhb14m2: 14/15 - M - P1B CASI E4.2+P2B 32 - Days per week exercise- 30 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	140.54	4.49	140.54	4.49
0	381.15	12.19	521.69	16.68
1	373.47	11.94	895.17	28.63
2	552.78	17.68	1447.95	46.30
3	580.18	18.55	2028.13	64.86
4	378.69	12.11	2406.81	76.97
5	394.44	12.61	2801.25	89.58
6	144.18	4.61	2945.43	94.19
7	181.57	5.81	3127.00	100.00

hhb14m2a: 14/15 - M - P1B CASI E4.3+P2B 33 - Days per week exercise - 60mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.04	0.03	1.04	0.03
-9	517.85	16.56	518.89	16.59
-3	1.69	0.05	520.57	16.65
0	660.66	21.13	1181.23	37.78
1	529.19	16.92	1710.42	54.70
2	434.93	13.91	2145.35	68.61
3	363.87	11.64	2509.22	80.24
4	228.40	7.30	2737.62	87.55
5	213.89	6.84	2951.51	94.39
6	74.38	2.38	3025.88	96.77
7	101.12	3.23	3127.00	100.00

hhb15m5: 14/15 - M - P1B CASI E5.1+P2B 35 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	140.54	4.49	140.54	4.49
Yes	1	469.06	15.00	609.60	19.49
No	2	2517.40	80.51	3127.00	100.00

hhb15m7: 14/15 - M - P1B CASI E5.2+P2B 36 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	140.54	4.49	140.54	4.49
Yes	1	438.01	14.01	578.56	18.50
No	2	2548.44	81.50	3127.00	100.00

hhb15m1: 14/15 - M - P1B CASI E5.1/E5.2+P2B 35/36 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	140.54	4.49	140.54	4.49
Do not smoke at all	1	2517.40	80.51	2657.94	85.00
Less than once a day	2	31.04	0.99	2688.99	85.99
At least once a day	3	438.01	14.01	3127.00	100.00

hhb15m8: 14/15 - M - P1B CASI E5.3+P2B 37 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2688.99	85.99	2688.99	85.99
1 to 5 per day	2	69.25	2.21	2758.24	88.21
6 to 10 per day	3	194.35	6.22	2952.59	94.42
11 to 20 per day	4	153.22	4.90	3105.81	99.32
More than 20 per day	5	21.19	0.68	3127.00	100.00

hhb16m2: 14/15 - M - P1B CASI E5.5+P2B 38 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	140.54	4.49	140.54	4.49
Never	0	464.29	14.85	604.84	19.34
Not in the last year	1	156.17	4.99	761.01	24.34
Monthly or less	2	759.47	24.29	1520.49	48.62
2 to 3 times a month	3	315.33	10.08	1835.82	58.71
Once a week	4	361.48	11.56	2197.30	70.27
2 to 3 times a week	5	556.91	17.81	2754.21	88.08
4 to 6 times a week	6	305.84	9.78	3060.05	97.86
Everyday	7	66.95	2.14	3127.00	100.00

hhb16m3: 14/15 - M - P1B CASI E5.6+P2B 39 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	5.05	0.16	5.05	0.16
-9	-9	603.72	19.31	608.77	19.47
-3	-3	4.14	0.13	612.90	19.60
1 or 2	1	1707.95	54.62	2320.86	74.22
3 or 4	2	632.30	20.22	2953.16	94.44
5 or 6	3	128.42	4.11	3081.58	98.55
7 to 10	4	38.50	1.23	3120.08	99.78
11 or more	5	6.92	0.22	3127.00	100.00

hhb16m7: 14/15 - M - P1B CASI E5.7+P2B 40 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.75	0.15	4.75	0.15
-9	-9	607.86	19.44	612.61	19.59
Everyday	1	12.94	0.41	625.55	20.00
4-6 times a week	2	12.91	0.41	638.45	20.42
2-3 times a week	3	64.66	2.07	703.11	22.49
Once a week	4	147.39	4.71	850.50	27.20
2-3 times a month	5	137.90	4.41	988.40	31.61
Monthly or less	6	870.50	27.84	1858.89	59.45
Never	7	1268.11	40.55	3127.00	100.00

hhb16m8: 14/15 - M - P1B CASI E5.8+P2B 41 - Freq binge drinking (v4)-7+ std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.00	0.19	6.00	0.19
-9	-9	608.98	19.47	614.98	19.67
Everyday	1	8.00	0.26	622.98	19.92
4-6 times a week	2	6.68	0.21	629.66	20.14
2-3 times a week	3	17.61	0.56	647.27	20.70
Once a week	4	73.31	2.34	720.58	23.04
2-3 times a month	5	63.12	2.02	783.70	25.06
Monthly or less	6	579.70	18.54	1363.40	43.60
Never	7	1763.60	56.40	3127.00	100.00

hhb16m5a: 14/15 - M - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	18.74	0.60	18.74	0.60
-9	-9	598.48	19.14	617.23	19.74
Everyday	1	12.94	0.41	630.17	20.15
4-6 times a week	2	12.91	0.41	643.07	20.57
2-3 times a week	3	63.95	2.05	707.03	22.61
Once a week	4	144.37	4.62	851.40	27.23
2-3 times a month	5	135.11	4.32	986.51	31.55
Monthly or less	6	853.49	27.29	1840.00	58.84
Never	7	1287.00	41.16	3127.00	100.00

hhb16m5: 14/15 - M - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	46.30	1.48	46.30	1.48
-9	-9	1857.93	59.42	1904.23	60.90
Everyday	1	12.94	0.41	1917.17	61.31
4-6 times a week	2	12.91	0.41	1930.07	61.72
2-3 times a week	3	63.95	2.05	1994.03	63.77
Once a week	4	144.37	4.62	2138.40	68.39
2-3 times a month	5	135.11	4.32	2273.51	72.71
Monthly or less	6	853.49	27.29	3127.00	100.00

hmavdac: 14/15 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.97	0.13	3.97	0.13
-9	143.17	4.58	147.14	4.71
0	1819.39	58.18	1966.52	62.89
0.5	547.65	17.51	2514.17	80.40
1	210.07	6.72	2724.24	87.12
1.5	208.45	6.67	2932.69	93.79
2	28.35	0.91	2961.05	94.69
2.5	101.77	3.25	3062.81	97.95
3	6.40	0.20	3069.21	98.15
3.5	25.27	0.81	3094.48	98.96
4	21.36	0.68	3115.85	99.64
4.5	2.75	0.09	3118.60	99.73

hmavdac: 14/15 - M - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5.5	1.77	0.06	3120.36	99.79
6.5	2.63	0.08	3123.00	99.87
8.5	4.00	0.13	3127.00	100.00

hmalcgp: 14/15 - M - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	2.08	0.07	2.08	0.07
-9	-9	140.54	4.49	142.62	4.56
Abstain not in the last year	1	620.47	19.84	763.09	24.40
Occasional less than monthly	2	759.47	24.29	1522.56	48.69
Light <2 drinks/day men, <1 women	3	1024.60	32.77	2547.16	81.46
Moderate >=2 to <4 men, >=1 to <2 women	4	388.95	12.44	2936.11	93.90
Hazardous >=4 to <6 men, >=2 and <4 women	5	158.87	5.08	3094.98	98.98
Harmful >=6 men, >=4 women	6	32.02	1.02	3127.00	100.00

hmhvdac: 14/15 - M - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	149.38	4.78	149.38	4.78
Yes	1	190.89	6.10	340.27	10.88
No	2	2786.73	89.12	3127.00	100.00

hmbinge: 14/15 - M - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	3.95	0.13	3.95	0.13
-9	-9	145.41	4.65	149.36	4.78
Yes	1	366.73	11.73	516.09	16.50
No	2	2610.91	83.50	3127.00	100.00

hmalcp: 14/15 - M - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	4.75	0.15	4.75	0.15
-9	-9	145.41	4.65	150.16	4.80
Yes	1	411.68	13.17	561.84	17.97
No	2	2565.16	82.03	3127.00	100.00

hhb14f2: 14/15 - F - P1B CASI E4.2+P2B32 - Days per week exercise- 30 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	32.40	1.04	32.40	1.04
-9	1358.78	43.45	1391.18	44.49
0	117.10	3.74	1508.28	48.23
1	177.87	5.69	1686.15	53.92
2	271.55	8.68	1957.70	62.61
3	335.57	10.73	2293.27	73.34
4	208.28	6.66	2501.55	80.00

hhb14f2: 14/15 - F - P1B CASI E4.2+P2B32 - Days per week exercise- 30 mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	274.97	8.79	2776.52	88.79
6	160.57	5.13	2937.10	93.93
7	189.90	6.07	3127.00	100.00

hhb14f2a: 14/15 - F - P1B CASI E4.3+P2B 33 - Days per week exercise - 60mins

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	33.50	1.07	33.50	1.07
-9	1378.93	44.10	1412.43	45.17
0	412.67	13.20	1825.09	58.37
1	375.07	11.99	2200.16	70.36
2	266.16	8.51	2466.33	78.87
3	209.68	6.71	2676.00	85.58
4	119.53	3.82	2795.53	89.40
5	148.73	4.76	2944.26	94.16
6	95.12	3.04	3039.38	97.20
7	87.62	2.80	3127.00	100.00

hhb15f5: 14/15 - F - P1B CASI E5.1+P2B 35 - Current cigarette smoking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	6.50	0.21	6.50	0.21
-9	-9	1358.78	43.45	1365.27	43.66
Yes	1	212.16	6.78	1577.43	50.45
No	2	1549.57	49.55	3127.00	100.00

hhb15f7: 14/15 - F - P1B CASI E5.2+P2B 36 - Smoke once a day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.82	0.35	10.82	0.35
-9	-9	1358.78	43.45	1369.60	43.80
Yes	1	193.21	6.18	1562.81	49.98
No	2	1564.19	50.02	3127.00	100.00

hhb15f1: 14/15 - F - P1B CASI E5.1/E5.2+P2B 35/36 - Current cigarette smoking -Frequency

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	10.82	0.35	10.82	0.35
-9	-9	1358.78	43.45	1369.60	43.80
Do not smoke at all	1	1549.57	49.55	2919.16	93.35
Less than once a day	2	14.63	0.47	2933.79	93.82
At least once a day	3	193.21	6.18	3127.00	100.00

hhb15f8: 14/15 - F - P1B CASI E5.3+P2B 37 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.07	0.29	9.07	0.29
-9	-9	2924.46	93.52	2933.53	93.81
1 to 5 per day	2	40.67	1.30	2974.20	95.11
6 to 10 per day	3	48.88	1.56	3023.08	96.68

hbb15f8: 14/15 - F - P1B CASI E5.3+P2B 37 - No. cigarettes smoked per day

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11 to 20 per day	4	81.37	2.60	3104.45	99.28
More than 20 per day	5	22.55	0.72	3127.00	100.00

hbb16f2: 14/15 - F - P1B CASI E5.5+P2B 38 - Frequency of drinking alcohol

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	9.53	0.30	9.53	0.30
-9	-9	1358.78	43.45	1368.30	43.76
Never	0	159.20	5.09	1527.51	48.85
Not in the last year	1	31.63	1.01	1559.14	49.86
Monthly or less	2	269.38	8.61	1828.52	58.48
2 to 3 times a month	3	183.18	5.86	2011.70	64.33
Once a week	4	218.20	6.98	2229.89	71.31
2 to 3 times a week	5	513.74	16.43	2743.64	87.74
4 to 6 times a week	6	277.83	8.88	3021.47	96.63
Everyday	7	105.53	3.37	3127.00	100.00

hbb16f3: 14/15 - F - P1B CASI E5.6+P2B 39 - Av. daily alcohol when drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	79.86	2.55	79.86	2.55
-9	-9	1517.98	48.54	1597.85	51.10
1 or 2	1	791.62	25.32	2389.47	76.41
3 or 4	2	507.43	16.23	2896.90	92.64
5 or 6	3	180.62	5.78	3077.52	98.42
7 to 10	4	38.10	1.22	3115.63	99.64
11 or more	5	11.37	0.36	3127.00	100.00

hbb16f7: 14/15 - F - P1B CASI E5.7+P2B 40 - Freq binge drinking (v4)-5 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	83.46	2.67	83.46	2.67
-9	-9	1517.98	48.54	1601.44	51.21
Everyday	1	11.23	0.36	1612.67	51.57
4-6 times a week	2	25.98	0.83	1638.66	52.40
2-3 times a week	3	107.55	3.44	1746.21	55.84
Once a week	4	198.07	6.33	1944.28	62.18
2-3 times a month	5	156.87	5.02	2101.15	67.19
Monthly or less	6	591.07	18.90	2692.22	86.10
Never	7	434.78	13.90	3127.00	100.00

hbb16f8: 14/15 - F - P1B CASI E5.8+P2B 41 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	87.49	2.80	87.49	2.80
-9	-9	1517.98	48.54	1605.48	51.34
Everyday	1	5.27	0.17	1610.75	51.51
4-6 times a week	2	7.30	0.23	1618.05	51.74
2-3 times a week	3	38.03	1.22	1656.08	52.96
Once a week	4	102.86	3.29	1758.94	56.25

hhb16f8: 14/15 - F - P1B CASI E5.8+P2B 41 - Freq binge drinking (v4)-7 or more std drinks

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2-3 times a month	5	90.80	2.90	1849.74	59.15
Monthly or less	6	528.16	16.89	2377.90	76.04
Never	7	749.10	23.96	3127.00	100.00

hhb16f5a: 14/15 - F - Freq binge drinking (v3)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	225.56	7.21	225.56	7.21
-9	-9	1380.61	44.15	1606.17	51.36
Everyday	1	3.77	0.12	1609.94	51.49
4-6 times a week	2	8.81	0.28	1618.75	51.77
2-3 times a week	3	39.41	1.26	1658.15	53.03
Once a week	4	105.16	3.36	1763.32	56.39
2-3 times a month	5	89.89	2.87	1853.21	59.26
Monthly or less	6	527.92	16.88	2381.13	76.15
Never	7	745.87	23.85	3127.00	100.00

hhb16f5: 14/15 - F - Freq binge drinking (v2)

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	620.40	19.84	620.40	19.84
-9	-9	1731.64	55.38	2352.04	75.22
Everyday	1	3.77	0.12	2355.81	75.34
4-6 times a week	2	8.81	0.28	2364.62	75.62
2-3 times a week	3	39.41	1.26	2404.02	76.88
Once a week	4	105.16	3.36	2509.19	80.24
2-3 times a month	5	89.89	2.87	2599.08	83.12
Monthly or less	6	527.92	16.88	3127.00	100.00

hfavdac: 14/15 - F - Average daily alcohol consumption

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	78.62	2.51	78.62	2.51
-9	1358.78	43.45	1437.40	45.97
0	658.80	21.07	2096.20	67.04
0.5	347.86	11.12	2444.06	78.16
1	155.47	4.97	2599.54	83.13
1.5	225.18	7.20	2824.71	90.33
2	61.99	1.98	2886.71	92.32
2.5	109.48	3.50	2996.18	95.82
3	15.23	0.49	3011.41	96.30
3.5	41.56	1.33	3052.97	97.63
4	33.01	1.06	3085.98	98.69
4.5	6.05	0.19	3092.03	98.88
5.5	23.68	0.76	3115.71	99.64
6.5	5.06	0.16	3120.77	99.80
8.5	6.23	0.20	3127.00	100.00

hfalcp: 14/15 - F - Alcohol consumption groups

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	69.72	2.23	69.72	2.23
-9	-9	1359.48	43.48	1429.20	45.71
Abstain not in the last year	1	190.84	6.10	1620.04	51.81
Occasional less than monthly	2	269.38	8.61	1889.42	60.42
Light <2 drinks/day men, <1 women	3	926.16	29.62	2815.57	90.04
Moderate >=2 to <4 men, >=1 to <2 women	4	232.22	7.43	3047.79	97.47
Hazardous >=4 to <6 men, >=2 and <4 women	5	64.48	2.06	3112.27	99.53
Harmful >=6 men, >=4 women	6	14.73	0.47	3127.00	100.00

hfhvdac: 14/15 - F - Heavy daily alcohol consumption

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	17.05	0.55	17.05	0.55
-9	-9	1421.04	45.44	1438.10	45.99
Yes	1	79.21	2.53	1517.30	48.52
No	2	1609.70	51.48	3127.00	100.00

hfbinge: 14/15 - F - Frequent binge drinking

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	59.44	1.90	59.44	1.90
-9	-9	1359.48	43.48	1418.92	45.38
Yes	1	246.24	7.87	1665.15	53.25
No	2	1461.85	46.75	3127.00	100.00

hfalcp: 14/15 - F - Problematic alcohol use

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	76.78	2.46	76.78	2.46
-9	-9	1359.48	43.48	1436.26	45.93
Yes	1	258.63	8.27	1694.89	54.20
No	2	1432.11	45.80	3127.00	100.00