

## 04 Health behaviour and risk factors

### jhb23e1: 18/19 - SC - SC CAW(S)I C2.1 - Have tooth pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	583.39	19.21	583.39	19.21
Never	0	1281.91	42.21	1865.31	61.42
Almost never	1	721.11	23.74	2586.42	85.16
Sometimes	2	334.56	11.02	2920.98	96.18
Often	3	93.05	3.06	3014.03	99.24
Almost always	4	22.97	0.76	3037.00	100.00

### jhb23e2: 18/19 - SC - SC CAW(S)I C2.2 - Have tooth pain when I eat/drink hot/cold/sweet

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	583.97	19.23	583.97	19.23
Never	0	1187.55	39.10	1771.52	58.33
Almost never	1	677.21	22.30	2448.73	80.63
Sometimes	2	448.57	14.77	2897.31	95.40
Often	3	104.32	3.43	3001.62	98.84
Almost always	4	35.38	1.16	3037.00	100.00

### jhb23e3: 18/19 - SC - SC CAW(S)I C2.3 - Have teeth that are dark in colour

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	591.22	19.47	591.22	19.47
Never	0	1840.58	60.61	2431.80	80.07
Almost never	1	402.02	13.24	2833.82	93.31
Sometimes	2	155.78	5.13	2989.60	98.44
Often	3	34.08	1.12	3023.68	99.56
Almost always	4	13.32	0.44	3037.00	100.00

### jhb23e4: 18/19 - SC - SC CAW(S)I C2.4 - Have gum pain

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	582.33	19.17	582.33	19.17
Never	0	1677.66	55.24	2260.00	74.42
Almost never	1	506.05	16.66	2766.05	91.08
Sometimes	2	221.45	7.29	2987.49	98.37
Often	3	37.60	1.24	3025.10	99.61
Almost always	4	11.90	0.39	3037.00	100.00

### jhb23e5: 18/19 - SC - SC CAW(S)I C2.5 - Have blood on my toothbrush after brushing teeth

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	580.21	19.10	580.21	19.10
Never	0	1103.99	36.35	1684.20	55.46
Almost never	1	666.76	21.95	2350.96	77.41
Sometimes	2	490.94	16.17	2841.90	93.58
Often	3	142.73	4.70	2984.63	98.28
Almost always	4	52.37	1.72	3037.00	100.00

**joral: 18/19 - SC - Oral Health**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	577.16	19.00	577.16	19.00
36	0.96	0.03	578.11	19.04
40	4.38	0.14	582.49	19.18
44	5.70	0.19	588.18	19.37
48	6.43	0.21	594.61	19.58
52	11.31	0.37	605.93	19.95
56	28.27	0.93	634.20	20.88
60	45.37	1.49	679.57	22.38
64	72.59	2.39	752.16	24.77
68	69.32	2.28	821.48	27.05
72	112.52	3.71	934.00	30.75
76	158.17	5.21	1092.18	35.96
80	221.20	7.28	1313.38	43.25
84	269.68	8.88	1583.06	52.13
88	281.91	9.28	1864.97	61.41
92	396.86	13.07	2261.83	74.48
96	318.14	10.48	2579.97	84.95
100	457.03	15.05	3037.00	100.00

**jhb33c: 18/19 - SC - SC CAW(S)I C2.6 - Last see a dentist**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	584.46	19.24	584.46	19.24
Less than 1 year ago	1	1381.98	45.50	1966.44	64.75
1-2 years ago	2	616.10	20.29	2582.54	85.04
More than 2 years ago	3	287.58	9.47	2870.12	94.51
Never	4	20.87	0.69	2890.99	95.19
Unsure	5	146.01	4.81	3037.00	100.00

**jhb14c2: 18/19 - SC - SC CAW(S)I C3.1 - Days per week exercise- 30 mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	614.61	20.24	614.61	20.24
-3	7.52	0.25	622.13	20.48
0	291.83	9.61	913.96	30.09
1	272.62	8.98	1186.58	39.07
2	371.68	12.24	1558.26	51.31
3	462.04	15.21	2020.30	66.52
4	333.82	10.99	2354.11	77.51
5	356.58	11.74	2710.70	89.26
6	146.23	4.81	2856.93	94.07
7	180.07	5.93	3037.00	100.00

**jhb14c2a: 18/19 - SC - SC CAW(S)I C3.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	291.83	9.61	291.83	9.61
-5	608.63	20.04	900.46	29.65
-3	1.75	0.06	902.20	29.71
0	408.74	13.46	1310.95	43.17

**jhb14c2a: 18/19 - SC - SC CAW(S)I C3.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	408.88	13.46	1719.83	56.63
2	339.62	11.18	2059.45	67.81
3	362.15	11.92	2421.60	79.74
4	171.95	5.66	2593.55	85.40
5	233.79	7.70	2827.34	93.10
6	115.14	3.79	2942.49	96.89
7	94.51	3.11	3037.00	100.00

**jhb20c1a: 18/19 - SC - SC CAW(S)I C5.1 - Frequency of sun protection - sunscreen**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	578.44	19.05	578.44	19.05
Never	0	383.75	12.64	962.19	31.68
Rarely	1	618.74	20.37	1580.93	52.06
Sometimes	2	685.91	22.59	2266.84	74.64
Often	3	594.66	19.58	2861.50	94.22
Always	4	175.50	5.78	3037.00	100.00

**jhb20c1c: 18/19 - SC - SC CAW(S)I C5.2 - Frequency of sun protection - shirt with sleeves**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	579.92	19.10	579.92	19.10
Never	0	46.08	1.52	626.00	20.61
Rarely	1	219.77	7.24	845.78	27.85
Sometimes	2	520.62	17.14	1366.40	44.99
Often	3	955.74	31.47	2322.13	76.46
Always	4	714.87	23.54	3037.00	100.00

**jhb20c1b: 18/19 - SC - SC CAW(S)I C5.3 - Frequency of sun protection - hat**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	589.26	19.40	589.26	19.40
Never	0	464.86	15.31	1054.12	34.71
Rarely	1	643.38	21.18	1697.50	55.89
Sometimes	2	626.63	20.63	2324.13	76.53
Often	3	471.80	15.54	2795.92	92.06
Always	4	241.08	7.94	3037.00	100.00

**jhb20c1d: 18/19 - SC - SC CAW(S)I C5.4 - Frequency of sun protection - sunglasses**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	581.38	19.14	581.38	19.14
Never	0	421.10	13.87	1002.48	33.01
Rarely	1	437.04	14.39	1439.52	47.40
Sometimes	2	556.85	18.34	1996.37	65.74
Often	3	658.41	21.68	2654.79	87.41
Always	4	382.21	12.59	3037.00	100.00

**jhb20c1e: 18/19 - SC - SC CAW(S)I C5.5 - Frequency of sun protection - seek shade**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	581.36	19.14	581.36	19.14
Never	0	41.50	1.37	622.86	20.51
Rarely	1	217.40	7.16	840.26	27.67
Sometimes	2	1046.24	34.45	1886.50	62.12
Often	3	1002.53	33.01	2889.03	95.13
Always	4	147.97	4.87	3037.00	100.00

**jhb20c1f: 18/19 - SC - SC CAW(S)I C5.6 - Freq- Red/painful sunburn lasted more than a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	584.45	19.24	584.45	19.24
Not at all	0	781.08	25.72	1365.53	44.96
Once	1	723.16	23.81	2088.70	68.77
Twice	2	555.58	18.29	2644.27	87.07
Three times	3	237.00	7.80	2881.28	94.87
Four times	4	88.64	2.92	2969.92	97.79
Five or more times	5	67.08	2.21	3037.00	100.00

**jhb32c: 18/19 - SC - SC CAW(S)I C6.1 - You thought you should get medical care but didn't**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	578.99	19.06	578.99	19.06
-2	-2	256.39	8.44	835.38	27.51
Yes	1	743.78	24.49	1579.15	52.00
No	2	1457.85	48.00	3037.00	100.00

**jhb32c1: 18/19 - SC - SC CAW(S)I C6.2.1 - Reasons no medical care Didn't know who to see**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	612.67	20.17	2908.09	95.76
Yes	1	128.91	4.24	3037.00	100.00

**jhb32c2: 18/19 - SC - SC CAW(S)I C6.2.2 - Reasons no medical care - Had no transportation**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	677.82	22.32	2973.24	97.90
Yes	1	63.76	2.10	3037.00	100.00

**jhb32c3: 18/19 - SC - SC CAW(S)I C6.2.3 - Reasons no medical care No one to go along with**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	700.06	23.05	2995.48	98.63
Yes	1	41.52	1.37	3037.00	100.00

**jhb32c6: 18/19 - SC - SC CAW(S)I C6.2.4 - Reasons no medical care Appointment not easy**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	641.00	21.11	2936.42	96.69
Yes	1	100.58	3.31	3037.00	100.00

**jhb32c7: 18/19 - SC - SC CAW(S)I C6.2.5 - Reasons no medical care Afraid what doctor say**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	578.92	19.06	2874.34	94.64
Yes	1	162.66	5.36	3037.00	100.00

**jhb32c8: 18/19 - SC - SC CAW(S)I C6.2.6 - Reasons no medical care Thought would go away**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	266.87	8.79	2562.29	84.37
Yes	1	474.71	15.63	3037.00	100.00

**jhb32c9: 18/19 - SC - SC CAW(S)I C6.2.7 - Reasons not seek medical care - Couldn't pay**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	629.21	20.72	2924.63	96.30
Yes	1	112.37	3.70	3037.00	100.00

**jhb32c10: 18/19 - SC - SC CAW(S)I C6.2.8 - Reasons not seek medical care No more problem**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	436.04	14.36	2731.46	89.94
Yes	1	305.54	10.06	3037.00	100.00

**jhb32c11: 18/19 - SC - SC CAW(S)I C6.2.9 - Reasons not seek medical care - Too embarrassed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	588.26	19.37	2883.68	94.95
Yes	1	153.32	5.05	3037.00	100.00

**jhb32c13: 18/19 - SC - SC CAW(S)I C6.2.10 - Reasons not seek medical care - Discrimination**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	720.79	23.73	3016.21	99.32
Yes	1	20.79	0.68	3037.00	100.00

**jhb32c14: 18/19 - SC - SC CAW(S)I C6.2.11 - Reasons not seek medical care Thought no use**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	609.40	20.07	2904.82	95.65
Yes	1	132.18	4.35	3037.00	100.00

**jhb32c15: 18/19 - SC - SC CAW(S)I C6.2.12 - Reasons no medical care Services unavailable**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	728.58	23.99	3024.00	99.57
Yes	1	13.00	0.43	3037.00	100.00

**jhb32c12: 18/19 - SC - SC CAW(S)I C6.2.13 - Reasons not seek medical care - Other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1457.85	48.00	1457.85	48.00
-5	-5	836.87	27.56	2294.72	75.56
-3	-3	0.70	0.02	2295.42	75.58
No	0	654.69	21.56	2950.11	97.14
Yes	1	86.89	2.86	3037.00	100.00

**jhb15c9: 18/19 - SC - SC CAW(S)I E1.1 - Ever smoked part of a cigarette**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	295.77	9.74	295.77	9.74
-5	-5	549.90	18.11	845.68	27.85
No	1	1300.11	42.81	2145.79	70.65
Yes, just a few puffs	2	364.31	12.00	2510.10	82.65
Yes, I have smoked fewer than 10 cigarettes in my life	3	203.06	6.69	2713.16	89.34

**jhb15c9: 18/19 - SC - SC CAW(S)I E1.1 - Ever smoked part of a cigarette**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, I have smoked 10 to 100 cigarettes in my life	4	179.74	5.92	2892.90	95.26
Yes, I have smoked more than 100 cigarettes in my life	5	144.10	4.74	3037.00	100.00

**jhb15c9a: 18/19 - SC - SC CAW(S)I E1.1+W5 -7 - Ever smoked part of a cigarette**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	489.81	16.13	489.81	16.13
Yes	1	1286.35	42.36	1776.16	58.48
No	2	1260.84	41.52	3037.00	100.00

**jhb15c10: 18/19 - SC - SC CAW(S)I E1.2 - First cigarette - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.50	0.12	3.50	0.12
-9	1595.88	52.55	1599.38	52.66
-5	549.90	18.11	2149.29	70.77
8	4.12	0.14	2153.41	70.91
9	0.89	0.03	2154.30	70.94
11	11.31	0.37	2165.61	71.31
12	16.04	0.53	2181.65	71.84
13	27.31	0.90	2208.97	72.74
14	45.59	1.50	2254.56	74.24
15	69.27	2.28	2323.83	76.52
16	122.81	4.04	2446.64	80.56
17	259.16	8.53	2705.80	89.09
18	305.31	10.05	3011.11	99.15
19	25.89	0.85	3037.00	100.00

**jhb15c10a: 18/19 - SC - SC CAW(S)I E1.2+W5 -7 - First cigarette - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1753.82	57.75	1753.82	57.75
-3	2.86	0.09	1756.68	57.84
1	3.50	0.12	1760.18	57.96
4	1.15	0.04	1761.33	58.00
5	3.22	0.11	1764.55	58.10
6	6.50	0.21	1771.05	58.32
7	2.47	0.08	1773.52	58.40
8	9.27	0.31	1782.80	58.70
9	9.73	0.32	1792.53	59.02
10	12.61	0.42	1805.14	59.44
11	30.84	1.02	1835.98	60.45
12	65.92	2.17	1901.91	62.62
13	74.56	2.45	1976.46	65.08
14	156.80	5.16	2133.26	70.24
15	130.95	4.31	2264.21	74.55
16	254.97	8.40	2519.17	82.95
17	237.17	7.81	2756.35	90.76

**jhb15c10a: 18/19 - SC - SC CAW(S)I E1.2+W5 -7 - First cigarette - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	257.66	8.48	3014.01	99.24
19	22.99	0.76	3037.00	100.00

**jhb15c11: 18/19 - SC - SC CAW(S)I E1.3 - Smoked in last 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1300.11	42.81	1300.11	42.81
-5	-5	543.95	17.91	1844.06	60.72
Yes	1	909.54	29.95	2753.60	90.67
No	2	283.40	9.33	3037.00	100.00

**jhb15c12: 18/19 - SC - SC CAW(S)I E1.4 - Smoked in last 4 weeks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1583.51	52.14	1583.51	52.14
-5	-5	546.59	18.00	2130.10	70.14
Yes	1	504.98	16.63	2635.07	86.77
No	2	401.93	13.23	3037.00	100.00

**jhb15c13: 18/19 - SC - SC CAW(S)I E1.5 - No. cigarettes smoked per week**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	61.15	2.01	61.15	2.01
-9	1583.51	52.14	1644.66	54.15
-5	956.83	31.51	2601.50	85.66
-3	2.33	0.08	2603.83	85.74
0	192.90	6.35	2796.73	92.09
5	72.77	2.40	2869.50	94.48
10	25.63	0.84	2895.13	95.33
15	21.54	0.71	2916.67	96.04
20	19.37	0.64	2936.04	96.68
25	9.75	0.32	2945.80	97.00
30	13.01	0.43	2958.81	97.43
35	26.99	0.89	2985.80	98.31
40	9.26	0.30	2995.06	98.62
45	11.55	0.38	3006.61	99.00
50	10.62	0.35	3017.23	99.35
55	11.37	0.37	3028.60	99.72
60	3.68	0.12	3032.28	99.84
65	4.72	0.16	3037.00	100.00

**jhb16c11: 18/19 - SC - SC CAW(S)I F1.1 - Ever had alcoholic drink**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	553.26	18.22	553.26	18.22
-5	-5	690.36	22.73	1243.62	40.95
No	1	176.95	5.83	1420.57	46.78
Yes, just a few sips	2	99.63	3.28	1520.20	50.06



**jhb16c11: 18/19 - SC - SC CAW(S)I F1.1 - Ever had alcoholic drink**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Yes, I have had fewer than 10 alcoholic drinks in my life	3	202.84	6.68	1723.04	56.73
Yes, I have had 10 or more alcoholic drinks in my life	4	1313.96	43.27	3037.00	100.00

**jhb16c11a: 18/19 - SC - SC CAW(S)I F1.1+W5 -7 - Ever had alcoholic drink**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	475.49	15.66	475.49	15.66
Yes	1	2290.95	75.43	2766.44	91.09
No	2	270.56	8.91	3037.00	100.00

**jhb16c12: 18/19 - SC - SC CAW(S)I F1.2 - First alcoholic drink - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.12	0.07	2.12	0.07
-9	829.84	27.32	831.96	27.39
-5	691.05	22.75	1523.02	50.15
-3	0.80	0.03	1523.82	50.18
7	2.11	0.07	1525.93	50.24
9	0.66	0.02	1526.59	50.27
10	5.04	0.17	1531.63	50.43
11	1.27	0.04	1532.90	50.47
12	11.23	0.37	1544.13	50.84
13	23.67	0.78	1567.80	51.62
14	57.59	1.90	1625.39	53.52
15	143.42	4.72	1768.81	58.24
16	377.85	12.44	2146.67	70.68
17	399.17	13.14	2545.83	83.83
18	486.16	16.01	3031.99	99.84
19	5.01	0.16	3037.00	100.00

**jhb16c12a: 18/19 - SC - SC CAW(S)I F1.2+W5 -7 - First alcoholic drink - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	746.75	24.59	746.75	24.59
-3	8.39	0.28	755.14	24.86
5	2.28	0.08	757.42	24.94
6	3.26	0.11	760.68	25.05
7	3.18	0.10	763.86	25.15
8	1.96	0.06	765.82	25.22
9	6.61	0.22	772.43	25.43
10	25.49	0.84	797.92	26.27
11	19.06	0.63	816.98	26.90
12	55.20	1.82	872.18	28.72
13	117.26	3.86	989.44	32.58
14	266.13	8.76	1255.57	41.34
15	284.26	9.36	1539.84	50.70
16	565.40	18.62	2105.24	69.32
17	441.29	14.53	2546.53	83.85

**jhb16c12a: 18/19 - SC - SC CAW(S)I F1.2+W5 -7 - First alcoholic drink - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	485.47	15.99	3031.99	99.84
19	5.01	0.16	3037.00	100.00

**jhb16c13: 18/19 - SC - SC CAW(S)I F1.3 - Alcohol consumption - In last 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	276.58	9.11	276.58	9.11
-5	-5	541.95	17.85	818.54	26.95
Yes	1	2169.54	71.44	2988.07	98.39
No	2	48.93	1.61	3037.00	100.00

**jhb16c9: 18/19 - SC - SC CAW(S)I F1.4 - Alcohol consumption - In last four weeks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	549.98	18.11	875.49	28.83
Yes	1	1856.12	61.12	2731.61	89.94
No	2	305.39	10.06	3037.00	100.00

**jhb16c10: 18/19 - SC - SC CAW(S)I F1.5 - Previous week's alcohol consumption**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	15.70	0.52	15.70	0.52
-9	630.90	20.77	646.60	21.29
-5	568.18	18.71	1214.79	40.00
-3	1.72	0.06	1216.51	40.06
0	812.21	26.74	2028.72	66.80
5	436.84	14.38	2465.56	81.18
10	285.39	9.40	2750.95	90.58
15	128.47	4.23	2879.42	94.81
20	63.61	2.09	2943.03	96.91
25	41.48	1.37	2984.51	98.27
30	22.95	0.76	3007.47	99.03
35	16.99	0.56	3024.46	99.59
40	10.24	0.34	3034.70	99.92
45	2.30	0.08	3037.00	100.00

**jhb16c14f: 18/19 - SC - SC CAW(S)I F1.6.1 - Alcohol caused - Sick or passed out**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	564.18	18.58	889.69	29.30
Never	1	1027.94	33.85	1917.63	63.14
Sometimes	2	1036.48	34.13	2954.11	97.27
Often	3	82.89	2.73	3037.00	100.00

**jhb16c14a1: 18/19 - SC - SC CAW(S)I F1.6.2 - Alcohol caused - Trouble at school or work**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	556.78	18.33	882.29	29.05
Never	1	1679.31	55.30	2561.60	84.35
Sometimes	2	440.16	14.49	3001.76	98.84
Often	3	35.24	1.16	3037.00	100.00

**jhb16c14g: 18/19 - SC - SC CAW(S)I F1.6.3 - Alcohol caused - Arguments with partner/friends**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	570.68	18.79	896.19	29.51
Never	1	1879.50	61.89	2775.69	91.40
Sometimes	2	245.63	8.09	3021.33	99.48
Often	3	15.67	0.52	3037.00	100.00

**jhb16c14b: 18/19 - SC - SC CAW(S)I F1.6.4 - Alcohol caused - Get into arguments with family**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	561.12	18.48	886.63	29.19
Never	1	2011.14	66.22	2897.77	95.42
Sometimes	2	124.71	4.11	3022.47	99.52
Often	3	14.53	0.48	3037.00	100.00

**jhb16c14c: 18/19 - SC - SC CAW(S)I F1.6.5 - Alcohol caused Get injured or have an accident**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	560.88	18.47	886.39	29.19
Never	1	1836.42	60.47	2722.81	89.65
Sometimes	2	290.51	9.57	3013.33	99.22
Often	3	23.67	0.78	3037.00	100.00

**jhb16c14d: 18/19 - SC - SC CAW(S)I F1.6.6 - Alcohol caused Become violent/get into a fight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	550.89	18.14	876.40	28.86
Never	1	2043.11	67.27	2919.51	96.13
Sometimes	2	113.68	3.74	3033.19	99.87
Often	3	3.81	0.13	3037.00	100.00

**jhb16c14e: 18/19 - SC - SC CAW(S)I F1.6.7 - Alcohol caused - Had sex - later regretted**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	551.59	18.16	877.10	28.88
Never	1	1903.46	62.68	2780.57	91.56
Sometimes	2	239.09	7.87	3019.66	99.43
Often	3	17.34	0.57	3037.00	100.00

**jhb16c14h: 18/19 - SC - SC CAW(S)I F1.6.8 - Alcohol caused - Trouble with police**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	579.42	19.08	904.92	29.80
Never	1	2050.22	67.51	2955.14	97.30
Sometimes	2	73.93	2.43	3029.07	99.74
Often	3	7.93	0.26	3037.00	100.00

**jhb16c14i: 18/19 - SC - SC CAW(S)I F1.6.9 - Alcohol caused - Unable to remember**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	571.63	18.82	897.14	29.54
Never	1	1142.43	37.62	2039.57	67.16
Sometimes	2	887.49	29.22	2927.06	96.38
Often	3	109.94	3.62	3037.00	100.00

**jhb16c14j: 18/19 - SC - SC CAW(S)I F1.6.10 - Alcohol caused - Asked to leave party/pub/club**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	576.32	18.98	901.83	29.69
Never	1	1849.72	60.91	2751.55	90.60
Sometimes	2	268.65	8.85	3020.19	99.45
Often	3	16.81	0.55	3037.00	100.00

**jhb16c14k: 18/19 - SC - SC CAW(S)I F1.6.11 - Alcohol caused - Not able to stop drinking**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	572.60	18.85	898.11	29.57
Never	1	1817.69	59.85	2715.80	89.42
Sometimes	2	265.39	8.74	2981.19	98.16
Often	3	55.81	1.84	3037.00	100.00

**jhb16c14l: 18/19 - SC - SC CAW(S)I F1.6.12 - Alcohol caused - Depressed if unavailable**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	325.51	10.72	325.51	10.72
-5	-5	576.90	19.00	902.41	29.71
Never	1	2025.81	66.70	2928.22	96.42
Sometimes	2	91.58	3.02	3019.81	99.43
Often	3	17.19	0.57	3037.00	100.00

**jcalcharm: 18/19 - SC - Alcohol-related harm**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	871.68	28.70	871.68	28.70
1	1.29	0.04	872.97	28.74
2	2.35	0.08	875.32	28.82
3	4.14	0.14	879.46	28.96
4	10.44	0.34	889.90	29.30

**jcalcharm: 18/19 - SC - Alcohol-related harm**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
5	1361.89	44.84	2251.79	74.15
6	445.59	14.67	2697.38	88.82
7	188.88	6.22	2886.26	95.04
8	90.47	2.98	2976.73	98.02
9	31.99	1.05	3008.72	99.07
10	21.39	0.70	3030.11	99.77
11	2.24	0.07	3032.35	99.85
12	2.45	0.08	3034.80	99.93
13	2.20	0.07	3037.00	100.00

**jhb26c1: 18/19 - SC CAW(S)I G1.1.1 - Ever tried cannabis - marijuana/pot/grass/weed/joint**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	562.96	18.54	562.96	18.54
-3	-3	0.87	0.03	563.83	18.57
Yes	1	879.52	28.96	1443.35	47.53
No	2	1593.65	52.47	3037.00	100.00

**jhb26c1a: 18/19 - SC CAW(S)I G1.1.1+W5 - 7 - Ever tried cannabis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	507.20	16.70	507.20	16.70
-3	-3	0.87	0.03	508.07	16.73
Yes	1	1045.53	34.43	1553.60	51.16
No	2	1483.40	48.84	3037.00	100.00

**jhb51c1: 18/19 - SC - Ever tried Ice and/or Non-Ice methamphetamine**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	586.47	19.31	586.47	19.31
0	0	2354.26	77.52	2940.74	96.83
Yes	1	96.26	3.17	3037.00	100.00

**jhb26c2a: 18/19 - SC CAW(S)I G1.1.3+W5 - 7 - First used cannabis - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2101.07	69.18	2101.07	69.18
-3	13.52	0.45	2114.59	69.63
6	2.93	0.10	2117.52	69.72
10	4.25	0.14	2121.76	69.86
11	3.91	0.13	2125.67	69.99
12	23.89	0.79	2149.57	70.78
13	55.11	1.81	2204.68	72.59
14	100.49	3.31	2305.17	75.90
15	102.42	3.37	2407.59	79.28
16	192.98	6.35	2600.57	85.63
17	215.99	7.11	2816.56	92.74
18	202.26	6.66	3018.81	99.40
19	18.19	0.60	3037.00	100.00

**jhb39c1: 18/19 - SC CAW(S)I G1.1.4 - Ever tried cocaine - coke/charlie/blow/snow**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	587.54	19.35	587.54	19.35
Yes	1	183.18	6.03	770.72	25.38
No	2	2266.28	74.62	3037.00	100.00

**jhb40c1: 18/19 - SC CAW(S)I G1.1.5 - Ever tried ecstasy - XTC/E/Ex/Eccy/MDMA**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	584.35	19.24	584.35	19.24
-3	-3	0.87	0.03	585.22	19.27
Yes	1	358.14	11.79	943.36	31.06
No	2	2093.64	68.94	3037.00	100.00

**jhb41c1: 18/19 - SC CAW(S)I G1.1.6 - Ever tried hallucinogens - LSD/acid/magic mushrooms**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	585.05	19.26	585.05	19.26
-3	-3	0.87	0.03	585.92	19.29
Yes	1	211.31	6.96	797.23	26.25
No	2	2239.77	73.75	3037.00	100.00

**jhb27c1: 18/19 - SC CAW(S)I G1.1.7 - Ever tried sniffing**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	587.24	19.34	587.24	19.34
Yes	1	129.31	4.26	716.55	23.59
No	2	2320.45	76.41	3037.00	100.00

**jhb27c1a: 18/19 - SC CAW(S)I G1.1.7+W5 - 7 - Ever tried sniffing**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	577.74	19.02	577.74	19.02
Yes	1	193.01	6.36	770.75	25.38
No	2	2266.25	74.62	3037.00	100.00

**jhb42c1: 18/19 - SC CAW(S)I G1.1.8 - Ever tried synthetic cannabis**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	587.22	19.34	587.22	19.34
Yes	1	63.11	2.08	650.33	21.41
No	2	2386.67	78.59	3037.00	100.00

**jhb43c1: 18/19 - SC CAW(S)I G1.1.9 - Ever tried other psychoactive drug**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	583.35	19.21	583.35	19.21
Yes	1	89.53	2.95	672.88	22.16
No	2	2364.12	77.84	3037.00	100.00

**jhb48c1: 18/19 - SC CAW(S)I G1.1.10 - Ever tried other illicit drug**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	586.64	19.32	586.64	19.32
Yes	1	70.58	2.32	657.22	21.64
No	2	2379.78	78.36	3037.00	100.00

**jhb26c2: 18/19 - SC CAW(S)I G1.3.1 - First used cannabis - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1593.65	52.47	1593.65	52.47
-5	564.59	18.59	2158.24	71.06
0	2.76	0.09	2161.01	71.16
1	1.29	0.04	2162.30	71.20
6	2.12	0.07	2164.42	71.27
10	1.87	0.06	2166.29	71.33
11	4.30	0.14	2170.59	71.47
12	13.74	0.45	2184.33	71.92
13	37.97	1.25	2222.30	73.17
14	61.85	2.04	2284.15	75.21
15	103.37	3.40	2387.52	78.61
16	203.69	6.71	2591.21	85.32
17	224.29	7.39	2815.50	92.71
18	203.31	6.69	3018.81	99.40
19	18.19	0.60	3037.00	100.00

**jhb37c2: 18/19 - SC CAW(S)I G1.3.2 - First used ice - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.68	0.29	8.68	0.29
-9	2408.02	79.29	2416.70	79.58
-5	595.71	19.62	3012.41	99.19
14	1.93	0.06	3014.34	99.25
15	3.63	0.12	3017.96	99.37
16	1.60	0.05	3019.57	99.43
17	7.12	0.23	3026.69	99.66
18	9.59	0.32	3036.28	99.98
19	0.72	0.02	3037.00	100.00

**jhb38c2: 18/19 - SC CAW(S)I G1.3.3 - First used other meth -Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	13.01	0.43	13.01	0.43
-9	2357.48	77.63	2370.49	78.05
-5	599.84	19.75	2970.33	97.80
13	0.89	0.03	2971.22	97.83
14	2.83	0.09	2974.05	97.93
15	3.36	0.11	2977.41	98.04
16	13.17	0.43	2990.57	98.47
17	20.61	0.68	3011.18	99.15
18	22.46	0.74	3033.64	99.89
19	3.36	0.11	3037.00	100.00

**jhb39c2: 18/19 - SC CAW(S)I G1.3.4 - First used cocaine - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	16.78	0.55	16.78	0.55
-9	2266.28	74.62	2283.06	75.17
-5	591.34	19.47	2874.40	94.65
14	1.64	0.05	2876.04	94.70
15	1.75	0.06	2877.79	94.76
16	11.18	0.37	2888.97	95.13
17	28.71	0.95	2917.68	96.07
18	104.39	3.44	3022.07	99.51
19	14.93	0.49	3037.00	100.00

**jhb40c2: 18/19 - SC CAW(S)I G1.3.5 - First used ecstasy - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	20.93	0.69	20.93	0.69
-9	2093.64	68.94	2114.57	69.63
-5	588.33	19.37	2702.91	89.00
13	2.78	0.09	2705.69	89.09
14	3.42	0.11	2709.11	89.20
15	23.47	0.77	2732.58	89.98
16	42.43	1.40	2775.01	91.37
17	89.59	2.95	2864.60	94.32
18	153.59	5.06	3018.19	99.38
19	18.81	0.62	3037.00	100.00

**jhb41c2: 18/19 - SC CAW(S)I G1.3.6 - First used hallucinogens - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.75	0.09	2.75	0.09
-9	2239.77	73.75	2242.52	73.84
-5	585.92	19.29	2828.44	93.13
14	3.42	0.11	2831.86	93.25
15	9.89	0.33	2841.75	93.57
16	38.71	1.27	2880.46	94.85
17	56.11	1.85	2936.57	96.69
18	88.87	2.93	3025.45	99.62
19	11.55	0.38	3037.00	100.00

**jhb27c2: 18/19 - SC CAW(S)I G1.3.7 - First used inhalants - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2320.45	76.41	2320.45	76.41
-5	587.84	19.36	2908.29	95.76
0	1.46	0.05	2909.75	95.81
1	1.29	0.04	2911.04	95.85
9	1.17	0.04	2912.21	95.89
12	3.50	0.12	2915.71	96.01
13	3.38	0.11	2919.09	96.12
14	8.29	0.27	2927.38	96.39
15	4.64	0.15	2932.02	96.54
16	8.49	0.28	2940.51	96.82



**jhb27c2: 18/19 - SC CAW(S)I G1.3.7 - First used inhalants - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17	35.69	1.18	2976.20	98.00
18	56.25	1.85	3032.45	99.85
19	4.55	0.15	3037.00	100.00

**jhb27c2a: 18/19 - SC CAW(S)I G1.3.7+W5 - 7 - First used inhalants - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2849.11	93.81	2849.11	93.81
-3	1.28	0.04	2850.39	93.86
5	0.78	0.03	2851.16	93.88
7	3.04	0.10	2854.21	93.98
9	1.17	0.04	2855.37	94.02
10	6.32	0.21	2861.70	94.23
11	6.86	0.23	2868.56	94.45
12	18.07	0.60	2886.63	95.05
13	12.42	0.41	2899.05	95.46
14	19.16	0.63	2918.21	96.09
15	14.26	0.47	2932.48	96.56
16	13.42	0.44	2945.90	97.00
17	34.84	1.15	2980.74	98.15
18	51.71	1.70	3032.45	99.85
19	4.55	0.15	3037.00	100.00

**jhb42c2: 18/19 - SC CAW(S)I G1.3.8 - First used synthetic cannabis - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4.09	0.13	4.09	0.13
-9	2386.67	78.59	2390.76	78.72
-5	588.59	19.38	2979.35	98.10
12	6.67	0.22	2986.03	98.32
13	2.19	0.07	2988.21	98.39
14	8.67	0.29	2996.88	98.68
15	9.14	0.30	3006.02	98.98
16	11.96	0.39	3017.98	99.37
17	9.82	0.32	3027.80	99.70
18	8.75	0.29	3036.56	99.99
19	0.44	0.01	3037.00	100.00

**jhb43c2: 18/19 - SC CAW(S)I G1.3.9 - First used other psychoactive drug - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1.46	0.05	1.46	0.05
-9	2364.12	77.84	2365.58	77.89
-5	588.21	19.37	2953.79	97.26
11	1.29	0.04	2955.08	97.30
14	2.32	0.08	2957.41	97.38
15	2.30	0.08	2959.70	97.45
16	15.02	0.49	2974.73	97.95
17	24.39	0.80	2999.12	98.75

**jhb43c2: 18/19 - SC CAW(S)I G1.3.9 - First used other psychoactive drug - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
18	33.75	1.11	3032.87	99.86
19	4.13	0.14	3037.00	100.00

**jhb48c2: 18/19 - SC CAW(S)I G1.3.10 - First used other illicit drug - Age**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2.63	0.09	2.63	0.09
-9	2379.78	78.36	2382.41	78.45
-5	587.90	19.36	2970.31	97.80
11	3.50	0.12	2973.81	97.92
12	2.12	0.07	2975.93	97.99
14	2.77	0.09	2978.70	98.08
15	6.53	0.22	2985.23	98.30
16	7.49	0.25	2992.72	98.54
17	16.79	0.55	3009.51	99.09
18	20.75	0.68	3030.26	99.78
19	6.74	0.22	3037.00	100.00

**jhb26c6a: 18/19 - SC CAW(S)I G1.4.1 - Frequency cannabis used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1593.65	52.47	1593.65	52.47
-5	-5	566.09	18.64	2159.74	71.11
Everyday	1	50.33	1.66	2210.07	72.77
Once a week or more	2	71.48	2.35	2281.55	75.12
2 or 3 times a month	3	59.90	1.97	2341.44	77.10
About once a month	4	40.98	1.35	2382.43	78.45
Every few months	5	108.24	3.56	2490.67	82.01
Once or twice	6	394.85	13.00	2885.53	95.01
Never	7	151.47	4.99	3037.00	100.00

**jhb37c3: 18/19 - SC CAW(S)I G1.4.2 - Frequency ice used - last 12 months**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2408.02	79.29	2408.02	79.29
-5	-5	594.25	19.57	3002.27	98.86
Everyday	1	6.72	0.22	3009.00	99.08
Once a week or more	2	0.60	0.02	3009.59	99.10
2 or 3 times a month	3	2.55	0.08	3012.14	99.18
Every few months	5	2.62	0.09	3014.76	99.27
Once or twice	6	13.21	0.44	3027.97	99.70
Never	7	9.03	0.30	3037.00	100.00

**jhb38c3: 18/19 - SC CAW(S)I G1.4.3 - Frequency other meth used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2357.48	77.63	2357.48	77.63
-5	-5	595.44	19.61	2952.93	97.23
Everyday	1	6.91	0.23	2959.84	97.46
Once a week or more	2	7.26	0.24	2967.10	97.70

**jhb38c3: 18/19 - SC CAW(S)I G1.4.3 - Frequency other meth used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2 or 3 times a month	3	4.75	0.16	2971.85	97.85
About once a month	4	5.91	0.19	2977.76	98.05
Every few months	5	15.74	0.52	2993.50	98.57
Once or twice	6	30.69	1.01	3024.20	99.58
Never	7	12.80	0.42	3037.00	100.00

**jhb39c3: 18/19 - SC CAW(S)I G1.4.4 - Frequency cocaine used- Last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2266.28	74.62	2266.28	74.62
-5	-5	588.14	19.37	2854.42	93.99
Everyday	1	1.29	0.04	2855.71	94.03
Once a week or more	2	4.58	0.15	2860.30	94.18
2 or 3 times a month	3	0.66	0.02	2860.96	94.20
About once a month	4	6.67	0.22	2867.63	94.42
Every few months	5	34.35	1.13	2901.98	95.55
Once or twice	6	116.27	3.83	3018.24	99.38
Never	7	18.76	0.62	3037.00	100.00

**jhb40c3: 18/19 - SC CAW(S)I G1.4.5 - Frequency ecstasy used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2093.64	68.94	2093.64	68.94
-5	-5	586.05	19.30	2679.69	88.23
Everyday	1	1.29	0.04	2680.98	88.28
Once a week or more	2	8.28	0.27	2689.27	88.55
2 or 3 times a month	3	14.83	0.49	2704.10	89.04
About once a month	4	38.07	1.25	2742.17	90.29
Every few months	5	68.58	2.26	2810.75	92.55
Once or twice	6	182.16	6.00	2992.91	98.55
Never	7	44.09	1.45	3037.00	100.00

**jhb41c3: 18/19 - SC CAW(S)I G1.4.6 - Frequency hallucinogens used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2239.77	73.75	2239.77	73.75
-5	-5	585.92	19.29	2825.69	93.04
Everyday	1	1.29	0.04	2826.98	93.08
Once a week or more	2	3.50	0.12	2830.48	93.20
2 or 3 times a month	3	4.73	0.16	2835.21	93.36
About once a month	4	5.02	0.17	2840.23	93.52
Every few months	5	19.22	0.63	2859.45	94.15
Once or twice	6	128.69	4.24	2988.14	98.39
Never	7	48.86	1.61	3037.00	100.00

**jhb27c9: 18/19 - SC CAW(S)I G1.4.7 - Frequency inhalants used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2320.45	76.41	2320.45	76.41
-5	-5	587.84	19.36	2908.29	95.76
Everyday	1	1.29	0.04	2909.58	95.80
Once a week or more	2	0.55	0.02	2910.14	95.82
2 or 3 times a month	3	4.74	0.16	2914.87	95.98
About once a month	4	10.08	0.33	2924.95	96.31
Every few months	5	26.46	0.87	2951.41	97.18
Once or twice	6	64.70	2.13	3016.11	99.31
Never	7	20.89	0.69	3037.00	100.00

**jhb42c3: 18/19 - SC CAW(S)I G1.4.8 - Frequency synthetic cannabis used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2386.67	78.59	2386.67	78.59
-5	-5	587.22	19.34	2973.89	97.92
Everyday	1	1.29	0.04	2975.19	97.96
Once a week or more	2	2.56	0.08	2977.74	98.05
2 or 3 times a month	3	5.31	0.17	2983.05	98.22
About once a month	4	1.23	0.04	2984.28	98.26
Every few months	5	4.83	0.16	2989.11	98.42
Once or twice	6	14.70	0.48	3003.81	98.91
Never	7	33.19	1.09	3037.00	100.00

**jhb43c7: 18/19 - SC CAW(S)I G1.4.9 - Frequency psychoactive drugs - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2364.12	77.84	2364.12	77.84
-5	-5	584.71	19.25	2948.83	97.10
Everyday	1	2.11	0.07	2950.95	97.17
Once a week or more	2	1.25	0.04	2952.19	97.21
About once a month	4	6.17	0.20	2958.36	97.41
Every few months	5	13.89	0.46	2972.25	97.87
Once or twice	6	41.71	1.37	3013.96	99.24
Never	7	23.04	0.76	3037.00	100.00

**jhb48c7: 18/19 - SC CAW(S)I G1.4.10 - Frequency other illicit drugs used - last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2379.78	78.36	2379.78	78.36
-5	-5	587.90	19.36	2967.68	97.72
Everyday	1	1.29	0.04	2968.97	97.76
Once a week or more	2	5.04	0.17	2974.01	97.93
2 or 3 times a month	3	3.39	0.11	2977.40	98.04
About once a month	4	4.78	0.16	2982.18	98.19
Every few months	5	14.21	0.47	2996.38	98.66
Once or twice	6	25.89	0.85	3022.27	99.52
Never	7	14.73	0.48	3037.00	100.00

**jhb26c4: 18/19 - SC CAW(S)I G1.5.1 - Last 4 wks cannabis (marijuana/pot/grass/weed/joint)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1745.13	57.46	1745.13	57.46
-5	-5	565.14	18.61	2310.26	76.07
Yes	1	283.86	9.35	2594.12	85.42
No	2	442.88	14.58	3037.00	100.00

**jhb39c4: 18/19 - SC CAW(S)I G1.5.4 - Last 4 wks cocaine (coke, charlie, blow, snow)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2285.04	75.24	2285.04	75.24
-5	-5	587.54	19.35	2872.58	94.59
Yes	1	36.98	1.22	2909.56	95.80
No	2	127.44	4.20	3037.00	100.00

**jhb40c4: 18/19 - SC CAW(S)I G1.5.5 - Last 4 wks ecstasy ( XTC, E, Ex, Eccy, MDMA)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2137.73	70.39	2137.73	70.39
-5	-5	586.03	19.30	2723.75	89.69
Yes	1	98.98	3.26	2822.73	92.94
No	2	214.27	7.06	3037.00	100.00

**jhb41c4: 18/19 - SC CAW(S)I G1.5.6 - Last 4 wks hallucinogens (LSD/acid, magic mushrooms)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2288.63	75.36	2288.63	75.36
-5	-5	585.92	19.29	2874.55	94.65
Yes	1	29.29	0.96	2903.84	95.62
No	2	133.16	4.38	3037.00	100.00

**jhb27c4: 18/19 - SC CAW(S)I G1.5.7 - Last 4 wks inhalants (chroming/sniffing/solvents)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2341.34	77.09	2341.34	77.09
-5	-5	587.24	19.34	2928.59	96.43
Yes	1	31.46	1.04	2960.04	97.47
No	2	76.96	2.53	3037.00	100.00

**jhb48c4: 18/19 - SC CAW(S)I G1.5.10 - Last 4 wks illicit drugs (heroin/GHB/Ketamine)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2394.51	78.84	2394.51	78.84
-5	-5	587.23	19.34	2981.74	98.18
Yes	1	18.35	0.60	3000.09	98.78
No	2	36.91	1.22	3037.00	100.00

**jhb51c4: 18/19 - SC - Last 4 wks ice/Non-ice/synthetic cannabis/ psychoactive drug**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2292.94	75.50	2292.94	75.50
-5	-5	615.82	20.28	2908.76	95.78
0	0	101.00	3.33	3009.76	99.10
Yes	1	27.24	0.90	3037.00	100.00

**jhb44c1: 18/19 - SC CAW(S)I G2.1.1 - Ever used tranquilisers / Sleeping pills**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	577.25	19.01	577.25	19.01
-3	-3	0.87	0.03	578.12	19.04
Yes	1	116.38	3.83	694.50	22.87
No	2	2342.50	77.13	3037.00	100.00

**jhb45c1: 18/19 - SC CAW(S)I G2.1.2 - Ever used painkillers/ Pain-relievers and Opioids**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	581.31	19.14	581.31	19.14
Yes	1	175.46	5.78	756.78	24.92
No	2	2280.22	75.08	3037.00	100.00

**jhb46c1: 18/19 - SC CAW(S)I G2.1.3 - Ever used stimulants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	577.45	19.01	577.45	19.01
Yes	1	122.77	4.04	700.22	23.06
No	2	2336.78	76.94	3037.00	100.00

**jhb44c2: 18/19 - SC CAW(S)I G2.2.1 - Age first used tranquilisers**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3.85	0.13	3.85	0.13
-9	2342.50	77.13	2346.36	77.26
-5	580.00	19.10	2926.35	96.36
7	0.96	0.03	2927.31	96.39
11	6.38	0.21	2933.69	96.60
12	1.94	0.06	2935.63	96.66
14	3.67	0.12	2939.30	96.78
15	10.80	0.36	2950.11	97.14
16	14.81	0.49	2964.92	97.63
17	28.15	0.93	2993.07	98.55
18	37.25	1.23	3030.31	99.78
19	6.69	0.22	3037.00	100.00

**jhb45c2: 18/19 - SC CAW(S)I G2.2.2 - Age first used painkillers**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	8.19	0.27	8.19	0.27
-9	2280.22	75.08	2288.41	75.35
-5	587.73	19.35	2876.14	94.70
7	0.71	0.02	2876.85	94.73

**jhb45c2: 18/19 - SC CAW(S)I G2.2.2 - Age first used painkillers**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8	2.36	0.08	2879.21	94.80
10	5.48	0.18	2884.68	94.98
11	6.93	0.23	2891.61	95.21
12	18.88	0.62	2910.49	95.83
13	6.40	0.21	2916.89	96.05
14	19.23	0.63	2936.12	96.68
15	14.71	0.48	2950.83	97.16
16	36.21	1.19	2987.04	98.36
17	18.25	0.60	3005.29	98.96
18	27.56	0.91	3032.85	99.86
19	4.15	0.14	3037.00	100.00

**jhb46c2: 18/19 - SC CAW(S)I G2.2.3 - Age first used stimulants**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2336.78	76.94	2336.78	76.94
-5	580.47	19.11	2917.25	96.06
0	1.00	0.03	2918.25	96.09
5	1.36	0.04	2919.60	96.13
6	2.69	0.09	2922.29	96.22
7	0.96	0.03	2923.25	96.25
8	2.34	0.08	2925.58	96.33
10	1.09	0.04	2926.67	96.37
11	2.20	0.07	2928.88	96.44
12	7.32	0.24	2936.20	96.68
13	4.00	0.13	2940.19	96.81
14	1.63	0.05	2941.82	96.87
15	11.04	0.36	2952.86	97.23
16	26.94	0.89	2979.81	98.12
17	24.35	0.80	3004.16	98.92
18	31.55	1.04	3035.71	99.96
19	1.29	0.04	3037.00	100.00

**jhb44c7: 18/19 - SC CAW(S)I G2.3.1 - Frequency tranquilisers used - Last 12mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2342.50	77.13	2342.50	77.13
-5	-5	578.12	19.04	2920.62	96.17
Everyday	1	5.25	0.17	2925.88	96.34
Once a week or more	2	6.28	0.21	2932.15	96.55
2 or 3 times a month	3	5.91	0.19	2938.06	96.74
About once a month	4	8.77	0.29	2946.83	97.03
Every few months	5	13.42	0.44	2960.25	97.47
Once or twice	6	55.77	1.84	3016.02	99.31
Never	7	20.98	0.69	3037.00	100.00

**jhb45c7: 18/19 - SC CAW(S)I G2.3.2 - Frequency painkillers used - Last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2280.22	75.08	2280.22	75.08
-5	-5	581.31	19.14	2861.54	94.22
Everyday	1	3.90	0.13	2865.44	94.35
Once a week or more	2	25.95	0.85	2891.39	95.21
2 or 3 times a month	3	18.70	0.62	2910.10	95.82
About once a month	4	8.92	0.29	2919.02	96.12
Every few months	5	37.79	1.24	2956.81	97.36
Once or twice	6	58.10	1.91	3014.91	99.27
Never	7	22.09	0.73	3037.00	100.00

**jhb46c7: 18/19 - SC CAW(S)I G2.3.3 - Frequency stimulants used - Last 12 mths**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2336.78	76.94	2336.78	76.94
-5	-5	577.45	19.01	2914.23	95.96
Everyday	1	7.89	0.26	2922.12	96.22
Once a week or more	2	10.55	0.35	2932.67	96.56
2 or 3 times a month	3	7.17	0.24	2939.85	96.80
About once a month	4	5.21	0.17	2945.06	96.97
Every few months	5	22.31	0.73	2967.37	97.71
Once or twice	6	49.60	1.63	3016.97	99.34
Never	7	20.03	0.66	3037.00	100.00

**jhb44c4: 18/19 - SC CAW(S)I G2.4.1 - Last 4 wks tranquilisers**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2363.49	77.82	2363.49	77.82
-5	-5	578.12	19.04	2941.61	96.86
Yes	1	32.20	1.06	2973.81	97.92
No	2	63.19	2.08	3037.00	100.00

**jhb45c4: 18/19 - SC CAW(S)I G2.4.2 - Last 4 wks painkillers**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2302.31	75.81	2302.31	75.81
-5	-5	581.31	19.14	2883.63	94.95
Yes	1	69.95	2.30	2953.57	97.25
No	2	83.43	2.75	3037.00	100.00

**jhb46c4: 18/19 - SC CAW(S)I G2.4.3 - Last 4 wks stimulants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2356.81	77.60	2356.81	77.60
-5	-5	577.45	19.01	2934.26	96.62
Yes	1	26.39	0.87	2960.65	97.49
No	2	76.35	2.51	3037.00	100.00



**jhb21c1a1: 18/19 - SC - SC CAW(S)I I1.1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	577.24	19.01	577.24	19.01
Not at all	0	748.94	24.66	1326.19	43.67
Once	1	871.69	28.70	2197.88	72.37
Twice	2	542.00	17.85	2739.88	90.22
More than twice	3	297.12	9.78	3037.00	100.00

**jhb21c1a2: 18/19 - SC - SC CAW(S)I I1.1.1 - SC had fresh fruit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	577.24	19.01	577.24	19.01
Not at all	0	748.94	24.66	1326.19	43.67
Once	1	871.69	28.70	2197.88	72.37
Twice or more	2	839.12	27.63	3037.00	100.00

**jhb21c2a1: 18/19 - SC - SC CAW(S)I I1.1.2 - SC had fruit juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	590.07	19.43	590.07	19.43
Not at all	0	1420.23	46.76	2010.30	66.19
Once	1	672.85	22.15	2683.15	88.35
Twice	2	244.37	8.05	2927.51	96.39
More than twice	3	109.49	3.61	3037.00	100.00

**jhb21c2a2: 18/19 - SC - SC CAW(S)I I1.1.2 - SC had fruit juice**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	2010.30	66.19	2010.30	66.19
Once	1	672.85	22.15	2683.15	88.35
Twice or more	2	353.85	11.65	3037.00	100.00

**jhb21c1b1: 18/19 - SC - SC CAW(S)I I1.1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	584.23	19.24	584.23	19.24
Not at all	0	538.01	17.72	1122.24	36.95
Once	1	1062.22	34.98	2184.46	71.93
Twice	2	553.77	18.23	2738.23	90.16
More than twice	3	298.77	9.84	3037.00	100.00

**jhb21c1b2: 18/19 - SC - SC CAW(S)I I1.1.3 - SC had cooked vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	584.23	19.24	584.23	19.24
Not at all	0	538.01	17.72	1122.24	36.95
Once	1	1062.22	34.98	2184.46	71.93
Twice or more	2	852.54	28.07	3037.00	100.00

**jhb21c1c1: 18/19 - SC - SC CAW(S)I I1.1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	600.57	19.78	600.57	19.78
Not at all	0	1065.36	35.08	1665.93	54.85
Once	1	924.05	30.43	2589.98	85.28
Twice	2	307.21	10.12	2897.19	95.40
More than twice	3	139.81	4.60	3037.00	100.00

**jhb21c1c2: 18/19 - SC - SC CAW(S)I I1.1.4 - SC had raw vegetables**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	740.38	24.38	740.38	24.38
Not at all	0	1065.36	35.08	1805.74	59.46
Once	1	924.05	30.43	2729.79	89.88
Twice or more	2	307.21	10.12	3037.00	100.00

**jhb21c3a1: 18/19 - SC - SC CAW(S)I I1.1.5 - SC had pie, hamburger, sausage roll**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	586.35	19.31	586.35	19.31
Not at all	0	1667.64	54.91	2253.99	74.22
Once	1	590.23	19.43	2844.23	93.65
Twice	2	125.57	4.13	2969.80	97.79
More than twice	3	67.20	2.21	3037.00	100.00

**jhb21c3a2: 18/19 - SC - SC CAW(S)I I1.1.5 - SC had pie, hamburger, sausage roll**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	586.35	19.31	586.35	19.31
Not at all	0	1667.64	54.91	2253.99	74.22
Once	1	590.23	19.43	2844.23	93.65
Twice or more	2	192.77	6.35	3037.00	100.00

**jhb21c3b1: 18/19 - SC - SC CAW(S)I I1.1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	578.29	19.04	578.29	19.04
Not at all	0	1576.41	51.91	2154.70	70.95
Once	1	732.77	24.13	2887.47	95.08
Twice	2	97.92	3.22	2985.39	98.30
More than twice	3	51.61	1.70	3037.00	100.00

**jhb21c3b2: 18/19 - SC - SC CAW(S)I I1.1.6 - SC had hot chips or french fries**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	578.29	19.04	578.29	19.04
Not at all	0	1576.41	51.91	2154.70	70.95
Once	1	732.77	24.13	2887.47	95.08
Twice or more	2	149.53	4.92	3037.00	100.00

**jhb21c3c1: 18/19 - SC - SC CAW(S)I I1.1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	591.64	19.48	591.64	19.48
Not at all	0	1678.06	55.25	2269.70	74.73
Once	1	614.27	20.23	2883.97	94.96
Twice	2	96.47	3.18	2980.45	98.14
More than twice	3	56.55	1.86	3037.00	100.00

**jhb21c3c2: 18/19 - SC - SC CAW(S)I I1.1.7 - SC had potato chips or savoury snacks**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	591.64	19.48	591.64	19.48
Not at all	0	1678.06	55.25	2269.70	74.73
Once	1	614.27	20.23	2883.97	94.96
Twice or more	2	153.03	5.04	3037.00	100.00

**jhb21c3d1: 18/19 - SC - SC CAW(S)I I1.1.8 - SC had biscuits, donuts, cake or chocolate**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	581.46	19.15	581.46	19.15
Not at all	0	1286.67	42.37	1868.13	61.51
Once	1	884.06	29.11	2752.19	90.62
Twice	2	219.32	7.22	2971.51	97.84
More than twice	3	65.49	2.16	3037.00	100.00

**jhb21c3d2: 18/19 - SC - SC CAW(S)I I1.1.8 - SC had biscuits, donuts, cake or chocolate**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	581.46	19.15	581.46	19.15
Not at all	0	1286.67	42.37	1868.13	61.51
Once	1	884.06	29.11	2752.19	90.62
Twice or more	2	284.81	9.38	3037.00	100.00

**jhb21c8a1: 18/19 - SC - SC CAW(S)I I1.1.9 - SC had bread or toast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	592.76	19.52	592.76	19.52
Not at all	0	749.79	24.69	1342.55	44.21
Once	1	1161.45	38.24	2504.00	82.45
Twice	2	408.74	13.46	2912.73	95.91
More than twice	3	124.27	4.09	3037.00	100.00

**jhb21c8a2: 18/19 - SC - SC CAW(S)I I1.1.9 - SC had bread or toast**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	592.76	19.52	592.76	19.52
Not at all	0	749.79	24.69	1342.55	44.21
Once	1	1161.45	38.24	2504.00	82.45
Twice or more	2	533.00	17.55	3037.00	100.00

**jhb21c3e1: 18/19 - SC - SC CAW(S)I I1.1.10 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	587.24	19.34	587.24	19.34
Not at all	0	836.53	27.54	1423.77	46.88
Once	1	922.29	30.37	2346.06	77.25
Twice	2	428.08	14.10	2774.15	91.35
More than twice	3	262.85	8.65	3037.00	100.00

**jhb21c3e2: 18/19 - SC - SC CAW(S)I I1.1.10 - SC had full cream milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	587.24	19.34	587.24	19.34
Not at all	0	836.53	27.54	1423.77	46.88
Once	1	922.29	30.37	2346.06	77.25
Twice or more	2	690.94	22.75	3037.00	100.00

**jhb21c4a1: 18/19 - SC - SC CAW(S)I I1.1.11 - SC had skim/low/no fat milk or milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	590.34	19.44	590.34	19.44
Not at all	0	1636.09	53.87	2226.43	73.31
Once	1	507.79	16.72	2734.23	90.03
Twice	2	195.36	6.43	2929.59	96.46
More than twice	3	107.41	3.54	3037.00	100.00

**jhb21c4a2: 18/19 - SC - SC CAW(S)I I1.1.11 - SC had skim/low/no fat milk or milk products**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	590.34	19.44	590.34	19.44
Not at all	0	1636.09	53.87	2226.43	73.31
Once	1	507.79	16.72	2734.23	90.03
Twice or more	2	302.77	9.97	3037.00	100.00

**jhb21c5a1: 18/19 - SC - SC CAW(S)I I1.1.12 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	570.25	18.78	570.25	18.78
Not at all	0	61.05	2.01	631.30	20.79
Once	1	161.80	5.33	793.10	26.11
Twice	2	200.08	6.59	993.17	32.70
More than twice	3	2043.83	67.30	3037.00	100.00

**jhb21c5a2: 18/19 - SC - SC CAW(S)I I1.1.12 - SC had water**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	570.25	18.78	570.25	18.78
Not at all	0	61.05	2.01	631.30	20.79
Once	1	161.80	5.33	793.10	26.11
Twice or more	2	2243.90	73.89	3037.00	100.00

**jhb21c2b1: 18/19 - SC - SC CAW(S)I I1.1.13 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	576.39	18.98	576.39	18.98
Not at all	0	1461.07	48.11	2037.47	67.09
Once	1	623.97	20.55	2661.43	87.63
Twice	2	232.01	7.64	2893.44	95.27
More than twice	3	143.56	4.73	3037.00	100.00

**jhb21c2b2: 18/19 - SC - SC CAW(S)I I1.1.13 - SC had soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	576.39	18.98	576.39	18.98
Not at all	0	1461.07	48.11	2037.47	67.09
Once	1	623.97	20.55	2661.43	87.63
Twice or more	2	375.57	12.37	3037.00	100.00

**jhb21c6a1: 18/19 - SC - SC CAW(S)I I1.1.14 - SC had diet or sugar free soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	578.44	19.05	578.44	19.05
Not at all	0	2120.76	69.83	2699.21	88.88
Once	1	227.45	7.49	2926.65	96.37
Twice	2	67.53	2.22	2994.18	98.59
More than twice	3	42.82	1.41	3037.00	100.00

**jhb21c6a2: 18/19 - SC - SC CAW(S)I I1.1.14 - SC had diet or sugar free soft drink/cordial**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	578.44	19.05	578.44	19.05
Not at all	0	2120.76	69.83	2699.21	88.88
Once	1	227.45	7.49	2926.65	96.37
Twice or more	2	110.35	3.63	3037.00	100.00

**jhb21c7a1: 18/19 - SC - SC CAW(S)I I1.1.15 - SC had energy drinks e.g. Redbull, Mother or V**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	573.13	18.87	573.13	18.87
Not at all	0	2171.65	71.51	2744.78	90.38
Once	1	198.62	6.54	2943.40	96.92
Twice	2	64.37	2.12	3007.77	99.04
More than twice	3	29.23	0.96	3037.00	100.00

**jhb21c7a2: 18/19 - SC - SC CAW(S)I I1.1.15 - SC had energy drinks e.g. Redbull, Mother or V**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	573.13	18.87	573.13	18.87
Not at all	0	2171.65	71.51	2744.78	90.38
Once	1	198.62	6.54	2943.40	96.92
Twice or more	2	93.60	3.08	3037.00	100.00

**jhb21c7b1: 18/19 - SC - SC CAW(S)I I1.1.16 - SC had coffee**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	575.25	18.94	575.25	18.94
Not at all	0	1552.47	51.12	2127.71	70.06
Once	1	507.74	16.72	2635.45	86.78
Twice	2	251.96	8.30	2887.41	95.07
More than twice	3	149.59	4.93	3037.00	100.00

**jhb21c7b2: 18/19 - SC - SC CAW(S)I I1.1.16 - SC had coffee**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	575.25	18.94	575.25	18.94
Not at all	0	1552.47	51.12	2127.71	70.06
Once	1	507.74	16.72	2635.45	86.78
Twice or more	2	401.55	13.22	3037.00	100.00

**jcbandvb: 18/19 - SC - Frequency ate fruit and vegetables (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	623.01	20.51	623.01	20.51
0	202.03	6.65	825.05	27.17
1	346.61	11.41	1171.66	38.58
2	441.29	14.53	1612.95	53.11
3	462.76	15.24	2075.71	68.35
4	346.05	11.39	2421.76	79.74
5	276.53	9.11	2698.30	88.85
6	150.28	4.95	2848.58	93.80
7	103.63	3.41	2952.20	97.21
8	30.10	0.99	2982.31	98.20
9	54.69	1.80	3037.00	100.00

**jchfatb: 18/19 - SC - Frequency ate high fat food (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	625.80	20.61	625.80	20.61
0	491.00	16.17	1116.80	36.77
1	722.49	23.79	1839.29	60.56
2	600.92	19.79	2440.20	80.35
3	287.06	9.45	2727.26	89.80
4	141.98	4.68	2869.25	94.48
5	63.45	2.09	2932.69	96.57
6	23.76	0.78	2956.46	97.35
7	18.52	0.61	2974.98	97.96
8	21.90	0.72	2996.88	98.68
9	13.28	0.44	3010.15	99.12
10	1.80	0.06	3011.96	99.18
11	7.38	0.24	3019.34	99.42
12	17.66	0.58	3037.00	100.00

**jchfwmb: 18/19 - SC - Frequency ate high fat food (inc. whole milk) (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	644.83	21.23	644.83	21.23
0	182.06	5.99	826.89	27.23
1	429.99	14.16	1256.88	41.39
2	590.13	19.43	1847.01	60.82
3	459.93	15.14	2306.95	75.96
4	342.17	11.27	2649.11	87.23
5	166.23	5.47	2815.34	92.70
6	73.31	2.41	2888.65	95.12
7	47.14	1.55	2935.79	96.67
8	27.46	0.90	2963.25	97.57
9	15.54	0.51	2978.78	98.08
10	23.84	0.78	3002.62	98.87
11	7.80	0.26	3010.42	99.12
12	1.54	0.05	3011.96	99.18
13	3.11	0.10	3015.07	99.28
14	7.67	0.25	3022.74	99.53
15	14.26	0.47	3037.00	100.00

**jchsdnkb: 18/19 - SC - Frequency drank high sugar drinks (v2)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	599.70	19.75	599.70	19.75
0	947.10	31.19	1546.80	50.93
1	658.29	21.68	2205.09	72.61
2	416.92	13.73	2622.02	86.34
3	248.72	8.19	2870.74	94.53
4	102.11	3.36	2972.85	97.89
5	48.52	1.60	3021.37	99.49
6	15.63	0.51	3037.00	100.00

**jcfandv: 18/19 - SC - Frequency ate fruit and vegetables (V1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	760.64	25.05	760.64	25.05
0	202.03	6.65	962.67	31.70
1	346.61	11.41	1309.29	43.11
2	463.33	15.26	1772.62	58.37
3	501.50	16.51	2274.12	74.88
4	407.06	13.40	2681.18	88.28
5	248.39	8.18	2929.57	96.46
6	107.43	3.54	3037.00	100.00

**jchfat: 18/19 - SC - Frequency ate high fat food (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	625.80	20.61	625.80	20.61
0	491.00	16.17	1116.80	36.77
1	722.49	23.79	1839.29	60.56
2	622.44	20.50	2461.73	81.06
3	291.16	9.59	2752.88	90.64

**jchfat: 18/19 - SC - Frequency ate high fat food (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4	142.37	4.69	2895.25	95.33
5	51.88	1.71	2947.13	97.04
6	31.21	1.03	2978.34	98.07
7	15.50	0.51	2993.85	98.58
8	43.15	1.42	3037.00	100.00

**jchfwm: 18/19 - SC - Frequency ate high fat food (inc. whole milk) (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	644.83	21.23	644.83	21.23
0	182.06	5.99	826.89	27.23
1	429.99	14.16	1256.88	41.39
2	642.58	21.16	1899.46	62.54
3	483.31	15.91	2382.77	78.46
4	338.66	11.15	2721.43	89.61
5	140.34	4.62	2861.77	94.23
6	74.12	2.44	2935.89	96.67
7	27.35	0.90	2963.23	97.57
8	24.61	0.81	2987.84	98.38
9	13.66	0.45	3001.50	98.83
10	35.50	1.17	3037.00	100.00

**jchsdrrk: 18/19 - SC - Frequency drank high sugar drinks (v1)**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2014.83	66.34	2014.83	66.34
1	364.02	11.99	2378.85	78.33
2	352.16	11.60	2731.01	89.92
3	201.00	6.62	2932.01	96.54
4	104.99	3.46	3037.00	100.00

**jhb30b1: 18/19 - SC CAW(S)I I1.2 - How would you feel if you gained one to two kilograms**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	538.85	17.74	538.85	17.74
-3	-3	1.58	0.05	540.43	17.79
It would please me	1	344.20	11.33	884.63	29.13
It wouldn't bother me	2	787.92	25.94	1672.55	55.07
I'd be a little concerned	3	661.00	21.76	2333.54	76.84
It would worry me	4	385.29	12.69	2718.84	89.52
It would really upset me	5	318.16	10.48	3037.00	100.00

**jhb30b2: 18/19 - SC CAW(S)I I1.3 - Last 4 week - Been afraid of gaining weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	542.53	17.86	542.53	17.86
-3	-3	1.58	0.05	544.10	17.92
Yes	1	1081.90	35.62	1626.00	53.54
No	2	1411.00	46.46	3037.00	100.00



**jhb30b3: 18/19 - SC CAW(S)I I1.4 - Last 4 week - Frequency feel afraid of gaining weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1411.00	46.46	1411.00	46.46
-5	-5	544.10	17.92	1955.10	64.38
Less than one day a week	1	245.63	8.09	2200.73	72.46
One day a week	2	187.10	6.16	2387.82	78.62
Two or three days a week	3	279.14	9.19	2666.96	87.82
Four or five days a week	4	168.74	5.56	2835.70	93.37
Six or seven days a week	5	201.30	6.63	3037.00	100.00

**jhb30b4: 18/19 - SC CAW(S)I I1.5 - How concerned were you that you might gain weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1411.00	46.46	1411.00	46.46
-5	-5	549.00	18.08	1960.00	64.54
Only a little	1	301.38	9.92	2261.38	74.46
Moderately	2	362.18	11.93	2623.57	86.39
Very	3	259.06	8.53	2882.62	94.92
Extremely	4	154.38	5.08	3037.00	100.00

**jhb30b5: 18/19 - SC CAW(S)I I1.6 - Importance of weight in how you feel**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	547.77	18.04	547.77	18.04
-3	-3	1.58	0.05	549.35	18.09
Not important	1	343.58	11.31	892.93	29.40
A bit important	2	806.01	26.54	1698.94	55.94
Moderately important	3	813.58	26.79	2512.52	82.73
Very important	4	524.48	17.27	3037.00	100.00

**jhb30b6: 18/19 - SC CAW(S)I I1.7 - How do you feel about your weight at the moment**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	541.21	17.82	541.21	17.82
-3	-3	1.58	0.05	542.79	17.87
Very underweight	1	36.00	1.19	578.79	19.06
Somewhat underweight	2	319.39	10.52	898.17	29.57
About the right weight	3	1199.45	39.49	2097.63	69.07
Somewhat overweight	4	788.80	25.97	2886.43	95.04
Very overweight	5	150.57	4.96	3037.00	100.00

**jhb30b7: 18/19 - SC CAW(S)I I2.1 - Last 4 week - Gone all day without eating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	542.64	17.87	542.64	17.87
-3	-3	1.58	0.05	544.22	17.92
Yes	1	232.09	7.64	776.32	25.56
No	2	2260.68	74.44	3037.00	100.00

**jhb30b8: 18/19 - SC CAW(S)I I2.2 - Last 4 week - Frequency - gone all day without eating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2260.68	74.44	2260.68	74.44
-5	-5	544.22	17.92	2804.91	92.36
Less than one day a week	1	101.02	3.33	2905.93	95.68
One day a week	2	68.77	2.26	2974.70	97.95
Two or three days a week	3	41.48	1.37	3016.18	99.31
Four or five days a week	4	12.70	0.42	3028.88	99.73
Six or seven days a week	5	8.12	0.27	3037.00	100.00

**jhb30b9: 18/19 - SC CAW(S)I I2.3 - How long have you been having days without eating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2260.68	74.44	2260.68	74.44
-5	-5	546.10	17.98	2806.79	92.42
Less than 4 weeks	1	74.18	2.44	2880.97	94.86
Between 4 weeks and 3 months	2	50.41	1.66	2931.38	96.52
Between 3 months and 6 months	3	21.33	0.70	2952.71	97.22
Between 6 months and a year	4	18.01	0.59	2970.72	97.82
Longer than a year	5	66.28	2.18	3037.00	100.00

**jhb30b10: 18/19 - SC CAW(S)I I3.1 - Last 4 week - Felt that lost control of eating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	544.09	17.92	544.09	17.92
-3	-3	1.58	0.05	545.67	17.97
Yes	1	890.99	29.34	1436.66	47.31
No	2	1600.34	52.69	3037.00	100.00

**jhb30b11: 18/19 - SC CAW(S)I I3.2 - How often have you felt like this**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1600.34	52.69	1600.34	52.69
-5	-5	550.71	18.13	2151.05	70.83
Less than one day a week	1	255.86	8.42	2406.91	79.25
One day a week	2	217.28	7.15	2624.19	86.41
Two or three days a week	3	280.68	9.24	2904.87	95.65
Four or five days a week	4	72.10	2.37	2976.97	98.02
Six or seven days a week	5	60.03	1.98	3037.00	100.00

**jhb30b12: 18/19 - SC CAW(S)I I3.3 - Duration of feelings - Lost control of eating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1600.34	52.69	1600.34	52.69
-5	-5	550.80	18.14	2151.15	70.83
Less than 4 weeks	1	239.87	7.90	2391.02	78.73
Between 4 weeks and 3 months	2	140.99	4.64	2532.01	83.37
Between 3 months and 6 months	3	97.24	3.20	2629.26	86.57
Between 6 months and a year	4	102.98	3.39	2732.23	89.96
Longer than a year	5	304.77	10.04	3037.00	100.00

**jhb30b13: 18/19 - SC CAW(S)I I3.4 - How difficult is it to stop after start eating**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1600.34	52.69	1600.34	52.69
-5	-5	550.01	18.11	2150.35	70.81
Fairly easy	1	442.15	14.56	2592.50	85.36
Fairly difficult	2	300.11	9.88	2892.61	95.25
Very difficult	3	113.33	3.73	3005.94	98.98
Impossible	4	31.06	1.02	3037.00	100.00

**jhb30b14: 18/19 - SC CAW(S)I I3.5 - Amount of food you would eat in less than 2 hours**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1600.34	52.69	1600.34	52.69
-5	-5	550.31	18.12	2150.65	70.81
2 pieces of bread and 4 scoops of ice-cream and 2 biscuits	1	434.03	14.29	2584.68	85.11
8 pieces of bread and half a litre of ice-cream and 5 biscuits	2	156.24	5.14	2740.92	90.25
12 pieces of bread and 1 litre of ice-cream and 10 biscuits	3	22.08	0.73	2763.00	90.98
1 loaf of bread and 2 litres of ice-cream and 1 packet of biscuits	4	12.31	0.41	2775.31	91.38
Less than any of these amounts	5	261.69	8.62	3037.00	100.00

**jhb30c: 18/19 - SC CAW(S)I I4.1 - Last 4 week - Tablet/medicine/drug to weight control**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	552.55	18.19	552.55	18.19
-3	-3	1.58	0.05	554.13	18.25
Yes	1	32.94	1.08	587.07	19.33
No	2	2449.93	80.67	3037.00	100.00

**jhb30c1: 18/19 - SC CAW(S)I I4.2.1 - Laxatives**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2449.93	80.67	2449.93	80.67
-5	-5	556.86	18.34	3006.80	99.01
-3	-3	3.50	0.12	3010.30	99.12
No	0	19.14	0.63	3029.43	99.75
Yes	1	7.57	0.25	3037.00	100.00

**jhb30c2: 18/19 - SC CAW(S)I I4.2.2 - Diuretics**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2449.93	80.67	2449.93	80.67
-5	-5	556.86	18.34	3006.80	99.01
-3	-3	3.50	0.12	3010.30	99.12
No	0	25.02	0.82	3035.32	99.94
Yes	1	1.68	0.06	3037.00	100.00

**jhb30c3: 18/19 - SC CAW(S)I I4.2.3 - Appetite suppressants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2449.93	80.67	2449.93	80.67
-5	-5	556.86	18.34	3006.80	99.01
-3	-3	3.50	0.12	3010.30	99.12
No	0	17.72	0.58	3028.01	99.70
Yes	1	8.99	0.30	3037.00	100.00

**jhb30c4: 18/19 - SC CAW(S)I I4.2.4 - Other drugs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2449.93	80.67	2449.93	80.67
-5	-5	556.86	18.34	3006.80	99.01
-3	-3	3.50	0.12	3010.30	99.12
No	0	10.03	0.33	3020.33	99.45
Yes	1	16.67	0.55	3037.00	100.00

**jhb30c1a: 18/19 - SC CAW(S)I I4.4.1 - How often have you taken ? Laxatives**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2469.07	81.30	2469.07	81.30
-5	-5	560.36	18.45	3029.43	99.75
Less than one day a week	1	3.79	0.12	3033.23	99.88
One day a week	2	1.20	0.04	3034.43	99.92
Two or three days a week	3	2.57	0.08	3037.00	100.00

**jhb30c2a: 18/19 - SC CAW(S)I I4.4.2 - How often have you taken ? Diuretics**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2474.95	81.49	2474.95	81.49
-5	-5	560.36	18.45	3035.32	99.94
Two or three days a week	3	1.12	0.04	3036.43	99.98
Six or seven days a week	5	0.57	0.02	3037.00	100.00

**jhb30c3a: 18/19 - SC CAW(S)I I4.4.3 - How often have you taken ? Appetite suppressants**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2467.65	81.25	2467.65	81.25
-5	-5	560.36	18.45	3028.01	99.70
Less than one day a week	1	1.16	0.04	3029.17	99.74
One day a week	2	1.94	0.06	3031.11	99.81
Two or three days a week	3	2.64	0.09	3033.75	99.89
Six or seven days a week	5	3.25	0.11	3037.00	100.00

**jhb30c5a: 18/19 - SC CAW(S)I I4.4.4 - How often have you taken ? Other drugs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2459.97	81.00	2459.97	81.00
-5	-5	560.36	18.45	3020.33	99.45
Less than one day a week	1	1.69	0.06	3022.02	99.51
Two or three days a week	3	3.47	0.11	3025.49	99.62
Six or seven days a week	5	11.51	0.38	3037.00	100.00

**jhb30c1b: 18/19 - SC CAW(S)I I4.5.1 - How long have you been taking Laxatives?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2469.07	81.30	2469.07	81.30
-5	-5	560.36	18.45	3029.43	99.75
Less than 4 weeks	1	3.37	0.11	3032.80	99.86
Between 4 weeks and 3 months	2	1.44	0.05	3034.24	99.91
Between 3 months and 6 months	3	1.14	0.04	3035.37	99.95
Between 6 months and a year	4	1.63	0.05	3037.00	100.00

**jhb30c2b: 18/19 - SC CAW(S)I I4.5.2 - How long have you been taking Diuretics?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2474.95	81.49	2474.95	81.49
-5	-5	560.36	18.45	3035.32	99.94
Less than 4 weeks	1	1.12	0.04	3036.43	99.98
Between 3 months and 6 months	3	0.57	0.02	3037.00	100.00

**jhb30c3b: 18/19 - SC CAW(S)I I4.5.3 - How long have you been taking Appetite suppressants?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2467.65	81.25	2467.65	81.25
-5	-5	560.36	18.45	3028.01	99.70
Less than 4 weeks	1	1.79	0.06	3029.80	99.76
Between 4 weeks and 3 months	2	3.77	0.12	3033.57	99.89
Between 3 months and 6 months	3	2.15	0.07	3035.73	99.96
Between 6 months and a year	4	1.27	0.04	3037.00	100.00

**jhb30c5b: 18/19 - SC CAW(S)I I4.5.4 - How long have you been taking Other drugs ?**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2459.97	81.00	2459.97	81.00
-5	-5	560.36	18.45	3020.33	99.45
Less than 4 weeks	1	5.35	0.18	3025.68	99.63
Between 4 weeks and 3 months	2	2.86	0.09	3028.54	99.72
Between 3 months and 6 months	3	2.64	0.09	3031.18	99.81
Between 6 months and a year	4	1.47	0.05	3032.65	99.86
Longer than a year	5	4.35	0.14	3037.00	100.00

**jhb30c1c: 18/19 - SC CAW(S)I I4.6.1 - How many laxatives would you take in a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2469.07	81.30	2469.07	81.30
-5	-5	560.36	18.45	3029.43	99.75
One	1	5.20	0.17	3034.63	99.92
Between 2 and 5	2	2.37	0.08	3037.00	100.00

**jhb30c2c: 18/19 - SC CAW(S)I I4.6.2 - How many diuretics would you take in a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2474.95	81.49	2474.95	81.49
-5	-5	560.36	18.45	3035.32	99.94
One	1	1.12	0.04	3036.43	99.98
Between 2 and 5	2	0.57	0.02	3037.00	100.00

**jhb30c3c: 18/19 - SC CAW(S)I I4.6.3 - How many appetite suppressants you take in a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2467.65	81.25	2467.65	81.25
-5	-5	560.36	18.45	3028.01	99.70
One	1	2.86	0.09	3030.87	99.80
Between 2 and 5	2	5.57	0.18	3036.44	99.98
Between 6 and 10	3	0.56	0.02	3037.00	100.00

**jhb30c5c: 18/19 - SC CAW(S)I I4.6.4 - How many other drugs would you take in a day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2459.97	81.00	2459.97	81.00
-5	-5	560.36	18.45	3020.33	99.45
One	1	11.24	0.37	3031.57	99.82
Between 2 and 5	2	3.37	0.11	3034.94	99.93
Between 6 and 10	3	1.64	0.05	3036.57	99.99
Between 16 and 20	5	0.43	0.01	3037.00	100.00

**jhb30d: 18/19 - SC CAW(S)I I5.1 - Vomit as a means of controlling your shape or weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	544.57	17.93	544.57	17.93
-3	-3	1.58	0.05	546.15	17.98
Yes	1	54.64	1.80	600.79	19.78
No	2	2436.21	80.22	3037.00	100.00

**jhb30d1: 18/19 - SC CAW(S)I I5.2 - How often have you made yourself vomit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2436.21	80.22	2436.21	80.22
-5	-5	546.15	17.98	2982.36	98.20
Less than one day a week	1	24.44	0.80	3006.80	99.01
One day a week	2	14.26	0.47	3021.07	99.48
Two or three days a week	3	9.52	0.31	3030.58	99.79
Four or five days a week	4	4.94	0.16	3035.52	99.95
Six or seven days a week	5	1.48	0.05	3037.00	100.00

**jhb30d2: 18/19 - SC CAW(S)I I5.3 - How long have you been making yourself vomit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2436.21	80.22	2436.21	80.22
-5	-5	546.15	17.98	2982.36	98.20
Less than 4 weeks	1	15.98	0.53	2998.34	98.73
Between 4 weeks and 3 months	2	5.99	0.20	3004.33	98.92

**jhb30d2: 18/19 - SC CAW(S)I I5.3 - How long have you been making yourself vomit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Between 3 months and 6 months	3	3.41	0.11	3007.75	99.04
Between 6 months and a year	4	5.32	0.18	3013.06	99.21
Longer than a year	5	23.94	0.79	3037.00	100.00

**jhb30e: 18/19 - SC CAW(S)I I6.1 - Last 4 week - Exercise in order to control weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-5	-5	545.71	17.97	545.71	17.97
-3	-3	1.58	0.05	547.29	18.02
Yes	1	1157.58	38.12	1704.87	56.14
No	2	1332.13	43.86	3037.00	100.00

**jhb30e1: 18/19 - SC CAW(S)I I6.2 - Frequency exercised in order to control your weight**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1332.13	43.86	1332.13	43.86
-5	-5	547.29	18.02	1879.42	61.88
Less than one day a week	1	90.22	2.97	1969.64	64.85
One day a week	2	192.45	6.34	2162.09	71.19
Two or three days a week	3	498.83	16.43	2660.91	87.62
Four or five days a week	4	268.68	8.85	2929.59	96.46
Six or seven days a week	5	107.41	3.54	3037.00	100.00

**jhb30e2: 18/19 - SC CAW(S)I I6.3 - Time spent exercising per day**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1332.13	43.86	1332.13	43.86
-5	-5	552.01	18.18	1884.15	62.04
Less than an hour per day	0	334.72	11.02	2218.86	73.06
About an hour per day	1	573.00	18.87	2791.86	91.93
About 2 hours per day	2	185.91	6.12	2977.77	98.05
About 3 hours per day	3	38.04	1.25	3015.81	99.30
About 4 hours per day	4	8.23	0.27	3024.04	99.57
More than 4 hours per day	5	12.96	0.43	3037.00	100.00

**jhb30e3: 18/19 - SC CAW(S)I I6.4 - How long have you been exercising**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1332.13	43.86	1332.13	43.86
-5	-5	551.10	18.15	1883.23	62.01
Less than 4 weeks	1	211.77	6.97	2095.01	68.98
Between 4 weeks and 3 months	2	247.14	8.14	2342.15	77.12
Between 3 months and 6 months	3	125.33	4.13	2467.47	81.25
Between 6 months and a year	4	135.23	4.45	2602.70	85.70
Longer than a year	5	434.30	14.30	3037.00	100.00



**jbulimia: 18/19 - Partial Syndromal Bulimia**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	2963.66	97.59	2963.66	97.59
Yes	1	73.34	2.41	3037.00	100.00

**janorexia: 18/19 - Partial Syndromal Anorexia**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	.	492.87	16.23	492.87	16.23
No	0	2534.76	83.46	3027.63	99.69
Yes	1	9.37	0.31	3037.00	100.00

**jeatingdis: 18/19 - Partial Syndromal Anorexia and/or Bulimia**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
No	0	2955.64	97.32	2955.64	97.32
Yes	1	81.36	2.68	3037.00	100.00

**jhb29a1: 18/19 - SC CASI D2.5.1 - Method to prevent pregnancy - None**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1560.31	51.38	2913.79	95.94
Yes	1	123.21	4.06	3037.00	100.00

**jhb29a2: 18/19 - SC CASI D2.5.2 - Method to prevent pregnancy - Birth control pills**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	877.90	28.91	2231.37	73.47
Yes	1	805.63	26.53	3037.00	100.00

**jhb29a3: 18/19 - SC CASI D2.5.3 - Method to prevent pregnancy - Condoms**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	572.98	18.87	1926.45	63.43
Yes	1	1110.55	36.57	3037.00	100.00

**jhb29a7: 18/19 - SC CASI D2.5.4 - Method to prevent pregnancy - Morning after pill**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1538.44	50.66	2891.91	95.22
Yes	1	145.09	4.78	3037.00	100.00



**jhb29a8: 18/19 - SC CASI D2.5.5 - Method to prevent pregnancy - Contraceptive implant**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1512.06	49.79	2865.54	94.35
Yes	1	171.46	5.65	3037.00	100.00

**jhb29a9: 18/19 - SC CASI D2.5.6 - Method to prevent pregnancy - Contraceptive injection**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1659.72	54.65	3013.19	99.22
Yes	1	23.81	0.78	3037.00	100.00

**jhb29a10: 18/19 - SC CASI D2.5.7 - Method to prevent pregnancy - Intrauterine device (IUD)**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1648.32	54.27	3001.80	98.84
Yes	1	35.20	1.16	3037.00	100.00

**jhb29a11: 18/19 - SC CASI D2.5.8 - Method to prevent pregnancy - Diaphragm**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1683.53	55.43	3037.00	100.00

**jhb29a12: 18/19 - SC CASI D2.5.9 - Method to prevent pregnancy - Vaginal ring**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1682.42	55.40	3035.89	99.96
Yes	1	1.11	0.04	3037.00	100.00

**jhb29a13: 18/19 - SC CASI D2.5.10 - Method to prevent pregnancy - Female condom**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1683.20	55.42	3036.67	99.99
Yes	1	0.33	0.01	3037.00	100.00

**jhb29a14: 18/19 - SC CASI D2.5.11 - Method to prevent pregnancy - Rhythm method**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1675.18	55.16	3028.65	99.73
Yes	1	8.35	0.27	3037.00	100.00

**jhb29a15: 18/19 - SC CASI D2.5.12 - Method to prevent pregnancy - Withdrawal**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1528.68	50.34	2882.15	94.90
Yes	1	154.85	5.10	3037.00	100.00

**jhb29a16: 18/19 - SC CASI D2.5.13 - Method to prevent pregnancy - Other behaviours**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1649.26	54.31	3002.73	98.87
Yes	1	34.27	1.13	3037.00	100.00

**jhb29a17: 18/19 - SC CASI D2.5.14 - Method to prevent pregnancy - Not applicable**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1654.71	54.49	3008.18	99.05
Yes	1	28.82	0.95	3037.00	100.00

**jhb29a4: 18/19 - SC CASI D2.5.15 - Method to prevent pregnancy - Other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1669.19	54.96	3022.67	99.53
Yes	1	14.33	0.47	3037.00	100.00

**jhb29a5: 18/19 - SC CASI D2.5.16 - Method to prevent pregnancy - Not sure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.43	0.28	1353.47	44.57
No	0	1652.81	54.42	3006.28	98.99
Yes	1	30.72	1.01	3037.00	100.00

**jhb29b1: 18/19 - SC CASI D2.7.1 - Method to prevent STI - None**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.73	0.29	1353.77	44.58
No	0	1117.51	36.80	2471.28	81.37
Yes	1	565.72	18.63	3037.00	100.00

**jhb29b2: 18/19 - SC CASI D2.7.2 - Method to prevent STI - Condom**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.73	0.29	1353.77	44.58
No	0	606.21	19.96	1959.98	64.54
Yes	1	1077.02	35.46	3037.00	100.00

**jhb29b3: 18/19 - SC CASI D2.7.3 - Method to prevent STI - Other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.73	0.29	1353.77	44.58
No	0	1657.62	54.58	3011.40	99.16
Yes	1	25.60	0.84	3037.00	100.00

**jhb29b4: 18/19 - SC CASI D2.7.4 - Method to prevent STI - Not sure**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	8.73	0.29	1353.77	44.58
No	0	1655.84	54.52	3009.61	99.10
Yes	1	27.39	0.90	3037.00	100.00

**jhb29c: 18/19 - SC CASI D2.9 - Ever had a STI**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1345.05	44.29	1345.05	44.29
-3	-3	1.32	0.04	1346.36	44.33
Yes	1	88.97	2.93	1435.33	47.26
No	2	1601.67	52.74	3037.00	100.00

**jhb29c1: 18/19 - SC CASI D2.9+W7 - Ever had a STI**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	1338.81	44.08	1338.81	44.08
-3	-3	1.32	0.04	1340.13	44.13
Yes	1	88.97	2.93	1429.10	47.06
No	2	1607.90	52.94	3037.00	100.00

**jhb19ya: 18/19 - SC CASI D6.2 - Had a condition during 1st pregnancy**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19ya1a: 18/19 - SC CASI D6.2.1.1 - Conditions 1st pregnancy - Diabetes**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19ya2a: 18/19 - SC CASI D6.2.1.2 - Conditions 1st pregnancy - Hypertension treated**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19ya4d: 18/19 - SC CASI D6.2.1.3 - Conditions 1st pregnancy - Anxiety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19ya4c: 18/19 - SC CASI D6.2.1.4 - Conditions 1st pregnancy - Depression**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19ya3a: 18/19 - SC CASI D6.2.1.5 - Conditions 1st pregnancy - Other health condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yb: 18/19 - SC CASI D6.2 - Had a condition during 2nd pregnancy**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yb1a: 18/19 - SC CASI D6.2.2.1 - Conditions 2nd pregnancy - Diabetes**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yb2a: 18/19 - SC CASI D6.2.2.2 - Conditions 2nd pregnancy - Hypertension treated**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yb4d: 18/19 - SC CASI D6.2.2.3 - Conditions 2nd pregnancy - Anxiety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yb4c: 18/19 - SC CASI D6.2.2.4 - Conditions 2nd pregnancy - Depression**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yb3a: 18/19 - SC CASI D6.2.2.5 - Conditions 2nd pregnancy - Other health condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yc: 18/19 - SC CASI D6.2 - Had a condition during 3rd pregnancy**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yc1a: 18/19 - SC CASI D6.2.3.1 - Conditions 3rd pregnancy - Diabetes**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yc2a: 18/19 - SC CASI D6.2.3.2 - Conditions 3rd pregnancy - Hypertension treated**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yc4d: 18/19 - SC CASI D6.2.3.3 - Conditions 3rd pregnancy - Anxiety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yc4c: 18/19 - SC CASI D6.2.3.4 - Conditions 3rd pregnancy - Depression**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yc3a: 18/19 - SC CASI D6.2.3.5 - Conditions 3rd pregnancy - Other health condition**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yd: 18/19 - SC CASI D6.2 - Had a condition during 4th pregnancy**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yd1a: 18/19 - SC CASI D6.2.4.1 - Conditions 4th pregnancy - Diabetes**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yd2a: 18/19 - SC CASI D6.2.4.2 - Conditions 4th pregnancy - Hypertension treated**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yd4d: 18/19 - SC CASI D6.2.4.3 - Conditions 4th pregnancy - Anxiety**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yd4c: 18/19 - SC CASI D6.2.4.4 - Conditions 4th pregnancy - Depression**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb19yd3a: 18/19 - SC CASI D6.2.4.5 - Conditions 4th pregnancy - Other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01ya3a: 18/19 - SC CASI D6.3.1 - 1st pregnancy - Diabetes treated with insulin**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yb3a: 18/19 - SC CASI D6.3.2 - 2nd pregnancy - Diabetes treated with insulin**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yc3a: 18/19 - SC CASI D6.3.3 - 3rd pregnancy - Diabetes treated with insulin**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yd3a: 18/19 - SC CASI D6.3.4 - 4th pregnancy - Diabetes treated with insulin**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01ya3a1: 18/19 - SC CASI D6.4.1 - 1st pregnancy - Used insulin only**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yb3a1: 18/19 - SC CASI D6.4.2 - 2nd pregnancy - Used insulin only**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yc3a1: 18/19 - SC CASI D6.4.3 - 3rd pregnancy - Used insulin only**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yd3a1: 18/19 - SC CASI D6.4.4 - 4th pregnancy - Used insulin only**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01ya11: 18/19 - SC CASI D6.5.1 - 1st pregnancy - Took medicines or tablets**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yb11: 18/19 - SC CASI D6.5.2 - 2nd pregnancy - Took medicines or tablets**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yc11: 18/19 - SC CASI D6.5.3 - 3rd pregnancy - Took medicines or tablets**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb01yd11: 18/19 - SC CASI D6.5.4 - 4th pregnancy - Took medicines or tablets**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb34ya: 18/19 - SC CASI D7.1.1 - 1st pregnancy - Weight gain**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb34yb: 18/19 - SC CASI D7.1.2 - 2nd pregnancy - Weight gain**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb34yc: 18/19 - SC CASI D7.1.3 - 3rd pregnancy - Weight gain**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb34yd: 18/19 - SC CASI D7.1.4 - 4th pregnancy - Weight gain**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb05ya1: 18/19 - SC CASI D7.5.1 - First offspring ever breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05yb1: 18/19 - SC CASI D7.5.2 - Second offspring ever breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05yc1: 18/19 - SC CASI D7.5.3 - Third offspring ever breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05yd1: 18/19 - SC CASI D7.5.4 - Fourth offspring ever breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05ya2: 18/19 - SC - SCCASI B8.4.1 - Whether first offspring still breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05yb2: 18/19 - SC - SCCASI B8.4.2 - Whether second offspring still breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05yc2: 18/19 - SC - SCCASI B8.4.3 - Whether third offspring still breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05yd2: 18/19 - SC - SCCASI B8.4.4 - Whether fourth offspring still breastfed**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	3037.00	100.00	3037.00	100.00

**jhb05ya3: 18/19 - SC CASI D7.6.1 - First offspring's age in days - stopped breastfeeding**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb05yb3: 18/19 - SC CASI D7.6.2 - Second offspring's age in days - stopped breastfeeding**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb05yc3: 18/19 - SC CASI D7.6.3 - Third offspring's age in days - stopped breastfeeding**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb05yd3: 18/19 - SC CASI D7.6.4 - Fourth offspring's age in days - stopped breastfeeding**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	3037.00	100.00	3037.00	100.00

**jhb47c1: 18/19 - SC CASI H1.1 - Whether ever driven vehicle**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	385.74	12.70	385.74	12.70
-3	-3	4.33	0.14	390.06	12.84
Yes, in the last 12 months	1	2323.27	76.50	2713.33	89.34
Yes, but not in the last 12 months	2	87.73	2.89	2801.07	92.23
Never	3	235.93	7.77	3037.00	100.00

**jhb36c: 18/19 - SC CASI H1.2 - Driving a car or other vehicle**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	385.74	12.70	385.74	12.70
-3	-3	1.42	0.05	387.15	12.75
I have a learner driver's permit (i.e. L's, L1's, L2's)	1	749.89	24.69	1137.04	37.44
I have a provisional/probationary driver's license (i.e. P's, P1's, P2's)	2	1674.54	55.14	2811.58	92.58
I have a full driver's license	3	35.26	1.16	2846.84	93.74
I do not hold any driver's permit/ license	4	190.16	6.26	3037.00	100.00

**jhb36c1: 18/19 - SC CASI H1.3 - Drive under the influence of alcohol / drugs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	713.73	23.50	713.73	23.50
Yes	1	208.77	6.87	922.50	30.38
No	2	2114.50	69.62	3037.00	100.00



**jhb36c2: 18/19 - SC CASI H2.1 - Passenger - when the driver was under alcohol / drugs**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	385.74	12.70	385.74	12.70
-3	-3	0.83	0.03	386.56	12.73
Yes	1	427.38	14.07	813.94	26.80
No	2	2223.06	73.20	3037.00	100.00

**jhb36c4a: 18/19 - SC CASI H2.2.1 - Driver - A friend about the same age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	120.52	3.97	2730.14	89.90
Yes	1	306.86	10.10	3037.00	100.00

**jhb36c4b: 18/19 - SC CASI H2.2.2 - Driver - A brother/sister/relative about the same age**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	412.29	13.58	3021.90	99.50
Yes	1	15.10	0.50	3037.00	100.00

**jhb36c4c: 18/19 - SC CASI H2.2.3 - Driver - An older friend**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	367.35	12.10	2976.97	98.02
Yes	1	60.03	1.98	3037.00	100.00

**jhb36c4d: 18/19 - SC CASI H2.2.4 - Driver - An older brother, sister or relative**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	411.15	13.54	3020.76	99.47
Yes	1	16.24	0.53	3037.00	100.00

**jhb36c4e: 18/19 - SC CASI H2.2.5 - Driver - A parent**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	383.89	12.64	2993.50	98.57
Yes	1	43.50	1.43	3037.00	100.00

**jhb36c4f: 18/19 - SC CASI H2.2.6 - Driver - Another adult**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	393.28	12.95	3002.90	98.88
Yes	1	34.10	1.12	3037.00	100.00

**jhb36c4g: 18/19 - SC CASI H2.2.7 - Driver - Other**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	2609.62	85.93	2609.62	85.93
No	0	399.87	13.17	3009.48	99.09
Yes	1	27.52	0.91	3037.00	100.00

**jhb36c5a: 18/19 - SC CASI H3.1- Drove up to 10 km/h over the limit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	859.68	28.31	1487.21	48.97
1 of 10 times	1	343.71	11.32	1830.92	60.29
2 of 10 times	2	274.21	9.03	2105.13	69.32
3 of 10 times	3	194.49	6.40	2299.62	75.72
4 of 10 times	4	140.77	4.64	2440.39	80.36
5 of 10 times	5	173.98	5.73	2614.37	86.08
6 of 10 times	6	50.09	1.65	2664.46	87.73
7 of 10 times	7	34.46	1.13	2698.92	88.87
8 of 10 times	8	47.80	1.57	2746.73	90.44
9 of 10 times	9	26.61	0.88	2773.33	91.32
10 of 10 times	10	263.67	8.68	3037.00	100.00

**jhb36c5b: 18/19 - SC CASI H3.2 - Drove between 10 and 25 km/h over the limit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	1658.29	54.60	2285.83	75.27
1 of 10 times	1	220.73	7.27	2506.56	82.53
2 of 10 times	2	161.92	5.33	2668.48	87.87
3 of 10 times	3	70.31	2.31	2738.79	90.18
4 of 10 times	4	66.29	2.18	2805.08	92.36
5 of 10 times	5	63.98	2.11	2869.06	94.47
6 of 10 times	6	30.87	1.02	2899.93	95.49
7 of 10 times	7	23.05	0.76	2922.98	96.25
8 of 10 times	8	11.73	0.39	2934.70	96.63
9 of 10 times	9	9.59	0.32	2944.29	96.95
10 of 10 times	10	92.71	3.05	3037.00	100.00

**jhb36c5c: 18/19 - SC CASI H3.3 - Drove more than 25 km/h over the limit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	2052.74	67.59	2680.27	88.25
1 of 10 times	1	135.76	4.47	2816.04	92.72
2 of 10 times	2	64.62	2.13	2880.65	94.85
3 of 10 times	3	38.48	1.27	2919.14	96.12
4 of 10 times	4	22.17	0.73	2941.31	96.85
5 of 10 times	5	17.66	0.58	2958.97	97.43
6 of 10 times	6	9.44	0.31	2968.41	97.74

**jhb36c5c: 18/19 - SC CASI H3.3 - Drove more than 25 km/h over the limit**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
7 of 10 times	7	3.56	0.12	2971.97	97.86
8 of 10 times	8	6.56	0.22	2978.53	98.07
9 of 10 times	9	2.77	0.09	2981.30	98.17
10 of 10 times	10	55.70	1.83	3037.00	100.00

**jhb36c5d: 18/19 - SC CASI H3.4 - Drove when probably affected by alcohol**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	2245.08	73.92	2872.61	94.59
1 of 10 times	1	89.06	2.93	2961.68	97.52
2 of 10 times	2	38.91	1.28	3000.59	98.80
3 of 10 times	3	9.49	0.31	3010.08	99.11
4 of 10 times	4	5.60	0.18	3015.68	99.30
5 of 10 times	5	6.81	0.22	3022.49	99.52
7 of 10 times	7	2.45	0.08	3024.95	99.60
8 of 10 times	8	1.96	0.06	3026.91	99.67
10 of 10 times	10	10.09	0.33	3037.00	100.00

**jhb36c5e: 18/19 - SC CASI H3.5 - Did not wear a seat belt/helmet at all**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	2238.74	73.72	2866.27	94.38
1 of 10 times	1	66.15	2.18	2932.42	96.56
2 of 10 times	2	24.79	0.82	2957.21	97.37
3 of 10 times	3	11.25	0.37	2968.46	97.74
4 of 10 times	4	8.01	0.26	2976.47	98.01
5 of 10 times	5	16.15	0.53	2992.62	98.54
6 of 10 times	6	2.20	0.07	2994.82	98.61
7 of 10 times	7	2.55	0.08	2997.37	98.70
8 of 10 times	8	3.27	0.11	3000.64	98.80
9 of 10 times	9	1.73	0.06	3002.37	98.86
10 of 10 times	10	34.63	1.14	3037.00	100.00

**jhb36c5f: 18/19 - SC CASI H3.6 - Did not wear seat belt/helmet for part of the trip**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	2204.72	72.60	2832.25	93.26
1 of 10 times	1	79.67	2.62	2911.92	95.88
2 of 10 times	2	34.70	1.14	2946.62	97.02
3 of 10 times	3	18.84	0.62	2965.46	97.64
4 of 10 times	4	10.06	0.33	2975.52	97.98
5 of 10 times	5	16.20	0.53	2991.72	98.51
6 of 10 times	6	3.69	0.12	2995.42	98.63
7 of 10 times	7	2.37	0.08	2997.78	98.71

**jhb36c5f: 18/19 - SC CASI H3.6 - Did not wear seat belt/helmet for part of the trip**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8 of 10 times	8	4.61	0.15	3002.39	98.86
9 of 10 times	9	1.73	0.06	3004.12	98.92
10 of 10 times	10	32.88	1.08	3037.00	100.00

**jhb36c5g: 18/19 - SC CASI H3.7 - Drove when very tired**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	1187.66	39.11	1815.19	59.77
1 of 10 times	1	405.55	13.35	2220.75	73.12
2 of 10 times	2	251.77	8.29	2472.52	81.41
3 of 10 times	3	179.72	5.92	2652.23	87.33
4 of 10 times	4	105.76	3.48	2757.99	90.81
5 of 10 times	5	119.78	3.94	2877.76	94.76
6 of 10 times	6	32.71	1.08	2910.47	95.83
7 of 10 times	7	25.15	0.83	2935.63	96.66
8 of 10 times	8	30.40	1.00	2966.03	97.66
9 of 10 times	9	8.42	0.28	2974.45	97.94
10 of 10 times	10	62.55	2.06	3037.00	100.00

**jhb36c5h: 18/19 - SC CASI H3.8 - Drove when probably affected by an illegal drug**

	Value	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	-9	625.99	20.61	625.99	20.61
-3	-3	1.54	0.05	627.53	20.66
0 of 10 times	0	2297.91	75.66	2925.45	96.33
1 of 10 times	1	48.25	1.59	2973.70	97.92
2 of 10 times	2	16.72	0.55	2990.42	98.47
3 of 10 times	3	11.98	0.39	3002.40	98.86
4 of 10 times	4	3.64	0.12	3006.05	98.98
5 of 10 times	5	13.21	0.44	3019.26	99.42
6 of 10 times	6	3.84	0.13	3023.10	99.54
7 of 10 times	7	1.22	0.04	3024.32	99.58
8 of 10 times	8	2.12	0.07	3026.44	99.65
10 of 10 times	10	10.56	0.35	3037.00	100.00

**jhb14a2: 18/19 - P1 - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	491.89	16.20	491.89	16.20
-3	2.47	0.08	494.37	16.28
0	469.53	15.46	963.90	31.74
1	254.65	8.38	1218.54	40.12
2	415.42	13.68	1633.97	53.80
3	462.03	15.21	2095.99	69.02
4	281.56	9.27	2377.55	78.29
5	289.26	9.52	2666.81	87.81

**jhb14a2: 18/19 - P1 - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6	119.78	3.94	2786.59	91.75
7	250.41	8.25	3037.00	100.00

**jhb14a2a: 18/19 - P1 - P CATI F2.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	963.90	31.74	963.90	31.74
0	727.32	23.95	1691.21	55.69
1	358.76	11.81	2049.97	67.50
2	306.07	10.08	2356.03	77.58
3	244.71	8.06	2600.74	85.64
4	144.10	4.74	2744.84	90.38
5	129.11	4.25	2873.95	94.63
6	46.04	1.52	2919.98	96.15
7	117.02	3.85	3037.00	100.00

**jhb14b2: 18/19 - P2 - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1498.41	49.34	1498.41	49.34
0	163.15	5.37	1661.55	54.71
1	157.01	5.17	1818.57	59.88
2	223.93	7.37	2042.49	67.25
3	264.99	8.73	2307.49	75.98
4	211.36	6.96	2518.85	82.94
5	231.22	7.61	2750.08	90.55
6	79.01	2.60	2829.08	93.15
7	207.92	6.85	3037.00	100.00

**jhb14b2a: 18/19 - P2 - P CATI F2.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1661.55	54.71	1661.55	54.71
-3	2.43	0.08	1663.99	54.79
0	381.79	12.57	2045.77	67.36
1	255.64	8.42	2301.41	75.78
2	220.61	7.26	2522.02	83.04
3	144.22	4.75	2666.24	87.79
4	92.79	3.06	2759.03	90.85
5	133.68	4.40	2892.70	95.25
6	49.48	1.63	2942.19	96.88
7	94.81	3.12	3037.00	100.00

**jhb14p2: 18/19 - PLE - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2712.32	89.31	2712.32	89.31
0	49.95	1.64	2762.27	90.95
1	25.26	0.83	2787.54	91.79
2	31.18	1.03	2818.72	92.81

**jhb14p2: 18/19 - PLE - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
3	56.46	1.86	2875.18	94.67
4	37.57	1.24	2912.75	95.91
5	53.59	1.76	2966.34	97.67
6	25.94	0.85	2992.28	98.53
7	44.72	1.47	3037.00	100.00

**jhb14p2a: 18/19 - PLE - P CATI F2.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	2762.27	90.95	2762.27	90.95
0	62.15	2.05	2824.43	93.00
1	46.67	1.54	2871.09	94.54
2	31.98	1.05	2903.08	95.59
3	26.51	0.87	2929.59	96.46
4	21.63	0.71	2951.22	97.18
5	45.94	1.51	2997.16	98.69
6	15.25	0.50	3012.41	99.19
7	24.59	0.81	3037.00	100.00

**jhb14m2: 18/19 - M - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1191.25	39.22	1191.25	39.22
-3	0.53	0.02	1191.78	39.24
0	346.19	11.40	1537.97	50.64
1	198.95	6.55	1736.92	57.19
2	286.76	9.44	2023.68	66.63
3	342.30	11.27	2365.98	77.91
4	199.98	6.58	2565.96	84.49
5	204.36	6.73	2770.32	91.22
6	86.56	2.85	2856.87	94.07
7	180.13	5.93	3037.00	100.00

**jhb14m2a: 18/19 - M - P CATI F2.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1537.97	50.64	1537.97	50.64
0	537.89	17.71	2075.87	68.35
1	249.07	8.20	2324.93	76.55
2	211.71	6.97	2536.65	83.52
3	192.06	6.32	2728.70	89.85
4	103.27	3.40	2831.97	93.25
5	97.08	3.20	2929.05	96.45
6	29.87	0.98	2958.93	97.43
7	78.07	2.57	3037.00	100.00

**jhb14f2: 18/19 - F - P CATI F2.1 - Days per week exercise - 30mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1737.96	57.23	1737.96	57.23
-3	1.94	0.06	1739.90	57.29
0	143.38	4.72	1883.28	62.01
1	133.56	4.40	2016.84	66.41
2	190.52	6.27	2207.36	72.68
3	222.47	7.33	2429.83	80.01
4	180.20	5.93	2610.03	85.94
5	201.81	6.65	2811.84	92.59
6	67.85	2.23	2879.68	94.82
7	157.32	5.18	3037.00	100.00

**jhb14f2a: 18/19 - F - P CATI F2.2 - Days per week exercise - 60mins**

	Frequency	Percent	Cumulative Frequency	Cumulative Percent
-9	1883.28	62.01	1883.28	62.01
-3	2.43	0.08	1885.71	62.09
0	309.92	10.20	2195.63	72.30
1	229.22	7.55	2424.85	79.84
2	188.13	6.19	2612.99	86.04
3	120.80	3.98	2733.79	90.02
4	81.35	2.68	2815.14	92.69
5	112.45	3.70	2927.59	96.40
6	42.40	1.40	2969.99	97.79
7	67.01	2.21	3037.00	100.00