

## 04 Health behaviour and risk factors

### lhb21c1a1: 23/24 - SC CAWI A5.1.1 - SC had fresh fruit

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 8.66      | 0.37    | 167.39               | 7.18               |
| Not at all      | 0     | 670.11    | 28.74   | 837.50               | 35.91              |
| Once            | 1     | 877.95    | 37.65   | 1715.45              | 73.56              |
| Twice           | 2     | 448.45    | 19.23   | 2163.89              | 92.79              |
| More than twice | 3     | 168.11    | 7.21    | 2332.00              | 100.00             |

### lhb21c1a2: 23/24 - SC CAWI A5.1.1 - SC had fresh fruit

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 8.66      | 0.37    | 167.39               | 7.18               |
| Not at all    | 0     | 670.11    | 28.74   | 837.50               | 35.91              |
| Once          | 1     | 877.95    | 37.65   | 1715.45              | 73.56              |
| Twice or more | 2     | 616.55    | 26.44   | 2332.00              | 100.00             |

### lhb21c2a1: 23/24 - SC CAWI A5.1.2 - SC had fruit juice

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 8.66      | 0.37    | 167.39               | 7.18               |
| Not at all      | 0     | 1517.38   | 65.07   | 1684.77              | 72.25              |
| Once            | 1     | 514.30    | 22.05   | 2199.07              | 94.30              |
| Twice           | 2     | 93.95     | 4.03    | 2293.02              | 98.33              |
| More than twice | 3     | 38.98     | 1.67    | 2332.00              | 100.00             |

### lhb21c2a2: 23/24 - SC CAWI A5.1.2 - SC had fruit juice

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 8.66      | 0.37    | 167.39               | 7.18               |
| Not at all    | 0     | 1517.38   | 65.07   | 1684.77              | 72.25              |
| Once          | 1     | 514.30    | 22.05   | 2199.07              | 94.30              |
| Twice or more | 2     | 132.93    | 5.70    | 2332.00              | 100.00             |

### lhb21c1b1: 23/24 - SC CAWI A5.1.3 - SC had cooked vegetables

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 9.32      | 0.40    | 168.05               | 7.21               |
| Not at all      | 0     | 448.49    | 19.23   | 616.54               | 26.44              |
| Once            | 1     | 979.91    | 42.02   | 1596.44              | 68.46              |
| Twice           | 2     | 517.21    | 22.18   | 2113.65              | 90.64              |
| More than twice | 3     | 218.35    | 9.36    | 2332.00              | 100.00             |

**Ihb21c1b2: 23/24 - SC CAWI A5.1.3 - SC had cooked vegetables**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 9.32      | 0.40    | 168.05               | 7.21               |
| Not at all    | 0     | 448.49    | 19.23   | 616.54               | 26.44              |
| Once          | 1     | 979.91    | 42.02   | 1596.44              | 68.46              |
| Twice or more | 2     | 735.56    | 31.54   | 2332.00              | 100.00             |

**Ihb21c1c1: 23/24 - SC CAWI A5.1.4 - SC had raw vegetables**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 921.84    | 39.53   | 1092.95              | 46.87              |
| Once            | 1     | 912.57    | 39.13   | 2005.52              | 86.00              |
| Twice           | 2     | 233.63    | 10.02   | 2239.15              | 96.02              |
| More than twice | 3     | 92.85     | 3.98    | 2332.00              | 100.00             |

**Ihb21c1c2: 23/24 - SC CAWI A5.1.4 - SC had raw vegetables**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 921.84    | 39.53   | 1092.95              | 46.87              |
| Once          | 1     | 912.57    | 39.13   | 2005.52              | 86.00              |
| Twice or more | 2     | 326.48    | 14.00   | 2332.00              | 100.00             |

**Ihb21c3a1: 23/24 - SC CAWI A5.1.5 - SC had pie, hamburger, sausage roll**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 1683.57   | 72.19   | 1854.68              | 79.53              |
| Once            | 1     | 391.63    | 16.79   | 2246.31              | 96.33              |
| Twice           | 2     | 61.29     | 2.63    | 2307.60              | 98.95              |
| More than twice | 3     | 24.40     | 1.05    | 2332.00              | 100.00             |

**Ihb21c3a2: 23/24 - SC CAWI A5.1.5 - SC had pie, hamburger, sausage roll**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 1683.57   | 72.19   | 1854.68              | 79.53              |
| Once          | 1     | 391.63    | 16.79   | 2246.31              | 96.33              |
| Twice or more | 2     | 85.69     | 3.67    | 2332.00              | 100.00             |

**Ihb21c3b1: 23/24 - SC CAWI A5.1.6 - SC had hot chips or french fries**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 1507.73   | 64.65   | 1678.84              | 71.99              |
| Once            | 1     | 587.34    | 25.19   | 2266.18              | 97.18              |
| Twice           | 2     | 45.43     | 1.95    | 2311.61              | 99.13              |
| More than twice | 3     | 20.39     | 0.87    | 2332.00              | 100.00             |

**Ihb21c3b2: 23/24 - SC CAWI A5.1.6 - SC had hot chips or french fries**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 1507.73   | 64.65   | 1678.84              | 71.99              |
| Once          | 1     | 587.34    | 25.19   | 2266.18              | 97.18              |
| Twice or more | 2     | 65.82     | 2.82    | 2332.00              | 100.00             |

**Ihb21c3c1: 23/24 - SC CAWI A5.1.7 - SC had potato chips or savoury snacks**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 14.38     | 0.62    | 173.12               | 7.42               |
| Not at all      | 0     | 1546.29   | 66.31   | 1719.40              | 73.73              |
| Once            | 1     | 526.56    | 22.58   | 2245.96              | 96.31              |
| Twice           | 2     | 60.35     | 2.59    | 2306.31              | 98.90              |
| More than twice | 3     | 25.69     | 1.10    | 2332.00              | 100.00             |

**Ihb21c3c2: 23/24 - SC CAWI A5.1.7 - SC had potato chips or savoury snacks**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 14.38     | 0.62    | 173.12               | 7.42               |
| Not at all    | 0     | 1546.29   | 66.31   | 1719.40              | 73.73              |
| Once          | 1     | 526.56    | 22.58   | 2245.96              | 96.31              |
| Twice or more | 2     | 86.04     | 3.69    | 2332.00              | 100.00             |

**Ihb21c3d1: 23/24 - SC CAWI A5.1.8 - SC had biscuits, donuts, cake or chocolate**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 13.80     | 0.59    | 172.53               | 7.40               |
| Not at all      | 0     | 1047.22   | 44.91   | 1219.75              | 52.30              |
| Once            | 1     | 907.82    | 38.93   | 2127.57              | 91.23              |
| Twice           | 2     | 160.34    | 6.88    | 2287.91              | 98.11              |
| More than twice | 3     | 44.09     | 1.89    | 2332.00              | 100.00             |

**Ihb21c3d2: 23/24 - SC CAWI A5.1.8 - SC had biscuits, donuts, cake or chocolate**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 13.80     | 0.59    | 172.53               | 7.40               |
| Not at all    | 0     | 1047.22   | 44.91   | 1219.75              | 52.30              |
| Once          | 1     | 907.82    | 38.93   | 2127.57              | 91.23              |
| Twice or more | 2     | 204.43    | 8.77    | 2332.00              | 100.00             |

**Ihb21c8a1: 23/24 - SC CAWI A5.1.9 - SC had bread or toast**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 875.90    | 37.56   | 1047.01              | 44.90              |
| Once            | 1     | 1030.30   | 44.18   | 2077.31              | 89.08              |
| Twice           | 2     | 209.63    | 8.99    | 2286.94              | 98.07              |
| More than twice | 3     | 45.06     | 1.93    | 2332.00              | 100.00             |

**Ihb21c8a2: 23/24 - SC CAWI A5.1.9 - SC had bread or toast**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 875.90    | 37.56   | 1047.01              | 44.90              |
| Once          | 1     | 1030.30   | 44.18   | 2077.31              | 89.08              |
| Twice or more | 2     | 254.69    | 10.92   | 2332.00              | 100.00             |

**Ihb21c3e1: 23/24 - SC CAWI A5.1.10 - SC had full cream milk products**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 770.98    | 33.06   | 942.09               | 40.40              |
| Once            | 1     | 847.14    | 36.33   | 1789.23              | 76.73              |
| Twice           | 2     | 386.46    | 16.57   | 2175.69              | 93.30              |
| More than twice | 3     | 156.31    | 6.70    | 2332.00              | 100.00             |

**Ihb21c3e2: 23/24 - SC CAWI A5.1.10 - SC had full cream milk products**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 770.98    | 33.06   | 942.09               | 40.40              |
| Once          | 1     | 847.14    | 36.33   | 1789.23              | 76.73              |
| Twice or more | 2     | 542.77    | 23.27   | 2332.00              | 100.00             |

**lhb21c4a1: 23/24 - SC CAWI A5.1.11 - SC had skim/low/no fat milk or milk products**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 1533.95   | 65.78   | 1705.06              | 73.12              |
| Once            | 1     | 453.21    | 19.43   | 2158.27              | 92.55              |
| Twice           | 2     | 127.53    | 5.47    | 2285.80              | 98.02              |
| More than twice | 3     | 46.20     | 1.98    | 2332.00              | 100.00             |

**lhb21c4a2: 23/24 - SC CAWI A5.1.11 - SC had skim/low/no fat milk or milk products**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 1533.95   | 65.78   | 1705.06              | 73.12              |
| Once          | 1     | 453.21    | 19.43   | 2158.27              | 92.55              |
| Twice or more | 2     | 173.73    | 7.45    | 2332.00              | 100.00             |

**lhb21c5a1: 23/24 - SC CAWI A5.1.12 - SC had water**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 15.87     | 0.68    | 174.61               | 7.49               |
| Not at all      | 0     | 28.78     | 1.23    | 203.39               | 8.72               |
| Once            | 1     | 84.04     | 3.60    | 287.43               | 12.33              |
| Twice           | 2     | 167.23    | 7.17    | 454.66               | 19.50              |
| More than twice | 3     | 1877.34   | 80.50   | 2332.00              | 100.00             |

**lhb21c5a2: 23/24 - SC CAWI A5.1.12 - SC had water**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 15.87     | 0.68    | 174.61               | 7.49               |
| Not at all    | 0     | 28.78     | 1.23    | 203.39               | 8.72               |
| Once          | 1     | 84.04     | 3.60    | 287.43               | 12.33              |
| Twice or more | 2     | 2044.57   | 87.67   | 2332.00              | 100.00             |

**lhb21c2b1: 23/24 - SC CAWI A5.1.13 - SC had soft drink/cordial**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 1407.28   | 60.35   | 1578.39              | 67.68              |
| Once            | 1     | 527.21    | 22.61   | 2105.60              | 90.29              |
| Twice           | 2     | 143.99    | 6.17    | 2249.59              | 96.47              |
| More than twice | 3     | 82.41     | 3.53    | 2332.00              | 100.00             |

**lhb21c2b2: 23/24 - SC CAWI A5.1.13 - SC had soft drink/cordial**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 1407.28   | 60.35   | 1578.39              | 67.68              |
| Once          | 1     | 527.21    | 22.61   | 2105.60              | 90.29              |
| Twice or more | 2     | 226.40    | 9.71    | 2332.00              | 100.00             |

**lhb21c6a1: 23/24 - SC CAWI A5.1.14 - SC had diet or sugar free soft drink/cordial**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 1570.97   | 67.37   | 1742.08              | 74.70              |
| Once            | 1     | 428.43    | 18.37   | 2170.50              | 93.07              |
| Twice           | 2     | 106.58    | 4.57    | 2277.09              | 97.65              |
| More than twice | 3     | 54.91     | 2.35    | 2332.00              | 100.00             |

**lhb21c6a2: 23/24 - SC CAWI A5.1.14 - SC had diet or sugar free soft drink/cordial**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 1570.97   | 67.37   | 1742.08              | 74.70              |
| Once          | 1     | 428.43    | 18.37   | 2170.50              | 93.07              |
| Twice or more | 2     | 161.50    | 6.93    | 2332.00              | 100.00             |

**lhb21c7a1: 23/24 - SC CAWI A5.1.15 - SC had energy drinks e.g. Redbull, Mother or V**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 1806.81   | 77.48   | 1977.92              | 84.82              |
| Once            | 1     | 267.73    | 11.48   | 2245.64              | 96.30              |
| Twice           | 2     | 50.46     | 2.16    | 2296.11              | 98.46              |
| More than twice | 3     | 35.89     | 1.54    | 2332.00              | 100.00             |

**lhb21c7a2: 23/24 - SC CAWI A5.1.15 - SC had energy drinks e.g. Redbull, Mother or V**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 1806.81   | 77.48   | 1977.92              | 84.82              |
| Once          | 1     | 267.73    | 11.48   | 2245.64              | 96.30              |
| Twice or more | 2     | 86.36     | 3.70    | 2332.00              | 100.00             |

**lhb21c7b1: 23/24 - SC CAWI A5.1.16 - SC had coffee**

|                 | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------|-------|-----------|---------|----------------------|--------------------|
| -9              | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5              | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all      | 0     | 944.00    | 40.48   | 1115.10              | 47.82              |
| Once            | 1     | 675.38    | 28.96   | 1790.49              | 76.78              |
| Twice           | 2     | 378.10    | 16.21   | 2168.58              | 92.99              |
| More than twice | 3     | 163.42    | 7.01    | 2332.00              | 100.00             |

**lhb21c7b2: 23/24 - SC CAWI A5.1.16 - SC had coffee**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| -9            | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5            | -5    | 12.38     | 0.53    | 171.11               | 7.34               |
| Not at all    | 0     | 944.00    | 40.48   | 1115.10              | 47.82              |
| Once          | 1     | 675.38    | 28.96   | 1790.49              | 76.78              |
| Twice or more | 2     | 541.51    | 23.22   | 2332.00              | 100.00             |

**lcfandvb: 23/24 - SC - Frequency ate fruit and vegetables (v2)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 12.38     | 0.53    | 171.11               | 7.34               |
| 0  | 136.99    | 5.87    | 308.10               | 13.21              |
| 1  | 328.82    | 14.10   | 636.92               | 27.31              |
| 2  | 447.39    | 19.18   | 1084.31              | 46.50              |
| 3  | 454.44    | 19.49   | 1538.75              | 65.98              |
| 4  | 345.75    | 14.83   | 1884.50              | 80.81              |
| 5  | 216.53    | 9.29    | 2101.02              | 90.10              |
| 6  | 134.57    | 5.77    | 2235.59              | 95.87              |
| 7  | 51.94     | 2.23    | 2287.54              | 98.09              |
| 8  | 20.52     | 0.88    | 2308.06              | 98.97              |
| 9  | 23.94     | 1.03    | 2332.00              | 100.00             |

**lchfatb: 23/24 - SC - Frequency ate high fat food (v2)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 14.38     | 0.62    | 173.12               | 7.42               |
| 0  | 468.89    | 20.11   | 642.01               | 27.53              |
| 1  | 760.52    | 32.61   | 1402.52              | 60.14              |
| 2  | 541.78    | 23.23   | 1944.30              | 83.37              |
| 3  | 218.14    | 9.35    | 2162.44              | 92.73              |
| 4  | 89.94     | 3.86    | 2252.39              | 96.59              |
| 5  | 27.89     | 1.20    | 2280.27              | 97.78              |
| 6  | 17.38     | 0.75    | 2297.65              | 98.53              |
| 7  | 9.07      | 0.39    | 2306.73              | 98.92              |
| 8  | 6.78      | 0.29    | 2313.50              | 99.21              |
| 9  | 6.33      | 0.27    | 2319.84              | 99.48              |
| 10 | 7.56      | 0.32    | 2327.39              | 99.80              |

**Ichfatb: 23/24 - SC - Frequency ate high fat food (v2)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 11 | 0.53      | 0.02    | 2327.92              | 99.83              |
| 12 | 4.08      | 0.17    | 2332.00              | 100.00             |

**Ichfwmb: 23/24 - SC - Frequency ate high fat food (inc. whole milk) (v2)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 14.38     | 0.62    | 173.12               | 7.42               |
| 0  | 170.97    | 7.33    | 344.08               | 14.75              |
| 1  | 432.73    | 18.56   | 776.81               | 33.31              |
| 2  | 643.15    | 27.58   | 1419.96              | 60.89              |
| 3  | 440.02    | 18.87   | 1859.98              | 79.76              |
| 4  | 251.67    | 10.79   | 2111.65              | 90.55              |
| 5  | 111.32    | 4.77    | 2222.97              | 95.32              |
| 6  | 36.09     | 1.55    | 2259.06              | 96.87              |
| 7  | 19.22     | 0.82    | 2278.29              | 97.70              |
| 8  | 17.56     | 0.75    | 2295.84              | 98.45              |
| 9  | 10.47     | 0.45    | 2306.31              | 98.90              |
| 10 | 3.38      | 0.14    | 2309.69              | 99.04              |
| 11 | 6.33      | 0.27    | 2316.02              | 99.31              |
| 12 | 7.21      | 0.31    | 2323.23              | 99.62              |
| 13 | 6.83      | 0.29    | 2330.06              | 99.92              |
| 14 | 0.53      | 0.02    | 2330.59              | 99.94              |
| 15 | 1.41      | 0.06    | 2332.00              | 100.00             |

**Ichsdrnkb: 23/24 - SC - Frequency drank high sugar drinks (v2)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 12.38     | 0.53    | 171.11               | 7.34               |
| 0  | 991.71    | 42.53   | 1162.82              | 49.86              |
| 1  | 715.03    | 30.66   | 1877.84              | 80.52              |
| 2  | 291.72    | 12.51   | 2169.56              | 93.03              |
| 3  | 112.66    | 4.83    | 2282.22              | 97.87              |
| 4  | 30.81     | 1.32    | 2313.03              | 99.19              |
| 5  | 4.73      | 0.20    | 2317.77              | 99.39              |
| 6  | 14.23     | 0.61    | 2332.00              | 100.00             |

**Icfandv: 23/24 - SC - Frequency ate fruit and vegetables (v1)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 12.38     | 0.53    | 171.11               | 7.34               |
| 0  | 136.99    | 5.87    | 308.10               | 13.21              |
| 1  | 328.82    | 14.10   | 636.92               | 27.31              |
| 2  | 464.73    | 19.93   | 1101.65              | 47.24              |
| 3  | 489.67    | 21.00   | 1591.32              | 68.24              |
| 4  | 403.92    | 17.32   | 1995.24              | 85.56              |

**Icfandv: 23/24 - SC - Frequency ate fruit and vegetables (v1)**

|   | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|-----------|---------|----------------------|--------------------|
| 5 | 239.64    | 10.28   | 2234.88              | 95.84              |
| 6 | 97.12     | 4.16    | 2332.00              | 100.00             |

**Ichfat: 23/24 - SC - Frequency ate high fat food (v1)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 14.38     | 0.62    | 173.12               | 7.42               |
| 0  | 468.89    | 20.11   | 642.01               | 27.53              |
| 1  | 760.52    | 32.61   | 1402.52              | 60.14              |
| 2  | 557.62    | 23.91   | 1960.15              | 84.05              |
| 3  | 217.87    | 9.34    | 2178.02              | 93.40              |
| 4  | 80.70     | 3.46    | 2258.72              | 96.86              |
| 5  | 34.54     | 1.48    | 2293.26              | 98.34              |
| 6  | 13.69     | 0.59    | 2306.95              | 98.93              |
| 7  | 14.97     | 0.64    | 2321.91              | 99.57              |
| 8  | 10.09     | 0.43    | 2332.00              | 100.00             |

**Ichfwm: 23/24 - SC - Frequency ate high fat food (inc. whole milk) (v1)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 12.38     | 0.53    | 171.11               | 7.34               |
| 0  | 170.97    | 7.33    | 342.07               | 14.67              |
| 1  | 432.73    | 18.56   | 774.80               | 33.22              |
| 2  | 680.40    | 29.18   | 1455.21              | 62.40              |
| 3  | 453.15    | 19.43   | 1908.36              | 81.83              |
| 4  | 245.66    | 10.53   | 2154.02              | 92.37              |
| 5  | 90.78     | 3.89    | 2244.80              | 96.26              |
| 6  | 31.19     | 1.34    | 2275.99              | 97.60              |
| 7  | 22.44     | 0.96    | 2298.42              | 98.56              |
| 8  | 8.52      | 0.37    | 2306.95              | 98.93              |
| 9  | 22.45     | 0.96    | 2329.40              | 99.89              |
| 10 | 2.60      | 0.11    | 2332.00              | 100.00             |

**Ichsdrnk: 23/24 - SC - Frequency drank high sugar drinks (v1)**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 8.66      | 0.37    | 167.39               | 7.18               |
| 0  | 1057.20   | 45.33   | 1224.59              | 52.51              |
| 1  | 635.05    | 27.23   | 1859.64              | 79.74              |
| 2  | 337.02    | 14.45   | 2196.66              | 94.20              |
| 3  | 90.27     | 3.87    | 2286.93              | 98.07              |
| 4  | 45.07     | 1.93    | 2332.00              | 100.00             |

**lhb13c2b: 23/24 - SC CAWI A5.2 - No. serves of fruit/day**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 837.50    | 35.91   | 837.50               | 35.91              |
| -5 | 18.80     | 0.81    | 856.30               | 36.72              |
| 0  | 41.71     | 1.79    | 898.01               | 38.51              |
| 1  | 737.44    | 31.62   | 1635.46              | 70.13              |
| 2  | 512.94    | 22.00   | 2148.40              | 92.13              |
| 3  | 141.44    | 6.07    | 2289.83              | 98.19              |
| 4  | 20.84     | 0.89    | 2310.68              | 99.09              |
| 5  | 10.68     | 0.46    | 2321.36              | 99.54              |
| 6  | 3.37      | 0.14    | 2324.73              | 99.69              |
| 7  | 1.24      | 0.05    | 2325.97              | 99.74              |
| 8  | 0.66      | 0.03    | 2326.63              | 99.77              |
| 10 | 5.37      | 0.23    | 2332.00              | 100.00             |

**lhb13c2a: 23/24 - SC CAWI A5.2 - No. serves of fruit/day (6+)**

|             | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| -9          | -9    | 837.50    | 35.91   | 837.50               | 35.91              |
| -5          | -5    | 18.80     | 0.81    | 856.30               | 36.72              |
| Less than 1 | 0     | 41.71     | 1.79    | 898.01               | 38.51              |
| 1           | 1     | 737.44    | 31.62   | 1635.46              | 70.13              |
| 2           | 2     | 512.94    | 22.00   | 2148.40              | 92.13              |
| 3           | 3     | 141.44    | 6.07    | 2289.83              | 98.19              |
| 4           | 4     | 20.84     | 0.89    | 2310.68              | 99.09              |
| 5           | 5     | 10.68     | 0.46    | 2321.36              | 99.54              |
| 6 or more   | 6     | 10.64     | 0.46    | 2332.00              | 100.00             |

**lhb13c1b: 23/24 - SC CAWI A5.3 - No. serves of vegetables/day**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 412.36    | 17.68   | 412.36               | 17.68              |
| -5 | 41.77     | 1.79    | 454.13               | 19.47              |
| 0  | 28.77     | 1.23    | 482.90               | 20.71              |
| 1  | 763.60    | 32.74   | 1246.49              | 53.45              |
| 2  | 634.27    | 27.20   | 1880.76              | 80.65              |
| 3  | 279.29    | 11.98   | 2160.05              | 92.63              |
| 4  | 109.43    | 4.69    | 2269.48              | 97.32              |
| 5  | 44.06     | 1.89    | 2313.54              | 99.21              |
| 6  | 15.39     | 0.66    | 2328.93              | 99.87              |
| 7  | 0.35      | 0.02    | 2329.28              | 99.88              |
| 8  | 0.96      | 0.04    | 2330.24              | 99.92              |
| 11 | 0.89      | 0.04    | 2331.13              | 99.96              |
| 20 | 0.87      | 0.04    | 2332.00              | 100.00             |

**lhb13c1a: 23/24 - SC CAWI A5.3 - No. serves of vegetables/day (6+)**

|             | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------|-------|-----------|---------|----------------------|--------------------|
| -9          | -9    | 412.36    | 17.68   | 412.36               | 17.68              |
| -5          | -5    | 41.77     | 1.79    | 454.13               | 19.47              |
| Less than 1 | 0     | 28.77     | 1.23    | 482.90               | 20.71              |
| 1           | 1     | 763.60    | 32.74   | 1246.49              | 53.45              |

**Ihb13c1a: 23/24 - SC CAWI A5.3 - No. serves of vegetables/day (6+)**

|           | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------|-------|-----------|---------|----------------------|--------------------|
| 2         | 2     | 634.27    | 27.20   | 1880.76              | 80.65              |
| 3         | 3     | 279.29    | 11.98   | 2160.05              | 92.63              |
| 4         | 4     | 109.43    | 4.69    | 2269.48              | 97.32              |
| 5         | 5     | 44.06     | 1.89    | 2313.54              | 99.21              |
| 6 or more | 6     | 18.46     | 0.79    | 2332.00              | 100.00             |

**Ihb14c2: 23/24 - SC CAWI A6.1 - Days per week exercise - 30 mins**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 158.73    | 6.81    | 158.73               | 6.81               |
| -5 | 32.88     | 1.41    | 191.61               | 8.22               |
| 0  | 186.99    | 8.02    | 378.60               | 16.24              |
| 1  | 217.56    | 9.33    | 596.16               | 25.56              |
| 2  | 300.48    | 12.89   | 896.64               | 38.45              |
| 3  | 384.44    | 16.49   | 1281.07              | 54.93              |
| 4  | 303.56    | 13.02   | 1584.63              | 67.95              |
| 5  | 379.30    | 16.26   | 1963.93              | 84.22              |
| 6  | 184.63    | 7.92    | 2148.56              | 92.13              |
| 7  | 183.44    | 7.87    | 2332.00              | 100.00             |

**Ihb14c2a: 23/24 - SC CAWI A6.2 - Days per week exercise - 60 mins**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 378.60    | 16.24   | 378.60               | 16.24              |
| -5 | 103.12    | 4.42    | 481.72               | 20.66              |
| 0  | 312.67    | 13.41   | 794.39               | 34.06              |
| 1  | 330.80    | 14.19   | 1125.18              | 48.25              |
| 2  | 305.15    | 13.09   | 1430.33              | 61.34              |
| 3  | 251.91    | 10.80   | 1682.25              | 72.14              |
| 4  | 204.99    | 8.79    | 1887.24              | 80.93              |
| 5  | 257.54    | 11.04   | 2144.78              | 91.97              |
| 6  | 95.50     | 4.10    | 2240.28              | 96.07              |
| 7  | 91.72     | 3.93    | 2332.00              | 100.00             |

**Ihb32c: 23/24 - SC CAWI B2.1 - Thought should get med care but didn't last 12m**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5  | -5    | 29.64     | 1.27    | 188.37               | 8.08               |
| Yes | 1     | 740.03    | 31.73   | 928.39               | 39.81              |
| No  | 2     | 1403.61   | 60.19   | 2332.00              | 100.00             |

**Ihb54c1: 23/24 - SC CAWI B4.1 - Ever received a COVID-19 vaccine**

|                            | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                         | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5                         | -5    | 32.23     | 1.38    | 190.96               | 8.19               |
| Yes                        | 1     | 2045.41   | 87.71   | 2236.38              | 95.90              |
| No - I am medically exempt | 2     | 2.01      | 0.09    | 2238.39              | 95.99              |
| No - I have chosen not to  | 3     | 93.61     | 4.01    | 2332.00              | 100.00             |

**Ihb54c2: 23/24 - SC CAWI B4.2 - Number of COVID-19 vaccine doses**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 286.59    | 12.29   | 286.59               | 12.29              |
| -5 | 4.51      | 0.19    | 291.09               | 12.48              |
| 1  | 46.42     | 1.99    | 337.52               | 14.47              |
| 2  | 815.29    | 34.96   | 1152.81              | 49.43              |
| 3  | 1030.98   | 44.21   | 2183.79              | 93.64              |
| 4  | 140.35    | 6.02    | 2324.14              | 99.66              |
| 5  | 6.10      | 0.26    | 2330.24              | 99.92              |
| 6  | 1.76      | 0.08    | 2332.00              | 100.00             |

**Ihb54c3a: 23/24 - SC CAWI B4.3.1 - Why no COVID-19 vaccine - Possible side effects**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2238.39   | 95.99   | 2238.39              | 95.99              |
| -5  | -5    | 1.33      | 0.06    | 2239.72              | 96.04              |
| No  | 0     | 37.61     | 1.61    | 2277.34              | 97.66              |
| Yes | 1     | 54.66     | 2.34    | 2332.00              | 100.00             |

**Ihb54c3b: 23/24 - SC CAWI B4.3.2 - Why no COVID-19 vaccine - Don't know vaccines will work**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2238.39   | 95.99   | 2238.39              | 95.99              |
| -5  | -5    | 1.33      | 0.06    | 2239.72              | 96.04              |
| No  | 0     | 70.76     | 3.03    | 2310.49              | 99.08              |
| Yes | 1     | 21.51     | 0.92    | 2332.00              | 100.00             |

**Ihb54c3c: 23/24 - SC CAWI B4.3.3 - Why no COVID-19 vaccine - I do not trust COVID vaccines**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2238.39   | 95.99   | 2238.39              | 95.99              |
| -5  | -5    | 1.33      | 0.06    | 2239.72              | 96.04              |
| No  | 0     | 47.26     | 2.03    | 2286.99              | 98.07              |
| Yes | 1     | 45.01     | 1.93    | 2332.00              | 100.00             |

**Ihb54c3d: 23/24 - SC CAWI B4.3.4 - Why no COVID-19 vaccine - I do not trust the government**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2238.39   | 95.99   | 2238.39              | 95.99              |
| -5  | -5    | 1.33      | 0.06    | 2239.72              | 96.04              |
| No  | 0     | 51.21     | 2.20    | 2290.94              | 98.24              |
| Yes | 1     | 41.06     | 1.76    | 2332.00              | 100.00             |

**Ihb54c3e: 23/24 - SC CAWI B4.3.5 - Why no COVID-19 vaccine - Other**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2238.39   | 95.99   | 2238.39              | 95.99              |
| -5  | -5    | 1.33      | 0.06    | 2239.72              | 96.04              |
| No  | 0     | 72.50     | 3.11    | 2312.23              | 99.15              |
| Yes | 1     | 19.77     | 0.85    | 2332.00              | 100.00             |

**Ihb54c3f: 23/24 - SC CAWI B4.3.6 - Why no COVID-19 vaccine - Not sure**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2321.41   | 99.55   | 2321.41              | 99.55              |
| -5 | -5    | 1.33      | 0.06    | 2322.74              | 99.60              |
| No | 0     | 9.26      | 0.40    | 2332.00              | 100.00             |

**Ihb54c3g: 23/24 - SC CAWI B4.3.7 - Why no COVID-19 vaccine - Prefer not to say**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2321.41   | 99.55   | 2321.41              | 99.55              |
| -5  | -5    | 1.33      | 0.06    | 2322.74              | 99.60              |
| Yes | 1     | 9.26      | 0.40    | 2332.00              | 100.00             |

**Ihb15c9: 23/24 - SC CAWI D1.1 - Ever smoked part of a cigarette**

|                                                        | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|--------------------------------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                                                     | -9    | 779.66    | 33.43   | 779.66               | 33.43              |
| -5                                                     | -5    | 18.51     | 0.79    | 798.17               | 34.23              |
| No                                                     | 1     | 828.30    | 35.52   | 1626.47              | 69.75              |
| Yes, just a few puffs                                  | 2     | 283.94    | 12.18   | 1910.41              | 81.92              |
| Yes, I have smoked fewer than 10 cigarettes in my life | 3     | 170.06    | 7.29    | 2080.47              | 89.21              |
| Yes, I have smoked 10 to 100 cigarettes in my life     | 4     | 140.61    | 6.03    | 2221.09              | 95.24              |
| Yes, I have smoked more than 100 cigarettes in my life | 5     | 110.91    | 4.76    | 2332.00              | 100.00             |

**Ihb15c9a: 23/24 - SC CAWI D1.1 + W5-8 - Ever smoked part of a cigarette**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 84.84     | 3.64    | 84.84                | 3.64               |
| -5  | -5    | 10.82     | 0.46    | 95.66                | 4.10               |
| Yes | 1     | 1462.51   | 62.71   | 1558.17              | 66.82              |
| No  | 2     | 773.83    | 33.18   | 2332.00              | 100.00             |

**Ihb15c10: 23/24 - SC CAWI D1.2 - First cigarette - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1626.47   | 69.75   | 1626.47              | 69.75              |
| -5 | 3.54      | 0.15    | 1630.01              | 69.90              |
| 0  | 1.73      | 0.07    | 1631.74              | 69.97              |
| 4  | 1.11      | 0.05    | 1632.85              | 70.02              |
| 8  | 1.78      | 0.08    | 1634.63              | 70.10              |
| 9  | 4.90      | 0.21    | 1639.54              | 70.31              |
| 10 | 1.98      | 0.09    | 1641.52              | 70.39              |
| 12 | 8.28      | 0.36    | 1649.80              | 70.75              |
| 13 | 6.54      | 0.28    | 1656.35              | 71.03              |
| 14 | 23.71     | 1.02    | 1680.06              | 72.04              |
| 15 | 24.33     | 1.04    | 1704.39              | 73.09              |
| 16 | 39.30     | 1.69    | 1743.69              | 74.77              |
| 17 | 73.18     | 3.14    | 1816.87              | 77.91              |
| 18 | 187.90    | 8.06    | 2004.77              | 85.97              |
| 19 | 122.02    | 5.23    | 2126.79              | 91.20              |

**Ihb15c10: 23/24 - SC CAWI D1.2 - First cigarette - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 20 | 71.67     | 3.07    | 2198.46              | 94.27              |
| 21 | 53.60     | 2.30    | 2252.06              | 96.57              |
| 22 | 48.45     | 2.08    | 2300.51              | 98.65              |
| 23 | 25.65     | 1.10    | 2326.16              | 99.75              |
| 24 | 5.84      | 0.25    | 2332.00              | 100.00             |

**Ihb15c10a: 23/24 - SC CAWI D1.2 + W5-8 - First cigarette - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 878.98    | 37.69   | 878.98               | 37.69              |
| -5 | 1.81      | 0.08    | 880.79               | 37.77              |
| 0  | 1.73      | 0.07    | 882.52               | 37.84              |
| 4  | 1.02      | 0.04    | 883.54               | 37.89              |
| 5  | 3.19      | 0.14    | 886.73               | 38.02              |
| 6  | 5.64      | 0.24    | 892.37               | 38.27              |
| 7  | 2.70      | 0.12    | 895.07               | 38.38              |
| 8  | 7.00      | 0.30    | 902.06               | 38.68              |
| 9  | 12.86     | 0.55    | 914.92               | 39.23              |
| 10 | 16.26     | 0.70    | 931.18               | 39.93              |
| 11 | 27.28     | 1.17    | 958.46               | 41.10              |
| 12 | 56.72     | 2.43    | 1015.18              | 43.53              |
| 13 | 63.93     | 2.74    | 1079.11              | 46.27              |
| 14 | 155.35    | 6.66    | 1234.46              | 52.94              |
| 15 | 111.19    | 4.77    | 1345.65              | 57.70              |
| 16 | 213.77    | 9.17    | 1559.42              | 66.87              |
| 17 | 202.75    | 8.69    | 1762.17              | 75.56              |
| 18 | 295.39    | 12.67   | 2057.57              | 88.23              |
| 19 | 103.07    | 4.42    | 2160.64              | 92.65              |
| 20 | 56.55     | 2.42    | 2217.19              | 95.08              |
| 21 | 44.37     | 1.90    | 2261.56              | 96.98              |
| 22 | 42.57     | 1.83    | 2304.12              | 98.80              |
| 23 | 22.04     | 0.94    | 2326.16              | 99.75              |
| 24 | 5.84      | 0.25    | 2332.00              | 100.00             |

**Ihb15c11: 23/24 - SC CAWI D1.3 - Smoked in last 12 months**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 987.03    | 42.33   | 987.03               | 42.33              |
| -5  | -5    | 31.57     | 1.35    | 1018.61              | 43.68              |
| Yes | 1     | 628.36    | 26.95   | 1646.96              | 70.62              |
| No  | 2     | 685.04    | 29.38   | 2332.00              | 100.00             |

**Ihb15c12: 23/24 - SC CAWI D1.4 - Smoked in last 4 weeks**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1703.64   | 73.05   | 1703.64              | 73.05              |
| -5  | -5    | 3.67      | 0.16    | 1707.31              | 73.21              |
| Yes | 1     | 358.33    | 15.37   | 2065.63              | 88.58              |
| No  | 2     | 266.37    | 11.42   | 2332.00              | 100.00             |

**Ihb15c13: 23/24 - SC CAWI D1.5 - No. cigarettes smoked per week**

|     | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-----------|---------|----------------------|--------------------|
| -9  | 1973.67   | 84.63   | 1973.67              | 84.63              |
| -5  | 11.02     | 0.47    | 1984.69              | 85.11              |
| 0   | 124.78    | 5.35    | 2109.47              | 90.46              |
| 5   | 56.29     | 2.41    | 2165.76              | 92.87              |
| 10  | 26.78     | 1.15    | 2192.54              | 94.02              |
| 15  | 19.46     | 0.83    | 2212.00              | 94.85              |
| 20  | 13.99     | 0.60    | 2225.99              | 95.45              |
| 25  | 4.67      | 0.20    | 2230.66              | 95.65              |
| 30  | 10.29     | 0.44    | 2240.95              | 96.10              |
| 35  | 13.36     | 0.57    | 2254.31              | 96.67              |
| 40  | 4.91      | 0.21    | 2259.21              | 96.88              |
| 45  | 4.22      | 0.18    | 2263.43              | 97.06              |
| 50  | 10.46     | 0.45    | 2273.89              | 97.51              |
| 55  | 3.30      | 0.14    | 2277.18              | 97.65              |
| 60  | 8.87      | 0.38    | 2286.05              | 98.03              |
| 65  | 2.08      | 0.09    | 2288.14              | 98.12              |
| 70  | 19.03     | 0.82    | 2307.17              | 98.94              |
| 80  | 1.59      | 0.07    | 2308.76              | 99.00              |
| 85  | 5.44      | 0.23    | 2314.20              | 99.24              |
| 90  | 0.78      | 0.03    | 2314.98              | 99.27              |
| 105 | 0.57      | 0.02    | 2315.55              | 99.29              |
| 115 | 1.79      | 0.08    | 2317.34              | 99.37              |
| 125 | 0.81      | 0.03    | 2318.15              | 99.41              |
| 140 | 10.79     | 0.46    | 2328.94              | 99.87              |
| 170 | 0.69      | 0.03    | 2329.63              | 99.90              |
| 175 | 0.95      | 0.04    | 2330.58              | 99.94              |
| 210 | 1.42      | 0.06    | 2332.00              | 100.00             |

**Ihb15c14: 23/24 - SC CAWI D2.1 - Ever smoked a vaping product/e-cigarette**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 158.73    | 6.81    | 158.73               | 6.81               |
| -5  | -5    | 34.54     | 1.48    | 193.27               | 8.29               |
| -2  | -2    | 9.26      | 0.40    | 202.53               | 8.68               |
| Yes | 1     | 1117.68   | 47.93   | 1320.21              | 56.61              |
| No  | 2     | 1011.79   | 43.39   | 2332.00              | 100.00             |

**Ihb15c15: 23/24 - SC CAWI D2.2 - First vaping product/e-cigarette - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1214.32   | 52.07   | 1214.32              | 52.07              |
| -5 | 3.55      | 0.15    | 1217.87              | 52.22              |
| 0  | 1.21      | 0.05    | 1219.08              | 52.28              |
| 12 | 5.10      | 0.22    | 1224.18              | 52.49              |
| 13 | 7.46      | 0.32    | 1231.65              | 52.82              |
| 14 | 13.32     | 0.57    | 1244.97              | 53.39              |
| 15 | 23.88     | 1.02    | 1268.85              | 54.41              |
| 16 | 24.21     | 1.04    | 1293.05              | 55.45              |
| 17 | 20.59     | 0.88    | 1313.64              | 56.33              |

**Ihb15c15: 23/24 - SC CAWI D2.2 - First vaping product/e-cigarette - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 18 | 78.24     | 3.35    | 1391.88              | 59.69              |
| 19 | 102.06    | 4.38    | 1493.94              | 64.06              |
| 20 | 140.42    | 6.02    | 1634.35              | 70.08              |
| 21 | 244.68    | 10.49   | 1879.03              | 80.58              |
| 22 | 251.95    | 10.80   | 2130.98              | 91.38              |
| 23 | 181.54    | 7.78    | 2312.52              | 99.16              |
| 24 | 19.48     | 0.84    | 2332.00              | 100.00             |

**Ihb15c16: 23/24 - SC CAWI D2.3 - Used vaping product/e-cigarette in last 12 months**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1214.32   | 52.07   | 1214.32              | 52.07              |
| -5  | -5    | 1.51      | 0.06    | 1215.83              | 52.14              |
| Yes | 1     | 723.42    | 31.02   | 1939.25              | 83.16              |
| No  | 2     | 392.75    | 16.84   | 2332.00              | 100.00             |

**Ihb15c17: 23/24 - SC CAWI D2.4 - Used vaping product/e-cigarette in last 4 weeks**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1608.58   | 68.98   | 1608.58              | 68.98              |
| -5  | -5    | 23.90     | 1.02    | 1632.49              | 70.00              |
| Yes | 1     | 432.52    | 18.55   | 2065.00              | 88.55              |
| No  | 2     | 267.00    | 11.45   | 2332.00              | 100.00             |

**Ihb15c18: 23/24 - SC CAWI D2.5 - How often use vaping products/e-cigarettes**

|                                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                                    | -9    | 1899.48   | 81.45   | 1899.48              | 81.45              |
| Daily                                 | 1     | 234.11    | 10.04   | 2133.59              | 91.49              |
| Weekly                                | 2     | 63.84     | 2.74    | 2197.43              | 94.23              |
| Monthly                               | 3     | 38.29     | 1.64    | 2235.72              | 95.87              |
| Less than monthly                     | 4     | 44.17     | 1.89    | 2279.89              | 97.77              |
| I only tried them once or twice       | 5     | 27.57     | 1.18    | 2307.46              | 98.95              |
| I used to use them, but no longer use | 6     | 24.54     | 1.05    | 2332.00              | 100.00             |

**Ihb15c19a: 23/24 - SC CAWI D2.6.1 - Currently vaping reasons - Out of curiosity**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 355.58    | 15.25   | 2308.85              | 99.01              |
| Yes | 1     | 23.15     | 0.99    | 2332.00              | 100.00             |

**Ihb15c19b: 23/24 - SC CAWI D2.6.2 - Currently vaping reasons - For fun**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 292.63    | 12.55   | 2245.89              | 96.31              |
| Yes | 1     | 86.11     | 3.69    | 2332.00              | 100.00             |

**Ihb15c19c: 23/24 - SC CAWI D2.6.3 - Currently vaping reasons - I like it**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 248.24    | 10.64   | 2201.51              | 94.40              |
| Yes | 1     | 130.49    | 5.60    | 2332.00              | 100.00             |

**Ihb15c19d: 23/24 - SC CAWI D2.6.4 - Currently vaping reasons - For the flavour**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 281.73    | 12.08   | 2234.99              | 95.84              |
| Yes | 1     | 97.01     | 4.16    | 2332.00              | 100.00             |

**Ihb15c19e: 23/24 - SC CAWI D2.6.5 - Currently vaping reasons - For the nicotine**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 213.09    | 9.14    | 2166.36              | 92.90              |
| Yes | 1     | 165.64    | 7.10    | 2332.00              | 100.00             |

**Ihb15c19f: 23/24 - SC CAWI D2.6.6 - Currently vaping reasons - My friends use them**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 293.26    | 12.58   | 2246.53              | 96.33              |
| Yes | 1     | 85.47     | 3.67    | 2332.00              | 100.00             |

**Ihb15c19g: 23/24 - SC CAWI D2.6.7 - Currently vaping reasons - A family member uses them**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 371.06    | 15.91   | 2324.32              | 99.67              |
| Yes | 1     | 7.68      | 0.33    | 2332.00              | 100.00             |

**Ihb15c19h: 23/24 - SC CAWI D2.6.8 - Currently vaping reasons - More acceptable than cig.**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 312.72    | 13.41   | 2265.99              | 97.17              |
| Yes | 1     | 66.01     | 2.83    | 2332.00              | 100.00             |

**Ihb15c19i: 23/24 - SC CAWI D2.6.9 - Currently vaping reasons - Less harmful than cigarettes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 328.23    | 14.08   | 2281.50              | 97.83              |
| Yes | 1     | 50.50     | 2.17    | 2332.00              | 100.00             |

**Ihb15c19j: 23/24 - SC CAWI D2.6.10 - Currently vaping reasons - To smoke fewer cigarettes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 252.87    | 10.84   | 2206.13              | 94.60              |
| Yes | 1     | 125.87    | 5.40    | 2332.00              | 100.00             |

**Ihb15c19k: 23/24 - SC CAWI D2.6.11 - Currently vaping reasons - To help me quit smoking**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 295.86    | 12.69   | 2249.13              | 96.45              |
| Yes | 1     | 82.87     | 3.55    | 2332.00              | 100.00             |

**Ihb15c19l: 23/24 - SC CAWI D2.6.12 - Currently vaping reasons - Vape cannabis/other drugs**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 368.47    | 15.80   | 2321.73              | 99.56              |
| Yes | 1     | 10.27     | 0.44    | 2332.00              | 100.00             |

**Ihb15c19m: 23/24 - SC CAWI D2.6.13 - Currently vaping reasons - Cheaper than cigarettes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 272.49    | 11.68   | 2225.75              | 95.44              |
| Yes | 1     | 106.25    | 4.56    | 2332.00              | 100.00             |

**Ihb15c19n: 23/24 - SC CAWI D2.6.14 - Currently vaping reasons - I can use them unnoticed**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 337.58    | 14.48   | 2290.85              | 98.24              |
| Yes | 1     | 41.15     | 1.76    | 2332.00              | 100.00             |

**Ihb15c19o: 23/24 - SC CAWI D2.6.15 - Currently vaping reasons - To help reduce my anxiety**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 280.97    | 12.05   | 2234.24              | 95.81              |
| Yes | 1     | 97.76     | 4.19    | 2332.00              | 100.00             |

**Ihb15c19p: 23/24 - SC CAWI D2.6.16 - Currently vaping reasons - Craving gets intolerable**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 316.78    | 13.58   | 2270.04              | 97.34              |
| Yes | 1     | 61.96     | 2.66    | 2332.00              | 100.00             |

**Ihb15c19q: 23/24 - SC CAWI D2.6.17 - Currently vaping reasons - Other**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1951.59   | 83.69   | 1951.59              | 83.69              |
| -5  | -5    | 1.67      | 0.07    | 1953.27              | 83.76              |
| No  | 0     | 349.39    | 14.98   | 2302.66              | 98.74              |
| Yes | 1     | 29.34     | 1.26    | 2332.00              | 100.00             |

**Ihb15c20: 23/24 - SC CAWI D2.7 - Does vaping product/e-cigarette contain nicotine**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1214.32   | 52.07   | 1214.32              | 52.07              |
| -5  | -5    | 1.94      | 0.08    | 1216.26              | 52.16              |
| -2  | -2    | 212.83    | 9.13    | 1429.09              | 61.28              |
| Yes | 1     | 769.62    | 33.00   | 2198.72              | 94.28              |
| No  | 2     | 133.28    | 5.72    | 2332.00              | 100.00             |

**Ihb16c11: 23/24 - SC CAWI E1.1 - Ever had alcoholic drink**

|                                                           | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------------------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                                                        | -9    | 1871.35   | 80.25   | 1871.35              | 80.25              |
| -5                                                        | -5    | 8.70      | 0.37    | 1880.06              | 80.62              |
| No                                                        | 1     | 62.31     | 2.67    | 1942.37              | 83.29              |
| Yes, just a few sips                                      | 2     | 55.10     | 2.36    | 1997.47              | 85.65              |
| Yes, I have had fewer than 10 alcoholic drinks in my life | 3     | 39.01     | 1.67    | 2036.48              | 87.33              |
| Yes, I have had 10 or more alcoholic drinks in my life    | 4     | 295.52    | 12.67   | 2332.00              | 100.00             |

**Ihb16c11a: 23/24 - SC CAWI E1.1 + W5-8 - Ever had alcoholic drink**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 88.87     | 3.81    | 88.87                | 3.81               |
| -5  | -5    | 8.70      | 0.37    | 97.57                | 4.18               |
| Yes | 1     | 2172.12   | 93.14   | 2269.69              | 97.33              |
| No  | 2     | 62.31     | 2.67    | 2332.00              | 100.00             |

**lhb16c12: 23/24 - SC CAWI E1.2 - First alcoholic drink - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1997.47   | 85.65   | 1997.47              | 85.65              |
| -5 | 0.28      | 0.01    | 1997.75              | 85.67              |
| 12 | 2.68      | 0.11    | 2000.42              | 85.78              |
| 13 | 6.00      | 0.26    | 2006.43              | 86.04              |
| 14 | 21.24     | 0.91    | 2027.67              | 86.95              |
| 15 | 30.82     | 1.32    | 2058.48              | 88.27              |
| 16 | 54.03     | 2.32    | 2112.52              | 90.59              |
| 17 | 57.05     | 2.45    | 2169.57              | 93.03              |
| 18 | 107.25    | 4.60    | 2276.82              | 97.63              |
| 19 | 11.05     | 0.47    | 2287.87              | 98.11              |
| 20 | 13.91     | 0.60    | 2301.78              | 98.70              |
| 21 | 19.17     | 0.82    | 2320.95              | 99.53              |
| 22 | 4.24      | 0.18    | 2325.19              | 99.71              |
| 23 | 6.18      | 0.27    | 2331.37              | 99.97              |
| 24 | 0.63      | 0.03    | 2332.00              | 100.00             |

**lhb16c12a: 23/24 - SC CAWI E1.2 + W5-8 - First alcoholic drink - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 163.13    | 7.00    | 163.13               | 7.00               |
| -5 | 0.28      | 0.01    | 163.41               | 7.01               |
| 4  | 0.53      | 0.02    | 163.94               | 7.03               |
| 5  | 1.58      | 0.07    | 165.51               | 7.10               |
| 6  | 3.56      | 0.15    | 169.07               | 7.25               |
| 7  | 3.03      | 0.13    | 172.10               | 7.38               |
| 8  | 2.05      | 0.09    | 174.15               | 7.47               |
| 9  | 6.69      | 0.29    | 180.84               | 7.75               |
| 10 | 20.60     | 0.88    | 201.44               | 8.64               |
| 11 | 17.13     | 0.73    | 218.57               | 9.37               |
| 12 | 54.85     | 2.35    | 273.42               | 11.72              |
| 13 | 102.30    | 4.39    | 375.72               | 16.11              |
| 14 | 230.31    | 9.88    | 606.04               | 25.99              |
| 15 | 270.16    | 11.58   | 876.20               | 37.57              |
| 16 | 494.92    | 21.22   | 1371.12              | 58.80              |
| 17 | 408.63    | 17.52   | 1779.74              | 76.32              |
| 18 | 493.80    | 21.17   | 2273.54              | 97.49              |
| 19 | 14.33     | 0.61    | 2287.87              | 98.11              |
| 20 | 13.91     | 0.60    | 2301.78              | 98.70              |
| 21 | 19.17     | 0.82    | 2320.95              | 99.53              |
| 22 | 4.24      | 0.18    | 2325.19              | 99.71              |
| 23 | 6.18      | 0.27    | 2331.37              | 99.97              |
| 24 | 0.63      | 0.03    | 2332.00              | 100.00             |

**lhb16c10: 23/24 - SC CAWI E1.3 - Previous week's alcohol consumption**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 284.85    | 12.21   | 284.85               | 12.21              |
| -5 | 60.15     | 2.58    | 345.00               | 14.79              |
| 0  | 1061.82   | 45.53   | 1406.82              | 60.33              |
| 5  | 414.24    | 17.76   | 1821.06              | 78.09              |
| 10 | 241.50    | 10.36   | 2062.57              | 88.45              |
| 15 | 100.95    | 4.33    | 2163.52              | 92.78              |
| 20 | 72.92     | 3.13    | 2236.44              | 95.90              |
| 25 | 29.66     | 1.27    | 2266.10              | 97.17              |
| 30 | 26.35     | 1.13    | 2292.45              | 98.30              |
| 35 | 9.63      | 0.41    | 2302.08              | 98.72              |
| 40 | 13.60     | 0.58    | 2315.68              | 99.30              |
| 45 | 0.69      | 0.03    | 2316.38              | 99.33              |
| 50 | 10.17     | 0.44    | 2326.55              | 99.77              |
| 55 | 3.07      | 0.13    | 2329.62              | 99.90              |
| 60 | 1.43      | 0.06    | 2331.05              | 99.96              |
| 95 | 0.95      | 0.04    | 2332.00              | 100.00             |

**lhb16c2a: 23/24 - SC CAWI E1.4 - Freq - Drink containing alcohol (v2)**

|                        | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                     | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                     | -5    | 18.15     | 0.78    | 302.99               | 12.99              |
| Never                  | 1     | 155.78    | 6.68    | 458.77               | 19.67              |
| Monthly or less        | 2     | 689.25    | 29.56   | 1148.02              | 49.23              |
| 2-4 times a month      | 3     | 703.94    | 30.19   | 1851.97              | 79.42              |
| 2-3 times a week       | 4     | 363.20    | 15.57   | 2215.17              | 94.99              |
| 4 or more times a week | 5     | 116.83    | 5.01    | 2332.00              | 100.00             |

**lhb16c3a: 23/24 - SC CAWI E1.5 - No. of standard alcoholic drinks on typical day (v2)**

|            | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------|-------|-----------|---------|----------------------|--------------------|
| -9         | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5         | -5    | 202.67    | 8.69    | 487.52               | 20.91              |
| 1 or 2     | 1     | 680.72    | 29.19   | 1168.24              | 50.10              |
| 3 or 4     | 2     | 542.68    | 23.27   | 1710.92              | 73.37              |
| 5 or 6     | 3     | 330.15    | 14.16   | 2041.07              | 87.52              |
| 7 to 9     | 4     | 168.16    | 7.21    | 2209.23              | 94.74              |
| 10 or more | 5     | 122.77    | 5.26    | 2332.00              | 100.00             |

**lhb16c16: 23/24 - SC CAWI E1.6 - Freq - Six or more alcoholic drinks on one occasion**

|                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                    | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                    | -5    | 175.28    | 7.52    | 460.12               | 19.73              |
| Never                 | 1     | 342.41    | 14.68   | 802.54               | 34.41              |
| Less than monthly     | 2     | 915.90    | 39.28   | 1718.43              | 73.69              |
| Monthly               | 3     | 408.28    | 17.51   | 2126.71              | 91.20              |
| Weekly                | 4     | 194.46    | 8.34    | 2321.17              | 99.54              |
| Daily or almost daily | 5     | 10.83     | 0.46    | 2332.00              | 100.00             |

**Ihb16c17a: 23/24 - SC CAWI E2.1 - Freq - Unable to stop drinking once started**

|                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                    | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                    | -5    | 175.32    | 7.52    | 460.17               | 19.73              |
| Never                 | 1     | 1568.17   | 67.25   | 2028.34              | 86.98              |
| Less than monthly     | 2     | 196.99    | 8.45    | 2225.33              | 95.43              |
| Monthly               | 3     | 65.87     | 2.82    | 2291.19              | 98.25              |
| Weekly                | 4     | 33.10     | 1.42    | 2324.30              | 99.67              |
| Daily or almost daily | 5     | 7.70      | 0.33    | 2332.00              | 100.00             |

**Ihb16c17b: 23/24 - SC CAWI E2.2 - Freq - Failed to meet expectations because of drinking**

|                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                    | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                    | -5    | 175.32    | 7.52    | 460.17               | 19.73              |
| Never                 | 1     | 1619.86   | 69.46   | 2080.03              | 89.20              |
| Less than monthly     | 2     | 216.74    | 9.29    | 2296.77              | 98.49              |
| Monthly               | 3     | 24.65     | 1.06    | 2321.42              | 99.55              |
| Weekly                | 4     | 8.01      | 0.34    | 2329.42              | 99.89              |
| Daily or almost daily | 5     | 2.58      | 0.11    | 2332.00              | 100.00             |

**Ihb16c17c: 23/24 - SC CAWI E2.3 - Freq - Need a morning drink after heavy drinking**

|                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                    | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                    | -5    | 175.32    | 7.52    | 460.17               | 19.73              |
| Never                 | 1     | 1805.58   | 77.43   | 2265.74              | 97.16              |
| Less than monthly     | 2     | 48.37     | 2.07    | 2314.11              | 99.23              |
| Monthly               | 3     | 12.59     | 0.54    | 2326.71              | 99.77              |
| Weekly                | 4     | 4.78      | 0.20    | 2331.48              | 99.98              |
| Daily or almost daily | 5     | 0.52      | 0.02    | 2332.00              | 100.00             |

**Ihb16c17d: 23/24 - SC CAWI E2.4 - Freq - Feeling of guilt or remorse after drinking**

|                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                    | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                    | -5    | 175.32    | 7.52    | 460.17               | 19.73              |
| Never                 | 1     | 1311.47   | 56.24   | 1771.64              | 75.97              |
| Less than monthly     | 2     | 411.82    | 17.66   | 2183.46              | 93.63              |
| Monthly               | 3     | 111.26    | 4.77    | 2294.72              | 98.40              |
| Weekly                | 4     | 25.61     | 1.10    | 2320.33              | 99.50              |
| Daily or almost daily | 5     | 11.67     | 0.50    | 2332.00              | 100.00             |

**Ihb16c17e: 23/24 - SC CAWI E2.5 - Freq - Can't recall what happened the night before**

|                   | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------|-------|-----------|---------|----------------------|--------------------|
| -9                | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                | -5    | 175.32    | 7.52    | 460.17               | 19.73              |
| Never             | 1     | 1329.07   | 56.99   | 1789.24              | 76.73              |
| Less than monthly | 2     | 458.67    | 19.67   | 2247.90              | 96.39              |
| Monthly           | 3     | 70.03     | 3.00    | 2317.93              | 99.40              |

**Ihb16c17e: 23/24 - SC CAWI E2.5 - Freq - Can't recall what happened the night before**

|                       | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----------------------|-------|-----------|---------|----------------------|--------------------|
| Weekly                | 4     | 11.48     | 0.49    | 2329.41              | 99.89              |
| Daily or almost daily | 5     | 2.59      | 0.11    | 2332.00              | 100.00             |

**Ihb16c18: 23/24 - SC CAWI E3.1 - Anyone injured as result of drinking**

|                               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                            | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                            | -5    | 177.53    | 7.61    | 462.38               | 19.83              |
| No                            | 1     | 1619.23   | 69.44   | 2081.61              | 89.26              |
| Yes, but not in the past year | 2     | 190.58    | 8.17    | 2272.19              | 97.44              |
| Yes, during the past year     | 3     | 59.81     | 2.56    | 2332.00              | 100.00             |

**Ihb16c19: 23/24 - SC CAWI E3.2 - Friends or health workers concerned about drinking**

|                               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-------------------------------|-------|-----------|---------|----------------------|--------------------|
| -9                            | -9    | 284.85    | 12.21   | 284.85               | 12.21              |
| -5                            | -5    | 195.01    | 8.36    | 479.85               | 20.58              |
| No                            | 1     | 1699.20   | 72.86   | 2179.05              | 93.44              |
| Yes, but not in the past year | 2     | 62.44     | 2.68    | 2241.49              | 96.12              |
| Yes, during the past year     | 3     | 90.51     | 3.88    | 2332.00              | 100.00             |

**Icauditsc: 23/24 - SC - Alcohol Use Disorders Identification Test (AUDIT) score**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| .  | 302.99    | 12.99   | 302.99               | 12.99              |
| 0  | 155.78    | 6.68    | 458.77               | 19.67              |
| 1  | 192.05    | 8.24    | 650.82               | 27.91              |
| 2  | 208.01    | 8.92    | 858.83               | 36.83              |
| 3  | 244.76    | 10.50   | 1103.59              | 47.32              |
| 4  | 234.31    | 10.05   | 1337.90              | 57.37              |
| 5  | 196.71    | 8.44    | 1534.61              | 65.81              |
| 6  | 141.05    | 6.05    | 1675.66              | 71.86              |
| 7  | 126.03    | 5.40    | 1801.70              | 77.26              |
| 8  | 120.80    | 5.18    | 1922.50              | 82.44              |
| 9  | 90.13     | 3.86    | 2012.63              | 86.30              |
| 10 | 79.61     | 3.41    | 2092.24              | 89.72              |
| 11 | 56.62     | 2.43    | 2148.86              | 92.15              |
| 12 | 42.90     | 1.84    | 2191.76              | 93.99              |
| 13 | 27.07     | 1.16    | 2218.83              | 95.15              |
| 14 | 20.81     | 0.89    | 2239.64              | 96.04              |
| 15 | 29.81     | 1.28    | 2269.45              | 97.32              |
| 16 | 12.11     | 0.52    | 2281.56              | 97.84              |
| 17 | 10.52     | 0.45    | 2292.08              | 98.29              |
| 18 | 6.80      | 0.29    | 2298.87              | 98.58              |
| 19 | 9.84      | 0.42    | 2308.71              | 99.00              |
| 20 | 4.73      | 0.20    | 2313.45              | 99.20              |
| 21 | 4.65      | 0.20    | 2318.10              | 99.40              |
| 23 | 0.49      | 0.02    | 2318.59              | 99.43              |
| 24 | 1.26      | 0.05    | 2319.85              | 99.48              |
| 25 | 2.54      | 0.11    | 2322.39              | 99.59              |

**Icauditsc: 23/24 - SC - Alcohol Use Disorders Identification Test (AUDIT) score**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 26 | 3.42      | 0.15    | 2325.81              | 99.73              |
| 27 | 0.52      | 0.02    | 2326.33              | 99.76              |
| 28 | 0.36      | 0.02    | 2326.69              | 99.77              |
| 29 | 0.56      | 0.02    | 2327.25              | 99.80              |
| 31 | 2.69      | 0.12    | 2329.94              | 99.91              |
| 38 | 2.06      | 0.09    | 2332.00              | 100.00             |

**Icauditrs: 23/24 - SC - Alcohol Use Disorders Identification Test (AUDIT) risk level**

|                  | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|------------------|-------|-----------|---------|----------------------|--------------------|
| .                | .     | 302.99    | 12.99   | 302.99               | 12.99              |
| Low risk (0-7)   | 1     | 1498.71   | 64.27   | 1801.70              | 77.26              |
| Hazardous (8-15) | 2     | 467.75    | 20.06   | 2269.45              | 97.32              |
| Harmful (16-19)  | 3     | 39.27     | 1.68    | 2308.71              | 99.00              |
| High risk (20+)  | 4     | 23.29     | 1.00    | 2332.00              | 100.00             |

**Ihb16c20: 23/24 - SC CAWI E3.3 - No. of times ordered online and drank alcohol same day**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 284.85    | 12.21   | 284.85               | 12.21              |
| -5 | 196.98    | 8.45    | 481.83               | 20.66              |
| 0  | 1782.96   | 76.46   | 2264.79              | 97.12              |
| 1  | 43.49     | 1.86    | 2308.28              | 98.98              |
| 2  | 9.70      | 0.42    | 2317.97              | 99.40              |
| 3  | 3.87      | 0.17    | 2321.84              | 99.56              |
| 4  | 0.68      | 0.03    | 2322.53              | 99.59              |
| 5  | 2.06      | 0.09    | 2324.59              | 99.68              |
| 6  | 0.49      | 0.02    | 2325.08              | 99.70              |
| 7  | 1.42      | 0.06    | 2326.50              | 99.76              |
| 8  | 1.50      | 0.06    | 2328.00              | 99.83              |
| 10 | 4.00      | 0.17    | 2332.00              | 100.00             |

**Ihb26c1: 23/24 - SC CAWI F1.1 - Ever used cannabis (marijuana/pot/grass/weed/joint)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 946.38    | 40.58   | 946.38               | 40.58              |
| -5  | -5    | 19.53     | 0.84    | 965.92               | 41.42              |
| Yes | 1     | 533.32    | 22.87   | 1499.23              | 64.29              |
| No  | 2     | 832.77    | 35.71   | 2332.00              | 100.00             |

**Ihb26c1a: 23/24 - SC CAWI F1.1 + W5-8 - Ever tried cannabis**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 96.19     | 4.12    | 96.19                | 4.12               |
| -5  | -5    | 19.53     | 0.84    | 115.72               | 4.96               |
| Yes | 1     | 1383.51   | 59.33   | 1499.23              | 64.29              |
| No  | 2     | 832.77    | 35.71   | 2332.00              | 100.00             |

**Ihb37c1: 23/24 - SC CAWI F1.2 - Ever used ice**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 182.67    | 7.83    | 182.67               | 7.83               |
| -5  | -5    | 33.13     | 1.42    | 215.80               | 9.25               |
| Yes | 1     | 47.09     | 2.02    | 262.90               | 11.27              |
| No  | 2     | 2069.10   | 88.73   | 2332.00              | 100.00             |

**Ihb38c1: 23/24 - SC CAWI F1.3 - Ever used non-ice methamphetamine**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 219.10    | 9.40    | 219.10               | 9.40               |
| -5  | -5    | 32.58     | 1.40    | 251.68               | 10.79              |
| Yes | 1     | 160.30    | 6.87    | 411.98               | 17.67              |
| No  | 2     | 1920.02   | 82.33   | 2332.00              | 100.00             |

**Ihb39c1: 23/24 - SC CAWI F1.4 - Ever used cocaine (coke/charlie/blow/snow)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 285.91    | 12.26   | 285.91               | 12.26              |
| -5  | -5    | 32.90     | 1.41    | 318.82               | 13.67              |
| Yes | 1     | 580.50    | 24.89   | 899.32               | 38.56              |
| No  | 2     | 1432.68   | 61.44   | 2332.00              | 100.00             |

**Ihb40c1: 23/24 - SC CAWI F1.5 - Ever used ecstasy (XTC/E/Ex/Eccy/MDMA)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 417.74    | 17.91   | 417.74               | 17.91              |
| -5  | -5    | 29.46     | 1.26    | 447.20               | 19.18              |
| Yes | 1     | 428.59    | 18.38   | 875.79               | 37.56              |
| No  | 2     | 1456.21   | 62.44   | 2332.00              | 100.00             |

**Ihb41c1: 23/24 - SC CAWI F1.6 - Ever used hallucinogens (LSD/acid/magic mushrooms)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 312.18    | 13.39   | 312.18               | 13.39              |
| -5  | -5    | 31.73     | 1.36    | 343.91               | 14.75              |
| Yes | 1     | 362.40    | 15.54   | 706.31               | 30.29              |
| No  | 2     | 1625.69   | 69.71   | 2332.00              | 100.00             |

**Ihb27c1: 23/24 - SC CAWI F1.7 - Ever used inhalants (chroming/sniffing/solvents)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 317.28    | 13.61   | 317.28               | 13.61              |
| -5  | -5    | 30.08     | 1.29    | 347.36               | 14.90              |
| Yes | 1     | 327.20    | 14.03   | 674.56               | 28.93              |
| No  | 2     | 1657.44   | 71.07   | 2332.00              | 100.00             |

**Ihb27c1a: 23/24 - SC CAWI F1.7 + W5-8 - Ever tried sniffing**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 146.41    | 6.28    | 146.41               | 6.28               |
| -5  | -5    | 30.08     | 1.29    | 176.50               | 7.57               |
| Yes | 1     | 498.06    | 21.36   | 674.56               | 28.93              |
| No  | 2     | 1657.44   | 71.07   | 2332.00              | 100.00             |

**Ihb42c1: 23/24 - SC CAWI F1.8 - Ever used synthetic cannabis (spice/kronic)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 208.21    | 8.93    | 208.21               | 8.93               |
| -5  | -5    | 31.19     | 1.34    | 239.40               | 10.27              |
| Yes | 1     | 95.46     | 4.09    | 334.86               | 14.36              |
| No  | 2     | 1997.14   | 85.64   | 2332.00              | 100.00             |

**Ihb43c1: 23/24 - SC CAWI F1.9 - Ever used other psychoactive drug**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 218.16    | 9.35    | 218.16               | 9.35               |
| -5  | -5    | 31.85     | 1.37    | 250.00               | 10.72              |
| Yes | 1     | 167.00    | 7.16    | 417.00               | 17.88              |
| No  | 2     | 1915.00   | 82.12   | 2332.00              | 100.00             |

**Ihb48c1: 23/24 - SC CAWI F1.10 - Ever used other illicit drug**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 204.24    | 8.76    | 204.24               | 8.76               |
| -5  | -5    | 34.71     | 1.49    | 238.96               | 10.25              |
| Yes | 1     | 316.70    | 13.58   | 555.66               | 23.83              |
| No  | 2     | 1776.34   | 76.17   | 2332.00              | 100.00             |

**Ihb51c1: 23/24 - SC - Ever tried ice and/or non-ice methamphetamine**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2087.18   | 89.50   | 2087.18              | 89.50              |
| -5  | -5    | 32.58     | 1.40    | 2119.76              | 90.90              |
| Yes | 1     | 45.06     | 1.93    | 2164.82              | 92.83              |
| No  | 2     | 167.18    | 7.17    | 2332.00              | 100.00             |

**Ihb26c2: 23/24 - SC CAWI F2.1 - First used cannabis - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1798.68   | 77.13   | 1798.68              | 77.13              |
| 12 | 5.36      | 0.23    | 1804.04              | 77.36              |
| 13 | 3.43      | 0.15    | 1807.47              | 77.51              |
| 14 | 12.22     | 0.52    | 1819.69              | 78.03              |
| 15 | 16.31     | 0.70    | 1836.00              | 78.73              |
| 16 | 28.04     | 1.20    | 1864.04              | 79.93              |
| 17 | 35.04     | 1.50    | 1899.08              | 81.44              |
| 18 | 88.71     | 3.80    | 1987.78              | 85.24              |
| 19 | 100.51    | 4.31    | 2088.29              | 89.55              |
| 20 | 67.01     | 2.87    | 2155.30              | 92.42              |

**lhb26c2: 23/24 - SC CAWI F2.1 - First used cannabis - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 21 | 65.98     | 2.83    | 2221.28              | 95.25              |
| 22 | 55.39     | 2.38    | 2276.67              | 97.63              |
| 23 | 36.26     | 1.55    | 2312.93              | 99.18              |
| 24 | 19.07     | 0.82    | 2332.00              | 100.00             |

**lhb26c2a: 23/24 - SC CAWI F2.1 + W5-8 - First used cannabis - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 978.86    | 41.98   | 978.86               | 41.98              |
| -3 | 11.74     | 0.50    | 990.60               | 42.48              |
| 1  | 6.45      | 0.28    | 997.05               | 42.75              |
| 6  | 3.20      | 0.14    | 1000.25              | 42.89              |
| 11 | 2.71      | 0.12    | 1002.97              | 43.01              |
| 12 | 22.86     | 0.98    | 1025.83              | 43.99              |
| 13 | 50.28     | 2.16    | 1076.10              | 46.15              |
| 14 | 80.41     | 3.45    | 1156.52              | 49.59              |
| 15 | 122.52    | 5.25    | 1279.04              | 54.85              |
| 16 | 228.72    | 9.81    | 1507.77              | 64.66              |
| 17 | 211.87    | 9.09    | 1719.64              | 73.74              |
| 18 | 257.41    | 11.04   | 1977.05              | 84.78              |
| 19 | 111.25    | 4.77    | 2088.29              | 89.55              |
| 20 | 67.01     | 2.87    | 2155.30              | 92.42              |
| 21 | 65.98     | 2.83    | 2221.28              | 95.25              |
| 22 | 55.39     | 2.38    | 2276.67              | 97.63              |
| 23 | 36.26     | 1.55    | 2312.93              | 99.18              |
| 24 | 19.07     | 0.82    | 2332.00              | 100.00             |

**lhb37c2: 23/24 - SC CAWI F2.2 - First used ice - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2284.91   | 97.98   | 2284.91              | 97.98              |
| -5 | 1.12      | 0.05    | 2286.03              | 98.03              |
| 0  | 2.36      | 0.10    | 2288.39              | 98.13              |
| 15 | 1.68      | 0.07    | 2290.07              | 98.20              |
| 16 | 2.71      | 0.12    | 2292.78              | 98.32              |
| 17 | 8.09      | 0.35    | 2300.87              | 98.66              |
| 18 | 8.30      | 0.36    | 2309.16              | 99.02              |
| 19 | 5.00      | 0.21    | 2314.16              | 99.24              |
| 20 | 4.14      | 0.18    | 2318.30              | 99.41              |
| 21 | 2.07      | 0.09    | 2320.37              | 99.50              |
| 22 | 2.89      | 0.12    | 2323.26              | 99.63              |
| 23 | 8.74      | 0.37    | 2332.00              | 100.00             |

**lhb38c2: 23/24 - SC CAWI F2.3 - First used non-ice meth - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2171.70   | 93.13   | 2171.70              | 93.13              |
| -5 | 3.28      | 0.14    | 2174.98              | 93.27              |
| 0  | 4.14      | 0.18    | 2179.12              | 93.44              |
| 13 | 2.47      | 0.11    | 2181.58              | 93.55              |

**Ihb38c2: 23/24 - SC CAWI F2.3 - First used non-ice meth - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 14 | 2.52      | 0.11    | 2184.10              | 93.66              |
| 15 | 6.87      | 0.29    | 2190.97              | 93.95              |
| 16 | 3.55      | 0.15    | 2194.53              | 94.11              |
| 17 | 18.45     | 0.79    | 2212.97              | 94.90              |
| 18 | 33.02     | 1.42    | 2246.00              | 96.31              |
| 19 | 26.35     | 1.13    | 2272.34              | 97.44              |
| 20 | 18.19     | 0.78    | 2290.54              | 98.22              |
| 21 | 15.03     | 0.64    | 2305.57              | 98.87              |
| 22 | 16.18     | 0.69    | 2321.74              | 99.56              |
| 23 | 7.92      | 0.34    | 2329.66              | 99.90              |
| 24 | 2.34      | 0.10    | 2332.00              | 100.00             |

**Ihb39c2: 23/24 - SC CAWI F2.4 - First used cocaine - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1751.50   | 75.11   | 1751.50              | 75.11              |
| -5 | 7.19      | 0.31    | 1758.69              | 75.42              |
| 14 | 1.09      | 0.05    | 1759.78              | 75.46              |
| 15 | 0.60      | 0.03    | 1760.38              | 75.49              |
| 16 | 8.74      | 0.37    | 1769.11              | 75.86              |
| 17 | 17.58     | 0.75    | 1786.69              | 76.62              |
| 18 | 74.12     | 3.18    | 1860.82              | 79.79              |
| 19 | 98.22     | 4.21    | 1959.03              | 84.01              |
| 20 | 121.70    | 5.22    | 2080.73              | 89.23              |
| 21 | 91.50     | 3.92    | 2172.23              | 93.15              |
| 22 | 103.56    | 4.44    | 2275.80              | 97.59              |
| 23 | 45.27     | 1.94    | 2321.06              | 99.53              |
| 24 | 10.94     | 0.47    | 2332.00              | 100.00             |

**Ihb40c2: 23/24 - SC CAWI F2.5 - First used ecstasy - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1903.41   | 81.62   | 1903.41              | 81.62              |
| -5 | 6.38      | 0.27    | 1909.78              | 81.89              |
| 14 | 4.43      | 0.19    | 1914.22              | 82.08              |
| 15 | 4.27      | 0.18    | 1918.49              | 82.27              |
| 16 | 26.31     | 1.13    | 1944.80              | 83.40              |
| 17 | 33.04     | 1.42    | 1977.84              | 84.81              |
| 18 | 80.91     | 3.47    | 2058.75              | 88.28              |
| 19 | 76.87     | 3.30    | 2135.62              | 91.58              |
| 20 | 76.22     | 3.27    | 2211.83              | 94.85              |
| 21 | 52.59     | 2.26    | 2264.42              | 97.10              |
| 22 | 35.90     | 1.54    | 2300.33              | 98.64              |
| 23 | 27.09     | 1.16    | 2327.41              | 99.80              |
| 24 | 4.59      | 0.20    | 2332.00              | 100.00             |

**lh41c2: 23/24 - SC CAWI F2.6 - First used hallucinogens - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1969.60   | 84.46   | 1969.60              | 84.46              |
| -5 | 3.77      | 0.16    | 1973.37              | 84.62              |
| 14 | 1.84      | 0.08    | 1975.21              | 84.70              |
| 15 | 8.14      | 0.35    | 1983.35              | 85.05              |
| 16 | 7.45      | 0.32    | 1990.80              | 85.37              |
| 17 | 13.26     | 0.57    | 2004.05              | 85.94              |
| 18 | 40.71     | 1.75    | 2044.76              | 87.68              |
| 19 | 54.01     | 2.32    | 2098.77              | 90.00              |
| 20 | 67.68     | 2.90    | 2166.45              | 92.90              |
| 21 | 56.78     | 2.43    | 2223.23              | 95.34              |
| 22 | 49.52     | 2.12    | 2272.75              | 97.46              |
| 23 | 44.98     | 1.93    | 2317.73              | 99.39              |
| 24 | 14.27     | 0.61    | 2332.00              | 100.00             |

**lh27c2: 23/24 - SC CAWI F2.7 - First used inhalants - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2004.80   | 85.97   | 2004.80              | 85.97              |
| -5 | 1.33      | 0.06    | 2006.14              | 86.03              |
| 11 | 0.81      | 0.03    | 2006.95              | 86.06              |
| 12 | 0.83      | 0.04    | 2007.78              | 86.10              |
| 13 | 2.59      | 0.11    | 2010.36              | 86.21              |
| 14 | 1.42      | 0.06    | 2011.78              | 86.27              |
| 15 | 1.64      | 0.07    | 2013.41              | 86.34              |
| 16 | 11.43     | 0.49    | 2024.85              | 86.83              |
| 17 | 12.79     | 0.55    | 2037.63              | 87.38              |
| 18 | 85.04     | 3.65    | 2122.67              | 91.02              |
| 19 | 66.27     | 2.84    | 2188.94              | 93.87              |
| 20 | 54.84     | 2.35    | 2243.77              | 96.22              |
| 21 | 37.50     | 1.61    | 2281.28              | 97.82              |
| 22 | 33.33     | 1.43    | 2314.61              | 99.25              |
| 23 | 13.22     | 0.57    | 2327.83              | 99.82              |
| 24 | 4.17      | 0.18    | 2332.00              | 100.00             |

**lh27c2a: 23/24 - SC CAWI F2.7 + W7-8 - First used inhalants - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 1838.26   | 78.83   | 1838.26              | 78.83              |
| -3 | 1.96      | 0.08    | 1840.22              | 78.91              |
| 1  | 1.62      | 0.07    | 1841.84              | 78.98              |
| 7  | 1.90      | 0.08    | 1843.74              | 79.06              |
| 10 | 4.18      | 0.18    | 1847.92              | 79.24              |
| 11 | 4.50      | 0.19    | 1852.42              | 79.43              |
| 12 | 10.72     | 0.46    | 1863.14              | 79.89              |
| 13 | 14.80     | 0.63    | 1877.94              | 80.53              |
| 14 | 18.79     | 0.81    | 1896.73              | 81.33              |
| 15 | 14.90     | 0.64    | 1911.63              | 81.97              |
| 16 | 26.59     | 1.14    | 1938.22              | 83.11              |
| 17 | 42.36     | 1.82    | 1980.58              | 84.93              |

**lhb27c2a: 23/24 - SC CAWI F2.7 + W7-8 - First used inhalants - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 18 | 138.71    | 5.95    | 2119.29              | 90.88              |
| 19 | 69.65     | 2.99    | 2188.94              | 93.87              |
| 20 | 54.84     | 2.35    | 2243.77              | 96.22              |
| 21 | 37.50     | 1.61    | 2281.28              | 97.82              |
| 22 | 33.33     | 1.43    | 2314.61              | 99.25              |
| 23 | 13.22     | 0.57    | 2327.83              | 99.82              |
| 24 | 4.17      | 0.18    | 2332.00              | 100.00             |

**lhb42c2: 23/24 - SC CAWI F2.8 - First used synthetic cannabis - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2236.54   | 95.91   | 2236.54              | 95.91              |
| -5 | 6.63      | 0.28    | 2243.17              | 96.19              |
| 8  | 0.52      | 0.02    | 2243.68              | 96.21              |
| 12 | 1.47      | 0.06    | 2245.16              | 96.28              |
| 13 | 1.36      | 0.06    | 2246.52              | 96.33              |
| 14 | 12.67     | 0.54    | 2259.18              | 96.88              |
| 15 | 6.12      | 0.26    | 2265.30              | 97.14              |
| 16 | 9.02      | 0.39    | 2274.31              | 97.53              |
| 17 | 15.14     | 0.65    | 2289.45              | 98.18              |
| 18 | 15.17     | 0.65    | 2304.62              | 98.83              |
| 19 | 10.03     | 0.43    | 2314.65              | 99.26              |
| 20 | 7.12      | 0.31    | 2321.76              | 99.56              |
| 21 | 1.49      | 0.06    | 2323.26              | 99.63              |
| 22 | 6.59      | 0.28    | 2329.85              | 99.91              |
| 23 | 1.42      | 0.06    | 2331.27              | 99.97              |
| 24 | 0.73      | 0.03    | 2332.00              | 100.00             |

**lhb43c2: 23/24 - SC CAWI F2.9 - First used other psychoactive drug - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2165.00   | 92.84   | 2165.00              | 92.84              |
| -5 | 1.33      | 0.06    | 2166.33              | 92.90              |
| 14 | 2.54      | 0.11    | 2168.87              | 93.00              |
| 15 | 5.00      | 0.21    | 2173.88              | 93.22              |
| 16 | 13.97     | 0.60    | 2187.85              | 93.82              |
| 17 | 26.17     | 1.12    | 2214.01              | 94.94              |
| 18 | 46.25     | 1.98    | 2260.26              | 96.92              |
| 19 | 24.22     | 1.04    | 2284.48              | 97.96              |
| 20 | 23.57     | 1.01    | 2308.04              | 98.97              |
| 21 | 8.55      | 0.37    | 2316.60              | 99.34              |
| 22 | 8.79      | 0.38    | 2325.39              | 99.72              |
| 23 | 5.07      | 0.22    | 2330.46              | 99.93              |
| 24 | 1.54      | 0.07    | 2332.00              | 100.00             |

**Ihb48c2: 23/24 - SC CAWI F2.10 - First used other illicit drug - Age**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2015.30   | 86.42   | 2015.30              | 86.42              |
| -5 | 1.85      | 0.08    | 2017.15              | 86.50              |
| 13 | 2.06      | 0.09    | 2019.22              | 86.59              |
| 14 | 1.09      | 0.05    | 2020.31              | 86.63              |
| 15 | 3.33      | 0.14    | 2023.64              | 86.78              |
| 16 | 5.93      | 0.25    | 2029.57              | 87.03              |
| 17 | 15.07     | 0.65    | 2044.64              | 87.68              |
| 18 | 37.05     | 1.59    | 2081.69              | 89.27              |
| 19 | 38.28     | 1.64    | 2119.97              | 90.91              |
| 20 | 55.88     | 2.40    | 2175.85              | 93.30              |
| 21 | 47.93     | 2.06    | 2223.79              | 95.36              |
| 22 | 54.54     | 2.34    | 2278.32              | 97.70              |
| 23 | 35.21     | 1.51    | 2313.53              | 99.21              |
| 24 | 18.47     | 0.79    | 2332.00              | 100.00             |

**Ihb26c6a: 23/24 - SC CAWI F3.1 - Frequency cannabis used - Last 12 months**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 1011.03   | 43.35   | 1011.03              | 43.35              |
| -5                   | -5    | 13.68     | 0.59    | 1024.71              | 43.94              |
| Everyday             | 1     | 98.51     | 4.22    | 1123.23              | 48.17              |
| Once a week or more  | 2     | 67.88     | 2.91    | 1191.11              | 51.08              |
| 2 or 3 times a month | 3     | 59.61     | 2.56    | 1250.71              | 53.63              |
| About once a month   | 4     | 50.63     | 2.17    | 1301.35              | 55.80              |
| Every few months     | 5     | 99.92     | 4.28    | 1401.26              | 60.09              |
| Once or twice        | 6     | 367.52    | 15.76   | 1768.78              | 75.85              |
| Never                | 7     | 563.22    | 24.15   | 2332.00              | 100.00             |

**Ihb37c3: 23/24 - SC CAWI F3.2 - Frequency ice used - Last 12 months**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 2260.96   | 96.95   | 2260.96              | 96.95              |
| -5                   | -5    | 0.56      | 0.02    | 2261.52              | 96.98              |
| Once a week or more  | 2     | 7.33      | 0.31    | 2268.85              | 97.29              |
| 2 or 3 times a month | 3     | 2.24      | 0.10    | 2271.10              | 97.39              |
| About once a month   | 4     | 4.54      | 0.19    | 2275.64              | 97.58              |
| Every few months     | 5     | 0.69      | 0.03    | 2276.33              | 97.61              |
| Once or twice        | 6     | 9.28      | 0.40    | 2285.60              | 98.01              |
| Never                | 7     | 46.40     | 1.99    | 2332.00              | 100.00             |

**Ihb38c3: 23/24 - SC CAWI F3.3 - Frequency non-ice meth used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 2111.33   | 90.54   | 2111.33              | 90.54              |
| -5                   | -5    | 0.74      | 0.03    | 2112.07              | 90.57              |
| Everyday             | 1     | 3.97      | 0.17    | 2116.04              | 90.74              |
| Once a week or more  | 2     | 7.09      | 0.30    | 2123.13              | 91.04              |
| 2 or 3 times a month | 3     | 4.69      | 0.20    | 2127.82              | 91.24              |
| About once a month   | 4     | 11.87     | 0.51    | 2139.69              | 91.75              |
| Every few months     | 5     | 13.41     | 0.58    | 2153.10              | 92.33              |

**Ihb38c3: 23/24 - SC CAWI F3.3 - Frequency non-ice meth used - Last 12 mths**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| Once or twice | 6     | 48.70     | 2.09    | 2201.80              | 94.42              |
| Never         | 7     | 130.20    | 5.58    | 2332.00              | 100.00             |

**Ihb39c3: 23/24 - SC CAWI F3.4 - Frequency cocaine used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 1624.32   | 69.65   | 1624.32              | 69.65              |
| -5                   | -5    | 1.40      | 0.06    | 1625.71              | 69.71              |
| Everyday             | 1     | 2.18      | 0.09    | 1627.90              | 69.81              |
| Once a week or more  | 2     | 6.12      | 0.26    | 1634.02              | 70.07              |
| 2 or 3 times a month | 3     | 12.31     | 0.53    | 1646.32              | 70.60              |
| About once a month   | 4     | 37.68     | 1.62    | 1684.00              | 72.21              |
| Every few months     | 5     | 124.51    | 5.34    | 1808.51              | 77.55              |
| Once or twice        | 6     | 253.10    | 10.85   | 2061.61              | 88.41              |
| Never                | 7     | 270.39    | 11.59   | 2332.00              | 100.00             |

**Ihb40c3: 23/24 - SC CAWI F3.5 - Frequency ecstasy used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 1644.40   | 70.51   | 1644.40              | 70.51              |
| -5                   | -5    | 3.78      | 0.16    | 1648.18              | 70.68              |
| Once a week or more  | 2     | 0.54      | 0.02    | 1648.72              | 70.70              |
| 2 or 3 times a month | 3     | 1.29      | 0.06    | 1650.01              | 70.76              |
| About once a month   | 4     | 13.00     | 0.56    | 1663.01              | 71.31              |
| Every few months     | 5     | 74.97     | 3.21    | 1737.98              | 74.53              |
| Once or twice        | 6     | 218.33    | 9.36    | 1956.31              | 83.89              |
| Never                | 7     | 375.69    | 16.11   | 2332.00              | 100.00             |

**Ihb41c3: 23/24 - SC CAWI F3.6 - Frequency hallucinogens used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 1816.15   | 77.88   | 1816.15              | 77.88              |
| -5                   | -5    | 3.25      | 0.14    | 1819.40              | 78.02              |
| Once a week or more  | 2     | 1.83      | 0.08    | 1821.23              | 78.10              |
| 2 or 3 times a month | 3     | 5.22      | 0.22    | 1826.45              | 78.32              |
| About once a month   | 4     | 12.44     | 0.53    | 1838.89              | 78.85              |
| Every few months     | 5     | 48.49     | 2.08    | 1887.38              | 80.93              |
| Once or twice        | 6     | 196.53    | 8.43    | 2083.91              | 89.36              |
| Never                | 7     | 248.09    | 10.64   | 2332.00              | 100.00             |

**Ihb27c9: 23/24 - SC CAWI F3.7 - Frequency inhalants used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 1846.78   | 79.19   | 1846.78              | 79.19              |
| -5                   | -5    | 2.50      | 0.11    | 1849.29              | 79.30              |
| Once a week or more  | 2     | 5.67      | 0.24    | 1854.96              | 79.54              |
| 2 or 3 times a month | 3     | 1.04      | 0.04    | 1856.00              | 79.59              |
| About once a month   | 4     | 5.53      | 0.24    | 1861.53              | 79.83              |
| Every few months     | 5     | 28.37     | 1.22    | 1889.90              | 81.04              |

**Ihb27c9: 23/24 - SC CAWI F3.7 - Frequency inhalants used - Last 12 mths**

|               | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------|-------|-----------|---------|----------------------|--------------------|
| Once or twice | 6     | 132.85    | 5.70    | 2022.75              | 86.74              |
| Never         | 7     | 309.25    | 13.26   | 2332.00              | 100.00             |

**Ihb42c3: 23/24 - SC CAWI F3.8 - Frequency synthetic cannabis used - Last 12 mths**

|                     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------|-------|-----------|---------|----------------------|--------------------|
| -9                  | -9    | 2187.06   | 93.78   | 2187.06              | 93.78              |
| -5                  | -5    | 3.52      | 0.15    | 2190.59              | 93.94              |
| Everyday            | 1     | 2.91      | 0.12    | 2193.49              | 94.06              |
| Once a week or more | 2     | 2.02      | 0.09    | 2195.51              | 94.15              |
| About once a month  | 4     | 1.03      | 0.04    | 2196.55              | 94.19              |
| Every few months    | 5     | 3.32      | 0.14    | 2199.86              | 94.33              |
| Once or twice       | 6     | 24.45     | 1.05    | 2224.31              | 95.38              |
| Never               | 7     | 107.69    | 4.62    | 2332.00              | 100.00             |

**Ihb43c7: 23/24 - SC CAWI F3.9 - Frequency psychoactive drugs - Last 12 mths**

|                     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---------------------|-------|-----------|---------|----------------------|--------------------|
| -9                  | -9    | 2105.57   | 90.29   | 2105.57              | 90.29              |
| -5                  | -5    | 0.74      | 0.03    | 2106.31              | 90.32              |
| Once a week or more | 2     | 2.70      | 0.12    | 2109.01              | 90.44              |
| Every few months    | 5     | 14.42     | 0.62    | 2123.43              | 91.06              |
| Once or twice       | 6     | 42.76     | 1.83    | 2166.19              | 92.89              |
| Never               | 7     | 165.81    | 7.11    | 2332.00              | 100.00             |

**Ihb48c7: 23/24 - SC CAWI F3.10 - Frequency other illicit drugs used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 1969.79   | 84.47   | 1969.79              | 84.47              |
| -5                   | -5    | 1.27      | 0.05    | 1971.06              | 84.52              |
| Once a week or more  | 2     | 3.36      | 0.14    | 1974.42              | 84.67              |
| 2 or 3 times a month | 3     | 4.51      | 0.19    | 1978.92              | 84.86              |
| About once a month   | 4     | 10.07     | 0.43    | 1988.99              | 85.29              |
| Every few months     | 5     | 47.94     | 2.06    | 2036.93              | 87.35              |
| Once or twice        | 6     | 118.21    | 5.07    | 2155.14              | 92.42              |
| Never                | 7     | 176.86    | 7.58    | 2332.00              | 100.00             |

**Ihb26c4: 23/24 - SC CAWI F4.1 - Last 4 wks cannabis (marijuana/pot/grass/weed/joint)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1587.93   | 68.09   | 1587.93              | 68.09              |
| Yes | 1     | 295.25    | 12.66   | 1883.18              | 80.75              |
| No  | 2     | 448.82    | 19.25   | 2332.00              | 100.00             |

**Ihb38c4: 23/24 - SC CAWI F4.3 - Last 4 wks non-ice meth (speed/pw meth/whiz/goey)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2242.27   | 96.15   | 2242.27              | 96.15              |
| Yes | 1     | 28.74     | 1.23    | 2271.01              | 97.38              |
| No  | 2     | 60.99     | 2.62    | 2332.00              | 100.00             |

**Ihb39c4: 23/24 - SC CAWI F4.4 - Last 4 wks cocaine (coke/charlie/blow/snow)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 1896.11   | 81.31   | 1896.11              | 81.31              |
| -5  | -5    | 0.69      | 0.03    | 1896.79              | 81.34              |
| Yes | 1     | 86.62     | 3.71    | 1983.42              | 85.05              |
| No  | 2     | 348.58    | 14.95   | 2332.00              | 100.00             |

**Ihb40c4: 23/24 - SC CAWI F4.5 - Last 4 wks ecstasy (XTC/E/Ex/Eccy/MDMA)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2023.87   | 86.79   | 2023.87              | 86.79              |
| Yes | 1     | 55.28     | 2.37    | 2079.15              | 89.16              |
| No  | 2     | 252.85    | 10.84   | 2332.00              | 100.00             |

**Ihb41c4: 23/24 - SC CAWI F4.6 - Last 4 wks hallucinogens (LSD/acid/magic mushrooms)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2067.49   | 88.66   | 2067.49              | 88.66              |
| Yes | 1     | 40.99     | 1.76    | 2108.48              | 90.42              |
| No  | 2     | 223.52    | 9.58    | 2332.00              | 100.00             |

**Ihb27c4: 23/24 - SC CAWI F4.7 - Last 4 wks inhalants (chroming/sniffing/solvents)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2158.54   | 92.56   | 2158.54              | 92.56              |
| Yes | 1     | 19.71     | 0.85    | 2178.25              | 93.41              |
| No  | 2     | 153.75    | 6.59    | 2332.00              | 100.00             |

**Ihb48c4: 23/24 - SC CAWI F4.10 - Last 4 wks illicit drugs (heroin/GHB/ketamine)**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2147.92   | 92.11   | 2147.92              | 92.11              |
| Yes | 1     | 34.18     | 1.47    | 2182.10              | 93.57              |
| No  | 2     | 149.90    | 6.43    | 2332.00              | 100.00             |

**Ihb51c5: 23/24 - SC - Last 4 wks ice/synthetic cannabis/psychoactive drug**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2244.81   | 96.26   | 2244.81              | 96.26              |
| Yes | 1     | 14.30     | 0.61    | 2259.11              | 96.87              |
| No  | 2     | 72.89     | 3.13    | 2332.00              | 100.00             |

**Ihb44c1: 23/24 - SC CAWI F5.1 - Ever used tranquilisers/sleeping pills**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 240.71    | 10.32   | 240.71               | 10.32              |
| -5  | -5    | 34.18     | 1.47    | 274.90               | 11.79              |
| Yes | 1     | 119.82    | 5.14    | 394.72               | 16.93              |
| No  | 2     | 1937.28   | 83.07   | 2332.00              | 100.00             |

**Ihb45c1: 23/24 - SC CAWI F5.2 - Ever used painkillers/pain-relievers/opioids**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 282.74    | 12.12   | 282.74               | 12.12              |
| -5  | -5    | 35.77     | 1.53    | 318.51               | 13.66              |
| Yes | 1     | 129.21    | 5.54    | 447.72               | 19.20              |
| No  | 2     | 1884.28   | 80.80   | 2332.00              | 100.00             |

**Ihb46c1: 23/24 - SC CAWI F5.3 - Ever used stimulant medication**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 254.61    | 10.92   | 254.61               | 10.92              |
| -5  | -5    | 35.58     | 1.53    | 290.19               | 12.44              |
| Yes | 1     | 189.93    | 8.14    | 480.12               | 20.59              |
| No  | 2     | 1851.88   | 79.41   | 2332.00              | 100.00             |

**Ihb44c2: 23/24 - SC CAWI F6.1 - Age first used tranquilisers**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2212.18   | 94.86   | 2212.18              | 94.86              |
| -5 | 3.75      | 0.16    | 2215.93              | 95.02              |
| 13 | 1.98      | 0.09    | 2217.92              | 95.11              |
| 14 | 1.11      | 0.05    | 2219.03              | 95.16              |
| 15 | 1.72      | 0.07    | 2220.75              | 95.23              |
| 16 | 3.51      | 0.15    | 2224.26              | 95.38              |
| 17 | 3.42      | 0.15    | 2227.68              | 95.53              |
| 18 | 12.05     | 0.52    | 2239.73              | 96.04              |
| 19 | 26.88     | 1.15    | 2266.60              | 97.20              |
| 20 | 24.41     | 1.05    | 2291.02              | 98.24              |
| 21 | 13.52     | 0.58    | 2304.54              | 98.82              |
| 22 | 13.59     | 0.58    | 2318.13              | 99.41              |
| 23 | 11.67     | 0.50    | 2329.79              | 99.91              |
| 24 | 2.21      | 0.09    | 2332.00              | 100.00             |

**Ihb45c2: 23/24 - SC CAWI F6.2 - Age first used painkillers**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2202.79   | 94.46   | 2202.79              | 94.46              |
| -5 | 7.93      | 0.34    | 2210.72              | 94.80              |
| 0  | 2.04      | 0.09    | 2212.77              | 94.89              |
| 8  | 0.51      | 0.02    | 2213.28              | 94.91              |
| 9  | 0.62      | 0.03    | 2213.90              | 94.94              |
| 13 | 2.79      | 0.12    | 2216.69              | 95.06              |
| 14 | 3.26      | 0.14    | 2219.95              | 95.20              |
| 15 | 7.23      | 0.31    | 2227.18              | 95.51              |
| 16 | 1.17      | 0.05    | 2228.35              | 95.56              |
| 17 | 5.79      | 0.25    | 2234.14              | 95.80              |
| 18 | 29.30     | 1.26    | 2263.44              | 97.06              |
| 19 | 14.62     | 0.63    | 2278.06              | 97.69              |
| 20 | 16.37     | 0.70    | 2294.43              | 98.39              |
| 21 | 6.22      | 0.27    | 2300.65              | 98.66              |
| 22 | 8.03      | 0.34    | 2308.68              | 99.00              |

**Ihb45c2: 23/24 - SC CAWI F6.2 - Age first used painkillers**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| 23 | 11.99     | 0.51    | 2320.66              | 99.51              |
| 24 | 11.34     | 0.49    | 2332.00              | 100.00             |

**Ihb46c2: 23/24 - SC CAWI F6.3 - Age first used stimulant medication**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2142.07   | 91.86   | 2142.07              | 91.86              |
| -5 | 4.51      | 0.19    | 2146.58              | 92.05              |
| 0  | 1.44      | 0.06    | 2148.02              | 92.11              |
| 13 | 1.98      | 0.09    | 2150.00              | 92.20              |
| 14 | 1.39      | 0.06    | 2151.40              | 92.26              |
| 15 | 3.17      | 0.14    | 2154.56              | 92.39              |
| 16 | 4.18      | 0.18    | 2158.74              | 92.57              |
| 17 | 8.93      | 0.38    | 2167.67              | 92.95              |
| 18 | 26.64     | 1.14    | 2194.31              | 94.10              |
| 19 | 25.83     | 1.11    | 2220.14              | 95.20              |
| 20 | 15.34     | 0.66    | 2235.47              | 95.86              |
| 21 | 15.44     | 0.66    | 2250.92              | 96.52              |
| 22 | 36.68     | 1.57    | 2287.60              | 98.10              |
| 23 | 32.12     | 1.38    | 2319.72              | 99.47              |
| 24 | 12.28     | 0.53    | 2332.00              | 100.00             |

**Ihb44c7: 23/24 - SC CAWI F7.1 - Frequency tranquilisers used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 2130.20   | 91.35   | 2130.20              | 91.35              |
| -5                   | -5    | 1.95      | 0.08    | 2132.15              | 91.43              |
| Once a week or more  | 2     | 3.97      | 0.17    | 2136.12              | 91.60              |
| 2 or 3 times a month | 3     | 4.53      | 0.19    | 2140.65              | 91.79              |
| About once a month   | 4     | 3.51      | 0.15    | 2144.16              | 91.95              |
| Every few months     | 5     | 21.39     | 0.92    | 2165.54              | 92.86              |
| Once or twice        | 6     | 44.17     | 1.89    | 2209.72              | 94.76              |
| Never                | 7     | 122.28    | 5.24    | 2332.00              | 100.00             |

**Ihb45c7: 23/24 - SC CAWI F7.2 - Frequency painkillers used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 2079.33   | 89.16   | 2079.33              | 89.16              |
| -5                   | -5    | 3.47      | 0.15    | 2082.79              | 89.31              |
| Everyday             | 1     | 2.15      | 0.09    | 2084.94              | 89.41              |
| Once a week or more  | 2     | 5.49      | 0.24    | 2090.43              | 89.64              |
| 2 or 3 times a month | 3     | 10.43     | 0.45    | 2100.86              | 90.09              |
| About once a month   | 4     | 5.71      | 0.24    | 2106.57              | 90.33              |
| Every few months     | 5     | 10.51     | 0.45    | 2117.09              | 90.78              |
| Once or twice        | 6     | 69.90     | 3.00    | 2186.99              | 93.78              |
| Never                | 7     | 145.01    | 6.22    | 2332.00              | 100.00             |

**Ihb46c7: 23/24 - SC CAWI F7.3 - Frequency stimulants used - Last 12 mths**

|                      | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----------------------|-------|-----------|---------|----------------------|--------------------|
| -9                   | -9    | 2046.93   | 87.78   | 2046.93              | 87.78              |
| Everyday             | 1     | 2.75      | 0.12    | 2049.68              | 87.89              |
| Once a week or more  | 2     | 3.63      | 0.16    | 2053.31              | 88.05              |
| 2 or 3 times a month | 3     | 7.09      | 0.30    | 2060.40              | 88.35              |
| About once a month   | 4     | 11.06     | 0.47    | 2071.46              | 88.83              |
| Every few months     | 5     | 37.91     | 1.63    | 2109.37              | 90.45              |
| Once or twice        | 6     | 103.68    | 4.45    | 2213.05              | 94.90              |
| Never                | 7     | 118.95    | 5.10    | 2332.00              | 100.00             |

**Ihb44c4: 23/24 - SC CAWI F8.1 - Last 4 wks tranquilisers**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2254.43   | 96.67   | 2254.43              | 96.67              |
| Yes | 1     | 17.36     | 0.74    | 2271.79              | 97.42              |
| No  | 2     | 60.21     | 2.58    | 2332.00              | 100.00             |

**Ihb45c4: 23/24 - SC CAWI F8.2 - Last 4 wks painkillers**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2227.80   | 95.53   | 2227.80              | 95.53              |
| -5  | -5    | 1.12      | 0.05    | 2228.93              | 95.58              |
| Yes | 1     | 24.29     | 1.04    | 2253.22              | 96.62              |
| No  | 2     | 78.78     | 3.38    | 2332.00              | 100.00             |

**Ihb46c4: 23/24 - SC CAWI F8.3 - Last 4 wks stimulants**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2165.88   | 92.88   | 2165.88              | 92.88              |
| Yes | 1     | 39.73     | 1.70    | 2205.61              | 94.58              |
| No  | 2     | 126.39    | 5.42    | 2332.00              | 100.00             |

**Ihb19ya: 23/24 - SC CASI E5.1 - Had a condition during 1st pregnancy**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2056.26   | 88.18   | 2056.26              | 88.18              |
| -5  | -5    | 0.86      | 0.04    | 2057.12              | 88.21              |
| -4  | -4    | 166.21    | 7.13    | 2223.33              | 95.34              |
| Yes | 1     | 67.87     | 2.91    | 2291.20              | 98.25              |
| No  | 2     | 40.80     | 1.75    | 2332.00              | 100.00             |

**Ihb19ya1a: 23/24 - SC CASI E5.1.1 - 1st pregnancy conditions - Diabetes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2056.26   | 88.18   | 2056.26              | 88.18              |
| -5  | -5    | 0.86      | 0.04    | 2057.12              | 88.21              |
| -4  | -4    | 166.21    | 7.13    | 2223.33              | 95.34              |
| No  | 0     | 99.94     | 4.29    | 2323.27              | 99.63              |
| Yes | 1     | 8.73      | 0.37    | 2332.00              | 100.00             |

**Ihb19ya2a: 23/24 - SC CASI E5.1.2 - 1st pregnancy conditions - Hypertension w/ treatment**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2056.26   | 88.18   | 2056.26              | 88.18              |
| -5  | -5    | 0.86      | 0.04    | 2057.12              | 88.21              |
| -4  | -4    | 166.21    | 7.13    | 2223.33              | 95.34              |
| No  | 0     | 100.18    | 4.30    | 2323.51              | 99.64              |
| Yes | 1     | 8.49      | 0.36    | 2332.00              | 100.00             |

**Ihb19ya4d: 23/24 - SC CASI E5.1.3 - 1st pregnancy conditions - Anxiety**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2056.26   | 88.18   | 2056.26              | 88.18              |
| -5  | -5    | 0.86      | 0.04    | 2057.12              | 88.21              |
| -4  | -4    | 166.21    | 7.13    | 2223.33              | 95.34              |
| No  | 0     | 59.85     | 2.57    | 2283.18              | 97.91              |
| Yes | 1     | 48.82     | 2.09    | 2332.00              | 100.00             |

**Ihb19ya4c: 23/24 - SC CASI E5.1.4 - 1st pregnancy conditions - Depression**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2056.26   | 88.18   | 2056.26              | 88.18              |
| -5  | -5    | 0.86      | 0.04    | 2057.12              | 88.21              |
| -4  | -4    | 166.21    | 7.13    | 2223.33              | 95.34              |
| No  | 0     | 72.80     | 3.12    | 2296.13              | 98.46              |
| Yes | 1     | 35.87     | 1.54    | 2332.00              | 100.00             |

**Ihb19ya3a: 23/24 - SC CASI E5.1.5 - 1st pregnancy conditions - Other health condition**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2056.26   | 88.18   | 2056.26              | 88.18              |
| -5  | -5    | 0.86      | 0.04    | 2057.12              | 88.21              |
| -4  | -4    | 166.21    | 7.13    | 2223.33              | 95.34              |
| No  | 0     | 87.73     | 3.76    | 2311.06              | 99.10              |
| Yes | 1     | 20.94     | 0.90    | 2332.00              | 100.00             |

**Ihb19yb: 23/24 - SC CASI E5.2 - Had a condition during 2nd pregnancy**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2126.42   | 91.18   | 2126.42              | 91.18              |
| -4  | -4    | 166.21    | 7.13    | 2292.63              | 98.31              |
| Yes | 1     | 18.64     | 0.80    | 2311.27              | 99.11              |
| No  | 2     | 20.73     | 0.89    | 2332.00              | 100.00             |

**Ihb19yb1a: 23/24 - SC CASI E5.2.1 - 2nd pregnancy conditions - Diabetes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2126.42   | 91.18   | 2126.42              | 91.18              |
| -4  | -4    | 166.21    | 7.13    | 2292.63              | 98.31              |
| No  | 0     | 37.57     | 1.61    | 2330.20              | 99.92              |
| Yes | 1     | 1.80      | 0.08    | 2332.00              | 100.00             |

**lhb19yb2a: 23/24 - SC CASI E5.2.2 - 2nd pregnancy conditions - Hypertension w/ treatment**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2126.42   | 91.18   | 2126.42              | 91.18              |
| -4  | -4    | 166.21    | 7.13    | 2292.63              | 98.31              |
| No  | 0     | 37.84     | 1.62    | 2330.47              | 99.93              |
| Yes | 1     | 1.53      | 0.07    | 2332.00              | 100.00             |

**lhb19yb4d: 23/24 - SC CASI E5.2.3 - 2nd pregnancy conditions - Anxiety**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2126.42   | 91.18   | 2126.42              | 91.18              |
| -4  | -4    | 166.21    | 7.13    | 2292.63              | 98.31              |
| No  | 0     | 26.46     | 1.13    | 2319.08              | 99.45              |
| Yes | 1     | 12.92     | 0.55    | 2332.00              | 100.00             |

**lhb19yb4c: 23/24 - SC CASI E5.2.4 - 2nd pregnancy conditions - Depression**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2126.42   | 91.18   | 2126.42              | 91.18              |
| -4  | -4    | 166.21    | 7.13    | 2292.63              | 98.31              |
| No  | 0     | 27.75     | 1.19    | 2320.37              | 99.50              |
| Yes | 1     | 11.63     | 0.50    | 2332.00              | 100.00             |

**lhb19yb3a: 23/24 - SC CASI E5.2.5 - 2nd pregnancy conditions - Other health condition**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2126.42   | 91.18   | 2126.42              | 91.18              |
| -4  | -4    | 166.21    | 7.13    | 2292.63              | 98.31              |
| No  | 0     | 32.96     | 1.41    | 2325.58              | 99.72              |
| Yes | 1     | 6.42      | 0.28    | 2332.00              | 100.00             |

**lhb19yc: 23/24 - SC CASI E5.3 - Had a condition during 3rd pregnancy**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2152.45   | 92.30   | 2152.45              | 92.30              |
| -4  | -4    | 166.21    | 7.13    | 2318.66              | 99.43              |
| Yes | 1     | 6.76      | 0.29    | 2325.42              | 99.72              |
| No  | 2     | 6.58      | 0.28    | 2332.00              | 100.00             |

**lhb19yc1a: 23/24 - SC CASI E5.3.1 - 3rd pregnancy conditions - Diabetes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2152.45   | 92.30   | 2152.45              | 92.30              |
| -4  | -4    | 166.21    | 7.13    | 2318.66              | 99.43              |
| No  | 0     | 11.40     | 0.49    | 2330.06              | 99.92              |
| Yes | 1     | 1.94      | 0.08    | 2332.00              | 100.00             |

**lhb19yc2a: 23/24 - SC CASI E5.3.2 - 3rd pregnancy conditions - Hypertension w/ treatment**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2152.45   | 92.30   | 2152.45              | 92.30              |
| -4 | -4    | 166.21    | 7.13    | 2318.66              | 99.43              |
| No | 0     | 13.34     | 0.57    | 2332.00              | 100.00             |

**lhb19yc4d: 23/24 - SC CASI E5.3.3 - 3rd pregnancy conditions - Anxiety**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2152.45   | 92.30   | 2152.45              | 92.30              |
| -4  | -4    | 166.21    | 7.13    | 2318.66              | 99.43              |
| No  | 0     | 9.22      | 0.40    | 2327.88              | 99.82              |
| Yes | 1     | 4.12      | 0.18    | 2332.00              | 100.00             |

**lhb19yc4c: 23/24 - SC CASI E5.3.4 - 3rd pregnancy conditions - Depression**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2152.45   | 92.30   | 2152.45              | 92.30              |
| -4  | -4    | 166.21    | 7.13    | 2318.66              | 99.43              |
| No  | 0     | 9.51      | 0.41    | 2328.17              | 99.84              |
| Yes | 1     | 3.83      | 0.16    | 2332.00              | 100.00             |

**lhb19yc3a: 23/24 - SC CASI E5.3.5 - 3rd pregnancy conditions - Other health condition**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2152.45   | 92.30   | 2152.45              | 92.30              |
| -4 | -4    | 166.21    | 7.13    | 2318.66              | 99.43              |
| No | 0     | 13.34     | 0.57    | 2332.00              | 100.00             |

**lhb19yd: 23/24 - SC CASI E5.4 - Had a condition during 4th pregnancy**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2161.83   | 92.70   | 2161.83              | 92.70              |
| -4 | -4    | 166.21    | 7.13    | 2328.04              | 99.83              |
| No | 2     | 3.96      | 0.17    | 2332.00              | 100.00             |

**lhb19yd1a: 23/24 - SC CASI E5.4.1 - 4th pregnancy conditions - Diabetes**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2161.83   | 92.70   | 2161.83              | 92.70              |
| -4 | -4    | 166.21    | 7.13    | 2328.04              | 99.83              |
| No | 0     | 3.96      | 0.17    | 2332.00              | 100.00             |

**lhb19yd2a: 23/24 - SC CASI E5.4.2 - 4th pregnancy conditions - Hypertension w/ treatment**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2161.83   | 92.70   | 2161.83              | 92.70              |
| -4 | -4    | 166.21    | 7.13    | 2328.04              | 99.83              |
| No | 0     | 3.96      | 0.17    | 2332.00              | 100.00             |

**lhb19yd4d: 23/24 - SC CASI E5.4.3 - 4th pregnancy conditions - Anxiety**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2161.83   | 92.70   | 2161.83              | 92.70              |
| -4 | -4    | 166.21    | 7.13    | 2328.04              | 99.83              |
| No | 0     | 3.96      | 0.17    | 2332.00              | 100.00             |

**lhb19yd4c: 23/24 - SC CASI E5.4.4 - 4th pregnancy conditions - Depression**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2161.83   | 92.70   | 2161.83              | 92.70              |
| -4 | -4    | 166.21    | 7.13    | 2328.04              | 99.83              |
| No | 0     | 3.96      | 0.17    | 2332.00              | 100.00             |

**lhb19yd3a: 23/24 - SC CASI E5.4.5 - 4th pregnancy conditions - Other health condition**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2161.83   | 92.70   | 2161.83              | 92.70              |
| -4 | -4    | 166.21    | 7.13    | 2328.04              | 99.83              |
| No | 0     | 3.96      | 0.17    | 2332.00              | 100.00             |

**lhb19ye: 23/24 - SC CASI E5.5 - Had a condition during 5th pregnancy**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.04   | 92.80   | 2164.04              | 92.80              |
| -4  | -4    | 166.21    | 7.13    | 2330.25              | 99.92              |
| Yes | 1     | 0.66      | 0.03    | 2330.91              | 99.95              |
| No  | 2     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19ye1a: 23/24 - SC CASI E5.5.1 - 5th pregnancy conditions - Diabetes**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.04   | 92.80   | 2164.04              | 92.80              |
| -4  | -4    | 166.21    | 7.13    | 2330.25              | 99.92              |
| No  | 0     | 1.09      | 0.05    | 2331.34              | 99.97              |
| Yes | 1     | 0.66      | 0.03    | 2332.00              | 100.00             |

**lhb19ye2a: 23/24 - SC CASI E5.5.2 - 5th pregnancy conditions - Hypertension w/ treatment**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.04   | 92.80   | 2164.04              | 92.80              |
| -4 | -4    | 166.21    | 7.13    | 2330.25              | 99.92              |
| No | 0     | 1.75      | 0.08    | 2332.00              | 100.00             |

**lhb19ye4d: 23/24 - SC CASI E5.5.3 - 5th pregnancy conditions - Anxiety**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.04   | 92.80   | 2164.04              | 92.80              |
| -4  | -4    | 166.21    | 7.13    | 2330.25              | 99.92              |
| No  | 0     | 1.09      | 0.05    | 2331.34              | 99.97              |
| Yes | 1     | 0.66      | 0.03    | 2332.00              | 100.00             |

**lhb19ye4c: 23/24 - SC CASI E5.5.4 - 5th pregnancy conditions - Depression**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.04   | 92.80   | 2164.04              | 92.80              |
| -4  | -4    | 166.21    | 7.13    | 2330.25              | 99.92              |
| No  | 0     | 1.09      | 0.05    | 2331.34              | 99.97              |
| Yes | 1     | 0.66      | 0.03    | 2332.00              | 100.00             |

**lhb19ye3a: 23/24 - SC CASI E5.5.5 - 5th pregnancy conditions - Other health condition**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.04   | 92.80   | 2164.04              | 92.80              |
| -4 | -4    | 166.21    | 7.13    | 2330.25              | 99.92              |
| No | 0     | 1.75      | 0.08    | 2332.00              | 100.00             |

**lhb19yf: 23/24 - SC CASI E5.6 - Had a condition during 6th pregnancy**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 2     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yf1a: 23/24 - SC CASI E5.6.1 - 6th pregnancy conditions - Diabetes**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yf2a: 23/24 - SC CASI E5.6.2 - 6th pregnancy conditions - Hypertension w/ treatment**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yf4d: 23/24 - SC CASI E5.6.3 - 6th pregnancy conditions - Anxiety**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yf4c: 23/24 - SC CASI E5.6.4 - 6th pregnancy conditions - Depression**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yf3a: 23/24 - SC CASI E5.6.5 - 6th pregnancy conditions - Other health condition**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yg: 23/24 - SC CASI E5.7 - Had a condition during 7th pregnancy**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4  | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| Yes | 1     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yg1a: 23/24 - SC CASI E5.7.1 - 7th pregnancy conditions - Diabetes**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yg2a: 23/24 - SC CASI E5.7.2 - 7th pregnancy conditions - Hypertension w/ treatment**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4  | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| Yes | 1     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yg4d: 23/24 - SC CASI E5.7.3 - 7th pregnancy conditions - Anxiety**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4  | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| Yes | 1     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yg4c: 23/24 - SC CASI E5.7.4 - 7th pregnancy conditions - Depression**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4  | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| Yes | 1     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yg3a: 23/24 - SC CASI E5.7.5 - 7th pregnancy conditions - Other health condition**

|     | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|-----|-------|-----------|---------|----------------------|--------------------|
| -9  | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4  | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| Yes | 1     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yh: 23/24 - SC CASI E5.8 - Had a condition during 8th pregnancy**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 2     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yh1a: 23/24 - SC CASI E5.8.1 - 8th pregnancy conditions - Diabetes**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yh2a: 23/24 - SC CASI E5.8.2 - 8th pregnancy condition - Hypertension w/ treatment**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yh4d: 23/24 - SC CASI E5.8.3 - 8th pregnancy conditions - Anxiety**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yh4c: 23/24 - SC CASI E5.8.4 - 8th pregnancy conditions - Depression**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb19yh3a: 23/24 - SC CASI E5.8.5 - 8th pregnancy conditions - Other health condition**

|    | Value | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-------|-----------|---------|----------------------|--------------------|
| -9 | -9    | 2164.70   | 92.83   | 2164.70              | 92.83              |
| -4 | -4    | 166.21    | 7.13    | 2330.91              | 99.95              |
| No | 0     | 1.09      | 0.05    | 2332.00              | 100.00             |

**lhb17ya2: 23/24 - SC CASI E6.1 - During 1st pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17yb2: 23/24 - SC CASI E6.2 - During 2nd pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17yc2: 23/24 - SC CASI E6.3 - During 3rd pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17yd2: 23/24 - SC CASI E6.4 - During 4th pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17ye2: 23/24 - SC CASI E6.5 - During 5th pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17yf2: 23/24 - SC CASI E6.6 - During 6th pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17yg2: 23/24 - SC CASI E6.7 - During 7th pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |

**lhb17yh2: 23/24 - SC CASI E6.8 - During 8th pregnancy - Number of standard drinks per week**

|    | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|----|-----------|---------|----------------------|--------------------|
| -9 | 2332.00   | 100.00  | 2332.00              | 100.00             |